

Table 1-1. Percent distribution of drinking status¹ in the past year, by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Current drinker	44.37	0.40	55.76	0.51	33.87	0.47	51.36	1.01	51.61	0.49	40.51	0.67	24.53	0.63
Former drinker	21.63	0.31	22.53	0.42	20.80	0.37	11.69	0.51	21.92	0.39	25.56	0.58	23.27	0.60
Lifetime abstainer	34.00	0.42	21.71	0.43	45.33	0.57	36.95	0.96	26.47	0.46	33.93	0.67	52.20	0.79
Race														
White														
Current drinker	46.87	0.47	57.86	0.58	36.59	0.53	56.84	1.06	54.76	0.56	42.65	0.75	26.01	0.69
Former drinker	22.44	0.34	23.11	0.47	21.81	0.41	12.63	0.61	22.91	0.44	26.13	0.64	23.13	0.64
Lifetime abstainer	30.69	0.47	19.03	0.45	41.60	0.61	30.53	0.98	22.33	0.50	31.22	0.74	50.87	0.86
Black														
Current drinker	32.53	0.83	46.57	1.35	21.23	0.80	29.85	1.83	39.56	1.19	30.15	1.62	11.74	1.39
Former drinker	18.82	0.64	21.01	1.12	17.05	0.78	8.33	1.06	18.03	0.93	24.86	1.44	26.12	1.80
Lifetime abstainer	48.65	0.90	32.42	1.35	61.72	1.07	61.82	1.90	42.41	1.19	44.99	1.67	62.15	2.06
American Indian/Alaska Native														
Current drinker	41.88	4.45	51.75	7.32	33.28	4.82	57.31	13.64	44.62	5.73	26.44	7.32	--	--
Former drinker	24.71	2.67	25.49	3.89	24.03	3.15	--	--	32.10	4.81	24.41	7.50	35.09	7.87
Lifetime abstainer	33.41	5.26	22.76	6.73	42.69	6.10	32.21	11.23	23.27	3.41	49.15	7.68	55.72	8.54
Asian/Pacific Islander														
Current drinker	24.38	1.71	34.33	2.59	13.77	1.84	27.73	3.97	27.15	2.23	19.91	3.54	--	--
Former drinker	12.36	1.16	15.74	1.81	8.75	1.40	7.26	2.30	13.13	1.70	12.51	2.47	19.06	5.14
Lifetime abstainer	63.26	1.80	49.93	2.65	77.48	2.15	65.01	4.25	59.72	2.42	67.58	3.77	71.62	5.84
Hispanic Origin														
Hispanic														
Current drinker	38.41	1.20	52.95	1.80	23.78	1.26	39.04	2.36	42.14	1.61	35.74	2.51	20.84	3.53
Former drinker	14.84	0.81	17.45	1.30	12.22	0.92	10.53	1.37	15.41	1.15	17.86	2.01	14.53	2.75
Lifetime abstainer	46.75	1.18	29.60	1.59	64.01	1.46	50.43	2.52	42.46	1.50	46.41	2.67	64.63	3.90
Nonhispanic														
Current drinker	44.95	0.42	56.05	0.53	34.80	0.49	52.74	1.07	52.65	0.50	40.95	0.70	24.80	0.65
Former drinker	22.26	0.33	23.02	0.45	21.56	0.39	11.98	0.55	22.52	0.42	26.21	0.61	23.66	0.62
Lifetime abstainer	32.79	0.44	20.94	0.44	43.64	0.59	35.28	1.01	24.84	0.48	32.84	0.70	51.54	0.82
Marital Status														
Married														
Current drinker	43.07	0.50	52.72	0.65	33.15	0.59	41.06	1.69	48.71	0.62	41.23	0.81	29.43	0.91
Former drinker	24.66	0.40	26.29	0.56	22.98	0.49	20.93	1.38	23.85	0.50	25.86	0.71	25.88	0.84
Lifetime abstainer	32.27	0.52	20.99	0.54	43.87	0.71	38.01	1.77	27.44	0.59	32.90	0.79	44.69	1.02
Living with someone as if married														
Current drinker	64.28	1.62	73.16	2.38	55.57	2.24	68.27	3.12	64.87	2.10	53.13	4.97	--	--
Former drinker	18.59	1.27	17.18	1.81	19.97	1.82	9.97	1.75	20.67	1.78	30.28	4.56	--	--
Lifetime abstainer	17.13	1.27	9.66	1.54	24.47	1.96	21.75	2.65	14.46	1.52	16.60	3.86	--	--

See footnotes at end of table.

Table 1-1. Percent distribution of drinking status¹ in the past year, by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Widowed														
Current drinker	19.55	0.71	36.77	1.96	15.96	0.74	--	--	31.93	4.22	30.65	1.93	15.94	0.71
Former drinker	19.46	0.70	32.73	1.90	16.69	0.73	--	--	21.42	4.07	23.45	1.80	18.29	0.77
Lifetime abstainer	60.99	0.91	30.50	1.87	67.35	0.96	--	--	46.65	4.83	45.90	2.13	65.77	0.97
Divorced														
Current drinker	47.68	0.90	62.69	1.43	38.20	1.11	64.78	5.62	54.82	1.26	43.44	1.46	26.89	1.98
Former drinker	24.74	0.82	25.03	1.34	24.55	0.98	13.75	4.26	23.40	1.19	26.80	1.33	26.35	2.02
Lifetime abstainer	27.58	0.90	12.28	0.97	37.25	1.23	21.47	4.58	21.77	1.17	29.76	1.38	46.75	2.33
Separated														
Current drinker	45.78	1.59	65.56	2.66	34.10	1.79	53.73	5.52	50.71	2.12	39.12	2.99	19.43	4.06
Former drinker	19.68	1.23	17.67	2.14	20.86	1.47	16.03	3.83	18.88	1.62	21.41	2.46	24.44	3.81
Lifetime abstainer	34.54	1.57	16.77	2.07	45.04	1.97	30.24	5.23	30.40	2.00	39.47	3.26	56.13	5.00
Never married														
Current drinker	52.96	0.79	61.66	0.94	42.20	1.06	52.73	1.20	59.21	0.96	32.36	2.03	21.16	2.19
Former drinker	12.70	0.42	11.50	0.55	14.19	0.64	9.11	0.52	14.86	0.68	22.55	1.78	22.96	2.42
Lifetime abstainer	34.34	0.71	26.84	0.86	43.61	1.07	38.15	1.13	25.93	0.86	45.10	2.32	55.88	2.91
Ever Raised Children														
Yes														
Current drinker	40.28	0.44	52.57	0.61	30.29	0.48	38.09	1.58	47.06	0.59	40.52	0.71	24.91	0.69
Former drinker	24.26	0.37	26.56	0.54	22.40	0.44	20.28	1.24	24.19	0.48	25.53	0.62	23.25	0.66
Lifetime abstainer	35.46	0.49	20.87	0.52	47.32	0.63	41.64	1.61	28.76	0.56	33.95	0.71	51.84	0.85
No														
Current drinker	54.60	0.62	62.17	0.78	45.03	0.85	55.18	1.13	62.75	0.74	40.40	1.66	22.27	1.28
Former drinker	15.05	0.39	14.45	0.51	15.82	0.54	9.23	0.52	16.37	0.56	25.86	1.41	23.38	1.28
Lifetime abstainer	30.35	0.55	23.38	0.66	39.15	0.82	35.60	1.07	20.89	0.64	33.74	1.53	54.36	1.60
Children Under 14 Living in Household														
Yes														
Current drinker	44.08	0.59	56.51	0.90	34.55	0.66	33.86	1.73	46.37	0.67	39.23	1.66	20.46	3.99
Former drinker	24.40	0.49	23.80	0.71	24.85	0.60	22.24	1.44	24.29	0.53	26.45	1.48	25.07	3.81
Lifetime abstainer	31.53	0.61	19.69	0.79	40.60	0.79	43.90	1.80	29.34	0.64	34.32	1.70	54.47	4.77
No														
Current drinker	44.50	0.45	55.48	0.57	33.53	0.55	55.21	1.09	57.71	0.62	40.73	0.71	24.65	0.63
Former drinker	20.41	0.33	22.04	0.49	18.78	0.40	9.38	0.51	19.16	0.52	25.41	0.60	23.21	0.61
Lifetime abstainer	35.09	0.45	22.48	0.49	47.69	0.62	35.42	1.04	23.13	0.58	33.86	0.71	52.14	0.80
Education														
11 years or less														
Current drinker	27.88	0.66	40.83	1.01	16.69	0.69	37.29	1.84	40.51	1.35	26.41	1.23	14.52	0.78
Former drinker	22.58	0.58	28.26	1.00	17.67	0.62	12.44	1.18	20.76	1.03	27.57	1.14	24.19	0.98
Lifetime abstainer	49.54	0.66	30.91	0.92	65.65	0.86	50.27	1.83	38.73	1.24	46.02	1.28	61.29	1.11

See footnotes at end of table.

Table 1-1. Percent distribution of drinking status¹ in the past year, by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
12 years														
Current drinker	40.64	0.55	53.13	0.84	30.29	0.67	47.21	1.49	47.67	0.76	35.84	1.16	23.97	1.06
Former drinker	23.13	0.51	23.98	0.70	22.42	0.62	13.58	0.95	23.25	0.74	26.60	1.01	25.09	1.00
Lifetime abstainer	36.23	0.65	22.89	0.75	47.29	0.88	39.20	1.42	29.07	0.78	37.55	1.17	50.95	1.32
13-15 years														
Current drinker	50.37	0.66	60.57	0.90	41.44	0.82	56.51	1.51	52.60	0.83	46.21	1.30	34.25	1.67
Former drinker	21.44	0.50	21.11	0.75	21.73	0.61	10.63	0.82	24.14	0.73	26.06	1.14	22.55	1.30
Lifetime abstainer	28.19	0.57	18.31	0.73	36.83	0.78	32.86	1.41	23.25	0.77	27.74	1.20	43.20	1.66
16 or more years														
Current drinker	57.31	0.68	65.29	0.86	47.69	0.89	69.32	2.50	59.94	0.80	54.23	1.24	43.48	1.87
Former drinker	19.08	0.49	18.06	0.63	20.30	0.68	9.50	1.39	18.88	0.62	22.04	1.00	17.95	1.33
Lifetime abstainer	23.61	0.60	16.65	0.67	32.01	0.87	21.18	2.29	21.19	0.71	23.73	1.08	38.57	1.71
Currently Employed Full Time														
Yes														
Current drinker	53.69	0.48	61.04	0.60	42.91	0.65	59.51	1.32	56.54	0.55	46.11	0.85	40.38	2.88
Former drinker	21.09	0.37	21.13	0.47	21.03	0.55	11.53	0.75	20.71	0.44	25.57	0.75	22.89	2.43
Lifetime abstainer	25.23	0.45	17.83	0.47	36.07	0.71	28.96	1.23	22.74	0.49	28.31	0.81	36.73	2.96
No														
Current drinker	34.44	0.53	46.40	0.81	27.78	0.54	45.57	1.45	40.83	0.79	32.97	0.88	23.76	0.63
Former drinker	22.21	0.40	25.02	0.69	20.65	0.43	11.81	0.66	24.55	0.68	25.54	0.75	23.28	0.62
Lifetime abstainer	43.35	0.55	28.58	0.73	51.57	0.67	42.62	1.36	34.62	0.77	41.48	0.94	52.95	0.80
Personal Annual Income														
None														
Current drinker	26.22	0.56	37.42	0.97	20.78	0.56	27.49	2.50	31.31	1.13	30.10	1.11	22.20	0.64
Former drinker	23.57	0.49	31.43	0.93	19.75	0.52	14.99	1.63	25.24	0.97	25.20	1.01	23.30	0.65
Lifetime abstainer	50.21	0.67	31.15	0.95	59.47	0.76	57.52	2.45	43.45	1.17	44.70	1.21	54.50	0.83
\$1 to \$9,999														
Current drinker	41.67	0.83	53.34	1.21	34.49	0.86	49.80	1.45	41.88	1.05	29.39	1.38	31.49	2.11
Former drinker	19.66	0.55	17.91	0.83	20.73	0.66	11.11	0.65	23.75	0.96	25.83	1.38	25.47	1.81
Lifetime abstainer	38.67	0.79	28.75	1.07	44.78	0.94	39.09	1.36	34.38	0.99	44.78	1.61	43.04	2.17
\$10,000 to \$24,999														
Current drinker	48.91	0.62	58.05	0.95	40.59	0.78	61.92	1.49	50.59	0.77	37.50	1.15	36.21	3.70
Former drinker	21.14	0.51	19.99	0.76	22.19	0.64	11.23	0.86	22.04	0.68	25.75	1.01	18.22	2.64
Lifetime abstainer	29.95	0.63	21.96	0.84	37.22	0.84	26.85	1.37	27.37	0.76	36.75	1.20	45.57	3.87
\$25,000 or more														
Current drinker	60.37	0.60	63.77	0.71	52.07	0.95	71.00	2.99	63.45	0.69	54.36	1.07	53.03	3.74
Former drinker	21.63	0.48	21.88	0.58	21.03	0.74	11.79	2.07	19.91	0.58	25.57	0.90	21.01	3.07
Lifetime abstainer	17.99	0.51	14.36	0.53	26.90	0.92	17.21	2.46	16.64	0.56	20.07	0.92	25.95	3.30

See footnotes at end of table.

Table 1-1. Percent distribution of drinking status¹ in the past year, by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Current/Most Recent Occupation														
Executive, administrative, managerial														
Current drinker	57.10	0.90	63.30	1.16	48.89	1.22	67.68	3.57	62.02	1.21	54.19	1.65	40.66	2.32
Former drinker	21.89	0.76	21.17	1.00	22.84	1.04	10.57	2.22	21.33	0.99	24.54	1.54	21.93	1.82
Lifetime abstainer	21.00	0.72	15.53	0.91	28.26	1.08	21.75	3.02	16.65	0.88	21.27	1.38	37.41	2.19
Professional specialty														
Current drinker	50.48	0.85	60.25	1.21	42.41	1.06	60.20	3.43	54.30	1.07	48.72	1.61	34.16	1.95
Former drinker	20.90	0.64	20.61	0.97	21.15	0.80	10.76	2.01	21.36	0.83	23.59	1.39	18.93	1.55
Lifetime abstainer	28.62	0.79	19.14	0.97	36.44	1.07	29.04	3.25	24.33	0.97	27.69	1.42	46.91	1.96
Technician/related support														
Current drinker	51.42	1.60	59.57	2.34	43.04	2.18	60.96	4.44	53.09	1.91	48.14	3.77	31.93	4.44
Former drinker	21.32	1.27	22.63	1.99	19.97	1.70	11.00	2.65	22.66	1.67	22.81	2.85	25.16	4.15
Lifetime abstainer	27.26	1.37	17.80	1.71	36.99	1.91	28.04	3.93	24.25	1.63	29.06	3.27	42.90	4.84
Sales														
Current drinker	46.39	0.88	60.50	1.30	35.58	1.17	46.99	1.99	52.81	1.33	45.96	1.84	29.01	1.84
Former drinker	20.82	0.74	20.56	1.09	21.02	0.96	13.47	1.27	23.09	1.17	22.21	1.48	22.18	1.68
Lifetime abstainer	32.79	0.89	18.94	1.08	43.40	1.21	39.53	1.87	24.10	1.18	31.83	1.73	48.81	2.06
Administrative support, including clerical														
Current drinker	39.51	0.75	53.04	1.75	36.09	0.76	46.51	1.96	44.28	1.06	34.59	1.38	27.73	1.51
Former drinker	22.90	0.60	23.02	1.47	22.87	0.64	14.01	1.26	24.17	0.88	25.66	1.26	22.92	1.30
Lifetime abstainer	37.58	0.74	23.95	1.49	41.04	0.85	39.48	1.90	31.56	1.01	39.74	1.41	49.35	1.66
Private household														
Current drinker	19.84	2.11	--	--	19.49	2.10	22.68	6.41	34.57	4.91	16.05	3.86	8.30	2.49
Former drinker	15.99	1.96	--	--	15.57	1.96	--	--	17.75	3.61	13.81	4.12	17.05	2.61
Lifetime abstainer	64.17	2.51	--	--	64.93	2.52	64.60	7.69	47.68	5.01	70.14	4.80	74.65	3.39
Protective service														
Current drinker	54.05	2.41	57.61	2.62	35.30	4.60	66.93	5.78	59.13	3.49	48.34	4.99	28.77	4.85
Former drinker	23.70	1.94	23.45	2.23	25.05	4.46	--	--	17.20	2.26	36.16	4.96	48.67	5.37
Lifetime abstainer	22.25	1.77	18.94	1.77	39.66	5.04	26.74	5.18	23.66	2.85	15.50	3.29	22.56	4.38
Service, except protective and household														
Current drinker	35.78	0.87	50.68	1.62	29.51	0.90	49.78	1.97	42.23	1.29	25.39	1.59	13.52	1.31
Former drinker	20.20	0.71	17.79	1.24	21.21	0.82	12.89	1.16	21.96	1.12	23.94	1.55	21.28	1.53
Lifetime abstainer	44.03	0.94	31.52	1.60	49.28	1.04	37.33	1.82	35.81	1.31	50.66	1.82	65.20	1.75
Farming, forestry, fishing														
Current drinker	38.91	1.86	44.04	2.18	21.62	2.81	55.07	4.33	46.53	3.21	34.36	3.63	16.41	2.44
Former drinker	22.41	1.65	23.67	1.85	18.16	3.39	9.77	2.48	22.28	2.65	25.71	3.16	30.52	3.52
Lifetime abstainer	38.69	1.75	32.29	1.99	60.22	3.93	35.16	4.08	31.20	3.16	39.92	4.24	53.07	3.41
Precision production, craft, repair														
Current drinker	53.25	0.91	56.14	0.99	32.28	2.24	63.84	2.63	62.47	1.32	46.02	1.88	29.87	1.95
Former drinker	24.90	0.78	25.14	0.83	23.16	2.06	8.81	1.52	22.43	1.12	32.03	1.65	31.79	1.92
Lifetime abstainer	21.85	0.77	18.73	0.79	44.55	2.44	27.36	2.48	15.10	0.94	21.95	1.53	38.34	2.09

See footnotes at end of table.

Table 1-1. Percent distribution of drinking status¹ in the past year, by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Operators, fabricators, laborers														
Current drinker	33.52	1.09	50.18	1.70	18.85	1.05	49.46	3.35	42.89	1.67	30.08	2.19	14.03	1.40
Former drinker	22.33	0.92	25.89	1.35	19.19	1.13	12.09	2.11	21.28	1.32	27.99	1.97	22.41	1.67
Lifetime abstainer	44.15	1.16	23.93	1.38	61.96	1.47	38.45	3.22	35.84	1.62	41.93	2.28	63.56	2.03
Transportation, material moving														
Current drinker	49.27	1.57	51.25	1.70	32.26	4.00	57.55	4.61	57.56	2.18	42.16	2.99	31.64	3.26
Former drinker	26.99	1.38	27.81	1.48	19.95	3.40	6.44	2.18	22.13	1.92	34.02	2.90	42.73	3.36
Lifetime abstainer	23.74	1.24	20.94	1.28	47.79	4.32	36.01	4.33	20.31	1.69	23.82	2.45	25.63	2.94
Handlers, equipment cleaners, helpers, laborers														
Current drinker	44.66	1.54	52.56	1.81	25.63	2.13	52.69	3.08	53.96	2.42	33.86	3.58	16.27	2.89
Former drinker	19.84	1.14	20.13	1.44	19.15	2.00	11.78	1.86	19.97	1.86	29.82	3.54	22.65	3.35
Lifetime abstainer	35.51	1.47	27.32	1.68	55.22	2.50	35.53	3.12	26.07	2.06	36.32	3.79	61.08	4.10
Military														
Current drinker	57.03	3.85	62.19	4.41	37.86	7.28	68.32	6.03	62.01	5.06	--	--	--	--
Former drinker	21.26	3.17	20.64	3.54	23.56	6.44	--	--	21.22	3.51	--	--	44.28	10.36
Lifetime abstainer	21.71	3.14	17.16	3.34	38.58	8.21	22.59	6.13	16.77	4.31	--	--	38.59	9.64
Current/Most Recent Industry														
Agriculture, forestry, fisheries														
Current drinker	38.41	2.00	42.99	2.38	27.03	2.75	48.37	5.07	45.88	2.99	37.56	3.87	17.60	2.80
Former drinker	22.35	1.60	23.00	1.90	20.74	2.63	11.84	2.79	22.95	2.61	23.18	3.25	28.72	3.48
Lifetime abstainer	39.24	1.87	34.01	2.29	52.23	3.46	39.79	5.00	31.17	3.07	39.26	4.22	53.68	3.39
Mining														
Current drinker	39.23	4.38	41.25	5.61	33.16	7.21	--	--	49.86	6.05	36.75	6.83	25.27	7.29
Former drinker	32.07	3.51	30.02	3.84	38.25	9.27	--	--	31.35	5.27	36.02	8.93	32.75	7.95
Lifetime abstainer	28.70	4.18	28.73	5.07	28.59	7.60	--	--	18.79	3.69	27.23	6.51	41.99	10.29
Construction														
Current drinker	57.01	1.26	59.09	1.37	41.70	3.09	65.20	3.14	64.14	1.83	51.28	2.52	28.81	3.04
Former drinker	24.66	1.00	24.10	1.07	28.72	2.84	11.87	1.98	22.42	1.44	29.12	2.25	40.15	3.36
Lifetime abstainer	18.34	0.97	16.81	1.03	29.59	3.11	22.93	2.84	13.43	1.37	19.61	2.06	31.03	3.19
Manufacturing														
Current drinker	43.65	0.79	54.55	0.99	27.64	0.94	53.80	2.45	52.34	1.10	41.27	1.44	23.69	1.24
Former drinker	23.16	0.67	25.39	0.90	19.88	0.85	11.18	1.42	21.22	0.90	28.59	1.32	24.76	1.32
Lifetime abstainer	33.19	0.79	20.06	0.84	52.48	1.14	35.03	2.32	26.44	0.95	30.14	1.31	51.55	1.64
Transportation, communications, other public utilities														
Current drinker	50.67	1.09	55.55	1.38	40.42	1.74	58.45	4.95	57.78	1.49	46.35	2.26	31.88	2.43
Former drinker	24.75	0.95	25.40	1.21	23.38	1.59	11.58	2.97	21.82	1.30	29.56	1.97	31.06	2.38
Lifetime abstainer	24.57	0.96	19.04	1.10	36.20	1.83	29.97	4.39	20.40	1.26	24.09	1.96	37.06	2.30
Wholesale trade														
Current drinker	54.21	1.52	62.81	1.89	37.06	2.15	63.21	4.45	58.33	2.07	50.01	3.26	38.68	3.96
Former drinker	20.96	1.27	20.38	1.62	22.12	1.97	7.77	2.13	20.55	1.70	26.31	2.92	23.18	3.23
Lifetime abstainer	24.83	1.36	16.81	1.55	40.82	2.34	29.02	4.40	21.12	1.89	23.68	2.70	38.14	3.96

See footnotes at end of table.

Table 1-1. Percent distribution of drinking status¹ in the past year, by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Retail trade														
Current drinker	41.98	0.77	53.82	1.23	34.31	0.87	49.25	1.51	49.15	1.10	32.41	1.55	22.51	1.45
Former drinker	21.14	0.61	19.26	0.95	22.36	0.74	13.60	0.99	23.06	0.93	27.03	1.39	21.76	1.31
Lifetime abstainer	36.88	0.76	26.92	1.14	43.33	0.94	37.15	1.44	27.79	1.01	40.55	1.77	55.73	1.73
Finance, insurance, real estate														
Current drinker	50.85	1.23	63.72	1.93	43.31	1.51	56.01	3.73	54.95	1.68	49.69	2.53	33.95	2.81
Former drinker	20.34	0.95	20.45	1.70	20.27	1.10	15.07	2.52	20.70	1.28	20.55	2.05	22.82	2.24
Lifetime abstainer	28.81	1.12	15.82	1.43	36.42	1.49	28.91	3.44	24.35	1.45	29.76	2.34	43.23	2.80
Services: business and repair														
Current drinker	51.77	1.27	59.46	1.71	41.81	1.80	55.35	3.47	56.45	1.67	47.80	2.77	30.45	3.27
Former drinker	20.60	0.99	19.77	1.33	21.68	1.47	7.69	1.69	22.31	1.37	22.52	2.20	25.76	2.77
Lifetime abstainer	27.63	1.13	20.77	1.47	36.51	1.75	36.96	3.36	21.23	1.39	29.68	2.63	43.79	3.27
Services: personal														
Current drinker	31.80	1.43	51.68	3.87	26.41	1.26	45.53	4.82	42.45	2.32	23.33	2.16	14.20	1.73
Former drinker	21.33	1.22	18.31	2.72	22.14	1.39	13.85	2.85	21.76	1.86	25.74	2.67	20.91	1.87
Lifetime abstainer	46.88	1.47	30.01	3.14	51.45	1.58	40.62	4.17	35.79	2.33	50.93	2.93	64.89	2.40
Services: entertainment and recreation														
Current drinker	60.94	2.27	69.49	2.82	48.54	3.49	66.35	3.97	62.58	3.35	59.11	5.77	30.11	6.13
Former drinker	14.03	1.59	14.34	2.21	13.59	2.13	5.72	1.95	18.39	2.90	15.84	3.84	24.71	6.24
Lifetime abstainer	25.04	2.04	16.17	2.23	37.87	3.40	27.93	3.64	19.03	2.77	25.04	5.10	45.17	6.88
Services: professional and related														
Current drinker	42.09	0.67	55.72	1.22	36.37	0.71	47.72	2.19	47.00	0.87	40.10	1.22	25.68	1.28
Former drinker	21.23	0.50	21.98	0.96	20.91	0.55	11.75	1.13	22.90	0.73	22.83	0.99	20.07	1.15
Lifetime abstainer	36.68	0.66	22.30	0.98	42.72	0.76	40.53	2.12	30.10	0.82	37.07	1.16	54.24	1.35
Public administration														
Current drinker	46.95	1.41	55.83	2.04	35.37	1.57	60.40	4.85	52.87	2.11	42.56	2.39	32.25	2.45
Former drinker	24.25	1.20	24.56	1.63	23.85	1.62	11.69	2.77	22.04	1.60	30.26	2.35	25.59	2.56
Lifetime abstainer	28.80	1.29	19.61	1.49	40.78	1.90	27.91	4.06	25.09	1.72	27.18	2.15	42.16	2.77
Military														
Current drinker	57.35	3.60	61.86	4.10	39.00	7.15	66.34	5.92	61.57	4.73	49.06	12.90	--	--
Former drinker	21.99	3.03	22.10	3.38	21.58	6.12	--	--	23.11	3.45	--	--	44.28	10.36
Lifetime abstainer	20.65	2.86	16.04	2.98	39.42	7.92	24.88	5.87	15.32	3.75	--	--	38.59	9.64
Smoked Any Cigarettes in Last Year														
Yes														
Current drinker	57.82	0.58	66.41	0.75	48.36	0.77	71.32	1.28	62.80	0.74	47.22	1.11	35.66	1.57
Former drinker	23.69	0.49	22.29	0.68	25.22	0.61	14.30	0.92	22.64	0.67	29.23	1.00	30.02	1.49
Lifetime abstainer	18.49	0.47	11.30	0.49	26.41	0.75	14.38	0.97	14.57	0.50	23.55	0.92	34.32	1.58
No														
Current drinker	38.72	0.44	50.68	0.58	28.49	0.49	42.04	1.17	45.85	0.57	37.66	0.73	22.53	0.67
Former drinker	20.76	0.33	22.64	0.47	19.16	0.42	10.48	0.58	21.55	0.45	23.99	0.67	22.05	0.64
Lifetime abstainer	40.52	0.49	26.68	0.54	52.36	0.62	47.48	1.17	32.60	0.59	38.35	0.78	55.41	0.86

See footnotes at end of table.

Table 1-1. Percent distribution of drinking status¹ in the past year, by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Smoked 100 or More Cigarettes in Life														
Yes														
Current drinker	53.30	0.48	60.27	0.61	44.91	0.63	70.06	1.27	60.31	0.64	47.73	0.85	34.64	0.90
Former drinker	27.48	0.42	27.28	0.57	27.72	0.54	14.95	0.92	25.54	0.59	31.41	0.76	32.89	0.94
Lifetime abstainer	19.22	0.41	12.46	0.41	27.37	0.66	14.99	0.97	14.15	0.43	20.86	0.71	32.46	0.92
No														
Current drinker	35.55	0.48	49.88	0.70	25.43	0.52	41.38	1.18	43.32	0.63	29.75	0.88	14.75	0.67
Former drinker	15.85	0.34	16.34	0.50	15.50	0.42	9.96	0.58	18.46	0.48	16.84	0.74	13.95	0.62
Lifetime abstainer	48.60	0.55	33.78	0.69	59.07	0.66	48.66	1.19	38.21	0.70	53.41	0.98	71.30	0.89
Any Depression in Past Year														
Yes														
Current drinker	52.81	1.53	70.32	2.40	41.38	1.79	59.54	2.87	54.64	1.96	39.14	3.98	--	--
Former drinker	22.87	1.33	16.89	2.10	26.77	1.58	12.40	1.97	25.60	1.79	33.04	3.69	22.46	6.40
Lifetime abstainer	24.32	1.26	12.78	1.63	31.85	1.79	28.06	2.49	19.76	1.49	27.82	3.86	62.41	7.74
No														
Current drinker	44.08	0.40	55.35	0.51	33.56	0.47	50.78	1.05	51.48	0.50	40.54	0.68	24.58	0.63
Former drinker	21.59	0.31	22.69	0.43	20.56	0.37	11.64	0.52	21.76	0.40	25.42	0.59	23.27	0.60
Lifetime abstainer	34.33	0.42	21.96	0.43	45.88	0.57	37.58	1.00	26.77	0.47	34.04	0.68	52.15	0.79
Any Depression in Life														
Yes														
Current drinker	50.26	0.96	61.19	1.47	42.33	1.11	56.82	2.02	52.83	1.21	39.45	2.02	31.06	4.57
Former drinker	28.40	0.83	26.32	1.40	29.91	0.96	16.42	1.42	30.23	1.09	35.51	2.02	29.16	3.96
Lifetime abstainer	21.35	0.75	12.49	0.97	27.77	1.06	26.76	1.73	16.94	0.85	25.04	1.84	39.78	4.53
No														
Current drinker	43.73	0.41	55.25	0.52	32.82	0.49	50.42	1.11	51.44	0.51	40.61	0.69	24.41	0.64
Former drinker	20.89	0.32	22.17	0.43	19.67	0.38	10.88	0.53	20.75	0.42	24.69	0.59	23.16	0.61
Lifetime abstainer	35.38	0.43	22.58	0.44	47.50	0.59	38.71	1.06	27.81	0.49	34.70	0.70	52.43	0.79
Age Started Drinking														
16 years or younger														
Current drinker	69.73	0.71	72.28	0.88	65.14	1.04	80.25	1.20	69.52	0.85	59.91	1.88	53.96	2.55
Former drinker	30.27	0.71	27.72	0.88	34.86	1.04	19.75	1.20	30.48	0.85	40.09	1.88	46.04	2.55
Lifetime abstainer	--	--	--	--	--	--	--	--	--	--	--	--	--	--
17 or 18 years														
Current drinker	68.83	0.64	72.92	0.78	62.38	0.96	82.81	1.25	70.95	0.80	60.17	1.31	52.84	2.02
Former drinker	31.17	0.64	27.08	0.78	37.62	0.96	17.19	1.25	29.05	0.80	39.83	1.31	47.16	2.02
Lifetime abstainer	--	--	--	--	--	--	--	--	--	--	--	--	--	--
19 or 20 years														
Current drinker	66.73	0.90	70.19	1.21	62.46	1.21	83.40	2.29	68.72	1.23	64.36	1.71	50.80	2.16
Former drinker	33.27	0.90	29.81	1.21	37.54	1.21	16.60	2.29	31.28	1.23	35.64	1.71	49.20	2.16
Lifetime abstainer	--	--	--	--	--	--	--	--	--	--	--	--	--	--

See footnotes at end of table.

Table 1-1. Percent distribution of drinking status¹ in the past year, by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
21 years or older														
Current drinker	64.09	0.69	69.11	1.00	60.00	0.88	80.30	3.42	72.19	1.01	61.77	1.23	51.10	1.39
Former drinker	35.91	0.69	30.89	1.00	40.00	0.88	19.70	3.42	27.81	1.01	38.23	1.23	48.90	1.39
Lifetime abstainer	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<u>Family History of Alcoholism</u>														
None														
Current drinker	40.38	0.48	52.93	0.67	28.10	0.54	45.75	1.31	49.29	0.68	39.15	0.89	23.50	0.73
Former drinker	18.01	0.37	19.57	0.51	16.48	0.43	9.64	0.68	16.65	0.50	21.45	0.72	21.11	0.66
Lifetime abstainer	41.61	0.51	27.49	0.60	55.42	0.67	44.61	1.32	34.06	0.67	39.39	0.88	55.39	0.87
2nd degree relatives only														
Current drinker	49.29	0.78	60.39	1.08	38.62	0.90	55.90	1.83	53.95	0.91	43.26	1.47	26.13	1.73
Former drinker	21.36	0.59	20.64	0.81	22.07	0.79	10.43	0.85	22.74	0.80	25.14	1.22	26.42	1.94
Lifetime abstainer	29.35	0.71	18.98	0.82	39.31	0.98	33.67	1.72	23.31	0.81	31.60	1.42	47.45	2.22
1st degree relatives only														
Current drinker	43.36	0.83	55.15	1.29	33.14	0.97	51.48	2.88	53.30	1.26	38.67	1.54	25.86	1.49
Former drinker	24.56	0.71	26.76	1.13	22.65	0.84	13.74	1.83	22.60	1.14	28.76	1.42	27.60	1.56
Lifetime abstainer	32.08	0.82	18.09	1.03	44.21	1.09	34.78	2.75	24.09	1.05	32.57	1.51	46.54	1.86
Both 1st and 2nd degree relatives														
Current drinker	49.67	0.67	58.69	1.03	42.47	0.82	57.02	1.64	52.80	0.86	42.57	1.29	29.36	2.17
Former drinker	28.77	0.58	29.80	0.96	27.95	0.69	16.40	1.20	29.71	0.76	34.14	1.30	30.54	2.18
Lifetime abstainer	21.56	0.56	11.51	0.65	29.58	0.81	26.59	1.45	17.49	0.70	23.29	1.12	40.11	2.24
<u>Any Parent Alcoholic</u>														
Yes														
Current drinker	49.74	0.64	59.39	0.99	41.69	0.82	54.05	1.59	53.40	0.85	44.37	1.25	30.84	1.82
Former drinker	26.78	0.55	27.44	0.91	26.23	0.64	15.81	1.11	27.95	0.80	30.74	1.17	29.34	1.91
Lifetime abstainer	23.49	0.56	13.17	0.68	32.09	0.78	30.14	1.46	18.65	0.65	24.89	1.12	39.82	2.02
No														
Current drinker	42.86	0.45	54.81	0.56	31.53	0.51	50.45	1.16	50.98	0.54	39.48	0.74	23.88	0.65
Former drinker	20.18	0.33	21.24	0.45	19.18	0.41	10.31	0.55	19.80	0.41	24.17	0.63	22.64	0.62
Lifetime abstainer	36.95	0.46	23.95	0.47	49.29	0.62	39.24	1.14	29.22	0.53	36.36	0.75	53.48	0.79
<u>Married to Alcoholic/Lived with Alcoholic as Married</u>														
Yes														
Current drinker	43.26	0.85	58.76	2.00	38.52	0.87	55.95	3.18	48.89	1.15	37.45	1.46	26.62	1.91
Former drinker	32.70	0.78	35.05	1.85	31.98	0.86	26.70	2.81	33.15	1.05	35.42	1.56	26.85	1.67
Lifetime abstainer	24.04	0.77	6.20	0.85	29.50	0.90	17.36	2.39	17.96	0.91	27.13	1.42	46.53	2.13
No														
Current drinker	44.52	0.42	55.58	0.52	32.91	0.50	51.12	1.04	52.04	0.51	41.00	0.72	24.34	0.64
Former drinker	20.17	0.30	21.78	0.41	18.49	0.37	10.91	0.50	20.14	0.40	24.00	0.59	22.93	0.63
Lifetime abstainer	35.31	0.42	22.64	0.45	48.60	0.58	37.97	0.99	27.82	0.49	35.00	0.70	52.73	0.81

See footnotes at end of table.

Table 1-1. Percent distribution of drinking status¹ in the past year, by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Any Alcohol Treatment in Past Year</u>														
Yes														
Current drinker	53.14	2.23	56.17	2.67	45.47	3.66	85.95	3.38	53.37	2.80	33.73	4.10	--	--
Former drinker	46.86	2.23	43.83	2.67	54.53	3.66	14.05	3.38	46.63	2.80	66.27	4.10	80.93	7.52
Lifetime abstainer	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No														
Current drinker	44.20	0.40	55.75	0.51	33.75	0.47	50.61	1.01	51.56	0.49	40.62	0.68	24.55	0.63
Former drinker	21.14	0.31	21.91	0.42	20.45	0.37	11.64	0.51	21.28	0.40	24.89	0.58	23.06	0.60
Lifetime abstainer	34.65	0.42	22.34	0.43	45.80	0.57	37.74	0.96	27.16	0.47	34.49	0.68	52.39	0.79
<u>Any Alcohol Treatment in Life</u>														
Yes														
Current drinker	59.66	1.28	62.30	1.49	51.51	2.30	79.75	2.70	62.23	1.61	44.88	2.70	39.77	4.83
Former drinker	40.34	1.28	37.70	1.49	48.49	2.30	20.25	2.70	37.77	1.61	55.12	2.70	60.23	4.83
Lifetime abstainer	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No														
Current drinker	43.60	0.41	55.22	0.53	33.46	0.47	49.81	1.03	50.91	0.50	40.31	0.69	24.30	0.63
Former drinker	20.68	0.31	21.28	0.43	20.16	0.37	11.23	0.50	20.88	0.40	24.18	0.58	22.72	0.60
Lifetime abstainer	35.72	0.42	23.50	0.45	46.39	0.56	38.96	0.98	28.21	0.48	35.51	0.69	52.98	0.80

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks in past year. **Former drinker:** 12 or more drinks in any one year, but not in the past year. **Lifetime abstainer:** never had 12 or more drinks in any year of life.

² Excludes respondents for whom the characteristic was coded "other or unknown."

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, National Institute on Alcohol Abuse and Alcoholism.

Table 1-2a. Percent distribution of usual drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Light drinker	43.73	0.44	36.86	0.59	54.18	0.67	39.08	1.16	44.95	0.59	44.94	0.93	42.04	1.19
Moderate drinker	38.28	0.44	40.53	0.58	34.87	0.61	41.07	1.32	39.28	0.56	34.35	0.86	37.73	1.17
Heavier drinker	16.87	0.34	21.45	0.50	9.91	0.39	18.92	0.94	14.71	0.45	19.40	0.75	18.94	0.92
Race														
White														
Light drinker	43.83	0.47	36.82	0.62	54.19	0.72	38.59	1.28	45.21	0.63	45.07	0.99	42.18	1.23
Moderate drinker	38.66	0.47	40.93	0.59	35.30	0.67	41.82	1.41	39.72	0.60	34.68	0.92	37.76	1.22
Heavier drinker	16.52	0.36	21.22	0.54	9.56	0.39	18.78	1.00	14.14	0.47	19.09	0.81	18.86	0.95
Black														
Light drinker	39.53	1.41	32.01	1.85	52.79	1.97	42.96	3.78	37.86	1.73	41.25	3.12	41.29	5.13
Moderate drinker	36.53	1.41	39.83	1.97	30.72	1.83	34.21	3.46	38.75	1.84	32.38	2.94	35.10	5.47
Heavier drinker	21.31	1.33	25.56	1.72	13.80	1.49	21.08	3.75	20.96	1.62	22.77	2.48	19.67	4.26
American Indian/Alaska Native														
Light drinker	40.02	5.82	35.55	8.23	46.07	7.96	22.16	7.51	54.86	8.22	--	--	--	--
Moderate drinker	47.68	6.16	48.40	8.89	46.71	7.34	58.23	11.28	36.63	8.26	--	--	--	--
Heavier drinker	12.30	2.88	16.05	5.21	--	--	--	--	--	--	--	--	--	--
Asian/Pacific Islander														
Light drinker	62.68	3.55	59.89	4.24	70.09	6.49	47.24	7.91	68.19	4.06	65.77	8.80	--	--
Moderate drinker	25.90	2.96	27.94	3.66	20.45	4.93	29.13	6.90	25.38	3.75	22.69	7.53	--	--
Heavier drinker	10.51	2.40	10.91	2.65	--	--	--	--	6.43	2.21	--	--	--	--
Hispanic Origin														
Hispanic														
Light drinker	47.46	1.84	40.29	2.29	63.56	2.66	45.79	4.15	50.00	2.29	42.16	4.18	49.24	9.40
Moderate drinker	34.03	1.72	37.91	2.26	25.35	2.40	38.66	4.06	32.36	2.12	35.33	4.03	25.57	7.78
Heavier drinker	16.99	1.44	20.30	1.94	9.58	1.67	14.48	2.84	15.63	1.76	21.64	4.18	24.67	6.52
Nonhispanic														
Light drinker	43.50	0.45	36.56	0.60	53.73	0.70	38.65	1.22	44.52	0.61	45.16	0.95	41.87	1.18
Moderate drinker	38.50	0.44	40.67	0.58	35.30	0.62	41.03	1.36	39.83	0.58	34.07	0.88	38.08	1.19
Heavier drinker	16.92	0.36	21.65	0.53	9.94	0.42	19.43	1.01	14.65	0.46	19.45	0.77	18.82	0.94
Marital Status														
Married														
Light drinker	48.08	0.58	41.68	0.77	58.54	0.91	56.76	2.67	49.81	0.79	46.12	1.11	40.94	1.59
Moderate drinker	36.29	0.56	38.92	0.75	31.98	0.82	27.59	2.51	37.88	0.75	34.14	1.04	37.92	1.59
Heavier drinker	14.51	0.43	18.19	0.60	8.50	0.48	13.96	2.29	11.35	0.51	18.42	0.88	19.99	1.27
Living with someone as if married														
Light drinker	37.37	2.18	28.23	2.90	49.17	3.10	40.53	4.18	36.58	2.67	33.31	6.60	--	--
Moderate drinker	38.30	2.22	42.90	3.11	32.35	2.82	36.64	4.58	39.56	2.59	32.51	6.34	--	--
Heavier drinker	23.78	1.86	28.57	2.78	17.59	2.37	22.39	3.49	23.21	2.26	33.87	6.73	--	--

See footnotes at end of table.

Table 1-2a. Percent distribution of usual drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Widowed														
Light drinker	46.63	1.83	38.14	3.57	50.70	2.22	--	--	47.08	7.65	46.16	3.72	46.79	2.23
Moderate drinker	36.29	1.75	35.72	3.30	36.56	2.09	--	--	43.11	7.80	33.46	3.50	36.86	2.18
Heavier drinker	15.27	1.20	25.10	2.77	10.54	1.28	--	--	--	--	17.84	2.54	14.69	1.36
Divorced														
Light drinker	40.46	1.22	29.03	1.64	52.31	1.79	37.92	7.40	39.87	1.56	42.07	2.26	38.90	4.25
Moderate drinker	37.40	1.24	39.15	1.88	35.59	1.68	38.00	8.08	38.04	1.58	36.16	2.26	37.61	4.23
Heavier drinker	21.31	1.15	31.14	1.83	11.11	1.18	24.07	6.24	21.16	1.50	21.15	2.04	22.02	3.37
Separated														
Light drinker	40.82	2.48	31.38	3.42	51.54	3.43	30.50	6.97	42.15	3.23	40.64	4.70	52.59	11.47
Moderate drinker	34.68	2.30	36.90	3.34	32.16	2.93	43.69	7.43	36.32	2.79	29.12	4.33	--	--
Heavier drinker	22.79	2.17	30.39	3.25	14.17	2.63	22.77	7.10	20.46	2.81	27.49	3.98	--	--
Never married														
Light drinker	35.32	0.84	29.46	0.98	45.90	1.45	35.27	1.27	35.07	1.17	35.58	3.45	43.80	5.81
Moderate drinker	44.03	0.94	44.85	1.25	42.56	1.32	44.38	1.44	44.14	1.25	39.70	3.57	39.35	5.81
Heavier drinker	19.52	0.79	24.40	1.12	10.69	0.89	19.55	1.14	19.26	1.05	23.97	3.48	14.94	3.82
Ever Raised Children														
Yes														
Light drinker	46.96	0.53	39.40	0.74	57.63	0.79	49.95	2.54	48.60	0.75	45.75	0.99	42.15	1.27
Moderate drinker	35.61	0.51	38.29	0.72	31.82	0.70	30.06	2.48	36.51	0.72	34.14	0.91	37.64	1.27
Heavier drinker	16.34	0.42	21.19	0.60	9.49	0.47	18.75	1.92	13.95	0.53	18.84	0.78	18.97	1.02
No														
Light drinker	37.78	0.69	32.53	0.87	46.95	1.10	36.92	1.24	38.24	0.91	37.50	2.39	41.33	3.08
Moderate drinker	43.21	0.75	44.32	0.99	41.27	1.04	43.26	1.38	44.36	0.95	36.30	2.39	38.30	2.96
Heavier drinker	17.84	0.56	21.89	0.82	10.78	0.69	18.96	1.04	16.11	0.71	24.50	2.24	18.74	2.34
Children Under 14 Living in Household														
Yes														
Light drinker	50.87	0.75	41.87	1.06	62.15	1.00	60.00	2.90	50.95	0.83	46.18	2.52	30.65	9.15
Moderate drinker	35.69	0.75	39.90	1.08	30.42	0.95	25.06	2.67	36.41	0.83	35.67	2.41	48.12	9.20
Heavier drinker	12.39	0.55	17.17	0.84	6.40	0.53	13.21	1.77	11.59	0.60	17.37	2.05	--	--
No														
Light drinker	40.62	0.51	34.90	0.65	50.09	0.83	36.26	1.20	39.33	0.78	44.73	0.97	42.32	1.20
Moderate drinker	39.41	0.51	40.77	0.66	37.16	0.75	43.23	1.36	41.95	0.80	34.13	0.90	37.48	1.18
Heavier drinker	18.82	0.41	23.11	0.60	11.71	0.50	19.69	1.02	17.63	0.65	19.74	0.81	18.89	0.93
Education														
11 years or less														
Light drinker	37.20	1.23	32.74	1.45	46.64	2.15	34.49	2.98	35.02	2.00	36.30	2.28	46.57	3.03
Moderate drinker	36.29	1.24	35.67	1.57	37.59	2.15	41.67	3.19	35.98	2.04	34.66	2.35	33.77	2.72
Heavier drinker	25.14	1.19	30.07	1.56	14.71	1.38	22.94	2.56	27.91	1.96	26.44	2.30	18.97	2.03

See footnotes at end of table.

Table 1-2a. Percent distribution of usual drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
12 years														
Light drinker	43.80	0.82	34.78	1.10	56.91	1.17	40.98	2.19	42.74	1.10	48.28	1.71	42.68	2.10
Moderate drinker	36.61	0.79	39.76	1.02	32.03	1.10	37.56	2.32	37.74	1.06	33.39	1.60	37.22	2.11
Heavier drinker	18.27	0.64	24.11	0.95	9.77	0.73	20.25	1.62	18.22	0.89	17.02	1.36	18.38	1.75
13-15 years														
Light drinker	44.11	0.79	37.04	1.07	53.15	1.09	38.78	1.69	46.30	1.07	46.40	1.95	40.65	2.68
Moderate drinker	38.96	0.76	41.53	1.11	35.69	1.05	42.26	1.81	39.33	1.03	33.55	1.73	39.58	2.75
Heavier drinker	16.00	0.59	20.51	0.90	10.23	0.69	18.31	1.42	13.48	0.74	18.93	1.55	18.15	2.01
16 or more years														
Light drinker	46.29	0.83	40.88	1.05	55.24	1.24	40.64	2.95	48.76	1.02	44.66	1.62	38.01	2.55
Moderate drinker	39.91	0.78	42.29	1.01	35.98	1.15	43.62	3.49	41.12	0.98	36.03	1.59	40.03	2.47
Heavier drinker	12.84	0.57	15.81	0.82	7.94	0.60	14.82	3.19	9.14	0.57	18.38	1.24	21.08	2.00
Currently Employed Full Time														
Yes														
Light drinker	43.50	0.55	38.00	0.69	54.95	0.90	40.00	1.58	43.33	0.67	45.88	1.17	39.88	4.44
Moderate drinker	39.28	0.56	41.14	0.69	35.39	0.83	40.88	1.90	40.78	0.66	34.56	1.09	40.65	4.57
Heavier drinker	16.22	0.43	19.87	0.59	8.61	0.50	17.88	1.46	14.89	0.52	18.68	0.93	17.74	3.52
No														
Light drinker	44.13	0.72	34.18	1.07	53.37	0.94	38.23	1.70	49.84	1.17	43.16	1.51	42.22	1.22
Moderate drinker	36.63	0.66	39.10	1.00	34.33	0.86	41.25	1.71	34.72	1.11	33.97	1.43	37.48	1.22
Heavier drinker	17.94	0.54	25.13	0.93	11.26	0.56	19.89	1.28	14.17	0.86	20.76	1.24	19.04	0.94
Personal Annual Income														
None														
Light drinker	45.12	1.04	37.57	1.49	51.72	1.37	50.84	5.72	51.47	2.23	41.82	2.04	42.71	1.34
Moderate drinker	35.29	0.93	36.88	1.46	33.90	1.19	37.30	4.92	34.12	2.00	33.07	1.90	37.04	1.31
Heavier drinker	17.69	0.72	23.21	1.20	12.86	0.88	11.23	2.28	12.76	1.36	21.90	1.62	18.83	1.05
\$1 to \$9,999														
Light drinker	43.29	0.98	32.40	1.44	53.65	1.27	36.72	1.45	48.67	1.57	48.93	2.75	44.90	3.70
Moderate drinker	37.84	0.95	40.36	1.51	35.43	1.20	42.37	1.62	34.27	1.51	33.14	2.38	37.58	3.73
Heavier drinker	17.87	0.79	26.13	1.35	10.01	0.77	20.04	1.36	15.87	1.18	17.12	2.33	16.34	2.56
\$10,000 to \$24,999														
Light drinker	43.57	0.83	34.29	1.10	55.64	1.16	41.24	1.95	43.48	1.06	46.87	1.94	37.89	6.70
Moderate drinker	38.37	0.87	41.15	1.18	34.75	1.11	39.78	2.10	38.83	1.04	35.91	1.87	31.93	6.02
Heavier drinker	17.03	0.65	23.44	1.01	8.68	0.67	17.96	1.48	16.60	0.85	16.29	1.43	29.84	5.45
\$25,000 or more														
Light drinker	43.49	0.70	39.61	0.82	55.13	1.33	34.27	3.73	43.80	0.85	44.37	1.39	32.62	4.46
Moderate drinker	39.75	0.69	41.22	0.82	35.33	1.20	41.54	4.34	41.91	0.82	34.42	1.28	49.70	4.98
Heavier drinker	15.87	0.53	18.27	0.66	8.65	0.74	23.08	3.52	13.38	0.59	20.36	1.12	16.88	3.71

See footnotes at end of table.

Table 1-2a. Percent distribution of usual drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Current/Most Recent Occupation														
Executive, administrative, managerial														
Light drinker	42.74	1.14	35.92	1.47	54.45	1.71	38.63	4.72	47.05	1.50	40.18	1.99	29.10	3.14
Moderate drinker	41.19	1.11	44.08	1.50	36.23	1.64	45.66	4.92	40.89	1.49	38.89	2.07	48.17	3.35
Heavier drinker	15.17	0.82	19.06	1.16	8.48	0.99	14.69	3.37	11.15	0.99	19.91	1.67	22.42	2.78
Professional specialty														
Light drinker	48.10	1.05	42.50	1.47	54.67	1.47	38.55	3.79	51.11	1.39	46.12	2.16	43.75	3.13
Moderate drinker	38.52	1.05	41.11	1.47	35.47	1.40	46.21	3.82	40.03	1.39	33.69	2.05	35.96	3.00
Heavier drinker	12.41	0.71	15.27	1.14	9.05	0.81	14.32	3.05	7.86	0.75	19.52	1.71	18.57	2.55
Technician/related support														
Light drinker	55.34	2.18	49.46	3.08	63.70	3.25	40.88	5.09	58.98	2.77	59.11	5.41	44.30	8.48
Moderate drinker	32.49	2.07	36.64	2.93	26.58	2.94	45.25	5.44	30.04	2.52	27.15	4.65	40.28	8.17
Heavier drinker	10.79	1.40	13.45	2.14	7.00	1.55	12.14	3.83	9.89	1.72	11.28	3.75	--	--
Sales														
Light drinker	44.77	1.25	40.37	1.74	50.51	1.88	46.60	2.90	45.43	1.73	43.82	2.61	40.08	3.75
Moderate drinker	38.62	1.23	40.30	1.68	36.44	1.77	39.18	2.78	40.20	1.74	36.18	2.60	36.15	3.56
Heavier drinker	15.35	0.86	18.04	1.27	11.84	1.22	13.46	1.76	12.98	1.19	18.79	2.04	22.00	2.72
Administrative support, including clerical														
Light drinker	53.06	1.05	39.42	2.32	58.14	1.21	47.21	2.81	54.99	1.52	54.83	2.37	49.73	2.89
Moderate drinker	35.17	1.07	40.94	2.18	33.02	1.16	39.42	2.89	35.32	1.49	32.40	2.21	33.63	2.62
Heavier drinker	11.18	0.70	18.89	1.79	8.31	0.67	12.89	1.95	9.23	0.90	12.01	1.52	15.67	2.14
Private household														
Light drinker	50.95	6.79	--	--	48.96	6.85	--	--	53.11	9.67	--	--	--	--
Moderate drinker	32.70	6.95	--	--	34.02	7.12	--	--	33.90	9.73	--	--	--	--
Heavier drinker	14.48	4.03	--	--	15.06	4.17	--	--	--	--	33.25	12.16	--	--
Protective service														
Light drinker	35.58	3.26	33.36	3.44	54.60	7.64	25.60	6.63	38.59	4.71	38.20	6.85	32.79	9.59
Moderate drinker	48.41	3.86	49.59	4.21	38.27	7.64	57.36	8.31	49.85	5.50	33.99	6.38	51.88	10.78
Heavier drinker	15.45	2.30	16.42	2.58	--	--	17.04	5.75	10.86	2.69	26.89	6.00	--	--
Service, except protective and household														
Light drinker	42.58	1.40	33.71	2.18	48.99	1.73	35.55	2.47	43.73	1.98	51.72	3.25	47.35	4.86
Moderate drinker	37.47	1.48	38.88	2.48	36.46	1.71	39.83	2.85	37.20	2.08	33.20	3.17	38.41	4.74
Heavier drinker	18.70	1.13	26.57	2.32	13.02	1.08	23.60	2.56	17.86	1.49	13.35	1.94	12.89	3.58
Farming, forestry, fishing														
Light drinker	35.49	2.66	32.21	3.08	58.05	6.99	33.32	5.71	35.82	4.28	38.13	5.77	34.47	6.15
Moderate drinker	40.93	2.97	42.64	3.20	29.20	6.41	44.45	6.41	41.38	4.69	34.29	6.51	43.56	7.42
Heavier drinker	21.23	2.59	22.66	2.92	--	--	22.23	4.84	19.21	3.89	24.22	6.22	--	--
Precision production, craft, repair														
Light drinker	34.43	1.21	34.09	1.26	38.64	4.53	33.12	3.54	31.71	1.54	40.63	2.88	38.55	3.41
Moderate drinker	38.19	1.26	37.38	1.29	48.41	4.63	34.68	3.42	41.25	1.57	32.56	2.73	37.26	3.26
Heavier drinker	25.62	1.12	26.70	1.19	12.00	2.52	30.25	3.20	25.83	1.56	24.13	2.43	21.42	3.00

See footnotes at end of table.

Table 1-2a. Percent distribution of usual drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Operators, fabricators, laborers														
Light drinker	40.23	1.83	33.65	2.21	55.66	3.04	39.78	4.78	40.50	2.33	38.03	4.14	44.68	5.25
Moderate drinker	38.81	1.75	40.42	2.16	35.02	2.79	40.51	5.04	41.51	2.26	34.84	3.86	31.11	5.07
Heavier drinker	20.51	1.63	25.46	2.12	8.88	1.76	19.71	3.79	17.11	2.20	27.13	4.05	24.21	4.33
Transportation, material moving														
Light drinker	41.00	2.31	39.60	2.33	60.10	7.44	43.32	6.88	37.18	3.03	46.55	4.42	44.53	6.44
Moderate drinker	34.93	2.08	35.95	2.15	21.01	5.79	30.99	5.67	38.72	2.79	30.64	4.03	30.11	6.05
Heavier drinker	22.96	1.79	23.39	1.86	17.16	5.26	25.69	5.41	23.33	2.45	20.35	3.42	24.57	5.33
Handlers, equipment cleaners, helpers, laborers														
Light drinker	30.23	2.01	26.47	2.09	48.82	5.55	31.13	3.65	28.31	3.08	29.14	5.38	45.31	9.05
Moderate drinker	40.06	2.41	41.17	2.66	34.58	4.84	43.73	3.86	38.70	3.41	35.35	6.04	41.60	9.84
Heavier drinker	28.01	2.20	30.84	2.61	14.04	4.55	22.98	3.32	31.35	3.58	34.76	6.71	--	--
Military														
Light drinker	32.19	4.73	31.09	5.18	--	--	--	--	35.91	6.46	--	--	--	--
Moderate drinker	51.39	4.80	51.85	5.19	--	--	52.76	8.06	50.90	6.69	--	--	--	--
Heavier drinker	16.43	3.42	17.06	3.72	--	--	--	--	13.19	4.44	--	--	--	--
Current/Most Recent Industry														
Agriculture, forestry, fisheries														
Light drinker	39.10	2.99	34.41	3.12	57.64	6.30	35.29	6.13	38.64	4.62	42.77	6.37	40.32	6.50
Moderate drinker	39.75	3.16	42.21	3.35	30.02	5.61	47.00	6.91	42.81	5.07	28.50	5.66	37.87	6.80
Heavier drinker	19.41	3.10	21.43	3.07	--	--	16.98	4.82	17.22	4.77	25.18	5.82	--	--
Mining														
Light drinker	51.43	6.33	45.72	7.00	72.77	11.00	--	--	50.26	8.84	57.04	11.21	--	--
Moderate drinker	38.97	6.54	42.11	7.63	--	--	--	--	43.11	9.20	--	--	--	--
Heavier drinker	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Construction														
Light drinker	33.92	1.56	32.00	1.62	53.95	5.18	32.23	3.89	31.98	2.17	39.03	3.56	38.05	5.46
Moderate drinker	36.30	1.61	36.49	1.71	34.30	5.03	36.44	4.21	38.54	2.15	30.74	3.28	35.24	5.37
Heavier drinker	28.58	1.66	30.20	1.74	11.75	3.80	29.99	4.08	28.50	2.15	28.43	3.42	26.15	4.85
Manufacturing														
Light drinker	40.97	0.95	36.76	1.15	53.16	1.98	41.05	2.96	40.47	1.28	41.15	2.14	42.87	2.77
Moderate drinker	39.00	0.99	40.20	1.17	35.52	1.80	37.99	3.09	42.13	1.30	34.76	2.09	35.22	2.66
Heavier drinker	18.95	0.81	21.81	0.99	10.65	1.16	20.32	2.61	16.33	1.03	22.76	1.97	20.98	2.34
Transportation, communications, other public utilities														
Light drinker	43.25	1.56	40.80	1.92	50.31	2.72	33.43	6.20	43.39	1.99	49.03	3.24	34.49	4.34
Moderate drinker	38.92	1.57	38.36	1.89	40.51	2.70	51.23	7.01	38.75	1.88	35.01	3.16	41.09	4.47
Heavier drinker	16.89	1.20	19.84	1.51	8.37	1.59	13.47	4.19	17.29	1.64	14.97	2.05	22.06	4.03
Wholesale trade														
Light drinker	38.85	2.00	36.46	2.35	46.93	3.60	41.21	5.74	40.02	2.67	35.53	4.42	37.01	5.85
Moderate drinker	40.83	2.18	40.32	2.44	42.58	4.06	41.51	5.84	40.92	2.71	40.75	4.65	39.65	5.83
Heavier drinker	19.87	1.79	22.80	2.03	9.96	2.53	17.28	4.57	18.68	2.17	23.22	3.76	22.04	5.15

See footnotes at end of table.

Table 1-2a. Percent distribution of usual drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Retail trade														
Light drinker	44.22	1.11	37.23	1.58	51.32	1.43	38.25	1.94	46.36	1.50	50.18	2.72	44.12	3.71
Moderate drinker	37.47	1.09	39.70	1.60	35.21	1.37	40.61	2.06	37.26	1.51	30.25	2.47	41.09	3.67
Heavier drinker	17.07	0.87	21.72	1.39	12.35	0.98	19.97	1.72	15.29	1.18	17.68	2.04	13.83	2.38
Finance, insurance, real estate														
Light drinker	46.65	1.65	37.53	2.44	54.50	2.12	49.74	5.19	49.71	2.17	41.53	3.41	39.73	5.40
Moderate drinker	38.60	1.70	42.75	2.56	35.02	2.04	36.31	5.12	40.56	2.14	34.25	3.13	43.13	4.95
Heavier drinker	13.60	1.25	18.11	2.05	9.71	1.33	12.33	3.56	8.56	1.13	23.39	3.06	15.65	5.03
Services: business and repair														
Light drinker	39.58	1.77	33.56	2.24	50.66	2.87	34.54	4.27	39.50	2.26	45.24	3.90	33.53	6.29
Moderate drinker	41.28	1.69	42.38	2.17	39.26	2.76	39.49	4.57	44.10	2.27	36.14	3.71	36.14	5.87
Heavier drinker	17.63	1.36	22.20	1.88	9.20	1.57	24.64	3.95	14.64	1.61	17.23	2.79	30.32	5.72
Services: personal														
Light drinker	46.79	2.44	35.83	5.56	52.60	2.95	46.59	5.31	48.34	3.45	42.76	5.28	46.45	7.15
Moderate drinker	34.77	2.53	36.70	4.24	33.74	2.82	27.63	6.39	36.34	3.16	36.12	4.96	39.64	7.46
Heavier drinker	17.04	2.98	27.04	7.03	11.74	1.70	24.35	8.20	13.86	2.69	19.74	4.22	--	--
Services: entertainment and recreation														
Light drinker	34.66	2.81	32.62	3.50	38.88	4.78	35.01	4.81	33.14	4.15	32.23	6.34	60.42	11.28
Moderate drinker	45.09	3.14	43.20	3.84	49.01	5.09	49.60	5.77	42.13	4.25	48.94	7.39	--	--
Heavier drinker	18.77	2.53	22.36	3.35	11.32	3.10	15.39	4.42	21.81	3.87	18.83	5.97	--	--
Services: professional and related														
Light drinker	51.42	0.90	40.35	1.50	58.54	1.09	43.40	2.58	55.43	1.24	49.55	1.81	44.93	2.60
Moderate drinker	35.54	0.89	40.96	1.57	32.06	0.99	41.68	2.63	34.60	1.20	34.49	1.71	35.41	2.41
Heavier drinker	12.04	0.58	17.89	1.20	8.27	0.56	14.31	1.87	8.95	0.72	15.00	1.23	18.02	1.94
Public administration														
Light drinker	44.10	2.00	38.38	2.52	55.87	2.68	32.46	6.69	46.98	3.05	44.66	3.67	39.56	4.36
Moderate drinker	42.36	2.01	46.04	2.61	34.78	2.89	55.43	7.85	43.34	2.80	36.38	3.61	40.59	4.68
Heavier drinker	12.60	1.19	14.77	1.61	8.13	1.52	12.11	4.35	9.07	1.48	17.09	2.68	18.68	3.51
Military														
Light drinker	34.54	4.76	34.13	5.29	--	--	--	--	36.83	6.43	--	--	--	--
Moderate drinker	48.60	4.67	49.11	5.08	--	--	52.48	8.03	48.31	6.39	--	--	--	--
Heavier drinker	16.86	3.31	16.76	3.52	--	--	--	--	14.86	4.34	--	--	--	--
Smoked Any Cigarettes in Last Year														
Yes														
Light drinker	35.28	0.67	28.89	0.87	44.96	1.06	29.10	1.53	36.61	0.87	37.88	1.53	32.77	2.58
Moderate drinker	40.05	0.72	40.32	0.99	39.63	1.05	42.52	1.84	40.86	0.89	35.79	1.42	39.77	2.62
Heavier drinker	23.56	0.65	29.54	0.92	14.52	0.74	27.39	1.60	21.44	0.79	25.02	1.40	26.53	2.39
No														
Light drinker	49.04	0.53	41.84	0.74	59.99	0.78	46.99	1.56	50.82	0.75	48.70	1.11	44.68	1.35
Moderate drinker	37.17	0.53	40.65	0.70	31.87	0.73	39.92	1.61	38.16	0.71	33.59	1.05	37.15	1.36
Heavier drinker	12.67	0.37	16.38	0.55	7.00	0.42	12.21	1.02	9.98	0.48	16.40	0.86	16.79	1.02

See footnotes at end of table.

Table 1-2a. Percent distribution of usual drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Smoked 100 or More Cigarettes in Life</u>														
Yes														
Light drinker	38.24	0.55	32.31	0.70	47.84	0.89	29.91	1.50	39.44	0.76	40.62	1.10	36.61	1.45
Moderate drinker	39.71	0.56	40.65	0.74	38.18	0.86	42.46	1.81	41.10	0.74	35.80	1.03	40.06	1.43
Heavier drinker	21.02	0.48	25.87	0.66	13.16	0.58	26.64	1.53	18.54	0.63	22.37	0.95	22.19	1.17
No														
Light drinker	51.87	0.67	44.03	0.93	62.74	0.93	47.37	1.59	52.25	0.86	55.26	1.63	54.39	2.16
Moderate drinker	36.17	0.66	40.33	0.88	30.40	0.90	39.82	1.61	36.86	0.82	30.90	1.53	32.41	2.08
Heavier drinker	10.72	0.43	14.48	0.66	5.51	0.44	11.95	1.05	9.65	0.55	12.31	1.09	11.56	1.43
<u>Any Depression in Past Year</u>														
Yes														
Light drinker	38.58	2.06	29.61	2.81	48.53	2.77	32.94	3.60	41.54	2.79	40.81	6.33	--	--
Moderate drinker	38.27	1.90	37.64	2.74	38.97	2.64	43.03	4.17	36.08	2.51	36.11	6.03	--	--
Heavier drinker	22.49	1.88	32.32	3.04	11.59	1.69	23.79	3.18	21.38	2.45	23.08	4.99	--	--
No														
Light drinker	43.95	0.46	37.11	0.60	54.46	0.68	39.59	1.20	45.11	0.60	45.01	0.94	42.13	1.19
Moderate drinker	38.28	0.45	40.63	0.59	34.67	0.62	40.91	1.30	39.42	0.58	34.32	0.87	37.73	1.17
Heavier drinker	16.63	0.35	21.06	0.51	9.82	0.40	18.52	0.96	14.40	0.46	19.34	0.76	18.85	0.92
<u>Any Depression in Life</u>														
Yes														
Light drinker	42.69	1.24	33.55	1.78	52.28	1.68	37.02	2.56	44.41	1.65	45.08	3.06	40.31	9.02
Moderate drinker	37.72	1.21	38.92	1.88	36.46	1.59	40.61	2.64	38.41	1.67	31.42	2.97	34.19	8.71
Heavier drinker	18.39	1.02	26.13	1.75	10.26	1.03	21.49	2.23	15.95	1.22	21.93	2.69	--	--
No														
Light drinker	43.86	0.48	37.20	0.63	54.48	0.72	39.48	1.24	45.03	0.64	44.92	0.97	42.08	1.21
Moderate drinker	38.35	0.48	40.70	0.62	34.62	0.65	41.16	1.39	39.40	0.61	34.60	0.90	37.81	1.17
Heavier drinker	16.68	0.37	20.96	0.53	9.85	0.41	18.42	1.01	14.53	0.49	19.19	0.78	18.82	0.95
<u>Alcohol Use Disorder in Past Year</u>														
None														
Light drinker	49.90	0.48	43.38	0.66	58.94	0.71	52.22	1.50	51.48	0.63	48.40	0.98	42.95	1.20
Moderate drinker	37.25	0.47	40.38	0.64	32.92	0.66	38.34	1.52	38.22	0.62	34.60	0.90	37.70	1.18
Heavier drinker	11.69	0.31	14.97	0.47	7.15	0.34	8.54	0.79	9.22	0.38	15.62	0.69	18.06	0.91
Abuse														
Light drinker	14.96	1.06	12.23	1.22	22.73	2.28	13.94	1.97	16.50	1.51	11.75	3.01	--	--
Moderate drinker	50.76	1.76	48.32	2.10	57.73	2.81	52.03	3.72	52.91	2.13	35.38	5.05	--	--
Heavier drinker	33.46	1.73	38.85	2.09	18.14	2.32	32.80	3.61	30.02	2.11	51.99	5.56	--	--
Dependence														
Light drinker	11.57	0.89	8.88	1.02	17.68	1.80	15.07	1.79	10.58	1.13	5.55	1.28	--	--
Moderate drinker	38.34	1.37	35.82	1.74	44.06	2.26	42.49	2.49	38.03	1.83	29.44	3.72	--	--
Heavier drinker	49.10	1.42	54.45	1.76	36.98	2.26	41.65	2.35	50.13	1.88	64.70	3.76	62.40	8.46

See footnotes at end of table.

Table 1-2a. Percent distribution of usual drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
5 or More Drinks in a Single Day														
Not once in past year														
Light drinker	63.74	0.62	59.16	0.95	68.08	0.86	77.04	2.02	69.39	0.84	60.28	1.16	48.89	1.37
Moderate drinker	29.49	0.58	32.88	0.91	26.28	0.77	20.34	1.95	26.91	0.82	30.59	1.08	38.48	1.31
Heavier drinker	5.76	0.29	6.95	0.49	4.62	0.34	--	--	2.80	0.31	8.15	0.64	11.45	0.88
1 to 11 times in past year														
Light drinker	42.75	0.82	40.88	1.06	46.03	1.20	53.20	2.00	43.06	1.02	31.96	1.98	25.04	3.87
Moderate drinker	45.13	0.77	45.62	1.02	44.28	1.17	40.91	1.98	46.93	0.98	45.39	1.99	39.22	4.17
Heavier drinker	11.31	0.52	12.67	0.74	8.92	0.65	5.04	0.72	9.13	0.55	22.12	1.64	34.98	4.16
12 or more times in past year														
Light drinker	10.80	0.55	8.74	0.62	17.31	1.21	11.25	1.18	11.36	0.74	9.03	1.24	6.89	1.78
Moderate drinker	45.86	0.91	44.39	1.06	50.52	1.63	49.75	1.92	48.16	1.17	34.50	2.32	31.76	3.93
Heavier drinker	42.38	0.90	45.96	1.05	31.08	1.58	38.50	1.78	39.44	1.16	55.12	2.38	60.08	3.85
Drinking Enough to Feel Drunk														
Not once in past year														
Light drinker	55.46	0.58	49.30	0.87	63.44	0.82	64.83	2.17	60.31	0.82	51.79	1.08	44.56	1.26
Moderate drinker	33.33	0.55	36.85	0.79	28.78	0.74	28.76	2.14	32.80	0.79	33.06	0.98	37.55	1.23
Heavier drinker	10.18	0.37	12.83	0.57	6.76	0.42	5.05	0.94	5.98	0.44	14.12	0.79	16.68	0.92
1 to 11 times in past year														
Light drinker	37.04	0.77	31.38	0.98	46.13	1.07	44.78	1.77	36.74	0.90	26.86	1.87	21.64	4.65
Moderate drinker	45.96	0.77	47.62	1.01	43.28	1.08	44.10	1.76	47.34	0.87	42.99	2.04	45.03	5.10
Heavier drinker	15.99	0.55	19.82	0.78	9.84	0.67	10.07	0.95	14.85	0.65	29.36	1.84	32.96	4.58
12 or more times in past year														
Light drinker	9.44	0.70	6.64	0.72	17.35	1.67	10.64	1.23	8.31	0.90	9.72	2.36	--	--
Moderate drinker	39.45	1.38	36.79	1.60	46.95	2.40	44.64	2.36	38.65	1.86	22.87	3.07	28.17	8.56
Heavier drinker	50.50	1.40	56.09	1.64	34.70	2.26	44.45	2.30	52.25	1.89	66.40	3.58	58.65	8.93
Driving After Drinking														
Not once in past year														
Light drinker	47.73	0.47	41.14	0.64	56.97	0.71	45.65	1.26	49.57	0.64	47.22	0.96	42.68	1.20
Moderate drinker	37.38	0.47	40.07	0.62	33.59	0.65	40.40	1.48	37.99	0.61	34.34	0.88	37.41	1.18
Heavier drinker	13.84	0.33	17.65	0.50	8.48	0.37	12.99	0.92	11.38	0.43	17.37	0.72	18.75	0.93
1 or 2 times in past year														
Light drinker	20.33	1.39	18.30	1.63	25.41	2.53	22.49	2.93	20.88	1.75	14.80	3.60	--	--
Moderate drinker	51.08	1.75	50.14	2.04	53.42	2.79	52.43	3.27	52.35	2.08	39.91	5.04	--	--
Heavier drinker	27.98	1.59	30.91	1.94	20.69	2.21	24.90	2.74	26.01	2.03	44.42	5.44	--	--
3 or more times in past year														
Light drinker	8.04	0.93	6.01	0.91	15.10	2.63	5.57	1.57	9.16	1.26	8.99	3.47	--	--
Moderate drinker	37.35	1.87	35.41	2.05	44.09	3.82	34.64	3.38	40.27	2.25	29.58	6.24	--	--
Heavier drinker	53.81	1.98	58.12	2.15	38.85	4.06	58.66	3.69	49.81	2.33	61.42	6.35	--	--

See footnotes at end of table.

Table 1-2a. Percent distribution of usual drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Getting into Situation that Could Be Harmful</u>														
Not once in past year														
Light drinker	45.42	0.45	38.73	0.62	55.14	0.67	43.53	1.30	46.45	0.60	45.49	0.94	42.47	1.20
Moderate drinker	38.26	0.45	40.81	0.59	34.56	0.62	41.54	1.38	39.27	0.58	34.39	0.87	37.50	1.18
Heavier drinker	15.26	0.34	19.36	0.50	9.31	0.37	13.89	0.88	13.25	0.43	19.04	0.74	18.87	0.93
At least once in past year														
Light drinker	12.05	1.37	10.66	1.47	17.67	3.43	10.87	1.82	12.35	1.99	20.38	6.02	--	--
Moderate drinker	38.80	2.20	36.71	2.40	47.25	4.51	38.18	3.54	39.82	2.84	31.43	7.50	--	--
Heavier drinker	48.83	2.24	52.22	2.53	35.08	4.75	50.95	3.67	47.12	2.98	48.19	8.22	--	--
<u>Age Started Drinking</u>														
16 years or younger														
Light drinker	34.78	0.87	29.95	1.03	44.40	1.42	29.55	1.59	37.33	1.13	35.41	2.39	35.38	3.48
Moderate drinker	39.23	0.83	38.74	1.07	40.20	1.33	41.57	1.92	39.66	1.04	33.60	2.29	36.61	3.22
Heavier drinker	24.73	0.83	30.05	1.07	14.14	1.01	28.04	1.69	21.75	1.02	28.97	2.26	26.38	3.02
17 or 18 years														
Light drinker	43.76	0.79	37.76	0.97	54.83	1.24	42.44	2.05	45.39	0.98	41.60	1.75	39.48	2.61
Moderate drinker	40.55	0.81	42.95	1.00	36.11	1.20	44.19	2.11	41.32	0.99	35.15	1.71	39.87	2.61
Heavier drinker	14.96	0.54	18.61	0.75	8.23	0.61	12.25	1.22	12.70	0.66	22.50	1.44	19.83	2.09
19 or 20 years														
Light drinker	49.39	1.11	42.37	1.57	59.12	1.47	55.33	3.19	48.37	1.44	50.50	2.23	43.97	2.89
Moderate drinker	36.37	1.05	39.42	1.48	32.13	1.39	35.41	3.19	38.02	1.36	33.91	2.01	35.61	2.73
Heavier drinker	13.30	0.73	17.13	1.09	7.99	0.83	8.99	1.74	12.42	1.00	14.79	1.46	19.53	2.51
21 years or older														
Light drinker	50.13	0.88	41.61	1.33	58.10	1.15	58.83	4.50	51.47	1.33	49.71	1.55	45.67	1.77
Moderate drinker	35.72	0.80	40.25	1.26	31.49	1.02	30.86	4.06	36.76	1.27	34.06	1.35	37.78	1.85
Heavier drinker	13.02	0.59	16.89	1.05	9.41	0.64	9.00	3.41	10.56	0.79	15.25	1.06	15.39	1.30
<u>Drinking Days of the Week in Past Year</u>														
Holidays or special occasions only														
Light drinker	85.07	1.03	82.80	1.50	87.69	1.42	86.95	3.62	85.56	1.44	84.20	1.95	84.58	2.33
Moderate drinker	12.32	0.97	14.65	1.44	9.62	1.23	12.41	3.58	11.53	1.31	13.07	1.78	13.03	2.20
Heavier drinker	1.39	0.37	1.41	0.41	--	--	--	--	1.27	0.43	--	--	--	--
Weekends only														
Light drinker	50.11	0.57	42.65	0.76	60.28	0.80	44.07	1.39	49.45	0.71	55.03	1.31	62.59	2.23
Moderate drinker	40.63	0.56	45.09	0.75	34.57	0.77	43.13	1.47	41.67	0.69	37.02	1.28	32.96	2.18
Heavier drinker	8.41	0.31	11.36	0.48	4.40	0.32	11.73	0.88	8.03	0.40	7.26	0.66	4.14	0.80
Weekdays/weekends														
Light drinker	22.97	0.62	19.43	0.72	29.97	1.12	20.71	1.70	25.23	0.94	22.36	1.20	19.27	1.30
Moderate drinker	40.40	0.72	38.68	0.94	43.80	1.12	39.41	2.33	40.80	1.05	36.83	1.43	46.96	1.60
Heavier drinker	35.06	0.75	40.32	0.96	24.65	1.02	39.32	2.22	32.59	1.07	38.60	1.43	31.95	1.53

See footnotes at end of table.

Table 1-2a. Percent distribution of usual drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Family History of Alcoholism</u>														
None														
Light drinker	44.92	0.64	39.41	0.83	55.08	1.06	41.96	1.87	45.48	0.92	46.56	1.30	43.07	1.47
Moderate drinker	38.80	0.63	40.98	0.81	34.79	0.98	40.39	1.87	40.74	0.93	34.38	1.28	38.45	1.51
Heavier drinker	15.11	0.46	18.45	0.67	8.96	0.57	17.00	1.54	12.71	0.62	17.59	1.00	17.03	1.11
2nd degree relatives only														
Light drinker	43.79	0.95	36.21	1.29	55.17	1.34	39.68	2.07	45.24	1.30	44.53	2.08	42.28	3.47
Moderate drinker	39.50	0.91	42.61	1.25	34.82	1.28	40.58	1.95	40.80	1.28	34.95	2.06	40.57	4.07
Heavier drinker	15.84	0.75	20.38	1.07	9.03	0.81	18.34	1.79	13.28	0.83	19.61	1.63	16.61	3.23
1st degree relatives only														
Light drinker	39.70	1.21	31.60	1.58	51.39	1.81	35.11	3.79	42.54	1.67	38.23	2.44	35.31	2.97
Moderate drinker	37.99	1.24	39.93	1.72	35.20	1.71	46.42	4.46	38.45	1.69	35.06	2.45	34.47	3.11
Heavier drinker	20.78	1.03	26.48	1.56	12.55	1.04	17.65	2.93	17.28	1.45	25.17	2.07	28.96	3.04
Both 1st and 2nd degree relatives														
Light drinker	43.37	0.86	34.37	1.21	53.30	1.22	35.18	2.41	44.89	1.10	45.70	2.00	45.64	4.13
Moderate drinker	36.29	0.89	37.55	1.26	34.90	1.16	41.00	2.52	36.05	1.08	33.27	1.94	34.17	3.75
Heavier drinker	19.28	0.73	26.93	1.15	10.83	0.77	22.95	1.80	17.98	0.92	19.85	1.67	19.08	3.15
<u>Any Parent Alcoholic</u>														
Yes														
Light drinker	41.19	0.83	32.33	1.14	51.71	1.20	34.79	2.26	43.10	1.08	42.08	1.84	37.74	3.40
Moderate drinker	37.26	0.83	38.75	1.19	35.49	1.13	43.22	2.44	36.42	1.06	34.31	1.80	39.03	3.46
Heavier drinker	20.26	0.69	27.33	1.07	11.87	0.75	21.10	1.69	19.03	0.93	22.39	1.61	22.11	2.89
No														
Light drinker	44.56	0.49	38.14	0.64	55.15	0.78	40.63	1.27	45.63	0.69	45.80	1.06	42.62	1.28
Moderate drinker	38.62	0.50	41.03	0.64	34.63	0.71	40.30	1.39	40.32	0.68	34.36	0.98	37.55	1.28
Heavier drinker	15.76	0.37	19.78	0.54	9.13	0.43	18.14	1.09	13.13	0.48	18.50	0.81	18.52	0.97
<u>Married to Alcoholic/Lived with Alcoholic as Married</u>														
Yes														
Light drinker	45.53	1.22	33.63	2.25	51.08	1.42	34.55	4.44	46.23	1.52	48.44	2.27	41.11	4.03
Moderate drinker	35.11	1.12	34.35	2.09	35.46	1.34	42.30	4.63	34.47	1.42	33.59	2.12	38.04	4.13
Heavier drinker	18.32	0.97	31.21	2.14	12.31	0.95	21.80	3.89	18.21	1.24	16.89	1.75	20.56	3.19
No														
Light drinker	43.50	0.48	37.06	0.61	54.93	0.76	39.34	1.21	44.76	0.65	44.43	0.99	42.14	1.25
Moderate drinker	38.69	0.48	40.92	0.60	34.73	0.70	41.00	1.33	39.99	0.62	34.46	0.96	37.69	1.23
Heavier drinker	16.68	0.36	20.83	0.52	9.33	0.41	18.76	0.94	14.19	0.46	19.77	0.82	18.78	0.97
<u>Any Alcohol Treatment in Past Year</u>														
Yes														
Light drinker	16.52	2.05	13.23	2.20	26.84	5.04	15.34	4.25	17.41	2.68	15.11	5.15	--	--
Moderate drinker	30.77	2.91	31.32	3.48	29.05	4.64	35.96	6.18	30.52	3.41	23.03	6.58	--	--
Heavier drinker	51.09	2.97	53.86	3.26	42.42	5.55	47.73	6.13	49.77	3.55	61.86	7.11	--	--

See footnotes at end of table.

Table 1-2a. Percent distribution of usual drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Light drinker	44.36	0.45	37.55	0.60	54.56	0.67	39.95	1.18	45.69	0.59	45.34	0.94	42.12	1.19
Moderate drinker	38.46	0.45	40.80	0.58	34.95	0.62	41.26	1.33	39.51	0.57	34.51	0.88	37.77	1.17
Heavier drinker	16.07	0.34	20.50	0.50	9.45	0.38	17.87	0.94	13.77	0.44	18.82	0.75	18.82	0.92
<u>Any Alcohol Treatment in Life</u>														
Yes														
Light drinker	23.77	1.52	21.44	1.69	32.52	3.20	22.01	3.47	22.89	1.85	25.75	4.05	39.80	8.62
Moderate drinker	33.56	1.76	32.76	1.97	36.57	3.15	35.13	4.25	35.95	2.15	25.82	3.44	22.77	6.59
Heavier drinker	41.18	1.73	44.50	1.97	28.77	3.09	41.74	4.09	39.32	2.12	47.87	4.01	34.82	7.83
No														
Light drinker	45.12	0.46	38.29	0.62	54.95	0.68	40.57	1.21	46.72	0.61	45.94	0.95	42.10	1.21
Moderate drinker	38.61	0.45	41.25	0.60	34.81	0.62	41.59	1.35	39.54	0.59	34.80	0.89	38.09	1.19
Heavier drinker	15.18	0.34	19.31	0.51	9.23	0.38	16.94	0.97	12.74	0.43	17.92	0.76	18.55	0.92

-- Fewer than 10 respondents in this cell.

¹ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

² **Current drinker:** 12 or more drinks of alcohol in the past year.

³ Excludes respondents for whom the characteristic was coded "other or unknown."

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, National Institute on Alcohol Abuse and Alcoholism.

Table 1-2b. Percent distribution of usual drinking level in the past year among current drinkers combined with former drinkers and lifetime abstainers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Lifetime abstainer	34.00	0.42	21.71	0.43	45.33	0.57	36.95	0.96	26.47	0.46	33.93	0.67	52.20	0.79
Former drinker	21.63	0.31	22.53	0.42	20.80	0.37	11.69	0.51	21.92	0.39	25.56	0.58	23.27	0.60
Light drinker	19.41	0.25	20.55	0.38	18.35	0.33	20.07	0.63	23.20	0.37	18.21	0.48	10.31	0.39
Moderate drinker	16.99	0.26	22.60	0.38	11.81	0.27	21.09	0.83	20.27	0.34	13.92	0.43	9.25	0.38
Heavier drinker	7.48	0.17	11.96	0.30	3.36	0.14	9.72	0.55	7.59	0.25	7.86	0.33	4.65	0.25
Race														
White														
Lifetime abstainer	30.69	0.47	19.03	0.45	41.60	0.61	30.53	0.98	22.33	0.50	31.22	0.74	50.87	0.86
Former drinker	22.44	0.34	23.11	0.47	21.81	0.41	12.63	0.61	22.91	0.44	26.13	0.64	23.13	0.64
Light drinker	20.54	0.29	21.30	0.42	19.83	0.38	21.94	0.74	24.75	0.42	19.22	0.54	10.97	0.43
Moderate drinker	18.12	0.29	23.68	0.41	12.92	0.32	23.77	0.95	21.75	0.40	14.79	0.47	9.82	0.41
Heavier drinker	7.74	0.19	12.28	0.34	3.50	0.15	10.68	0.64	7.74	0.27	8.14	0.37	4.90	0.28
Black														
Lifetime abstainer	48.65	0.90	32.42	1.35	61.72	1.07	61.82	1.90	42.41	1.19	44.99	1.67	62.15	2.06
Former drinker	18.82	0.64	21.01	1.12	17.05	0.78	8.33	1.06	18.03	0.93	24.86	1.44	26.12	1.80
Light drinker	12.86	0.56	14.91	1.00	11.21	0.58	12.82	1.36	14.98	0.79	12.44	1.16	4.85	0.80
Moderate drinker	11.89	0.53	18.55	0.99	6.52	0.46	10.21	1.09	15.33	0.86	9.76	1.05	4.12	0.87
Heavier drinker	6.93	0.48	11.90	0.89	2.93	0.34	6.29	1.26	8.29	0.69	6.86	0.81	2.31	0.55
American Indian/Alaska Native														
Lifetime abstainer	33.41	5.26	22.76	6.73	42.69	6.10	32.21	11.23	23.27	3.41	49.15	7.68	55.72	8.54
Former drinker	24.71	2.67	25.49	3.89	24.03	3.15	--	--	32.10	4.81	24.41	7.50	35.09	7.87
Light drinker	16.76	2.46	18.40	4.50	15.33	2.97	12.70	3.77	24.48	4.25	--	--	--	--
Moderate drinker	19.97	3.97	25.05	6.84	15.54	3.76	33.37	12.71	16.34	4.57	--	--	--	--
Heavier drinker	5.15	1.22	8.31	2.54	--	--	--	--	--	--	--	--	--	--
Asian/Pacific Islander														
Lifetime abstainer	63.26	1.80	49.93	2.65	77.48	2.15	65.01	4.25	59.72	2.42	67.58	3.77	71.62	5.84
Former drinker	12.36	1.16	15.74	1.81	8.75	1.40	7.26	2.30	13.13	1.70	12.51	2.47	19.06	5.14
Light drinker	15.28	1.41	20.56	2.17	9.65	1.61	13.10	2.75	18.51	1.98	13.09	3.10	--	--
Moderate drinker	6.31	0.81	9.59	1.41	2.82	0.69	8.08	2.17	6.89	1.10	4.52	1.64	--	--
Heavier drinker	2.56	0.62	3.75	0.96	--	--	--	--	1.75	0.62	--	--	--	--
Hispanic Origin														
Hispanic														
Lifetime abstainer	46.75	1.18	29.60	1.59	64.01	1.46	50.43	2.52	42.46	1.50	46.41	2.67	64.63	3.90
Former drinker	14.84	0.81	17.45	1.30	12.22	0.92	10.53	1.37	15.41	1.15	17.86	2.01	14.53	2.75
Light drinker	18.23	0.90	21.33	1.44	15.11	1.02	17.87	1.98	21.07	1.27	15.07	1.75	10.26	2.79
Moderate drinker	13.07	0.77	20.07	1.32	6.03	0.67	15.09	1.83	13.63	1.02	12.63	1.66	5.33	1.88
Heavier drinker	6.53	0.60	10.75	1.11	2.28	0.40	5.65	1.14	6.59	0.79	7.73	1.65	5.14	1.44
Nonhispanic														
Lifetime abstainer	32.79	0.44	20.94	0.44	43.64	0.59	35.28	1.01	24.84	0.48	32.84	0.70	51.54	0.82
Former drinker	22.26	0.33	23.02	0.45	21.56	0.39	11.98	0.55	22.52	0.42	26.21	0.61	23.66	0.62
Light drinker	19.55	0.26	20.49	0.39	18.70	0.35	20.38	0.67	23.44	0.39	18.49	0.50	10.38	0.41
Moderate drinker	17.30	0.27	22.79	0.39	12.28	0.29	21.64	0.88	20.97	0.36	13.95	0.44	9.44	0.39
Heavier drinker	7.60	0.18	12.13	0.32	3.46	0.15	10.24	0.60	7.71	0.26	7.97	0.34	4.67	0.26

See footnotes at end of table.

Table 1-2b. Percent distribution of usual drinking level in the past year among current drinkers combined with former drinkers and lifetime abstainers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Marital Status</u>														
Married														
Lifetime abstainer	32.27	0.52	20.99	0.54	43.87	0.71	38.01	1.77	27.44	0.59	32.90	0.79	44.69	1.02
Former drinker	24.66	0.40	26.29	0.56	22.98	0.49	20.93	1.38	23.85	0.50	25.86	0.71	25.88	0.84
Light drinker	20.71	0.34	21.97	0.50	19.40	0.44	23.30	1.41	24.26	0.48	19.02	0.60	12.05	0.61
Moderate drinker	15.63	0.30	20.52	0.45	10.60	0.35	11.33	1.11	18.45	0.44	14.08	0.51	11.16	0.58
Heavier drinker	6.25	0.20	9.59	0.34	2.82	0.17	5.73	1.00	5.53	0.26	7.60	0.39	5.88	0.40
Living with someone as if married														
Lifetime abstainer	17.13	1.27	9.66	1.54	24.47	1.96	21.75	2.65	14.46	1.52	16.60	3.86	--	--
Former drinker	18.59	1.27	17.18	1.81	19.97	1.82	9.97	1.75	20.67	1.78	30.28	4.56	--	--
Light drinker	24.02	1.51	20.66	2.28	27.32	2.11	27.67	2.86	23.73	1.92	17.69	4.02	--	--
Moderate drinker	24.62	1.57	31.38	2.50	17.98	1.68	25.01	3.62	25.66	1.84	17.27	3.64	--	--
Heavier drinker	15.29	1.26	20.90	2.08	9.78	1.37	15.29	2.41	15.06	1.55	17.99	3.91	--	--
Widowed														
Lifetime abstainer	60.99	0.91	30.50	1.87	67.35	0.96	--	--	46.65	4.83	45.90	2.13	65.77	0.97
Former drinker	19.46	0.70	32.73	1.90	16.69	0.73	--	--	21.42	4.07	23.45	1.80	18.29	0.77
Light drinker	9.12	0.49	14.02	1.55	8.09	0.50	--	--	15.04	2.99	14.15	1.48	7.46	0.48
Moderate drinker	7.10	0.44	13.13	1.43	5.84	0.44	--	--	13.77	3.33	10.25	1.25	5.88	0.44
Heavier drinker	2.99	0.24	9.23	1.07	1.68	0.21	--	--	--	--	5.47	0.81	2.34	0.23
Divorced														
Lifetime abstainer	27.58	0.90	12.28	0.97	37.25	1.23	21.47	4.58	21.77	1.17	29.76	1.38	46.75	2.33
Former drinker	24.74	0.82	25.03	1.34	24.55	0.98	13.75	4.26	23.40	1.19	26.80	1.33	26.35	2.02
Light drinker	19.29	0.68	18.20	1.10	19.98	0.88	24.57	5.10	21.86	0.97	18.28	1.13	10.46	1.42
Moderate drinker	17.83	0.67	24.54	1.27	13.60	0.76	24.62	5.79	20.86	0.97	15.71	1.10	10.12	1.36
Heavier drinker	10.16	0.60	19.52	1.26	4.24	0.47	15.59	4.25	11.60	0.89	9.19	0.96	5.92	0.98
Separated														
Lifetime abstainer	34.54	1.57	16.77	2.07	45.04	1.97	30.24	5.23	30.40	2.00	39.47	3.26	56.13	5.00
Former drinker	19.68	1.23	17.67	2.14	20.86	1.47	16.03	3.83	18.88	1.62	21.41	2.46	24.44	3.81
Light drinker	18.69	1.34	20.57	2.42	17.58	1.52	16.39	4.09	21.37	1.90	15.90	2.24	10.22	2.83
Moderate drinker	15.88	1.14	24.19	2.34	10.97	1.08	23.48	4.43	18.42	1.51	11.39	1.89	--	--
Heavier drinker	10.43	1.07	19.92	2.29	4.83	0.95	12.24	4.17	10.38	1.53	10.75	1.73	--	--
Never married														
Lifetime abstainer	34.34	0.71	26.84	0.86	43.61	1.07	38.15	1.13	25.93	0.86	45.10	2.32	55.88	2.91
Former drinker	12.70	0.42	11.50	0.55	14.19	0.64	9.11	0.52	14.86	0.68	22.55	1.78	22.96	2.42
Light drinker	18.70	0.48	18.16	0.64	19.37	0.73	18.60	0.71	20.76	0.76	11.51	1.27	9.27	1.53
Moderate drinker	23.32	0.62	27.65	0.87	17.96	0.76	23.40	0.94	26.13	0.85	12.85	1.42	8.33	1.59
Heavier drinker	10.34	0.47	15.05	0.74	4.51	0.40	10.31	0.69	11.40	0.66	7.76	1.26	3.16	0.84
<u>Ever Raised Children</u>														
Yes														
Lifetime abstainer	35.46	0.49	20.87	0.52	47.32	0.63	41.64	1.61	28.76	0.56	33.95	0.71	51.84	0.85
Former drinker	24.26	0.37	26.56	0.54	22.40	0.44	20.28	1.24	24.19	0.48	25.53	0.62	23.25	0.66
Light drinker	18.92	0.30	20.71	0.47	17.45	0.36	19.02	1.28	22.87	0.46	18.54	0.52	10.50	0.43
Moderate drinker	14.34	0.26	20.13	0.42	9.64	0.27	11.45	1.02	17.18	0.39	13.83	0.45	9.38	0.41
Heavier drinker	6.58	0.18	11.14	0.34	2.87	0.15	7.14	0.80	6.57	0.27	7.64	0.34	4.73	0.28

See footnotes at end of table.

Table 1-2b. Percent distribution of usual drinking level in the past year among current drinkers combined with former drinkers and lifetime abstainers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Lifetime abstainer	30.35	0.55	23.38	0.66	39.15	0.82	35.60	1.07	20.89	0.64	33.74	1.53	54.36	1.60
Former drinker	15.05	0.39	14.45	0.51	15.82	0.54	9.23	0.52	16.37	0.56	25.86	1.41	23.38	1.28
Light drinker	20.63	0.41	20.23	0.60	21.14	0.61	20.37	0.71	23.99	0.64	15.15	1.12	9.20	0.90
Moderate drinker	23.59	0.51	27.55	0.70	18.58	0.60	23.87	0.95	27.84	0.68	14.66	1.12	8.53	0.81
Heavier drinker	9.74	0.34	13.61	0.54	4.86	0.33	10.46	0.64	10.11	0.46	9.90	1.02	4.17	0.57
Children Under 14 Living in Household														
Yes														
Lifetime abstainer	31.53	0.61	19.69	0.79	40.60	0.79	43.90	1.80	29.34	0.64	34.32	1.70	54.47	4.77
Former drinker	24.40	0.49	23.80	0.71	24.85	0.60	22.24	1.44	24.29	0.53	26.45	1.48	25.07	3.81
Light drinker	22.42	0.45	23.66	0.73	21.47	0.55	20.31	1.46	23.62	0.52	18.11	1.24	6.27	1.98
Moderate drinker	15.73	0.38	22.54	0.66	10.51	0.39	8.49	0.96	16.88	0.43	13.99	1.09	9.85	2.93
Heavier drinker	5.46	0.26	9.70	0.51	2.21	0.18	4.47	0.66	5.38	0.30	6.81	0.88	--	--
No														
Lifetime abstainer	35.09	0.45	22.48	0.49	47.69	0.62	35.42	1.04	23.13	0.58	33.86	0.71	52.14	0.80
Former drinker	20.41	0.33	22.04	0.49	18.78	0.40	9.38	0.51	19.16	0.52	25.41	0.60	23.21	0.61
Light drinker	18.08	0.27	19.36	0.40	16.79	0.37	20.02	0.68	22.70	0.50	18.22	0.50	10.43	0.40
Moderate drinker	17.54	0.31	22.62	0.45	12.46	0.34	23.87	0.94	24.21	0.54	13.90	0.45	9.24	0.38
Heavier drinker	8.37	0.20	12.82	0.36	3.93	0.18	10.87	0.62	10.18	0.39	8.04	0.35	4.65	0.25
Education														
11 years or less														
Lifetime abstainer	49.54	0.66	30.91	0.92	65.65	0.86	50.27	1.83	38.73	1.24	46.02	1.28	61.29	1.11
Former drinker	22.58	0.58	28.26	1.00	17.67	0.62	12.44	1.18	20.76	1.03	27.57	1.14	24.19	0.98
Light drinker	10.37	0.40	13.37	0.66	7.78	0.44	12.86	1.25	14.18	0.92	9.59	0.73	6.76	0.57
Moderate drinker	10.12	0.42	14.56	0.73	6.27	0.48	15.54	1.45	14.57	0.95	9.15	0.72	4.90	0.48
Heavier drinker	7.01	0.39	12.28	0.72	2.45	0.25	8.55	1.04	11.31	0.91	6.98	0.71	2.75	0.33
12 years														
Lifetime abstainer	36.23	0.65	22.89	0.75	47.29	0.88	39.20	1.42	29.07	0.78	37.55	1.17	50.95	1.32
Former drinker	23.13	0.51	23.98	0.70	22.42	0.62	13.58	0.95	23.25	0.74	26.60	1.01	25.09	1.00
Light drinker	17.80	0.41	18.48	0.68	17.24	0.53	19.35	1.19	20.38	0.63	17.31	0.83	10.23	0.67
Moderate drinker	14.88	0.38	21.12	0.62	9.70	0.40	17.73	1.22	17.99	0.56	11.97	0.71	8.92	0.66
Heavier drinker	7.43	0.28	12.81	0.53	2.96	0.23	9.56	0.84	8.69	0.46	6.10	0.51	4.40	0.45
13-15 years														
Lifetime abstainer	28.19	0.57	18.31	0.73	36.83	0.78	32.86	1.41	23.25	0.77	27.74	1.20	43.20	1.66
Former drinker	21.44	0.50	21.11	0.75	21.73	0.61	10.63	0.82	24.14	0.73	26.06	1.14	22.55	1.30
Light drinker	22.22	0.44	22.44	0.69	22.03	0.59	21.92	0.96	24.35	0.66	21.44	1.06	13.92	1.10
Moderate drinker	19.63	0.49	25.16	0.80	14.79	0.55	23.88	1.28	20.69	0.66	15.50	0.90	13.56	1.23
Heavier drinker	8.06	0.33	12.43	0.58	4.24	0.30	10.35	0.89	7.09	0.40	8.75	0.78	6.22	0.72
16 or more years														
Lifetime abstainer	23.61	0.60	16.65	0.67	32.01	0.87	21.18	2.29	21.19	0.71	23.73	1.08	38.57	1.71
Former drinker	19.08	0.49	18.06	0.63	20.30	0.68	9.50	1.39	18.88	0.62	22.04	1.00	17.95	1.33
Light drinker	26.53	0.54	26.69	0.75	26.34	0.75	28.17	2.14	29.23	0.70	24.22	1.05	16.53	1.33
Moderate drinker	22.87	0.53	27.61	0.75	17.16	0.65	30.24	2.59	24.65	0.69	19.54	0.97	17.40	1.32
Heavier drinker	7.36	0.34	10.32	0.57	3.79	0.29	10.27	2.32	5.48	0.35	9.97	0.71	9.16	0.93

See footnotes at end of table.

Table 1-2b. Percent distribution of usual drinking level in the past year among current drinkers combined with former drinkers and lifetime abstainers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Currently Employed Full Time</u>														
Yes														
Lifetime abstainer	25.23	0.45	17.83	0.47	36.07	0.71	28.96	1.23	22.74	0.49	28.31	0.81	36.73	2.96
Former drinker	21.09	0.37	21.13	0.47	21.03	0.55	11.53	0.75	20.71	0.44	25.57	0.75	22.89	2.43
Light drinker	23.35	0.37	23.20	0.48	23.58	0.52	23.80	1.04	24.50	0.46	21.16	0.67	16.10	2.04
Moderate drinker	21.09	0.35	25.11	0.47	15.19	0.43	24.33	1.27	23.06	0.42	15.94	0.59	16.41	2.28
Heavier drinker	8.71	0.25	12.13	0.39	3.70	0.22	10.64	0.91	8.42	0.31	8.62	0.45	7.16	1.51
No														
Lifetime abstainer	43.35	0.55	28.58	0.73	51.57	0.67	42.62	1.36	34.62	0.77	41.48	0.94	52.95	0.80
Former drinker	22.21	0.40	25.02	0.69	20.65	0.43	11.81	0.66	24.55	0.68	25.54	0.75	23.28	0.62
Light drinker	15.20	0.30	15.86	0.55	14.83	0.36	17.42	0.82	20.35	0.59	14.23	0.63	10.03	0.40
Moderate drinker	12.62	0.32	18.14	0.58	9.54	0.32	18.80	1.03	14.18	0.54	11.20	0.55	8.91	0.38
Heavier drinker	6.18	0.22	11.66	0.48	3.13	0.17	9.06	0.70	5.78	0.37	6.84	0.45	4.52	0.25
<u>Personal Annual Income</u>														
None														
Lifetime abstainer	50.21	0.67	31.15	0.95	59.47	0.76	57.52	2.45	43.45	1.17	44.70	1.21	54.50	0.83
Former drinker	23.57	0.49	31.43	0.93	19.75	0.52	14.99	1.63	25.24	0.97	25.20	1.01	23.30	0.65
Light drinker	11.83	0.36	14.06	0.65	10.75	0.40	13.98	1.47	16.12	0.86	12.59	0.80	9.48	0.40
Moderate drinker	9.26	0.32	13.80	0.68	7.05	0.32	10.26	1.96	10.68	0.77	9.95	0.64	8.22	0.38
Heavier drinker	4.64	0.22	8.69	0.48	2.67	0.20	3.09	0.75	3.99	0.45	6.59	0.55	4.18	0.26
\$1 to \$9,999														
Lifetime abstainer	38.67	0.79	28.75	1.07	44.78	0.94	39.09	1.36	34.38	0.99	44.78	1.61	43.04	2.17
Former drinker	19.66	0.55	17.91	0.83	20.73	0.66	11.11	0.65	23.75	0.96	25.83	1.38	25.47	1.81
Light drinker	18.04	0.45	17.28	0.78	18.50	0.57	18.28	0.74	20.38	0.81	14.38	1.04	14.14	1.52
Moderate drinker	15.77	0.54	21.53	0.98	12.22	0.55	21.10	1.04	14.35	0.73	9.74	0.84	11.83	1.43
Heavier drinker	7.45	0.39	13.94	0.82	3.45	0.29	9.98	0.81	6.64	0.54	5.03	0.73	5.14	0.86
\$10,000 to \$24,999														
Lifetime abstainer	29.95	0.63	21.96	0.84	37.22	0.84	26.85	1.37	27.37	0.76	36.75	1.20	45.57	3.87
Former drinker	21.14	0.51	19.99	0.76	22.19	0.64	11.23	0.86	22.04	0.68	25.75	1.01	18.22	2.64
Light drinker	21.31	0.50	19.90	0.75	22.58	0.65	25.53	1.35	21.99	0.63	17.58	0.94	13.72	2.97
Moderate drinker	18.77	0.48	23.89	0.77	14.10	0.53	24.64	1.47	19.64	0.60	13.47	0.78	11.56	2.48
Heavier drinker	8.33	0.33	13.60	0.62	3.52	0.28	11.12	0.93	8.40	0.45	6.11	0.56	10.81	2.09
\$25,000 or more														
Lifetime abstainer	17.99	0.51	14.36	0.53	26.90	0.92	17.21	2.46	16.64	0.56	20.07	0.92	25.95	3.30
Former drinker	21.63	0.48	21.88	0.58	21.03	0.74	11.79	2.07	19.91	0.58	25.57	0.90	21.01	3.07
Light drinker	26.26	0.49	25.26	0.60	28.70	0.86	24.33	2.72	27.79	0.62	24.12	0.89	17.30	2.53
Moderate drinker	24.00	0.48	26.28	0.59	18.39	0.71	29.49	3.46	26.59	0.60	18.71	0.79	26.36	3.31
Heavier drinker	9.58	0.34	11.65	0.44	4.50	0.40	16.39	2.58	8.49	0.38	11.07	0.65	8.95	2.11
<u>Current/Most Recent Occupation</u>														
Executive, administrative, managerial														
Lifetime abstainer	21.00	0.72	15.53	0.91	28.26	1.08	21.75	3.02	16.65	0.88	21.27	1.38	37.41	2.19
Former drinker	21.89	0.76	21.17	1.00	22.84	1.04	10.57	2.22	21.33	0.99	24.54	1.54	21.93	1.82
Light drinker	24.41	0.74	22.74	1.01	26.62	1.04	26.15	3.35	29.18	1.10	21.77	1.24	11.83	1.51
Moderate drinker	23.52	0.73	27.90	1.05	17.71	0.94	30.90	3.85	25.36	1.02	21.08	1.29	19.59	1.74
Heavier drinker	8.66	0.49	12.07	0.79	4.14	0.49	9.94	2.34	6.92	0.64	10.79	0.98	9.12	1.20

See footnotes at end of table.

Table 1-2b. Percent distribution of usual drinking level in the past year among current drinkers combined with former drinkers and lifetime abstainers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Professional specialty														
Lifetime abstainer	28.62	0.79	19.14	0.97	36.44	1.07	29.04	3.25	24.33	0.97	27.69	1.42	46.91	1.96
Former drinker	20.90	0.64	20.61	0.97	21.15	0.80	10.76	2.01	21.36	0.83	23.59	1.39	18.93	1.55
Light drinker	24.28	0.67	25.61	1.04	23.19	0.85	23.21	2.41	27.75	0.93	22.47	1.31	14.94	1.33
Moderate drinker	19.44	0.62	24.77	1.00	15.05	0.70	27.82	2.93	21.74	0.86	16.42	1.12	12.28	1.26
Heavier drinker	6.26	0.38	9.20	0.71	3.84	0.36	8.62	1.95	4.27	0.42	9.51	0.89	6.34	0.95
Technician/related support														
Lifetime abstainer	27.26	1.37	17.80	1.71	36.99	1.91	28.04	3.93	24.25	1.63	29.06	3.27	42.90	4.84
Former drinker	21.32	1.27	22.63	1.99	19.97	1.70	11.00	2.65	22.66	1.67	22.81	2.85	25.16	4.15
Light drinker	28.45	1.39	29.47	2.12	27.41	2.14	24.92	3.36	31.31	1.82	28.45	3.61	14.15	3.44
Moderate drinker	16.71	1.20	21.83	1.97	11.44	1.30	27.59	4.20	15.95	1.47	13.07	2.32	12.86	3.12
Heavier drinker	5.55	0.75	8.01	1.32	3.01	0.68	7.40	2.36	5.25	0.94	5.43	1.86	--	--
Sales														
Lifetime abstainer	32.79	0.89	18.94	1.08	43.40	1.21	39.53	1.87	24.10	1.18	31.83	1.73	48.81	2.06
Former drinker	20.82	0.74	20.56	1.09	21.02	0.96	13.47	1.27	23.09	1.17	22.21	1.48	22.18	1.68
Light drinker	20.77	0.69	24.42	1.21	17.97	0.88	21.90	1.56	23.99	1.11	20.14	1.42	11.63	1.38
Moderate drinker	17.92	0.67	24.38	1.15	12.97	0.77	18.41	1.56	21.23	1.05	16.63	1.38	10.49	1.22
Heavier drinker	7.12	0.42	10.92	0.78	4.21	0.46	6.33	0.89	6.85	0.65	8.64	1.01	6.38	0.84
Administrative support, including clerical														
Lifetime abstainer	37.58	0.74	23.95	1.49	41.04	0.85	39.48	1.90	31.56	1.01	39.74	1.41	49.35	1.66
Former drinker	22.90	0.60	23.02	1.47	22.87	0.64	14.01	1.26	24.17	0.88	25.66	1.26	22.92	1.30
Light drinker	20.97	0.55	20.91	1.44	20.98	0.62	21.95	1.47	24.35	0.88	18.97	1.09	13.79	1.06
Moderate drinker	13.90	0.51	21.72	1.34	11.92	0.50	18.33	1.67	15.64	0.77	11.21	0.88	9.33	0.91
Heavier drinker	4.42	0.29	10.02	1.00	3.00	0.25	5.99	0.93	4.08	0.41	4.16	0.57	4.34	0.64
Private household														
Lifetime abstainer	64.17	2.51	--	--	64.93	2.52	64.60	7.69	47.68	5.01	70.14	4.80	74.65	3.39
Former drinker	15.99	1.96	--	--	15.57	1.96	--	--	17.75	3.61	13.81	4.12	17.05	2.61
Light drinker	10.11	1.63	--	--	9.54	1.57	--	--	18.36	4.01	--	--	--	--
Moderate drinker	6.49	1.63	--	--	6.63	1.66	--	--	11.72	4.00	--	--	--	--
Heavier drinker	2.87	0.84	--	--	2.94	0.86	--	--	--	--	5.34	2.32	--	--
Protective service														
Lifetime abstainer	22.25	1.77	18.94	1.77	39.66	5.04	26.74	5.18	23.66	2.85	15.50	3.29	22.56	4.38
Former drinker	23.70	1.94	23.45	2.23	25.05	4.46	--	--	17.20	2.26	36.16	4.96	48.67	5.37
Light drinker	19.23	1.76	19.22	1.96	19.27	3.68	17.14	4.21	22.82	2.62	18.47	3.95	9.43	3.28
Moderate drinker	26.17	2.69	28.57	3.11	13.51	3.31	38.39	7.34	29.48	4.27	16.43	3.48	14.93	3.91
Heavier drinker	8.35	1.23	9.46	1.46	--	--	11.41	3.87	6.42	1.56	13.00	3.12	--	--
Service, except protective and household														
Lifetime abstainer	44.03	0.94	31.52	1.60	49.28	1.04	37.33	1.82	35.81	1.31	50.66	1.82	65.20	1.75
Former drinker	20.20	0.71	17.79	1.24	21.21	0.82	12.89	1.16	21.96	1.12	23.94	1.55	21.28	1.53
Light drinker	15.23	0.59	17.08	1.19	14.46	0.66	17.70	1.36	18.47	0.99	13.13	1.16	6.40	0.89
Moderate drinker	13.41	0.64	19.71	1.40	10.76	0.62	19.83	1.48	15.71	1.03	8.43	0.99	5.20	0.86
Heavier drinker	6.69	0.44	13.47	1.29	3.84	0.34	11.75	1.49	7.54	0.67	3.39	0.52	1.74	0.50
Farming, forestry, fishing														
Lifetime abstainer	38.69	1.75	32.29	1.99	60.22	3.93	35.16	4.08	31.20	3.16	39.92	4.24	53.07	3.41
Former drinker	22.41	1.65	23.67	1.85	18.16	3.39	9.77	2.48	22.28	2.65	25.71	3.16	30.52	3.52
Light drinker	13.81	1.16	14.18	1.51	12.55	2.16	18.35	3.27	16.66	2.39	13.10	2.59	5.66	1.12
Moderate drinker	15.93	1.36	18.78	1.63	6.31	1.64	24.48	3.95	19.25	2.64	11.78	2.32	7.15	1.58

See footnotes at end of table.

Table 1-2b. Percent distribution of usual drinking level in the past year among current drinkers combined with former drinkers and lifetime abstainers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Farming, forestry, fishing														
Heavier drinker	8.26	1.13	9.98	1.41	--	--	12.24	3.02	8.94	1.81	8.32	2.31	--	--
Precision production, craft, repair														
Lifetime abstainer	21.85	0.77	18.73	0.79	44.55	2.44	27.36	2.48	15.10	0.94	21.95	1.53	38.34	2.09
Former drinker	24.90	0.78	25.14	0.83	23.16	2.06	8.81	1.52	22.43	1.12	32.03	1.65	31.79	1.92
Light drinker	18.33	0.73	19.14	0.80	12.48	1.78	21.14	2.47	19.81	1.04	18.70	1.59	11.52	1.26
Moderate drinker	20.34	0.76	20.98	0.81	15.63	1.85	22.14	2.35	25.77	1.13	14.98	1.36	11.13	1.23
Heavier drinker	13.65	0.63	14.99	0.71	3.87	0.80	19.31	2.14	16.14	1.03	11.10	1.20	6.40	0.98
Operators, fabricators, laborers														
Lifetime abstainer	44.15	1.16	23.93	1.38	61.96	1.47	38.45	3.22	35.84	1.62	41.93	2.28	63.56	2.03
Former drinker	22.33	0.92	25.89	1.35	19.19	1.13	12.09	2.11	21.28	1.32	27.99	1.97	22.41	1.67
Light drinker	13.49	0.80	16.89	1.29	10.49	0.88	19.68	2.83	17.37	1.23	11.44	1.52	6.27	0.96
Moderate drinker	13.01	0.66	20.28	1.19	6.60	0.61	20.04	2.79	17.80	1.11	10.48	1.29	4.36	0.88
Heavier drinker	6.87	0.60	12.78	1.18	1.67	0.34	9.75	1.94	7.34	1.01	8.16	1.41	3.40	0.66
Transportation, material moving														
Lifetime abstainer	23.74	1.24	20.94	1.28	47.79	4.32	36.01	4.33	20.31	1.69	23.82	2.45	25.63	2.94
Former drinker	26.99	1.38	27.81	1.48	19.95	3.40	6.44	2.18	22.13	1.92	34.02	2.90	42.73	3.36
Light drinker	20.20	1.28	20.29	1.35	19.39	3.68	24.93	4.39	21.40	1.96	19.62	2.35	14.09	2.45
Moderate drinker	17.21	1.12	18.42	1.23	6.78	1.93	17.84	3.57	22.29	1.75	12.92	1.90	9.53	2.20
Heavier drinker	11.31	0.99	11.99	1.06	5.54	1.79	14.78	3.35	13.43	1.51	8.58	1.49	7.77	1.86
Handlers, equipment cleaners, helpers, laborers														
Lifetime abstainer	35.51	1.47	27.32	1.68	55.22	2.50	35.53	3.12	26.07	2.06	36.32	3.79	61.08	4.10
Former drinker	19.84	1.14	20.13	1.44	19.15	2.00	11.78	1.86	19.97	1.86	29.82	3.54	22.65	3.35
Light drinker	13.50	0.96	13.91	1.16	12.51	1.79	16.40	2.06	15.28	1.70	9.87	1.94	7.37	1.70
Moderate drinker	17.89	1.25	21.64	1.56	8.86	1.38	23.04	2.49	20.88	2.00	11.97	2.31	6.77	2.28
Heavier drinker	12.51	1.11	16.21	1.54	3.60	1.21	12.11	1.93	16.92	2.22	11.77	2.83	--	--
Military														
Lifetime abstainer	21.71	3.14	17.16	3.34	38.58	8.21	22.59	6.13	16.77	4.31	--	--	38.59	9.64
Former drinker	21.26	3.17	20.64	3.54	23.56	6.44	--	--	21.22	3.51	--	--	44.28	10.36
Light drinker	18.36	2.93	19.34	3.51	--	--	--	--	22.27	4.39	--	--	--	--
Moderate drinker	29.31	3.48	32.25	4.02	--	--	36.05	6.07	31.56	5.03	--	--	--	--
Heavier drinker	9.37	2.02	10.61	2.39	--	--	--	--	8.18	2.77	--	--	--	--
Current/Most Recent Industry														
Agriculture, forestry, fisheries														
Lifetime abstainer	39.24	1.87	34.01	2.29	52.23	3.46	39.79	5.00	31.17	3.07	39.26	4.22	53.68	3.39
Former drinker	22.35	1.60	23.00	1.90	20.74	2.63	11.84	2.79	22.95	2.61	23.18	3.25	28.72	3.48
Light drinker	15.02	1.27	14.79	1.54	15.58	2.04	17.07	3.38	17.73	2.46	16.06	3.02	7.10	1.48
Moderate drinker	15.26	1.47	18.15	1.76	8.11	1.77	22.73	4.23	19.64	2.79	10.70	2.17	6.67	1.53
Heavier drinker	7.45	1.30	9.21	1.43	--	--	8.22	2.48	7.90	2.16	9.46	2.44	--	--
Mining														
Lifetime abstainer	28.70	4.18	28.73	5.07	28.59	7.60	--	--	18.79	3.69	27.23	6.51	41.99	10.29
Former drinker	32.07	3.51	30.02	3.84	38.25	9.27	--	--	31.35	5.27	36.02	8.93	32.75	7.95
Light drinker	20.18	3.02	18.86	3.45	24.13	6.28	--	--	25.06	4.78	20.96	5.84	--	--
Moderate drinker	15.29	3.37	--	4.16	--	--	--	--	21.49	5.68	--	--	--	--
Heavier drinker	--	--	--	--	--	--	--	--	--	--	--	--	--	--

See footnotes at end of table.

Table 1-2b. Percent distribution of usual drinking level in the past year among current drinkers combined with former drinkers and lifetime abstainers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Construction														
Lifetime abstainer	18.34	0.97	16.81	1.03	29.59	3.11	22.93	2.84	13.43	1.37	19.61	2.06	31.03	3.19
Former drinker	24.66	1.00	24.10	1.07	28.72	2.84	11.87	1.98	22.42	1.44	29.12	2.25	40.15	3.36
Light drinker	19.34	1.00	18.91	1.06	22.50	2.72	21.01	2.72	20.51	1.57	20.02	2.07	10.96	1.82
Moderate drinker	20.69	1.04	21.56	1.14	14.30	2.26	23.76	3.03	24.72	1.52	15.76	1.78	10.15	2.02
Heavier drinker	16.30	0.99	17.85	1.08	4.90	1.67	19.55	2.79	18.28	1.45	14.58	1.92	7.54	1.59
Manufacturing														
Lifetime abstainer	33.19	0.79	20.06	0.84	52.48	1.14	35.03	2.32	26.44	0.95	30.14	1.31	51.55	1.64
Former drinker	23.16	0.67	25.39	0.90	19.88	0.85	11.18	1.42	21.22	0.90	28.59	1.32	24.76	1.32
Light drinker	17.88	0.55	20.05	0.76	14.69	0.76	22.08	1.86	21.18	0.82	16.98	1.05	10.16	0.83
Moderate drinker	17.02	0.50	21.93	0.71	9.82	0.58	20.43	1.86	22.05	0.80	14.34	1.01	8.34	0.76
Heavier drinker	8.27	0.39	11.90	0.58	2.94	0.34	10.93	1.53	8.54	0.58	9.39	0.88	4.97	0.63
Transportation, communications, other public utilities														
Lifetime abstainer	24.57	0.96	19.04	1.10	36.20	1.83	29.97	4.39	20.40	1.26	24.09	1.96	37.06	2.30
Former drinker	24.75	0.95	25.40	1.21	23.38	1.59	11.58	2.97	21.82	1.30	29.56	1.97	31.06	2.38
Light drinker	21.91	0.89	22.67	1.18	20.34	1.34	19.54	3.76	25.07	1.31	22.72	1.86	10.99	1.62
Moderate drinker	19.72	0.93	21.31	1.18	16.38	1.35	29.95	5.26	22.39	1.23	16.22	1.69	13.10	1.69
Heavier drinker	8.56	0.64	11.02	0.90	3.38	0.66	7.87	2.45	9.99	0.99	6.94	0.98	7.03	1.43
Wholesale trade														
Lifetime abstainer	24.83	1.36	16.81	1.55	40.82	2.34	29.02	4.40	21.12	1.89	23.68	2.70	38.14	3.96
Former drinker	20.96	1.27	20.38	1.62	22.12	1.97	7.77	2.13	20.55	1.70	26.31	2.92	23.18	3.23
Light drinker	21.06	1.21	22.90	1.63	17.39	1.60	26.05	3.90	23.34	1.70	17.77	2.54	14.32	2.74
Moderate drinker	22.14	1.39	25.32	1.76	15.78	1.84	26.24	4.30	23.87	1.84	20.38	2.68	15.33	2.81
Heavier drinker	10.77	1.00	14.32	1.32	3.69	0.95	10.93	2.98	10.90	1.34	11.61	2.00	8.52	2.10
Retail trade														
Lifetime abstainer	36.88	0.76	26.92	1.14	43.33	0.94	37.15	1.44	27.79	1.01	40.55	1.77	55.73	1.73
Former drinker	21.14	0.61	19.26	0.95	22.36	0.74	13.60	0.99	23.06	0.93	27.03	1.39	21.76	1.31
Light drinker	18.56	0.54	20.04	0.95	17.61	0.63	18.83	1.06	22.79	0.87	16.26	1.21	9.93	1.10
Moderate drinker	15.73	0.54	21.37	0.99	12.08	0.58	20.00	1.17	18.31	0.84	9.81	0.91	9.25	0.99
Heavier drinker	7.16	0.40	11.69	0.80	4.24	0.36	9.83	0.94	7.51	0.62	5.73	0.71	3.11	0.56
Finance, insurance, real estate														
Lifetime abstainer	28.81	1.12	15.82	1.43	36.42	1.49	28.91	3.44	24.35	1.45	29.76	2.34	43.23	2.80
Former drinker	20.34	0.95	20.45	1.70	20.27	1.10	15.07	2.52	20.70	1.28	20.55	2.05	22.82	2.24
Light drinker	23.72	1.02	23.92	1.75	23.60	1.22	27.86	3.34	27.32	1.43	20.64	2.05	13.49	2.05
Moderate drinker	19.63	1.00	27.24	1.78	15.17	1.07	20.34	3.24	22.29	1.38	17.02	1.70	14.65	2.09
Heavier drinker	6.91	0.65	11.54	1.37	4.21	0.58	6.91	2.06	4.70	0.64	11.63	1.66	5.31	1.80
Services: business and repair														
Lifetime abstainer	27.63	1.13	20.77	1.47	36.51	1.75	36.96	3.36	21.23	1.39	29.68	2.63	43.79	3.27
Former drinker	20.60	0.99	19.77	1.33	21.68	1.47	7.69	1.69	22.31	1.37	22.52	2.20	25.76	2.77
Light drinker	20.49	1.06	19.95	1.48	21.19	1.47	19.12	2.62	22.30	1.47	21.62	2.33	10.21	2.16
Moderate drinker	21.37	1.01	25.20	1.46	16.42	1.37	21.86	2.88	24.90	1.44	16.27	1.99	11.01	2.11
Heavier drinker	9.13	0.75	13.20	1.18	3.85	0.68	13.64	2.36	8.27	0.95	8.23	1.41	9.23	2.07

See footnotes at end of table.

Table 1-2b. Percent distribution of usual drinking level in the past year among current drinkers combined with former drinkers and lifetime abstainers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Services: personal														
Lifetime abstainer	46.88	1.47	30.01	3.14	51.45	1.58	40.62	4.17	35.79	2.33	50.93	2.93	64.89	2.40
Former drinker	21.33	1.22	18.31	2.72	22.14	1.39	13.85	2.85	21.76	1.86	25.74	2.67	20.91	1.87
Light drinker	14.88	0.92	18.52	2.58	13.89	1.04	21.21	2.76	20.52	1.83	9.98	1.59	6.60	1.17
Moderate drinker	11.05	0.80	18.97	2.21	8.91	0.85	12.58	2.48	15.43	1.55	8.43	1.34	5.63	1.39
Heavier drinker	5.42	1.08	13.98	4.29	3.10	0.47	11.09	4.56	5.88	1.21	4.61	1.08	--	--
Services: entertainment and recreation														
Lifetime abstainer	25.04	2.04	16.17	2.23	37.87	3.40	27.93	3.64	19.03	2.77	25.04	5.10	45.17	6.88
Former drinker	14.03	1.59	14.34	2.21	13.59	2.13	5.72	1.95	18.39	2.90	15.84	3.84	24.71	6.24
Light drinker	21.12	1.84	22.67	2.55	18.87	2.52	23.23	3.37	20.74	2.83	19.05	3.97	18.19	4.96
Moderate drinker	27.48	2.18	30.02	2.91	23.79	3.24	32.91	4.38	26.37	2.93	28.93	5.40	--	--
Heavier drinker	11.44	1.61	15.54	2.45	5.49	1.53	10.21	3.02	13.65	2.54	11.13	3.72	--	--
Services: professional and related														
Lifetime abstainer	36.68	0.66	22.30	0.98	42.72	0.76	40.53	2.12	30.10	0.82	37.07	1.16	54.24	1.35
Former drinker	21.23	0.50	21.98	0.96	20.91	0.55	11.75	1.13	22.90	0.73	22.83	0.99	20.07	1.15
Light drinker	21.64	0.50	22.48	0.96	21.29	0.58	20.71	1.45	26.05	0.76	19.87	0.94	11.54	0.91
Moderate drinker	14.96	0.46	22.82	1.04	11.66	0.43	19.89	1.60	16.26	0.64	13.83	0.82	9.10	0.77
Heavier drinker	5.07	0.25	9.97	0.69	3.01	0.21	6.83	0.98	4.21	0.35	6.02	0.52	4.63	0.53
Public administration														
Lifetime abstainer	28.80	1.29	19.61	1.49	40.78	1.90	27.91	4.06	25.09	1.72	27.18	2.15	42.16	2.77
Former drinker	24.25	1.20	24.56	1.63	23.85	1.62	11.69	2.77	22.04	1.60	30.26	2.35	25.59	2.56
Light drinker	20.70	1.02	21.43	1.47	19.76	1.29	19.60	3.90	24.84	1.65	19.01	1.92	12.76	1.76
Moderate drinker	19.88	1.20	25.71	1.87	12.30	1.15	33.48	6.18	22.92	1.90	15.48	1.78	13.09	1.83
Heavier drinker	5.91	0.59	8.25	0.94	2.87	0.56	7.31	2.59	4.80	0.83	7.27	1.17	6.03	1.17
Military														
Lifetime abstainer	20.65	2.86	16.04	2.98	39.42	7.92	24.88	5.87	15.32	3.75	--	--	38.59	9.64
Former drinker	21.99	3.03	22.10	3.38	21.58	6.12	--	--	23.11	3.45	--	--	44.28	10.36
Light drinker	19.81	3.02	21.11	3.63	--	--	--	--	22.68	4.45	--	--	--	--
Moderate drinker	27.87	3.25	30.38	3.74	--	--	34.82	5.93	29.75	4.57	--	--	--	--
Heavier drinker	9.67	1.95	10.37	2.23	--	--	--	--	9.15	2.67	--	--	--	--
Smoked Any Cigarettes in Last Year														
Yes														
Lifetime abstainer	18.49	0.47	11.30	0.49	26.41	0.75	14.38	0.97	14.57	0.50	23.55	0.92	34.32	1.58
Former drinker	23.69	0.49	22.29	0.68	25.22	0.61	14.30	0.92	22.64	0.67	29.23	1.00	30.02	1.49
Light drinker	20.40	0.43	19.18	0.63	21.74	0.59	20.75	1.08	22.99	0.61	17.89	0.83	11.69	1.04
Moderate drinker	23.16	0.48	26.78	0.70	19.17	0.60	30.33	1.45	25.66	0.64	16.90	0.78	14.18	1.15
Heavier drinker	13.62	0.41	19.62	0.65	7.02	0.39	19.54	1.24	13.46	0.52	11.81	0.73	9.46	0.93
No														
Lifetime abstainer	40.52	0.49	26.68	0.54	52.36	0.62	47.48	1.17	32.60	0.59	38.35	0.78	55.41	0.86
Former drinker	20.76	0.33	22.64	0.47	19.16	0.42	10.48	0.58	21.55	0.45	23.99	0.67	22.05	0.64
Light drinker	18.99	0.29	21.20	0.45	17.09	0.37	19.75	0.77	23.30	0.45	18.34	0.55	10.07	0.43
Moderate drinker	14.39	0.27	20.60	0.43	9.08	0.27	16.78	0.88	17.50	0.40	12.65	0.48	8.37	0.40
Heavier drinker	4.90	0.15	8.30	0.29	1.99	0.12	5.13	0.46	4.57	0.22	6.18	0.34	3.78	0.25

See footnotes at end of table.

Table 1-2b. Percent distribution of usual drinking level in the past year among current drinkers combined with former drinkers and lifetime abstainers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Smoked 100 or More Cigarettes in Life</u>														
Yes														
Lifetime abstainer	19.22	0.41	12.46	0.41	27.37	0.66	14.99	0.97	14.15	0.43	20.86	0.71	32.46	0.92
Former drinker	27.48	0.42	27.28	0.57	27.72	0.54	14.95	0.92	25.54	0.59	31.41	0.76	32.89	0.94
Light drinker	20.38	0.34	19.47	0.48	21.48	0.48	20.95	1.04	23.79	0.52	19.39	0.64	12.68	0.61
Moderate drinker	21.17	0.35	24.50	0.49	17.15	0.47	29.75	1.39	24.79	0.51	17.09	0.57	13.88	0.61
Heavier drinker	11.20	0.29	15.59	0.43	5.91	0.28	18.66	1.17	11.18	0.41	10.68	0.49	7.69	0.44
No														
Lifetime abstainer	48.60	0.55	33.78	0.69	59.07	0.66	48.66	1.19	38.21	0.70	53.41	0.98	71.30	0.89
Former drinker	15.85	0.34	16.34	0.50	15.50	0.42	9.96	0.58	18.46	0.48	16.84	0.74	13.95	0.62
Light drinker	18.44	0.32	21.96	0.55	15.95	0.40	19.60	0.76	22.64	0.49	16.44	0.67	8.02	0.49
Moderate drinker	12.86	0.31	20.12	0.53	7.73	0.29	16.48	0.88	15.97	0.43	9.19	0.54	4.78	0.37
Heavier drinker	3.81	0.16	7.22	0.35	1.40	0.11	4.95	0.47	4.18	0.25	3.66	0.34	1.71	0.23
<u>Any Depression in Past Year</u>														
Yes														
Lifetime abstainer	24.32	1.26	12.78	1.63	31.85	1.79	28.06	2.49	19.76	1.49	27.82	3.86	62.41	7.74
Former drinker	22.87	1.33	16.89	2.10	26.77	1.58	12.40	1.97	25.60	1.79	33.04	3.69	22.46	6.40
Light drinker	20.38	1.20	20.82	2.05	20.09	1.46	19.61	2.27	22.70	1.57	15.97	3.13	--	--
Moderate drinker	20.21	1.11	26.47	2.10	16.13	1.29	25.62	2.84	19.71	1.56	14.13	2.70	--	--
Heavier drinker	11.88	1.11	22.73	2.34	4.80	0.73	14.17	2.03	11.68	1.48	9.04	2.08	--	--
No														
Lifetime abstainer	34.33	0.42	21.96	0.43	45.88	0.57	37.58	1.00	26.77	0.47	34.04	0.68	52.15	0.79
Former drinker	21.59	0.31	22.69	0.43	20.56	0.37	11.64	0.52	21.76	0.40	25.42	0.59	23.27	0.60
Light drinker	19.37	0.26	20.54	0.39	18.28	0.33	20.10	0.64	23.22	0.38	18.25	0.48	10.36	0.40
Moderate drinker	16.88	0.26	22.49	0.38	11.64	0.27	20.77	0.84	20.29	0.35	13.91	0.43	9.27	0.38
Heavier drinker	7.33	0.17	11.66	0.30	3.30	0.14	9.40	0.55	7.41	0.25	7.84	0.33	4.63	0.25
<u>Any Depression in Life</u>														
Yes														
Lifetime abstainer	21.35	0.75	12.49	0.97	27.77	1.06	26.76	1.73	16.94	0.85	25.04	1.84	39.78	4.53
Former drinker	28.40	0.83	26.32	1.40	29.91	0.96	16.42	1.42	30.23	1.09	35.51	2.02	29.16	3.96
Light drinker	21.46	0.71	20.53	1.15	22.13	0.92	21.04	1.56	23.46	0.94	17.78	1.55	12.52	2.87
Moderate drinker	18.96	0.71	23.81	1.32	15.43	0.78	23.07	1.73	20.29	1.05	12.40	1.30	10.62	2.91
Heavier drinker	9.24	0.56	15.99	1.13	4.34	0.45	12.21	1.38	8.43	0.68	8.65	1.15	--	--
No														
Lifetime abstainer	35.38	0.43	22.58	0.44	47.50	0.59	38.71	1.06	27.81	0.49	34.70	0.70	52.43	0.79
Former drinker	20.89	0.32	22.17	0.43	19.67	0.38	10.88	0.53	20.75	0.42	24.69	0.59	23.16	0.61
Light drinker	19.18	0.26	20.55	0.40	17.88	0.35	19.91	0.66	23.16	0.40	18.24	0.50	10.27	0.40
Moderate drinker	16.77	0.27	22.48	0.40	11.36	0.28	20.75	0.89	20.27	0.36	14.05	0.45	9.23	0.38
Heavier drinker	7.29	0.18	11.58	0.32	3.23	0.14	9.29	0.58	7.48	0.27	7.79	0.34	4.59	0.26

See footnotes at end of table.

Table 1-2b. Percent distribution of usual drinking level in the past year among current drinkers combined with former drinkers and lifetime abstainers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Age Started Drinking</u>														
16 years or younger														
Lifetime abstainer	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Former drinker	30.27	0.71	27.72	0.88	34.86	1.04	19.75	1.20	30.48	0.85	40.09	1.88	46.04	2.55
Light drinker	24.25	0.63	21.65	0.78	28.92	1.01	23.72	1.29	25.95	0.80	21.21	1.61	19.09	2.20
Moderate drinker	27.35	0.64	28.00	0.82	26.18	0.97	33.36	1.59	27.57	0.81	20.13	1.50	19.75	1.91
Heavier drinker	17.25	0.63	21.72	0.85	9.21	0.68	22.50	1.44	15.12	0.75	17.36	1.44	14.23	1.70
17 or 18 years														
Lifetime abstainer	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Former drinker	31.17	0.64	27.08	0.78	37.62	0.96	17.19	1.25	29.05	0.80	39.83	1.31	47.16	2.02
Light drinker	30.12	0.58	27.53	0.77	34.20	0.89	35.15	1.72	32.20	0.75	25.03	1.17	20.86	1.55
Moderate drinker	27.91	0.65	31.32	0.81	22.53	0.87	36.60	1.88	29.32	0.80	21.15	1.14	21.07	1.63
Heavier drinker	10.29	0.38	13.57	0.56	5.13	0.38	10.14	1.02	9.01	0.48	13.54	0.92	10.48	1.18
19 or 20 years														
Lifetime abstainer	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Former drinker	33.27	0.90	29.81	1.21	37.54	1.21	16.60	2.29	31.28	1.23	35.64	1.71	49.20	2.16
Light drinker	32.96	0.89	29.74	1.23	36.93	1.19	46.14	3.07	33.24	1.15	32.50	1.78	22.34	1.78
Moderate drinker	24.27	0.75	27.67	1.13	20.07	0.92	29.53	2.67	26.13	1.03	21.83	1.35	18.09	1.57
Heavier drinker	8.88	0.50	12.02	0.80	4.99	0.53	7.50	1.48	8.53	0.71	9.52	0.96	9.92	1.34
21 years or older														
Lifetime abstainer	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Former drinker	35.91	0.69	30.89	1.00	40.00	0.88	19.70	3.42	27.81	1.01	38.23	1.23	48.90	1.39
Light drinker	32.13	0.65	28.76	1.02	34.86	0.82	47.25	4.19	37.16	1.08	30.71	1.10	23.34	1.10
Moderate drinker	22.89	0.57	27.82	0.95	18.89	0.68	24.78	3.41	26.54	0.99	21.04	0.93	19.31	1.07
Heavier drinker	8.35	0.39	11.67	0.74	5.65	0.41	7.23	2.75	7.62	0.58	9.42	0.70	7.87	0.70
<u>Family History of Alcoholism</u>														
None														
Lifetime abstainer	41.61	0.51	27.49	0.60	55.42	0.67	44.61	1.32	34.06	0.67	39.39	0.88	55.39	0.87
Former drinker	18.01	0.37	19.57	0.51	16.48	0.43	9.64	0.68	16.65	0.50	21.45	0.72	21.11	0.66
Light drinker	18.14	0.32	20.86	0.50	15.48	0.42	19.19	0.91	22.42	0.55	18.23	0.64	10.12	0.47
Moderate drinker	15.67	0.32	21.69	0.52	9.77	0.33	18.48	1.04	20.08	0.53	13.46	0.59	9.03	0.45
Heavier drinker	6.10	0.20	9.77	0.38	2.52	0.17	7.78	0.77	6.26	0.32	6.89	0.43	4.00	0.29
2nd degree relatives only														
Lifetime abstainer	29.35	0.71	18.98	0.82	39.31	0.98	33.67	1.72	23.31	0.81	31.60	1.42	47.45	2.22
Former drinker	21.36	0.59	20.64	0.81	22.07	0.79	10.43	0.85	22.74	0.80	25.14	1.22	26.42	1.94
Light drinker	21.58	0.54	21.87	0.84	21.31	0.72	22.18	1.27	24.41	0.78	19.26	1.11	11.05	1.20
Moderate drinker	19.47	0.56	25.73	0.91	13.45	0.57	22.68	1.31	22.01	0.81	15.12	1.05	10.60	1.17
Heavier drinker	7.81	0.40	12.31	0.69	3.49	0.33	10.25	1.13	7.16	0.47	8.48	0.74	4.34	0.93
1st degree relatives only														
Lifetime abstainer	32.08	0.82	18.09	1.03	44.21	1.09	34.78	2.75	24.09	1.05	32.57	1.51	46.54	1.86
Former drinker	24.56	0.71	26.76	1.13	22.65	0.84	13.74	1.83	22.60	1.14	28.76	1.42	27.60	1.56
Light drinker	17.21	0.61	17.43	0.96	17.03	0.79	18.08	2.02	22.67	1.03	14.78	1.10	9.13	0.95
Moderate drinker	16.47	0.63	22.02	1.07	11.66	0.67	23.90	2.90	20.50	1.02	13.56	1.12	8.92	0.99
Heavier drinker	9.01	0.48	14.61	0.94	4.16	0.36	9.09	1.55	9.21	0.81	9.73	0.88	7.49	0.86

See footnotes at end of table.

Table 1-2b. Percent distribution of usual drinking level in the past year among current drinkers combined with former drinkers and lifetime abstainers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Both 1st and 2nd degree relatives														
Lifetime abstainer	21.56	0.56	11.51	0.65	29.58	0.81	26.59	1.45	17.49	0.70	23.29	1.12	40.11	2.24
Former drinker	28.77	0.58	29.80	0.96	27.95	0.69	16.40	1.20	29.71	0.76	34.14	1.30	30.54	2.18
Light drinker	21.54	0.52	20.17	0.79	22.64	0.66	20.06	1.47	23.70	0.68	19.45	1.05	13.40	1.57
Moderate drinker	18.03	0.48	22.04	0.79	14.82	0.58	23.38	1.60	19.03	0.63	14.16	0.91	10.03	1.31
Heavier drinker	9.58	0.40	15.81	0.76	4.60	0.34	13.08	1.10	9.49	0.53	8.45	0.76	5.60	1.02
Any Parent Alcoholic														
Yes														
Lifetime abstainer	23.49	0.56	13.17	0.68	32.09	0.78	30.14	1.46	18.65	0.65	24.89	1.12	39.82	2.02
Former drinker	26.78	0.55	27.44	0.91	26.23	0.64	15.81	1.11	27.95	0.80	30.74	1.17	29.34	1.91
Light drinker	20.49	0.49	19.20	0.78	21.56	0.62	18.80	1.32	23.02	0.66	18.67	0.98	11.64	1.26
Moderate drinker	18.53	0.46	23.01	0.75	14.80	0.58	23.36	1.52	19.45	0.63	15.22	0.90	12.04	1.28
Heavier drinker	10.08	0.37	16.23	0.70	4.95	0.33	11.40	0.97	10.17	0.54	9.93	0.77	6.82	0.97
No														
Lifetime abstainer	36.95	0.46	23.95	0.47	49.29	0.62	39.24	1.14	29.22	0.53	36.36	0.75	53.48	0.79
Former drinker	20.18	0.33	21.24	0.45	19.18	0.41	10.31	0.55	19.80	0.41	24.17	0.63	22.64	0.62
Light drinker	19.10	0.28	20.90	0.40	17.39	0.37	20.50	0.70	23.26	0.43	18.08	0.54	10.18	0.41
Moderate drinker	16.55	0.28	22.49	0.43	10.92	0.28	20.33	0.87	20.56	0.41	13.57	0.47	8.97	0.39
Heavier drinker	6.75	0.18	10.84	0.32	2.88	0.15	9.15	0.63	6.69	0.26	7.30	0.35	4.42	0.26
Married to Alcoholic/Lived with Alcoholic as Married														
Yes														
Lifetime abstainer	24.04	0.77	6.20	0.85	29.50	0.90	17.36	2.39	17.96	0.91	27.13	1.42	46.53	2.13
Former drinker	32.70	0.78	35.05	1.85	31.98	0.86	26.70	2.81	33.15	1.05	35.42	1.56	26.85	1.67
Light drinker	19.69	0.65	19.76	1.57	19.67	0.69	19.33	2.62	22.60	0.93	18.14	1.12	10.94	1.39
Moderate drinker	15.19	0.56	20.19	1.42	13.66	0.60	23.66	2.89	16.85	0.76	12.58	0.93	10.13	1.28
Heavier drinker	7.92	0.46	18.34	1.31	4.74	0.39	12.20	2.37	8.90	0.66	6.33	0.69	5.47	0.92
No														
Lifetime abstainer	35.31	0.42	22.64	0.45	48.60	0.58	37.97	0.99	27.82	0.49	35.00	0.70	52.73	0.81
Former drinker	20.17	0.30	21.78	0.41	18.49	0.37	10.91	0.50	20.14	0.40	24.00	0.59	22.93	0.63
Light drinker	19.37	0.26	20.60	0.39	18.08	0.36	20.11	0.65	23.29	0.40	18.21	0.51	10.26	0.41
Moderate drinker	17.22	0.28	22.74	0.39	11.43	0.30	20.96	0.86	20.81	0.38	14.13	0.47	9.17	0.39
Heavier drinker	7.43	0.18	11.58	0.31	3.07	0.14	9.59	0.54	7.39	0.26	8.10	0.37	4.57	0.26
Any Alcohol Treatment in Past Year														
Yes														
Lifetime abstainer	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Former drinker	46.86	2.23	43.83	2.67	54.53	3.66	14.05	3.38	46.63	2.80	66.27	4.10	80.93	7.52
Light drinker	8.78	1.15	7.43	1.31	12.21	2.50	13.18	3.72	9.29	1.46	5.10	1.78	--	--
Moderate drinker	16.35	1.67	17.59	2.06	13.21	2.30	30.91	5.54	16.29	1.99	7.77	2.42	--	--
Heavier drinker	27.15	1.98	30.25	2.38	19.29	3.06	41.03	5.34	26.56	2.45	20.87	3.61	--	--
No														
Lifetime abstainer	34.65	0.42	22.34	0.43	45.80	0.57	37.74	0.96	27.16	0.47	34.49	0.68	52.39	0.79
Former drinker	21.14	0.31	21.91	0.42	20.45	0.37	11.64	0.51	21.28	0.40	24.89	0.58	23.06	0.60
Light drinker	19.61	0.25	20.93	0.38	18.41	0.33	20.22	0.62	23.56	0.38	18.42	0.49	10.34	0.40
Moderate drinker	17.00	0.26	22.74	0.38	11.80	0.28	20.88	0.84	20.37	0.35	14.02	0.43	9.27	0.38
Heavier drinker	7.11	0.17	11.43	0.30	3.19	0.13	9.04	0.53	7.10	0.24	7.65	0.33	4.62	0.25

See footnotes at end of table.

Table 1-2b. Percent distribution of usual drinking level in the past year among current drinkers combined with former drinkers and lifetime abstainers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Any Alcohol Treatment in Life</u>														
Yes														
Lifetime abstainer	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Former drinker	40.34	1.28	37.70	1.49	48.49	2.30	20.25	2.70	37.77	1.61	55.12	2.70	60.23	4.83
Light drinker	14.18	0.95	13.35	1.11	16.75	1.76	17.55	2.79	14.24	1.20	11.56	1.97	15.83	4.19
Moderate drinker	20.02	1.14	20.41	1.32	18.84	1.81	28.02	3.55	22.37	1.43	11.59	1.70	9.06	2.78
Heavier drinker	24.57	1.15	27.72	1.38	14.82	1.78	33.28	3.49	24.47	1.49	21.48	2.17	13.85	3.35
No														
Lifetime abstainer	35.72	0.42	23.50	0.45	46.39	0.56	38.96	0.98	28.21	0.48	35.51	0.69	52.98	0.80
Former drinker	20.68	0.31	21.28	0.43	20.16	0.37	11.23	0.50	20.88	0.40	24.18	0.58	22.72	0.60
Light drinker	19.67	0.25	21.14	0.39	18.39	0.33	20.21	0.62	23.78	0.38	18.52	0.49	10.23	0.40
Moderate drinker	16.83	0.27	22.78	0.40	11.65	0.28	20.72	0.85	20.13	0.36	14.03	0.44	9.26	0.38
Heavier drinker	6.62	0.17	10.66	0.30	3.09	0.14	8.44	0.54	6.49	0.23	7.22	0.33	4.51	0.25

-- Fewer than 10 respondents in this cell.

¹ **Lifetime abstainer:** never had 12 or more drinks in any year of life. **Former drinker:** 12 or more drinks in any one year, but not in the past year. **Light drinker:** 12 or more drinks in past year and fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average in past year. **Heavier drinker:** 2 or more drinks per day on average in past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, National Institute on Alcohol Abuse and Alcoholism.

Table 1-3. Percent distribution of usual/heaviest drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Light drinker	39.99	0.44	33.64	0.58	49.64	0.67	34.80	1.09	40.81	0.58	41.85	0.92	39.90	1.19
Moderate drinker	38.79	0.43	40.12	0.56	36.77	0.62	40.97	1.20	40.32	0.56	34.43	0.86	37.38	1.19
Heavier drinker	19.43	0.36	24.29	0.53	12.05	0.42	22.59	1.01	17.13	0.46	21.70	0.78	20.99	0.96
Race														
White														
Light drinker	40.09	0.47	33.62	0.61	49.65	0.72	34.51	1.19	41.01	0.62	41.89	0.99	40.01	1.23
Moderate drinker	39.22	0.46	40.55	0.58	37.24	0.67	41.87	1.27	40.80	0.60	34.80	0.92	37.45	1.23
Heavier drinker	19.12	0.39	24.14	0.57	11.69	0.43	22.17	1.07	16.65	0.49	21.59	0.84	20.92	0.98
Black														
Light drinker	36.20	1.34	29.01	1.82	48.89	1.93	37.11	3.64	34.72	1.70	39.13	3.04	38.82	5.13
Moderate drinker	36.23	1.36	38.56	1.91	32.12	1.89	32.87	3.43	38.82	1.79	31.70	2.89	35.45	5.45
Heavier drinker	23.50	1.29	28.05	1.70	15.48	1.58	26.81	3.86	22.98	1.62	23.05	2.29	20.44	4.29
American Indian/Alaska Native														
Light drinker	36.68	5.66	32.56	8.01	42.27	7.70	--	--	49.52	8.24	--	--	--	--
Moderate drinker	46.86	6.19	47.77	8.93	45.63	7.37	51.59	12.08	40.17	8.31	--	--	--	--
Heavier drinker	15.66	3.29	18.28	5.50	--	--	26.26	7.95	--	--	--	--	--	--
Asian/Pacific Islander														
Light drinker	58.23	3.63	56.42	4.31	63.05	6.90	44.04	7.81	62.35	4.41	63.83	8.58	--	--
Moderate drinker	26.53	2.97	27.81	3.64	23.10	5.41	29.67	6.87	26.88	3.90	22.73	7.30	--	--
Heavier drinker	13.26	2.56	13.44	2.83	--	--	--	--	8.97	2.52	--	--	--	--
Hispanic Origin														
Hispanic														
Light drinker	42.97	1.82	37.11	2.28	56.10	2.79	41.72	4.10	45.33	2.30	37.32	4.05	46.49	9.65
Moderate drinker	35.19	1.76	37.23	2.27	30.60	2.56	37.67	4.09	34.63	2.18	35.82	4.07	26.52	7.75
Heavier drinker	19.16	1.46	22.97	1.95	10.61	1.72	18.76	3.11	16.30	1.71	25.80	4.35	25.61	6.59
Nonhispanic														
Light drinker	39.85	0.45	33.38	0.60	49.38	0.70	34.37	1.15	40.48	0.62	42.15	0.95	39.71	1.18
Moderate drinker	38.95	0.44	40.29	0.57	36.98	0.63	41.13	1.29	40.71	0.58	34.14	0.88	37.68	1.21
Heavier drinker	19.48	0.38	24.46	0.56	12.15	0.45	22.91	1.08	17.19	0.48	21.63	0.79	20.93	0.98
Marital Status														
Married														
Light drinker	44.34	0.60	38.29	0.79	54.22	0.95	51.55	2.73	45.48	0.80	43.05	1.12	38.93	1.58
Moderate drinker	37.33	0.55	39.41	0.72	33.92	0.85	30.90	2.53	39.51	0.75	34.31	1.04	37.50	1.60
Heavier drinker	16.82	0.45	20.67	0.63	10.53	0.53	15.12	2.33	13.66	0.53	20.87	0.91	22.39	1.33
Living with someone as if married														
Light drinker	33.62	2.11	25.67	2.79	43.88	3.07	35.20	3.86	34.13	2.65	25.46	5.83	--	--
Moderate drinker	39.04	2.18	41.57	3.09	35.77	2.79	40.93	4.53	37.99	2.57	37.15	7.00	--	--
Heavier drinker	25.66	1.91	30.98	2.87	18.80	2.44	23.43	3.51	25.58	2.38	35.52	6.79	--	--

See footnotes at end of table.

Table 1-3. Percent distribution of usual/heaviest drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Widowed														
Light drinker	44.74	1.82	35.63	3.57	49.12	2.23	--	--	41.61	7.39	44.36	3.69	45.23	2.24
Moderate drinker	36.43	1.74	37.10	3.33	36.10	2.07	--	--	47.37	7.62	34.33	3.49	36.33	2.20
Heavier drinker	16.40	1.23	25.43	2.77	12.07	1.36	--	--	--	--	18.52	2.57	15.92	1.43
Divorced														
Light drinker	36.84	1.20	26.53	1.57	47.54	1.79	36.71	7.35	35.72	1.53	39.08	2.23	35.74	4.17
Moderate drinker	37.48	1.23	37.57	1.86	37.38	1.65	37.63	8.07	38.67	1.59	35.32	2.26	37.50	4.17
Heavier drinker	23.35	1.14	33.25	1.78	13.08	1.23	23.73	6.19	23.56	1.52	23.24	2.08	21.93	3.08
Separated														
Light drinker	35.80	2.44	26.20	3.30	46.71	3.42	26.91	6.53	37.27	3.15	34.93	4.61	44.60	11.13
Moderate drinker	35.47	2.30	36.99	3.33	33.74	3.03	40.54	7.40	37.04	2.81	31.07	4.41	--	--
Heavier drinker	24.93	2.19	32.91	3.28	15.86	2.68	29.52	7.35	22.62	2.82	27.73	4.07	--	--
Never married														
Light drinker	31.43	0.82	26.50	0.97	40.33	1.34	31.29	1.22	31.22	1.13	33.29	3.33	37.95	5.54
Moderate drinker	43.38	0.90	42.65	1.19	44.69	1.33	43.11	1.35	44.15	1.25	37.63	3.54	43.43	5.79
Heavier drinker	23.18	0.81	28.46	1.12	13.65	1.03	24.01	1.21	22.18	1.06	26.92	3.50	15.77	4.04
<u>Ever Raised Children</u>														
Yes														
Light drinker	43.37	0.53	36.18	0.73	53.52	0.81	45.84	2.61	44.40	0.76	42.60	0.99	40.17	1.28
Moderate drinker	36.37	0.50	38.45	0.70	33.44	0.72	30.58	2.41	38.01	0.72	34.33	0.91	36.89	1.29
Heavier drinker	18.53	0.43	23.54	0.64	11.47	0.50	21.88	2.00	16.03	0.55	21.07	0.81	21.26	1.06
No														
Light drinker	33.77	0.66	29.34	0.85	41.50	1.04	32.61	1.17	34.20	0.90	34.99	2.32	38.07	3.03
Moderate drinker	43.24	0.71	42.95	0.95	43.75	1.05	43.03	1.27	44.57	0.96	35.37	2.36	40.61	3.01
Heavier drinker	21.08	0.59	25.56	0.85	13.26	0.78	22.74	1.11	19.15	0.74	27.45	2.29	19.20	2.38
<u>Children Under 14 Living in Household</u>														
Yes														
Light drinker	46.91	0.75	38.23	1.06	57.80	1.01	55.58	2.95	46.71	0.84	44.51	2.52	28.23	8.89
Moderate drinker	37.06	0.74	40.72	1.07	32.46	0.97	26.87	2.78	38.19	0.82	34.30	2.30	39.48	9.15
Heavier drinker	14.58	0.57	19.57	0.86	8.32	0.60	15.17	1.82	13.67	0.61	20.12	2.10	--	--
No														
Light drinker	36.98	0.50	31.85	0.64	45.46	0.81	32.00	1.13	35.28	0.75	41.41	0.97	40.17	1.20
Moderate drinker	39.55	0.51	39.89	0.65	38.98	0.75	42.87	1.26	42.31	0.80	34.45	0.91	37.33	1.19
Heavier drinker	21.54	0.43	26.12	0.63	13.96	0.54	23.59	1.09	20.37	0.66	21.96	0.84	20.78	0.96
<u>Education</u>														
11 years or less														
Light drinker	34.13	1.22	29.64	1.42	43.61	2.12	30.54	2.91	31.85	1.93	33.84	2.27	43.71	3.07
Moderate drinker	35.98	1.23	35.65	1.55	36.69	2.10	38.93	3.13	36.86	2.02	34.10	2.37	33.60	2.65
Heavier drinker	26.89	1.17	31.27	1.52	17.62	1.48	27.67	2.78	28.32	1.86	27.95	2.33	21.08	2.24

See footnotes at end of table.

Table 1-3. Percent distribution of usual/heaviest drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
12 years														
Light drinker	40.26	0.79	32.10	1.07	52.11	1.18	37.07	2.00	38.86	1.08	45.00	1.69	40.97	2.13
Moderate drinker	36.69	0.79	38.55	1.00	34.00	1.15	37.07	2.13	37.81	1.05	33.89	1.58	37.29	2.20
Heavier drinker	21.17	0.68	27.30	1.00	12.27	0.82	24.42	1.76	21.48	0.93	18.91	1.40	19.84	1.83
13-15 years														
Light drinker	40.19	0.79	33.60	1.04	48.62	1.09	34.54	1.66	42.26	1.05	42.58	1.98	38.55	2.62
Moderate drinker	39.75	0.76	41.19	1.09	37.90	1.06	43.11	1.81	40.51	1.02	33.72	1.75	38.87	2.72
Heavier drinker	18.59	0.63	23.73	0.95	12.02	0.72	21.13	1.49	15.80	0.78	21.98	1.61	20.66	2.12
16 or more years														
Light drinker	42.24	0.83	37.30	1.05	50.40	1.24	36.15	3.14	43.95	1.02	41.93	1.60	35.82	2.45
Moderate drinker	40.84	0.77	42.31	0.98	38.41	1.16	42.51	3.16	42.97	0.97	35.91	1.59	39.36	2.39
Heavier drinker	15.44	0.60	18.82	0.86	9.87	0.69	19.38	3.35	11.56	0.62	20.90	1.31	23.44	2.04
<u>Currently Employed Full Time</u>														
Yes														
Light drinker	39.54	0.55	34.44	0.69	50.17	0.91	34.85	1.53	39.36	0.66	42.55	1.15	36.33	4.28
Moderate drinker	40.09	0.54	41.30	0.67	37.56	0.85	42.02	1.82	41.67	0.65	35.14	1.08	38.58	4.44
Heavier drinker	18.78	0.45	22.59	0.61	10.85	0.56	21.32	1.48	17.38	0.54	20.86	0.96	23.01	4.08
No														
Light drinker	40.75	0.70	31.77	1.03	49.09	0.93	34.75	1.57	45.19	1.15	40.54	1.52	40.19	1.23
Moderate drinker	36.63	0.64	37.37	0.97	35.95	0.85	39.99	1.57	36.23	1.12	33.10	1.42	37.28	1.24
Heavier drinker	20.49	0.58	28.24	0.98	13.29	0.60	23.78	1.43	16.37	0.88	23.28	1.34	20.82	0.97
<u>Personal Annual Income</u>														
None														
Light drinker	42.27	1.03	35.62	1.48	48.08	1.36	48.06	5.56	47.11	2.20	39.28	2.04	40.51	1.33
Moderate drinker	34.85	0.90	34.93	1.36	34.77	1.20	32.99	3.83	35.03	2.01	31.89	1.84	36.96	1.33
Heavier drinker	19.81	0.78	25.72	1.27	14.65	0.92	15.21	3.67	14.77	1.40	24.24	1.80	20.56	1.10
\$1 to \$9,999														
Light drinker	39.95	1.00	29.94	1.43	49.49	1.25	33.45	1.42	44.81	1.60	46.61	2.76	42.23	3.66
Moderate drinker	37.56	0.97	38.25	1.54	36.91	1.22	41.26	1.55	34.98	1.61	32.63	2.43	37.81	3.61
Heavier drinker	21.01	0.84	30.06	1.39	12.37	0.85	23.98	1.41	18.56	1.23	19.21	2.36	18.56	2.67
\$10,000 to \$24,999														
Light drinker	39.36	0.81	30.92	1.08	50.34	1.18	34.88	1.83	39.55	1.03	43.85	1.93	36.67	6.65
Moderate drinker	39.33	0.85	40.70	1.16	37.53	1.14	41.81	2.03	39.68	1.06	36.14	1.84	31.91	5.96
Heavier drinker	19.50	0.67	26.19	1.05	10.79	0.74	21.59	1.58	18.77	0.86	18.60	1.47	31.08	5.53
\$25,000 or more														
Light drinker	39.50	0.72	35.88	0.84	50.34	1.33	31.05	3.59	39.46	0.86	40.88	1.38	31.27	4.40
Moderate drinker	40.74	0.69	41.83	0.82	37.49	1.20	42.74	4.33	43.22	0.84	35.04	1.27	45.14	4.96
Heavier drinker	18.38	0.55	20.87	0.68	10.91	0.82	24.65	3.56	15.95	0.62	22.68	1.13	22.79	4.36

See footnotes at end of table.

Table 1-3. Percent distribution of usual/heaviest drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Current/Most Recent Occupation														
Executive, administrative, managerial														
Light drinker	38.73	1.13	32.33	1.42	49.72	1.71	29.21	4.23	42.29	1.49	37.78	1.96	27.80	3.12
Moderate drinker	41.62	1.11	43.67	1.41	38.09	1.66	49.19	4.92	43.01	1.49	36.96	2.07	44.58	3.35
Heavier drinker	18.24	0.88	22.41	1.21	11.10	1.10	19.84	3.77	13.25	1.05	23.88	1.76	26.61	3.11
Professional specialty														
Light drinker	44.11	1.05	39.17	1.44	49.91	1.48	35.41	3.76	46.71	1.38	42.52	2.15	40.38	3.04
Moderate drinker	40.07	1.05	41.71	1.46	38.15	1.40	45.59	3.91	42.38	1.37	34.66	2.11	36.21	2.89
Heavier drinker	14.50	0.77	17.79	1.22	10.65	0.88	17.14	3.27	9.63	0.82	21.86	1.82	21.30	2.67
Technician/related support														
Light drinker	51.61	2.19	47.64	3.07	57.27	3.38	40.08	5.07	54.33	2.77	55.21	5.51	42.99	8.49
Moderate drinker	33.46	1.99	35.40	2.76	30.68	3.10	44.95	5.44	31.96	2.32	27.38	4.69	36.57	8.05
Heavier drinker	12.64	1.52	15.98	2.31	7.90	1.61	13.25	3.96	11.91	1.92	12.72	3.82	--	--
Sales														
Light drinker	40.30	1.24	36.26	1.72	45.56	1.83	41.75	2.85	40.43	1.70	40.19	2.60	36.78	3.76
Moderate drinker	40.33	1.26	41.50	1.73	38.81	1.80	40.53	2.86	42.11	1.75	37.99	2.63	37.37	3.66
Heavier drinker	17.66	0.91	20.58	1.35	13.85	1.26	16.61	1.90	15.50	1.27	20.20	2.11	23.81	2.85
Administrative support, including clerical														
Light drinker	48.80	1.06	36.12	2.26	53.51	1.22	40.95	2.76	50.60	1.52	51.10	2.39	47.93	2.88
Moderate drinker	36.94	1.06	42.13	2.20	35.01	1.16	42.43	3.08	37.64	1.48	32.82	2.21	33.79	2.56
Heavier drinker	13.31	0.73	20.52	1.84	10.63	0.73	15.61	2.11	11.04	0.96	14.82	1.67	17.00	2.21
Private household														
Light drinker	47.37	6.70	--	--	48.13	6.82	--	--	46.38	9.44	--	--	--	--
Moderate drinker	32.63	6.95	--	--	33.95	7.11	--	--	35.40	9.70	--	--	--	--
Heavier drinker	15.34	4.10	--	--	15.96	4.24	--	--	--	--	33.25	12.16	--	--
Protective service														
Light drinker	32.51	3.11	30.25	3.27	51.94	7.66	22.53	6.16	34.05	4.36	38.20	6.85	32.79	9.59
Moderate drinker	48.05	3.86	48.88	4.22	40.93	7.69	56.67	8.39	50.60	5.46	32.00	6.31	48.30	10.91
Heavier drinker	18.73	2.53	20.08	2.84	--	--	20.80	6.21	14.38	3.12	28.88	6.09	--	--
Service, except protective and household														
Light drinker	37.95	1.36	29.12	2.07	44.33	1.68	30.64	2.32	39.42	1.96	46.36	3.23	43.78	4.77
Moderate drinker	38.63	1.47	40.12	2.46	37.55	1.71	40.18	2.72	38.35	2.06	35.99	3.20	39.56	4.82
Heavier drinker	21.30	1.14	28.23	2.26	16.29	1.19	27.39	2.47	19.89	1.49	15.22	2.11	15.31	3.76
Farming, forestry, fishing														
Light drinker	34.25	2.71	30.78	3.15	58.05	6.99	32.84	5.65	35.57	4.27	34.56	5.68	31.63	5.78
Moderate drinker	37.28	2.69	38.45	2.90	29.20	6.41	38.48	5.46	37.22	4.56	33.59	6.31	42.48	7.40
Heavier drinker	25.40	2.86	27.45	3.26	--	--	27.57	4.95	23.62	4.41	27.10	6.61	--	--
Precision production, craft, repair														
Light drinker	31.50	1.21	31.06	1.26	37.06	4.50	30.31	3.50	28.20	1.49	38.88	2.90	36.28	3.36
Moderate drinker	37.56	1.28	36.91	1.30	45.80	4.60	32.87	3.33	40.50	1.62	31.94	2.68	39.00	3.28
Heavier drinker	27.86	1.10	28.92	1.17	14.47	2.80	33.70	3.24	28.60	1.56	24.99	2.44	21.95	3.02

See footnotes at end of table.

Table 1-3. Percent distribution of usual/heaviest drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Operators, fabricators, laborers														
Light drinker	37.47	1.86	31.12	2.31	52.35	2.95	36.53	4.81	37.18	2.45	35.90	4.14	44.14	5.29
Moderate drinker	36.73	1.85	37.27	2.33	35.48	2.75	37.46	5.00	39.49	2.62	33.28	3.80	29.03	5.10
Heavier drinker	24.79	1.75	30.69	2.26	10.97	1.90	25.13	4.27	21.88	2.42	30.32	4.10	26.83	4.64
Transportation, material moving														
Light drinker	37.99	2.29	36.53	2.30	57.91	7.45	41.41	6.70	34.12	2.87	42.49	4.42	43.41	6.42
Moderate drinker	34.92	2.07	35.92	2.16	21.30	5.72	30.47	5.39	37.75	2.81	33.16	4.14	29.22	6.01
Heavier drinker	24.88	1.88	25.47	1.96	16.85	5.05	26.87	5.66	26.91	2.62	20.31	3.44	23.29	4.97
Handlers, equipment cleaners, helpers, laborers														
Light drinker	28.10	2.02	24.25	2.06	47.10	5.55	28.41	3.66	26.34	2.98	27.43	5.27	44.36	9.00
Moderate drinker	37.90	2.42	38.57	2.64	34.57	4.87	40.51	3.95	37.88	3.38	31.37	5.73	38.83	9.93
Heavier drinker	31.42	2.27	34.69	2.67	15.27	4.58	28.92	3.70	33.17	3.60	37.52	6.65	--	--
Military														
Light drinker	29.78	4.63	30.29	5.17	--	--	--	--	34.81	6.45	--	--	--	--
Moderate drinker	51.74	4.88	50.26	5.34	60.78	11.81	57.13	7.73	49.53	6.90	--	--	--	--
Heavier drinker	18.48	3.57	19.44	3.91	--	--	--	--	15.66	4.68	--	--	--	--
<u>Current/Most Recent Industry</u>														
Agriculture, forestry, fisheries														
Light drinker	37.26	3.13	32.10	3.25	57.64	6.30	33.38	6.03	37.71	4.58	39.66	6.32	37.50	6.25
Moderate drinker	37.72	2.86	39.67	3.08	30.02	5.61	43.15	6.26	40.23	4.92	27.72	5.46	39.35	7.03
Heavier drinker	22.84	3.22	25.73	3.32	--	--	22.74	5.15	20.74	4.92	27.79	6.16	--	--
Mining														
Light drinker	50.91	6.28	45.72	7.00	70.32	11.03	--	--	49.30	8.70	57.04	11.21	--	--
Moderate drinker	37.08	6.55	40.28	7.65	--	--	--	--	39.56	9.18	--	--	--	--
Heavier drinker	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Construction														
Light drinker	30.75	1.49	29.50	1.59	43.75	4.88	28.48	3.76	29.04	2.07	35.13	3.44	36.87	5.39
Moderate drinker	35.37	1.58	34.99	1.67	39.31	5.05	33.07	4.04	37.56	2.15	31.32	3.28	35.80	5.40
Heavier drinker	31.79	1.69	33.22	1.77	16.94	4.09	35.83	4.35	31.54	2.23	30.84	3.46	26.77	4.87
Manufacturing														
Light drinker	37.38	0.96	33.47	1.16	48.70	1.94	37.18	2.97	36.53	1.27	37.84	2.16	40.49	2.74
Moderate drinker	38.83	1.01	39.35	1.19	37.31	1.81	37.50	3.05	42.05	1.36	34.32	2.12	35.52	2.85
Heavier drinker	22.07	0.86	25.31	1.07	12.67	1.22	23.76	2.80	19.66	1.13	25.83	2.01	22.92	2.73
Transportation, communications, other public utilities														
Light drinker	38.56	1.53	35.91	1.90	46.22	2.70	25.61	5.68	38.88	2.00	43.77	3.21	32.56	4.30
Moderate drinker	41.60	1.62	40.95	1.98	43.49	2.71	55.56	7.32	41.40	1.97	38.00	3.26	41.93	4.49
Heavier drinker	18.24	1.23	21.47	1.53	8.91	1.61	16.96	4.59	18.40	1.64	16.45	2.17	22.85	4.05
Wholesale trade														
Light drinker	36.23	1.95	33.87	2.30	44.21	3.53	38.56	5.67	37.59	2.63	31.99	4.29	35.53	5.81
Moderate drinker	40.06	2.19	39.08	2.45	43.37	4.06	41.60	5.85	39.66	2.70	41.48	4.68	36.82	5.78
Heavier drinker	22.36	1.89	25.81	2.15	10.70	2.58	19.84	4.81	21.94	2.30	24.25	3.88	23.60	5.07

See footnotes at end of table.

Table 1-3. Percent distribution of usual/heaviest drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Retail trade														
Light drinker	39.91	1.09	33.45	1.57	46.47	1.41	34.01	1.88	41.15	1.48	47.67	2.73	40.94	3.69
Moderate drinker	38.68	1.11	40.42	1.63	36.91	1.40	40.79	2.17	39.54	1.56	30.95	2.45	41.45	3.72
Heavier drinker	19.27	0.89	23.55	1.40	14.93	1.06	23.31	1.81	16.96	1.18	19.04	2.06	16.12	2.53
Finance, insurance, real estate														
Light drinker	42.88	1.63	34.33	2.41	50.24	2.11	41.14	5.05	45.69	2.14	39.13	3.44	39.73	5.40
Moderate drinker	39.94	1.64	43.59	2.56	36.80	1.99	40.73	5.35	42.43	2.11	34.53	3.10	40.50	4.93
Heavier drinker	15.71	1.26	20.04	2.11	11.99	1.37	15.84	3.84	10.42	1.22	25.23	3.10	18.28	5.19
Services: business and repair														
Light drinker	36.60	1.73	30.54	2.18	47.74	2.86	30.92	4.18	35.91	2.19	43.98	3.90	32.10	6.26
Moderate drinker	40.05	1.68	40.90	2.17	38.48	2.73	38.48	4.51	42.94	2.23	34.86	3.68	33.78	5.64
Heavier drinker	20.90	1.43	25.31	1.94	12.79	1.92	28.53	4.08	18.23	1.74	19.22	2.88	33.37	5.93
Services: personal														
Light drinker	42.63	2.55	31.01	5.07	48.78	2.77	41.20	5.88	43.40	3.43	39.89	5.35	46.45	7.15
Moderate drinker	35.86	2.24	38.13	4.09	34.66	2.62	28.39	4.83	38.10	3.20	38.44	5.07	36.11	7.51
Heavier drinker	19.67	2.67	29.15	6.43	14.64	1.87	28.97	7.26	16.17	2.77	20.29	4.25	16.38	4.62
Services: entertainment and recreation														
Light drinker	30.36	2.70	28.82	3.41	33.54	4.44	31.65	4.62	26.96	4.05	29.57	6.22	60.42	11.28
Moderate drinker	45.46	3.15	42.04	3.87	52.56	4.98	48.29	5.73	46.84	4.53	42.36	7.32	--	--
Heavier drinker	22.54	2.68	27.26	3.54	12.75	3.21	20.06	4.66	23.00	3.92	27.81	7.00	--	--
Services: professional and related														
Light drinker	47.25	0.89	37.50	1.45	53.52	1.10	38.78	2.49	50.88	1.26	46.03	1.78	41.70	2.58
Moderate drinker	37.27	0.90	41.17	1.53	34.76	1.03	42.98	2.64	36.97	1.23	35.44	1.73	36.33	2.38
Heavier drinker	13.94	0.63	20.01	1.27	10.04	0.64	16.99	2.09	10.73	0.78	16.79	1.30	19.92	2.08
Public administration														
Light drinker	41.29	1.97	35.52	2.45	53.15	2.75	31.45	6.68	42.64	2.93	43.70	3.66	37.91	4.36
Moderate drinker	40.64	2.03	44.03	2.60	33.68	2.91	51.75	8.10	44.53	2.76	30.82	3.38	36.16	4.63
Heavier drinker	16.62	1.36	19.03	1.77	11.67	1.83	15.85	4.98	12.04	1.63	22.76	3.11	23.95	3.91
Military														
Light drinker	32.41	4.72	33.43	5.29	--	--	--	--	35.88	6.44	--	--	--	--
Moderate drinker	48.92	4.72	47.71	5.14	56.72	11.66	56.83	7.71	47.14	6.46	--	--	--	--
Heavier drinker	18.68	3.42	18.86	3.66	--	--	--	--	16.98	4.50	--	--	--	--
<u>Smoked Any Cigarettes in Last Year</u>														
Yes														
Light drinker	31.82	0.65	25.96	0.84	40.68	1.02	25.46	1.48	32.75	0.84	35.21	1.52	31.02	2.56
Moderate drinker	39.63	0.71	38.76	0.94	40.94	1.05	40.49	1.77	41.07	0.88	35.53	1.42	37.74	2.62
Heavier drinker	26.56	0.68	32.91	0.94	16.96	0.80	32.06	1.75	24.27	0.82	27.05	1.41	29.28	2.43
No														
Light drinker	45.12	0.53	38.44	0.72	55.29	0.80	42.20	1.47	46.48	0.74	45.40	1.11	42.41	1.34
Moderate drinker	38.27	0.52	40.98	0.70	34.14	0.74	41.34	1.56	39.80	0.71	33.84	1.06	37.27	1.36
Heavier drinker	14.95	0.39	18.89	0.58	8.95	0.46	15.09	1.09	12.10	0.49	18.84	0.90	18.64	1.07

See footnotes at end of table.

Table 1-3. Percent distribution of usual/heaviest drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Smoked 100 or More Cigarettes in Life</u>														
Yes														
Light drinker	34.80	0.55	29.25	0.70	43.79	0.88	26.39	1.46	35.56	0.76	37.29	1.09	35.09	1.45
Moderate drinker	39.63	0.55	39.91	0.71	39.17	0.85	40.53	1.76	41.60	0.74	36.01	1.02	38.71	1.45
Heavier drinker	23.76	0.51	28.78	0.69	15.63	0.63	31.10	1.68	21.23	0.66	24.58	0.98	24.44	1.20
No														
Light drinker	47.68	0.66	40.56	0.91	57.55	0.94	42.40	1.50	47.76	0.85	52.76	1.63	50.82	2.15
Moderate drinker	37.55	0.65	40.46	0.87	33.53	0.90	41.36	1.57	38.62	0.81	30.64	1.55	34.36	2.10
Heavier drinker	13.01	0.46	17.19	0.71	7.21	0.48	14.91	1.13	11.70	0.58	14.81	1.19	13.15	1.52
<u>Any Depression in Past Year</u>														
Yes														
Light drinker	34.53	1.97	25.07	2.61	45.02	2.73	30.02	3.57	37.09	2.70	35.22	6.23	--	--
Moderate drinker	37.03	1.90	37.09	2.82	36.97	2.56	39.79	4.20	34.81	2.49	41.05	6.19	--	--
Heavier drinker	27.02	1.94	36.22	3.11	16.80	1.99	29.58	3.48	26.24	2.50	22.16	4.94	--	--
No														
Light drinker	40.22	0.45	33.95	0.59	49.87	0.69	35.20	1.13	40.98	0.60	41.97	0.93	39.97	1.19
Moderate drinker	38.86	0.44	40.23	0.57	36.76	0.63	41.06	1.20	40.58	0.57	34.31	0.87	37.38	1.19
Heavier drinker	19.11	0.37	23.86	0.54	11.81	0.43	22.01	1.03	16.71	0.47	21.69	0.79	20.91	0.96
<u>Any Depression in Life</u>														
Yes														
Light drinker	38.26	1.22	28.98	1.67	47.99	1.70	32.37	2.49	39.87	1.61	41.00	3.04	39.08	8.92
Moderate drinker	38.26	1.24	38.82	1.90	37.67	1.62	40.70	2.65	38.68	1.67	33.51	2.93	35.42	8.77
Heavier drinker	21.68	1.07	29.88	1.80	13.08	1.13	25.64	2.43	19.53	1.28	23.28	2.74	--	--
No														
Light drinker	40.21	0.46	34.13	0.62	49.91	0.72	35.28	1.16	40.94	0.63	41.92	0.96	39.91	1.22
Moderate drinker	38.86	0.46	40.26	0.60	36.63	0.66	41.02	1.29	40.56	0.61	34.51	0.90	37.42	1.18
Heavier drinker	19.14	0.38	23.70	0.54	11.88	0.44	22.00	1.08	16.78	0.49	21.57	0.82	20.92	0.96
<u>Alcohol Use Disorder in Past Year</u>														
None														
Light drinker	45.96	0.47	39.83	0.65	54.47	0.72	47.34	1.38	47.09	0.63	45.14	0.98	40.75	1.19
Moderate drinker	38.65	0.44	41.07	0.60	35.28	0.66	40.14	1.38	40.31	0.62	35.08	0.89	37.37	1.19
Heavier drinker	13.69	0.32	17.21	0.50	8.81	0.37	10.86	0.88	11.02	0.41	17.81	0.73	20.16	0.96
Abuse														
Light drinker	11.73	1.00	10.17	1.16	16.15	2.06	10.94	1.71	12.97	1.43	8.96	2.80	--	--
Moderate drinker	47.40	1.80	43.80	2.07	57.68	2.97	48.34	3.73	49.58	2.15	32.38	4.86	--	--
Heavier drinker	39.14	1.77	44.43	2.05	24.10	2.70	39.29	3.59	35.48	2.12	57.10	5.31	--	--
Dependence														
Light drinker	9.12	0.80	7.18	0.91	13.52	1.63	11.80	1.65	8.08	0.99	5.36	1.27	--	--
Moderate drinker	34.06	1.40	30.68	1.72	41.71	2.32	38.86	2.55	33.42	1.81	24.33	3.54	--	--
Heavier drinker	54.24	1.43	59.47	1.81	42.42	2.32	47.64	2.50	55.48	1.87	67.15	3.68	62.35	8.46

See footnotes at end of table.

Table 1-3. Percent distribution of usual/heaviest drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>5 or More Drinks in a Single Day</u>														
Not once in past year														
Light drinker	60.36	0.66	56.14	0.97	64.37	0.90	73.05	2.15	65.82	0.88	56.77	1.16	46.58	1.38
Moderate drinker	31.33	0.60	34.16	0.90	28.64	0.80	22.90	2.08	29.23	0.84	32.40	1.10	38.66	1.33
Heavier drinker	6.91	0.31	8.28	0.51	5.60	0.36	1.62	0.54	3.58	0.33	9.53	0.68	13.43	0.93
1 to 11 times in past year														
Light drinker	37.75	0.79	36.38	1.02	40.16	1.14	46.92	1.88	37.72	1.01	29.10	1.95	23.25	3.80
Moderate drinker	47.61	0.74	47.59	1.01	47.66	1.13	45.55	1.89	49.72	0.99	44.44	1.96	39.85	4.36
Heavier drinker	13.34	0.56	14.66	0.78	11.01	0.72	6.11	0.80	11.17	0.61	25.50	1.76	36.15	4.27
12 or more times in past year														
Light drinker	7.97	0.46	6.60	0.51	12.28	1.03	8.61	0.98	8.03	0.61	7.10	1.08	5.80	1.72
Moderate drinker	41.83	0.91	39.86	1.03	48.08	1.70	44.29	1.72	45.13	1.16	29.88	2.13	26.41	3.66
Heavier drinker	48.11	0.92	51.42	1.05	37.66	1.71	45.78	1.81	44.91	1.15	59.48	2.30	63.79	3.77
<u>Drinking Enough to Feel Drunk</u>														
Not once in past year														
Light drinker	52.00	0.59	46.14	0.87	59.59	0.85	60.97	2.22	56.40	0.86	48.49	1.09	42.30	1.25
Moderate drinker	34.60	0.54	37.45	0.77	30.91	0.76	29.53	2.16	34.76	0.80	34.07	1.00	37.44	1.22
Heavier drinker	11.88	0.38	14.84	0.60	8.06	0.44	7.12	1.09	7.41	0.45	15.95	0.82	18.77	0.97
1 to 11 times in past year														
Light drinker	32.43	0.73	27.51	0.94	40.35	1.08	39.14	1.59	31.96	0.88	24.34	1.81	20.81	4.64
Moderate drinker	46.82	0.77	47.46	0.99	45.78	1.11	46.00	1.67	48.73	0.90	40.15	2.03	41.91	5.03
Heavier drinker	19.08	0.60	23.07	0.82	12.66	0.75	13.17	1.08	17.59	0.71	33.93	1.92	36.91	4.75
12 or more times in past year														
Light drinker	7.13	0.61	4.97	0.64	13.26	1.47	8.39	1.12	5.85	0.71	7.78	2.23	--	--
Moderate drinker	35.35	1.33	32.15	1.54	44.39	2.36	40.41	2.22	34.32	1.90	19.85	2.89	28.14	8.56
Heavier drinker	55.60	1.38	60.94	1.60	40.50	2.28	50.32	2.27	57.90	1.92	67.12	3.57	52.97	9.05
<u>Driving After Drinking</u>														
Not once in past year														
Light drinker	43.85	0.46	37.67	0.63	52.52	0.72	40.93	1.20	45.28	0.62	44.00	0.97	40.49	1.20
Moderate drinker	38.40	0.44	40.25	0.59	35.79	0.65	41.42	1.31	39.57	0.60	34.76	0.88	37.05	1.20
Heavier drinker	16.04	0.33	20.16	0.51	10.26	0.40	15.93	0.94	13.43	0.44	19.49	0.76	20.87	0.98
1 or 2 times in past year														
Light drinker	17.29	1.30	15.71	1.53	21.22	2.39	18.48	2.77	17.67	1.68	14.44	3.59	--	--
Moderate drinker	47.35	1.74	45.99	2.07	50.75	2.77	49.76	3.38	48.32	2.17	34.90	4.91	--	--
Heavier drinker	34.36	1.70	37.39	2.02	26.81	2.58	31.22	2.97	32.76	2.24	49.79	5.42	--	--
3 or more times in past year														
Light drinker	5.59	0.76	5.07	0.84	7.42	1.69	4.26	1.35	6.20	0.98	--	--	--	--
Moderate drinker	34.56	1.78	31.96	1.90	43.56	3.96	28.37	3.11	39.64	2.23	24.97	5.84	--	--
Heavier drinker	57.97	1.88	61.26	2.04	46.54	4.07	65.44	3.37	52.40	2.28	66.66	5.97	--	--

See footnotes at end of table.

Table 1-3. Percent distribution of usual/heaviest drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Getting into Situation that Could Be Harmful</u>														
Not once in past year														
Light drinker	41.62	0.44	35.44	0.61	50.60	0.67	38.86	1.19	42.29	0.60	42.40	0.93	40.29	1.20
Moderate drinker	38.90	0.44	40.52	0.58	36.54	0.62	41.90	1.26	40.38	0.58	34.53	0.86	37.15	1.19
Heavier drinker	17.78	0.36	22.18	0.54	11.39	0.40	17.45	0.95	15.65	0.45	21.34	0.77	20.98	0.97
At least once in past year														
Light drinker	9.81	1.29	8.70	1.37	14.32	3.39	9.51	1.70	9.49	1.88	15.95	5.53	--	--
Moderate drinker	36.70	2.01	34.55	2.23	45.43	4.37	34.56	3.28	38.86	2.68	32.01	7.73	--	--
Heavier drinker	52.26	2.16	55.38	2.42	39.62	4.55	55.45	3.57	50.07	2.88	47.84	8.23	--	--
<u>Age Started Drinking</u>														
16 years or younger														
Light drinker	31.33	0.85	27.19	1.00	39.58	1.39	25.79	1.51	33.92	1.11	31.43	2.36	35.16	3.48
Moderate drinker	38.64	0.83	37.27	1.02	41.38	1.36	39.89	1.82	39.31	1.05	35.64	2.32	31.83	3.32
Heavier drinker	27.70	0.85	33.01	1.08	17.10	1.09	32.57	1.82	24.37	1.02	29.76	2.26	30.18	3.07
17 or 18 years														
Light drinker	39.55	0.77	34.41	0.94	49.03	1.24	38.11	1.95	40.53	0.95	38.51	1.69	37.98	2.60
Moderate drinker	41.28	0.78	42.61	0.97	38.81	1.20	44.42	2.05	43.08	0.99	34.21	1.64	37.86	2.60
Heavier drinker	17.78	0.57	21.56	0.79	10.81	0.68	15.63	1.27	15.19	0.72	25.66	1.54	23.00	2.22
19 or 20 years														
Light drinker	45.57	1.08	38.81	1.53	54.96	1.50	49.58	3.22	44.75	1.39	46.59	2.27	41.95	2.91
Moderate drinker	37.11	1.01	39.33	1.42	34.03	1.43	38.29	3.14	38.84	1.33	33.85	2.00	35.39	2.67
Heavier drinker	15.92	0.78	20.34	1.16	9.78	0.89	11.51	1.82	14.71	1.06	18.28	1.63	21.59	2.55
21 years or older														
Light drinker	46.66	0.90	38.09	1.31	54.67	1.18	52.91	4.56	47.17	1.35	47.29	1.54	42.55	1.78
Moderate drinker	37.15	0.83	41.40	1.30	33.17	1.05	35.44	4.28	38.92	1.29	34.14	1.38	39.60	1.88
Heavier drinker	14.70	0.60	18.86	1.06	10.81	0.68	10.35	3.46	12.38	0.82	17.15	1.11	16.26	1.31
<u>Drinking Days of the Week in Past Year</u>														
Holidays or special occasions only														
Light drinker	82.90	1.08	80.54	1.56	85.62	1.50	83.57	3.98	83.35	1.52	82.17	2.06	82.76	2.42
Moderate drinker	13.31	1.00	15.59	1.48	10.68	1.29	14.31	3.75	13.01	1.38	13.06	1.81	14.22	2.26
Heavier drinker	1.99	0.42	2.08	0.50	1.90	0.70	--	--	1.63	0.48	3.21	1.08	--	--
Weekends only														
Light drinker	45.42	0.57	38.46	0.76	54.91	0.82	39.47	1.33	44.38	0.69	50.91	1.33	59.70	2.24
Moderate drinker	42.45	0.56	45.76	0.76	37.96	0.78	43.60	1.41	43.94	0.69	38.85	1.28	34.87	2.18
Heavier drinker	10.84	0.36	14.44	0.55	5.93	0.37	15.22	1.00	10.36	0.44	9.31	0.74	4.91	0.88
Weekdays/weekends														
Light drinker	20.49	0.60	17.49	0.71	26.44	1.07	17.12	1.63	22.64	0.90	20.23	1.15	17.44	1.26
Moderate drinker	38.54	0.72	36.42	0.91	42.76	1.12	37.61	2.23	39.08	1.08	34.82	1.37	44.95	1.65
Heavier drinker	38.31	0.75	43.20	0.96	28.63	1.07	43.87	2.36	35.69	1.08	41.50	1.45	35.13	1.55

See footnotes at end of table.

Table 1-3. Percent distribution of usual/heaviest drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Family History of Alcoholism</u>														
None														
Light drinker	41.28	0.63	36.09	0.81	50.85	1.05	38.06	1.84	41.65	0.92	42.79	1.29	40.63	1.46
Moderate drinker	39.45	0.62	40.71	0.80	37.14	0.98	40.50	1.75	41.24	0.92	35.75	1.31	38.89	1.48
Heavier drinker	17.41	0.48	21.25	0.70	10.34	0.62	20.20	1.61	15.34	0.67	19.00	1.04	18.84	1.15
2nd degree relatives only														
Light drinker	40.14	0.91	32.95	1.22	50.95	1.35	35.23	1.99	40.85	1.26	42.82	2.09	41.98	3.47
Moderate drinker	40.29	0.93	42.54	1.26	36.92	1.33	40.72	2.19	42.94	1.27	33.49	1.98	39.22	4.06
Heavier drinker	18.31	0.79	23.18	1.12	10.98	0.89	21.95	2.02	15.13	0.85	22.70	1.69	17.98	3.28
1st degree relatives only														
Light drinker	35.87	1.21	28.02	1.55	47.18	1.84	29.75	3.50	38.34	1.68	35.03	2.34	33.07	2.91
Moderate drinker	37.41	1.20	38.91	1.66	35.26	1.75	44.12	4.44	38.58	1.69	34.34	2.40	32.79	2.98
Heavier drinker	24.43	1.08	30.39	1.61	15.84	1.14	23.86	3.28	20.85	1.48	27.83	2.13	32.69	3.00
Both 1st and 2nd degree relatives														
Light drinker	39.39	0.83	31.66	1.18	47.93	1.19	30.84	2.39	40.50	1.07	42.94	2.00	43.41	4.09
Moderate drinker	36.78	0.86	36.80	1.23	36.77	1.16	40.98	2.37	37.38	1.09	32.33	1.90	31.43	3.84
Heavier drinker	21.90	0.72	29.31	1.15	13.72	0.83	26.64	1.85	20.07	0.92	23.19	1.73	20.89	3.37
<u>Any Parent Alcoholic</u>														
Yes														
Light drinker	37.21	0.83	29.25	1.13	46.66	1.18	29.71	2.18	38.83	1.06	39.39	1.80	35.20	3.36
Moderate drinker	37.29	0.80	38.02	1.13	36.42	1.12	42.47	2.32	37.26	1.07	33.35	1.72	36.73	3.39
Heavier drinker	23.37	0.70	30.25	1.08	15.20	0.83	25.86	1.80	21.60	0.95	25.51	1.67	25.38	3.14
No														
Light drinker	40.90	0.48	34.89	0.63	50.82	0.77	36.64	1.25	41.53	0.67	42.60	1.06	40.52	1.28
Moderate drinker	39.28	0.49	40.72	0.63	36.91	0.71	40.43	1.32	41.45	0.67	34.76	0.98	37.46	1.27
Heavier drinker	18.14	0.39	22.59	0.57	10.80	0.47	21.42	1.20	15.49	0.52	20.55	0.84	20.41	1.01
<u>Married to Alcoholic/Lived with Alcoholic as Married</u>														
Yes														
Light drinker	41.58	1.23	30.30	2.13	46.85	1.44	31.80	4.33	41.47	1.52	45.44	2.32	39.19	4.03
Moderate drinker	35.95	1.15	35.22	2.14	36.29	1.34	41.61	4.55	36.13	1.48	33.36	2.14	37.68	3.98
Heavier drinker	20.46	1.01	32.29	2.06	14.94	1.03	25.24	4.24	20.09	1.29	19.67	1.82	21.16	3.13
No														
Light drinker	39.79	0.47	33.85	0.61	50.32	0.75	34.97	1.14	40.71	0.63	41.33	0.99	39.97	1.24
Moderate drinker	39.15	0.47	40.43	0.58	36.89	0.70	40.93	1.22	40.95	0.62	34.58	0.96	37.35	1.22
Heavier drinker	19.30	0.37	23.78	0.55	11.35	0.45	22.44	1.01	16.69	0.48	21.99	0.85	20.97	1.02
<u>Any Alcohol Treatment in Past Year</u>														
Yes														
Light drinker	13.83	1.91	11.18	2.06	22.13	4.71	--	--	15.11	2.52	15.11	5.15	--	--
Moderate drinker	26.60	2.76	25.25	3.19	30.81	4.79	34.24	5.93	26.01	3.22	--	--	--	--
Heavier drinker	54.36	2.82	57.87	3.24	43.34	5.51	51.51	6.03	53.06	3.41	65.28	7.21	--	--

See footnotes at end of table.

Table 1-3. Percent distribution of usual/heaviest drinking level¹ in the past year among current drinkers,² by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ³	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Light drinker	40.60	0.44	34.30	0.59	50.03	0.67	35.71	1.11	41.50	0.59	42.22	0.94	39.97	1.19
Moderate drinker	39.07	0.43	40.56	0.57	36.85	0.63	41.21	1.22	40.71	0.57	34.69	0.87	37.42	1.19
Heavier drinker	18.62	0.36	23.30	0.53	11.61	0.41	21.53	1.00	16.17	0.46	21.10	0.78	20.90	0.96
<u>Any Alcohol Treatment in Life</u>														
Yes														
Light drinker	20.65	1.44	18.51	1.62	28.64	3.07	18.23	3.21	19.39	1.71	24.04	4.03	39.80	8.62
Moderate drinker	31.91	1.72	30.73	1.90	36.35	3.18	33.54	4.17	34.70	2.09	23.24	3.21	18.66	6.10
Heavier drinker	44.05	1.71	47.33	1.99	31.80	3.14	45.71	4.25	42.52	2.10	48.45	4.01	37.62	8.04
No														
Light drinker	41.34	0.46	35.04	0.61	50.39	0.69	36.25	1.15	42.52	0.61	42.78	0.95	39.90	1.20
Moderate drinker	39.27	0.44	40.99	0.58	36.79	0.63	41.61	1.26	40.77	0.58	35.01	0.89	37.83	1.21
Heavier drinker	17.72	0.36	22.15	0.54	11.34	0.42	20.58	1.03	15.09	0.45	20.31	0.79	20.59	0.97

-- Fewer than 10 respondents in this cell.

¹ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

² **Current drinker:** 12 or more drinks of alcohol in the past year.

³ Excludes respondents for whom the characteristic was coded "other or unknown."

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, National Institute on Alcohol Abuse and Alcoholism.

Table 1-4. Percent distribution of DSM-IV alcohol use disorders in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
No alcohol use disorder	83.31	0.40	80.28	0.52	87.93	0.48	65.04	1.19	82.97	0.45	91.44	0.51	97.37	0.42
Abuse	6.83	0.24	8.38	0.33	4.47	0.27	13.43	0.82	7.33	0.30	3.33	0.36	1.02	0.30
Dependence	9.86	0.30	11.34	0.41	7.61	0.37	21.53	0.98	9.70	0.37	5.24	0.42	1.61	0.28
Race														
White														
No alcohol use disorder	83.51	0.41	80.28	0.55	88.30	0.49	64.42	1.25	82.95	0.47	91.83	0.54	97.45	0.43
Abuse	7.01	0.25	8.67	0.34	4.54	0.30	13.70	0.87	7.66	0.32	3.54	0.40	1.08	0.32
Dependence	9.48	0.31	11.05	0.44	7.16	0.36	21.87	1.07	9.39	0.38	4.63	0.43	1.46	0.28
Black														
No alcohol use disorder	83.77	1.12	82.26	1.45	86.42	1.38	77.52	2.87	82.72	1.52	88.81	1.73	97.29	1.65
Abuse	4.65	0.65	5.37	0.91	3.36	0.75	8.13	1.97	5.06	0.91	--	--	--	--
Dependence	11.59	0.93	12.36	1.20	10.22	1.23	14.35	2.40	12.23	1.34	9.44	1.52	--	--
American Indian/Alaska Native														
No alcohol use disorder	59.84	6.00	55.57	9.63	65.63	6.89	33.60	8.59	75.66	5.91	84.42	13.11	--	--
Abuse	18.54	6.65	--	--	--	--	--	--	--	--	--	--	--	--
Dependence	21.62	4.32	21.22	7.11	22.16	4.86	30.57	9.20	--	--	--	--	--	--
Asian/Pacific Islander														
No alcohol use disorder	85.52	2.71	85.11	3.00	86.61	5.56	67.70	8.03	90.10	2.62	89.11	5.74	--	--
Abuse	4.36	1.47	--	--	--	--	--	--	--	--	--	--	--	--
Dependence	10.12	2.36	10.15	2.45	--	--	21.58	7.43	6.74	2.12	--	--	--	--
Hispanic Origin														
Hispanic														
No alcohol use disorder	78.39	1.58	74.41	2.09	87.30	1.86	63.65	4.03	80.54	1.90	85.33	3.63	92.64	5.59
Abuse	6.55	0.99	7.84	1.34	3.67	1.02	7.94	2.05	6.87	1.17	--	--	--	--
Dependence	15.06	1.39	17.75	1.85	9.03	1.60	28.41	3.84	12.60	1.60	10.21	2.68	--	--
Nonhispanic														
No alcohol use disorder	83.63	0.41	80.66	0.54	88.00	0.49	64.86	1.25	83.08	0.46	91.83	0.49	97.49	0.40
Abuse	6.88	0.25	8.49	0.35	4.51	0.28	14.17	0.90	7.38	0.31	3.30	0.34	0.88	0.26
Dependence	9.49	0.30	10.85	0.42	7.49	0.37	20.97	1.02	9.53	0.38	4.87	0.41	1.62	0.29
Marital Status														
Married														
No alcohol use disorder	89.70	0.38	87.70	0.50	92.98	0.46	77.89	2.86	87.52	0.51	92.58	0.61	97.95	0.50
Abuse	4.56	0.26	5.77	0.37	2.59	0.29	8.04	1.50	5.74	0.37	3.20	0.44	--	--
Dependence	5.73	0.30	6.53	0.40	4.43	0.37	14.07	2.54	6.74	0.40	4.23	0.47	1.24	0.37
Living with someone as if married														
No alcohol use disorder	71.94	2.23	66.64	3.21	78.78	2.63	63.82	4.70	73.56	2.53	86.46	4.69	--	--
Abuse	12.88	1.80	16.23	2.67	8.56	1.89	19.33	4.27	11.19	1.88	--	--	--	--
Dependence	15.18	1.62	17.13	2.41	12.66	2.08	16.85	3.48	15.26	1.91	--	--	--	--

See footnotes at end of table.

Table 1-4. Percent distribution of DSM-IV alcohol use disorders in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Widowed														
No alcohol use disorder	95.19	0.89	91.73	2.20	96.85	0.76	--	--	87.51	5.36	94.01	1.51	96.88	1.03
Abuse	1.75	0.68	--	--	--	--	--	--	--	--	--	--	--	--
Dependence	3.06	0.60	3.90	1.10	2.66	0.71	--	--	--	--	4.18	1.32	1.71	0.51
Divorced														
No alcohol use disorder	80.37	1.04	75.11	1.69	85.82	1.13	71.06	6.65	75.58	1.52	86.94	1.45	94.16	1.70
Abuse	8.40	0.69	10.74	1.15	5.97	0.81	--	--	11.01	1.09	5.06	0.87	--	--
Dependence	11.24	0.86	14.15	1.41	8.21	0.88	17.30	4.78	13.41	1.27	8.01	1.32	5.30	1.61
Separated														
No alcohol use disorder	80.05	1.89	76.77	2.88	83.77	2.48	67.75	6.97	80.53	2.40	82.85	3.18	93.21	4.39
Abuse	6.23	1.17	7.81	1.87	4.44	1.26	--	--	6.15	1.41	--	--	--	--
Dependence	13.72	1.65	15.42	2.40	11.79	2.35	17.49	5.84	13.32	2.12	13.86	2.93	--	--
Never married														
No alcohol use disorder	69.26	0.93	65.66	1.20	75.75	1.32	62.30	1.35	74.81	1.09	86.94	2.58	96.51	2.52
Abuse	11.57	0.60	13.07	0.78	8.85	0.79	13.93	0.96	9.85	0.75	--	--	--	--
Dependence	19.17	0.74	21.27	1.00	15.40	1.12	23.78	1.18	15.33	0.96	9.93	2.36	--	--
Ever Raised Children														
Yes														
No alcohol use disorder	88.59	0.35	86.25	0.50	91.89	0.43	75.48	2.17	85.63	0.52	91.76	0.54	97.29	0.46
Abuse	4.76	0.23	6.16	0.36	2.79	0.26	8.63	1.38	6.11	0.34	3.49	0.39	1.04	0.33
Dependence	6.65	0.29	7.59	0.40	5.32	0.34	15.89	1.87	8.26	0.41	4.74	0.43	1.68	0.32
No														
No alcohol use disorder	73.60	0.76	70.15	0.97	79.61	1.02	62.97	1.31	78.08	0.81	88.48	1.64	97.92	0.88
Abuse	10.63	0.50	12.14	0.67	7.99	0.62	14.38	0.97	9.56	0.57	1.79	0.56	--	--
Dependence	15.78	0.58	17.71	0.78	12.40	0.82	22.64	1.11	12.36	0.67	9.74	1.57	--	--
Children Under 14 Living in Household														
Yes														
No alcohol use disorder	86.84	0.51	84.18	0.77	90.17	0.59	80.12	2.22	86.85	0.55	90.00	1.76	97.35	2.64
Abuse	6.08	0.38	7.96	0.62	3.74	0.40	7.25	1.51	6.13	0.40	5.43	1.57	--	--
Dependence	7.08	0.39	7.86	0.58	6.09	0.45	12.62	1.77	7.02	0.43	4.57	1.00	--	--
No														
No alcohol use disorder	81.78	0.51	78.76	0.64	86.77	0.62	63.01	1.29	79.33	0.68	91.67	0.52	97.37	0.43
Abuse	7.15	0.30	8.54	0.39	4.84	0.35	14.26	0.92	8.45	0.44	2.98	0.33	1.05	0.31
Dependence	11.07	0.38	12.70	0.51	8.38	0.49	22.73	1.10	12.21	0.57	5.35	0.45	1.58	0.28
Education														
11 years or less														
No alcohol use disorder	78.08	1.15	76.78	1.44	80.83	1.70	56.81	3.08	74.26	1.93	86.59	1.81	96.90	1.02
Abuse	5.68	0.64	5.45	0.82	6.16	1.04	11.29	1.85	6.27	0.93	3.88	1.38	--	--
Dependence	16.24	1.01	17.77	1.31	13.00	1.39	31.90	2.86	19.47	1.77	9.52	1.30	2.07	0.65

See footnotes at end of table.

Table 1-4. Percent distribution of DSM-IV alcohol use disorders in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
12 years														
No alcohol use disorder	82.33	0.60	78.14	0.92	88.43	0.68	66.51	1.96	79.86	0.88	91.92	0.92	98.08	0.57
Abuse	7.00	0.40	9.27	0.61	3.70	0.41	12.17	1.24	8.38	0.63	3.11	0.56	--	--
Dependence	10.67	0.49	12.59	0.76	7.87	0.57	21.32	1.73	11.76	0.69	4.97	0.77	1.22	0.42
13-15 years														
No alcohol use disorder	81.24	0.79	77.39	1.04	86.16	0.94	65.29	1.78	83.00	0.78	91.68	1.12	97.11	0.96
Abuse	8.09	0.51	10.26	0.72	5.32	0.57	14.01	1.34	7.80	0.57	3.67	0.77	--	--
Dependence	10.67	0.55	12.36	0.77	8.52	0.71	20.70	1.38	9.20	0.61	4.64	0.85	--	--
16 or more years														
No alcohol use disorder	88.49	0.55	86.42	0.75	91.92	0.63	68.93	3.35	87.91	0.65	92.86	0.85	97.14	0.89
Abuse	5.84	0.40	7.19	0.59	3.60	0.41	16.05	3.13	6.34	0.47	3.08	0.55	--	--
Dependence	5.67	0.39	6.39	0.53	4.48	0.50	15.03	2.31	5.74	0.49	4.05	0.66	--	--
<u>Currently Employed Full Time</u>														
Yes														
No alcohol use disorder	83.66	0.43	81.35	0.56	88.49	0.56	68.36	1.60	83.19	0.52	92.13	0.61	97.39	1.33
Abuse	7.42	0.30	8.50	0.38	5.19	0.39	12.89	1.24	7.95	0.36	3.52	0.40	--	--
Dependence	8.91	0.34	10.15	0.45	6.32	0.41	18.75	1.25	8.86	0.42	4.35	0.49	--	--
No														
No alcohol use disorder	82.73	0.73	77.78	1.07	87.34	0.76	61.97	1.67	82.31	0.89	90.13	0.95	97.37	0.44
Abuse	5.83	0.41	8.10	0.65	3.72	0.38	13.93	1.19	5.44	0.53	2.96	0.68	0.96	0.31
Dependence	11.44	0.53	14.13	0.82	8.94	0.60	24.10	1.40	12.25	0.75	6.91	0.76	1.68	0.30
<u>Personal Annual Income</u>														
None														
No alcohol use disorder	91.10	0.63	89.53	0.92	92.48	0.85	75.94	3.71	83.53	1.49	91.46	1.05	97.67	0.46
Abuse	2.30	0.31	3.27	0.56	1.46	0.31	9.94	2.27	3.31	0.75	1.85	0.54	--	--
Dependence	6.60	0.53	7.20	0.76	6.06	0.74	14.11	3.07	13.16	1.38	6.69	0.95	1.59	0.33
\$1 to \$9,999														
No alcohol use disorder	73.67	1.10	66.08	1.62	80.90	1.23	61.11	1.69	79.67	1.42	88.26	1.98	96.70	1.17
Abuse	9.43	0.74	12.18	1.10	6.82	0.77	13.50	1.27	7.69	1.00	4.65	1.71	--	--
Dependence	16.90	0.82	21.74	1.30	12.29	0.90	25.39	1.46	12.64	1.08	7.09	1.41	--	--
\$10,000 to \$24,999														
No alcohol use disorder	80.37	0.69	75.08	1.03	87.26	0.76	66.83	1.82	80.73	0.89	92.44	1.02	96.88	1.84
Abuse	7.84	0.49	9.90	0.74	5.16	0.48	13.92	1.48	7.46	0.58	3.06	0.74	--	--
Dependence	11.79	0.58	15.02	0.87	7.58	0.60	19.25	1.45	11.81	0.78	4.50	0.76	--	--
\$25,000 or more														
No alcohol use disorder	87.15	0.47	85.51	0.57	92.07	0.65	74.23	3.52	85.42	0.59	91.68	0.75	95.60	2.43
Abuse	6.67	0.33	7.61	0.42	3.86	0.45	14.06	2.63	7.77	0.43	3.72	0.48	--	--
Dependence	6.18	0.34	6.88	0.42	4.08	0.49	11.72	2.67	6.82	0.42	4.60	0.60	--	--

See footnotes at end of table.

Table 1-4. Percent distribution of DSM-IV alcohol use disorders in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Current/Most Recent Occupation</u>														
Executive, administrative, managerial														
No alcohol use disorder	88.81	0.73	86.97	1.00	91.98	1.01	73.27	4.42	87.64	0.97	91.58	1.27	97.57	0.91
Abuse	4.99	0.51	6.11	0.73	3.06	0.57	11.50	3.79	5.86	0.67	3.20	0.74	--	--
Dependence	6.20	0.57	6.92	0.77	4.95	0.87	15.24	3.21	6.49	0.75	5.22	1.09	--	--
Professional specialty														
No alcohol use disorder	89.12	0.71	87.17	1.04	91.40	0.86	64.08	4.07	90.10	0.79	92.65	1.11	95.50	1.48
Abuse	5.64	0.53	7.56	0.85	3.38	0.51	15.00	2.94	5.97	0.66	3.12	0.75	--	--
Dependence	5.24	0.56	5.26	0.79	5.22	0.69	20.92	3.82	3.93	0.53	4.23	0.87	--	--
Technician/related support														
No alcohol use disorder	84.23	1.64	78.93	2.47	91.78	1.65	69.01	4.92	84.07	2.14	93.74	2.79	100.00	0.00
Abuse	8.32	1.19	10.64	1.84	5.00	1.36	18.33	4.33	7.77	1.54	--	--	--	--
Dependence	7.45	1.25	10.42	1.95	3.22	0.96	12.66	3.91	8.16	1.63	--	--	--	--
Sales														
No alcohol use disorder	83.85	1.00	83.44	1.21	84.39	1.56	68.36	2.90	82.12	1.37	94.73	0.90	97.14	1.15
Abuse	7.05	0.59	8.12	0.82	5.66	0.82	12.81	1.66	8.07	0.94	2.52	0.64	--	--
Dependence	9.10	0.78	8.45	0.93	9.95	1.32	18.83	2.58	9.80	1.02	2.75	0.67	--	--
Administrative support, including clerical														
No alcohol use disorder	86.80	0.81	79.44	1.88	89.54	0.76	73.64	2.51	86.11	1.06	92.64	1.34	98.12	0.92
Abuse	5.72	0.53	9.12	1.27	4.46	0.50	11.89	1.81	5.93	0.66	3.44	1.08	--	--
Dependence	7.48	0.58	11.44	1.47	6.00	0.56	14.47	1.86	7.96	0.87	3.91	0.85	--	--
Private household														
No alcohol use disorder	84.94	4.29	--	--	87.23	3.68	--	--	84.95	5.94	84.95	9.59	100.00	0.00
Abuse	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dependence	8.06	2.71	--	--	8.38	2.81	--	--	--	--	--	--	--	--
Protective service														
No alcohol use disorder	84.25	2.89	83.48	3.20	90.89	3.84	60.55	9.00	90.73	2.17	84.26	5.16	100.00	0.00
Abuse	8.08	2.57	8.81	2.84	--	--	--	--	6.47	1.73	--	--	--	--
Dependence	7.67	1.65	7.71	1.81	--	--	20.97	6.09	--	--	--	--	--	--
Service, except protective and household														
No alcohol use disorder	74.78	1.30	67.91	2.29	79.74	1.49	58.57	2.62	77.26	1.74	92.70	1.47	95.92	2.00
Abuse	8.07	0.86	10.04	1.77	6.66	0.89	14.11	2.28	7.06	1.04	--	--	--	--
Dependence	17.15	1.19	22.05	2.06	13.60	1.21	27.32	2.69	15.68	1.57	5.97	1.34	--	--
Farming, forestry, fishing														
No alcohol use disorder	76.22	2.81	74.25	3.15	89.75	4.23	55.48	6.18	78.66	3.43	89.92	5.04	96.40	2.09
Abuse	8.81	1.80	9.90	2.02	--	--	17.40	4.70	6.28	1.73	--	--	--	--
Dependence	14.96	2.02	15.85	2.27	--	--	27.12	4.64	15.06	2.92	--	--	--	--
Precision production, craft, repair														
No alcohol use disorder	78.15	1.08	77.67	1.12	84.25	3.16	60.46	3.62	74.98	1.52	88.72	1.95	97.56	1.47
Abuse	9.52	0.77	9.90	0.81	--	--	16.34	2.67	11.53	1.09	3.62	0.93	--	--
Dependence	12.33	0.89	12.43	0.92	11.07	2.76	23.20	3.03	13.49	1.22	7.66	1.69	--	--

See footnotes at end of table.

Table 1-4. Percent distribution of DSM-IV alcohol use disorders in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Operators, fabricators, laborers														
No alcohol use disorder	81.33	1.44	78.23	1.94	88.58	1.80	61.54	4.32	80.30	2.19	89.97	2.34	96.88	1.34
Abuse	5.96	0.77	7.24	1.00	2.97	1.01	11.19	2.88	7.00	1.00	--	--	--	--
Dependence	12.71	1.26	14.53	1.68	8.45	1.52	27.27	3.91	12.69	1.97	7.32	2.01	--	--
Transportation, material moving														
No alcohol use disorder	82.63	1.57	82.61	1.63	83.01	5.10	63.68	6.35	81.25	2.12	89.35	2.64	96.95	1.84
Abuse	5.73	0.97	5.93	1.03	--	--	12.72	3.70	6.04	1.33	--	--	--	--
Dependence	11.64	1.37	11.46	1.39	--	--	23.60	5.83	12.71	1.83	7.39	2.10	--	--
Handlers, equipment cleaners, helpers, laborers														
No alcohol use disorder	68.41	2.55	65.04	2.79	85.08	4.16	61.20	4.21	68.00	3.65	75.69	6.95	100.00	0.00
Abuse	9.50	1.78	10.30	1.94	--	--	9.52	2.23	9.70	2.37	--	--	--	--
Dependence	22.09	2.09	24.67	2.44	9.36	3.41	29.28	3.90	22.30	3.22	12.11	3.51	--	--
Military														
No alcohol use disorder	81.26	4.81	79.37	5.48	92.76	4.93	73.49	9.19	81.59	6.42	--	--	--	--
Abuse	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dependence	9.15	3.12	10.66	3.62	--	--	--	--	--	--	--	--	--	--
<u>Current/Most Recent Industry</u>														
Agriculture, forestry, fisheries														
No alcohol use disorder	81.64	2.41	78.46	2.81	94.20	2.70	63.59	6.68	82.31	3.18	90.14	4.70	96.43	2.14
Abuse	7.38	1.60	9.02	1.94	--	--	16.71	4.90	5.76	1.63	--	--	--	--
Dependence	10.98	1.83	12.52	2.20	--	--	19.70	5.16	11.93	2.68	--	--	--	--
Mining														
No alcohol use disorder	91.46	3.89	89.17	4.93	100.00	0.00	--	--	91.06	5.92	91.43	6.18	100.00	0.00
Abuse	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dependence	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Construction														
No alcohol use disorder	74.93	1.42	74.07	1.52	83.92	3.13	56.82	4.18	72.86	1.99	87.10	2.45	98.52	0.94
Abuse	9.36	1.01	9.95	1.10	--	--	13.47	2.61	11.61	1.52	3.13	1.06	--	--
Dependence	15.70	1.29	15.98	1.39	12.88	2.84	29.71	4.06	15.52	1.60	9.77	2.28	--	--
Manufacturing														
No alcohol use disorder	83.52	0.78	81.44	0.97	89.56	1.05	65.16	2.74	81.19	1.11	89.84	1.42	96.76	1.15
Abuse	6.98	0.54	8.15	0.68	3.57	0.65	12.61	2.12	8.56	0.71	3.83	1.03	--	--
Dependence	9.50	0.61	10.41	0.76	6.87	0.86	22.23	2.57	10.25	0.90	6.33	1.04	--	--
Transportation, communications, other public utilities														
No alcohol use disorder	86.03	1.18	83.82	1.44	92.41	1.43	63.85	6.63	83.43	1.64	94.45	1.19	95.91	1.70
Abuse	5.77	0.77	6.37	0.98	4.05	1.09	18.95	6.22	6.66	1.00	--	--	--	--
Dependence	8.20	0.90	9.81	1.14	3.54	0.91	17.20	4.54	9.91	1.40	3.97	0.97	--	--
Wholesale trade														
No alcohol use disorder	81.88	1.61	79.61	2.01	89.55	2.29	64.99	6.08	79.60	2.14	90.61	2.29	96.49	1.86
Abuse	7.56	1.03	8.24	1.22	5.28	1.78	11.11	3.40	10.09	1.62	--	--	--	--
Dependence	10.56	1.39	12.16	1.73	5.17	1.57	23.90	5.73	10.31	1.62	7.00	2.07	--	--

See footnotes at end of table.

Table 1-4. Percent distribution of DSM-IV alcohol use disorders in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Retail trade														
No alcohol use disorder	77.79	1.03	74.45	1.59	81.17	1.26	65.28	2.11	77.56	1.40	93.95	1.18	97.61	1.14
Abuse	7.74	0.61	9.35	0.94	6.10	0.69	12.15	1.40	7.51	0.80	2.68	0.82	--	--
Dependence	14.47	0.84	16.19	1.35	12.73	1.04	22.56	1.74	14.93	1.27	3.37	0.87	--	--
Finance, insurance, real estate														
No alcohol use disorder	88.62	1.05	85.46	1.91	91.35	1.16	75.47	4.44	88.99	1.25	89.93	2.35	100.00	0.00
Abuse	4.61	0.68	5.82	1.22	3.56	0.72	8.50	2.61	4.92	0.80	--	--	--	--
Dependence	6.77	0.84	8.72	1.56	5.09	0.94	16.03	3.96	6.09	1.03	6.26	1.77	--	--
Services: business and repair														
No alcohol use disorder	82.29	1.30	80.22	1.69	86.09	1.92	60.41	4.75	83.60	1.55	90.70	2.07	96.80	2.22
Abuse	6.46	0.76	8.29	1.06	3.09	0.77	14.02	2.83	5.53	0.88	4.85	1.67	--	--
Dependence	11.25	1.14	11.49	1.44	10.82	1.81	25.57	4.63	10.87	1.34	4.46	1.34	--	--
Services: personal														
No alcohol use disorder	81.64	2.68	75.26	7.16	85.02	2.17	60.82	6.31	83.59	2.80	91.32	3.02	99.07	0.93
Abuse	9.05	2.34	12.44	5.62	7.25	1.72	23.32	8.15	7.60	2.19	--	--	--	--
Dependence	9.31	1.22	12.30	2.77	7.73	1.45	15.86	4.53	8.81	2.05	7.65	2.94	--	--
Services: entertainment and recreation														
No alcohol use disorder	74.18	2.64	73.96	3.17	74.65	4.97	60.32	4.76	79.40	3.48	87.26	5.16	96.92	3.02
Abuse	10.57	1.83	10.87	2.26	--	--	14.44	3.24	10.35	2.88	--	--	--	--
Dependence	15.25	2.07	15.17	2.58	15.42	3.63	25.24	4.06	10.24	2.29	--	--	--	--
Services: professional and related														
No alcohol use disorder	88.20	0.73	84.50	1.27	90.59	0.70	68.37	2.75	89.09	0.78	93.25	0.98	96.41	1.08
Abuse	5.31	0.42	7.49	0.81	3.91	0.44	12.40	1.72	5.28	0.53	3.30	0.67	--	--
Dependence	6.48	0.54	8.00	1.00	5.50	0.53	19.23	2.32	5.63	0.61	3.45	0.75	2.25	0.75
Public administration														
No alcohol use disorder	87.39	1.45	85.20	1.95	91.89	1.72	61.35	8.21	88.50	1.56	89.68	2.26	98.85	0.74
Abuse	7.57	1.29	9.34	1.79	3.92	1.24	26.89	8.76	7.55	1.29	--	--	--	--
Dependence	5.04	0.77	5.46	0.99	4.20	1.26	11.76	4.01	3.95	0.91	6.48	1.80	--	--
Military														
No alcohol use disorder	80.68	4.48	79.62	5.02	87.52	6.90	73.63	9.13	80.03	5.87	100.00	0.00	--	--
Abuse	9.22	3.58	--	--	--	--	--	--	--	--	--	--	--	--
Dependence	10.10	3.01	10.77	3.37	--	--	--	--	--	--	--	--	--	--
Smoked Any Cigarettes in Last Year														
Yes														
No alcohol use disorder	76.07	0.68	72.59	0.92	81.33	0.84	57.06	1.69	76.67	0.85	86.46	1.06	96.09	0.94
Abuse	9.12	0.43	10.61	0.62	6.87	0.50	16.45	1.35	8.96	0.54	5.05	0.76	--	--
Dependence	14.80	0.54	16.79	0.74	11.80	0.69	26.49	1.54	14.37	0.70	8.48	0.83	2.96	0.79
No														
No alcohol use disorder	87.86	0.43	85.09	0.58	92.08	0.47	71.37	1.58	87.41	0.50	94.09	0.58	97.73	0.48
Abuse	5.38	0.27	6.98	0.37	2.95	0.31	11.04	0.98	6.18	0.34	2.40	0.39	1.04	0.36
Dependence	6.76	0.31	7.93	0.45	4.96	0.36	17.59	1.21	6.41	0.40	3.50	0.46	1.23	0.30

See footnotes at end of table.

Table 1-4. Percent distribution of DSM-IV alcohol use disorders in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Smoked 100 or More Cigarettes in Life</u>														
Yes														
No alcohol use disorder	81.68	0.49	79.34	0.64	85.46	0.64	58.09	1.64	79.82	0.65	90.17	0.67	97.31	0.51
Abuse	7.28	0.31	8.58	0.44	5.18	0.35	15.95	1.26	8.19	0.42	3.89	0.47	1.17	0.36
Dependence	11.04	0.39	12.08	0.51	9.36	0.53	25.95	1.51	11.98	0.53	5.94	0.53	1.51	0.35
No														
No alcohol use disorder	85.74	0.57	81.76	0.80	91.25	0.62	71.32	1.65	87.14	0.59	94.47	0.75	97.50	0.77
Abuse	6.15	0.35	8.05	0.49	3.51	0.42	11.15	1.01	6.18	0.40	1.98	0.44	--	--
Dependence	8.12	0.42	10.19	0.63	5.24	0.43	17.53	1.23	6.68	0.49	3.55	0.64	1.82	0.52
<u>Any Depression in Past Year</u>														
Yes														
No alcohol use disorder	59.55	2.16	50.87	3.09	69.19	2.61	43.57	4.01	65.54	2.75	76.53	4.87	--	--
Abuse	11.94	1.37	13.04	1.99	10.72	1.75	19.20	3.01	8.76	1.60	--	--	--	--
Dependence	28.51	2.04	36.09	3.13	20.09	2.16	37.24	3.77	25.70	2.66	16.47	4.30	--	--
No														
No alcohol use disorder	84.30	0.38	81.33	0.51	88.86	0.46	66.82	1.20	83.78	0.45	91.70	0.52	97.57	0.42
Abuse	6.61	0.24	8.21	0.34	4.16	0.26	12.95	0.86	7.26	0.31	3.26	0.36	0.96	0.30
Dependence	9.09	0.29	10.46	0.39	6.99	0.36	20.22	0.99	8.96	0.37	5.04	0.42	1.47	0.28
<u>Any Depression in Life</u>														
Yes														
No alcohol use disorder	70.39	1.22	62.93	1.84	78.22	1.37	54.23	2.77	73.07	1.55	82.13	2.32	90.62	4.39
Abuse	10.17	0.79	12.18	1.25	8.06	0.85	15.28	1.98	8.84	0.87	8.27	1.88	--	--
Dependence	19.44	1.12	24.90	1.72	13.72	1.15	30.50	2.63	18.09	1.45	9.60	1.57	--	--
No														
No alcohol use disorder	84.94	0.39	82.09	0.51	89.47	0.48	67.15	1.27	84.40	0.46	92.22	0.52	97.53	0.42
Abuse	6.40	0.25	7.98	0.35	3.90	0.28	13.07	0.93	7.11	0.31	2.91	0.35	0.98	0.31
Dependence	8.66	0.29	9.93	0.39	6.63	0.37	19.78	1.01	8.49	0.38	4.87	0.43	1.50	0.29
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
No alcohol use disorder	95.06	0.28	94.49	0.44	95.64	0.36	86.91	1.24	95.03	0.37	98.48	0.27	99.48	0.23
Abuse	2.33	0.18	2.78	0.29	1.87	0.22	4.79	0.67	2.69	0.27	0.87	0.23	--	--
Dependence	2.61	0.21	2.73	0.32	2.48	0.27	8.30	1.04	2.28	0.25	0.65	0.15	--	--
Moderate drinker														
No alcohol use disorder	81.07	0.60	79.99	0.77	82.99	0.87	60.72	1.90	80.73	0.68	92.09	0.81	97.29	0.79
Abuse	9.05	0.45	9.99	0.57	7.40	0.61	17.01	1.53	9.87	0.54	3.42	0.55	--	--
Dependence	9.88	0.45	10.03	0.60	9.61	0.63	22.27	1.59	9.39	0.55	4.49	0.64	--	--
Heavier drinker														
No alcohol use disorder	57.75	1.17	56.03	1.35	63.43	2.07	29.34	2.43	51.99	1.59	73.62	1.96	92.83	1.37
Abuse	13.54	0.77	15.17	0.94	8.18	1.04	23.28	2.55	14.95	1.13	8.91	1.44	--	--
Dependence	28.71	1.00	28.80	1.18	28.39	1.92	47.38	2.52	33.05	1.48	17.47	1.67	5.30	1.19

See footnotes at end of table.

Table 1-4. Percent distribution of DSM-IV alcohol use disorders in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Usual/Heaviest Drinking Level in Past Year³</u>														
Light drinker														
No alcohol use disorder	95.75	0.28	95.05	0.44	96.47	0.34	88.48	1.27	95.75	0.36	98.62	0.28	99.45	0.24
Abuse	2.00	0.18	2.53	0.29	1.45	0.21	4.22	0.66	2.33	0.27	0.71	0.23	--	--
Dependence	2.25	0.21	2.42	0.32	2.07	0.27	7.30	1.05	1.92	0.24	0.67	0.16	--	--
Moderate drinker														
No alcohol use disorder	83.00	0.59	82.18	0.75	84.36	0.86	63.73	1.91	82.94	0.67	93.17	0.75	97.35	0.79
Abuse	8.34	0.44	9.14	0.56	7.01	0.59	15.85	1.53	9.01	0.53	3.13	0.52	--	--
Dependence	8.66	0.43	8.68	0.57	8.63	0.60	20.42	1.58	8.04	0.51	3.70	0.60	--	--
Heavier drinker														
No alcohol use disorder	58.71	1.07	56.90	1.26	64.28	1.82	31.26	2.26	53.40	1.44	75.04	1.82	93.53	1.25
Abuse	13.75	0.71	15.32	0.86	8.94	1.02	23.35	2.22	15.18	1.03	8.75	1.33	--	--
Dependence	27.53	0.90	27.78	1.10	26.78	1.66	45.39	2.20	31.42	1.34	16.21	1.54	4.78	1.08
<u>5 or More Drinks per Day</u>														
Not once in past year														
No alcohol use disorder	97.87	0.20	97.54	0.33	98.18	0.21	95.54	0.91	97.42	0.34	98.29	0.29	99.27	0.27
Abuse	0.99	0.12	1.16	0.20	0.82	0.15	1.64	0.56	1.32	0.22	0.66	0.17	--	--
Dependence	1.15	0.15	1.30	0.27	1.00	0.15	2.82	0.74	1.26	0.27	1.05	0.23	--	--
1 to 11 times in past year														
No alcohol use disorder	84.04	0.59	84.51	0.76	83.22	0.92	76.78	1.73	84.57	0.67	89.51	1.27	93.68	1.83
Abuse	7.86	0.43	8.10	0.55	7.44	0.60	11.58	1.39	7.90	0.48	4.14	0.73	--	--
Dependence	8.10	0.45	7.39	0.57	9.34	0.71	11.64	1.24	7.53	0.52	6.35	1.11	--	--
12 or more times in past year														
No alcohol use disorder	57.24	0.93	56.95	1.10	58.18	1.62	41.98	1.70	59.50	1.17	69.74	2.03	86.18	2.76
Abuse	15.73	0.64	16.66	0.75	12.78	1.08	19.98	1.38	15.46	0.83	11.70	1.63	--	--
Dependence	27.03	0.82	26.39	0.98	29.04	1.43	38.04	1.68	25.04	1.05	18.56	1.71	9.16	1.87
<u>Drinking Enough to Feel Drunk</u>														
Not once in past year														
No alcohol use disorder	96.90	0.21	96.55	0.32	97.37	0.24	93.84	1.07	96.05	0.35	97.77	0.33	98.95	0.25
Abuse	1.40	0.14	1.70	0.22	1.02	0.17	2.95	0.74	1.90	0.23	0.87	0.25	--	--
Dependence	1.69	0.16	1.75	0.24	1.61	0.18	3.22	0.78	2.05	0.28	1.36	0.23	0.66	0.19
1 to 11 times in past year														
No alcohol use disorder	76.81	0.62	74.45	0.86	80.62	0.89	71.09	1.51	78.45	0.73	77.60	1.75	89.01	3.13
Abuse	10.89	0.48	12.80	0.67	7.83	0.57	11.80	1.13	10.95	0.54	10.04	1.33	--	--
Dependence	12.29	0.49	12.75	0.66	11.55	0.71	17.11	1.20	10.60	0.54	12.36	1.48	6.67	2.27
12 or more times in past year														
No alcohol use disorder	39.21	1.40	36.54	1.70	46.76	2.46	33.33	1.99	42.31	1.87	44.24	3.87	62.71	8.34
Abuse	20.14	1.11	21.38	1.41	16.65	1.65	23.94	2.11	17.94	1.41	16.05	2.87	--	--
Dependence	40.65	1.41	42.08	1.67	36.59	2.44	42.73	2.15	39.75	1.94	39.71	3.89	22.16	5.83

See footnotes at end of table.

Table 1-4. Percent distribution of DSM-IV alcohol use disorders in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Driving After Drinking</u>														
Not once in past year														
No alcohol use disorder	91.99	0.29	91.03	0.40	93.35	0.37	78.70	1.15	92.79	0.36	95.72	0.37	98.11	0.36
Abuse	2.12	0.16	2.54	0.23	1.54	0.18	7.37	0.80	1.64	0.17	0.64	0.13	--	--
Dependence	5.88	0.23	6.43	0.33	5.12	0.30	13.93	0.90	5.57	0.31	3.64	0.34	1.29	0.26
1 or 2 times in past year														
No alcohol use disorder	31.32	1.50	29.85	1.83	35.00	2.86	24.78	2.83	33.24	1.87	34.67	5.24	--	--
Abuse	38.32	1.69	40.88	2.03	31.92	2.47	36.15	3.46	38.84	1.94	40.93	5.57	--	--
Dependence	30.36	1.49	29.27	1.90	33.08	2.83	39.07	3.18	27.92	1.76	24.40	4.26	--	--
3 or more times in past year														
No alcohol use disorder	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Abuse	47.67	1.93	46.14	2.34	52.99	3.76	36.61	3.25	51.71	2.42	58.43	7.37	--	--
Dependence	52.33	1.93	53.86	2.34	47.01	3.76	63.39	3.25	48.29	2.42	41.57	7.37	--	--
<u>Getting into Situation that Could Be Harmful</u>														
Not once in past year														
No alcohol use disorder	87.00	0.33	85.16	0.45	89.69	0.42	73.68	1.15	86.25	0.41	92.59	0.50	97.90	0.36
Abuse	5.16	0.21	6.23	0.30	3.61	0.24	9.42	0.76	5.91	0.28	2.66	0.33	0.71	0.23
Dependence	7.84	0.26	8.62	0.36	6.70	0.33	16.90	0.92	7.85	0.34	4.75	0.41	1.39	0.27
At least once in past year														
No alcohol use disorder	8.88	1.00	7.64	1.05	13.93	2.88	9.51	1.59	9.06	1.47	--	--	--	--
Abuse	40.61	1.98	40.73	2.21	40.11	4.51	39.13	3.38	39.64	2.83	54.88	7.84	--	--
Dependence	50.51	1.98	51.63	2.19	45.96	4.60	51.36	3.46	51.29	2.77	41.00	7.56	--	--
<u>Age Started Drinking</u>														
16 years or younger														
No alcohol use disorder	69.81	0.94	67.26	1.14	74.89	1.32	53.51	1.79	72.89	1.06	83.21	1.97	95.13	1.72
Abuse	12.07	0.62	13.72	0.79	8.79	0.80	18.20	1.43	10.88	0.66	7.32	1.53	--	--
Dependence	18.12	0.70	19.02	0.87	16.32	1.12	28.30	1.54	16.23	0.85	9.46	1.43	2.78	0.96
17 or 18 years														
No alcohol use disorder	84.37	0.60	82.02	0.77	88.68	0.76	71.12	1.76	85.01	0.68	91.03	0.91	95.36	1.19
Abuse	6.84	0.38	7.88	0.50	4.91	0.52	10.88	1.12	7.29	0.50	3.44	0.60	--	--
Dependence	8.80	0.46	10.09	0.63	6.41	0.53	18.00	1.50	7.70	0.52	5.54	0.79	2.86	0.89
19 or 20 years														
No alcohol use disorder	89.73	0.70	87.74	1.02	92.49	0.78	83.06	2.56	87.87	0.98	93.17	1.22	98.77	0.55
Abuse	4.33	0.46	5.28	0.64	3.02	0.51	6.46	1.81	5.51	0.63	2.26	0.74	--	--
Dependence	5.94	0.52	6.98	0.79	4.50	0.64	10.47	2.00	6.61	0.74	4.57	1.00	--	--
21 years or older														
No alcohol use disorder	92.07	0.46	90.13	0.79	93.89	0.49	82.26	3.34	88.76	0.86	94.08	0.68	98.44	0.47
Abuse	2.88	0.30	3.96	0.52	1.87	0.29	6.72	2.11	4.10	0.57	2.21	0.39	--	--
Dependence	5.05	0.37	5.91	0.62	4.24	0.42	11.02	2.76	7.14	0.68	3.71	0.56	1.23	0.35

See footnotes at end of table.

Table 1-4. Percent distribution of DSM-IV alcohol use disorders in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Drinking Days of the Week in Past Year</u>														
Holidays or special occasions only														
No alcohol use disorder	97.26	0.47	95.85	0.81	98.90	0.38	92.09	2.81	96.20	0.88	98.81	0.46	99.44	0.32
Abuse	1.60	0.38	2.46	0.67	--	--	--	--	2.55	0.76	--	--	--	--
Dependence	1.13	0.29	1.69	0.48	--	--	--	--	--	--	--	--	--	--
Weekends only														
No alcohol use disorder	85.03	0.47	82.13	0.65	88.99	0.55	71.24	1.31	85.64	0.52	93.65	0.64	98.73	0.44
Abuse	6.52	0.30	7.96	0.42	4.55	0.34	11.53	0.85	6.68	0.36	2.62	0.39	--	--
Dependence	8.45	0.36	9.92	0.52	6.46	0.39	17.23	1.08	7.69	0.42	3.73	0.53	--	--
Weekdays/weekends														
No alcohol use disorder	77.06	0.68	74.55	0.86	82.03	1.02	46.16	2.05	73.93	0.96	86.81	1.02	96.06	0.72
Abuse	8.60	0.45	10.13	0.61	5.55	0.56	19.49	2.02	9.91	0.65	4.89	0.75	1.75	0.55
Dependence	14.35	0.55	15.32	0.71	12.42	0.88	34.35	2.05	16.16	0.82	8.30	0.82	2.19	0.46
<u>Family History of Alcoholism</u>														
None														
No alcohol use disorder	88.81	0.48	86.51	0.65	93.03	0.58	73.97	1.78	87.57	0.64	94.76	0.63	98.16	0.49
Abuse	5.48	0.34	7.11	0.49	2.48	0.30	11.84	1.47	6.34	0.43	2.49	0.47	1.16	0.42
Dependence	5.71	0.33	6.37	0.45	4.49	0.45	14.19	1.30	6.10	0.48	2.76	0.45	0.67	0.25
2nd degree relatives only														
No alcohol use disorder	81.91	0.87	78.49	1.09	87.06	1.12	63.34	2.35	84.35	0.91	91.10	1.20	95.92	1.37
Abuse	7.57	0.50	8.88	0.72	5.60	0.69	14.57	1.34	6.98	0.61	3.40	0.71	--	--
Dependence	10.52	0.67	12.63	0.89	7.34	0.81	22.09	1.87	8.66	0.69	5.50	1.01	--	--
1st degree relatives only														
No alcohol use disorder	82.14	1.07	77.96	1.53	88.15	1.13	62.88	4.31	80.33	1.42	87.21	1.51	97.04	1.04
Abuse	6.77	0.75	8.54	1.09	4.20	0.73	14.52	4.08	8.47	0.93	2.99	0.75	--	--
Dependence	11.10	0.81	13.49	1.19	7.64	0.92	22.60	3.37	11.21	1.16	9.80	1.44	--	--
Both 1st and 2nd degree relatives														
No alcohol use disorder	74.70	0.87	68.73	1.25	81.29	0.98	53.74	2.30	75.75	1.04	86.67	1.48	93.78	1.85
Abuse	8.72	0.50	10.73	0.81	6.49	0.58	14.30	1.53	8.69	0.63	5.40	1.08	--	--
Dependence	16.58	0.77	20.54	1.15	12.22	0.80	31.96	2.21	15.56	0.88	7.92	1.14	6.22	1.85
<u>Any Parent Alcoholic</u>														
Yes														
No alcohol use disorder	75.33	0.79	69.59	1.16	82.16	0.90	56.01	2.26	75.53	0.97	86.77	1.35	93.18	1.66
Abuse	8.54	0.52	10.54	0.82	6.15	0.54	15.02	1.71	8.69	0.58	4.52	0.92	--	--
Dependence	16.13	0.70	19.87	1.04	11.69	0.76	28.98	1.97	15.78	0.89	8.72	1.11	6.24	1.57
No														
No alcohol use disorder	85.92	0.43	83.32	0.55	90.20	0.51	68.30	1.29	85.70	0.48	92.85	0.56	97.92	0.43
Abuse	6.27	0.26	7.76	0.37	3.80	0.30	12.86	0.92	6.83	0.34	2.97	0.39	1.08	0.34
Dependence	7.82	0.31	8.92	0.41	5.99	0.38	18.84	1.01	7.47	0.38	4.19	0.42	0.99	0.25

See footnotes at end of table.

Table 1-4. Percent distribution of DSM-IV alcohol use disorders in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18–24 years		25–44 years		45–64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Married to Alcoholic/Lived with Alcoholic as Married</u>														
Yes														
No alcohol use disorder	78.19	1.00	69.83	2.05	82.08	1.07	53.86	4.36	74.96	1.36	87.56	1.46	96.94	1.17
Abuse	7.19	0.60	9.54	1.38	6.09	0.62	15.96	3.43	8.13	0.83	4.23	0.94	--	--
Dependence	14.63	0.87	20.64	1.84	11.82	0.93	30.18	3.95	16.90	1.24	8.20	1.18	--	--
No														
No alcohol use disorder	83.97	0.42	80.94	0.53	89.34	0.53	65.68	1.21	84.16	0.48	92.00	0.56	97.41	0.45
Abuse	6.78	0.26	8.30	0.34	4.08	0.30	13.29	0.83	7.21	0.33	3.19	0.40	1.06	0.33
Dependence	9.25	0.32	10.75	0.42	6.59	0.41	21.03	1.01	8.63	0.40	4.81	0.45	1.53	0.30
<u>Any Alcohol Treatment in Past Year</u>														
Yes														
No alcohol use disorder	26.81	2.57	25.77	2.89	30.05	4.79	15.85	4.09	33.23	3.41	18.52	5.31	--	--
Abuse	13.26	2.00	13.74	2.37	11.75	3.63	15.65	4.54	13.75	2.50	--	--	--	--
Dependence	59.94	2.80	60.49	3.15	58.20	5.33	68.49	5.54	53.02	3.60	73.66	6.30	--	--
No														
No alcohol use disorder	84.62	0.39	81.87	0.52	88.73	0.46	66.84	1.19	84.31	0.45	92.43	0.49	97.54	0.41
Abuse	6.68	0.25	8.22	0.34	4.37	0.27	13.35	0.85	7.16	0.31	3.26	0.36	1.03	0.31
Dependence	8.70	0.28	9.91	0.40	6.90	0.35	19.81	0.97	8.54	0.36	4.30	0.38	1.44	0.27
<u>Any Alcohol Treatment in Life</u>														
Yes														
No alcohol use disorder	50.57	1.80	49.64	2.10	54.04	3.51	32.99	3.92	53.69	2.20	55.16	3.90	77.42	6.35
Abuse	13.01	1.14	14.04	1.35	9.14	1.86	20.39	3.25	12.21	1.43	9.19	2.13	--	--
Dependence	36.42	1.68	36.32	1.92	36.82	3.32	46.63	3.94	34.11	2.08	35.66	3.78	19.73	5.90
No														
No alcohol use disorder	85.59	0.39	83.12	0.52	89.14	0.46	67.84	1.25	85.32	0.44	93.33	0.49	97.85	0.40
Abuse	6.40	0.25	7.85	0.34	4.30	0.28	12.82	0.88	6.94	0.31	3.02	0.37	0.98	0.30
Dependence	8.02	0.28	9.03	0.40	6.56	0.34	19.34	1.01	7.74	0.35	3.65	0.37	1.17	0.25

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-5. Percent distribution of frequency of drinking 5 or more drinks in a single day in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Not once in past year	44.10	0.52	35.62	0.60	56.97	0.71	17.59	0.87	39.26	0.61	60.09	0.92	78.51	1.08
1 to 11 times in past year	29.57	0.40	31.29	0.54	26.96	0.57	38.85	1.12	33.52	0.55	21.50	0.74	10.93	0.88
12 or more times in past year	25.61	0.47	32.26	0.63	15.51	0.51	43.17	1.28	26.48	0.57	17.45	0.70	9.89	0.77
Race														
White														
Not once in past year	44.04	0.55	35.38	0.63	56.85	0.77	15.52	0.89	38.30	0.64	61.02	0.96	79.36	1.10
1 to 11 times in past year	30.22	0.41	31.80	0.57	27.88	0.61	40.20	1.20	34.80	0.58	21.70	0.79	10.75	0.90
12 or more times in past year	25.03	0.49	32.01	0.68	14.71	0.51	43.93	1.36	26.16	0.60	16.37	0.73	9.30	0.78
Black														
Not once in past year	46.41	1.48	38.48	1.92	60.41	1.99	36.64	3.52	46.03	1.94	52.41	3.28	59.22	5.52
1 to 11 times in past year	22.38	1.22	25.59	1.72	16.71	1.44	24.52	3.68	23.39	1.64	19.52	2.49	14.23	3.99
12 or more times in past year	30.28	1.37	34.84	1.76	22.23	1.69	38.64	4.02	29.86	1.76	26.35	2.81	23.89	4.61
American Indian/Alaska Native														
Not once in past year	19.13	4.45	--	--	30.62	9.74	--	--	25.61	7.98	--	--	--	--
1 to 11 times in past year	42.86	5.96	51.66	9.38	30.95	9.06	43.89	13.65	36.69	8.81	--	--	--	--
12 or more times in past year	38.01	6.99	37.70	9.47	38.43	12.90	45.75	13.43	37.69	8.70	--	--	--	--
Asian/Pacific Islander														
Not once in past year	57.85	3.60	53.67	4.26	68.98	6.84	29.06	7.08	61.81	4.38	74.16	7.73	--	--
1 to 11 times in past year	23.63	2.84	27.53	3.54	13.27	4.37	37.22	7.22	24.92	3.90	--	--	--	--
12 or more times in past year	17.27	2.85	17.57	3.19	16.46	5.96	31.07	7.75	12.66	2.98	--	--	--	--
Hispanic Origin														
Hispanic														
Not once in past year	37.39	1.80	28.87	2.08	56.47	2.76	25.27	3.46	37.59	2.31	44.23	4.37	63.45	9.54
1 to 11 times in past year	30.94	1.76	31.60	2.25	29.46	2.58	35.37	3.99	33.48	2.22	22.68	3.78	--	--
12 or more times in past year	31.25	1.74	39.18	2.27	13.48	1.89	39.36	3.92	28.34	2.14	32.59	4.40	--	--
Nonhispanic														
Not once in past year	44.65	0.54	36.23	0.63	57.05	0.74	16.76	0.88	39.40	0.64	61.17	0.93	78.89	1.06
1 to 11 times in past year	29.46	0.40	31.29	0.55	26.77	0.58	39.55	1.17	33.52	0.56	21.24	0.75	10.76	0.85
12 or more times in past year	25.15	0.49	31.63	0.64	15.61	0.53	43.26	1.36	26.33	0.59	16.64	0.70	9.65	0.76
Marital Status														
Married														
Not once in past year	52.02	0.61	44.11	0.76	64.95	0.90	22.67	2.21	43.66	0.80	62.07	1.10	79.48	1.35
1 to 11 times in past year	28.39	0.53	30.63	0.72	24.73	0.75	45.25	2.52	34.12	0.73	21.39	0.90	11.32	1.16
12 or more times in past year	18.82	0.54	24.42	0.74	9.66	0.55	31.56	2.66	21.47	0.73	15.65	0.82	8.60	0.98
Living with someone as if married														
Not once in past year	26.48	1.86	18.34	2.33	37.00	2.96	16.08	2.81	29.71	2.48	39.15	7.06	--	--
1 to 11 times in past year	36.64	2.04	36.07	3.06	37.37	2.96	41.55	4.45	34.67	2.52	32.27	6.28	--	--
12 or more times in past year	35.78	2.11	44.07	3.21	25.07	2.73	41.87	4.24	34.68	2.59	23.98	5.56	--	--

See footnotes at end of table.

Table 1-5. Percent distribution of frequency of drinking 5 or more drinks in a single day in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Widowed														
Not once in past year	72.66	1.79	55.76	3.56	80.78	1.80	--	--	45.29	7.56	63.90	3.52	80.52	1.92
1 to 11 times in past year	13.00	1.35	18.58	2.66	10.32	1.46	--	--	31.60	7.47	17.64	2.71	8.36	1.33
12 or more times in past year	13.39	1.32	24.31	3.05	8.15	1.17	--	--	21.91	6.20	17.89	2.82	10.01	1.40
Divorced														
Not once in past year	43.25	1.25	30.87	1.61	56.09	1.70	23.60	6.41	35.08	1.52	54.39	2.20	68.94	3.77
1 to 11 times in past year	27.26	1.11	28.84	1.60	25.63	1.50	29.82	6.73	31.55	1.61	21.74	1.76	15.87	2.69
12 or more times in past year	29.01	1.26	39.94	1.92	17.66	1.39	46.58	7.73	32.98	1.71	23.09	1.87	15.18	3.02
Separated														
Not once in past year	38.33	2.37	28.15	2.98	49.89	3.34	25.30	6.35	36.46	3.03	45.07	4.77	74.42	9.70
1 to 11 times in past year	25.32	2.09	25.27	2.88	25.37	2.86	22.84	6.67	28.54	2.74	20.32	3.76	--	--
12 or more times in past year	34.62	2.42	43.58	3.56	24.45	3.03	51.87	7.59	33.61	3.22	30.98	4.11	--	--
Never married														
Not once in past year	24.60	0.84	18.64	0.89	35.36	1.44	16.42	1.03	30.14	1.15	49.64	3.76	76.47	4.39
1 to 11 times in past year	34.79	0.86	34.38	1.12	35.51	1.34	37.74	1.37	33.17	1.13	24.98	3.07	--	--
12 or more times in past year	40.08	1.07	46.33	1.32	28.78	1.46	45.49	1.59	35.95	1.21	24.99	3.64	16.39	3.88
Ever Raised Children														
Yes														
Not once in past year	51.86	0.58	42.84	0.75	64.59	0.78	24.77	2.05	42.32	0.78	60.84	0.97	78.01	1.20
1 to 11 times in past year	26.41	0.49	28.76	0.68	23.09	0.65	35.71	2.22	32.37	0.72	21.24	0.79	11.51	0.99
12 or more times in past year	20.98	0.51	27.53	0.71	11.74	0.54	39.07	2.46	24.61	0.72	17.02	0.74	9.81	0.83
No														
Not once in past year	29.80	0.72	23.39	0.78	40.99	1.18	16.17	0.97	33.65	0.89	53.25	2.45	81.87	2.22
1 to 11 times in past year	35.40	0.68	35.59	0.91	35.08	1.10	39.48	1.28	35.65	0.87	23.82	2.01	7.13	1.39
12 or more times in past year	34.12	0.80	40.26	1.05	23.41	1.06	43.99	1.44	29.90	0.87	21.35	2.09	10.46	1.83
Children Under 14 Living in Household														
Yes														
Not once in past year	44.27	0.82	33.58	1.02	57.67	1.14	28.28	2.51	43.22	0.89	59.87	2.52	69.27	9.84
1 to 11 times in past year	32.74	0.72	35.61	1.04	29.14	1.02	39.57	2.62	33.80	0.79	22.23	2.24	--	--
12 or more times in past year	22.34	0.70	30.07	1.03	12.65	0.73	31.52	2.80	22.25	0.77	17.73	2.14	--	--
No														
Not once in past year	44.02	0.62	36.41	0.72	56.61	0.84	16.15	0.93	35.56	0.79	60.12	0.99	78.73	1.10
1 to 11 times in past year	28.19	0.48	29.62	0.64	25.84	0.69	38.76	1.23	33.27	0.74	21.38	0.78	10.97	0.90
12 or more times in past year	27.03	0.54	33.11	0.72	16.97	0.65	44.74	1.39	30.43	0.77	17.40	0.75	9.62	0.76
Education														
11 years or less														
Not once in past year	35.72	1.24	31.60	1.48	44.44	2.03	14.44	1.99	26.55	1.84	42.90	2.44	69.16	2.83
1 to 11 times in past year	23.31	1.17	23.46	1.43	22.99	1.76	30.32	2.92	26.36	1.90	18.97	1.96	15.17	2.29
12 or more times in past year	39.80	1.37	43.64	1.64	31.69	2.15	54.12	3.20	46.56	2.08	35.66	2.47	14.89	2.10

See footnotes at end of table.

Table 1-5. Percent distribution of frequency of drinking 5 or more drinks in a single day in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
12 years														
Not once in past year	38.98	0.80	28.79	0.97	53.80	1.15	17.19	1.43	29.38	1.02	58.44	1.65	78.17	1.90
1 to 11 times in past year	30.02	0.71	30.46	0.98	29.39	1.02	39.78	2.07	34.54	1.03	21.62	1.35	10.41	1.46
12 or more times in past year	30.03	0.75	39.54	1.06	16.20	0.87	42.61	2.09	35.10	1.04	18.54	1.32	10.69	1.38
13-15 years														
Not once in past year	41.18	0.96	31.00	1.10	54.20	1.30	17.24	1.30	40.39	1.13	60.23	1.83	81.64	2.22
1 to 11 times in past year	32.47	0.78	35.04	1.11	29.19	1.07	41.05	1.78	34.73	1.01	23.56	1.64	8.89	1.71
12 or more times in past year	25.94	0.95	33.55	1.34	16.22	0.93	41.59	2.05	24.36	1.10	15.61	1.52	9.47	1.52
16 or more years														
Not once in past year	55.51	0.83	47.94	1.05	68.03	1.12	22.95	2.51	50.10	0.99	68.91	1.47	83.92	1.73
1 to 11 times in past year	28.75	0.70	32.13	0.96	23.15	0.95	37.08	3.31	33.66	0.93	20.57	1.28	10.02	1.74
12 or more times in past year	15.19	0.67	19.43	0.95	8.18	0.71	39.96	3.75	15.52	0.73	10.37	0.99	4.95	1.06
Currently Employed Full Time														
Yes														
Not once in past year	40.21	0.55	33.54	0.65	54.10	0.90	17.55	1.14	36.95	0.66	58.71	1.18	72.07	4.12
1 to 11 times in past year	32.71	0.50	33.77	0.65	30.51	0.80	40.93	1.59	35.09	0.63	23.27	0.97	14.22	3.02
12 or more times in past year	26.34	0.54	31.80	0.70	14.94	0.65	41.14	1.67	27.15	0.66	17.26	0.88	12.93	3.33
No														
Not once in past year	50.56	0.96	40.46	1.20	59.95	1.11	17.64	1.29	46.24	1.19	62.68	1.47	79.04	1.12
1 to 11 times in past year	24.35	0.63	25.51	0.97	23.27	0.80	36.93	1.54	28.79	1.01	18.16	1.12	10.66	0.93
12 or more times in past year	24.39	0.80	33.32	1.19	16.10	0.79	45.06	1.78	24.44	1.04	17.81	1.15	9.64	0.78
Personal Annual Income														
None														
Not once in past year	64.53	1.14	58.51	1.68	69.78	1.37	34.30	4.82	49.11	2.26	63.25	1.93	79.09	1.23
1 to 11 times in past year	17.09	0.78	18.42	1.24	15.92	0.97	31.74	3.78	24.19	1.70	17.37	1.47	10.45	0.96
12 or more times in past year	17.41	0.89	21.84	1.38	13.53	0.98	32.84	4.92	26.26	2.03	17.69	1.41	9.66	0.88
\$1 to \$9,999														
Not once in past year	35.14	1.13	21.90	1.30	47.76	1.46	15.29	1.15	42.26	1.58	62.43	2.84	77.66	3.00
1 to 11 times in past year	30.49	0.90	30.83	1.43	30.16	1.14	38.26	1.59	28.57	1.34	18.63	2.14	10.71	2.43
12 or more times in past year	33.76	1.21	46.58	1.71	21.54	1.25	46.12	1.79	28.38	1.46	17.86	2.25	11.14	2.20
\$10,000 to \$24,999														
Not once in past year	36.65	0.80	25.79	0.98	50.79	1.17	17.49	1.36	35.21	1.01	58.56	1.94	76.74	6.44
1 to 11 times in past year	32.05	0.79	32.19	1.14	31.87	1.07	40.33	1.93	32.50	0.97	22.97	1.60	16.60	6.35
12 or more times in past year	30.52	0.84	41.16	1.25	16.68	0.89	41.84	1.97	31.34	1.06	17.72	1.52	--	--
\$25,000 or more														
Not once in past year	45.43	0.73	39.60	0.83	62.90	1.25	18.26	3.03	39.58	0.82	59.03	1.43	74.88	4.46
1 to 11 times in past year	32.67	0.64	34.42	0.78	27.43	1.13	43.15	4.11	37.20	0.78	23.07	1.20	12.56	3.07
12 or more times in past year	21.26	0.60	25.22	0.74	9.38	0.75	38.36	4.04	22.60	0.74	17.14	1.07	12.56	3.82

See footnotes at end of table.

Table 1-5. Percent distribution of frequency of drinking 5 or more drinks in a single day in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Current/Most Recent Occupation														
Executive, administrative, managerial														
Not once in past year	52.64	1.14	47.49	1.47	61.48	1.67	17.88	3.22	46.17	1.53	64.07	2.07	76.33	2.91
1 to 11 times in past year	29.49	1.03	29.97	1.36	28.67	1.59	42.82	5.02	35.75	1.44	21.26	1.81	11.71	2.15
12 or more times in past year	17.17	0.85	21.76	1.20	9.30	1.02	39.30	5.05	17.23	1.13	14.24	1.53	10.78	2.16
Professional specialty														
Not once in past year	57.56	1.08	48.60	1.52	68.07	1.41	18.99	2.74	53.09	1.35	69.66	1.98	85.42	2.14
1 to 11 times in past year	28.03	0.94	33.37	1.40	21.76	1.20	36.01	3.62	34.12	1.29	19.77	1.74	6.69	1.56
12 or more times in past year	13.81	0.77	17.72	1.15	9.22	0.89	44.59	4.05	11.95	0.87	10.42	1.37	7.31	1.55
Technician/related support														
Not once in past year	49.56	2.33	39.90	2.95	63.33	2.98	18.22	4.41	48.52	2.99	70.47	5.34	85.58	5.19
1 to 11 times in past year	29.82	2.29	32.45	3.13	26.09	2.63	53.31	6.57	30.51	2.81	13.44	4.03	--	--
12 or more times in past year	19.53	1.81	27.10	2.82	8.74	1.65	28.47	5.31	20.05	2.39	13.15	4.13	--	--
Sales														
Not once in past year	44.63	1.27	39.20	1.77	51.72	1.82	19.81	2.23	39.39	1.65	62.64	2.39	76.61	3.60
1 to 11 times in past year	32.86	1.24	34.83	1.81	30.28	1.63	43.62	2.80	36.30	1.65	24.80	2.26	13.92	3.73
12 or more times in past year	21.72	1.01	24.73	1.37	17.80	1.47	36.19	2.73	23.28	1.43	11.61	1.49	9.47	2.13
Administrative support, including clerical														
Not once in past year	53.35	1.12	37.70	2.28	59.18	1.21	23.93	2.32	48.16	1.52	71.27	2.01	85.22	2.19
1 to 11 times in past year	29.31	0.95	32.98	2.12	27.94	1.05	45.39	2.61	33.51	1.43	18.02	1.60	8.84	1.73
12 or more times in past year	17.01	0.89	29.32	2.16	12.43	0.87	30.56	2.65	17.99	1.17	10.34	1.54	5.48	1.29
Private household														
Not once in past year	48.41	6.44	--	--	49.22	6.54	--	--	40.43	9.25	48.13	13.08	89.00	6.51
1 to 11 times in past year	20.00	4.75	--	--	20.81	4.92	--	--	22.84	7.20	--	--	--	--
12 or more times in past year	31.47	6.43	--	--	29.85	6.41	--	--	36.73	9.93	--	--	--	--
Protective service														
Not once in past year	32.04	3.09	30.85	3.31	42.21	7.26	--	--	32.60	4.63	40.29	6.76	63.31	11.18
1 to 11 times in past year	34.91	3.58	35.36	3.87	31.02	7.09	48.52	9.20	31.19	4.44	37.25	7.01	--	--
12 or more times in past year	32.64	4.05	33.33	4.33	26.77	7.22	39.71	9.35	35.70	6.06	22.46	5.57	--	--
Service, except protective and household														
Not once in past year	37.00	1.34	27.20	2.10	44.08	1.69	17.51	1.79	37.26	1.97	62.34	3.39	73.30	4.66
1 to 11 times in past year	28.20	1.22	28.13	2.01	28.25	1.57	31.49	2.38	31.23	1.76	16.38	2.44	18.89	4.45
12 or more times in past year	34.19	1.39	43.98	2.32	27.12	1.60	50.22	2.68	30.98	1.77	20.70	2.74	7.40	2.10
Farming, forestry, fishing														
Not once in past year	32.13	2.94	29.31	3.27	51.49	6.88	--	--	29.87	3.89	48.57	6.90	75.54	8.40
1 to 11 times in past year	24.46	2.47	25.09	2.71	20.14	5.57	33.79	4.97	25.56	3.96	18.87	4.58	--	--
12 or more times in past year	42.44	3.35	44.77	3.83	26.43	6.46	57.21	5.66	44.01	4.59	30.83	6.99	--	--
Precision production, craft, repair														
Not once in past year	28.74	1.13	27.86	1.17	39.77	4.43	10.76	2.15	20.78	1.25	41.52	2.82	73.33	3.71
1 to 11 times in past year	32.78	1.25	32.62	1.30	34.75	4.39	32.91	3.49	37.41	1.62	28.53	2.66	13.63	2.69
12 or more times in past year	37.31	1.25	38.24	1.33	25.48	3.46	55.13	3.73	41.09	1.68	27.39	2.38	12.32	2.55

See footnotes at end of table.

Table 1-5. Percent distribution of frequency of drinking 5 or more drinks in a single day in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Operators, fabricators, laborers														
Not once in past year	36.31	1.79	29.02	2.19	53.39	2.95	14.71	3.41	31.06	2.45	47.74	4.36	70.57	4.60
1 to 11 times in past year	27.65	1.71	28.23	2.17	26.28	2.73	39.97	4.46	28.05	2.41	24.88	4.06	13.10	3.50
12 or more times in past year	35.42	1.72	41.86	2.27	20.33	2.29	45.32	4.70	40.00	2.50	26.92	3.84	15.82	3.69
Transportation, material moving														
Not once in past year	29.99	1.97	27.62	2.00	62.30	6.79	--	--	22.13	2.35	44.42	4.32	62.97	6.20
1 to 11 times in past year	29.92	2.01	30.68	2.11	19.63	5.43	43.19	6.96	34.19	2.91	22.18	3.57	--	--
12 or more times in past year	38.31	2.13	39.80	2.20	18.07	5.22	47.71	6.88	42.21	2.96	30.01	3.73	26.53	5.80
Handlers, equipment cleaners, helpers, laborers														
Not once in past year	24.83	2.01	20.74	2.05	44.98	4.96	14.34	2.86	22.01	2.91	39.39	5.95	80.45	6.61
1 to 11 times in past year	26.64	1.97	27.25	2.30	23.60	4.46	38.19	3.86	23.68	2.59	16.12	3.82	--	--
12 or more times in past year	48.35	2.32	51.78	2.59	31.43	5.50	47.48	4.24	54.10	3.28	44.48	6.49	--	--
Military														
Not once in past year	25.38	4.34	23.63	4.57	--	--	--	--	26.76	5.57	--	--	--	--
1 to 11 times in past year	33.11	4.65	31.19	4.96	--	--	33.94	7.31	38.27	6.05	--	--	--	--
12 or more times in past year	41.51	4.59	45.18	5.00	--	--	59.40	7.64	34.97	6.10	--	--	--	--
<u>Current/Most Recent Industry</u>														
Agriculture, forestry, fisheries														
Not once in past year	37.14	3.13	31.68	3.27	58.72	6.25	13.11	4.32	34.26	4.26	49.30	6.64	72.90	8.62
1 to 11 times in past year	24.10	2.54	25.20	2.91	19.75	4.51	36.17	5.44	25.96	4.18	18.20	4.27	--	--
12 or more times in past year	37.37	3.62	41.71	3.95	20.25	5.87	50.72	6.24	39.23	5.18	29.40	6.42	--	--
Mining														
Not once in past year	49.34	6.58	41.40	7.24	79.06	8.11	--	--	33.60	7.30	69.12	12.82	83.12	10.22
1 to 11 times in past year	27.76	6.37	30.81	7.58	--	--	--	--	34.18	8.44	--	--	--	--
12 or more times in past year	22.90	5.74	27.80	6.83	--	--	--	--	32.21	9.12	--	--	--	--
Construction														
Not once in past year	26.23	1.46	24.25	1.44	46.88	5.28	12.47	2.78	18.04	1.58	45.54	3.73	69.51	6.92
1 to 11 times in past year	32.08	1.55	32.55	1.63	27.17	4.39	32.88	4.10	38.04	2.08	21.04	2.96	14.34	5.45
12 or more times in past year	40.23	1.62	41.75	1.69	24.45	4.51	53.04	4.48	42.67	2.20	31.59	3.56	14.38	3.83
Manufacturing														
Not once in past year	41.32	1.04	36.71	1.19	54.67	1.92	14.22	2.19	33.92	1.27	52.94	2.15	74.37	2.68
1 to 11 times in past year	29.63	0.93	30.16	1.08	28.06	1.77	41.33	3.15	33.17	1.27	24.42	1.83	14.10	2.25
12 or more times in past year	28.25	0.96	32.06	1.17	17.22	1.32	44.45	3.27	32.13	1.22	21.40	1.80	10.92	1.78
Transportation, communications, other public utilities														
Not once in past year	43.82	1.59	37.74	1.85	61.39	2.79	13.31	3.96	36.14	2.02	58.47	3.14	73.92	4.09
1 to 11 times in past year	29.71	1.43	30.80	1.77	26.56	2.41	48.45	7.62	34.52	1.92	21.12	2.58	9.61	2.71
12 or more times in past year	25.91	1.39	30.71	1.74	12.05	1.91	38.24	7.18	28.58	1.96	19.96	2.43	16.47	3.47
Wholesale trade														
Not once in past year	37.59	2.04	33.61	2.36	51.07	3.66	14.31	4.07	29.40	2.43	54.41	4.43	75.81	5.31
1 to 11 times in past year	32.87	1.83	32.96	2.16	32.59	3.53	41.34	6.15	37.68	2.61	26.79	3.70	--	--
12 or more times in past year	29.07	1.82	32.83	2.19	16.34	2.67	44.35	6.29	32.67	2.55	17.39	3.07	16.11	4.51

See footnotes at end of table.

Table 1-5. Percent distribution of frequency of drinking 5 or more drinks in a single day in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Retail trade														
Not once in past year	39.17	1.12	31.86	1.57	46.58	1.46	17.98	1.51	38.08	1.57	65.85	2.49	78.57	3.41
1 to 11 times in past year	31.64	0.98	32.27	1.47	31.00	1.41	38.66	1.95	34.33	1.41	18.56	2.01	13.99	3.27
12 or more times in past year	28.52	1.04	34.93	1.55	22.01	1.27	42.90	2.07	26.88	1.35	14.70	1.85	6.54	1.54
Finance, insurance, real estate														
Not once in past year	52.50	1.69	44.41	2.65	59.47	2.11	27.18	4.47	48.53	2.14	62.10	3.29	80.85	4.02
1 to 11 times in past year	30.99	1.64	32.86	2.40	29.37	2.11	38.93	5.01	35.73	2.13	24.55	2.81	11.62	3.13
12 or more times in past year	15.91	1.23	22.25	2.14	10.45	1.37	33.36	5.22	15.13	1.48	12.54	2.51	--	--
Services: business and repair														
Not once in past year	38.33	1.67	32.66	1.99	48.76	2.78	12.34	2.76	34.42	2.12	58.15	4.07	75.08	4.89
1 to 11 times in past year	32.39	1.72	32.77	2.14	31.70	2.58	33.52	4.31	37.23	2.19	24.60	3.97	--	--
12 or more times in past year	28.84	1.59	34.14	2.08	19.08	2.28	53.84	4.55	27.82	2.08	16.86	2.80	15.92	4.05
Services: personal														
Not once in past year	48.16	3.00	41.92	5.36	51.47	2.89	21.34	5.15	45.77	3.57	65.34	5.11	86.58	3.98
1 to 11 times in past year	24.86	2.02	23.22	3.99	25.73	2.38	31.09	4.97	29.31	2.89	17.73	4.16	--	--
12 or more times in past year	26.57	3.30	34.86	6.97	22.17	2.36	46.17	7.27	24.75	3.39	16.93	3.79	--	--
Services: entertainment and recreation														
Not once in past year	33.09	2.70	27.42	3.30	44.85	4.74	15.71	3.14	35.40	4.12	56.32	7.42	79.06	8.09
1 to 11 times in past year	30.83	2.85	33.00	3.51	26.33	4.59	38.53	5.45	30.94	3.97	18.55	5.86	--	--
12 or more times in past year	35.52	3.04	39.16	3.82	27.96	5.04	45.17	5.39	32.85	4.58	25.13	7.02	--	--
Services: professional and related														
Not once in past year	57.01	0.96	44.39	1.58	65.12	1.03	20.55	2.15	53.98	1.21	70.98	1.64	85.36	1.74
1 to 11 times in past year	26.62	0.79	31.27	1.40	23.63	0.90	42.41	2.63	30.42	1.09	17.79	1.37	8.04	1.30
12 or more times in past year	15.65	0.72	23.79	1.41	10.42	0.68	37.04	2.87	14.66	0.91	10.63	1.20	5.76	1.15
Public administration														
Not once in past year	47.40	2.10	38.96	2.63	64.75	2.61	17.61	4.45	43.33	3.10	54.64	3.82	74.05	4.36
1 to 11 times in past year	30.83	1.94	34.07	2.66	24.17	2.50	49.36	7.25	32.07	2.64	28.62	3.62	14.87	3.86
12 or more times in past year	21.14	2.18	26.25	3.04	10.65	1.76	33.03	6.81	24.05	3.61	15.85	2.55	10.16	2.65
Military														
Not once in past year	28.44	4.60	27.49	5.02	--	--	--	--	28.88	5.94	--	--	--	--
1 to 11 times in past year	32.51	4.40	31.07	4.70	--	--	33.76	7.27	37.69	5.67	--	--	--	--
12 or more times in past year	39.04	4.37	41.44	4.80	--	--	59.09	7.60	33.43	5.66	--	--	--	--
Smoked Any Cigarettes in Last Year														
Yes														
Not once in past year	31.29	0.65	24.11	0.75	42.14	1.05	11.32	1.03	27.88	0.82	49.71	1.55	65.01	2.92
1 to 11 times in past year	31.05	0.64	30.17	0.92	32.39	0.92	34.68	1.62	33.93	0.87	24.07	1.22	15.51	2.39
12 or more times in past year	36.84	0.74	44.59	0.98	25.12	0.96	53.49	1.75	37.46	0.90	24.91	1.32	18.67	2.14
No														
Not once in past year	52.14	0.62	42.82	0.79	66.32	0.81	22.57	1.25	47.28	0.77	65.63	1.11	82.34	1.10
1 to 11 times in past year	28.64	0.52	32.00	0.67	23.54	0.74	42.16	1.47	33.24	0.71	20.13	0.97	9.63	0.93
12 or more times in past year	18.55	0.49	24.53	0.69	9.45	0.50	35.00	1.61	18.74	0.64	13.47	0.79	7.40	0.74

See footnotes at end of table.

Table 1-5. Percent distribution of frequency of drinking 5 or more drinks in a single day in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Smoked 100 or More Cigarettes in Life</u>														
Yes														
Not once in past year	40.97	0.61	34.13	0.68	52.02	0.93	12.26	1.01	33.04	0.75	55.54	1.12	75.63	1.39
1 to 11 times in past year	29.11	0.50	29.65	0.70	28.23	0.73	35.31	1.60	33.86	0.73	23.91	0.91	12.67	1.15
12 or more times in past year	29.09	0.60	35.19	0.78	19.23	0.72	51.96	1.73	32.28	0.78	19.45	0.86	11.06	0.95
No														
Not once in past year	48.73	0.75	37.97	0.96	63.65	0.96	22.41	1.28	47.52	0.90	70.96	1.61	85.05	1.55
1 to 11 times in past year	30.26	0.65	33.88	0.87	25.24	0.87	42.06	1.54	33.08	0.85	15.74	1.29	6.98	1.08
12 or more times in past year	20.44	0.61	27.64	0.89	10.48	0.62	35.24	1.66	18.78	0.71	12.66	1.20	7.23	1.15
<u>Any Depression in Past Year</u>														
Yes														
Not once in past year	26.15	1.83	22.48	2.44	30.22	2.43	9.88	1.99	30.24	2.59	53.52	6.25	--	--
1 to 11 times in past year	36.76	2.00	31.42	2.79	42.68	2.73	43.00	3.65	35.25	2.49	26.94	5.48	--	--
12 or more times in past year	37.00	2.17	45.93	3.10	27.09	2.54	47.12	3.82	34.36	2.74	19.54	4.42	--	--
No														
Not once in past year	44.84	0.52	36.09	0.61	58.30	0.72	18.24	0.91	39.68	0.62	60.20	0.93	78.71	1.08
1 to 11 times in past year	29.28	0.40	31.29	0.55	26.18	0.58	38.51	1.16	33.44	0.56	21.40	0.75	10.88	0.89
12 or more times in past year	25.14	0.47	31.77	0.63	14.93	0.51	42.85	1.31	26.11	0.59	17.41	0.71	9.74	0.76
<u>Any Depression in Life</u>														
Yes														
Not once in past year	34.76	1.25	26.62	1.57	43.28	1.66	15.18	1.83	35.21	1.65	58.40	2.97	64.26	9.84
1 to 11 times in past year	34.81	1.24	33.23	1.73	36.46	1.67	41.59	2.71	35.44	1.60	23.78	2.53	--	--
12 or more times in past year	29.90	1.31	39.56	2.00	19.77	1.38	42.91	2.79	28.89	1.70	16.62	2.43	--	--
No														
Not once in past year	45.27	0.53	36.56	0.63	59.15	0.74	18.06	0.96	39.85	0.65	60.23	0.96	78.84	1.08
1 to 11 times in past year	28.91	0.42	31.09	0.57	25.45	0.61	38.32	1.22	33.25	0.59	21.31	0.79	10.62	0.85
12 or more times in past year	25.07	0.48	31.49	0.64	14.83	0.53	43.22	1.33	26.13	0.61	17.52	0.73	9.86	0.77
<u>Alcohol Use Disorder in Past Year</u>														
None														
Not once in past year	51.80	0.51	43.28	0.66	63.61	0.68	25.85	1.16	46.10	0.67	64.59	0.93	80.04	1.05
1 to 11 times in past year	29.83	0.44	32.94	0.60	25.52	0.60	45.86	1.38	34.17	0.62	21.05	0.76	10.52	0.88
12 or more times in past year	17.59	0.41	22.88	0.59	10.26	0.42	27.86	1.32	18.99	0.56	13.31	0.64	8.76	0.73
Abuse														
Not once in past year	6.37	0.79	4.94	0.84	10.44	1.80	2.15	0.74	7.05	1.12	11.84	3.00	--	--
1 to 11 times in past year	34.05	1.49	30.25	1.76	44.87	2.75	33.50	3.33	36.14	1.86	26.77	4.45	--	--
12 or more times in past year	59.01	1.55	64.16	1.83	44.36	2.78	64.23	3.33	55.85	1.96	61.40	4.88	--	--
Dependence														
Not once in past year	5.12	0.67	4.09	0.83	7.47	1.13	2.30	0.60	5.11	1.04	12.10	2.51	--	--
1 to 11 times in past year	24.28	1.25	20.39	1.51	33.11	2.11	21.01	2.17	26.01	1.64	26.06	3.89	--	--
12 or more times in past year	70.18	1.34	75.04	1.67	59.18	2.17	76.30	2.24	68.34	1.78	61.83	4.14	56.31	9.07

See footnotes at end of table.

Table 1-5. Percent distribution of frequency of drinking 5 or more drinks in a single day in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
Not once in past year	64.26	0.69	57.18	1.01	71.59	0.81	34.69	1.63	60.61	0.93	80.60	1.15	91.29	1.19
1 to 11 times in past year	28.91	0.61	34.72	0.90	22.90	0.76	52.88	1.76	32.11	0.81	15.29	1.03	6.51	1.11
12 or more times in past year	6.33	0.34	7.65	0.55	4.95	0.36	12.43	1.26	6.69	0.45	3.51	0.50	1.62	0.45
Moderate drinker														
Not once in past year	33.97	0.72	28.89	0.85	42.93	1.13	8.71	0.93	26.90	0.83	53.50	1.60	80.09	1.75
1 to 11 times in past year	34.87	0.65	35.23	0.87	34.23	1.04	38.70	1.82	40.06	0.90	28.41	1.43	11.37	1.40
12 or more times in past year	30.68	0.73	35.33	0.95	22.46	0.98	52.30	1.95	32.46	0.95	17.52	1.23	8.33	1.22
Heavier drinker														
Not once in past year	15.05	0.75	11.54	0.78	26.59	1.78	--	--	7.46	0.80	25.25	1.79	47.47	2.94
1 to 11 times in past year	19.83	0.90	18.48	1.06	24.27	1.61	10.35	1.53	20.80	1.19	24.51	1.78	20.19	2.82
12 or more times in past year	64.34	1.07	69.11	1.18	48.64	2.05	87.83	1.65	70.96	1.36	49.57	2.16	31.38	2.59
<u>Usual/Heaviest Drinking Level in Past Year³</u>														
Light drinker														
Not once in past year	66.55	0.68	59.44	1.02	73.86	0.80	36.93	1.71	63.33	0.95	81.51	1.16	91.67	1.22
1 to 11 times in past year	27.91	0.62	33.84	0.94	21.81	0.76	52.39	1.81	30.99	0.87	14.95	1.07	6.37	1.14
12 or more times in past year	5.10	0.31	6.33	0.49	3.84	0.33	10.68	1.19	5.21	0.41	2.96	0.47	1.44	0.45
Moderate drinker														
Not once in past year	35.61	0.76	30.32	0.88	44.38	1.13	9.84	1.00	28.47	0.85	56.55	1.57	81.22	1.77
1 to 11 times in past year	36.30	0.65	37.12	0.87	34.94	1.03	43.20	1.81	41.34	0.88	27.75	1.36	11.66	1.49
12 or more times in past year	27.61	0.72	32.04	0.94	20.27	0.93	46.68	1.91	29.63	0.90	15.14	1.15	6.99	1.11
Heavier drinker														
Not once in past year	15.68	0.69	12.15	0.73	26.47	1.59	1.26	0.43	8.21	0.73	26.38	1.69	50.24	2.73
1 to 11 times in past year	20.31	0.84	18.89	0.98	24.64	1.48	10.51	1.43	21.86	1.13	25.26	1.75	18.83	2.53
12 or more times in past year	63.41	1.03	68.29	1.14	48.47	1.87	87.48	1.55	69.41	1.28	47.82	2.07	30.06	2.50
<u>Drinking Enough to Feel Drunk</u>														
Not once in past year														
Not once in past year	69.27	0.56	61.21	0.81	79.71	0.64	52.13	2.25	64.65	0.83	72.57	0.98	83.61	1.01
1 to 11 times in past year	19.20	0.45	23.19	0.65	14.02	0.58	32.11	2.31	22.85	0.68	16.57	0.77	8.16	0.81
12 or more times in past year	11.05	0.40	15.12	0.62	5.78	0.40	15.77	1.75	11.96	0.57	10.32	0.69	7.85	0.76
1 to 11 times in past year														
Not once in past year	18.21	0.55	12.28	0.65	27.75	1.00	11.72	0.99	18.88	0.69	23.87	1.74	37.19	4.62
1 to 11 times in past year	51.40	0.70	50.94	0.94	52.13	1.11	55.17	1.53	51.76	0.86	44.02	2.04	44.29	4.92
12 or more times in past year	30.03	0.68	36.32	0.94	19.91	0.94	32.86	1.49	28.90	0.84	32.00	1.92	18.19	3.19
12 or more times in past year														
Not once in past year	5.28	0.54	3.82	0.53	9.43	1.26	2.71	0.60	5.35	0.74	11.71	2.67	29.51	8.15
1 to 11 times in past year	13.82	1.00	12.15	1.19	18.54	1.74	15.37	1.83	13.44	1.21	10.30	2.23	--	--
12 or more times in past year	80.34	1.12	83.39	1.31	71.71	2.07	81.49	1.90	80.83	1.42	75.87	3.33	63.51	8.47

See footnotes at end of table.

Table 1-5. Percent distribution of frequency of drinking 5 or more drinks in a single day in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Driving After Drinking</u>														
Not once in past year	49.34	0.51	41.02	0.64	61.01	0.71	21.56	1.02	44.48	0.65	63.52	0.90	79.26	1.08
Not once in past year	29.56	0.43	32.02	0.58	26.12	0.61	42.87	1.27	33.61	0.59	21.07	0.75	10.73	0.89
1 to 11 times in past year	20.45	0.42	26.25	0.59	12.32	0.47	35.15	1.33	21.20	0.55	14.67	0.65	9.52	0.76
12 or more times in past year														
1 or 2 times in past year	7.35	0.82	5.93	0.96	10.88	1.54	3.66	1.22	7.37	0.98	11.77	3.10	--	--
Not once in past year	36.87	1.69	33.88	2.05	44.32	2.91	34.60	3.78	39.37	2.11	31.00	4.58	--	--
1 to 11 times in past year	55.60	1.80	60.00	2.16	44.64	2.95	61.59	3.78	53.03	2.23	57.23	5.21	--	--
12 or more times in past year														
3 or more times in past year	2.24	0.43	1.46	0.40	4.95	1.33	--	--	2.47	0.56	--	--	--	--
Not once in past year	22.13	1.49	20.52	1.83	27.70	3.14	13.40	2.16	26.06	1.92	27.02	6.66	--	--
1 to 11 times in past year	75.22	1.56	77.48	1.89	67.34	3.32	86.15	2.19	70.75	1.99	67.62	6.70	--	--
12 or more times in past year														
<u>Getting into Situation that Could Be Harmful</u>														
Not once in past year	46.16	0.50	37.89	0.61	58.17	0.70	20.00	0.94	40.82	0.62	60.95	0.91	79.15	1.08
Not once in past year	30.05	0.42	32.17	0.57	26.98	0.58	41.92	1.18	34.12	0.57	21.44	0.75	10.86	0.89
1 to 11 times in past year	23.18	0.43	29.27	0.60	14.34	0.48	37.78	1.22	24.41	0.57	16.89	0.71	9.50	0.74
12 or more times in past year														
At least once in past year	4.15	0.88	3.11	0.82	8.40	2.81	2.21	0.76	4.84	1.48	--	--	--	--
Not once in past year	20.97	1.76	19.06	1.89	28.69	3.77	19.65	2.73	21.56	2.29	27.68	7.04	--	--
1 to 11 times in past year	74.12	1.96	77.08	2.11	62.10	4.18	77.53	2.89	72.59	2.55	58.06	7.46	--	--
12 or more times in past year														
<u>Age Started Drinking</u>														
16 years or younger	26.62	0.80	22.07	0.89	35.70	1.42	11.82	1.08	26.06	0.95	47.01	2.42	64.69	3.63
Not once in past year	34.87	0.78	33.67	1.01	37.25	1.38	35.02	1.64	38.18	1.01	27.51	2.14	16.63	2.97
1 to 11 times in past year	37.80	0.96	43.45	1.17	26.54	1.26	52.77	1.83	35.07	1.11	23.91	2.02	18.43	2.71
12 or more times in past year														
17 or 18 years	39.76	0.86	33.27	0.97	51.74	1.33	17.43	1.34	37.94	0.99	55.18	1.89	71.69	2.68
Not once in past year	33.33	0.71	33.86	0.90	32.36	1.16	43.29	1.75	35.21	0.93	24.45	1.64	15.63	2.23
1 to 11 times in past year	26.29	0.73	32.21	0.95	15.37	0.85	39.12	1.94	26.18	0.91	19.57	1.40	11.86	1.80
12 or more times in past year														
19 or 20 years	52.79	1.07	44.31	1.54	64.57	1.47	34.43	3.04	46.23	1.48	63.41	1.97	82.35	2.28
Not once in past year	27.56	0.95	30.41	1.35	23.60	1.28	38.63	3.15	32.21	1.37	19.66	1.66	10.17	1.89
1 to 11 times in past year	19.11	0.97	24.65	1.41	11.41	1.04	26.61	2.85	20.79	1.35	16.53	1.59	7.47	1.44
12 or more times in past year														
21 years or older	63.41	0.83	53.37	1.31	72.79	0.94	27.15	3.88	53.89	1.26	68.04	1.38	85.90	1.25
Not once in past year	20.62	0.75	24.47	1.15	17.02	0.86	44.86	4.51	26.05	1.20	17.97	1.12	7.03	1.06
1 to 11 times in past year	15.70	0.68	21.92	1.11	9.89	0.68	27.99	4.34	19.73	1.07	13.73	1.02	6.88	0.96
12 or more times in past year														

See footnotes at end of table.

Table 1-5. Percent distribution of frequency of drinking 5 or more drinks in a single day in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Drinking Days of the Week in Past Year</u>														
Holidays or special occasions only														
Not once in past year	72.63	1.46	64.45	2.16	82.10	1.63	42.53	5.85	66.87	2.15	79.25	2.28	88.60	2.57
1 to 11 times in past year	22.01	1.33	28.41	2.04	14.62	1.46	44.50	5.81	27.42	2.01	16.73	2.18	7.64	2.40
12 or more times in past year	4.56	0.68	6.45	1.03	2.37	0.67	12.97	4.25	4.66	0.92	3.42	1.02	--	--
Weekends only														
Not once in past year	42.56	0.64	33.49	0.78	54.91	0.90	19.21	1.03	40.03	0.75	63.47	1.28	82.42	1.78
1 to 11 times in past year	32.93	0.55	35.30	0.76	29.70	0.76	42.94	1.32	35.22	0.68	21.97	1.15	9.72	1.47
12 or more times in past year	24.07	0.58	30.74	0.81	14.99	0.64	37.47	1.36	24.32	0.70	13.98	0.92	7.66	1.16
Weekdays/weekends														
Not once in past year	39.95	0.76	33.27	0.89	53.19	1.21	10.49	1.28	30.86	1.02	50.91	1.44	73.64	1.52
1 to 11 times in past year	25.60	0.66	25.87	0.82	25.06	1.04	27.90	2.29	31.31	0.98	22.21	1.15	12.49	1.22
12 or more times in past year	33.24	0.79	39.46	1.01	20.94	0.99	61.18	2.48	36.49	1.13	25.35	1.36	12.98	1.16
<u>Family History of Alcoholism</u>														
None														
Not once in past year	49.95	0.72	42.45	0.89	63.77	1.00	20.30	1.41	43.36	0.96	62.94	1.27	81.34	1.30
1 to 11 times in past year	25.90	0.57	27.96	0.75	22.10	0.83	37.51	1.80	30.41	0.85	19.72	1.06	8.72	0.98
12 or more times in past year	23.32	0.62	28.69	0.82	13.43	0.76	41.78	2.07	25.40	0.84	16.19	0.99	9.23	0.99
2nd degree relatives only														
Not once in past year	39.63	1.00	30.00	1.19	54.11	1.44	15.49	1.50	38.22	1.19	58.74	2.27	77.52	3.42
1 to 11 times in past year	33.76	0.85	35.37	1.18	31.34	1.21	41.55	2.22	36.21	1.20	24.15	1.84	14.56	3.10
12 or more times in past year	26.06	1.02	33.89	1.36	14.29	1.05	42.76	2.50	24.90	1.26	16.46	1.61	7.64	1.75
1st degree relatives only														
Not once in past year	42.80	1.30	33.21	1.58	56.62	1.80	17.64	3.03	37.18	1.71	52.51	2.47	69.31	2.90
1 to 11 times in past year	28.70	1.15	31.39	1.64	24.82	1.49	40.38	4.43	31.86	1.59	23.04	2.04	16.59	2.48
12 or more times in past year	27.86	1.15	34.55	1.67	18.21	1.39	41.67	4.02	30.41	1.64	23.54	2.16	13.33	2.02
Both 1st and 2nd degree relatives														
Not once in past year	37.72	0.84	26.84	1.11	49.74	1.22	15.72	1.55	34.65	1.12	59.45	1.94	74.29	3.79
1 to 11 times in past year	33.09	0.84	34.73	1.23	31.27	1.09	37.45	2.07	36.78	1.07	22.10	1.62	13.15	2.74
12 or more times in past year	28.45	0.81	37.68	1.27	18.27	0.98	46.27	2.22	27.83	1.00	17.56	1.54	11.91	2.63
<u>Any Parent Alcoholic</u>														
Yes														
Not once in past year	37.73	0.85	27.84	1.07	49.48	1.24	16.07	1.58	34.72	1.10	56.39	1.89	70.22	3.27
1 to 11 times in past year	32.02	0.80	33.14	1.13	30.69	1.07	39.60	2.18	34.12	1.02	23.68	1.57	16.11	2.57
12 or more times in past year	29.60	0.81	38.24	1.18	19.33	0.99	43.85	2.19	30.33	1.05	19.47	1.52	13.67	2.46
No														
Not once in past year	46.17	0.59	37.83	0.70	59.93	0.83	18.15	1.00	40.93	0.69	61.20	1.04	79.61	1.13
1 to 11 times in past year	28.77	0.46	30.77	0.63	25.49	0.66	38.59	1.31	33.30	0.67	20.84	0.86	10.25	0.93
12 or more times in past year	24.30	0.52	30.55	0.69	13.99	0.57	42.93	1.53	25.06	0.65	16.84	0.76	9.39	0.81

See footnotes at end of table.

Table 1-5. Percent distribution of frequency of drinking 5 or more drinks in a single day in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Married to Alcoholic/Lived with Alcoholic as Married</u>														
Yes														
Not once in past year	44.83	1.14	31.41	2.10	51.08	1.33	14.34	2.60	37.87	1.55	60.62	2.22	77.59	3.38
1 to 11 times in past year	28.29	1.06	27.36	1.91	28.72	1.23	39.18	4.49	32.47	1.40	20.29	1.83	11.25	2.86
12 or more times in past year	26.47	1.09	40.76	2.16	19.80	1.13	45.79	4.67	29.27	1.46	18.59	1.76	11.16	2.35
No														
Not once in past year	44.00	0.55	35.89	0.62	58.39	0.79	17.78	0.90	39.47	0.64	60.01	1.01	78.61	1.14
1 to 11 times in past year	29.74	0.43	31.54	0.56	26.53	0.63	38.83	1.14	33.68	0.59	21.67	0.81	10.90	0.92
12 or more times in past year	25.50	0.50	31.72	0.65	14.47	0.56	43.02	1.31	26.06	0.62	17.28	0.77	9.76	0.81
<u>Any Alcohol Treatment in Past Year</u>														
Yes														
Not once in past year	8.22	1.49	6.93	1.65	12.26	3.26	--	--	8.35	1.84	--	--	--	--
1 to 11 times in past year	24.89	2.40	22.88	2.87	31.18	5.15	21.42	4.87	26.54	3.21	26.11	6.23	--	--
12 or more times in past year	66.36	2.54	69.49	3.07	56.56	5.39	76.93	4.69	64.22	3.37	56.43	7.29	--	--
No														
Not once in past year	44.93	0.51	36.46	0.60	57.59	0.71	18.18	0.89	40.09	0.61	60.67	0.92	78.63	1.08
1 to 11 times in past year	29.68	0.40	31.54	0.55	26.90	0.58	39.49	1.14	33.71	0.56	21.44	0.74	10.96	0.88
12 or more times in past year	24.66	0.47	31.17	0.63	14.93	0.50	41.94	1.29	25.46	0.58	16.91	0.70	9.74	0.76
<u>Any Alcohol Treatment in Life</u>														
Yes														
Not once in past year	13.55	1.17	10.51	1.21	24.92	2.85	6.56	1.91	10.05	1.26	25.05	3.48	57.27	8.21
1 to 11 times in past year	28.72	1.51	27.61	1.79	32.89	3.24	25.82	3.79	31.71	2.02	25.44	3.59	--	--
12 or more times in past year	57.18	1.61	61.18	1.88	42.19	3.54	67.63	3.97	57.46	2.14	49.01	3.98	32.22	7.37
No														
Not once in past year	46.22	0.52	37.95	0.61	58.11	0.72	18.56	0.92	41.60	0.62	61.91	0.93	79.03	1.08
1 to 11 times in past year	29.63	0.41	31.64	0.56	26.75	0.58	39.99	1.19	33.67	0.57	21.29	0.76	10.94	0.90
12 or more times in past year	23.41	0.47	29.57	0.64	14.55	0.49	41.04	1.33	23.99	0.58	15.81	0.71	9.35	0.76

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-6. Percent distribution of frequency of drinking enough to feel drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Not once in past year	53.56	0.54	50.12	0.66	58.79	0.71	21.01	0.96	47.75	0.64	75.44	0.79	89.26	0.82
1 to 11 times in past year	34.34	0.42	35.11	0.57	33.16	0.61	50.04	1.13	40.74	0.60	19.35	0.70	7.88	0.74
12 or more times in past year	11.54	0.37	14.14	0.49	7.59	0.42	28.70	1.22	10.91	0.43	4.54	0.35	2.23	0.37
Race														
White														
Not once in past year	53.33	0.57	49.95	0.69	58.33	0.75	18.53	0.99	46.72	0.68	75.94	0.82	89.67	0.84
1 to 11 times in past year	34.95	0.44	35.55	0.59	34.08	0.66	52.08	1.22	42.08	0.64	19.35	0.74	7.84	0.76
12 or more times in past year	11.17	0.39	13.91	0.53	7.13	0.41	29.14	1.34	10.62	0.44	4.11	0.36	1.85	0.36
Black														
Not once in past year	58.94	1.62	53.59	2.19	68.37	1.84	42.36	3.72	56.10	2.00	74.39	2.93	84.99	3.43
1 to 11 times in past year	26.88	1.41	30.06	1.95	21.28	1.57	35.12	3.54	29.95	1.88	15.18	2.11	10.75	3.15
12 or more times in past year	13.33	1.06	15.27	1.46	9.90	1.26	22.12	3.10	13.15	1.44	9.05	1.62	--	--
American Indian/Alaska Native														
Not once in past year	30.57	5.00	24.55	6.00	38.72	6.68	--	--	40.94	6.88	--	--	--	--
1 to 11 times in past year	37.78	5.96	38.29	10.28	37.10	6.66	--	--	47.00	7.43	--	--	--	--
12 or more times in past year	31.65	7.26	37.16	10.84	24.19	7.32	62.70	9.58	--	--	--	--	--	--
Asian/Pacific Islander														
Not once in past year	57.78	3.65	58.98	4.21	54.60	7.08	29.65	7.50	61.37	4.52	76.45	7.24	--	--
1 to 11 times in past year	31.82	3.34	31.32	3.93	33.16	6.42	47.48	8.07	31.32	4.37	--	--	--	--
12 or more times in past year	9.74	2.23	9.23	2.34	--	--	--	--	6.78	1.83	--	--	--	--
Hispanic Origin														
Hispanic														
Not once in past year	52.50	1.94	49.68	2.41	58.83	2.81	29.56	3.55	52.92	2.41	70.71	4.17	76.32	9.93
1 to 11 times in past year	34.71	1.86	35.05	2.31	33.96	2.79	46.31	4.16	36.42	2.36	21.80	3.81	--	--
12 or more times in past year	12.49	1.27	15.00	1.67	6.88	1.43	24.14	3.53	10.31	1.48	6.98	2.38	--	--
Nonhispanic														
Not once in past year	53.67	0.56	50.19	0.69	58.80	0.74	19.97	0.97	47.33	0.67	75.73	0.80	89.66	0.77
1 to 11 times in past year	34.29	0.43	35.08	0.59	33.12	0.62	50.53	1.16	41.06	0.63	19.19	0.71	7.64	0.70
12 or more times in past year	11.47	0.39	14.09	0.53	7.61	0.42	29.22	1.30	10.99	0.45	4.42	0.35	2.05	0.34
Marital Status														
Married														
Not once in past year	62.96	0.58	60.38	0.75	67.17	0.85	26.72	2.43	52.96	0.80	77.25	0.94	89.54	1.07
1 to 11 times in past year	30.20	0.54	31.20	0.71	28.57	0.79	56.37	2.61	38.72	0.77	18.43	0.86	8.39	1.03
12 or more times in past year	6.36	0.34	7.90	0.50	3.84	0.36	16.76	2.40	7.91	0.51	3.62	0.40	1.67	0.41
Living with someone as if married														
Not once in past year	30.93	1.98	27.82	2.61	34.94	3.02	19.44	3.13	34.27	2.38	42.15	6.91	--	--
1 to 11 times in past year	50.93	2.08	50.77	3.04	51.14	3.19	49.35	4.38	52.89	2.54	46.78	6.93	--	--
12 or more times in past year	17.36	1.87	20.62	2.88	13.14	2.05	30.72	4.56	12.41	1.74	--	--	--	--

See footnotes at end of table.

Table 1-6. Percent distribution of frequency of drinking enough to feel drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Widowed														
Not once in past year	84.90	1.27	77.64	2.85	88.39	1.26	--	--	58.72	7.12	80.04	2.57	90.77	1.38
1 to 11 times in past year	10.95	1.07	14.37	2.23	9.31	1.16	--	--	33.09	6.89	14.61	2.20	6.08	0.99
12 or more times in past year	3.14	0.72	6.62	1.98	1.46	0.44	--	--	--	--	4.26	1.28	2.06	0.92
Divorced														
Not once in past year	53.16	1.31	48.25	1.92	58.26	1.69	22.91	6.25	43.08	1.69	68.20	2.10	81.38	3.49
1 to 11 times in past year	33.27	1.21	32.36	1.74	34.22	1.68	52.01	7.84	40.23	1.70	24.22	2.01	8.30	2.25
12 or more times in past year	12.93	0.97	19.02	1.65	6.61	0.85	25.08	6.37	15.84	1.44	7.32	1.17	9.31	2.80
Separated														
Not once in past year	47.43	2.42	42.68	3.43	52.82	3.18	22.95	6.12	43.41	3.08	65.98	4.32	75.69	9.68
1 to 11 times in past year	36.00	2.27	34.76	3.29	37.42	3.05	49.55	7.67	39.40	3.00	22.78	3.80	--	--
12 or more times in past year	15.83	1.78	21.18	2.91	9.76	1.90	27.50	6.52	16.02	2.36	11.23	2.48	--	--
Never married														
Not once in past year	30.74	0.94	28.17	1.11	35.38	1.41	19.94	1.10	37.47	1.22	73.86	3.13	91.48	2.79
1 to 11 times in past year	44.87	0.87	44.14	1.19	46.20	1.34	48.32	1.30	44.59	1.26	16.30	2.68	--	--
12 or more times in past year	23.75	0.99	26.85	1.21	18.17	1.34	31.47	1.45	16.87	0.97	9.83	2.01	--	--
Ever Raised Children														
Yes														
Not once in past year	63.32	0.54	60.05	0.72	67.93	0.73	29.08	2.20	52.01	0.78	76.08	0.84	89.33	0.91
1 to 11 times in past year	28.64	0.49	29.84	0.66	26.95	0.68	46.92	2.51	37.97	0.73	19.13	0.75	7.89	0.83
12 or more times in past year	7.50	0.32	9.55	0.47	4.60	0.34	23.79	2.19	9.49	0.52	4.20	0.36	2.20	0.42
No														
Not once in past year	35.59	0.79	33.28	0.95	39.61	1.16	19.41	1.02	39.93	0.95	69.61	2.35	88.82	1.82
1 to 11 times in past year	44.83	0.72	44.05	0.98	46.19	1.09	50.66	1.27	45.83	0.96	21.37	2.08	7.84	1.57
12 or more times in past year	18.98	0.76	21.91	0.95	13.86	0.98	29.67	1.37	13.51	0.66	7.63	1.44	--	--
Children Under 14 Living in Household														
Yes														
Not once in past year	54.36	0.77	51.14	1.04	58.40	1.05	31.28	2.72	53.19	0.86	74.36	2.24	90.63	5.79
1 to 11 times in past year	36.95	0.73	38.22	1.04	35.37	1.04	49.17	2.90	38.39	0.81	21.05	2.08	--	--
12 or more times in past year	8.20	0.43	10.06	0.65	5.86	0.50	19.25	2.36	7.86	0.45	4.43	0.89	--	--
No														
Not once in past year	53.21	0.66	49.72	0.79	58.98	0.88	19.63	0.99	42.65	0.85	75.62	0.85	89.23	0.83
1 to 11 times in past year	33.20	0.51	33.90	0.68	32.03	0.72	50.15	1.22	42.94	0.82	19.07	0.76	7.97	0.75
12 or more times in past year	12.99	0.47	15.73	0.61	8.48	0.56	29.97	1.32	13.75	0.63	4.55	0.38	2.15	0.36
Education														
11 years or less														
Not once in past year	53.95	1.27	53.67	1.55	54.53	2.00	22.30	2.36	43.62	2.12	69.16	2.40	89.07	1.99
1 to 11 times in past year	27.59	1.07	26.43	1.33	30.05	1.83	44.15	2.90	34.51	1.90	19.25	1.96	6.20	1.68
12 or more times in past year	17.66	1.01	19.08	1.24	14.65	1.65	32.89	2.79	21.13	1.92	10.52	1.31	3.99	1.23

See footnotes at end of table.

Table 1-6. Percent distribution of frequency of drinking enough to feel drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
12 years														
Not once in past year	51.65	0.80	45.99	1.08	59.88	1.16	22.97	1.58	42.79	1.09	74.94	1.43	88.75	1.45
1 to 11 times in past year	34.47	0.74	35.88	0.99	32.42	1.15	48.95	1.96	42.08	1.05	19.11	1.29	8.03	1.29
12 or more times in past year	13.19	0.56	17.29	0.83	7.23	0.64	27.75	1.75	14.43	0.79	5.12	0.70	2.29	0.66
13-15 years														
Not once in past year	47.81	1.05	43.06	1.27	53.88	1.34	18.82	1.37	46.91	1.15	72.80	1.74	90.69	1.69
1 to 11 times in past year	38.88	0.80	40.15	1.19	37.26	1.02	50.47	1.85	43.41	1.14	22.64	1.65	8.02	1.60
12 or more times in past year	12.94	0.84	16.37	1.12	8.56	0.89	30.54	2.00	9.38	0.89	3.71	0.65	--	--
16 or more years														
Not once in past year	60.98	0.85	58.46	1.09	65.15	1.16	23.28	2.68	53.71	0.99	80.28	1.24	88.87	1.65
1 to 11 times in past year	32.67	0.76	34.11	0.98	30.27	1.08	56.30	3.24	39.37	0.95	17.44	1.18	9.06	1.52
12 or more times in past year	5.85	0.44	6.93	0.62	4.06	0.50	20.42	3.21	6.24	0.48	2.07	0.38	--	--
Currently Employed Full Time														
Yes														
Not once in past year	50.86	0.59	48.63	0.73	55.50	0.91	21.35	1.29	46.85	0.74	74.87	0.99	80.87	3.57
1 to 11 times in past year	37.76	0.57	37.74	0.70	37.79	0.87	52.65	1.62	41.84	0.70	20.68	0.91	15.87	3.23
12 or more times in past year	10.79	0.39	12.95	0.54	6.28	0.43	25.84	1.55	10.62	0.48	3.85	0.41	--	--
No														
Not once in past year	58.06	0.99	53.60	1.31	62.20	1.08	20.70	1.36	50.47	1.23	76.52	1.29	89.96	0.86
1 to 11 times in past year	28.66	0.67	28.98	1.03	28.35	0.86	47.61	1.58	37.42	1.17	16.85	1.17	7.22	0.78
12 or more times in past year	12.78	0.68	16.90	0.99	8.96	0.70	31.34	1.72	11.77	0.79	5.82	0.61	2.21	0.38
Personal Annual Income														
None														
Not once in past year	75.01	1.00	76.09	1.30	74.07	1.35	35.91	3.75	54.47	2.13	79.43	1.61	90.27	0.87
1 to 11 times in past year	17.17	0.82	15.22	1.14	18.88	1.10	40.81	4.71	33.72	1.93	12.88	1.34	6.68	0.77
12 or more times in past year	7.12	0.63	7.99	0.85	6.37	0.80	22.87	4.73	11.39	1.36	6.70	0.92	2.34	0.43
\$1 to \$9,999														
Not once in past year	41.28	1.22	33.56	1.56	48.62	1.44	18.64	1.28	47.65	1.53	77.64	2.18	89.16	2.19
1 to 11 times in past year	37.46	0.89	37.23	1.48	37.69	1.19	47.93	1.66	36.91	1.49	17.39	2.00	6.89	1.68
12 or more times in past year	20.67	1.14	28.48	1.68	13.22	1.09	33.14	1.75	14.45	1.19	4.62	1.01	--	--
\$10,000 to \$24,999														
Not once in past year	46.21	0.86	40.34	1.15	53.85	1.20	21.06	1.55	45.39	1.13	72.62	1.70	85.70	6.32
1 to 11 times in past year	39.70	0.87	40.21	1.17	39.04	1.18	53.12	1.89	41.25	1.12	22.46	1.59	--	--
12 or more times in past year	13.67	0.67	19.06	1.06	6.66	0.54	25.61	1.73	12.81	0.85	4.67	0.80	--	--
\$25,000 or more														
Not once in past year	56.12	0.73	54.21	0.87	61.86	1.24	23.23	3.26	48.34	0.88	74.68	1.20	80.90	4.05
1 to 11 times in past year	36.17	0.68	36.91	0.82	33.96	1.19	59.82	3.94	42.67	0.83	20.89	1.10	18.69	4.04
12 or more times in past year	7.11	0.36	8.17	0.45	3.92	0.48	16.95	2.93	8.45	0.49	3.62	0.45	--	--

See footnotes at end of table.

Table 1-6. Percent distribution of frequency of drinking enough to feel drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Current/Most Recent Occupation														
Executive, administrative, managerial														
Not once in past year	61.01	1.10	60.70	1.45	61.54	1.62	19.59	4.06	52.01	1.54	77.29	1.66	87.19	2.21
1 to 11 times in past year	32.33	1.04	31.62	1.38	33.56	1.57	58.83	4.83	39.87	1.45	20.28	1.62	10.80	2.08
12 or more times in past year	6.17	0.51	7.27	0.70	4.29	0.70	21.57	3.76	7.37	0.77	2.23	0.50	--	--
Professional specialty														
Not once in past year	61.91	1.03	59.24	1.51	65.05	1.41	18.37	2.81	55.66	1.32	79.75	1.74	88.92	2.14
1 to 11 times in past year	32.22	0.95	34.15	1.45	29.94	1.29	58.92	3.83	38.85	1.30	17.44	1.65	9.28	1.97
12 or more times in past year	5.52	0.51	6.45	0.73	4.42	0.67	22.30	3.56	5.06	0.58	2.66	0.64	--	--
Technician/related support														
Not once in past year	55.08	2.19	50.12	3.01	62.14	3.13	25.39	4.94	51.71	2.71	81.18	4.39	95.11	2.87
1 to 11 times in past year	34.91	2.02	35.36	2.72	34.26	3.07	50.63	5.04	39.45	2.65	15.07	4.08	--	--
12 or more times in past year	9.82	1.44	14.32	2.26	3.42	1.15	23.98	4.94	8.65	1.70	--	--	--	--
Sales														
Not once in past year	52.69	1.33	51.41	1.81	54.35	1.83	23.47	2.44	46.15	1.71	75.32	2.20	88.28	3.06
1 to 11 times in past year	37.08	1.19	37.25	1.68	36.85	1.69	55.55	2.67	43.55	1.67	20.16	2.04	9.96	3.02
12 or more times in past year	9.29	0.71	9.84	0.92	8.57	1.11	20.72	2.26	9.10	0.98	3.48	0.70	--	--
Administrative support, including clerical														
Not once in past year	56.72	1.14	47.05	2.30	60.32	1.23	20.82	2.17	52.16	1.62	76.33	2.09	92.17	1.61
1 to 11 times in past year	34.64	1.05	36.36	2.21	33.99	1.16	56.34	2.73	40.36	1.54	19.96	1.97	5.57	1.40
12 or more times in past year	8.33	0.65	16.10	1.72	5.43	0.53	22.84	2.38	7.24	0.76	3.16	0.87	--	--
Private household														
Not once in past year	57.88	6.33	--	--	59.07	6.36	--	--	50.57	9.08	70.11	11.44	96.29	3.11
1 to 11 times in past year	22.29	5.02	--	--	20.30	4.64	--	--	25.12	7.58	--	--	--	--
12 or more times in past year	19.30	6.07	--	--	20.08	6.26	--	--	--	--	--	--	--	--
Protective service														
Not once in past year	49.19	3.81	49.05	4.11	50.36	7.68	21.54	5.54	49.62	5.52	67.17	6.52	73.46	11.35
1 to 11 times in past year	33.49	3.36	33.51	3.62	33.29	7.37	41.96	9.09	36.89	4.79	20.40	5.19	--	--
12 or more times in past year	17.33	4.38	17.44	4.74	--	--	36.49	10.41	13.49	6.49	--	--	--	--
Service, except protective and household														
Not once in past year	44.36	1.41	37.19	2.20	49.54	1.75	17.61	1.77	44.77	1.96	81.21	2.38	87.97	3.16
1 to 11 times in past year	35.02	1.30	34.81	2.21	35.17	1.62	44.10	2.57	39.89	1.90	13.26	2.13	--	--
12 or more times in past year	20.13	1.27	27.53	2.27	14.79	1.40	37.60	2.70	14.96	1.43	4.96	1.14	--	--
Farming, forestry, fishing														
Not once in past year	48.67	3.14	48.26	3.34	51.43	7.15	21.73	4.90	47.44	4.59	68.46	6.64	91.01	4.17
1 to 11 times in past year	32.30	2.77	32.02	3.05	34.21	6.76	45.00	5.45	34.02	4.32	24.39	6.62	--	--
12 or more times in past year	17.11	2.57	18.00	2.85	--	--	33.27	6.08	15.15	3.41	--	--	--	--
Precision production, craft, repair														
Not once in past year	47.58	1.19	47.15	1.22	53.04	4.41	26.13	3.13	38.32	1.53	66.60	2.59	90.27	2.26
1 to 11 times in past year	36.82	1.15	37.08	1.21	33.59	4.20	40.70	3.51	45.23	1.63	25.05	2.44	6.63	1.71
12 or more times in past year	14.69	0.87	14.89	0.90	12.05	2.76	32.59	3.16	15.57	1.24	6.95	1.43	--	--

See footnotes at end of table.

Table 1-6. Percent distribution of frequency of drinking enough to feel drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Operators, fabricators, laborers														
Not once in past year	51.42	1.94	46.18	2.31	63.70	3.03	18.61	3.64	43.09	2.63	76.47	3.54	87.38	3.30
1 to 11 times in past year	32.58	1.80	34.32	2.18	28.49	2.90	45.82	4.58	41.25	2.60	14.11	2.90	9.38	3.01
12 or more times in past year	15.62	1.45	19.13	1.88	7.41	1.63	35.57	4.55	15.17	2.17	9.08	2.20	--	--
Transportation, material moving														
Not once in past year	48.18	2.10	47.68	2.18	55.06	7.24	10.03	3.62	40.60	2.88	69.43	3.68	83.15	4.70
1 to 11 times in past year	36.14	1.97	36.34	2.06	33.31	6.59	57.19	6.51	43.81	2.84	19.92	3.03	--	--
12 or more times in past year	14.84	1.53	15.07	1.59	--	--	32.78	6.21	15.60	2.12	8.06	2.23	--	--
Handlers, equipment cleaners, helpers, laborers														
Not once in past year	37.24	2.30	35.73	2.58	44.68	5.31	20.10	3.22	34.60	3.28	67.15	5.40	92.68	4.02
1 to 11 times in past year	36.77	2.25	35.84	2.50	41.38	5.11	47.90	4.40	36.69	3.14	22.30	4.75	--	--
12 or more times in past year	25.91	2.10	28.33	2.56	13.94	4.11	32.01	4.12	28.54	3.41	10.55	2.90	--	--
Military														
Not once in past year	35.86	4.90	34.72	5.33	--	--	--	--	38.89	6.42	--	--	--	--
1 to 11 times in past year	49.93	5.74	49.85	6.31	--	--	65.41	10.28	48.12	6.53	--	--	--	--
12 or more times in past year	14.21	3.22	15.44	3.58	--	--	--	--	--	--	--	--	--	--
<u>Current/Most Recent Industry</u>														
Agriculture, forestry, fisheries														
Not once in past year	53.33	2.90	52.18	3.40	57.90	5.89	24.74	5.45	51.08	4.53	69.45	6.02	86.01	5.02
1 to 11 times in past year	30.84	2.71	30.74	3.32	31.25	5.76	41.44	5.99	35.08	3.93	24.39	6.01	--	--
12 or more times in past year	14.63	2.07	16.15	2.47	--	--	33.82	6.32	12.57	2.92	--	--	--	--
Mining														
Not once in past year	58.34	6.36	55.25	7.29	69.91	10.48	--	--	40.79	7.88	78.86	10.30	100.00	0.00
1 to 11 times in past year	37.54	6.39	39.54	7.36	--	--	--	--	53.70	8.43	--	--	--	--
12 or more times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Construction														
Not once in past year	44.49	1.68	43.47	1.79	55.21	5.09	23.69	3.40	35.91	2.21	69.71	3.29	88.76	3.68
1 to 11 times in past year	36.89	1.65	37.11	1.80	34.68	4.95	43.00	4.16	43.90	2.26	21.95	2.87	--	--
12 or more times in past year	17.35	1.30	18.12	1.38	9.38	3.02	32.53	4.12	18.88	1.75	6.98	1.91	--	--
Manufacturing														
Not once in past year	55.22	1.09	53.88	1.25	59.11	1.92	23.00	2.77	45.47	1.43	72.69	1.96	90.14	1.82
1 to 11 times in past year	33.10	1.01	32.71	1.16	34.24	1.85	48.33	3.36	41.92	1.37	20.36	1.83	7.24	1.57
12 or more times in past year	11.07	0.67	12.79	0.83	6.11	0.89	28.68	2.96	12.15	0.99	5.78	0.88	--	--
Transportation, communications, other public utilities														
Not once in past year	55.12	1.65	53.30	2.00	60.39	2.91	13.53	3.89	45.58	2.04	76.30	2.60	87.42	2.98
1 to 11 times in past year	33.94	1.59	33.80	1.95	34.36	2.80	60.50	6.23	40.88	2.08	20.52	2.49	8.01	2.48
12 or more times in past year	10.69	0.99	12.67	1.26	5.00	1.24	25.97	5.18	13.23	1.51	2.93	0.85	--	--
Wholesale trade														
Not once in past year	48.22	2.05	46.38	2.37	54.42	3.95	16.85	4.25	39.76	2.63	69.48	4.12	87.84	3.95
1 to 11 times in past year	38.85	1.89	39.24	2.30	37.55	4.02	59.72	5.70	46.29	2.62	22.46	3.72	--	--
12 or more times in past year	12.11	1.27	13.46	1.54	7.54	2.35	23.43	4.98	13.21	1.77	6.52	2.06	--	--

See footnotes at end of table.

Table 1-6. Percent distribution of frequency of drinking enough to feel drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Retail trade														
Not once in past year	45.66	1.22	42.60	1.77	48.76	1.50	20.32	1.67	45.18	1.62	78.02	2.20	86.81	2.98
1 to 11 times in past year	37.90	1.05	37.16	1.64	38.65	1.39	47.81	1.87	42.87	1.56	17.48	2.13	10.16	2.86
12 or more times in past year	15.75	0.90	19.30	1.35	12.14	1.00	31.51	2.04	11.00	0.98	3.88	0.80	--	--
Finance, insurance, real estate														
Not once in past year	59.77	1.61	56.72	2.47	62.41	2.20	28.03	4.54	53.03	2.22	75.60	2.88	94.35	2.10
1 to 11 times in past year	33.67	1.60	35.24	2.46	32.32	2.12	56.19	5.17	40.06	2.17	21.24	2.79	--	--
12 or more times in past year	6.17	0.75	7.51	1.27	5.02	0.88	15.25	3.82	6.57	0.96	2.82	0.89	--	--
Services: business and repair														
Not once in past year	48.44	1.77	47.44	2.16	50.26	2.83	23.20	3.54	43.99	2.22	68.58	3.76	87.36	3.97
1 to 11 times in past year	38.80	1.78	38.99	2.22	38.44	2.80	43.99	4.62	45.33	2.28	24.17	3.63	--	--
12 or more times in past year	12.73	1.12	13.56	1.48	11.20	1.71	32.80	4.35	10.68	1.31	7.07	1.72	--	--
Services: personal														
Not once in past year	54.28	3.06	48.82	5.84	57.18	2.83	19.75	4.52	53.34	3.60	77.67	4.36	91.10	3.59
1 to 11 times in past year	29.80	2.15	29.45	4.68	29.98	2.50	46.97	5.82	32.62	2.99	14.47	3.66	--	--
12 or more times in past year	15.55	3.28	21.74	7.95	12.26	2.12	32.33	7.57	13.86	3.08	7.86	2.79	--	--
Services: entertainment and recreation														
Not once in past year	41.37	2.97	38.78	3.69	46.75	4.97	16.61	3.47	47.73	4.59	69.12	7.25	96.09	3.86
1 to 11 times in past year	40.88	2.96	41.30	3.73	40.00	4.78	54.33	5.24	39.71	4.35	21.66	6.64	--	--
12 or more times in past year	16.61	2.39	18.56	2.94	12.57	4.27	28.47	4.75	10.37	2.58	--	--	--	--
Services: professional and related														
Not once in past year	61.24	0.94	54.87	1.60	65.34	1.05	17.81	2.04	56.24	1.17	82.29	1.38	89.94	1.66
1 to 11 times in past year	31.13	0.81	33.99	1.41	29.28	0.96	57.02	2.99	36.77	1.11	15.46	1.30	7.71	1.51
12 or more times in past year	7.23	0.61	10.72	1.09	4.99	0.59	25.17	2.92	6.43	0.67	1.93	0.44	2.09	0.71
Public administration														
Not once in past year	57.60	2.24	55.05	2.91	62.83	2.84	22.42	5.22	51.65	3.11	70.89	3.43	83.46	3.83
1 to 11 times in past year	32.26	1.88	31.52	2.42	33.77	2.73	50.91	8.33	37.79	2.74	22.62	3.08	13.66	3.75
12 or more times in past year	9.85	2.19	13.27	3.13	2.84	1.14	26.67	8.70	10.38	3.62	6.13	1.86	--	--
Military														
Not once in past year	36.11	4.88	35.37	5.38	40.92	10.83	--	--	36.75	6.41	--	--	--	--
1 to 11 times in past year	50.55	5.40	50.20	5.94	52.79	11.21	65.07	10.27	50.98	6.24	--	--	--	--
12 or more times in past year	13.34	2.92	14.43	3.23	--	--	--	--	12.27	3.67	--	--	--	--
Smoked Any Cigarettes in Last Year														
Yes														
Not once in past year	41.93	0.78	39.28	1.03	45.95	1.03	14.88	1.13	38.17	1.01	65.46	1.46	84.33	2.16
1 to 11 times in past year	39.86	0.68	38.65	0.96	41.69	0.98	47.26	1.73	45.10	0.92	26.52	1.30	11.18	1.98
12 or more times in past year	17.64	0.68	21.41	0.95	11.94	0.77	37.51	1.90	16.13	0.77	7.34	0.69	3.98	1.04
No														
Not once in past year	60.86	0.62	56.91	0.79	66.88	0.81	25.87	1.38	54.50	0.74	80.77	0.90	90.67	0.84
1 to 11 times in past year	30.87	0.53	32.90	0.71	27.79	0.71	52.24	1.37	37.68	0.75	15.53	0.84	6.94	0.77
12 or more times in past year	7.71	0.33	9.58	0.46	4.85	0.38	21.71	1.33	7.23	0.40	3.04	0.39	1.73	0.39

See footnotes at end of table.

Table 1-6. Percent distribution of frequency of drinking enough to feel drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Smoked 100 or More Cigarettes in Life</u>														
Yes														
Not once in past year	51.97	0.64	49.88	0.80	55.35	0.88	15.85	1.15	42.70	0.85	71.80	0.98	88.27	1.04
1 to 11 times in past year	34.55	0.53	34.01	0.70	35.41	0.80	47.41	1.67	43.30	0.79	22.51	0.87	8.97	0.97
12 or more times in past year	12.89	0.48	15.43	0.64	8.78	0.56	36.41	1.86	13.41	0.61	4.98	0.41	2.11	0.44
No														
Not once in past year	55.92	0.76	50.50	1.01	63.43	0.97	25.68	1.41	54.44	0.86	84.16	1.28	91.53	1.25
1 to 11 times in past year	34.03	0.67	36.84	0.94	30.13	0.88	52.41	1.44	37.36	0.89	11.81	1.12	5.40	0.99
12 or more times in past year	9.53	0.46	12.09	0.66	5.99	0.51	21.72	1.39	7.58	0.48	3.48	0.65	2.49	0.81
<u>Any Depression in Past Year</u>														
Yes														
Not once in past year	28.47	1.85	28.59	2.67	28.33	2.38	5.83	1.47	35.32	2.73	59.92	5.93	--	--
1 to 11 times in past year	44.68	1.92	38.13	2.80	51.94	2.71	49.85	3.36	44.64	2.55	30.41	5.43	--	--
12 or more times in past year	26.70	1.90	32.99	2.83	19.72	2.21	43.84	3.39	20.03	2.55	9.67	3.27	--	--
No														
Not once in past year	54.60	0.53	50.89	0.66	60.30	0.72	22.27	1.01	48.33	0.65	75.72	0.80	89.50	0.81
1 to 11 times in past year	33.91	0.43	35.00	0.58	32.23	0.62	50.05	1.16	40.56	0.61	19.16	0.71	7.82	0.74
12 or more times in past year	10.91	0.35	13.46	0.47	6.99	0.41	27.44	1.25	10.48	0.43	4.45	0.35	2.05	0.37
<u>Any Depression in Life</u>														
Yes														
Not once in past year	37.81	1.27	34.58	1.75	41.19	1.65	13.07	1.80	39.39	1.66	63.42	3.05	81.01	6.49
1 to 11 times in past year	43.99	1.20	40.98	1.84	47.15	1.68	52.27	2.43	45.59	1.63	30.05	2.91	--	--
12 or more times in past year	17.84	1.13	23.89	1.91	11.49	1.04	34.23	2.36	14.90	1.58	5.35	1.28	--	--
No														
Not once in past year	55.54	0.55	51.75	0.67	61.59	0.75	22.56	1.05	48.96	0.67	76.46	0.80	89.46	0.82
1 to 11 times in past year	33.13	0.44	34.50	0.60	30.94	0.67	49.60	1.25	40.05	0.64	18.45	0.72	7.85	0.75
12 or more times in past year	10.75	0.36	13.12	0.46	6.97	0.44	27.62	1.35	10.33	0.41	4.47	0.37	2.06	0.37
<u>Alcohol Use Disorder in Past Year</u>														
None														
Not once in past year	62.30	0.50	60.28	0.67	65.10	0.67	30.32	1.27	55.28	0.68	80.67	0.74	90.72	0.77
1 to 11 times in past year	31.66	0.45	32.56	0.61	30.41	0.63	54.69	1.37	38.53	0.64	16.42	0.67	7.20	0.73
12 or more times in past year	5.43	0.25	6.44	0.36	4.04	0.29	14.70	1.00	5.56	0.35	2.19	0.25	1.44	0.29
Abuse														
Not once in past year	11.02	1.07	10.17	1.27	13.43	1.99	4.61	1.18	12.39	1.40	19.71	4.86	--	--
1 to 11 times in past year	54.81	1.81	53.64	2.27	58.14	2.74	43.97	3.68	60.85	2.13	58.40	5.32	--	--
12 or more times in past year	34.05	1.80	36.07	2.25	28.29	2.60	51.15	3.74	26.70	2.00	21.90	3.94	--	--
Dependence														
Not once in past year	9.18	0.85	7.74	1.05	12.47	1.38	3.14	0.78	10.09	1.31	19.57	3.02	36.61	8.47
1 to 11 times in past year	42.80	1.41	39.47	1.75	50.36	2.49	39.76	2.47	44.52	1.85	45.67	4.07	32.68	8.90
12 or more times in past year	47.56	1.47	52.44	1.82	36.51	2.50	56.96	2.50	44.68	1.89	34.39	3.65	30.70	7.57

See footnotes at end of table.

Table 1-6. Percent distribution of frequency of drinking enough to feel drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
Not once in past year	67.93	0.65	67.05	1.00	68.83	0.80	34.86	1.70	64.07	0.83	86.95	0.94	94.61	1.02
1 to 11 times in past year	29.08	0.63	29.90	0.97	28.24	0.78	57.33	1.77	33.30	0.83	11.57	0.89	4.06	0.99
12 or more times in past year	2.49	0.19	2.55	0.28	2.43	0.25	7.81	0.89	2.02	0.22	0.98	0.25	--	--
Moderate drinker														
Not once in past year	46.64	0.78	45.57	0.96	48.52	1.12	14.72	1.24	39.88	0.95	72.59	1.31	88.86	1.41
1 to 11 times in past year	41.22	0.71	41.26	0.92	41.16	1.03	53.72	1.79	49.11	0.99	24.22	1.29	9.41	1.30
12 or more times in past year	11.89	0.57	12.84	0.70	10.22	0.75	31.19	1.85	10.73	0.68	3.02	0.45	1.66	0.60
Heavier drinker														
Not once in past year	32.33	1.09	29.97	1.21	40.09	2.19	5.61	1.06	19.40	1.35	54.90	2.13	78.60	2.37
1 to 11 times in past year	32.56	1.00	32.44	1.22	32.95	1.84	26.64	2.50	41.12	1.51	29.29	1.88	13.71	2.06
12 or more times in past year	34.55	1.18	36.97	1.37	26.58	2.02	67.41	2.66	38.73	1.58	15.52	1.41	6.90	1.47
<u>Usual/Heaviest Drinking Level in Past Year³</u>														
Light drinker														
Not once in past year	69.64	0.67	68.75	1.02	70.56	0.84	36.81	1.78	66.00	0.89	87.41	0.96	94.64	1.06
1 to 11 times in past year	27.85	0.64	28.71	1.00	26.96	0.82	56.27	1.83	31.92	0.88	11.26	0.91	4.11	1.04
12 or more times in past year	2.06	0.18	2.09	0.27	2.03	0.24	6.92	0.91	1.56	0.19	0.84	0.25	--	--
Moderate drinker														
Not once in past year	47.77	0.79	46.79	0.97	49.41	1.11	15.15	1.27	41.17	0.96	74.65	1.28	89.41	1.36
1 to 11 times in past year	41.44	0.71	41.53	0.91	41.29	1.03	56.18	1.75	49.24	1.02	22.57	1.28	8.84	1.25
12 or more times in past year	10.51	0.53	11.33	0.67	9.16	0.70	28.30	1.74	9.28	0.64	2.62	0.42	1.68	0.61
Heavier drinker														
Not once in past year	32.76	1.00	30.62	1.13	39.32	1.93	6.63	1.05	20.66	1.20	55.45	2.02	79.81	2.20
1 to 11 times in past year	33.73	0.94	33.36	1.13	34.86	1.68	29.16	2.38	41.83	1.40	30.26	1.80	13.86	1.98
12 or more times in past year	33.02	1.11	35.47	1.28	25.51	1.77	63.92	2.57	36.86	1.46	14.03	1.28	5.62	1.21
<u>5 or More Drinks in a Single Day</u>														
Not once in past year														
Not once in past year	84.14	0.44	86.13	0.68	82.25	0.60	62.25	2.46	78.63	0.74	91.11	0.68	95.06	0.60
1 to 11 times in past year	14.18	0.43	12.11	0.65	16.16	0.58	33.33	2.35	19.59	0.72	7.69	0.62	3.73	0.55
12 or more times in past year	1.38	0.14	1.51	0.21	1.26	0.17	4.42	0.99	1.49	0.21	0.88	0.21	0.84	0.27
1 to 11 times in past year														
Not once in past year	34.77	0.76	37.15	0.97	30.58	1.17	17.37	1.36	32.55	0.89	58.15	1.95	66.65	4.34
1 to 11 times in past year	59.68	0.75	57.16	0.98	64.12	1.19	71.05	1.74	62.91	0.91	39.62	1.93	31.92	4.33
12 or more times in past year	5.39	0.42	5.49	0.55	5.22	0.56	11.35	1.35	4.37	0.40	2.17	0.49	--	--
12 or more times in past year														
Not once in past year	23.12	0.81	23.50	0.93	21.92	1.45	7.67	0.90	21.57	0.99	44.60	2.24	70.87	3.60
1 to 11 times in past year	40.27	0.85	39.54	1.03	42.59	1.64	38.09	1.75	44.48	1.22	35.50	2.02	14.49	2.54
12 or more times in past year	36.20	0.99	36.55	1.17	35.11	1.80	54.16	1.90	33.29	1.23	19.72	1.65	14.31	2.96

See footnotes at end of table.

Table 1-6. Percent distribution of frequency of drinking enough to feel drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Driving After Drinking														
Not once in past year	59.58	0.52	57.19	0.67	62.92	0.71	25.99	1.16	53.68	0.68	79.04	0.76	90.12	0.81
Not once in past year	32.17	0.44	32.92	0.59	31.13	0.64	52.39	1.23	38.52	0.64	17.27	0.69	7.48	0.74
1 to 11 times in past year	7.80	0.31	9.42	0.42	5.53	0.35	21.38	1.15	7.25	0.40	3.29	0.31	1.99	0.37
12 or more times in past year														
1 or 2 times in past year	10.84	1.09	10.57	1.38	11.54	1.58	--	--	11.47	1.25	21.93	5.27	43.34	12.60
Not once in past year	59.42	1.67	58.55	2.05	61.59	2.67	51.07	3.74	64.35	1.97	55.10	5.44	--	--
1 to 11 times in past year	29.49	1.58	30.54	1.93	26.87	2.51	45.64	3.69	23.91	1.85	22.97	4.05	--	--
12 or more times in past year														
3 or more times in past year	6.36	0.88	6.59	1.04	5.56	1.62	--	--	7.62	1.19	13.98	4.40	--	--
Not once in past year	41.75	1.86	38.56	2.23	52.79	3.85	31.25	3.38	44.47	2.29	59.24	6.21	--	--
1 to 11 times in past year	51.89	1.92	54.84	2.28	41.66	3.86	67.53	3.40	47.91	2.33	26.79	5.22	--	--
12 or more times in past year														
Getting into Situation that Could Be Harmful														
Not once in past year	55.96	0.52	53.19	0.65	59.98	0.70	23.59	1.03	49.58	0.64	76.41	0.77	89.84	0.80
Not once in past year	34.17	0.43	35.00	0.59	32.96	0.62	52.81	1.21	40.59	0.61	19.08	0.71	7.88	0.75
1 to 11 times in past year	9.45	0.32	11.36	0.44	6.67	0.37	23.42	1.14	9.31	0.41	4.09	0.34	1.88	0.32
12 or more times in past year														
At least once in past year	7.02	1.02	5.88	0.99	11.62	3.07	3.61	1.09	8.87	1.68	15.86	5.12	--	--
Not once in past year	39.18	2.21	38.65	2.56	41.30	4.18	33.16	3.08	44.58	2.82	47.75	8.03	--	--
1 to 11 times in past year	53.28	2.31	54.99	2.64	46.31	4.33	62.75	3.19	45.90	2.86	36.39	7.36	--	--
12 or more times in past year														
Age Started Drinking														
16 years or younger	35.30	0.89	34.71	1.04	36.49	1.46	14.80	1.17	34.92	1.06	64.38	2.32	80.39	3.39
Not once in past year	43.34	0.82	41.04	1.14	47.93	1.42	47.89	1.74	47.87	1.06	25.94	2.12	13.66	3.05
1 to 11 times in past year	20.96	0.82	23.74	1.05	15.42	1.06	37.18	1.90	16.73	0.88	9.03	1.23	5.70	1.96
12 or more times in past year														
17 or 18 years	49.80	0.88	48.19	1.09	52.77	1.20	23.02	1.54	46.04	1.01	73.34	1.63	86.81	1.89
Not once in past year	38.66	0.75	38.32	0.97	39.30	1.14	52.17	1.81	43.77	1.00	20.52	1.47	10.23	1.71
1 to 11 times in past year	11.21	0.58	13.13	0.76	7.66	0.68	24.65	1.71	9.79	0.71	5.90	0.78	2.55	0.82
12 or more times in past year														
19 or 20 years	60.60	1.11	56.99	1.53	65.61	1.53	33.09	2.96	54.07	1.47	75.61	1.97	89.69	1.90
Not once in past year	31.64	0.99	33.35	1.36	29.27	1.48	51.14	3.14	36.51	1.35	21.27	1.85	8.96	1.83
1 to 11 times in past year	7.31	0.62	9.06	0.92	4.86	0.67	15.49	2.30	8.98	0.89	2.57	0.60	--	--
12 or more times in past year														
21 years or older	73.70	0.74	70.99	1.20	76.24	0.94	29.46	3.78	63.04	1.28	81.79	1.08	93.27	0.86
Not once in past year	21.32	0.70	22.89	1.08	19.85	0.91	56.65	4.27	29.88	1.23	15.21	0.99	4.79	0.78
1 to 11 times in past year	4.50	0.36	5.69	0.60	3.39	0.44	13.89	3.66	6.37	0.66	2.66	0.46	1.66	0.44
12 or more times in past year														

See footnotes at end of table.

Table 1-6. Percent distribution of frequency of drinking enough to feel drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Drinking Days of the Week in Past Year</u>														
Holidays or special occasions only														
Not once in past year	79.02	1.22	76.38	1.85	82.07	1.60	53.58	5.97	72.05	1.84	86.93	1.84	93.95	2.24
1 to 11 times in past year	18.75	1.18	21.28	1.81	15.84	1.55	41.48	6.04	25.54	1.79	11.59	1.80	--	--
12 or more times in past year	1.79	0.37	2.03	0.53	1.52	0.53	--	--	1.89	0.55	--	--	--	--
Weekends only														
Not once in past year	50.99	0.64	47.34	0.85	55.95	0.83	22.69	1.15	48.40	0.74	77.21	1.09	89.72	1.37
1 to 11 times in past year	38.51	0.55	39.65	0.78	36.96	0.76	54.43	1.27	42.12	0.72	19.47	1.04	8.62	1.28
12 or more times in past year	10.12	0.39	12.54	0.55	6.83	0.44	22.61	1.19	9.07	0.43	2.98	0.43	--	--
Weekdays/weekends														
Not once in past year	51.94	0.81	49.24	0.99	57.29	1.26	12.84	1.37	40.41	1.15	70.25	1.33	87.76	1.17
1 to 11 times in past year	30.87	0.71	31.00	0.89	30.61	1.11	40.05	2.26	41.44	1.15	21.28	1.13	8.49	0.99
12 or more times in past year	16.28	0.69	18.83	0.89	11.23	0.90	46.89	2.43	17.11	0.97	7.31	0.68	3.10	0.61
<u>Family History of Alcoholism</u>														
None														
Not once in past year	61.38	0.70	57.83	0.87	67.91	1.04	26.47	1.63	54.38	0.98	79.58	1.08	90.12	1.03
1 to 11 times in past year	29.32	0.62	31.22	0.81	25.81	0.91	48.62	1.83	36.52	0.95	16.15	0.97	7.30	0.95
12 or more times in past year	8.55	0.44	10.17	0.61	5.56	0.53	24.65	1.83	8.27	0.55	3.35	0.47	1.84	0.44
2nd degree relatives only														
Not once in past year	47.82	1.05	43.55	1.33	54.24	1.47	17.53	1.56	45.20	1.26	74.75	1.86	91.51	1.85
1 to 11 times in past year	38.91	0.93	39.79	1.24	37.59	1.32	52.85	2.04	43.82	1.24	19.86	1.69	7.06	1.73
12 or more times in past year	12.95	0.84	16.22	1.15	8.04	0.85	29.62	2.11	10.64	1.09	4.83	0.77	--	--
1st degree relatives only														
Not once in past year	53.59	1.32	48.70	1.71	60.64	1.87	24.17	3.56	44.77	1.76	68.03	2.27	87.40	2.19
1 to 11 times in past year	34.08	1.23	35.71	1.64	31.74	1.73	49.06	4.34	41.01	1.74	25.50	2.13	9.24	1.92
12 or more times in past year	11.87	1.04	15.06	1.42	7.28	1.21	25.75	4.28	13.87	1.33	6.23	1.09	--	--
Both 1st and 2nd degree relatives														
Not once in past year	43.99	0.93	39.73	1.22	48.68	1.28	15.43	1.51	40.86	1.21	71.08	1.78	83.10	3.28
1 to 11 times in past year	39.76	0.85	38.94	1.29	40.67	1.24	49.41	2.04	44.57	1.10	22.48	1.68	10.95	2.61
12 or more times in past year	15.76	0.68	20.77	1.10	10.24	0.71	34.87	2.00	13.99	0.83	5.96	0.83	5.94	2.06
<u>Any Parent Alcoholic</u>														
Yes														
Not once in past year	45.21	0.88	41.22	1.16	49.95	1.21	18.22	1.59	41.08	1.10	69.55	1.76	85.11	2.62
1 to 11 times in past year	38.52	0.82	37.73	1.22	39.46	1.13	48.96	2.16	42.99	1.07	24.30	1.62	9.83	2.21
12 or more times in past year	15.86	0.68	20.53	1.04	10.31	0.77	32.60	2.10	15.40	0.89	5.89	0.80	4.56	1.49
No														
Not once in past year	56.29	0.61	52.65	0.73	62.28	0.84	22.02	1.14	50.20	0.74	77.22	0.88	89.82	0.85
1 to 11 times in past year	32.97	0.48	34.37	0.63	30.68	0.72	50.43	1.33	39.92	0.70	17.86	0.78	7.62	0.78
12 or more times in past year	10.13	0.40	12.32	0.52	6.52	0.45	27.29	1.39	9.25	0.48	4.13	0.39	1.92	0.38

See footnotes at end of table.

Table 1-6. Percent distribution of frequency of drinking enough to feel drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Married to Alcoholic/Lived with Alcoholic as Married</u>														
Yes														
Not once in past year	49.40	1.18	43.05	2.36	52.37	1.28	19.15	3.24	39.82	1.56	69.99	2.16	86.09	2.83
1 to 11 times in past year	38.71	1.21	38.74	2.37	38.70	1.28	54.59	4.21	47.24	1.72	23.02	2.01	8.53	2.20
12 or more times in past year	11.60	0.82	18.21	1.79	8.52	0.76	25.57	3.81	12.66	1.12	6.76	1.12	5.38	2.00
No														
Not once in past year	54.09	0.58	50.57	0.68	60.34	0.82	21.12	0.98	48.93	0.70	76.23	0.83	89.59	0.86
1 to 11 times in past year	33.78	0.46	34.88	0.61	31.83	0.69	49.78	1.16	39.78	0.68	18.82	0.75	7.81	0.79
12 or more times in past year	11.53	0.40	13.88	0.51	7.37	0.48	28.87	1.25	10.65	0.47	4.21	0.37	1.91	0.37
<u>Any Alcohol Treatment in Past Year</u>														
Yes														
Not once in past year	13.89	1.98	10.94	2.07	23.14	4.79	--	--	17.73	2.87	--	--	--	--
1 to 11 times in past year	38.05	2.68	38.26	3.20	37.37	4.99	37.21	5.72	39.65	3.53	35.68	7.67	--	--
12 or more times in past year	47.31	2.78	49.81	3.31	39.49	5.12	62.26	5.71	41.36	3.55	45.15	7.26	--	--
No														
Not once in past year	54.48	0.53	51.27	0.66	59.28	0.71	21.76	0.98	48.56	0.65	76.21	0.78	89.38	0.81
1 to 11 times in past year	34.25	0.43	35.02	0.58	33.11	0.61	50.51	1.14	40.77	0.61	19.13	0.70	7.90	0.74
12 or more times in past year	10.71	0.36	13.09	0.48	7.14	0.40	27.47	1.23	10.09	0.43	3.98	0.34	2.09	0.36
<u>Any Alcohol Treatment in Life</u>														
Yes														
Not once in past year	21.45	1.38	19.27	1.56	29.60	3.14	7.83	2.14	20.20	1.76	34.26	3.66	57.92	8.13
1 to 11 times in past year	43.55	1.70	44.14	1.94	41.34	3.31	40.48	3.95	47.32	2.11	39.36	3.99	16.96	5.83
12 or more times in past year	34.50	1.57	36.10	1.81	28.53	3.43	51.68	4.03	31.85	2.04	25.65	3.16	25.12	6.86
No														
Not once in past year	55.79	0.54	52.99	0.67	59.83	0.72	22.16	1.02	49.96	0.66	77.58	0.78	90.03	0.81
1 to 11 times in past year	33.70	0.43	34.27	0.59	32.87	0.62	50.87	1.17	40.22	0.62	18.31	0.70	7.66	0.75
12 or more times in past year	9.94	0.36	12.10	0.48	6.84	0.41	26.69	1.31	9.23	0.41	3.44	0.33	1.67	0.35

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-7. Percent distribution of frequency of driving after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Not once in past year	87.52	0.33	84.76	0.46	91.71	0.36	78.60	0.97	85.93	0.41	93.27	0.48	97.93	0.34
1 or 2 times in past year	6.47	0.24	7.66	0.34	4.67	0.26	10.87	0.84	7.44	0.31	3.37	0.35	0.97	0.25
3 or more times in past year	5.13	0.21	6.61	0.31	2.89	0.23	9.83	0.72	5.80	0.27	2.27	0.30	--	--
Race														
White														
Not once in past year	87.15	0.34	84.19	0.47	91.54	0.38	77.92	1.01	85.20	0.45	93.08	0.51	98.02	0.35
1 or 2 times in past year	6.73	0.25	8.02	0.35	4.81	0.29	10.98	0.84	7.92	0.34	3.65	0.39	1.01	0.27
3 or more times in past year	5.30	0.22	6.87	0.34	2.99	0.22	10.42	0.75	6.07	0.30	2.32	0.33	--	--
Black														
Not once in past year	91.64	0.95	89.61	1.36	95.23	0.90	89.04	2.67	90.84	1.15	94.63	1.51	97.88	1.08
1 or 2 times in past year	3.89	0.78	4.84	1.14	2.23	0.69	6.96	2.45	4.33	0.86	--	--	--	--
3 or more times in past year	3.20	0.50	4.34	0.75	1.18	0.38	--	--	3.73	0.70	--	--	--	--
American Indian/Alaska Native														
Not once in past year	72.77	5.91	69.22	10.02	77.59	5.54	55.49	11.73	82.04	5.10	94.06	5.25	--	--
1 or 2 times in past year	18.66	5.82	--	--	--	--	--	--	--	--	--	--	--	--
3 or more times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Asian/Pacific Islander														
Not once in past year	93.53	2.03	94.87	1.94	89.95	5.31	83.68	7.23	96.43	1.40	94.51	5.29	--	--
1 or 2 times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
3 or more times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic Origin														
Hispanic														
Not once in past year	88.31	1.22	85.52	1.66	94.57	1.16	81.33	3.31	88.30	1.45	93.30	2.87	100.00	0.00
1 or 2 times in past year	6.36	0.98	7.92	1.35	2.86	0.81	10.19	2.81	5.90	0.98	--	--	--	--
3 or more times in past year	4.71	0.77	6.13	1.09	--	--	8.48	2.13	4.78	1.04	--	--	--	--
Nonhispanic														
Not once in past year	87.45	0.34	84.67	0.47	91.55	0.37	78.18	1.07	85.72	0.43	93.28	0.48	97.93	0.35
1 or 2 times in past year	6.51	0.24	7.70	0.34	4.77	0.27	11.05	0.90	7.59	0.32	3.30	0.34	1.01	0.27
3 or more times in past year	5.17	0.22	6.66	0.33	2.98	0.24	9.98	0.79	5.90	0.29	2.33	0.32	--	--
Marital Status														
Married														
Not once in past year	91.02	0.34	88.78	0.47	94.68	0.40	84.00	2.16	88.77	0.47	93.70	0.59	98.11	0.44
1 or 2 times in past year	4.80	0.25	5.79	0.35	3.17	0.30	7.80	1.48	6.15	0.37	3.17	0.43	1.12	0.36
3 or more times in past year	3.30	0.22	4.40	0.31	1.49	0.21	7.48	1.88	4.25	0.29	2.09	0.34	--	--
Living with someone as if married														
Not once in past year	79.41	1.95	74.37	2.99	85.93	2.26	71.10	4.70	82.01	2.19	88.39	4.13	--	--
1 or 2 times in past year	11.48	1.52	15.00	2.66	6.95	1.61	15.66	4.34	10.51	1.71	--	--	--	--
3 or more times in past year	8.59	1.32	10.64	1.85	5.95	1.64	12.36	2.88	7.26	1.45	--	--	--	--

See footnotes at end of table.

Table 1-7. Percent distribution of frequency of driving after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Widowed														
Not once in past year	96.41	0.68	93.21	1.64	97.95	0.59	--	--	92.04	5.05	96.15	1.12	97.31	0.70
1 or 2 times in past year	1.59	0.47	3.53	1.30	--	--	--	--	--	--	--	--	--	--
3 or more times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Divorced														
Not once in past year	84.18	0.97	79.50	1.57	89.04	1.06	74.72	7.04	80.43	1.43	88.94	1.26	97.94	1.03
1 or 2 times in past year	7.94	0.73	10.18	1.14	5.62	0.75	--	--	10.17	1.06	5.59	1.07	--	--
3 or more times in past year	6.57	0.72	8.67	1.24	4.38	0.65	--	--	8.50	1.06	3.87	1.09	--	--
Separated														
Not once in past year	86.91	1.64	85.24	2.50	88.80	2.03	79.46	6.17	84.83	2.12	94.31	2.02	100.00	0.00
1 or 2 times in past year	7.24	1.22	6.73	1.54	7.81	1.86	--	--	8.97	1.71	--	--	--	--
3 or more times in past year	4.96	1.07	7.42	1.92	2.17	0.65	--	--	5.10	1.34	--	--	--	--
Never married														
Not once in past year	80.30	0.78	77.59	1.05	85.20	0.95	78.45	1.17	80.62	0.95	94.87	1.55	98.44	1.10
1 or 2 times in past year	9.83	0.60	10.71	0.83	8.24	0.76	11.20	0.96	9.19	0.68	--	--	--	--
3 or more times in past year	9.15	0.53	10.92	0.75	5.95	0.68	9.80	0.78	9.31	0.73	--	--	--	--
Ever Raised Children														
Yes														
Not once in past year	90.59	0.32	88.01	0.46	94.24	0.36	82.82	1.92	87.85	0.48	93.17	0.52	98.12	0.37
1 or 2 times in past year	5.15	0.24	6.32	0.33	3.51	0.28	8.42	1.36	6.86	0.36	3.57	0.38	0.95	0.28
3 or more times in past year	3.41	0.20	4.76	0.31	1.52	0.18	7.44	1.42	4.52	0.30	2.34	0.33	--	--
No														
Not once in past year	81.86	0.63	79.25	0.85	86.42	0.76	77.76	1.11	82.41	0.71	94.16	1.26	96.64	0.93
1 or 2 times in past year	8.90	0.50	9.93	0.72	7.10	0.54	11.35	0.96	8.52	0.55	--	--	--	--
3 or more times in past year	8.29	0.42	9.74	0.57	5.76	0.59	10.31	0.79	8.14	0.50	1.60	0.54	--	--
Children Under 14 Living in Household														
Yes														
Not once in past year	88.72	0.50	85.58	0.74	92.67	0.55	87.96	1.79	88.30	0.53	91.62	1.70	100.00	0.00
1 or 2 times in past year	6.31	0.39	7.57	0.56	4.72	0.46	7.03	1.57	6.50	0.40	4.82	1.50	--	--
3 or more times in past year	4.13	0.28	5.94	0.46	1.85	0.27	4.04	1.00	4.39	0.33	2.45	0.74	--	--
No														
Not once in past year	87.00	0.41	84.45	0.57	91.22	0.45	77.34	1.07	83.72	0.60	93.54	0.49	97.88	0.35
1 or 2 times in past year	6.54	0.29	7.69	0.42	4.64	0.32	11.38	0.91	8.32	0.46	3.13	0.33	0.99	0.26
3 or more times in past year	5.57	0.27	6.86	0.38	3.42	0.32	10.61	0.78	7.11	0.41	2.24	0.34	--	--
Education														
11 years or less														
Not once in past year	87.93	0.87	86.70	1.12	90.55	1.23	77.89	2.44	85.27	1.53	92.52	1.60	98.01	0.63
1 or 2 times in past year	5.44	0.62	5.76	0.81	4.76	0.85	10.09	1.76	6.84	1.05	3.21	1.30	--	--
3 or more times in past year	5.71	0.61	6.58	0.79	3.88	0.85	11.87	1.90	7.35	1.08	2.44	0.72	--	--

See footnotes at end of table.

Table 1-7. Percent distribution of frequency of driving after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
12 years														
Not once in past year	86.19	0.55	82.46	0.84	91.62	0.61	79.23	1.67	83.51	0.80	91.96	0.95	97.83	0.61
1 or 2 times in past year	6.80	0.38	8.04	0.56	4.99	0.52	8.20	1.10	8.83	0.62	3.84	0.63	--	--
3 or more times in past year	6.03	0.40	8.33	0.62	2.69	0.36	11.56	1.46	6.91	0.55	2.80	0.66	--	--
13-15 years														
Not once in past year	85.62	0.66	81.68	0.95	90.67	0.66	77.73	1.61	85.10	0.75	92.76	1.05	98.46	0.62
1 or 2 times in past year	7.91	0.51	9.92	0.77	5.33	0.49	12.69	1.39	7.98	0.57	3.98	0.78	--	--
3 or more times in past year	5.82	0.39	7.76	0.62	3.34	0.39	8.94	0.96	6.29	0.54	2.45	0.69	--	--
16 or more years														
Not once in past year	90.65	0.45	88.93	0.63	93.50	0.57	81.50	2.55	88.87	0.60	95.28	0.68	97.76	0.83
1 or 2 times in past year	5.17	0.35	6.20	0.48	3.47	0.42	10.90	2.04	6.06	0.46	2.61	0.50	--	--
3 or more times in past year	3.29	0.28	3.94	0.38	2.22	0.38	6.84	1.50	4.00	0.39	1.58	0.45	--	--
Currently Employed Full Time														
Yes														
Not once in past year	86.32	0.38	84.31	0.51	90.53	0.48	79.12	1.32	84.98	0.49	93.14	0.60	93.63	2.24
1 or 2 times in past year	7.03	0.27	7.88	0.36	5.24	0.36	11.31	1.11	7.74	0.35	3.14	0.37	--	--
3 or more times in past year	5.70	0.26	6.82	0.36	3.36	0.31	8.65	0.87	6.40	0.34	2.64	0.42	--	--
No														
Not once in past year	89.51	0.55	85.82	0.91	92.94	0.53	78.13	1.33	88.83	0.76	93.52	0.84	98.28	0.31
1 or 2 times in past year	5.55	0.42	7.14	0.73	4.07	0.39	10.45	1.18	6.54	0.63	3.81	0.73	0.69	0.22
3 or more times in past year	4.19	0.34	6.11	0.59	2.40	0.33	10.93	1.02	3.98	0.45	1.58	0.33	--	--
Personal Annual Income														
None														
Not once in past year	95.34	0.46	93.84	0.73	96.65	0.56	87.25	2.99	92.01	1.13	95.68	0.80	98.34	0.31
1 or 2 times in past year	2.33	0.31	2.91	0.52	1.82	0.35	7.27	2.18	4.96	0.97	1.60	0.45	--	--
3 or more times in past year	1.41	0.30	1.91	0.41	0.97	0.43	--	--	2.69	0.68	1.18	0.40	--	--
\$1 to \$9,999														
Not once in past year	84.64	0.91	80.21	1.51	88.86	0.82	78.81	1.41	86.86	1.07	91.90	1.82	98.02	0.89
1 or 2 times in past year	8.23	0.73	9.68	1.22	6.84	0.63	10.57	1.16	7.65	0.89	5.10	1.60	--	--
3 or more times in past year	6.48	0.59	9.59	1.08	3.52	0.45	10.12	1.03	4.71	0.63	2.28	0.87	--	--
\$10,000 to \$24,999														
Not once in past year	84.78	0.65	81.00	0.97	89.71	0.68	76.47	1.67	84.31	0.84	94.15	0.89	97.96	1.52
1 or 2 times in past year	8.00	0.48	9.73	0.73	5.76	0.51	12.47	1.43	7.96	0.61	3.88	0.76	--	--
3 or more times in past year	6.47	0.42	8.59	0.68	3.71	0.42	10.04	1.12	7.01	0.55	1.37	0.42	--	--
\$25,000 or more														
Not once in past year	87.67	0.46	85.96	0.56	92.77	0.63	78.67	3.32	85.81	0.58	92.24	0.77	93.15	2.92
1 or 2 times in past year	6.22	0.33	7.10	0.42	3.58	0.41	8.97	2.25	7.41	0.44	3.44	0.50	--	--
3 or more times in past year	5.05	0.31	5.75	0.38	2.94	0.45	11.23	2.63	5.79	0.40	3.10	0.52	--	--

See footnotes at end of table.

Table 1-7. Percent distribution of frequency of driving after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Current/Most Recent Occupation</u>														
Executive, administrative, managerial														
Not once in past year	89.83	0.69	87.82	0.95	93.28	0.89	83.91	3.12	87.29	0.99	93.04	1.20	97.89	1.03
1 or 2 times in past year	5.29	0.52	6.01	0.71	4.06	0.71	9.26	2.65	6.55	0.74	3.32	0.84	--	--
3 or more times in past year	3.88	0.45	4.93	0.63	2.07	0.51	5.58	1.74	5.07	0.66	2.56	0.78	--	--
Professional specialty														
Not once in past year	91.23	0.60	89.09	0.92	93.74	0.72	77.60	3.41	90.52	0.75	95.23	0.90	96.53	1.28
1 or 2 times in past year	5.01	0.47	6.45	0.74	3.32	0.52	10.88	2.69	5.63	0.60	2.92	0.73	--	--
3 or more times in past year	2.88	0.36	3.38	0.54	2.29	0.47	10.76	2.47	2.86	0.43	--	--	--	--
Technician/related support														
Not once in past year	86.05	1.65	82.18	2.48	91.56	1.81	80.01	4.83	83.70	2.35	95.28	2.15	100.00	0.00
1 or 2 times in past year	7.87	1.21	10.28	1.84	4.43	1.26	13.45	4.15	8.53	1.66	--	--	--	--
3 or more times in past year	4.68	0.92	5.58	1.32	--	--	--	--	6.09	1.35	--	--	--	--
Sales														
Not once in past year	87.15	0.86	84.99	1.22	89.96	1.10	80.34	2.25	83.86	1.32	94.49	0.91	98.70	0.70
1 or 2 times in past year	7.87	0.70	9.22	1.03	6.11	0.89	13.40	2.10	9.34	1.02	3.28	0.74	--	--
3 or more times in past year	4.32	0.49	5.11	0.71	3.29	0.71	5.81	1.29	6.02	0.87	1.47	0.39	--	--
Administrative support, including clerical														
Not once in past year	89.94	0.71	82.66	1.86	92.65	0.61	82.66	2.03	88.31	1.06	95.16	1.20	97.80	0.74
1 or 2 times in past year	5.37	0.51	8.65	1.36	4.15	0.46	8.99	1.67	6.38	0.74	2.65	0.94	--	--
3 or more times in past year	4.00	0.51	7.77	1.26	2.60	0.40	7.65	1.58	4.87	0.70	--	--	--	--
Private household														
Not once in past year	90.80	3.17	--	--	90.43	3.29	--	--	92.95	3.65	100.00	0.00	96.29	3.11
1 or 2 times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
3 or more times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Protective service														
Not once in past year	87.29	2.73	86.54	3.00	93.70	4.96	71.65	9.88	91.91	1.97	85.44	4.68	100.00	0.00
1 or 2 times in past year	6.96	2.55	7.21	2.80	--	--	--	--	--	--	--	--	--	--
3 or more times in past year	4.79	1.20	5.17	1.33	--	--	--	--	4.60	1.38	--	--	--	--
Service, except protective and household														
Not once in past year	86.97	0.96	85.15	1.65	88.28	1.09	80.66	2.15	86.31	1.28	97.74	0.72	97.41	1.59
1 or 2 times in past year	6.42	0.67	6.49	1.02	6.38	0.85	9.08	1.39	7.29	0.94	--	--	--	--
3 or more times in past year	5.86	0.71	7.95	1.35	4.34	0.67	9.77	1.77	5.59	0.80	--	--	--	--
Farming, forestry, fishing														
Not once in past year	81.86	2.53	80.46	2.87	91.45	3.94	67.70	5.72	81.32	3.48	94.22	4.66	99.03	0.98
1 or 2 times in past year	6.99	1.58	7.39	1.71	--	--	13.54	4.84	7.47	1.96	--	--	--	--
3 or more times in past year	10.15	1.88	11.01	2.17	--	--	16.84	3.62	10.65	2.83	--	--	--	--
Precision production, craft, repair														
Not once in past year	82.79	1.00	82.21	1.04	90.11	2.52	71.29	3.52	80.33	1.36	89.26	2.03	98.89	0.63
1 or 2 times in past year	8.15	0.68	8.21	0.70	7.45	2.29	11.30	2.24	9.82	0.98	5.19	1.37	--	--
3 or more times in past year	8.24	0.74	8.71	0.79	--	--	17.41	2.80	9.09	1.02	3.98	1.41	--	--

See footnotes at end of table.

Table 1-7. Percent distribution of frequency of driving after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Operators, fabricators, laborers														
Not once in past year	87.07	1.26	84.14	1.59	93.93	1.48	79.94	4.06	84.11	1.85	93.29	1.69	99.19	0.58
1 or 2 times in past year	6.62	0.92	8.09	1.22	3.18	1.02	8.63	2.72	9.02	1.46	--	--	--	--
3 or more times in past year	5.36	0.80	7.02	1.11	--	--	10.16	2.89	5.90	1.17	--	--	--	--
Transportation, material moving														
Not once in past year	85.48	1.49	85.22	1.57	89.09	4.19	75.50	5.29	84.69	1.99	88.16	2.88	95.84	2.35
1 or 2 times in past year	5.78	0.96	5.94	1.01	--	--	--	--	6.33	1.41	5.63	1.88	--	--
3 or more times in past year	7.41	1.07	7.56	1.13	--	--	16.49	4.72	8.32	1.51	--	--	--	--
Handlers, equipment cleaners, helpers, laborers														
Not once in past year	78.28	2.12	77.29	2.30	83.18	4.14	72.90	3.88	79.20	2.75	81.50	7.11	96.52	3.42
1 or 2 times in past year	11.53	1.81	11.78	1.99	10.33	3.26	12.80	2.90	11.27	2.36	--	--	--	--
3 or more times in past year	9.24	1.49	10.13	1.68	--	--	12.97	3.08	8.76	2.04	--	--	--	--
Military														
Not once in past year	91.26	2.70	91.35	2.99	90.68	6.40	85.84	6.37	92.21	3.36	--	--	--	--
1 or 2 times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
3 or more times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Current/Most Recent Industry														
Agriculture, forestry, fisheries														
Not once in past year	83.17	2.33	82.59	2.56	85.44	5.45	69.72	5.41	80.41	4.19	93.72	4.31	99.04	1.01
1 or 2 times in past year	7.92	1.48	7.40	1.55	--	--	--	--	10.52	2.59	--	--	--	--
3 or more times in past year	7.92	1.83	9.39	2.28	--	--	14.46	4.16	8.52	2.67	--	--	--	--
Mining														
Not once in past year	92.61	3.60	90.64	4.55	100.00	0.00	--	--	91.01	5.69	95.63	4.68	100.00	0.00
1 or 2 times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
3 or more times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Construction														
Not once in past year	79.46	1.36	78.52	1.44	89.22	2.61	68.26	4.02	77.73	1.83	87.07	2.45	97.84	1.40
1 or 2 times in past year	9.68	0.94	10.11	1.01	--	--	11.48	2.60	11.77	1.38	5.37	1.51	--	--
3 or more times in past year	9.38	0.95	9.86	1.03	--	--	20.25	3.47	9.40	1.20	3.89	1.50	--	--
Manufacturing														
Not once in past year	87.00	0.68	84.86	0.86	93.18	0.89	76.20	2.73	84.43	0.94	91.47	1.37	98.69	0.61
1 or 2 times in past year	6.68	0.52	7.57	0.66	4.10	0.68	11.55	2.19	8.33	0.74	3.76	1.00	--	--
3 or more times in past year	5.30	0.46	6.40	0.62	2.14	0.50	10.98	1.95	6.14	0.62	3.58	0.93	--	--
Transportation, communications, other public utilities														
Not once in past year	89.05	0.95	88.02	1.18	92.00	1.44	84.09	4.15	85.40	1.40	95.65	1.26	97.27	1.42
1 or 2 times in past year	5.10	0.68	5.36	0.84	4.37	1.06	9.88	3.13	6.77	1.01	--	--	--	--
3 or more times in past year	4.47	0.65	5.32	0.83	--	--	--	--	6.55	1.03	--	--	--	--
Wholesale trade														
Not once in past year	83.33	1.56	80.67	1.92	92.33	2.03	70.72	5.33	79.18	2.25	94.44	1.66	97.34	1.61
1 or 2 times in past year	9.28	1.29	10.72	1.58	4.43	1.45	18.82	4.86	11.28	1.81	--	--	--	--
3 or more times in past year	7.01	1.06	8.12	1.35	--	--	--	--	9.53	1.60	--	--	--	--

See footnotes at end of table.

Table 1-7. Percent distribution of frequency of driving after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Retail trade														
Not once in past year	86.06	0.80	83.71	1.25	88.44	0.93	80.35	1.72	84.58	1.12	95.66	0.92	98.47	0.77
1 or 2 times in past year	7.41	0.57	8.20	0.88	6.60	0.76	10.42	1.21	8.24	0.86	2.39	0.72	--	--
3 or more times in past year	5.80	0.57	7.36	0.91	4.23	0.60	8.77	1.36	6.24	0.75	1.42	0.51	--	--
Finance, insurance, real estate														
Not once in past year	90.22	1.00	86.27	1.90	93.62	0.96	80.91	4.15	89.87	1.20	92.28	2.19	98.44	1.21
1 or 2 times in past year	6.23	0.87	8.93	1.63	3.90	0.78	15.92	4.03	5.80	0.97	4.50	1.71	--	--
3 or more times in past year	3.01	0.55	4.20	1.02	1.98	0.52	--	--	3.67	0.71	--	--	--	--
Services: business and repair														
Not once in past year	87.05	1.15	85.43	1.52	90.05	1.66	74.79	4.42	87.29	1.34	92.79	2.03	96.56	2.39
1 or 2 times in past year	6.44	0.85	6.76	1.07	5.86	1.27	10.18	2.67	6.63	1.08	--	--	--	--
3 or more times in past year	5.30	0.83	6.93	1.20	2.31	0.74	12.87	3.78	5.14	0.94	--	--	--	--
Services: personal														
Not once in past year	90.29	1.39	90.33	2.86	90.28	1.67	84.10	4.58	88.66	2.71	97.38	1.38	99.18	0.66
1 or 2 times in past year	4.51	0.96	--	--	5.78	1.35	--	--	5.50	1.54	--	--	--	--
3 or more times in past year	4.15	0.95	--	--	2.96	0.89	7.68	3.20	4.54	1.91	--	--	--	--
Services: entertainment and recreation														
Not once in past year	81.61	2.51	80.57	3.14	83.77	4.00	75.68	4.71	84.71	3.14	83.87	6.68	96.92	3.02
1 or 2 times in past year	8.97	1.91	10.06	2.41	--	--	10.67	3.45	6.95	1.99	--	--	--	--
3 or more times in past year	9.42	1.89	9.37	2.27	--	--	13.65	3.87	8.34	2.59	--	--	--	--
Services: professional and related														
Not once in past year	91.28	0.56	87.71	1.13	93.57	0.51	83.16	2.05	90.23	0.74	95.14	0.84	97.53	0.93
1 or 2 times in past year	4.91	0.41	7.00	0.85	3.56	0.38	8.16	1.70	5.69	0.55	3.07	0.71	--	--
3 or more times in past year	3.17	0.34	4.39	0.69	2.39	0.33	7.90	1.33	3.49	0.48	1.23	0.40	--	--
Public administration														
Not once in past year	89.46	1.36	87.58	1.85	93.31	1.52	74.33	8.82	89.07	1.46	92.80	1.72	96.18	1.54
1 or 2 times in past year	5.48	1.18	6.19	1.63	4.02	1.18	--	--	4.97	1.01	3.58	1.09	--	--
3 or more times in past year	4.28	0.75	5.36	1.03	--	--	--	--	5.46	1.10	--	--	--	--
Military														
Not once in past year	88.56	2.91	89.02	3.13	85.58	7.89	85.91	6.34	87.59	3.85	100.00	0.00	--	--
1 or 2 times in past year	6.43	2.17	--	--	--	--	--	--	--	--	--	--	--	--
3 or more times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<u>Smoked Any Cigarettes in Last Year</u>														
Yes														
Not once in past year	82.99	0.56	80.01	0.80	87.50	0.68	72.44	1.57	82.26	0.77	90.63	0.94	97.88	0.68
1 or 2 times in past year	8.62	0.43	9.66	0.60	7.05	0.52	13.17	1.34	9.19	0.54	5.00	0.70	--	--
3 or more times in past year	7.54	0.38	9.34	0.56	4.82	0.45	13.57	1.25	7.81	0.52	3.22	0.61	--	--
No														
Not once in past year	90.37	0.35	87.74	0.50	94.37	0.36	83.49	1.22	88.52	0.46	94.68	0.57	97.94	0.39
1 or 2 times in past year	5.12	0.25	6.41	0.36	3.17	0.27	9.04	0.93	6.21	0.36	2.50	0.41	1.02	0.30
3 or more times in past year	3.62	0.23	4.90	0.33	1.67	0.21	6.87	0.85	4.37	0.30	1.77	0.33	--	--

See footnotes at end of table.

Table 1-7. Percent distribution of frequency of driving after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Smoked 100 or More Cigarettes in Life</u>														
Yes														
Not once in past year	86.36	0.42	84.07	0.57	90.07	0.50	73.38	1.50	83.92	0.61	92.49	0.61	97.91	0.42
1 or 2 times in past year	7.00	0.32	7.83	0.43	5.65	0.39	12.78	1.26	8.53	0.45	3.79	0.46	1.00	0.32
3 or more times in past year	5.78	0.27	7.13	0.39	3.59	0.33	13.07	1.21	6.82	0.40	2.61	0.39	--	--
No														
Not once in past year	89.24	0.44	85.85	0.66	93.93	0.45	83.32	1.27	88.61	0.51	95.14	0.75	97.98	0.57
1 or 2 times in past year	5.69	0.31	7.40	0.47	3.34	0.34	9.14	0.96	5.99	0.41	2.37	0.52	--	--
3 or more times in past year	4.17	0.30	5.78	0.44	1.94	0.28	6.91	0.88	4.44	0.33	1.45	0.43	--	--
<u>Any Depression in Past Year</u>														
Yes														
Not once in past year	70.63	1.88	61.36	2.92	80.92	2.07	61.01	3.49	72.39	2.55	88.83	3.10	--	--
1 or 2 times in past year	13.18	1.43	15.07	2.07	11.09	1.78	19.11	3.15	11.15	1.73	--	--	--	--
3 or more times in past year	15.40	1.55	22.31	2.61	7.74	1.39	18.57	2.95	15.83	2.21	--	--	--	--
No														
Not once in past year	88.22	0.32	85.60	0.45	92.25	0.35	80.06	1.01	86.56	0.40	93.35	0.49	97.95	0.34
1 or 2 times in past year	6.19	0.23	7.39	0.34	4.35	0.25	10.18	0.82	7.27	0.31	3.30	0.35	0.97	0.26
3 or more times in past year	4.71	0.21	6.04	0.30	2.65	0.23	9.11	0.72	5.33	0.26	2.24	0.31	--	--
<u>Any Depression in Life</u>														
Yes														
Not once in past year	78.62	1.00	71.80	1.67	85.77	1.12	69.76	2.29	79.55	1.31	85.98	2.41	98.50	1.54
1 or 2 times in past year	10.40	0.77	11.94	1.13	8.80	1.00	14.44	1.86	9.79	0.92	7.89	1.93	--	--
3 or more times in past year	10.29	0.76	15.26	1.35	5.08	0.71	14.71	2.06	10.19	0.94	5.19	1.50	--	--
No														
Not once in past year	88.64	0.33	86.12	0.46	92.66	0.36	80.32	1.09	86.85	0.41	93.89	0.48	97.91	0.35
1 or 2 times in past year	5.98	0.24	7.21	0.35	4.01	0.24	10.17	0.88	7.10	0.32	2.99	0.34	0.99	0.26
3 or more times in past year	4.48	0.20	5.70	0.30	2.54	0.24	8.88	0.74	5.16	0.27	2.02	0.30	--	--
<u>Alcohol Use Disorder in Past Year</u>														
None														
Not once in past year	96.64	0.16	96.11	0.23	97.37	0.21	95.10	0.59	96.11	0.23	97.64	0.31	98.67	0.26
1 or 2 times in past year	2.43	0.14	2.85	0.20	1.86	0.17	4.14	0.54	2.98	0.21	1.28	0.23	--	--
3 or more times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Abuse														
Not once in past year	27.23	1.73	25.71	2.08	31.55	2.96	43.14	3.56	19.21	1.82	17.90	3.57	--	--
1 or 2 times in past year	36.33	1.75	37.38	2.09	33.34	2.49	29.25	3.52	39.43	2.03	41.49	5.81	--	--
3 or more times in past year	35.84	1.65	36.39	2.02	34.27	2.84	26.80	2.81	40.89	2.02	39.89	5.40	--	--
Dependence														
Not once in past year	52.23	1.37	48.06	1.78	61.67	2.20	50.87	2.23	49.34	1.98	64.85	3.99	78.55	7.55
1 or 2 times in past year	19.93	1.07	19.76	1.40	20.30	2.05	19.72	1.99	21.42	1.44	15.70	2.71	--	--
3 or more times in past year	27.23	1.29	31.36	1.72	17.86	1.85	28.95	2.24	28.85	1.69	18.02	3.70	--	--

See footnotes at end of table.

Table 1-7. Percent distribution of frequency of driving after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
Not once in past year	95.52	0.26	94.62	0.40	96.44	0.30	91.82	1.01	94.77	0.36	98.01	0.36	99.41	0.24
1 or 2 times in past year	3.01	0.22	3.80	0.36	2.19	0.24	6.25	0.92	3.46	0.31	1.11	0.28	--	--
3 or more times in past year	0.94	0.11	1.08	0.17	0.81	0.15	1.40	0.41	1.18	0.17	0.45	0.18	--	--
Moderate drinker														
Not once in past year	85.45	0.51	83.81	0.68	88.35	0.69	77.31	1.45	83.12	0.66	93.22	0.79	97.11	0.72
1 or 2 times in past year	8.63	0.43	9.48	0.55	7.15	0.57	13.87	1.32	9.92	0.55	3.92	0.58	--	--
3 or more times in past year	5.01	0.31	5.77	0.41	3.65	0.39	8.29	0.94	5.94	0.41	1.96	0.46	--	--
Heavier drinker														
Not once in past year	71.79	1.05	69.76	1.20	78.47	1.80	53.94	2.74	66.46	1.55	83.49	1.74	96.92	0.80
1 or 2 times in past year	10.74	0.70	11.04	0.83	9.74	1.14	14.30	1.85	13.15	1.07	7.72	1.32	--	--
3 or more times in past year	16.37	0.86	17.90	1.01	11.33	1.49	30.47	2.73	19.63	1.29	7.19	1.25	--	--
<u>Usual/Heaviest Drinking Level in Past Year³</u>														
Light drinker														
Not once in past year	95.96	0.25	94.93	0.41	97.03	0.29	92.44	1.03	95.36	0.36	98.06	0.37	99.38	0.26
1 or 2 times in past year	2.80	0.22	3.58	0.37	1.99	0.25	5.77	0.95	3.22	0.32	1.16	0.30	--	--
3 or more times in past year	0.72	0.10	1.00	0.17	0.43	0.10	1.20	0.40	0.88	0.14	--	--	--	--
Moderate drinker														
Not once in past year	86.63	0.48	85.04	0.65	89.27	0.67	79.47	1.44	84.34	0.64	94.17	0.73	97.08	0.72
1 or 2 times in past year	7.90	0.40	8.78	0.54	6.44	0.51	13.20	1.29	8.92	0.53	3.42	0.55	--	--
3 or more times in past year	4.57	0.28	5.26	0.37	3.42	0.39	6.81	0.80	5.70	0.39	1.65	0.41	--	--
Heavier drinker														
Not once in past year	72.26	0.96	70.36	1.10	78.10	1.62	55.43	2.40	67.35	1.41	83.77	1.62	97.35	0.71
1 or 2 times in past year	11.45	0.66	11.79	0.78	10.39	1.11	15.01	1.79	14.23	1.04	7.74	1.23	--	--
3 or more times in past year	15.31	0.76	16.67	0.91	11.16	1.28	28.48	2.28	17.73	1.12	6.97	1.17	--	--
<u>5 or More Drinks in a Single Day</u>														
Not once in past year														
Not once in past year	97.93	0.17	97.62	0.28	98.22	0.19	96.31	0.96	97.36	0.26	98.60	0.25	98.86	0.31
1 or 2 times in past year	1.08	0.12	1.28	0.21	0.89	0.13	2.26	0.75	1.40	0.19	0.66	0.18	--	--
3 or more times in past year	0.26	0.05	0.27	0.07	0.25	0.07	--	--	0.36	0.08	--	--	--	--
1 to 11 times in past year														
Not once in past year	87.50	0.52	86.72	0.72	88.86	0.75	86.73	1.40	86.16	0.67	91.40	1.13	96.06	1.46
1 or 2 times in past year	8.07	0.43	8.29	0.59	7.67	0.63	9.68	1.29	8.74	0.56	4.86	0.76	--	--
3 or more times in past year	3.84	0.29	4.33	0.43	2.97	0.38	3.39	0.59	4.51	0.37	2.85	0.83	--	--
12 or more times in past year														
Not once in past year	69.90	0.84	68.97	0.97	72.85	1.53	64.00	1.67	68.82	1.09	78.43	1.94	94.25	1.49
1 or 2 times in past year	14.05	0.67	14.25	0.78	13.44	1.13	15.50	1.38	14.90	0.83	11.06	1.62	--	--
3 or more times in past year	15.07	0.65	15.87	0.77	12.55	1.16	19.62	1.45	15.49	0.84	8.80	1.35	--	--

See footnotes at end of table.

Table 1-7. Percent distribution of frequency of driving after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Drinking Enough to Feel Drunk</u>														
Not once in past year														
Not once in past year	97.35	0.19	96.72	0.29	98.16	0.19	97.23	0.78	96.61	0.28	97.72	0.36	98.87	0.25
1 or 2 times in past year	1.31	0.14	1.61	0.22	0.92	0.13	--	--	1.79	0.20	0.98	0.28	0.47	0.16
3 or more times in past year	0.61	0.09	0.87	0.14	0.27	0.08	--	--	0.92	0.15	0.42	0.14	--	--
1 to 11 times in past year														
Not once in past year	82.00	0.55	79.46	0.79	86.08	0.76	82.30	1.31	81.25	0.72	83.22	1.61	92.98	2.55
1 or 2 times in past year	11.20	0.47	12.77	0.62	8.67	0.63	11.09	1.06	11.75	0.60	9.60	1.25	--	--
3 or more times in past year	6.24	0.34	7.26	0.50	4.60	0.45	6.14	0.74	6.33	0.41	6.95	1.25	--	--
12 or more times in past year														
Not once in past year	59.18	1.30	56.46	1.56	66.87	2.13	58.57	2.14	57.09	1.85	67.65	3.54	87.43	5.47
1 or 2 times in past year	16.54	0.98	16.55	1.24	16.52	1.65	17.28	1.87	16.31	1.26	17.07	2.90	--	--
3 or more times in past year	23.08	1.21	25.63	1.49	15.86	1.79	23.14	2.02	25.46	1.65	13.41	2.66	--	--
<u>Getting into Situation that Could Be Harmful</u>														
Not once in past year														
Not once in past year	90.28	0.29	88.35	0.41	93.09	0.32	83.77	0.99	88.66	0.38	94.46	0.45	98.85	0.27
1 or 2 times in past year	5.65	0.22	6.60	0.31	4.28	0.25	9.40	0.81	6.52	0.29	3.29	0.36	0.98	0.26
3 or more times in past year	3.66	0.18	4.58	0.26	2.32	0.18	6.52	0.60	4.33	0.24	1.82	0.27	--	--
At least once in past year														
Not once in past year	41.12	2.05	38.70	2.31	50.93	4.36	47.85	3.25	32.30	2.60	49.19	7.78	--	--
1 or 2 times in past year	22.93	1.77	23.39	2.02	21.06	3.38	19.87	2.71	28.08	2.52	--	--	--	--
3 or more times in past year	34.88	2.10	36.90	2.29	26.69	4.35	31.04	3.48	39.04	2.75	36.62	7.64	--	--
<u>Age Started Drinking</u>														
16 years or younger														
Not once in past year	78.57	0.74	76.41	0.98	82.87	1.05	71.31	1.63	78.21	0.97	88.49	1.81	98.49	0.59
1 or 2 times in past year	10.30	0.58	10.40	0.75	10.12	0.82	13.19	1.37	10.81	0.72	5.43	1.45	--	--
3 or more times in past year	10.35	0.58	12.41	0.79	6.24	0.73	14.58	1.34	10.32	0.69	4.93	1.16	--	--
17 or 18 years														
Not once in past year	87.57	0.52	84.91	0.70	92.47	0.59	82.42	1.38	86.32	0.70	92.73	0.84	97.56	0.77
1 or 2 times in past year	6.90	0.40	8.51	0.54	3.94	0.44	9.43	1.18	7.54	0.53	4.57	0.64	--	--
3 or more times in past year	4.79	0.30	5.71	0.43	3.09	0.37	7.84	0.96	5.21	0.42	2.22	0.56	--	--
19 or 20 years														
Not once in past year	92.20	0.62	90.76	0.90	94.19	0.72	90.23	2.29	89.93	0.90	95.29	1.00	98.29	0.68
1 or 2 times in past year	4.28	0.44	5.34	0.68	2.82	0.50	6.95	1.97	5.23	0.62	2.29	0.73	--	--
3 or more times in past year	2.65	0.39	3.30	0.58	1.76	0.37	--	--	3.98	0.64	1.40	0.57	--	--
21 years or older														
Not once in past year	94.68	0.37	92.97	0.63	96.27	0.40	90.10	2.51	92.89	0.65	95.43	0.63	98.68	0.48
1 or 2 times in past year	3.16	0.30	3.97	0.50	2.41	0.33	7.96	2.23	4.41	0.51	2.29	0.44	--	--
3 or more times in past year	1.68	0.21	2.38	0.37	1.02	0.20	--	--	2.27	0.39	1.71	0.40	--	--

See footnotes at end of table.

Table 1-7. Percent distribution of frequency of driving after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Drinking Days of the Week in Past Year</u>														
Holidays or special occasions only														
Not once in past year	96.94	0.47	96.16	0.76	97.85	0.52	96.12	2.16	95.38	0.86	98.55	0.49	98.59	0.68
1 or 2 times in past year	1.96	0.39	2.50	0.64	1.35	0.43	--	--	3.74	0.81	--	--	--	--
3 or more times in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Weekends only														
Not once in past year	88.83	0.40	86.21	0.57	92.40	0.44	82.56	1.06	88.06	0.49	94.99	0.58	98.27	0.60
1 or 2 times in past year	6.26	0.29	7.65	0.41	4.37	0.32	9.66	0.84	6.81	0.37	2.65	0.41	--	--
3 or more times in past year	4.14	0.24	5.34	0.37	2.50	0.26	7.18	0.70	4.34	0.30	1.49	0.34	--	--
Weekdays/weekends														
Not once in past year	83.04	0.57	80.43	0.77	88.20	0.76	66.51	1.97	78.98	0.89	89.80	0.98	97.56	0.49
1 or 2 times in past year	7.90	0.44	8.66	0.60	6.41	0.56	15.08	1.89	9.72	0.62	5.00	0.71	1.37	0.40
3 or more times in past year	7.95	0.43	9.63	0.58	4.63	0.53	17.59	1.64	10.26	0.68	3.70	0.65	--	--
<u>Family History of Alcoholism</u>														
None														
Not once in past year	90.66	0.43	88.71	0.59	94.27	0.53	82.97	1.48	89.03	0.60	94.41	0.67	97.83	0.45
1 or 2 times in past year	5.03	0.30	6.24	0.43	2.79	0.32	7.91	1.05	6.35	0.48	2.96	0.50	1.03	0.35
3 or more times in past year	3.23	0.26	4.01	0.35	1.79	0.38	8.31	1.23	3.58	0.35	1.26	0.34	--	--
2nd degree relatives only														
Not once in past year	86.93	0.70	83.78	0.96	91.67	0.87	79.97	2.05	85.79	0.85	94.39	0.94	97.29	0.96
1 or 2 times in past year	6.56	0.49	7.28	0.72	5.48	0.66	9.50	1.53	7.24	0.59	2.97	0.59	--	--
3 or more times in past year	5.69	0.46	7.75	0.66	2.59	0.45	9.71	1.30	6.10	0.59	1.85	0.58	--	--
1st degree relatives only														
Not once in past year	86.14	1.03	82.75	1.46	91.02	1.04	72.58	4.44	84.01	1.30	90.59	1.44	98.31	0.79
1 or 2 times in past year	7.20	0.77	8.94	1.13	4.70	0.76	18.16	4.27	8.12	0.91	3.89	0.97	--	--
3 or more times in past year	5.66	0.67	7.27	1.00	3.33	0.67	8.92	2.41	6.98	0.96	4.18	1.06	--	--
Both 1st and 2nd degree relatives														
Not once in past year	82.74	0.70	77.60	1.07	88.41	0.75	72.17	1.80	82.05	0.89	91.18	1.36	98.82	0.88
1 or 2 times in past year	8.80	0.52	10.73	0.80	6.67	0.57	14.71	1.47	9.02	0.63	4.41	1.06	--	--
3 or more times in past year	7.99	0.48	11.15	0.80	4.50	0.48	12.60	1.43	8.48	0.62	3.85	0.90	--	--
<u>Any Parent Alcoholic</u>														
Yes														
Not once in past year	82.81	0.69	77.86	1.04	88.68	0.71	71.48	2.01	82.04	0.85	90.94	1.29	97.60	1.09
1 or 2 times in past year	8.89	0.55	10.87	0.82	6.54	0.57	16.12	1.77	9.02	0.63	4.41	0.99	--	--
3 or more times in past year	7.55	0.45	10.47	0.77	4.07	0.44	11.87	1.34	8.26	0.59	3.63	0.84	--	--
No														
Not once in past year	89.06	0.35	86.73	0.48	92.91	0.41	81.17	1.11	87.36	0.44	93.97	0.53	97.97	0.36
1 or 2 times in past year	5.68	0.25	6.75	0.35	3.93	0.28	8.97	0.89	6.86	0.34	3.06	0.36	1.02	0.28
3 or more times in past year	4.34	0.22	5.51	0.30	2.42	0.27	9.10	0.84	4.89	0.28	1.86	0.31	--	--

See footnotes at end of table.

Table 1-7. Percent distribution of frequency of driving after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Married to Alcoholic/Lived with Alcoholic as Married</u>														
Yes														
Not once in past year	85.59	0.84	80.61	1.75	87.92	0.91	74.89	3.74	82.70	1.20	91.64	1.22	98.97	0.77
1 or 2 times in past year	7.37	0.66	8.47	1.31	6.86	0.72	8.25	2.35	9.22	0.98	4.87	0.98	--	--
3 or more times in past year	6.42	0.56	10.13	1.27	4.69	0.57	16.85	3.35	7.46	0.75	2.72	0.72	--	--
No														
Not once in past year	87.77	0.34	85.03	0.46	92.63	0.40	78.81	0.99	86.41	0.44	93.51	0.52	97.82	0.37
1 or 2 times in past year	6.36	0.25	7.61	0.34	4.14	0.29	11.02	0.89	7.18	0.32	3.16	0.38	1.03	0.28
3 or more times in past year	4.97	0.23	6.38	0.32	2.46	0.25	9.43	0.73	5.55	0.29	2.21	0.33	--	--
<u>Any Alcohol Treatment in Past Year</u>														
Yes														
Not once in past year	50.83	2.81	46.96	3.44	62.95	4.94	44.56	5.51	48.84	3.77	68.70	6.91	--	--
1 or 2 times in past year	20.66	2.27	21.79	2.68	17.13	3.88	24.61	5.13	22.29	2.95	--	--	--	--
3 or more times in past year	27.00	2.56	29.27	3.04	19.92	4.31	28.08	5.34	28.12	3.31	22.40	6.73	--	--
No														
Not once in past year	88.37	0.32	85.87	0.47	92.11	0.34	79.85	1.00	86.93	0.39	93.61	0.47	97.98	0.34
1 or 2 times in past year	6.14	0.23	7.25	0.33	4.49	0.26	10.36	0.81	7.04	0.30	3.33	0.35	0.91	0.25
3 or more times in past year	4.62	0.21	5.94	0.31	2.65	0.21	9.16	0.68	5.20	0.26	2.00	0.29	--	--
<u>Any Alcohol Treatment in Life</u>														
Yes														
Not once in past year	68.43	1.62	66.57	1.98	75.40	2.84	54.20	3.74	68.27	2.11	80.97	3.07	90.63	4.84
1 or 2 times in past year	14.29	1.16	14.41	1.37	13.87	2.26	20.71	3.10	14.81	1.54	7.22	1.97	--	--
3 or more times in past year	16.28	1.31	17.81	1.55	10.55	2.13	23.88	3.15	16.22	1.67	10.61	2.51	--	--
No														
Not once in past year	88.85	0.32	86.45	0.47	92.29	0.35	80.73	1.04	87.35	0.38	93.91	0.49	98.10	0.33
1 or 2 times in past year	5.93	0.23	7.03	0.33	4.34	0.26	10.01	0.84	6.85	0.29	3.17	0.36	0.90	0.25
3 or more times in past year	4.36	0.21	5.57	0.31	2.62	0.21	8.61	0.71	4.96	0.26	1.84	0.30	--	--

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-8. Percent distribution of frequency of getting into potentially harmful situation after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Not once in past year	94.55	0.22	92.88	0.33	97.09	0.23	85.88	0.80	95.11	0.26	97.85	0.28	98.53	0.31
At least once in past year	4.77	0.21	6.34	0.32	2.38	0.21	13.65	0.79	4.29	0.24	1.27	0.21	--	--
Race														
White														
Not once in past year	94.41	0.24	92.59	0.36	97.12	0.23	84.87	0.88	94.92	0.28	98.02	0.28	98.63	0.31
At least once in past year	4.92	0.22	6.61	0.34	2.41	0.22	14.63	0.87	4.45	0.26	1.19	0.21	--	--
Black														
Not once in past year	96.41	0.57	95.50	0.84	98.01	0.54	94.97	1.69	96.66	0.73	96.39	1.25	98.55	0.94
At least once in past year	2.74	0.52	3.74	0.78	--	--	--	--	2.96	0.71	--	--	--	--
American Indian/Alaska Native														
Not once in past year	88.95	3.05	86.75	4.30	91.94	4.39	85.85	6.47	92.01	3.57	94.06	5.25	--	--
At least once in past year	9.92	2.99	--	--	--	--	--	--	--	--	--	--	--	--
Asian/Pacific Islander														
Not once in past year	96.01	1.77	96.89	1.44	93.69	5.10	85.84	7.32	98.26	0.99	100.00	0.00	--	--
At least once in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic Origin														
Hispanic														
Not once in past year	95.46	0.78	94.32	1.08	98.00	0.72	92.34	2.26	95.90	0.93	97.81	1.27	94.41	5.38
At least once in past year	3.90	0.74	5.18	1.04	--	--	7.66	2.26	2.98	0.80	--	--	--	--
Nonhispanic														
Not once in past year	94.49	0.23	92.77	0.35	97.04	0.24	85.11	0.86	95.02	0.27	97.90	0.29	98.74	0.26
At least once in past year	4.85	0.22	6.47	0.34	2.46	0.23	14.35	0.85	4.44	0.25	1.22	0.21	--	--
Marital Status														
Married														
Not once in past year	97.15	0.20	96.23	0.30	98.67	0.18	92.72	1.90	96.61	0.28	98.16	0.30	98.97	0.30
At least once in past year	2.10	0.18	2.90	0.28	0.78	0.14	6.81	1.88	2.70	0.25	0.99	0.20	--	--
Living with someone as if married														
Not once in past year	91.21	1.23	90.26	1.72	92.44	1.88	85.66	2.86	92.84	1.48	98.61	1.39	--	--
At least once in past year	8.23	1.19	9.18	1.63	7.00	1.85	13.31	2.68	6.95	1.46	--	--	--	--
Widowed														
Not once in past year	97.76	0.67	95.39	1.82	98.89	0.44	--	--	97.88	2.10	98.35	0.69	97.43	1.01
At least once in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Divorced														
Not once in past year	94.49	0.59	92.49	1.08	96.56	0.55	86.32	4.47	93.65	0.87	95.97	1.00	98.44	0.90
At least once in past year	4.80	0.62	6.66	1.07	2.87	0.56	--	--	5.90	0.88	2.87	0.94	--	--
Separated														
Not once in past year	94.70	1.11	93.57	1.38	95.98	1.80	91.84	4.18	93.99	1.56	97.72	1.02	96.09	3.86
At least once in past year	5.01	1.10	6.19	1.36	--	--	--	--	5.74	1.56	--	--	--	--

See footnotes at end of table.

Table 1-8. Percent distribution of frequency of getting into potentially harmful situation after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Never married														
Not once in past year	88.27	0.64	85.25	0.92	93.72	0.74	84.24	0.95	91.93	0.69	95.97	1.53	96.79	2.50
At least once in past year	11.25	0.64	14.24	0.90	5.85	0.73	15.34	0.94	7.60	0.69	--	--	--	--
<u>Ever Raised Children</u>														
Yes														
Not once in past year	96.99	0.17	96.00	0.26	98.37	0.19	93.43	1.33	96.25	0.26	97.98	0.29	98.68	0.33
At least once in past year	2.32	0.15	3.21	0.24	1.06	0.16	6.12	1.30	3.12	0.24	1.25	0.22	--	--
No														
Not once in past year	90.07	0.50	87.60	0.70	94.39	0.57	84.38	0.90	93.01	0.52	96.63	1.01	97.50	0.96
At least once in past year	9.27	0.48	11.64	0.68	5.14	0.56	15.14	0.89	6.44	0.50	--	--	--	--
<u>Children Under 14 Living in Household</u>														
Yes														
Not once in past year	96.68	0.27	95.53	0.43	98.13	0.29	95.26	1.34	96.62	0.30	97.79	0.70	100.00	0.00
At least once in past year	2.70	0.24	3.85	0.40	1.26	0.24	4.11	1.28	2.72	0.27	--	--	--	--
No														
Not once in past year	93.62	0.29	91.86	0.42	96.55	0.32	84.61	0.88	93.70	0.40	97.86	0.31	98.49	0.32
At least once in past year	5.67	0.28	7.31	0.39	2.95	0.30	14.93	0.87	5.76	0.39	1.16	0.21	--	--
<u>Education</u>														
11 years or less														
Not once in past year	93.23	0.62	91.91	0.86	96.04	0.78	87.80	1.93	92.07	1.15	95.81	1.08	97.88	0.94
At least once in past year	5.86	0.59	7.13	0.82	3.17	0.70	12.05	1.93	7.40	1.13	2.36	0.76	--	--
12 years														
Not once in past year	95.07	0.35	92.74	0.54	98.46	0.26	88.78	1.27	95.05	0.47	97.81	0.48	98.90	0.41
At least once in past year	4.19	0.32	6.38	0.51	1.01	0.20	10.87	1.25	4.30	0.43	1.12	0.36	--	--
13-15 years														
Not once in past year	93.23	0.45	91.29	0.70	95.72	0.50	83.63	1.27	95.22	0.45	98.45	0.49	98.88	0.56
At least once in past year	6.37	0.44	8.29	0.69	3.91	0.49	15.99	1.24	4.40	0.44	1.14	0.41	--	--
16 or more years														
Not once in past year	95.96	0.38	94.98	0.56	97.59	0.39	85.04	3.29	95.92	0.40	98.42	0.36	98.54	0.57
At least once in past year	3.31	0.36	4.25	0.53	1.76	0.35	13.62	3.26	3.36	0.37	1.10	0.29	--	--
<u>Currently Employed Full Time</u>														
Yes														
Not once in past year	94.98	0.25	93.86	0.35	97.32	0.28	89.13	1.21	94.96	0.29	97.89	0.36	98.40	1.07
At least once in past year	4.35	0.24	5.40	0.33	2.15	0.26	10.18	1.19	4.44	0.27	1.29	0.25	--	--
No														
Not once in past year	93.84	0.42	90.62	0.75	96.84	0.36	82.86	1.25	95.57	0.51	97.78	0.43	98.54	0.33
At least once in past year	5.46	0.40	8.53	0.74	2.61	0.34	16.86	1.24	3.83	0.49	1.22	0.33	--	--

See footnotes at end of table.

Table 1-8. Percent distribution of frequency of getting into potentially harmful situation after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Personal Annual Income														
None														
Not once in past year	97.19	0.35	96.02	0.61	98.22	0.40	89.69	2.36	97.06	0.71	97.12	0.67	98.59	0.35
At least once in past year	1.86	0.30	2.67	0.52	1.16	0.35	10.12	2.36	2.61	0.67	1.35	0.46	--	--
\$1 to \$9,999														
Not once in past year	90.32	0.68	85.46	1.21	94.94	0.60	83.48	1.18	94.60	0.82	97.54	0.90	97.70	1.09
At least once in past year	9.16	0.67	14.07	1.20	4.49	0.58	16.23	1.18	4.66	0.78	--	--	--	--
\$10,000 to \$24,999														
Not once in past year	94.28	0.39	91.77	0.64	97.55	0.33	87.88	1.20	94.91	0.46	98.69	0.40	100.00	0.00
At least once in past year	5.28	0.38	7.78	0.61	2.02	0.31	11.78	1.16	4.57	0.45	--	--	--	--
\$25,000 or more														
Not once in past year	95.82	0.27	95.18	0.33	97.73	0.38	89.92	2.57	95.09	0.35	97.82	0.41	98.25	1.23
At least once in past year	3.35	0.24	3.90	0.29	1.71	0.35	7.35	2.07	4.25	0.32	1.18	0.26	--	--
Current/Most Recent Occupation														
Executive, administrative, managerial														
Not once in past year	96.28	0.42	95.72	0.57	97.25	0.61	89.48	3.03	95.46	0.63	98.33	0.53	98.88	0.67
At least once in past year	2.78	0.36	3.12	0.47	2.19	0.56	9.90	2.98	3.44	0.53	--	--	--	--
Professional specialty														
Not once in past year	96.72	0.38	95.67	0.61	97.95	0.40	89.25	2.49	96.92	0.44	98.03	0.60	98.44	0.70
At least once in past year	2.69	0.35	3.67	0.57	1.54	0.34	10.27	2.50	2.58	0.40	1.35	0.46	--	--
Technician/related support														
Not once in past year	94.37	0.95	92.41	1.45	97.15	1.05	86.54	3.61	94.81	1.15	98.19	1.79	100.00	0.00
At least once in past year	4.98	0.89	6.70	1.37	--	--	11.86	3.29	4.53	1.09	--	--	--	--
Sales														
Not once in past year	95.17	0.53	93.33	0.82	97.57	0.59	87.39	1.94	95.77	0.66	99.07	0.38	98.75	0.83
At least once in past year	4.39	0.51	6.04	0.78	2.25	0.58	12.01	1.92	3.90	0.62	--	--	--	--
Administrative support, including clerical														
Not once in past year	95.94	0.54	92.16	1.43	97.35	0.42	89.05	1.85	96.48	0.65	98.50	0.55	98.84	0.57
At least once in past year	3.49	0.49	7.00	1.28	2.19	0.39	10.42	1.69	3.17	0.63	--	--	--	--
Private household														
Not once in past year	96.38	2.10	--	--	96.23	2.18	86.00	12.67	97.78	1.65	100.00	0.00	96.29	3.11
At least once in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Protective service														
Not once in past year	94.83	1.40	94.23	1.56	100.00	0.00	83.95	6.29	96.97	1.07	97.94	1.53	100.00	0.00
At least once in past year	4.18	1.18	4.66	1.32	--	--	--	--	--	--	--	--	--	--
Service, except protective and household														
Not once in past year	91.87	0.90	87.17	1.91	95.27	0.69	83.44	2.29	95.20	0.82	97.30	1.01	97.58	1.58
At least once in past year	7.49	0.89	12.51	1.91	3.87	0.66	16.27	2.28	4.09	0.78	--	--	--	--

See footnotes at end of table.

Table 1-8. Percent distribution of frequency of getting into potentially harmful situation after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Farming, forestry, fishing														
Not once in past year	88.11	2.11	87.16	2.28	94.63	3.33	72.47	5.41	92.17	2.39	95.36	3.48	100.00	0.00
At least once in past year	11.40	2.14	12.28	2.34	--	--	27.53	5.41	7.26	2.33	--	--	--	--
Precision production, craft, repair														
Not once in past year	92.52	0.67	92.13	0.72	97.49	1.30	82.31	2.80	92.29	0.91	96.87	0.96	97.86	1.49
At least once in past year	6.87	0.66	7.21	0.71	--	--	17.69	2.80	7.22	0.90	1.79	0.69	--	--
Operators, fabricators, laborers														
Not once in past year	94.31	0.81	92.65	1.15	98.19	0.80	85.64	3.58	95.27	0.97	95.37	1.59	100.00	0.00
At least once in past year	5.07	0.79	6.69	1.12	--	--	14.36	3.58	3.93	0.86	--	--	--	--
Transportation, material moving														
Not once in past year	93.16	1.13	92.94	1.19	96.23	2.63	82.12	5.02	93.05	1.49	97.90	1.63	95.13	2.45
At least once in past year	5.68	0.96	5.97	1.01	--	--	17.88	5.02	6.39	1.45	--	--	--	--
Handlers, equipment cleaners, helpers, laborers														
Not once in past year	90.85	1.21	90.33	1.36	93.42	3.19	88.03	2.42	90.25	1.95	96.33	1.75	100.00	0.00
At least once in past year	8.31	1.16	9.00	1.33	--	--	11.74	2.43	8.75	1.89	--	--	--	--
Military														
Not once in past year	95.55	1.91	94.82	2.23	100.00	0.00	93.44	4.73	95.75	2.46	--	--	--	--
At least once in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<u>Current/Most Recent Industry</u>														
Agriculture, forestry, fisheries														
Not once in past year	89.80	1.83	88.48	2.17	94.98	2.94	75.74	6.18	90.93	2.58	95.79	3.16	100.00	0.00
At least once in past year	9.25	1.91	10.87	2.18	--	--	24.26	6.18	7.55	2.31	--	--	--	--
Mining														
Not once in past year	96.99	1.87	96.18	2.40	100.00	0.00	--	--	98.89	1.09	91.43	6.18	100.00	0.00
At least once in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Construction														
Not once in past year	90.33	1.02	89.72	1.08	96.58	1.63	80.50	3.40	90.73	1.35	94.32	1.75	98.28	1.29
At least once in past year	8.47	0.93	9.03	0.99	--	--	19.50	3.40	8.77	1.33	--	--	--	--
Manufacturing														
Not once in past year	95.26	0.40	94.28	0.51	98.10	0.48	87.01	2.01	95.19	0.55	97.09	0.73	98.91	0.86
At least once in past year	4.03	0.36	4.88	0.48	1.58	0.43	12.44	2.08	4.18	0.50	1.70	0.55	--	--
Transportation, communications, other public utilities														
Not once in past year	95.60	0.69	95.20	0.81	96.76	0.98	91.82	3.09	94.23	1.00	98.85	0.49	98.07	1.20
At least once in past year	3.72	0.66	4.25	0.77	--	--	--	--	5.21	0.97	--	--	--	--
Wholesale trade														
Not once in past year	95.11	0.82	94.06	1.03	98.68	0.88	82.10	4.38	95.53	1.04	100.00	0.00	98.11	1.40
At least once in past year	4.52	0.81	5.46	1.00	--	--	16.84	4.29	4.24	1.02	--	--	--	--
Retail trade														
Not once in past year	92.62	0.63	89.58	1.07	95.71	0.61	86.91	1.50	93.91	0.76	97.93	0.72	97.89	1.07
At least once in past year	6.81	0.60	9.80	1.05	3.77	0.58	12.76	1.49	5.48	0.73	--	--	--	--

See footnotes at end of table.

Table 1-8. Percent distribution of frequency of getting into potentially harmful situation after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Finance, insurance, real estate														
Not once in past year	97.50	0.54	96.72	0.96	98.16	0.56	90.90	3.47	97.75	0.58	99.23	0.44	99.51	0.49
At least once in past year	1.94	0.47	2.57	0.83	--	--	--	--	2.03	0.54	--	--	--	--
Services: business and repair														
Not once in past year	93.81	0.78	93.10	1.00	95.13	1.24	84.80	3.03	94.32	1.01	97.31	1.24	100.00	0.00
At least once in past year	5.49	0.75	6.22	0.95	4.14	1.18	14.84	3.02	4.80	0.93	--	--	--	--
Services: personal														
Not once in past year	91.36	3.08	83.03	7.67	95.77	1.43	78.84	8.43	92.89	2.47	97.67	1.85	99.18	0.66
At least once in past year	7.91	3.09	16.38	7.72	--	--	20.21	8.51	6.22	2.43	--	--	--	--
Services: entertainment and recreation														
Not once in past year	92.85	1.55	91.43	2.28	95.78	2.13	85.22	3.45	97.63	1.14	96.43	3.24	100.00	0.00
At least once in past year	6.85	1.52	8.13	2.25	--	--	14.78	3.45	--	--	--	--	--	--
Services: professional and related														
Not once in past year	96.30	0.38	94.04	0.85	97.75	0.33	87.00	1.79	97.00	0.42	98.67	0.34	98.41	0.62
At least once in past year	3.15	0.37	5.18	0.82	1.85	0.31	12.79	1.77	2.44	0.39	0.89	0.29	--	--
Public administration														
Not once in past year	95.90	0.76	94.58	1.07	98.61	0.76	83.16	5.46	96.38	0.92	99.00	0.53	97.35	1.37
At least once in past year	3.12	0.65	4.40	0.95	--	--	13.74	4.72	2.82	0.79	--	--	--	--
Military														
Not once in past year	96.05	1.71	95.44	1.98	100.00	0.00	93.48	4.71	96.35	2.11	100.00	0.00	--	--
At least once in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<u>Smoked Any Cigarettes in Last Year</u>														
Yes														
Not once in past year	92.02	0.42	89.62	0.61	95.65	0.47	81.52	1.45	93.01	0.49	97.12	0.51	98.53	0.64
At least once in past year	7.41	0.40	9.71	0.61	3.93	0.46	18.26	1.45	6.44	0.47	2.02	0.45	--	--
No														
Not once in past year	96.14	0.25	94.93	0.36	97.99	0.23	89.33	1.11	96.59	0.28	98.24	0.31	98.52	0.36
At least once in past year	3.11	0.23	4.23	0.34	1.40	0.20	9.99	1.07	2.78	0.25	0.87	0.21	--	--
<u>Smoked 100 or More Cigarettes in Life</u>														
Yes														
Not once in past year	94.04	0.30	92.37	0.42	96.76	0.34	81.85	1.39	94.15	0.38	97.84	0.32	98.65	0.33
At least once in past year	5.31	0.28	6.85	0.41	2.83	0.33	17.95	1.39	5.28	0.36	1.33	0.25	--	--
No														
Not once in past year	95.31	0.35	93.70	0.53	97.53	0.31	89.51	1.16	96.38	0.33	97.89	0.51	98.25	0.70
At least once in past year	3.96	0.33	5.54	0.50	1.76	0.27	9.76	1.12	2.98	0.30	1.12	0.36	--	--
<u>Any Depression in Past Year</u>														
Yes														
Not once in past year	86.48	1.40	80.49	2.22	93.12	1.36	76.14	3.04	90.41	1.74	96.13	1.50	--	--
At least once in past year	13.44	1.40	19.36	2.22	6.88	1.36	23.59	3.04	9.59	1.74	--	--	--	--

See footnotes at end of table.

Table 1-8. Percent distribution of frequency of getting into potentially harmful situation after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Not once in past year	94.89	0.21	93.33	0.31	97.28	0.22	86.68	0.82	95.33	0.25	97.88	0.28	98.57	0.31
At least once in past year	4.41	0.20	5.87	0.30	2.15	0.21	12.82	0.81	4.05	0.24	1.22	0.21	--	--
<u>Any Depression in Life</u>														
Yes														
Not once in past year	89.83	0.78	83.93	1.36	96.01	0.62	80.46	2.14	91.94	0.87	95.41	1.60	94.76	3.68
At least once in past year	9.75	0.75	15.45	1.31	3.77	0.61	19.09	2.12	7.88	0.87	3.65	1.29	--	--
No														
Not once in past year	95.15	0.22	93.82	0.31	97.26	0.24	86.93	0.84	95.57	0.26	98.06	0.25	98.61	0.31
At least once in past year	4.14	0.20	5.39	0.30	2.15	0.22	12.59	0.83	3.77	0.24	1.07	0.19	--	--
<u>Alcohol Use Disorder in Past Year</u>														
None														
Not once in past year	98.74	0.10	98.53	0.15	99.04	0.12	97.27	0.41	98.87	0.12	99.08	0.19	99.07	0.21
At least once in past year	0.51	0.06	0.60	0.09	0.38	0.08	1.99	0.33	0.47	0.08	--	--	--	--
Abuse														
Not once in past year	71.48	1.53	69.05	1.87	78.42	2.58	60.23	3.42	76.67	1.85	78.26	4.54	68.08	15.50
At least once in past year	28.36	1.53	30.83	1.87	21.32	2.58	39.77	3.42	23.21	1.86	20.90	4.50	--	--
Dependence														
Not once in past year	75.13	1.16	70.56	1.55	85.51	1.83	67.44	2.35	76.91	1.55	88.76	2.20	85.11	6.85
At least once in past year	24.41	1.17	28.85	1.56	14.35	1.83	32.56	2.35	22.69	1.57	9.92	2.08	--	--
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
Not once in past year	98.20	0.18	97.61	0.29	98.81	0.19	95.66	0.70	98.29	0.24	99.06	0.22	99.53	0.23
At least once in past year	1.31	0.15	1.83	0.26	0.77	0.16	3.79	0.63	1.18	0.20	0.57	0.18	--	--
Moderate drinker														
Not once in past year	94.50	0.37	93.53	0.48	96.22	0.42	86.85	1.32	95.09	0.41	97.96	0.47	97.94	0.68
At least once in past year	4.83	0.35	5.74	0.47	3.22	0.40	12.69	1.30	4.35	0.39	1.16	0.33	--	--
Heavier drinker														
Not once in past year	85.56	0.83	83.84	1.03	91.23	1.40	63.05	2.86	85.66	1.10	96.01	0.80	98.16	0.64
At least once in past year	13.80	0.82	15.44	1.03	8.41	1.39	36.75	2.86	13.74	1.07	3.15	0.76	--	--
<u>Usual/Heaviest Drinking Level in Past Year³</u>														
Light drinker														
Not once in past year	98.40	0.18	97.86	0.29	98.96	0.20	95.88	0.70	98.56	0.24	99.13	0.22	99.51	0.24
At least once in past year	1.17	0.16	1.64	0.26	0.69	0.17	3.73	0.66	1.00	0.21	0.48	0.18	--	--
Moderate drinker														
Not once in past year	94.81	0.34	93.80	0.47	96.47	0.40	87.84	1.25	95.25	0.38	98.14	0.46	97.92	0.69
At least once in past year	4.51	0.32	5.46	0.43	2.93	0.37	11.51	1.20	4.14	0.36	1.18	0.34	--	--

See footnotes at end of table.

Table 1-8. Percent distribution of frequency of getting into potentially harmful situation after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Heavier drinker														
Not once in past year	86.55	0.75	84.84	0.96	91.78	1.14	66.34	2.52	86.87	0.97	96.24	0.74	98.47	0.56
At least once in past year	12.82	0.75	14.46	0.95	7.81	1.13	33.49	2.52	12.54	0.95	2.79	0.68	--	--
5 or More Drinks per Day														
Not once in past year														
Not once in past year	98.98	0.13	98.82	0.20	99.14	0.15	97.61	0.73	98.87	0.21	99.25	0.19	99.33	0.20
At least once in past year	0.45	0.10	0.55	0.14	0.35	0.12	1.71	0.58	0.53	0.16	--	--	--	--
1 to 11 times in past year														
Not once in past year	96.09	0.32	95.49	0.43	97.16	0.38	92.66	0.99	96.81	0.34	97.59	0.62	97.84	1.04
At least once in past year	3.38	0.30	3.86	0.40	2.53	0.36	6.90	0.96	2.76	0.32	1.63	0.48	--	--
12 or more times in past year														
Not once in past year	85.60	0.68	84.28	0.84	89.78	1.07	75.14	1.50	87.68	0.77	94.71	0.90	94.62	2.18
At least once in past year	13.80	0.67	15.15	0.83	9.51	1.05	24.51	1.49	11.76	0.76	4.21	0.83	--	--
Drinking Enough to Feel Drunk														
Not once in past year														
Not once in past year	98.79	0.12	98.57	0.18	99.07	0.16	96.42	0.89	98.76	0.18	99.11	0.18	99.16	0.23
At least once in past year	0.62	0.09	0.74	0.13	0.47	0.13	2.34	0.71	0.80	0.16	0.27	0.09	--	--
1 to 11 times in past year														
Not once in past year	94.08	0.36	92.58	0.54	96.49	0.39	90.63	0.91	94.75	0.42	96.47	0.82	98.56	0.80
At least once in past year	5.44	0.36	6.98	0.53	2.96	0.36	9.04	0.89	4.69	0.39	3.13	0.80	--	--
12 or more times in past year														
Not once in past year	77.41	1.19	74.61	1.52	85.32	1.76	70.10	2.01	81.23	1.43	88.31	2.46	82.98	8.18
At least once in past year	22.01	1.19	24.66	1.53	14.49	1.77	29.84	2.01	18.06	1.40	10.16	2.35	--	--
Driving After Drinking														
Not once in past year														
Not once in past year	97.54	0.17	96.82	0.25	98.54	0.16	91.52	0.79	98.13	0.17	99.09	0.18	99.45	0.23
At least once in past year	2.24	0.16	2.89	0.25	1.32	0.16	8.31	0.78	1.61	0.16	0.67	0.15	--	--
1 or 2 times in past year														
Not once in past year	82.60	1.22	80.01	1.51	89.04	1.84	74.33	2.96	83.39	1.57	95.39	1.61	100.00	0.00
At least once in past year	16.88	1.22	19.36	1.51	10.72	1.84	24.95	2.91	16.20	1.56	--	--	--	--
3 or more times in past year														
Not once in past year	67.48	1.87	64.43	2.15	78.06	3.45	56.91	3.87	71.10	2.19	78.34	5.17	--	--
At least once in past year	32.40	1.87	35.41	2.14	21.94	3.45	43.09	3.87	28.90	2.19	20.43	5.08	--	--
Age Started Drinking														
16 years or younger														
Not once in past year	89.17	0.56	87.07	0.76	93.37	0.75	81.11	1.36	91.10	0.63	95.28	0.97	98.42	1.37
At least once in past year	10.12	0.54	12.18	0.75	6.02	0.72	18.39	1.35	8.09	0.60	3.86	0.89	--	--

See footnotes at end of table.

Table 1-8. Percent distribution of frequency of getting into potentially harmful situation after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
17 or 18 years														
Not once in past year	95.26	0.33	93.98	0.47	97.61	0.39	88.72	1.12	95.89	0.38	98.53	0.40	97.84	0.73
At least once in past year	4.22	0.31	5.40	0.43	2.02	0.36	10.87	1.11	3.65	0.36	0.78	0.30	--	--
19 or 20 years														
Not once in past year	96.71	0.40	95.77	0.61	98.02	0.39	90.48	2.07	97.11	0.47	97.89	0.61	99.42	0.44
At least once in past year	2.76	0.37	3.73	0.58	1.41	0.33	9.00	2.02	2.50	0.45	1.33	0.49	--	--
21 years or older														
Not once in past year	98.67	0.18	98.20	0.29	99.11	0.20	97.29	1.24	97.97	0.33	99.30	0.23	99.42	0.26
At least once in past year	1.05	0.16	1.50	0.27	0.63	0.17	--	--	1.73	0.31	--	--	--	--
<u>Drinking Days of the Week in Past Year</u>														
Holidays or special occasions only														
Not once in past year	98.60	0.35	98.10	0.60	99.17	0.35	94.45	2.59	98.57	0.59	99.34	0.29	98.95	0.63
At least once in past year	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Weekends only														
Not once in past year	95.38	0.27	93.77	0.41	97.56	0.26	89.32	0.88	96.12	0.30	98.38	0.34	98.84	0.47
At least once in past year	4.08	0.25	5.64	0.39	1.97	0.24	10.21	0.86	3.36	0.28	1.03	0.26	--	--
Weekdays/weekends														
Not once in past year	92.18	0.42	90.57	0.60	95.37	0.57	76.16	2.11	92.05	0.58	96.82	0.52	98.24	0.48
At least once in past year	6.92	0.40	8.40	0.57	3.98	0.55	23.64	2.11	7.13	0.55	1.86	0.37	--	--
<u>Family History of Alcoholism</u>														
None														
Not once in past year	95.75	0.30	94.79	0.43	97.54	0.37	87.64	1.50	96.33	0.35	97.95	0.39	98.36	0.43
At least once in past year	3.26	0.27	4.16	0.39	1.60	0.33	11.60	1.48	2.77	0.31	0.81	0.24	--	--
2nd degree relatives only														
Not once in past year	94.01	0.52	91.81	0.75	97.31	0.44	85.45	1.39	95.24	0.54	98.19	0.63	99.51	0.21
At least once in past year	5.54	0.49	7.53	0.72	2.55	0.43	14.06	1.39	4.34	0.52	1.33	0.46	--	--
1st degree relatives only														
Not once in past year	95.61	0.49	95.11	0.66	96.33	0.70	86.82	2.72	95.65	0.68	98.07	0.46	98.42	0.78
At least once in past year	3.54	0.45	4.34	0.64	2.39	0.57	12.83	2.70	3.31	0.59	1.47	0.40	--	--
Both 1st and 2nd degree relatives														
Not once in past year	92.25	0.49	88.33	0.82	96.58	0.43	83.31	1.71	92.87	0.59	97.15	0.69	98.66	0.78
At least once in past year	7.52	0.48	11.32	0.80	3.33	0.43	16.63	1.71	7.03	0.59	2.12	0.60	--	--
<u>Any Parent Alcoholic</u>														
Yes														
Not once in past year	92.88	0.43	90.29	0.69	95.97	0.47	84.75	1.54	93.28	0.56	97.41	0.53	97.79	0.99
At least once in past year	6.72	0.42	9.34	0.69	3.61	0.44	15.09	1.54	6.44	0.55	1.95	0.48	--	--

See footnotes at end of table.

Table 1-8. Percent distribution of frequency of getting into potentially harmful situation after drinking in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Not once in past year	95.10	0.24	93.62	0.34	97.53	0.24	86.28	0.92	95.78	0.28	97.98	0.33	98.62	0.33
At least once in past year	4.13	0.22	5.49	0.31	1.89	0.23	13.13	0.90	3.50	0.26	1.06	0.22	--	--
<u>Married to Alcoholic/Lived with Alcoholic as Married</u>														
Yes														
Not once in past year	94.17	0.59	89.24	1.43	96.47	0.52	85.52	3.11	93.60	0.85	96.76	0.66	98.75	0.88
At least once in past year	5.40	0.57	10.47	1.44	3.04	0.51	14.48	3.11	6.09	0.83	2.46	0.61	--	--
No														
Not once in past year	94.60	0.24	93.12	0.34	97.24	0.26	85.90	0.82	95.33	0.27	98.01	0.30	98.50	0.33
At least once in past year	4.68	0.23	6.08	0.33	2.22	0.24	13.60	0.81	4.02	0.25	1.09	0.22	--	--
<u>Any Alcohol Treatment in Past Year</u>														
Yes														
Not once in past year	70.01	2.63	67.57	3.07	77.67	4.77	54.25	5.56	72.86	3.32	85.68	4.45	--	--
At least once in past year	29.41	2.64	31.68	3.08	22.33	4.77	45.75	5.56	26.59	3.34	12.54	4.14	--	--
No														
Not once in past year	95.12	0.21	93.63	0.31	97.36	0.21	87.03	0.80	95.71	0.25	98.02	0.27	98.57	0.31
At least once in past year	4.20	0.19	5.60	0.29	2.10	0.20	12.47	0.78	3.69	0.23	1.11	0.20	--	--
<u>Any Alcohol Treatment in Life</u>														
Yes														
Not once in past year	83.10	1.27	81.65	1.51	88.51	2.16	68.79	3.76	84.84	1.53	91.98	1.83	91.13	4.90
At least once in past year	16.36	1.26	17.66	1.51	11.49	2.16	31.21	3.76	14.82	1.53	7.31	1.76	--	--
No														
Not once in past year	95.35	0.21	93.93	0.32	97.39	0.22	87.36	0.80	95.93	0.25	98.16	0.28	98.71	0.29
At least once in past year	3.96	0.20	5.29	0.30	2.05	0.20	12.12	0.79	3.45	0.23	0.95	0.20	--	--

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-9. Percent distribution of age of starting to drink among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
16 years or younger	26.41	0.40	29.18	0.53	22.21	0.53	46.00	1.16	27.40	0.53	15.77	0.68	12.86	0.87
17 or 18 years	33.00	0.43	35.48	0.56	29.22	0.56	35.91	1.16	36.33	0.58	27.31	0.85	23.30	1.03
19 or 20 years	15.34	0.30	14.79	0.40	16.18	0.43	11.81	0.72	15.26	0.42	17.54	0.70	16.48	0.90
21 years or older	23.82	0.40	19.09	0.46	31.01	0.64	5.35	0.51	19.92	0.50	37.52	0.90	44.21	1.26
Race														
White														
16 years or younger	27.01	0.43	29.97	0.57	22.63	0.58	47.24	1.29	28.48	0.56	16.10	0.73	12.85	0.91
17 or 18 years	33.59	0.46	36.05	0.59	29.96	0.61	35.80	1.26	37.43	0.62	28.05	0.90	23.52	1.08
19 or 20 years	14.96	0.31	14.40	0.42	15.80	0.45	10.89	0.71	14.75	0.43	17.55	0.73	16.41	0.93
21 years or older	23.01	0.42	18.07	0.48	30.32	0.68	5.20	0.53	18.20	0.51	36.62	0.95	44.03	1.31
Black														
16 years or younger	19.64	1.16	21.71	1.54	15.98	1.45	34.96	3.44	18.41	1.65	12.21	1.89	15.56	3.28
17 or 18 years	28.24	1.30	31.94	1.80	21.70	1.64	34.48	3.62	29.83	1.80	21.53	2.53	15.42	4.12
19 or 20 years	19.23	1.08	18.27	1.42	20.92	1.59	22.14	3.46	18.92	1.50	17.64	2.19	20.30	4.18
21 years or older	31.06	1.33	26.46	1.68	39.19	1.93	7.45	2.18	31.64	1.78	44.48	3.06	46.02	5.16
American Indian/Alaska Native														
16 years or younger	48.89	4.99	57.86	7.72	36.73	5.97	64.60	8.94	47.53	8.44	--	--	--	--
17 or 18 years	25.08	4.19	22.40	5.55	28.71	6.86	24.64	7.80	27.71	6.64	--	--	--	--
19 or 20 years	--	--	--	--	--	--	--	--	--	--	--	--	--	--
21 years or older	13.48	2.77	--	--	20.80	6.34	--	--	11.86	5.52	--	--	--	--
Asian/Pacific Islander														
16 years or younger	17.54	2.78	17.23	2.96	18.37	6.12	31.41	7.74	15.39	3.16	--	--	--	--
17 or 18 years	29.17	3.48	30.62	4.14	25.32	6.45	42.99	8.13	29.79	4.87	--	--	--	--
19 or 20 years	17.68	2.65	19.31	3.35	13.36	3.80	20.32	6.47	19.79	3.44	--	--	--	--
21 years or older	35.17	3.32	32.85	3.80	41.35	6.85	--	--	34.75	4.07	68.95	7.62	--	--
Hispanic Origin														
Hispanic														
16 years or younger	28.17	1.64	31.27	2.11	21.23	2.26	41.13	4.02	25.76	2.00	19.54	3.65	34.43	9.89
17 or 18 years	31.22	1.67	33.33	2.13	26.48	2.48	38.24	3.90	31.65	2.14	25.03	3.86	--	--
19 or 20 years	15.79	1.35	14.96	1.73	17.63	2.26	13.98	3.22	16.89	1.74	14.25	3.24	18.31	6.32
21 years or older	22.69	1.51	17.93	1.74	33.34	2.70	5.08	1.75	23.58	1.99	37.95	4.18	27.47	7.80
Nonhispanic														
16 years or younger	26.21	0.42	28.85	0.57	22.32	0.55	46.89	1.24	27.40	0.55	15.42	0.68	12.06	0.82
17 or 18 years	33.11	0.45	35.67	0.59	29.34	0.57	35.37	1.25	36.76	0.61	27.42	0.87	23.45	1.06
19 or 20 years	15.35	0.30	14.91	0.42	15.98	0.45	11.54	0.73	15.18	0.43	17.78	0.70	16.50	0.91
21 years or older	23.98	0.42	19.23	0.48	30.99	0.66	5.32	0.54	19.64	0.52	37.65	0.91	44.85	1.29
Marital Status														
Married														
16 years or younger	22.45	0.51	24.83	0.69	18.56	0.70	42.62	3.27	26.14	0.70	16.06	0.83	12.99	1.18
17 or 18 years	33.49	0.58	35.90	0.73	29.56	0.81	33.58	2.98	38.31	0.76	27.40	1.00	25.87	1.41
19 or 20 years	16.36	0.40	15.88	0.54	17.13	0.62	13.71	1.85	15.24	0.52	18.28	0.85	17.75	1.19
21 years or older	26.14	0.52	21.75	0.63	33.33	0.86	9.03	1.54	19.16	0.65	36.40	1.06	40.37	1.63

See footnotes at end of table.

Table 1-9. Percent distribution of age of starting to drink among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Living with someone as if married														
16 years or younger	36.20	2.17	41.39	3.07	29.49	2.89	46.18	4.47	34.26	2.72	--	--	--	--
17 or 18 years	35.10	2.17	36.15	3.00	33.74	2.97	37.76	4.35	34.24	2.52	34.21	7.06	--	--
19 or 20 years	12.20	1.37	10.46	1.79	14.46	2.21	10.38	2.69	13.36	1.70	--	--	--	--
21 years or older	15.26	1.46	10.44	1.62	21.49	2.56	5.18	1.63	16.92	1.94	37.57	7.01	--	--
Widowed														
16 years or younger	14.19	1.36	24.78	2.80	9.10	1.43	--	--	32.76	7.33	14.56	2.58	11.84	1.48
17 or 18 years	17.89	1.48	20.50	2.74	16.64	1.75	--	--	26.79	6.15	20.48	3.01	15.35	1.77
19 or 20 years	14.81	1.27	17.03	2.42	13.75	1.47	--	--	--	--	17.22	2.80	14.14	1.36
21 years or older	50.05	1.95	34.37	3.22	57.59	2.34	--	--	28.70	6.59	46.26	3.65	54.69	2.25
Divorced														
16 years or younger	23.06	1.12	26.70	1.72	19.28	1.36	48.46	7.44	26.65	1.57	16.12	1.58	13.86	3.06
17 or 18 years	28.11	1.13	32.04	1.65	24.03	1.49	31.20	6.89	29.82	1.46	26.05	2.00	21.92	3.65
19 or 20 years	15.40	0.90	16.01	1.32	14.78	1.27	--	--	15.30	1.27	15.99	1.54	16.90	3.58
21 years or older	32.15	1.22	23.62	1.49	40.99	1.80	--	--	27.12	1.57	40.51	2.24	45.88	4.20
Separated														
16 years or younger	31.57	2.33	37.18	3.47	25.21	2.89	48.23	7.63	34.18	3.11	18.25	3.43	--	--
17 or 18 years	28.58	2.16	29.31	3.09	27.74	2.99	29.55	6.64	26.69	2.59	33.27	4.70	--	--
19 or 20 years	14.08	1.52	12.82	2.25	15.51	2.24	--	--	14.94	1.93	11.03	2.58	--	--
21 years or older	23.69	1.92	18.00	2.40	30.13	2.86	--	--	21.59	2.32	36.62	4.22	32.64	9.73
Never married														
16 years or younger	36.96	0.86	38.15	1.11	34.80	1.32	46.72	1.27	28.89	1.13	11.66	2.32	8.62	2.71
17 or 18 years	35.33	0.85	36.69	1.11	32.88	1.23	36.18	1.28	35.41	1.23	27.19	3.26	23.72	4.72
19 or 20 years	13.43	0.60	12.31	0.78	15.47	0.91	11.66	0.86	15.44	0.94	14.96	2.33	9.56	2.67
21 years or older	13.38	0.66	12.14	0.77	15.63	1.00	4.57	0.54	19.64	1.05	43.24	3.73	52.96	5.54
Ever Raised Children														
Yes														
16 years or younger	22.29	0.44	25.34	0.63	18.00	0.60	43.25	2.58	26.74	0.65	15.94	0.74	13.07	0.96
17 or 18 years	31.64	0.52	34.71	0.70	27.31	0.67	35.04	2.35	35.75	0.71	27.36	0.90	24.40	1.14
19 or 20 years	16.10	0.37	16.03	0.53	16.19	0.52	13.21	1.77	15.17	0.49	17.66	0.76	16.86	0.98
21 years or older	28.41	0.49	22.33	0.60	36.98	0.77	7.30	1.17	21.12	0.64	37.36	0.96	42.87	1.32
No														
16 years or younger	34.00	0.71	35.69	0.92	31.05	1.03	46.55	1.26	28.59	0.86	14.19	1.69	11.46	2.07
17 or 18 years	35.50	0.70	36.80	0.93	33.23	1.00	36.09	1.27	37.40	0.95	26.93	2.31	15.97	2.32
19 or 20 years	13.95	0.51	12.68	0.65	16.16	0.80	11.53	0.78	15.43	0.75	16.53	1.79	13.92	2.19
21 years or older	15.37	0.57	13.59	0.64	18.48	0.90	4.97	0.56	17.72	0.74	38.94	2.38	53.10	3.29
Children Under 14 Living in Household														
Yes														
16 years or younger	26.60	0.69	29.74	0.99	22.65	0.91	40.99	3.06	26.86	0.74	17.76	2.11	--	--
17 or 18 years	35.72	0.73	37.52	1.04	33.48	0.95	36.70	2.92	36.91	0.81	26.48	2.28	--	--
19 or 20 years	15.81	0.55	14.97	0.81	16.86	0.75	13.93	2.22	15.85	0.59	17.31	2.03	--	--
21 years or older	20.74	0.65	16.71	0.86	25.80	0.92	7.54	1.34	19.14	0.68	37.79	2.54	63.55	9.24

See footnotes at end of table.

Table 1-9. Percent distribution of age of starting to drink among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
16 years or younger	26.33	0.47	28.96	0.61	21.99	0.68	46.68	1.22	27.89	0.73	15.44	0.70	13.13	0.89
17 or 18 years	31.81	0.50	34.69	0.66	27.04	0.68	35.81	1.22	35.78	0.81	27.45	0.90	23.11	1.04
19 or 20 years	15.14	0.36	14.72	0.48	15.83	0.56	11.53	0.77	14.71	0.59	17.58	0.76	16.78	0.92
21 years or older	25.16	0.52	20.02	0.55	33.68	0.86	5.06	0.55	20.65	0.69	37.47	1.00	43.75	1.30
Education														
11 years or less														
16 years or younger	33.07	1.12	35.82	1.42	27.27	1.68	58.53	3.05	34.46	1.90	23.00	2.13	17.93	2.27
17 or 18 years	27.52	1.16	29.63	1.45	23.04	1.78	28.22	2.73	29.40	1.83	25.53	2.16	25.27	2.32
19 or 20 years	12.08	0.81	12.98	1.05	11.45	1.24	9.86	1.87	12.92	1.34	13.29	1.84	10.64	1.52
21 years or older	24.87	1.09	19.98	1.27	35.20	1.97	--	--	22.17	1.78	34.20	2.32	41.25	2.86
12 years														
16 years or younger	27.54	0.76	31.81	1.03	21.34	0.93	46.53	2.15	30.67	1.02	14.29	1.18	12.30	1.46
17 or 18 years	30.96	0.79	33.28	1.02	27.59	1.08	32.59	1.93	34.57	1.10	25.65	1.52	22.29	1.86
19 or 20 years	13.96	0.57	13.48	0.76	14.65	0.84	11.92	1.37	13.43	0.75	15.54	1.36	16.19	1.70
21 years or older	25.64	0.73	19.26	0.90	34.92	1.14	7.74	1.06	19.75	0.92	41.94	1.66	46.10	2.29
13-15 years														
16 years or younger	27.58	0.76	29.94	1.03	24.56	1.01	44.57	1.71	26.16	0.98	15.50	1.36	9.83	1.56
17 or 18 years	35.28	0.80	38.27	1.05	31.45	1.11	38.96	1.76	37.46	1.08	28.80	1.67	23.59	2.36
19 or 20 years	14.77	0.54	14.42	0.76	15.21	0.71	11.47	1.03	14.38	0.74	18.83	1.42	18.26	2.01
21 years or older	21.36	0.72	16.41	0.86	27.69	1.05	4.12	0.64	20.95	0.89	35.74	1.84	47.32	2.71
16 or more years														
16 years or younger	21.29	0.67	23.06	0.89	18.37	0.95	36.90	3.36	23.70	0.84	14.22	1.18	11.35	1.60
17 or 18 years	34.98	0.74	37.60	0.99	30.65	1.05	40.90	3.30	38.83	0.95	28.29	1.48	21.90	2.07
19 or 20 years	18.70	0.59	17.59	0.76	20.53	0.93	14.98	2.06	18.16	0.74	20.35	1.28	20.89	2.16
21 years or older	24.15	0.67	20.96	0.83	29.42	1.10	6.98	1.55	18.60	0.78	36.40	1.55	42.61	2.51
Currently Employed Full Time														
Yes														
16 years or younger	26.01	0.52	28.11	0.64	21.64	0.71	43.38	1.76	27.26	0.63	14.70	0.85	8.69	2.46
17 or 18 years	34.92	0.53	36.82	0.67	30.95	0.79	35.17	1.60	37.38	0.65	28.62	1.07	32.35	4.20
19 or 20 years	15.50	0.39	14.70	0.49	17.18	0.63	12.89	1.02	15.13	0.48	17.71	0.87	17.52	3.19
21 years or older	22.29	0.49	18.93	0.56	29.29	0.81	7.48	0.83	19.08	0.55	37.42	1.11	36.60	4.24
No														
16 years or younger	27.07	0.66	31.66	0.98	22.82	0.84	48.43	1.44	27.82	1.07	17.77	1.20	13.21	0.92
17 or 18 years	29.81	0.63	32.37	0.95	27.43	0.78	36.60	1.47	33.15	1.07	24.85	1.27	22.55	1.07
19 or 20 years	15.07	0.50	14.99	0.77	15.15	0.62	10.81	1.01	15.65	0.86	17.24	1.20	16.39	0.94
21 years or older	26.37	0.71	19.46	0.82	32.79	0.95	3.38	0.52	22.47	1.02	37.71	1.42	44.84	1.33
Personal Annual Income														
None														
16 years or younger	20.43	0.82	25.15	1.25	16.31	0.97	43.21	3.77	28.44	1.83	19.07	1.50	12.98	0.95
17 or 18 years	25.16	0.86	28.00	1.29	22.69	1.11	36.10	3.87	29.52	1.88	23.52	1.63	21.93	1.14
19 or 20 years	15.90	0.71	17.32	1.19	14.67	0.90	16.68	3.40	14.28	1.41	16.30	1.59	16.42	1.02
21 years or older	36.00	0.96	27.00	1.25	43.87	1.29	--	--	27.08	1.88	37.85	1.83	45.35	1.39

See footnotes at end of table.

Table 1-9. Percent distribution of age of starting to drink among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
\$1 to \$9,999														
16 years or younger	34.98	0.97	39.52	1.43	30.65	1.21	49.38	1.57	28.84	1.38	15.26	2.22	10.57	2.17
17 or 18 years	33.29	0.93	35.27	1.43	31.39	1.16	36.95	1.58	32.34	1.51	27.99	2.43	23.68	3.35
19 or 20 years	12.99	0.68	11.90	0.96	14.02	0.90	9.50	0.93	16.13	1.17	14.18	1.71	16.12	2.51
21 years or older	17.71	0.84	12.37	1.02	22.80	1.14	3.32	0.53	21.83	1.43	41.79	2.59	45.48	3.81
\$10,000 to \$24,999														
16 years or younger	28.45	0.75	32.85	1.08	22.73	0.96	42.61	1.91	28.20	0.99	15.05	1.45	15.64	6.34
17 or 18 years	32.94	0.76	34.89	1.10	30.40	1.04	33.82	1.86	34.88	1.04	25.57	1.63	34.63	5.75
19 or 20 years	15.42	0.60	13.62	0.89	17.77	0.83	13.65	1.31	15.08	0.78	17.98	1.52	20.75	4.77
21 years or older	21.82	0.68	17.16	0.85	27.90	1.02	8.97	1.07	20.58	0.86	39.11	1.91	28.97	5.31
\$25,000 or more														
16 years or younger	23.03	0.60	24.70	0.71	18.02	0.98	40.42	4.15	26.24	0.75	14.93	1.00	13.64	3.39
17 or 18 years	36.29	0.69	37.91	0.82	31.45	1.19	38.23	4.39	39.61	0.83	29.42	1.27	29.51	4.45
19 or 20 years	16.27	0.55	15.74	0.63	17.83	1.01	14.98	2.68	15.28	0.61	18.58	1.06	14.67	3.14
21 years or older	23.20	0.63	20.31	0.70	31.87	1.25	4.92	1.67	17.76	0.67	35.71	1.31	40.35	4.78
Current/Most Recent Occupation														
Executive, administrative, managerial														
16 years or younger	22.56	0.93	24.32	1.23	19.54	1.40	28.29	4.12	27.39	1.34	16.65	1.62	10.62	2.01
17 or 18 years	34.62	1.14	37.72	1.48	29.31	1.53	44.59	4.99	38.61	1.49	28.03	1.89	27.12	3.31
19 or 20 years	16.67	0.84	16.58	1.07	16.82	1.26	16.20	4.08	14.29	1.00	20.02	1.71	19.16	2.75
21 years or older	24.67	0.96	19.80	1.12	33.03	1.59	9.37	2.91	18.38	1.12	33.65	1.95	41.47	3.74
Professional specialty														
16 years or younger	20.98	0.92	23.11	1.31	18.49	1.21	39.61	4.02	23.51	1.23	12.73	1.44	12.10	2.07
17 or 18 years	34.47	0.97	38.08	1.43	30.22	1.30	40.40	4.02	38.40	1.33	28.30	2.09	22.33	2.63
19 or 20 years	18.77	0.82	18.03	1.14	19.65	1.17	12.54	2.43	18.95	1.08	20.36	1.86	18.74	2.61
21 years or older	24.84	0.90	19.80	1.22	30.75	1.36	7.03	2.12	18.52	1.08	37.52	2.16	43.86	3.20
Technician/related support														
16 years or younger	22.68	1.70	25.43	2.39	18.76	2.39	43.49	5.14	22.28	2.15	8.55	2.89	--	--
17 or 18 years	37.29	2.26	36.84	3.10	37.91	3.03	35.32	5.68	39.92	3.03	32.50	5.31	29.32	7.93
19 or 20 years	15.79	1.81	17.69	2.39	13.08	2.59	13.46	3.66	15.45	2.33	16.05	4.49	25.96	7.32
21 years or older	23.10	1.86	18.83	2.39	29.18	2.98	--	--	21.02	2.20	42.91	5.58	31.14	7.35
Sales														
16 years or younger	24.68	1.04	24.46	1.43	24.96	1.61	40.54	2.70	25.42	1.54	14.33	2.11	14.04	3.14
17 or 18 years	33.69	1.12	36.34	1.57	30.23	1.58	40.63	2.72	36.79	1.72	25.67	2.25	24.59	3.19
19 or 20 years	15.64	0.91	16.87	1.32	14.05	1.22	11.85	2.24	15.74	1.34	17.38	2.05	18.78	2.94
21 years or older	24.38	1.00	20.72	1.33	29.14	1.59	5.44	1.19	20.63	1.44	41.23	2.68	39.30	3.45
Administrative support, including clerical														
16 years or younger	21.91	0.86	28.03	2.07	19.64	0.91	45.14	2.57	23.24	1.27	9.05	1.31	6.66	1.47
17 or 18 years	31.24	1.00	38.01	2.24	28.71	1.08	35.21	2.59	36.17	1.48	23.26	1.89	19.18	2.25
19 or 20 years	17.13	0.78	14.46	1.55	18.12	0.92	13.85	1.73	16.37	1.09	22.16	1.97	15.32	1.92
21 years or older	28.98	0.98	18.75	1.75	32.79	1.12	5.57	1.11	23.59	1.26	44.52	2.36	57.40	2.77

See footnotes at end of table.

Table 1-9. Percent distribution of age of starting to drink among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Private household														
16 years or younger	27.34	5.59	--	--	24.40	5.30	--	--	28.06	8.30	--	--	--	--
17 or 18 years	19.42	4.59	--	--	20.21	4.76	--	--	16.37	5.32	--	--	--	--
19 or 20 years	9.51	3.43	--	--	9.89	3.56	--	--	--	--	--	--	--	--
21 years or older	40.57	7.11	--	--	42.21	7.22	--	--	38.75	10.05	53.87	12.95	--	--
Protective service														
16 years or younger	29.29	3.49	28.73	3.83	34.11	7.49	62.40	7.67	24.03	3.90	15.71	5.18	--	--
17 or 18 years	34.29	3.90	33.80	4.29	38.52	7.52	28.29	6.52	33.42	6.01	41.09	6.99	--	--
19 or 20 years	15.08	2.29	15.40	2.47	--	--	--	--	20.60	3.70	--	--	--	--
21 years or older	19.74	2.88	20.28	3.15	15.07	4.52	--	--	19.86	4.31	31.60	6.24	34.43	9.70
Service, except protective and household														
16 years or younger	33.96	1.35	37.00	2.30	31.77	1.53	51.94	2.80	29.02	1.81	20.66	2.74	9.46	2.92
17 or 18 years	28.68	1.32	30.56	2.16	27.32	1.51	30.19	2.56	32.10	1.85	18.51	2.38	21.63	4.63
19 or 20 years	11.41	0.84	10.61	1.36	11.98	1.08	11.13	1.50	12.34	1.30	8.49	1.84	13.79	3.07
21 years or older	24.17	1.24	20.52	1.97	26.81	1.47	5.42	1.26	24.65	1.81	50.65	3.40	51.45	4.89
Farming, forestry, fishing														
16 years or younger	35.37	2.91	37.23	3.14	22.59	5.88	46.17	6.51	37.04	4.22	25.46	4.88	--	--
17 or 18 years	32.98	2.45	33.93	2.71	26.46	5.72	42.31	5.59	29.47	3.55	34.85	5.52	--	--
19 or 20 years	11.65	1.97	11.39	2.16	--	--	--	--	12.53	2.96	15.10	4.53	--	--
21 years or older	17.90	2.08	15.33	2.18	35.57	7.06	--	--	19.83	4.12	22.93	4.37	44.75	7.94
Precision production, craft, repair														
16 years or younger	32.20	1.20	32.86	1.26	23.79	3.49	51.01	3.64	34.25	1.65	20.02	2.20	22.06	3.16
17 or 18 years	33.65	1.21	34.08	1.28	28.26	4.48	32.82	3.28	36.07	1.64	31.22	2.59	25.42	3.06
19 or 20 years	13.20	0.84	13.13	0.88	14.08	3.09	11.53	2.40	12.33	1.05	14.52	2.31	17.86	2.80
21 years or older	19.02	1.01	18.10	1.01	30.72	4.07	3.08	1.02	16.18	1.17	30.46	2.52	31.88	3.49
Operators, fabricators, laborers														
16 years or younger	27.37	1.58	31.73	1.99	17.16	2.21	47.71	4.85	27.45	2.03	18.12	3.07	17.41	3.84
17 or 18 years	30.87	1.82	32.39	2.25	27.30	2.68	33.12	4.53	34.04	2.35	26.77	3.91	20.12	4.55
19 or 20 years	15.04	1.35	14.49	1.77	16.34	2.32	10.79	2.79	16.74	1.91	15.64	3.23	11.14	3.20
21 years or older	25.13	1.67	19.84	1.90	37.52	3.00	8.38	2.42	20.97	1.97	38.47	4.17	41.65	4.85
Transportation, material moving														
16 years or younger	28.04	1.90	27.46	1.92	35.93	7.97	38.16	6.52	30.44	2.74	21.39	3.72	19.32	4.97
17 or 18 years	36.94	2.13	38.17	2.20	20.18	5.61	43.65	6.57	40.00	2.75	29.21	4.18	32.03	6.34
19 or 20 years	12.52	1.39	11.90	1.45	20.88	5.94	--	--	12.12	1.93	12.99	2.50	15.82	4.58
21 years or older	20.75	1.73	20.73	1.80	21.01	5.63	--	--	16.71	2.09	32.11	4.08	29.99	5.54
Handlers, equipment cleaners, helpers, laborers														
16 years or younger	40.53	2.51	42.54	2.77	30.59	4.14	56.17	4.30	36.28	3.35	27.76	7.02	--	--
17 or 18 years	30.08	2.28	29.85	2.40	31.25	5.13	32.02	4.01	31.80	3.08	25.03	5.19	--	--
19 or 20 years	13.49	1.55	13.80	1.80	11.96	3.21	7.59	2.06	15.93	2.43	18.81	4.40	--	--
21 years or older	15.05	1.63	12.87	1.64	25.79	4.39	--	--	15.35	2.37	26.98	5.28	54.76	9.07

See footnotes at end of table.

Table 1-9. Percent distribution of age of starting to drink among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Military														
16 years or younger	30.24	3.96	33.00	4.47	--	--	42.82	8.23	25.69	4.86	--	--	--	--
17 or 18 years	42.68	5.42	39.80	5.94	60.24	11.85	44.74	10.37	42.29	7.24	--	--	--	--
19 or 20 years	11.74	3.00	10.58	2.93	--	--	--	--	--	--	--	--	--	--
21 years or older	14.34	4.02	15.46	4.61	--	--	--	--	19.00	5.96	--	--	--	--
Current/Most Recent Industry														
Agriculture, forestry, fisheries														
16 years or younger	31.24	2.76	33.93	2.94	20.63	4.82	46.14	6.48	33.27	4.30	19.53	5.19	--	--
17 or 18 years	33.51	2.35	32.14	2.88	38.88	5.60	40.05	6.55	32.89	3.83	34.75	5.29	18.82	5.68
19 or 20 years	12.04	1.93	12.24	2.40	11.23	3.76	--	--	13.15	2.93	14.25	3.75	--	--
21 years or older	20.11	2.43	18.12	2.55	27.97	5.29	--	--	18.72	4.15	27.86	5.39	44.04	7.79
Mining														
16 years or younger	18.48	4.24	20.73	5.19	--	--	--	--	27.69	6.54	--	--	--	--
17 or 18 years	43.49	6.12	51.43	6.95	--	--	--	--	42.15	9.78	--	--	--	--
19 or 20 years	--	--	--	--	--	--	--	--	--	--	--	--	--	--
21 years or older	26.43	5.14	22.51	5.26	--	--	--	--	--	--	--	--	--	--
Construction														
16 years or younger	35.65	1.58	37.03	1.67	21.29	4.24	55.73	4.15	37.12	2.18	20.29	2.70	24.13	5.17
17 or 18 years	32.35	1.51	31.94	1.58	36.60	5.03	32.83	3.92	35.22	2.02	27.54	3.20	21.65	4.96
19 or 20 years	12.89	1.05	13.20	1.11	9.62	2.73	7.08	1.94	12.92	1.44	15.85	2.83	17.33	4.43
21 years or older	16.50	1.28	15.32	1.25	28.81	4.96	--	--	12.87	1.46	31.45	3.46	34.63	5.33
Manufacturing														
16 years or younger	25.18	0.87	27.48	1.07	18.51	1.38	45.64	3.22	27.66	1.20	16.88	1.69	14.11	1.84
17 or 18 years	33.19	0.99	35.28	1.16	27.11	1.55	34.65	3.15	36.60	1.31	30.29	2.04	22.37	2.59
19 or 20 years	16.78	0.77	16.34	0.92	18.03	1.41	11.83	1.93	15.33	1.00	21.07	1.85	17.94	2.21
21 years or older	23.54	0.86	19.66	0.90	34.78	1.82	7.44	1.51	19.54	1.07	29.92	1.93	42.52	2.77
Transportation, communications, other public utilities														
16 years or younger	22.26	1.28	23.98	1.55	17.32	2.03	27.78	5.79	27.05	1.78	13.64	1.98	12.09	2.82
17 or 18 years	36.64	1.56	39.06	1.93	29.64	2.63	45.83	7.37	39.57	2.06	28.38	3.14	33.94	4.49
19 or 20 years	14.58	1.13	13.89	1.28	16.57	2.20	11.98	3.96	13.16	1.42	16.05	2.35	21.17	3.65
21 years or older	25.33	1.26	21.73	1.46	35.73	2.65	14.41	4.72	19.68	1.58	39.06	3.00	31.25	4.25
Wholesale trade														
16 years or younger	28.44	1.82	29.14	2.11	26.06	3.38	43.92	6.21	29.51	2.41	24.40	4.22	--	--
17 or 18 years	34.51	2.06	36.09	2.32	29.16	3.38	41.35	6.25	37.74	2.67	24.47	3.87	31.11	5.86
19 or 20 years	16.68	1.56	15.51	1.79	20.63	3.06	9.67	3.17	18.74	2.19	17.55	3.56	11.84	4.02
21 years or older	19.39	1.81	18.07	1.88	23.88	3.43	--	--	13.10	1.87	33.29	4.31	43.23	6.32
Retail trade														
16 years or younger	29.81	1.07	30.11	1.55	29.50	1.36	45.41	1.98	27.41	1.47	12.82	1.85	14.18	3.02
17 or 18 years	32.15	0.99	35.43	1.54	28.81	1.24	36.59	1.94	33.18	1.48	25.57	2.37	21.21	2.89
19 or 20 years	14.30	0.74	14.53	1.20	14.07	0.96	11.42	1.43	14.66	1.09	16.72	2.07	19.30	2.95
21 years or older	22.30	0.92	18.69	1.26	25.96	1.25	5.79	0.85	23.35	1.39	43.08	2.65	41.63	3.48

See footnotes at end of table.

Table 1-9. Percent distribution of age of starting to drink among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Finance, insurance, real estate														
16 years or younger	22.00	1.34	24.79	2.11	19.60	1.70	31.00	4.61	25.57	1.92	15.16	2.67	9.42	3.35
17 or 18 years	34.68	1.57	39.21	2.43	30.77	2.05	36.51	5.33	39.40	2.17	27.97	2.89	24.41	3.90
19 or 20 years	17.41	1.24	18.27	1.93	16.67	1.61	22.36	4.36	14.59	1.53	22.04	2.88	13.57	3.47
21 years or older	25.24	1.35	17.18	1.78	32.18	1.95	8.67	2.55	19.94	1.83	34.82	3.04	49.90	4.87
Services: business and repair														
16 years or younger	31.83	1.72	33.28	2.18	29.15	2.60	55.54	4.34	31.53	2.21	20.40	3.29	--	--
17 or 18 years	33.00	1.62	35.10	2.08	29.14	2.61	31.77	3.93	36.47	2.18	25.70	3.50	27.68	5.73
19 or 20 years	13.01	1.17	11.73	1.43	15.36	2.05	9.18	2.71	14.05	1.63	11.82	2.51	16.88	4.33
21 years or older	20.87	1.38	18.59	1.78	25.05	2.31	--	--	16.99	1.63	40.20	3.97	37.78	5.89
Services: personal														
16 years or younger	30.94	3.73	38.06	7.19	27.16	2.69	56.73	8.09	28.97	3.33	14.47	4.19	14.76	4.49
17 or 18 years	26.09	2.55	25.42	4.71	26.45	2.62	30.38	6.59	30.51	3.33	16.83	3.73	--	--
19 or 20 years	10.55	1.46	13.15	3.02	9.17	1.58	--	--	12.17	2.17	8.84	2.94	--	--
21 years or older	30.48	2.53	21.12	3.70	35.45	2.82	--	--	26.16	3.09	59.20	5.43	59.45	6.71
Services: entertainment and recreation														
16 years or younger	31.17	2.74	34.12	3.56	25.04	4.01	43.63	4.93	27.76	3.98	15.48	5.40	--	--
17 or 18 years	31.73	2.77	31.65	3.34	31.88	4.98	36.20	5.12	32.16	4.13	23.03	5.76	--	--
19 or 20 years	16.41	2.16	14.52	2.61	20.34	3.78	13.25	2.92	15.00	3.10	26.80	6.93	--	--
21 years or older	18.88	2.49	18.43	3.22	19.82	3.55	--	--	23.70	4.01	33.02	6.90	--	--
Services: professional and related														
16 years or younger	21.65	0.78	26.03	1.38	18.84	0.88	45.47	2.45	22.01	1.05	13.62	1.38	9.42	1.50
17 or 18 years	32.33	0.82	36.82	1.49	29.44	0.94	35.61	2.45	37.74	1.17	23.96	1.54	20.93	2.21
19 or 20 years	16.81	0.66	15.70	1.05	17.53	0.82	13.45	1.61	17.52	0.86	17.03	1.36	16.84	2.04
21 years or older	28.04	0.88	20.28	1.30	33.04	1.11	5.35	1.13	21.74	1.04	44.09	1.81	49.54	2.79
Public administration														
16 years or younger	24.01	1.83	26.23	2.49	19.47	2.22	57.26	7.68	25.27	2.46	13.35	2.43	14.90	2.96
17 or 18 years	33.53	1.98	34.96	2.65	30.61	2.53	27.72	6.20	35.41	2.90	35.20	3.48	26.13	4.56
19 or 20 years	16.11	1.30	15.87	1.69	16.60	1.89	9.47	3.25	17.59	1.98	15.53	2.33	16.25	3.45
21 years or older	25.11	1.68	21.20	2.18	33.17	2.53	--	--	20.43	2.23	35.22	3.46	41.36	4.47
Military														
16 years or younger	31.14	4.01	34.02	4.52	--	--	42.60	8.20	26.91	4.98	--	--	--	--
17 or 18 years	40.91	4.93	38.54	5.40	56.22	11.68	44.50	10.30	40.98	6.45	--	--	--	--
19 or 20 years	10.42	2.69	9.32	2.61	--	--	--	--	--	--	--	--	--	--
21 years or older	16.65	3.85	17.11	4.42	--	--	--	--	20.95	5.53	--	--	--	--
Smoked Any Cigarettes in Last Year														
Yes														
16 years or younger	32.91	0.68	35.94	0.90	28.34	0.90	56.86	1.75	32.02	0.83	17.92	1.17	17.05	2.24
17 or 18 years	32.37	0.66	34.29	0.91	29.47	0.88	30.23	1.61	34.87	0.89	29.02	1.35	26.92	2.50
19 or 20 years	13.16	0.47	12.84	0.66	13.65	0.64	7.81	0.88	13.55	0.65	15.83	1.10	17.39	2.23
21 years or older	20.30	0.57	15.60	0.71	27.40	0.94	4.29	0.59	18.49	0.73	35.28	1.40	36.42	2.51

See footnotes at end of table.

Table 1-9. Percent distribution of age of starting to drink among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
16 years or younger	22.33	0.47	24.94	0.62	18.35	0.65	37.40	1.40	24.14	0.65	14.62	0.85	11.67	0.89
17 or 18 years	33.39	0.55	36.23	0.71	29.07	0.74	40.42	1.56	37.36	0.72	26.40	1.03	22.27	1.17
19 or 20 years	16.71	0.39	16.01	0.52	17.77	0.58	14.98	1.05	16.46	0.52	18.46	0.92	16.22	1.01
21 years or older	26.03	0.51	21.27	0.61	33.28	0.80	6.20	0.73	20.93	0.65	38.71	1.16	46.42	1.43
<u>Smoked 100 or More Cigarettes in Life</u>														
Yes														
16 years or younger	29.35	0.52	31.51	0.68	25.87	0.73	56.83	1.69	31.49	0.70	18.34	0.88	14.23	1.08
17 or 18 years	32.60	0.53	34.51	0.70	29.51	0.73	29.71	1.54	36.08	0.76	29.75	1.03	27.21	1.34
19 or 20 years	14.28	0.37	14.26	0.51	14.30	0.55	8.35	0.88	13.42	0.53	17.24	0.82	17.87	1.16
21 years or older	22.34	0.47	18.17	0.57	29.08	0.78	4.30	0.58	17.93	0.62	32.90	0.99	37.61	1.51
No														
16 years or younger	22.06	0.56	25.50	0.77	17.28	0.79	36.22	1.41	21.97	0.72	9.62	1.01	9.75	1.41
17 or 18 years	33.59	0.67	37.03	0.88	28.84	0.90	41.52	1.60	36.66	0.84	21.48	1.43	14.41	1.60
19 or 20 years	16.92	0.47	15.62	0.65	18.72	0.71	14.93	1.08	17.71	0.63	18.27	1.31	13.32	1.50
21 years or older	26.02	0.64	20.54	0.79	33.61	0.96	6.30	0.77	22.56	0.77	48.55	1.79	59.20	2.27
<u>Any Depression in Past Year</u>														
Yes														
16 years or younger	43.65	1.88	49.13	2.67	37.58	2.55	58.38	3.37	39.45	2.63	23.91	5.13	--	--
17 or 18 years	28.01	1.75	27.01	2.46	29.13	2.38	29.05	3.36	28.65	2.30	21.47	5.31	--	--
19 or 20 years	13.01	1.30	11.79	1.81	14.37	1.82	8.17	1.94	14.78	1.87	17.61	4.37	--	--
21 years or older	14.69	1.46	11.23	1.96	18.53	2.12	--	--	16.52	1.96	35.83	6.15	--	--
No														
16 years or younger	25.70	0.40	28.46	0.54	21.45	0.53	44.98	1.24	26.84	0.53	15.62	0.69	12.84	0.87
17 or 18 years	33.20	0.44	35.79	0.56	29.23	0.58	36.48	1.22	36.69	0.59	27.42	0.86	23.29	1.03
19 or 20 years	15.44	0.31	14.90	0.41	16.27	0.44	12.11	0.77	15.28	0.43	17.54	0.71	16.48	0.90
21 years or older	24.20	0.41	19.37	0.47	31.63	0.66	5.47	0.55	20.08	0.51	37.55	0.91	44.23	1.26
<u>Any Depression in Life</u>														
Yes														
16 years or younger	38.20	1.21	42.62	1.88	33.57	1.56	57.80	2.55	35.53	1.59	21.71	2.78	--	--
17 or 18 years	31.59	1.24	32.95	1.99	30.17	1.48	30.36	2.40	34.39	1.72	25.42	2.65	--	--
19 or 20 years	12.96	0.75	10.81	1.03	15.22	1.15	7.49	1.34	14.77	1.07	14.39	2.00	--	--
21 years or older	16.55	0.90	12.60	1.20	20.69	1.37	3.86	0.90	14.83	1.08	36.93	3.00	54.92	9.09
No														
16 years or younger	24.93	0.42	27.77	0.57	20.41	0.55	43.71	1.28	26.22	0.54	15.27	0.71	12.80	0.88
17 or 18 years	33.18	0.46	35.75	0.60	29.07	0.61	36.99	1.25	36.61	0.62	27.47	0.90	23.53	1.05
19 or 20 years	15.64	0.32	15.21	0.43	16.33	0.47	12.65	0.83	15.33	0.44	17.81	0.75	16.55	0.91
21 years or older	24.74	0.43	19.77	0.50	32.65	0.69	5.64	0.59	20.66	0.55	37.57	0.93	43.96	1.28

See footnotes at end of table.

Table 1-9. Percent distribution of age of starting to drink among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Alcohol Use Disorder in Past Year</u>														
None														
16 years or younger	22.13	0.41	24.45	0.56	18.92	0.55	37.84	1.33	24.07	0.55	14.35	0.68	12.57	0.86
17 or 18 years	33.42	0.46	36.26	0.61	29.48	0.60	39.27	1.38	37.22	0.64	27.19	0.87	22.82	1.03
19 or 20 years	16.52	0.32	16.16	0.45	17.02	0.47	15.08	0.97	16.16	0.45	17.88	0.73	16.72	0.91
21 years or older	26.33	0.44	21.43	0.52	33.11	0.67	6.77	0.70	21.31	0.55	38.60	0.94	44.70	1.27
Abuse														
16 years or younger	46.72	1.84	47.78	2.11	43.71	3.06	62.33	3.21	40.67	2.05	34.72	5.52	--	--
17 or 18 years	33.05	1.61	33.38	1.91	32.12	2.72	29.10	2.88	36.15	2.02	28.22	4.41	--	--
19 or 20 years	9.73	1.01	9.32	1.12	10.92	1.81	5.68	1.59	11.47	1.28	11.92	3.87	--	--
21 years or older	10.05	0.99	9.01	1.16	12.99	1.94	2.68	0.89	11.15	1.48	24.95	4.07	--	--
Dependence														
16 years or younger	48.53	1.30	48.92	1.65	47.65	2.22	60.47	2.41	45.83	1.79	28.48	3.69	22.20	6.95
17 or 18 years	29.44	1.25	31.57	1.61	24.62	1.79	30.03	2.37	28.83	1.62	28.88	3.71	41.42	9.55
19 or 20 years	9.24	0.80	9.10	1.03	9.57	1.32	5.75	1.12	10.40	1.21	15.31	3.11	--	--
21 years or older	12.19	0.91	9.95	1.05	17.27	1.64	2.74	0.72	14.66	1.36	26.60	3.54	33.90	8.45
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
16 years or younger	21.00	0.55	23.71	0.82	18.21	0.68	34.79	1.74	22.75	0.70	12.42	1.01	10.82	1.30
17 or 18 years	33.02	0.64	36.36	0.94	29.58	0.79	39.00	1.88	36.69	0.87	25.28	1.26	21.87	1.56
19 or 20 years	17.32	0.49	17.00	0.75	17.66	0.63	16.72	1.38	16.42	0.61	19.72	1.18	17.23	1.44
21 years or older	27.31	0.59	21.55	0.78	33.25	0.82	8.06	0.90	22.81	0.76	41.51	1.41	48.02	1.94
Moderate drinker														
16 years or younger	27.06	0.61	27.89	0.79	25.61	0.94	46.56	1.86	27.67	0.81	15.42	1.12	12.48	1.34
17 or 18 years	34.95	0.71	37.61	0.89	30.26	1.02	38.64	1.92	38.22	0.93	27.95	1.38	24.62	1.83
19 or 20 years	14.57	0.47	14.38	0.63	14.91	0.70	10.18	1.07	14.77	0.63	17.32	1.08	15.55	1.37
21 years or older	22.23	0.60	18.96	0.70	28.00	0.98	4.02	0.64	18.64	0.78	37.20	1.43	44.28	2.06
Heavier drinker														
16 years or younger	38.73	1.13	40.87	1.32	31.70	1.88	68.17	2.65	40.50	1.62	23.54	1.81	17.91	2.08
17 or 18 years	29.26	1.02	30.78	1.19	24.28	1.66	23.24	2.31	31.35	1.44	31.68	1.96	24.39	2.52
19 or 20 years	12.10	0.68	11.81	0.80	13.05	1.30	5.61	1.10	12.88	1.09	13.38	1.35	16.99	2.20
21 years or older	18.39	0.81	15.03	0.93	29.46	1.87	2.55	1.01	14.30	1.04	29.48	1.89	35.93	2.75
<u>Usual/Heaviest Drinking Level in Past Year³</u>														
Light drinker														
16 years or younger	20.69	0.58	23.58	0.87	17.71	0.70	34.10	1.85	22.77	0.75	11.84	1.03	11.34	1.37
17 or 18 years	32.63	0.66	36.30	0.98	28.87	0.82	39.33	1.98	36.08	0.90	25.13	1.29	22.18	1.62
19 or 20 years	17.48	0.51	17.06	0.77	17.91	0.66	16.83	1.48	16.73	0.63	19.53	1.22	17.33	1.48
21 years or older	27.79	0.62	21.61	0.82	34.15	0.88	8.14	0.96	23.03	0.79	42.40	1.44	47.15	1.99
Moderate drinker														
16 years or younger	26.31	0.61	27.10	0.79	25.00	0.91	44.80	1.87	26.71	0.80	16.32	1.15	10.95	1.26
17 or 18 years	35.11	0.70	37.69	0.89	30.85	0.98	38.94	1.93	38.81	0.93	27.14	1.36	23.60	1.82
19 or 20 years	14.68	0.47	14.50	0.63	14.97	0.70	11.04	1.07	14.70	0.63	17.25	1.09	15.60	1.40
21 years or older	22.81	0.61	19.70	0.72	27.98	0.97	4.63	0.72	19.23	0.78	37.20	1.44	46.84	2.04

See footnotes at end of table.

Table 1-9. Percent distribution of age of starting to drink among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Heavier drinker														
16 years or younger	37.65	1.02	39.66	1.18	31.52	1.69	66.32	2.41	38.98	1.47	21.63	1.66	18.49	1.98
17 or 18 years	30.20	0.91	31.50	1.08	26.23	1.50	24.85	2.04	32.22	1.35	32.30	1.86	25.52	2.46
19 or 20 years	12.57	0.64	12.39	0.76	13.13	1.17	6.02	1.00	13.10	0.99	14.78	1.37	16.95	2.07
21 years or older	18.02	0.74	14.82	0.84	27.82	1.69	2.45	0.88	14.40	0.93	29.65	1.81	34.26	2.53
5 or More Drinks in a Single Day														
Not once in past year														
16 years or younger	15.94	0.49	18.07	0.74	13.92	0.62	30.90	2.31	18.18	0.69	12.33	0.81	10.60	0.90
17 or 18 years	29.76	0.59	33.14	0.85	26.54	0.76	35.59	2.39	35.10	0.90	25.08	1.03	21.27	1.14
19 or 20 years	18.37	0.46	18.40	0.72	18.34	0.61	23.12	2.10	17.97	0.66	18.52	0.89	17.28	1.04
21 years or older	34.25	0.62	28.60	0.85	39.62	0.89	8.26	1.30	27.34	0.84	42.49	1.19	48.37	1.52
1 to 11 times in past year														
16 years or younger	31.14	0.76	31.39	0.96	30.70	1.16	41.46	1.76	31.20	0.92	20.17	1.64	19.57	3.42
17 or 18 years	37.19	0.79	38.40	1.02	35.08	1.14	40.01	1.79	38.16	0.98	31.07	1.99	33.30	4.12
19 or 20 years	14.30	0.53	14.37	0.71	14.16	0.82	11.75	1.16	14.66	0.70	16.04	1.42	15.33	2.87
21 years or older	16.61	0.60	14.93	0.73	19.58	0.98	6.18	0.86	15.48	0.72	31.36	1.88	28.42	3.70
12 or more times in past year														
16 years or younger	38.99	0.92	39.30	1.04	38.02	1.55	56.23	1.87	36.28	1.13	21.60	1.82	23.96	3.39
17 or 18 years	33.88	0.84	35.43	0.99	28.97	1.39	32.54	1.71	35.92	1.11	30.63	2.10	27.93	3.78
19 or 20 years	11.45	0.61	11.30	0.71	11.91	1.02	7.28	0.88	11.99	0.87	16.63	1.62	12.45	2.36
21 years or older	14.61	0.67	12.97	0.71	19.77	1.39	3.47	0.64	14.84	0.83	29.52	2.00	30.73	3.52
Drinking Enough to Feel Drunk														
Not once in past year														
16 years or younger	17.41	0.47	20.20	0.69	13.79	0.61	32.39	2.12	20.04	0.68	13.46	0.75	11.58	0.84
17 or 18 years	30.68	0.55	34.12	0.78	26.23	0.70	39.35	2.39	35.03	0.83	26.55	0.94	22.66	1.11
19 or 20 years	17.36	0.41	16.82	0.57	18.06	0.59	18.60	1.79	17.28	0.58	17.58	0.80	16.56	0.95
21 years or older	32.78	0.55	27.04	0.72	40.21	0.84	7.50	1.15	26.30	0.77	40.68	1.05	46.20	1.33
1 to 11 times in past year														
16 years or younger	33.34	0.66	34.10	0.87	32.11	1.04	44.03	1.54	32.19	0.80	21.13	1.75	22.30	4.59
17 or 18 years	37.15	0.72	38.72	0.96	34.63	1.03	37.44	1.55	39.03	0.90	28.96	1.98	30.25	4.49
19 or 20 years	14.13	0.50	14.05	0.67	14.28	0.77	12.07	1.01	13.67	0.62	19.28	1.80	18.74	3.66
21 years or older	14.79	0.53	12.44	0.61	18.56	0.92	6.06	0.69	14.61	0.65	29.48	1.78	26.87	4.05
12 or more times in past year														
16 years or younger	47.99	1.42	49.00	1.71	45.13	2.24	59.60	2.34	42.01	1.87	31.40	3.70	32.91	8.89
17 or 18 years	32.06	1.31	32.96	1.58	29.51	2.05	30.85	2.11	32.61	1.88	35.53	3.93	26.69	7.68
19 or 20 years	9.71	0.81	9.48	0.98	10.37	1.35	6.37	0.99	12.57	1.27	9.93	2.25	--	--
21 years or older	9.30	0.78	7.69	0.82	13.84	1.68	2.59	0.76	11.64	1.15	21.97	3.37	32.84	7.81
Driving After Drinking														
Not once in past year														
16 years or younger	23.71	0.40	26.30	0.55	20.07	0.53	41.73	1.28	24.93	0.53	14.96	0.68	12.94	0.88
17 or 18 years	33.02	0.46	35.55	0.61	29.47	0.59	37.66	1.29	36.49	0.64	27.15	0.86	23.21	1.04
19 or 20 years	16.16	0.31	15.84	0.43	16.62	0.46	13.56	0.83	15.97	0.45	17.92	0.72	16.54	0.91
21 years or older	25.77	0.43	20.94	0.51	32.55	0.67	6.14	0.60	21.53	0.56	38.39	0.93	44.55	1.26

See footnotes at end of table.

Table 1-9. Percent distribution of age of starting to drink among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
1 or 2 times in past year														
16 years or younger	42.05	1.75	39.60	2.16	48.16	2.84	55.85	3.79	39.82	2.17	25.39	5.65	--	--
17 or 18 years	35.20	1.65	39.42	2.04	24.70	2.48	31.16	3.33	36.81	2.19	36.99	4.89	--	--
19 or 20 years	10.16	1.00	10.31	1.28	9.78	1.66	7.55	2.17	10.72	1.25	11.94	3.68	--	--
21 years or older	11.65	1.08	9.90	1.25	16.02	2.01	3.92	1.18	11.81	1.32	25.46	4.48	--	--
3 or more times in past year														
16 years or younger	53.27	1.92	54.80	2.21	47.95	3.62	68.21	3.38	48.78	2.39	34.22	6.39	--	--
17 or 18 years	30.79	1.65	30.66	1.97	31.26	3.15	28.64	3.22	32.65	2.18	26.75	5.85	--	--
19 or 20 years	7.94	1.14	7.39	1.27	9.83	2.04	--	--	10.48	1.65	10.81	4.21	--	--
21 years or older	7.78	0.97	6.87	1.08	10.97	2.12	--	--	7.81	1.33	28.22	5.96	--	--
Getting into Situation that Could Be Harmful														
Not once in past year														
16 years or younger	24.91	0.39	27.35	0.52	21.37	0.54	43.45	1.19	26.24	0.53	15.35	0.69	12.85	0.86
17 or 18 years	33.24	0.44	35.90	0.58	29.38	0.58	37.10	1.23	36.63	0.60	27.50	0.86	23.13	1.04
19 or 20 years	15.69	0.30	15.25	0.42	16.34	0.44	12.45	0.79	15.58	0.43	17.55	0.71	16.63	0.91
21 years or older	24.86	0.41	20.18	0.48	31.65	0.65	6.06	0.58	20.52	0.51	38.07	0.91	44.61	1.27
At least once in past year														
16 years or younger	56.11	1.94	56.06	2.18	56.30	4.35	62.00	3.13	51.65	2.69	48.01	7.77	--	--
17 or 18 years	29.19	1.75	30.25	1.96	24.89	3.89	28.59	2.71	30.90	2.48	16.86	5.88	--	--
19 or 20 years	8.88	1.16	8.70	1.34	9.60	2.12	7.79	1.77	8.87	1.57	18.41	6.25	--	--
21 years or older	5.26	0.80	4.52	0.83	8.23	2.13	--	--	8.05	1.41	--	--	--	--
Drinking Days of the Week in Past Year														
Holidays or special occasions only														
16 years or younger	19.55	1.31	23.09	1.89	15.47	1.68	50.25	5.69	21.15	1.80	14.04	2.10	12.88	2.75
17 or 18 years	31.02	1.45	33.86	1.91	27.75	2.02	32.25	5.83	35.53	2.09	27.47	2.54	24.75	2.94
19 or 20 years	17.17	1.09	18.34	1.60	15.82	1.46	9.52	3.01	17.03	1.54	19.04	2.24	17.16	2.44
21 years or older	29.87	1.44	22.05	1.77	38.91	2.17	--	--	24.43	1.84	36.87	2.86	41.94	3.20
Weekends only														
16 years or younger	25.55	0.55	27.98	0.74	22.24	0.68	43.08	1.38	25.15	0.67	13.07	0.93	10.03	1.27
17 or 18 years	34.96	0.56	37.75	0.75	31.15	0.75	37.48	1.38	37.55	0.73	27.23	1.21	25.48	2.05
19 or 20 years	15.69	0.41	14.89	0.56	16.77	0.57	13.05	0.88	15.81	0.53	17.18	1.01	18.96	1.71
21 years or older	22.86	0.50	18.49	0.62	28.81	0.75	5.53	0.57	20.76	0.62	41.29	1.29	43.09	2.12
Weekdays/weekends														
16 years or younger	29.52	0.67	32.12	0.85	24.36	1.06	52.83	2.25	33.81	1.02	19.47	1.17	14.43	1.20
17 or 18 years	30.11	0.72	32.42	0.91	25.53	0.98	32.43	2.20	33.87	1.10	27.37	1.26	21.70	1.40
19 or 20 years	14.31	0.49	13.96	0.63	15.01	0.77	8.97	1.18	13.64	0.73	17.58	1.06	14.91	1.15
21 years or older	24.03	0.64	19.42	0.74	33.17	1.14	4.94	1.02	17.00	0.80	33.17	1.37	45.44	1.74
Family History of Alcoholism														
None														
16 years or younger	21.59	0.57	24.17	0.75	16.83	0.77	38.04	1.97	23.10	0.78	14.04	0.90	12.51	1.10
17 or 18 years	32.69	0.66	35.49	0.82	27.54	0.89	40.95	1.95	36.34	0.92	26.41	1.13	22.47	1.34
19 or 20 years	16.61	0.49	16.12	0.63	17.50	0.75	13.80	1.32	16.79	0.71	18.08	1.10	16.21	1.11
21 years or older	27.22	0.62	22.32	0.75	36.24	1.02	5.92	0.81	22.40	0.85	39.14	1.26	45.19	1.61

See footnotes at end of table.

Table 1-9. Percent distribution of age of starting to drink among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
2nd degree relatives only														
16 years or younger	27.91	0.82	30.69	1.10	23.73	1.20	45.71	2.05	26.43	1.12	16.88	1.60	14.88	2.54
17 or 18 years	34.87	0.91	37.51	1.26	30.89	1.23	35.63	2.10	38.73	1.25	26.41	1.82	26.03	3.26
19 or 20 years	14.83	0.64	13.78	0.84	16.41	1.01	12.21	1.37	14.66	0.83	17.85	1.58	14.77	2.55
21 years or older	21.36	0.80	16.92	0.94	28.05	1.25	6.08	1.06	19.09	0.92	37.42	2.08	43.03	4.09
1st degree relatives only														
16 years or younger	24.53	1.13	28.50	1.59	18.80	1.35	50.74	4.16	28.09	1.56	12.42	1.59	11.01	1.87
17 or 18 years	33.26	1.19	36.05	1.63	29.24	1.74	35.31	3.72	35.77	1.65	32.05	2.38	23.29	2.71
19 or 20 years	15.80	0.88	14.76	1.18	17.28	1.32	10.52	2.65	15.53	1.26	17.23	1.78	18.80	2.30
21 years or older	25.05	1.09	19.44	1.34	33.13	1.85	--	--	19.78	1.41	36.58	2.44	42.97	3.16
Both 1st and 2nd degree relatives														
16 years or younger	35.14	0.82	39.74	1.22	30.07	1.07	57.22	2.17	34.60	1.01	20.76	1.77	16.14	3.37
17 or 18 years	31.70	0.79	32.98	1.20	30.29	1.04	28.59	2.09	34.50	1.02	27.37	1.78	25.98	3.82
19 or 20 years	13.18	0.56	12.74	0.83	13.67	0.78	8.68	1.19	13.28	0.74	16.18	1.47	16.73	3.21
21 years or older	19.04	0.69	13.59	0.84	25.06	1.05	4.36	0.79	16.84	0.86	34.44	1.87	40.49	4.07
Any Parent Alcoholic														
Yes														
16 years or younger	33.60	0.84	38.05	1.23	28.32	1.02	55.59	2.21	34.54	1.05	17.24	1.55	15.34	2.60
17 or 18 years	31.74	0.78	33.22	1.11	29.99	1.05	30.88	2.08	33.60	1.05	28.76	1.72	26.15	3.13
19 or 20 years	13.18	0.56	12.87	0.82	13.54	0.79	8.40	1.06	12.84	0.73	16.95	1.39	17.86	2.70
21 years or older	20.36	0.65	14.76	0.82	27.00	1.03	4.36	0.79	18.08	0.84	35.28	1.76	39.07	3.57
No														
16 years or younger	24.07	0.45	26.65	0.57	19.80	0.62	42.55	1.31	24.77	0.60	15.32	0.75	12.53	0.90
17 or 18 years	33.41	0.51	36.13	0.65	28.92	0.68	37.73	1.36	37.33	0.69	26.88	0.93	22.92	1.12
19 or 20 years	16.05	0.36	15.33	0.48	17.22	0.54	13.04	0.92	16.15	0.51	17.72	0.81	16.29	0.95
21 years or older	24.95	0.48	20.32	0.54	32.59	0.78	5.71	0.63	20.60	0.60	38.19	1.00	44.89	1.33
Married to Alcoholic/Lived with Alcoholic as Married														
Yes														
16 years or younger	31.30	1.07	40.14	2.11	27.17	1.26	61.68	4.19	34.59	1.43	18.20	1.77	18.80	3.29
17 or 18 years	27.09	1.05	28.05	1.91	26.64	1.30	23.90	3.70	29.56	1.39	24.73	1.97	18.85	3.38
19 or 20 years	13.03	0.74	12.96	1.58	13.06	0.88	9.94	3.04	13.29	0.99	12.23	1.52	17.09	2.90
21 years or older	27.39	1.07	17.71	1.75	31.91	1.33	--	--	21.57	1.35	44.09	2.34	40.76	3.65
No														
16 years or younger	25.79	0.44	28.48	0.56	21.02	0.59	45.10	1.20	26.32	0.58	15.42	0.74	12.26	0.90
17 or 18 years	33.75	0.45	35.96	0.58	29.85	0.66	36.60	1.19	37.34	0.62	27.69	0.93	23.75	1.10
19 or 20 years	15.64	0.33	14.90	0.42	16.93	0.50	11.92	0.74	15.55	0.46	18.31	0.77	16.42	0.94
21 years or older	23.37	0.43	19.18	0.48	30.79	0.69	5.47	0.54	19.68	0.53	36.57	0.96	44.56	1.34
Any Alcohol Treatment in Past Year														
Yes														
16 years or younger	57.07	2.65	56.70	3.23	58.25	5.11	81.14	4.51	50.97	3.48	42.72	7.39	--	--
17 or 18 years	23.31	2.26	24.46	2.73	19.68	4.06	11.91	3.42	26.48	3.04	29.10	7.23	--	--
19 or 20 years	8.49	1.76	8.94	2.18	7.08	2.25	--	--	9.20	2.10	--	--	--	--
21 years or older	10.54	1.81	9.11	2.09	14.99	3.63	--	--	12.82	2.62	17.04	5.38	--	--

See footnotes at end of table.

Table 1-9. Percent distribution of age of starting to drink among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
16 years or younger	25.70	0.39	28.37	0.52	21.71	0.53	44.72	1.17	26.76	0.53	15.40	0.68	12.86	0.87
17 or 18 years	33.22	0.43	35.81	0.56	29.36	0.56	36.79	1.18	36.59	0.59	27.29	0.84	23.25	1.03
19 or 20 years	15.50	0.30	14.96	0.41	16.31	0.43	12.07	0.73	15.42	0.43	17.63	0.71	16.46	0.90
21 years or older	24.13	0.40	19.38	0.47	31.23	0.64	5.51	0.53	20.11	0.51	37.80	0.90	44.27	1.26
<u>Any Alcohol Treatment in Life</u>														
Yes														
16 years or younger	50.20	1.68	51.43	1.97	45.59	3.18	76.57	3.23	47.96	2.22	32.58	3.64	24.43	6.15
17 or 18 years	26.79	1.48	26.94	1.75	26.23	2.66	18.63	2.72	29.02	2.02	26.27	3.46	39.50	8.59
19 or 20 years	10.98	1.15	11.16	1.35	10.32	2.08	--	--	11.15	1.37	19.06	3.92	--	--
21 years or older	11.16	1.09	9.72	1.15	16.52	2.44	--	--	11.11	1.50	21.64	2.89	20.69	6.26
No														
16 years or younger	24.76	0.41	27.11	0.55	21.38	0.53	43.34	1.21	25.75	0.54	14.89	0.69	12.58	0.89
17 or 18 years	33.43	0.44	36.28	0.58	29.33	0.58	37.42	1.22	36.92	0.60	27.37	0.86	22.90	1.04
19 or 20 years	15.64	0.31	15.13	0.42	16.39	0.44	12.61	0.77	15.59	0.43	17.47	0.71	16.50	0.91
21 years or older	24.70	0.42	19.96	0.49	31.53	0.64	5.78	0.56	20.63	0.52	38.34	0.92	44.78	1.29

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-10. Percent distribution of drinking days of the week in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Holidays or special occasions only	8.03	0.35	7.14	0.37	9.38	0.49	3.36	0.41	7.10	0.39	10.81	0.69	14.64	0.95
Weekends only	58.12	0.49	55.56	0.62	62.01	0.68	69.13	1.12	63.72	0.63	48.65	0.95	30.51	1.29
Weekdays/weekends	33.85	0.42	37.30	0.57	28.61	0.59	27.51	1.09	29.18	0.57	40.54	0.88	54.86	1.29
Race														
White														
Holidays or special occasions only	8.04	0.38	7.03	0.39	9.54	0.54	3.34	0.45	7.03	0.41	10.74	0.74	14.47	0.98
Weekends only	57.31	0.53	54.48	0.66	61.49	0.73	69.27	1.17	63.22	0.67	47.69	1.00	30.27	1.32
Weekdays/weekends	34.65	0.45	38.50	0.63	28.96	0.63	27.39	1.14	29.75	0.62	41.58	0.94	55.26	1.31
Black														
Holidays or special occasions only	5.89	0.69	5.51	0.88	6.57	1.01	--	--	4.81	0.75	9.71	1.99	16.10	3.57
Weekends only	64.41	1.39	62.98	1.80	66.93	2.02	70.31	3.39	67.35	1.86	56.92	2.93	37.69	6.21
Weekdays/weekends	29.70	1.35	31.51	1.76	26.51	1.85	27.45	3.34	27.84	1.83	33.38	2.78	46.21	5.65
American Indian/Alaska Native														
Holidays or special occasions only	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Weekends only	64.64	5.48	64.25	8.94	65.17	7.76	48.01	10.86	74.56	7.67	75.18	11.02	--	--
Weekdays/weekends	30.37	5.18	31.56	9.55	28.75	6.22	47.66	11.19	19.48	6.19	--	--	--	--
Asian/Pacific Islander														
Holidays or special occasions only	17.39	2.77	18.06	3.02	--	--	--	--	19.08	3.70	--	--	--	--
Weekends only	64.12	3.52	62.12	4.09	69.43	7.37	69.00	8.18	66.70	4.30	55.01	9.27	--	--
Weekdays/weekends	18.49	2.99	19.83	3.57	14.95	5.88	27.14	8.11	14.22	2.98	--	--	--	--
Hispanic Origin														
Hispanic														
Holidays or special occasions only	8.90	1.08	7.50	1.28	12.03	1.83	6.37	1.74	8.64	1.34	8.75	2.20	--	--
Weekends only	64.64	1.74	64.28	2.19	65.45	2.74	74.56	3.49	67.11	2.18	55.55	4.24	26.55	7.23
Weekdays/weekends	26.46	1.61	28.22	2.07	22.52	2.29	19.07	3.21	24.26	2.03	35.71	4.15	47.58	8.77
Nonhispanic														
Holidays or special occasions only	7.99	0.36	7.10	0.39	9.29	0.51	3.16	0.42	6.99	0.40	10.90	0.73	14.26	0.92
Weekends only	57.58	0.51	54.78	0.65	61.69	0.69	68.51	1.19	63.41	0.64	48.16	0.98	30.70	1.33
Weekdays/weekends	34.43	0.44	38.11	0.61	29.01	0.62	28.33	1.16	29.60	0.59	40.94	0.91	55.05	1.29
Marital Status														
Married														
Holidays or special occasions only	9.27	0.44	8.67	0.50	10.26	0.63	4.42	1.06	7.99	0.48	10.77	0.78	13.80	1.20
Weekends only	56.56	0.64	53.37	0.83	61.78	0.88	71.01	2.63	64.49	0.78	49.19	1.14	29.88	1.58
Weekdays/weekends	34.17	0.56	37.96	0.77	27.96	0.79	24.57	2.52	27.52	0.71	40.04	1.07	56.32	1.63
Living with someone as if married														
Holidays or special occasions only	3.79	0.86	3.02	1.02	4.79	1.45	--	--	3.48	0.97	--	--	--	--
Weekends only	60.87	2.15	59.52	3.10	62.62	3.11	61.50	4.71	63.14	2.69	41.92	7.17	--	--
Weekdays/weekends	35.34	2.11	37.46	3.12	32.59	3.04	34.38	4.61	33.37	2.63	52.84	7.25	--	--

See footnotes at end of table.

Table 1-10. Percent distribution of drinking days of the week in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Widowed														
Holidays or special occasions only	15.51	1.53	14.73	2.88	15.88	1.80	--	--	--	--	14.66	2.83	15.99	1.72
Weekends only	37.56	1.88	30.97	3.19	40.72	2.22	--	--	60.78	7.63	44.40	3.60	31.99	2.28
Weekdays/weekends	46.93	1.93	54.30	3.42	43.40	2.28	--	--	27.11	6.30	40.95	3.56	52.02	2.35
Divorced														
Holidays or special occasions only	8.44	0.80	6.03	0.79	10.94	1.30	--	--	6.77	0.94	10.29	1.53	15.38	3.03
Weekends only	54.60	1.30	50.61	1.96	58.74	1.76	62.78	7.00	59.30	1.64	51.08	2.20	27.38	4.24
Weekdays/weekends	36.95	1.27	43.35	1.95	30.31	1.59	31.90	6.72	33.93	1.63	38.62	2.09	57.25	4.34
Separated														
Holidays or special occasions only	6.52	1.12	3.46	0.93	10.00	2.14	--	--	5.26	1.46	9.93	2.50	--	--
Weekends only	54.14	2.42	47.88	3.46	61.25	3.32	70.83	6.80	57.98	3.24	40.56	4.61	--	--
Weekdays/weekends	39.34	2.40	48.66	3.52	28.75	3.00	28.05	6.77	36.76	3.09	49.51	4.81	55.05	11.35
Never married														
Holidays or special occasions only	4.59	0.36	4.05	0.43	5.56	0.62	3.00	0.43	5.46	0.53	10.56	2.06	18.33	4.46
Weekends only	66.08	0.87	64.12	1.10	69.63	1.35	69.69	1.32	64.71	1.21	44.00	3.85	37.77	5.68
Weekdays/weekends	29.33	0.86	31.83	1.11	24.81	1.25	27.31	1.31	29.83	1.16	45.44	3.80	43.90	5.64
Ever Raised Children														
Yes														
Holidays or special occasions only	9.40	0.44	8.34	0.48	10.90	0.61	4.50	1.07	7.71	0.50	10.79	0.74	14.61	1.02
Weekends only	55.27	0.61	51.92	0.79	59.99	0.83	73.37	2.33	63.53	0.77	48.99	1.02	30.44	1.35
Weekdays/weekends	35.33	0.52	39.74	0.73	29.11	0.73	22.13	2.01	28.76	0.67	40.22	0.93	54.94	1.37
No														
Holidays or special occasions only	5.51	0.35	5.11	0.41	6.20	0.54	3.13	0.44	5.98	0.44	11.03	1.62	14.78	2.48
Weekends only	63.38	0.73	61.74	0.91	66.25	1.06	68.29	1.23	64.07	0.97	45.49	2.56	30.94	3.12
Weekdays/weekends	31.11	0.69	33.15	0.90	27.55	1.00	28.58	1.22	29.94	0.92	43.48	2.51	54.28	3.34
Children Under 14 Living in Household														
Yes														
Holidays or special occasions only	8.17	0.52	7.30	0.62	9.26	0.71	4.50	1.29	7.94	0.55	11.54	1.72	--	--
Weekends only	63.80	0.81	60.06	1.09	68.49	1.12	74.42	2.71	64.92	0.86	51.31	2.50	--	--
Weekdays/weekends	28.03	0.69	32.64	1.00	22.24	0.92	21.07	2.43	27.14	0.76	37.15	2.41	53.87	9.19
No														
Holidays or special occasions only	7.97	0.37	7.08	0.39	9.44	0.55	3.20	0.43	6.32	0.42	10.69	0.70	14.59	0.96
Weekends only	55.65	0.56	53.82	0.70	58.68	0.82	68.42	1.17	62.60	0.83	48.20	0.98	30.53	1.31
Weekdays/weekends	36.38	0.50	39.11	0.67	31.87	0.75	28.38	1.15	31.09	0.80	41.11	0.94	54.88	1.30
Education														
11 years or less														
Holidays or special occasions only	7.75	0.75	7.05	0.85	9.24	1.25	2.33	0.76	6.15	1.12	8.99	1.48	15.40	2.30
Weekends only	57.01	1.30	55.42	1.62	60.36	2.04	73.07	2.78	64.41	1.99	48.68	2.50	34.96	2.50
Weekdays/weekends	35.24	1.16	37.53	1.49	30.41	1.82	24.60	2.72	29.43	1.81	42.33	2.42	49.64	2.63

See footnotes at end of table.

Table 1-10. Percent distribution of drinking days of the week in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
12 years														
Holidays or special occasions only	7.94	0.50	6.69	0.56	9.76	0.81	3.55	0.75	7.03	0.60	9.94	1.11	15.30	1.63
Weekends only	59.37	0.87	56.10	1.15	64.12	1.19	72.74	1.91	64.19	1.06	52.05	1.85	29.00	2.18
Weekdays/weekends	32.69	0.77	37.21	1.10	26.12	1.04	23.71	1.84	28.78	0.99	38.01	1.73	55.70	2.22
13-15 years														
Holidays or special occasions only	7.91	0.50	6.63	0.60	9.54	0.70	3.59	0.65	7.25	0.62	13.24	1.32	13.67	1.88
Weekends only	57.71	0.86	55.15	1.18	60.98	1.11	65.67	1.65	62.17	1.13	45.46	1.85	29.27	2.63
Weekdays/weekends	34.38	0.80	38.21	1.17	29.48	1.00	30.73	1.66	30.58	1.08	41.30	1.79	57.07	2.90
16 or more years														
Holidays or special occasions only	8.35	0.48	8.15	0.60	8.67	0.64	3.21	0.98	7.43	0.53	10.39	1.06	13.61	1.86
Weekends only	57.84	0.83	55.50	1.07	61.69	1.12	68.62	3.77	64.40	1.01	48.16	1.63	28.87	2.38
Weekdays/weekends	33.81	0.81	36.34	1.06	29.63	1.06	28.17	3.82	28.17	0.97	41.45	1.59	57.52	2.56
<u>Currently Employed Full Time</u>														
Yes														
Holidays or special occasions only	7.20	0.41	6.59	0.43	8.46	0.62	3.00	0.56	6.72	0.43	10.34	0.86	12.37	2.84
Weekends only	60.97	0.58	58.55	0.70	66.02	0.90	70.65	1.64	63.53	0.71	50.74	1.20	33.13	4.11
Weekdays/weekends	31.83	0.52	34.86	0.66	25.52	0.80	26.36	1.54	29.76	0.65	38.92	1.14	54.50	4.43
No														
Holidays or special occasions only	9.41	0.46	8.42	0.57	10.34	0.66	3.70	0.57	8.26	0.70	11.69	0.99	14.82	1.01
Weekends only	53.39	0.78	48.60	1.13	57.84	0.96	67.72	1.58	64.30	1.12	44.71	1.49	30.29	1.35
Weekdays/weekends	37.20	0.70	42.98	1.09	31.82	0.87	28.58	1.53	27.44	1.05	43.60	1.46	54.89	1.35
<u>Personal Annual Income</u>														
None														
Holidays or special occasions only	12.53	0.72	11.72	0.91	13.23	1.03	4.67	1.80	9.04	1.28	13.53	1.33	15.17	1.05
Weekends only	43.82	1.05	37.30	1.49	49.52	1.38	67.99	4.62	65.43	1.93	41.23	1.93	29.32	1.39
Weekdays/weekends	43.65	1.02	50.98	1.48	37.24	1.35	27.34	4.69	25.53	1.80	45.24	1.97	55.51	1.42
\$1 to \$9,999														
Holidays or special occasions only	6.45	0.50	5.06	0.64	7.78	0.72	3.59	0.56	6.96	0.77	11.35	1.74	13.78	2.64
Weekends only	63.03	0.95	60.77	1.42	65.18	1.23	68.07	1.54	66.03	1.49	49.62	2.73	35.13	3.79
Weekdays/weekends	30.52	0.91	34.17	1.41	27.04	1.10	28.34	1.56	27.01	1.46	39.03	2.55	51.09	3.92
\$10,000 to \$24,999														
Holidays or special occasions only	7.20	0.57	6.27	0.63	8.41	0.79	2.42	0.60	7.33	0.70	10.84	1.28	20.09	6.39
Weekends only	62.89	0.90	59.95	1.22	66.73	1.21	71.47	1.78	63.67	1.13	54.60	1.93	22.56	4.85
Weekdays/weekends	29.91	0.79	33.79	1.14	24.86	1.04	26.11	1.72	29.00	1.04	34.56	1.74	57.35	6.39
\$25,000 or more														
Holidays or special occasions only	7.52	0.45	7.10	0.50	8.77	0.76	--	--	6.68	0.45	9.63	0.94	--	--
Weekends only	58.23	0.71	56.27	0.86	64.10	1.24	66.79	3.80	62.79	0.86	48.60	1.39	41.24	4.85
Weekdays/weekends	34.25	0.69	36.63	0.82	27.13	1.16	28.36	3.63	30.54	0.83	41.77	1.37	52.44	4.91

See footnotes at end of table.

Table 1-10. Percent distribution of drinking days of the week in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Current/Most Recent Occupation														
Executive, administrative, managerial														
Holidays or special occasions only	8.17	0.66	7.34	0.77	9.59	1.05	--	--	8.15	0.89	9.92	1.31	7.56	1.74
Weekends only	55.94	1.11	52.20	1.42	62.37	1.67	71.16	4.25	64.05	1.43	46.90	2.05	28.40	3.34
Weekdays/weekends	35.88	1.04	40.46	1.39	28.03	1.48	28.18	4.19	27.81	1.33	43.18	2.00	64.03	3.44
Professional specialty														
Holidays or special occasions only	8.81	0.69	8.50	0.85	9.16	0.96	--	--	8.44	0.82	10.47	1.48	11.69	2.01
Weekends only	57.33	1.06	54.02	1.47	61.22	1.43	70.88	3.58	63.84	1.31	47.67	2.22	32.43	2.91
Weekdays/weekends	33.86	1.02	37.48	1.47	29.62	1.32	26.27	3.58	27.72	1.26	41.86	2.16	55.89	3.10
Technician/related support														
Holidays or special occasions only	9.84	1.43	8.96	2.02	11.10	1.99	--	--	9.41	1.67	15.06	4.56	--	--
Weekends only	63.79	2.17	61.60	2.95	66.91	2.89	71.18	4.93	65.56	2.55	56.11	5.78	47.12	8.45
Weekdays/weekends	26.37	1.89	29.44	2.67	21.99	2.52	23.60	4.69	25.02	2.25	28.83	4.90	41.97	8.16
Sales														
Holidays or special occasions only	8.28	0.76	7.97	0.99	8.68	1.12	3.97	1.13	6.97	0.94	10.72	1.60	17.61	3.37
Weekends only	55.88	1.30	53.12	1.76	59.47	1.74	69.59	2.63	62.06	1.74	44.74	2.66	25.21	2.96
Weekdays/weekends	35.84	1.18	38.91	1.66	31.85	1.66	26.44	2.46	30.97	1.63	44.54	2.67	57.17	3.65
Administrative support, including clerical														
Holidays or special occasions only	8.78	0.62	6.54	1.10	9.61	0.73	3.26	1.02	7.01	0.80	12.81	1.54	16.98	2.16
Weekends only	61.93	1.11	59.70	2.28	62.76	1.22	75.86	2.23	68.13	1.49	52.40	2.34	32.11	2.76
Weekdays/weekends	29.29	0.99	33.76	2.14	27.63	1.08	20.89	2.11	24.87	1.34	34.79	2.17	50.91	2.74
Private household														
Holidays or special occasions only	7.92	2.71	--	--	8.24	2.81	--	--	--	--	--	--	--	--
Weekends only	69.20	6.08	--	--	69.11	6.22	--	--	82.59	5.48	75.07	10.84	--	--
Weekdays/weekends	22.88	5.62	--	--	22.66	5.74	--	--	--	--	--	--	64.81	18.51
Protective service														
Holidays or special occasions only	10.13	1.79	9.78	1.91	--	--	--	--	8.87	2.10	13.42	5.04	--	--
Weekends only	47.97	3.84	46.22	4.10	62.99	7.02	51.63	10.09	54.69	5.71	34.12	6.51	--	--
Weekdays/weekends	41.90	4.04	44.00	4.33	23.82	6.01	42.24	10.37	36.44	5.99	52.46	6.96	54.31	10.58
Service, except protective and household														
Holidays or special occasions only	6.70	0.72	5.61	1.11	7.49	0.93	2.79	0.73	7.06	1.07	12.09	2.40	10.71	3.17
Weekends only	57.67	1.40	53.88	2.47	60.42	1.69	59.48	2.65	60.78	1.93	50.95	3.20	41.79	5.52
Weekdays/weekends	35.62	1.40	40.51	2.46	32.09	1.61	37.73	2.62	32.16	1.87	36.95	3.04	47.50	5.40
Farming, forestry, fishing														
Holidays or special occasions only	7.63	1.39	6.57	1.44	--	--	--	--	4.78	1.46	13.99	3.98	--	--
Weekends only	58.21	3.04	57.80	3.42	61.03	6.87	73.84	4.61	62.33	4.16	41.40	6.68	29.93	6.73
Weekdays/weekends	34.17	3.03	35.64	3.48	24.08	6.22	22.66	4.59	32.89	4.02	44.61	7.06	51.17	7.32
Precision production, craft, repair														
Holidays or special occasions only	6.21	0.64	6.25	0.65	--	--	3.29	1.10	4.39	0.67	9.85	1.69	12.99	2.45
Weekends only	57.38	1.25	56.98	1.30	62.47	4.24	75.31	3.01	61.40	1.57	49.50	2.83	25.86	3.18
Weekdays/weekends	36.42	1.20	36.78	1.26	31.87	3.84	21.40	2.86	34.21	1.53	40.64	2.69	61.15	3.67

See footnotes at end of table.

Table 1-10. Percent distribution of drinking days of the week in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Operators, fabricators, laborers														
Holidays or special occasions only	6.98	1.01	5.41	1.03	10.63	2.25	--	--	6.57	1.46	7.75	2.23	17.55	3.99
Weekends only	60.26	1.90	56.13	2.48	69.94	2.87	75.52	4.45	64.67	2.27	54.77	4.27	26.24	4.91
Weekdays/weekends	32.76	1.77	38.46	2.36	19.42	2.26	24.17	4.45	28.76	2.12	37.49	4.25	56.21	5.34
Transportation, material moving														
Holidays or special occasions only	8.21	1.24	7.87	1.27	--	--	--	--	6.62	1.39	8.87	2.59	19.47	5.47
Weekends only	60.42	2.14	60.39	2.20	60.82	7.27	68.15	6.06	66.03	2.61	53.60	4.67	36.59	5.97
Weekdays/weekends	31.38	1.96	31.74	2.02	26.38	6.36	26.53	5.75	27.35	2.37	37.53	4.56	43.94	6.25
Handlers, equipment cleaners, helpers, laborers														
Holidays or special occasions only	6.92	1.20	6.51	1.33	8.93	2.56	--	--	6.06	1.55	--	--	--	--
Weekends only	59.58	2.25	58.13	2.53	66.72	5.16	69.83	3.54	60.19	3.37	36.22	5.90	50.74	9.32
Weekdays/weekends	33.50	2.16	35.36	2.47	24.35	4.87	24.65	3.33	33.75	3.34	54.37	6.38	31.98	7.93
Military														
Holidays or special occasions only	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Weekends only	68.80	4.94	67.77	5.29	75.10	11.14	70.07	10.75	72.62	5.86	--	--	--	--
Weekdays/weekends	27.84	4.60	28.32	4.88	--	--	--	--	25.36	5.79	--	--	--	--
<u>Current/Most Recent Industry</u>														
Agriculture, forestry, fisheries														
Holidays or special occasions only	8.65	1.57	7.98	1.76	11.27	3.41	--	--	5.49	1.60	11.31	3.61	--	--
Weekends only	56.71	3.23	55.94	3.93	59.76	5.98	73.04	5.70	62.39	3.90	42.14	6.56	30.74	6.27
Weekdays/weekends	34.64	3.13	36.07	3.84	28.96	5.37	20.85	4.87	32.12	3.70	46.55	6.72	46.64	7.28
Mining														
Holidays or special occasions only	12.78	3.54	--	--	--	--	--	--	--	--	--	--	--	--
Weekends only	55.76	6.22	54.37	7.36	60.99	11.76	--	--	66.41	8.57	--	--	--	--
Weekdays/weekends	31.46	5.66	32.39	6.51	--	--	--	--	--	--	--	--	--	--
Construction														
Holidays or special occasions only	6.59	0.83	6.11	0.82	11.57	3.73	--	--	6.42	1.04	8.92	2.25	--	--
Weekends only	57.01	1.60	56.44	1.65	62.90	4.90	74.16	3.35	57.50	2.24	49.58	3.64	33.45	5.42
Weekdays/weekends	36.41	1.56	37.45	1.62	25.53	3.96	22.22	3.13	36.09	2.14	41.51	3.65	58.93	5.58
Manufacturing														
Holidays or special occasions only	7.36	0.59	6.76	0.66	9.12	1.18	--	--	6.19	0.72	8.85	1.32	14.16	2.05
Weekends only	56.50	1.03	54.09	1.21	63.49	1.81	71.70	2.87	64.01	1.27	47.77	2.22	27.11	2.75
Weekdays/weekends	36.13	0.97	39.15	1.16	27.39	1.66	25.91	2.77	29.80	1.18	43.39	2.19	58.74	3.06
Transportation, communications, other public utilities														
Holidays or special occasions only	8.81	1.02	8.60	1.20	9.40	1.91	--	--	6.81	1.13	12.98	2.45	13.73	3.41
Weekends only	57.65	1.60	56.73	1.94	60.33	2.70	73.59	5.73	62.98	2.07	51.19	3.19	30.96	4.37
Weekdays/weekends	33.54	1.48	34.67	1.80	30.27	2.53	22.90	5.48	30.21	1.95	35.83	3.08	55.31	4.71
Wholesale trade														
Holidays or special occasions only	6.29	0.98	5.64	1.09	8.49	1.94	--	--	5.43	1.26	9.25	2.16	--	--
Weekends only	59.05	2.04	56.43	2.46	67.91	3.31	72.50	5.95	66.02	2.55	45.36	4.66	33.67	5.65
Weekdays/weekends	34.66	1.95	37.93	2.37	23.60	3.07	24.20	5.86	28.56	2.44	45.39	4.59	58.27	5.82

See footnotes at end of table.

Table 1-10. Percent distribution of drinking days of the week in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Retail trade														
Holidays or special occasions only	7.95	0.64	7.47	0.90	8.43	0.87	3.47	0.71	7.14	0.82	13.84	1.99	19.20	3.41
Weekends only	57.60	1.11	55.90	1.59	59.33	1.45	65.92	1.95	60.87	1.54	44.27	2.65	31.38	3.38
Weekdays/weekends	34.45	1.06	36.63	1.54	32.24	1.34	30.62	1.93	31.98	1.44	41.89	2.68	49.42	3.63
Finance, insurance, real estate														
Holidays or special occasions only	8.60	0.92	8.27	1.36	8.89	1.26	--	--	8.01	1.21	9.92	1.92	18.51	4.03
Weekends only	61.24	1.59	55.91	2.53	65.84	2.09	80.44	4.04	68.40	2.19	47.99	3.35	33.15	4.37
Weekdays/weekends	30.15	1.50	35.82	2.44	25.27	1.78	18.72	3.99	23.59	1.95	42.09	3.39	48.34	5.23
Services: business and repair														
Holidays or special occasions only	6.84	0.88	6.64	1.11	7.20	1.40	--	--	7.16	1.15	8.40	2.23	--	--
Weekends only	60.18	1.81	57.79	2.29	64.58	2.63	69.85	4.06	64.93	2.21	48.65	4.08	28.43	5.86
Weekdays/weekends	32.98	1.69	35.57	2.19	28.22	2.48	27.32	3.88	27.91	2.04	42.95	3.93	62.89	6.37
Services: personal														
Holidays or special occasions only	8.31	1.35	7.71	2.46	8.63	1.53	--	--	9.09	1.95	--	--	15.84	4.66
Weekends only	59.34	2.26	53.09	4.22	62.65	2.77	64.09	7.12	64.47	3.21	55.25	5.27	31.29	6.66
Weekdays/weekends	32.35	2.26	39.21	4.45	28.72	2.58	33.46	7.36	26.44	2.85	35.94	4.98	52.87	7.12
Services: entertainment and recreation														
Holidays or special occasions only	4.73	0.99	3.58	1.08	7.12	2.06	--	--	55.39	4.37	41.50	7.40	--	--
Weekends only	57.18	2.96	55.51	3.76	60.64	4.44	69.04	4.76	55.39	4.37	41.50	7.40	--	--
Weekdays/weekends	38.09	2.94	40.91	3.77	32.24	4.26	27.41	4.75	41.73	4.33	51.98	7.38	--	--
Services: professional and related														
Holidays or special occasions only	8.67	0.58	7.03	0.75	9.73	0.74	2.92	0.81	7.85	0.71	11.55	1.22	13.14	1.83
Weekends only	60.15	0.93	56.24	1.46	62.67	1.16	69.67	2.57	66.84	1.12	51.36	1.84	33.43	2.79
Weekdays/weekends	31.17	0.86	36.73	1.42	27.60	1.06	27.41	2.56	25.31	1.10	37.09	1.72	53.42	2.84
Public administration														
Holidays or special occasions only	10.32	1.14	9.56	1.35	11.87	1.97	--	--	9.07	1.37	12.58	2.75	11.74	3.18
Weekends only	53.44	1.98	50.91	2.52	58.64	2.83	60.65	8.61	59.53	2.81	49.47	3.81	29.06	4.82
Weekdays/weekends	36.24	2.06	39.53	2.68	29.49	2.54	30.16	9.19	31.40	2.93	37.96	3.66	59.20	5.18
Military														
Holidays or special occasions only	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Weekends only	69.80	4.57	68.72	4.91	76.76	10.51	70.23	10.68	72.60	5.41	--	--	--	--
Weekdays/weekends	26.85	4.26	27.41	4.54	--	--	--	--	25.10	5.33	--	--	--	--
Smoked Any Cigarettes in Last Year														
Yes														
Holidays or special occasions only	6.07	0.43	5.71	0.53	6.61	0.59	2.80	0.58	5.74	0.46	8.41	1.00	11.85	2.03
Weekends only	57.70	0.76	54.16	1.01	63.06	1.05	64.44	1.77	61.75	0.93	47.32	1.59	32.13	2.51
Weekdays/weekends	36.23	0.69	40.13	0.97	30.33	0.93	32.76	1.69	32.50	0.88	44.28	1.51	56.02	2.73
No														
Holidays or special occasions only	9.26	0.40	8.03	0.43	11.13	0.61	3.80	0.53	8.06	0.49	12.10	0.81	15.43	1.07
Weekends only	58.39	0.59	56.44	0.74	61.35	0.84	72.85	1.42	65.11	0.76	49.35	1.14	30.05	1.44
Weekdays/weekends	32.35	0.51	35.52	0.68	27.52	0.73	23.35	1.37	26.84	0.68	38.55	1.08	54.52	1.45

See footnotes at end of table.

Table 1-10. Percent distribution of drinking days of the week in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Smoked 100 or More Cigarettes in Life</u>														
Yes														
Holidays or special occasions only	7.47	0.38	7.04	0.45	8.17	0.54	2.92	0.57	6.24	0.42	9.85	0.77	12.65	1.07
Weekends only	54.92	0.61	51.65	0.81	60.21	0.86	64.84	1.68	61.96	0.80	47.23	1.11	29.60	1.45
Weekdays/weekends	37.61	0.56	41.31	0.78	31.61	0.79	32.24	1.61	31.80	0.75	42.92	1.07	57.75	1.55
No														
Holidays or special occasions only	8.86	0.46	7.30	0.49	11.01	0.71	3.76	0.54	8.24	0.55	13.10	1.22	19.15	1.88
Weekends only	62.87	0.69	61.74	0.87	64.44	0.98	73.01	1.48	66.05	0.85	52.04	1.71	32.56	2.09
Weekdays/weekends	28.27	0.60	30.96	0.81	24.55	0.84	23.24	1.42	25.71	0.77	34.86	1.63	48.29	2.22
<u>Any Depression in Past Year</u>														
Yes														
Holidays or special occasions only	4.44	0.81	4.91	1.27	3.91	0.89	--	--	4.78	1.15	11.71	4.01	--	--
Weekends only	60.71	1.99	57.12	2.84	64.70	2.83	67.39	3.64	60.35	2.58	42.19	6.01	--	--
Weekdays/weekends	34.85	1.96	37.97	2.81	31.39	2.76	31.26	3.58	34.87	2.53	46.10	6.34	--	--
No														
Holidays or special occasions only	8.18	0.35	7.22	0.37	9.65	0.51	3.53	0.44	7.21	0.40	10.80	0.69	14.66	0.95
Weekends only	58.02	0.50	55.51	0.64	61.88	0.69	69.27	1.16	63.88	0.64	48.76	0.96	30.40	1.29
Weekdays/weekends	33.81	0.43	37.27	0.59	28.47	0.60	27.20	1.13	28.92	0.58	40.44	0.89	54.94	1.29
<u>Any Depression in Life</u>														
Yes														
Holidays or special occasions only	5.61	0.57	4.37	0.65	6.90	0.90	2.54	0.76	5.53	0.71	10.41	2.11	--	--
Weekends only	59.53	1.33	56.39	1.94	62.82	1.73	65.55	2.47	62.14	1.71	45.04	3.14	26.90	7.72
Weekdays/weekends	34.86	1.27	39.23	1.95	30.28	1.59	31.91	2.40	32.33	1.64	44.55	3.17	67.99	8.07
No														
Holidays or special occasions only	8.33	0.37	7.43	0.39	9.78	0.54	3.52	0.47	7.33	0.42	10.85	0.69	14.86	0.98
Weekends only	57.95	0.52	55.48	0.64	61.88	0.72	69.83	1.22	63.95	0.66	48.95	0.99	30.59	1.31
Weekdays/weekends	33.72	0.44	37.09	0.60	28.34	0.63	26.65	1.17	28.73	0.60	40.20	0.92	54.55	1.31
<u>Alcohol Use Disorder in Past Year</u>														
None														
Holidays or special occasions only	9.37	0.40	8.52	0.44	10.55	0.55	4.76	0.58	8.23	0.45	11.68	0.75	14.95	0.97
Weekends only	59.32	0.54	56.84	0.70	62.76	0.70	75.72	1.18	65.77	0.67	49.82	0.98	30.93	1.31
Weekdays/weekends	31.30	0.45	34.63	0.62	26.69	0.61	19.52	1.09	26.00	0.58	38.49	0.91	54.12	1.30
Abuse														
Holidays or special occasions only	1.89	0.46	2.10	0.58	--	--	--	--	2.47	0.73	--	--	--	--
Weekends only	55.49	1.74	52.79	2.04	63.16	2.93	59.34	3.33	58.07	2.21	38.26	5.12	--	--
Weekdays/weekends	42.62	1.73	45.11	2.03	35.54	2.91	39.92	3.35	39.46	2.20	59.61	5.21	94.06	4.33
Dependence														
Holidays or special occasions only	0.92	0.23	1.06	0.30	--	--	--	--	--	--	--	--	--	--
Weekends only	49.83	1.43	48.56	1.78	52.69	2.43	55.33	2.48	50.48	1.97	34.64	4.02	--	--
Weekdays/weekends	49.25	1.42	50.37	1.77	46.72	2.39	43.90	2.48	48.61	1.95	64.25	4.01	74.53	6.98

See footnotes at end of table.

Table 1-10. Percent distribution of drinking days of the week in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
Holidays or special occasions only	15.62	0.64	16.04	0.81	15.18	0.78	7.47	0.92	13.52	0.70	20.26	1.31	29.44	1.95
Weekends only	66.61	0.73	64.29	0.97	68.99	0.90	77.94	1.46	70.11	0.86	59.57	1.45	45.42	2.14
Weekdays/weekends	17.78	0.50	19.67	0.72	15.82	0.66	14.58	1.27	16.38	0.63	20.17	1.10	25.14	1.73
Moderate drinker														
Holidays or special occasions only	2.58	0.24	2.58	0.28	2.59	0.37	1.01	0.32	2.08	0.27	4.11	0.61	5.06	0.88
Weekends only	61.70	0.69	61.82	0.90	61.48	1.02	72.59	1.57	67.60	0.91	52.42	1.57	26.65	1.88
Weekdays/weekends	35.72	0.67	35.60	0.89	35.93	1.00	26.40	1.56	30.31	0.89	43.47	1.56	68.29	1.99
Heavier drinker														
Holidays or special occasions only	0.66	0.18	0.47	0.14	--	--	--	--	0.61	0.20	--	--	--	--
Weekends only	28.98	0.93	29.42	1.08	27.53	1.76	42.84	2.73	34.76	1.44	18.21	1.51	6.67	1.30
Weekdays/weekends	70.36	0.94	70.11	1.08	71.18	1.78	57.16	2.73	64.63	1.43	80.65	1.57	92.53	1.32
<u>Usual/Heaviest Drinking Level in Past Year³</u>														
Light drinker														
Holidays or special occasions only	16.64	0.69	17.09	0.87	16.18	0.84	8.07	1.01	14.50	0.75	21.23	1.38	30.36	2.05
Weekends only	66.02	0.78	63.52	1.05	68.59	0.94	78.40	1.56	69.31	0.89	59.17	1.53	45.66	2.20
Weekdays/weekends	17.34	0.53	19.39	0.77	15.23	0.67	13.54	1.33	16.19	0.65	19.60	1.13	23.98	1.75
Moderate drinker														
Holidays or special occasions only	2.75	0.26	2.77	0.30	2.72	0.36	1.17	0.34	2.29	0.29	4.10	0.61	5.57	0.92
Weekends only	63.61	0.68	63.37	0.90	64.01	1.00	73.57	1.62	69.43	0.92	54.89	1.52	28.46	1.90
Weekdays/weekends	33.63	0.66	33.85	0.88	33.27	0.96	25.26	1.61	28.28	0.90	41.01	1.50	65.97	2.01
Heavier drinker														
Holidays or special occasions only	0.82	0.18	0.61	0.15	1.48	0.54	--	--	0.68	0.20	1.60	0.55	--	--
Weekends only	32.43	0.90	33.04	1.06	30.54	1.64	46.58	2.61	38.53	1.36	20.87	1.53	7.14	1.28
Weekdays/weekends	66.75	0.91	66.35	1.07	67.98	1.66	53.42	2.61	60.80	1.36	77.53	1.59	91.82	1.33
<u>5 or More Drinks in a Single Day</u>														
Not once in past year														
Holidays or special occasions only	13.23	0.55	12.92	0.68	13.52	0.69	8.12	1.38	12.09	0.70	14.26	0.97	16.52	1.09
Weekends only	56.11	0.70	52.25	1.02	59.77	0.86	75.48	2.19	64.97	0.96	51.39	1.19	32.03	1.47
Weekdays/weekends	30.67	0.60	34.84	0.93	26.71	0.75	16.40	1.90	22.94	0.82	34.35	1.08	51.46	1.48
1 to 11 times in past year														
Holidays or special occasions only	5.98	0.45	6.48	0.59	5.09	0.57	3.85	0.68	5.81	0.51	8.41	1.21	10.23	3.16
Weekends only	64.73	0.83	62.68	1.05	68.32	1.16	76.39	1.68	66.94	0.98	49.71	2.02	27.13	3.76
Weekdays/weekends	29.30	0.78	30.83	0.99	26.59	1.11	19.76	1.61	27.25	0.93	41.88	1.99	62.64	4.16
12 or more times in past year														
Holidays or special occasions only	1.43	0.24	1.43	0.25	1.44	0.44	1.01	0.37	1.25	0.27	2.12	0.63	--	--
Weekends only	54.63	0.88	52.95	1.05	59.94	1.63	60.00	1.84	58.53	1.19	38.98	2.31	23.62	3.30
Weekdays/weekends	43.94	0.89	45.62	1.05	38.63	1.63	38.99	1.82	40.22	1.18	58.90	2.35	72.00	3.33

See footnotes at end of table.

Table 1-10. Percent distribution of drinking days of the week in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Drinking Enough to Feel Drunk</u>														
Not once in past year														
Holidays or special occasions only	11.85	0.52	10.88	0.58	13.10	0.71	8.57	1.31	10.71	0.62	12.46	0.83	15.40	1.00
Weekends only	55.33	0.66	52.48	0.88	59.03	0.85	74.63	2.06	64.59	0.89	49.79	1.10	30.67	1.38
Weekdays/weekends	32.82	0.55	36.64	0.81	27.88	0.75	16.81	1.72	24.69	0.74	37.75	1.04	53.93	1.37
1 to 11 times in past year														
Holidays or special occasions only	4.39	0.33	4.33	0.44	4.48	0.47	2.78	0.54	4.45	0.38	6.47	1.08	--	--
Weekends only	65.19	0.76	62.75	0.98	69.12	1.06	75.20	1.30	65.87	0.92	48.94	2.04	33.37	4.47
Weekdays/weekends	30.42	0.72	32.93	0.93	26.40	1.01	22.02	1.27	29.68	0.91	44.59	1.97	59.11	4.89
12 or more times in past year														
Holidays or special occasions only	1.25	0.27	1.02	0.27	1.87	0.68	--	--	1.23	0.37	--	--	--	--
Weekends only	50.99	1.31	49.29	1.58	55.79	2.45	54.47	2.31	52.98	1.80	31.91	3.78	--	--
Weekdays/weekends	47.77	1.32	49.68	1.61	42.34	2.37	44.95	2.32	45.79	1.83	65.30	3.80	76.31	6.50
<u>Driving After Drinking</u>														
Not once in past year														
Holidays or special occasions only	8.89	0.38	8.10	0.41	10.01	0.52	4.11	0.49	7.88	0.42	11.42	0.73	14.73	0.97
Weekends only	58.99	0.51	56.51	0.65	62.48	0.69	72.61	1.13	65.30	0.65	49.54	0.95	30.62	1.30
Weekdays/weekends	32.11	0.43	35.39	0.60	27.51	0.61	23.28	1.08	26.82	0.58	39.03	0.90	54.65	1.29
1 or 2 times in past year														
Holidays or special occasions only	2.44	0.50	2.33	0.61	2.71	0.86	--	--	3.57	0.81	--	--	--	--
Weekends only	56.24	1.78	55.52	2.18	58.03	2.78	61.45	3.77	58.32	2.10	38.28	5.04	--	--
Weekdays/weekends	41.33	1.73	42.16	2.14	39.26	2.75	38.19	3.79	38.10	2.01	60.12	5.09	77.45	11.30
3 or more times in past year														
Holidays or special occasions only	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Weekends only	46.86	1.98	44.88	2.30	53.72	3.87	50.46	3.34	47.75	2.57	31.99	6.58	--	--
Weekdays/weekends	52.44	2.01	54.35	2.33	45.84	3.86	49.23	3.33	51.65	2.60	66.08	6.65	--	--
<u>Getting into Situation that Could Be Harmful</u>														
Not once in past year														
Holidays or special occasions only	8.37	0.36	7.54	0.39	9.58	0.50	3.69	0.47	7.36	0.40	10.98	0.71	14.70	0.96
Weekends only	58.63	0.50	56.09	0.65	62.32	0.67	71.91	1.13	64.40	0.64	48.91	0.95	30.61	1.30
Weekdays/weekends	33.00	0.43	36.37	0.60	28.10	0.58	24.40	1.09	28.24	0.56	40.12	0.89	54.69	1.29
At least once in past year														
Holidays or special occasions only	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Weekends only	49.79	2.14	49.39	2.44	51.39	4.82	51.72	3.67	49.95	3.00	39.62	7.37	--	--
Weekdays/weekends	49.12	2.14	49.42	2.46	47.91	4.83	47.64	3.73	48.47	3.00	59.39	7.37	--	--
<u>Age Started Drinking</u>														
16 years or younger														
Holidays or special occasions only	5.94	0.54	5.65	0.60	6.53	0.83	3.67	0.59	5.48	0.60	9.63	1.55	14.66	3.02
Weekends only	56.23	0.95	53.29	1.16	62.10	1.48	64.74	1.63	58.51	1.20	40.32	2.49	23.78	3.13
Weekdays/weekends	37.82	0.86	41.06	1.09	31.37	1.34	31.59	1.62	36.01	1.14	50.06	2.47	61.56	3.53

See footnotes at end of table.

Table 1-10. Percent distribution of drinking days of the week in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
17 or 18 years														
Holidays or special occasions only	7.55	0.45	6.81	0.50	8.91	0.77	3.02	0.70	6.94	0.52	10.87	1.19	15.55	1.98
Weekends only	61.57	0.75	59.11	0.98	66.11	1.10	72.14	1.84	65.85	1.00	48.50	1.71	33.36	2.64
Weekdays/weekends	30.88	0.72	34.08	0.95	24.99	1.01	24.84	1.73	27.20	0.96	40.63	1.66	51.09	2.73
19 or 20 years														
Holidays or special occasions only	8.99	0.69	8.85	0.87	9.17	0.96	2.71	0.87	7.92	0.85	11.73	1.52	15.24	2.20
Weekends only	59.44	1.09	55.95	1.45	64.29	1.47	76.39	2.62	65.99	1.39	47.63	2.21	35.11	2.87
Weekdays/weekends	31.57	1.00	35.20	1.40	26.54	1.30	20.90	2.60	26.08	1.28	40.64	2.07	49.65	2.99
21 years or older														
Holidays or special occasions only	10.07	0.56	8.25	0.69	11.77	0.79	--	--	8.71	0.72	10.63	0.97	13.88	1.28
Weekends only	55.79	0.88	53.82	1.35	57.63	1.10	71.38	4.45	66.39	1.18	53.53	1.51	29.74	1.73
Weekdays/weekends	34.15	0.80	37.93	1.26	30.60	0.99	25.39	4.37	24.90	1.05	35.84	1.45	56.38	1.80
<u>Family History of Alcoholism</u>														
None														
Holidays or special occasions only	9.21	0.44	8.14	0.48	11.19	0.68	3.59	0.66	8.05	0.57	11.16	0.92	15.83	1.26
Weekends only	57.28	0.67	56.10	0.83	59.46	1.04	70.80	1.78	64.73	0.90	48.95	1.34	31.54	1.61
Weekdays/weekends	33.51	0.63	35.76	0.79	29.36	0.98	25.61	1.75	27.23	0.82	39.88	1.26	52.63	1.63
2nd degree relatives only														
Holidays or special occasions only	6.64	0.49	5.64	0.58	8.13	0.80	2.92	0.71	6.59	0.64	9.47	1.25	11.00	2.17
Weekends only	60.76	0.96	57.46	1.22	65.72	1.36	68.92	2.18	63.85	1.25	51.69	2.09	29.97	3.75
Weekdays/weekends	32.60	0.90	36.90	1.20	26.14	1.21	28.16	2.20	29.55	1.20	38.84	2.08	59.03	3.95
1st degree relatives only														
Holidays or special occasions only	8.20	0.76	6.83	0.86	10.18	1.32	--	--	6.18	0.97	12.09	1.76	13.21	2.03
Weekends only	53.94	1.32	50.92	1.72	58.29	1.81	66.37	4.33	61.86	1.87	44.95	2.43	28.20	2.87
Weekdays/weekends	37.86	1.22	42.25	1.66	31.53	1.58	30.65	4.32	31.96	1.77	42.96	2.46	58.60	3.07
Both 1st and 2nd degree relatives														
Holidays or special occasions only	7.00	0.58	6.56	0.75	7.48	0.72	3.62	0.79	6.45	0.62	10.52	1.48	12.81	2.80
Weekends only	59.29	0.94	54.79	1.40	64.26	1.27	67.62	1.98	62.83	1.23	47.25	2.11	27.38	3.87
Weekdays/weekends	33.72	0.87	38.65	1.34	28.27	1.14	28.77	1.98	30.73	1.18	42.24	2.00	59.81	4.16
<u>Any Parent Alcoholic</u>														
Yes														
Holidays or special occasions only	7.01	0.53	5.86	0.67	8.38	0.74	3.13	0.70	6.63	0.59	10.09	1.26	12.18	2.19
Weekends only	58.42	0.89	54.84	1.29	62.67	1.18	67.39	2.12	61.83	1.17	47.78	1.85	31.33	3.42
Weekdays/weekends	34.57	0.83	39.30	1.27	28.95	1.05	29.48	2.05	31.55	1.10	42.13	1.83	56.49	3.54
No														
Holidays or special occasions only	8.36	0.37	7.50	0.39	9.78	0.54	3.44	0.50	7.27	0.44	11.03	0.76	14.96	1.03
Weekends only	58.03	0.54	55.77	0.67	61.76	0.78	69.76	1.31	64.42	0.69	48.91	1.08	30.40	1.40
Weekdays/weekends	33.61	0.47	36.73	0.63	28.47	0.69	26.80	1.30	28.31	0.64	40.06	1.00	54.64	1.37

See footnotes at end of table.

Table 1-10. Percent distribution of drinking days of the week in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Married to Alcoholic/Lived with Alcoholic as Married</u>														
Yes														
Holidays or special occasions only	7.10	0.61	3.97	0.79	8.57	0.80	--	--	6.30	0.76	8.26	1.22	12.63	2.59
Weekends only	57.54	1.24	52.44	2.57	59.92	1.28	60.11	4.65	63.74	1.49	50.17	2.36	30.73	3.94
Weekdays/weekends	35.35	1.18	43.59	2.47	31.51	1.23	35.68	4.59	29.96	1.38	41.57	2.34	56.63	4.06
No														
Holidays or special occasions only	8.15	0.37	7.34	0.38	9.58	0.54	3.31	0.42	7.22	0.41	11.18	0.75	14.84	1.02
Weekends only	58.20	0.53	55.76	0.64	62.52	0.75	69.65	1.17	63.72	0.66	48.42	1.03	30.49	1.34
Weekdays/weekends	33.65	0.45	36.90	0.60	27.90	0.64	27.04	1.14	29.06	0.61	40.39	0.95	54.68	1.34
<u>Any Alcohol Treatment in Past Year</u>														
Yes														
Holidays or special occasions only	2.66	0.97	--	--	--	--	--	--	--	--	--	--	--	--
Weekends only	43.26	2.86	43.36	3.29	42.94	5.10	54.66	5.92	42.64	3.70	25.96	6.87	--	--
Weekdays/weekends	54.09	2.87	54.67	3.34	52.25	5.16	44.81	5.90	54.02	3.61	70.25	7.15	--	--
No														
Holidays or special occasions only	8.15	0.35	7.29	0.37	9.45	0.50	3.46	0.43	7.20	0.39	10.91	0.70	14.68	0.95
Weekends only	58.47	0.50	55.92	0.62	62.28	0.68	69.66	1.13	64.29	0.63	48.96	0.95	30.50	1.29
Weekdays/weekends	33.38	0.42	36.79	0.58	28.28	0.58	26.88	1.10	28.51	0.57	40.14	0.89	54.82	1.29
<u>Any Alcohol Treatment in Life</u>														
Yes														
Holidays or special occasions only	5.00	0.79	4.78	0.91	5.82	1.65	--	--	3.37	0.82	9.22	2.64	--	--
Weekends only	49.34	1.76	48.24	2.09	53.43	3.19	62.72	3.98	50.50	2.25	33.87	3.94	30.28	7.27
Weekdays/weekends	45.66	1.69	46.97	2.01	40.74	3.13	34.25	3.93	46.13	2.20	56.91	4.01	46.08	8.04
No														
Holidays or special occasions only	8.24	0.36	7.36	0.39	9.51	0.51	3.39	0.43	7.40	0.41	10.89	0.70	14.42	0.95
Weekends only	58.73	0.51	56.24	0.64	62.32	0.68	69.69	1.18	64.78	0.64	49.41	0.97	30.51	1.30
Weekdays/weekends	33.03	0.43	36.40	0.59	28.17	0.59	26.92	1.15	27.82	0.57	39.69	0.91	55.07	1.30

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-11. Percent distribution of alcoholic beverage preference in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Beer	40.95	0.49	51.37	0.63	25.13	0.59	51.75	1.18	44.57	0.62	31.35	0.88	25.48	1.25
Wine	14.33	0.32	6.32	0.28	26.49	0.59	6.75	0.54	13.43	0.38	20.13	0.73	18.19	1.01
Liquor	9.37	0.30	8.09	0.34	11.31	0.42	4.18	0.41	6.05	0.30	13.83	0.66	26.30	1.16
No preference	34.23	0.44	33.06	0.57	36.02	0.70	36.39	1.17	34.89	0.59	33.39	0.87	28.74	1.12
Race														
White														
Beer	40.14	0.52	51.18	0.65	23.80	0.60	51.32	1.22	43.91	0.65	30.76	0.93	25.09	1.32
Wine	15.01	0.35	6.63	0.31	27.41	0.62	6.45	0.60	14.02	0.42	21.26	0.78	18.91	1.05
Liquor	9.30	0.31	7.81	0.36	11.49	0.46	4.14	0.44	5.92	0.33	13.12	0.69	26.07	1.17
No preference	34.56	0.47	33.35	0.60	36.36	0.74	37.29	1.24	35.22	0.62	33.71	0.93	28.72	1.18
Black														
Beer	44.87	1.71	49.83	2.28	36.10	2.04	55.00	4.17	46.89	1.99	34.37	2.95	30.12	4.79
Wine	9.39	0.78	4.54	0.73	17.96	1.61	8.47	1.72	10.14	1.07	9.04	1.71	--	--
Liquor	11.86	0.91	11.95	1.27	11.70	1.21	5.09	1.59	7.73	1.04	22.87	2.65	40.78	5.72
No preference	31.25	1.58	31.08	2.05	31.54	1.91	29.68	3.86	32.80	1.95	30.12	2.67	21.08	4.58
American Indian/Alaska Native														
Beer	64.78	5.85	68.18	7.00	60.17	9.59	63.55	11.47	68.51	6.63	--	--	--	--
Wine	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Liquor	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No preference	23.46	4.35	23.05	5.78	24.03	6.74	--	--	23.70	6.04	--	--	--	--
Asian/Pacific Islander														
Beer	44.59	3.59	53.82	4.18	20.05	5.65	39.98	7.50	47.29	4.65	39.22	9.03	--	--
Wine	12.41	2.36	--	--	33.45	6.51	--	--	12.39	2.95	--	--	--	--
Liquor	4.03	1.35	--	--	--	--	--	--	--	--	--	--	--	--
No preference	38.05	3.56	36.36	4.13	42.53	7.16	44.45	8.07	36.73	4.23	35.79	9.11	--	--
Hispanic Origin														
Hispanic														
Beer	51.72	1.87	62.36	2.30	27.86	2.52	55.56	4.11	51.16	2.37	52.83	4.49	34.02	9.89
Wine	11.53	1.10	5.43	1.09	25.20	2.34	5.88	1.70	11.41	1.33	17.17	3.03	--	--
Liquor	5.52	0.86	4.62	1.03	7.52	1.68	--	--	4.78	1.01	5.53	1.82	17.49	5.61
No preference	29.72	1.67	26.07	2.01	37.91	2.71	32.51	3.81	30.64	2.11	23.61	3.64	33.33	8.23
Nonhispanic														
Beer	40.06	0.51	50.32	0.65	24.94	0.61	51.26	1.21	44.01	0.63	29.88	0.90	25.10	1.27
Wine	14.55	0.33	6.41	0.29	26.55	0.61	6.83	0.57	13.66	0.40	20.13	0.74	18.35	1.02
Liquor	9.68	0.32	8.42	0.36	11.54	0.44	4.18	0.43	6.13	0.32	14.46	0.70	26.59	1.18
No preference	34.62	0.45	33.73	0.58	35.94	0.71	36.84	1.17	35.21	0.60	34.20	0.90	28.72	1.15
Marital Status														
Married														
Beer	38.24	0.63	48.23	0.80	21.90	0.73	48.95	2.66	44.26	0.79	30.14	1.04	25.56	1.54
Wine	16.37	0.44	7.64	0.41	30.65	0.82	7.91	1.31	14.56	0.52	20.62	0.87	17.07	1.28
Liquor	10.41	0.40	9.58	0.47	11.78	0.58	5.44	1.22	6.20	0.40	13.42	0.77	26.08	1.44
No preference	33.85	0.59	33.35	0.73	34.68	0.90	36.02	2.62	34.02	0.76	34.49	1.05	30.14	1.45

See footnotes at end of table.

Table 1-11. Percent distribution of alcoholic beverage preference in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Living with someone as if married														
Beer	49.26	2.24	63.56	2.94	30.78	2.89	53.18	4.35	49.01	2.79	39.98	6.97	--	--
Wine	12.24	1.33	4.29	1.31	22.52	2.55	8.85	2.18	13.90	1.87	--	--	--	--
Liquor	5.43	0.86	3.99	1.04	7.31	1.45	--	--	5.12	1.07	--	--	--	--
No preference	32.51	1.90	27.86	2.55	38.51	2.84	32.66	3.76	31.31	2.35	37.75	7.34	--	--
Widowed														
Beer	28.92	1.92	42.91	3.64	22.20	2.19	--	--	45.08	7.78	30.85	3.42	26.05	2.38
Wine	20.64	1.47	7.38	1.79	27.01	1.97	--	--	19.39	5.06	23.18	3.06	19.68	1.75
Liquor	21.95	1.50	18.69	2.48	23.52	1.77	--	--	--	--	16.77	2.57	25.70	1.89
No preference	26.67	1.69	29.98	3.06	25.07	2.06	--	--	23.59	5.88	26.65	3.44	26.91	2.08
Divorced														
Beer	39.59	1.24	54.20	1.86	24.44	1.61	59.36	7.19	42.10	1.64	36.12	2.19	25.63	3.93
Wine	15.82	0.90	5.41	0.71	26.62	1.58	--	--	14.95	1.16	17.49	1.75	20.89	2.91
Liquor	12.08	0.83	10.37	1.08	13.85	1.34	--	--	8.00	0.91	16.12	1.75	30.84	4.15
No preference	31.68	1.14	29.34	1.62	34.10	1.63	31.59	6.69	34.03	1.66	29.66	2.01	21.16	3.51
Separated														
Beer	45.66	2.37	55.85	3.39	34.10	2.97	56.51	7.46	48.50	3.01	34.26	4.20	--	--
Wine	14.38	1.53	5.81	1.42	24.11	2.68	--	--	12.56	1.72	18.10	3.39	--	--
Liquor	8.03	1.19	6.93	1.62	9.27	1.74	--	--	5.72	1.45	15.61	2.97	--	--
No preference	30.22	2.12	30.07	3.00	30.39	3.08	25.70	6.55	32.16	2.73	29.28	4.57	--	--
Never married														
Beer	47.93	0.93	56.63	1.19	32.22	1.30	51.82	1.43	45.13	1.31	38.49	3.79	22.63	4.59
Wine	8.32	0.49	3.61	0.39	16.82	1.07	6.22	0.64	9.31	0.67	19.23	2.91	23.58	4.22
Liquor	4.78	0.35	3.78	0.39	6.57	0.66	3.82	0.46	4.74	0.48	11.24	2.08	22.97	5.48
No preference	37.83	0.88	34.68	1.12	43.53	1.38	37.35	1.42	39.29	1.26	30.29	3.30	28.92	4.82
Ever Raised Children														
Yes														
Beer	39.30	0.62	49.80	0.80	24.48	0.71	56.76	2.53	46.06	0.77	31.45	0.94	25.37	1.37
Wine	16.10	0.41	7.14	0.38	28.74	0.72	8.16	1.18	13.97	0.48	20.01	0.77	17.45	1.09
Liquor	11.27	0.38	9.95	0.46	13.14	0.53	4.25	0.97	6.64	0.39	13.85	0.70	26.67	1.27
No preference	32.24	0.54	31.99	0.71	32.58	0.78	29.59	2.42	32.39	0.73	33.42	0.91	29.27	1.22
No														
Beer	44.00	0.74	54.03	0.97	26.50	0.94	50.76	1.31	41.82	0.92	30.45	2.49	26.21	2.80
Wine	11.07	0.43	4.94	0.37	21.77	0.89	6.47	0.61	12.44	0.57	21.20	1.96	23.08	2.68
Liquor	5.85	0.34	4.92	0.38	7.49	0.57	4.17	0.46	4.97	0.41	13.61	1.80	23.86	2.80
No preference	37.91	0.69	34.85	0.91	43.25	1.13	37.74	1.29	39.47	0.90	33.04	2.58	25.22	2.72
Children Under 14 Living in Household														
Yes														
Beer	44.60	0.83	57.25	1.13	28.72	0.95	51.19	3.16	45.75	0.86	33.93	2.54	--	--
Wine	14.78	0.52	5.15	0.49	26.85	0.95	10.29	1.59	14.51	0.55	19.38	1.97	--	--
Liquor	6.81	0.39	5.17	0.48	8.86	0.59	5.90	1.34	6.45	0.42	7.89	1.20	40.60	10.73
No preference	32.77	0.76	31.36	1.01	34.53	1.03	30.90	2.98	32.24	0.79	38.03	2.47	--	--

See footnotes at end of table.

Table 1-11. Percent distribution of alcoholic beverage preference in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Beer	39.36	0.56	49.08	0.73	23.29	0.68	51.83	1.27	43.46	0.84	30.92	0.94	25.74	1.27
Wine	14.13	0.37	6.77	0.33	26.31	0.72	6.27	0.57	12.41	0.51	20.25	0.78	18.27	1.03
Liquor	10.48	0.35	9.22	0.41	12.57	0.55	3.95	0.44	5.68	0.38	14.81	0.72	25.96	1.15
No preference	34.87	0.52	33.71	0.68	36.79	0.85	37.13	1.24	37.37	0.81	32.62	0.96	28.72	1.13
<u>Education</u>														
11 years or less														
Beer	59.07	1.29	64.87	1.54	46.81	2.13	62.34	2.88	67.30	1.90	54.55	2.46	42.94	2.81
Wine	6.78	0.59	3.66	0.59	13.38	1.33	6.24	1.35	4.92	0.83	7.57	1.22	10.59	1.52
Liquor	10.11	0.75	9.29	0.91	11.84	1.25	4.26	1.12	6.78	1.05	12.73	1.55	20.25	2.26
No preference	22.66	1.10	20.65	1.27	26.91	1.90	26.25	2.65	19.92	1.70	22.55	1.98	25.52	2.30
12 years														
Beer	49.15	0.83	61.47	1.05	31.24	1.09	54.70	2.09	55.59	1.15	39.94	1.64	28.50	2.25
Wine	11.21	0.48	3.42	0.40	22.55	0.98	6.79	0.92	8.83	0.59	16.81	1.24	17.26	1.74
Liquor	11.10	0.53	8.95	0.63	14.23	0.80	4.95	0.85	8.05	0.64	15.26	1.25	27.52	2.04
No preference	27.21	0.72	24.81	0.95	30.69	1.09	32.35	2.08	26.24	0.96	26.69	1.52	25.00	1.93
13-15 years														
Beer	38.69	0.84	52.05	1.16	21.61	0.96	48.24	1.74	41.33	1.08	26.83	1.66	17.09	2.17
Wine	14.30	0.57	5.01	0.48	26.18	1.04	6.97	0.87	14.08	0.72	22.10	1.49	20.76	2.19
Liquor	9.10	0.49	7.16	0.59	11.59	0.72	4.35	0.68	6.38	0.51	15.70	1.38	28.58	2.43
No preference	36.98	0.82	34.87	1.14	39.69	1.15	39.79	1.65	37.31	1.10	34.24	1.83	31.95	2.61
16 or more years														
Beer	27.44	0.74	35.04	1.01	14.87	0.83	45.43	3.13	31.50	0.94	17.45	1.25	12.14	1.75
Wine	20.70	0.63	11.32	0.65	36.19	1.14	6.89	1.37	19.14	0.74	27.02	1.45	24.79	2.08
Liquor	7.38	0.39	7.36	0.51	7.41	0.62	2.22	0.69	3.58	0.34	11.28	0.95	28.94	2.26
No preference	43.53	0.78	45.25	1.01	40.69	1.19	44.54	3.03	44.81	0.98	43.32	1.62	33.25	2.45
<u>Currently Employed Full Time</u>														
Yes														
Beer	43.57	0.59	52.51	0.72	24.93	0.78	54.07	1.67	46.50	0.71	31.63	1.10	23.50	3.77
Wine	12.66	0.35	6.05	0.32	26.44	0.75	6.02	0.65	11.38	0.40	18.91	0.89	21.63	3.87
Liquor	7.30	0.31	6.44	0.36	9.09	0.49	3.98	0.57	5.81	0.34	12.14	0.75	22.42	3.75
No preference	35.46	0.55	34.01	0.67	38.50	0.90	34.68	1.57	35.32	0.68	36.44	1.11	30.72	4.23
No														
Beer	36.60	0.71	48.71	1.09	25.35	0.83	49.60	1.61	38.73	1.14	30.82	1.42	25.65	1.30
Wine	17.11	0.56	6.95	0.51	26.55	0.86	7.42	0.89	19.61	0.89	22.42	1.22	17.91	1.04
Liquor	12.80	0.49	11.92	0.66	13.62	0.65	4.37	0.59	6.80	0.54	17.01	1.09	26.62	1.21
No preference	32.19	0.67	30.84	1.01	33.45	0.94	37.98	1.72	33.58	1.03	27.64	1.35	28.57	1.16
<u>Personal Annual Income</u>														
None														
Beer	32.42	1.05	40.43	1.63	25.41	1.15	44.25	3.92	40.76	2.00	32.08	1.95	25.97	1.39
Wine	18.52	0.76	9.37	0.86	26.53	1.14	9.87	2.42	19.56	1.55	20.05	1.55	18.43	1.11
Liquor	18.82	0.82	17.65	1.15	19.83	1.05	8.20	2.35	9.43	1.13	18.35	1.50	26.16	1.28
No preference	28.34	0.88	30.21	1.45	26.71	1.16	37.05	4.52	28.60	1.81	26.32	1.68	28.02	1.25

See footnotes at end of table.

Table 1-11. Percent distribution of alcoholic beverage preference in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
\$1 to \$9,999														
Beer	45.01	1.06	58.95	1.67	31.74	1.32	51.70	1.79	43.88	1.56	34.32	2.61	25.76	3.36
Wine	13.04	0.71	3.30	0.48	22.31	1.19	6.73	0.86	16.30	1.12	23.57	2.08	15.45	2.48
Liquor	7.45	0.49	5.58	0.62	9.23	0.72	3.47	0.50	7.04	0.74	14.20	1.77	25.29	3.25
No preference	33.50	1.00	31.06	1.56	35.82	1.40	37.23	1.74	31.59	1.45	27.12	2.28	32.32	3.65
\$10,000 to \$24,999														
Beer	46.45	0.88	61.40	1.22	26.98	0.99	53.21	1.88	47.95	1.10	35.81	1.93	29.06	6.63
Wine	12.16	0.51	3.13	0.37	23.91	0.98	6.23	0.82	11.94	0.63	18.67	1.47	19.09	4.95
Liquor	7.51	0.44	6.01	0.51	9.47	0.66	4.67	0.74	6.18	0.51	13.59	1.27	22.40	4.96
No preference	32.84	0.80	28.34	1.16	38.71	1.09	34.87	1.79	32.84	1.03	30.99	1.80	29.11	5.22
\$25,000 or more														
Beer	38.46	0.74	46.14	0.85	15.44	0.93	52.66	4.20	43.06	0.87	28.39	1.26	17.10	3.65
Wine	14.80	0.49	8.31	0.46	34.25	1.18	6.23	1.86	12.61	0.52	20.05	1.08	19.66	4.02
Liquor	7.65	0.41	7.52	0.47	8.03	0.68	--	--	5.13	0.39	12.11	0.90	32.41	4.91
No preference	38.20	0.73	37.14	0.81	41.39	1.31	36.94	4.14	38.29	0.86	38.60	1.35	30.03	4.58
Current/Most Recent Occupation														
Executive, administrative, managerial														
Beer	27.84	1.00	34.62	1.38	16.22	1.21	39.04	4.84	32.42	1.40	21.15	1.69	16.22	2.50
Wine	18.45	0.86	10.14	0.85	32.73	1.64	6.02	1.77	17.28	1.09	24.19	1.86	13.80	2.00
Liquor	11.32	0.71	11.07	0.91	11.75	1.08	--	--	5.88	0.68	14.97	1.46	36.27	3.39
No preference	41.48	1.15	43.24	1.47	38.46	1.73	49.45	4.96	43.51	1.44	38.67	2.15	33.40	3.40
Professional specialty														
Beer	24.77	0.94	32.46	1.41	15.75	1.11	41.89	4.08	27.15	1.26	17.79	1.74	14.56	2.30
Wine	22.90	0.91	12.94	1.03	34.59	1.44	6.71	2.04	21.56	1.09	29.02	2.05	28.34	2.94
Liquor	7.48	0.59	6.77	0.74	8.31	0.84	3.91	1.28	3.99	0.52	11.18	1.37	21.72	2.60
No preference	43.87	1.05	46.72	1.46	40.54	1.47	46.57	4.37	46.30	1.36	41.34	2.18	33.65	2.93
Technician/related support														
Beer	36.35	2.08	47.63	2.99	20.27	2.66	47.62	5.71	35.34	2.43	34.23	5.80	--	--
Wine	13.94	1.30	6.82	1.35	24.08	2.49	9.25	2.96	13.39	1.63	17.93	3.76	21.05	6.24
Liquor	7.16	1.05	5.22	1.19	9.93	1.84	--	--	4.55	1.10	15.42	3.79	--	--
No preference	41.17	2.07	39.89	2.90	42.99	3.44	37.77	5.18	45.63	2.52	29.95	4.92	38.72	7.94
Sales														
Beer	35.25	1.24	42.35	1.71	26.00	1.53	44.65	2.92	39.19	1.77	26.68	2.46	18.23	3.25
Wine	14.94	0.85	7.11	0.83	25.15	1.51	8.53	1.41	14.30	1.22	19.67	2.14	19.45	2.97
Liquor	10.82	0.77	10.90	1.03	10.71	1.09	5.13	1.22	6.97	0.91	15.94	2.04	28.50	3.04
No preference	37.73	1.22	38.35	1.63	36.93	1.75	40.94	2.95	38.15	1.69	36.50	2.56	32.04	3.42
Administrative support, including clerical														
Beer	29.45	1.11	49.71	2.39	21.91	1.01	40.26	2.76	33.08	1.48	18.58	1.92	18.70	2.23
Wine	22.33	0.87	7.17	1.14	27.97	1.04	10.10	1.58	21.86	1.21	32.40	2.07	22.56	2.43
Liquor	11.16	0.66	7.55	1.14	12.50	0.77	5.30	1.12	7.17	0.79	13.55	1.40	33.23	2.77
No preference	36.48	1.08	34.83	2.24	37.09	1.18	43.85	2.68	37.43	1.48	34.71	2.25	24.54	2.55
Private household														
Beer	39.61	6.79	--	--	37.16	6.87	--	--	50.67	9.27	--	--	--	--
Wine	15.31	4.01	--	--	15.93	4.15	--	--	--	--	--	--	--	--
Liquor	11.29	3.55	--	--	11.75	3.68	--	--	--	--	--	--	--	--
No preference	31.92	5.98	--	--	33.21	6.16	--	--	20.38	7.00	--	--	--	--

See footnotes at end of table.

Table 1-11. Percent distribution of alcoholic beverage preference in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Protective service														
Beer	51.13	3.75	52.04	4.09	43.34	7.79	65.82	6.74	48.98	5.53	45.95	6.97	41.17	10.22
Wine	3.49	0.86	2.41	0.79	--	--	--	--	3.16	1.04	--	--	--	--
Liquor	8.91	1.66	8.72	1.79	--	--	--	--	7.25	2.00	13.16	3.79	--	--
No preference	35.91	3.78	36.21	4.15	33.28	7.57	29.87	6.25	39.90	5.81	36.26	7.00	--	--
Service, except protective and household														
Beer	46.76	1.38	61.28	2.20	36.27	1.65	51.84	2.58	48.44	1.99	35.03	3.20	37.73	4.92
Wine	12.15	0.85	3.77	0.84	18.20	1.29	7.03	1.21	13.69	1.36	18.07	2.66	12.04	3.12
Liquor	9.58	0.74	6.23	0.96	12.01	1.03	5.35	1.06	7.24	0.95	18.56	2.47	26.74	5.24
No preference	30.27	1.21	27.89	1.98	31.99	1.58	34.75	2.34	29.41	1.68	26.61	3.12	22.15	4.80
Farming, forestry, fishing														
Beer	61.15	2.73	64.99	2.94	34.80	6.58	71.07	4.96	64.94	3.85	46.92	7.27	45.94	7.66
Wine	6.19	1.22	3.07	0.86	27.60	6.39	--	--	7.56	2.18	--	--	--	--
Liquor	7.42	1.24	7.43	1.37	--	--	--	--	--	--	20.71	4.65	--	--
No preference	22.90	2.33	22.03	2.53	28.86	5.58	26.14	4.75	20.79	3.41	21.28	5.13	26.66	6.54
Precision production, craft, repair														
Beer	62.99	1.21	64.39	1.27	45.29	4.35	65.20	3.60	69.72	1.53	54.29	2.74	38.38	3.63
Wine	4.04	0.48	3.35	0.46	12.81	2.86	--	--	2.34	0.49	5.42	1.18	12.72	2.39
Liquor	8.44	0.73	7.77	0.73	16.86	3.18	--	--	5.72	0.71	14.07	2.04	19.29	2.99
No preference	22.77	1.06	22.67	1.11	24.08	3.37	26.44	3.38	21.02	1.36	23.53	2.29	26.84	3.41
Operators, fabricators, laborers														
Beer	58.68	1.88	64.45	2.23	45.16	3.11	68.08	4.33	63.40	2.39	50.13	4.52	39.15	5.02
Wine	8.06	1.00	2.97	0.96	19.99	2.42	6.52	2.03	6.34	1.15	9.82	2.85	15.43	3.52
Liquor	8.43	0.98	6.69	1.14	12.52	2.07	--	--	8.41	1.42	9.11	2.05	17.20	3.79
No preference	24.38	1.77	25.44	2.14	21.89	2.38	23.63	4.26	20.98	2.09	30.95	4.22	28.21	4.99
Transportation, material moving														
Beer	62.65	2.10	65.34	2.13	26.03	6.05	67.01	5.99	68.71	2.64	54.30	4.42	45.07	6.33
Wine	3.16	0.80	2.62	0.79	--	--	--	--	--	--	6.42	2.55	--	--
Liquor	9.24	1.19	8.50	1.21	19.20	5.52	--	--	7.51	1.42	11.68	2.96	23.05	4.87
No preference	23.84	1.92	22.47	1.97	42.54	7.66	31.08	5.74	20.98	2.33	25.14	3.98	27.27	6.00
Handlers, equipment cleaners, helpers, laborers														
Beer	63.71	2.22	65.48	2.46	54.97	5.63	61.23	3.92	64.05	3.19	75.51	4.70	44.07	9.25
Wine	3.94	0.83	2.60	0.71	10.52	3.41	--	--	3.46	1.17	--	--	--	--
Liquor	4.47	0.83	4.52	0.93	--	--	--	--	2.78	0.95	--	--	25.36	8.80
No preference	26.20	2.04	25.88	2.40	27.74	4.49	28.72	3.75	28.08	3.06	14.97	4.14	--	--
Military														
Beer	58.69	4.44	63.20	4.82	--	--	83.29	5.26	54.29	6.45	--	--	--	--
Wine	10.24	3.18	--	--	--	--	--	--	--	--	--	--	--	--
Liquor	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No preference	25.32	3.74	23.02	4.08	--	--	--	--	31.88	5.96	--	--	--	--
Current/Most Recent Industry														
Agriculture, forestry, fisheries														
Beer	53.79	3.16	60.26	3.52	28.25	5.68	56.32	6.99	60.45	4.27	40.80	6.27	49.54	7.21
Wine	7.59	1.52	3.65	1.11	23.14	5.07	--	--	6.59	2.03	12.04	3.81	--	--
Liquor	8.41	1.28	7.98	1.50	10.11	3.11	--	--	--	--	20.20	4.28	--	--
No preference	28.47	2.66	26.16	2.92	37.59	5.53	37.85	6.81	28.42	3.91	23.42	4.16	20.98	5.59

See footnotes at end of table.

Table 1-11. Percent distribution of alcoholic beverage preference in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Mining														
Beer	51.75	6.79	61.72	7.35	--	--	--	--	68.50	7.71	--	--	--	--
Wine	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Liquor	16.69	4.86	17.39	5.48	--	--	--	--	--	--	--	--	--	--
No preference	23.81	5.25	17.67	5.35	--	--	--	--	--	--	48.93	12.38	--	--
Construction														
Beer	61.17	1.51	64.09	1.56	30.77	4.92	64.17	3.88	66.93	2.15	50.98	3.39	36.24	5.13
Wine	5.51	0.76	3.86	0.66	22.76	4.65	--	--	2.81	0.69	10.65	2.30	16.54	4.23
Liquor	7.54	0.91	6.98	0.94	13.41	3.45	--	--	4.13	0.81	14.36	2.75	23.15	5.17
No preference	24.58	1.36	23.76	1.41	33.07	4.70	26.23	3.60	25.14	1.92	22.22	2.92	23.52	5.13
Manufacturing														
Beer	49.97	1.08	55.70	1.24	33.35	1.77	62.47	3.07	55.24	1.33	42.60	2.30	30.65	2.58
Wine	10.42	0.62	5.96	0.59	23.35	1.58	7.16	1.64	8.67	0.74	13.14	1.40	15.28	2.08
Liquor	8.24	0.52	7.19	0.58	11.28	1.16	2.77	0.91	4.86	0.56	11.13	1.28	22.74	2.42
No preference	30.30	0.94	29.93	1.10	31.36	1.72	26.96	2.98	30.17	1.22	31.81	1.97	30.40	2.68
Transportation, communications, other public utilities														
Beer	42.83	1.71	49.61	2.07	23.23	2.29	48.63	6.85	46.91	2.16	36.16	3.13	31.58	4.54
Wine	11.45	1.07	5.64	0.95	28.23	2.57	--	--	11.75	1.40	13.22	2.28	10.19	3.27
Liquor	9.95	0.97	9.04	1.06	12.55	1.86	--	--	6.66	0.95	13.06	2.25	27.67	4.15
No preference	34.83	1.62	34.71	1.93	35.18	2.67	43.62	7.21	34.10	2.03	36.56	3.23	28.21	4.01
Wholesale trade														
Beer	46.30	2.07	52.00	2.39	27.03	3.32	63.24	5.29	51.01	2.79	34.50	4.14	24.85	5.27
Wine	10.65	1.23	6.76	1.25	23.81	3.13	--	--	8.71	1.38	18.56	3.45	--	--
Liquor	10.30	1.20	10.31	1.40	10.27	2.42	--	--	5.99	1.36	15.95	3.09	34.28	5.36
No preference	32.30	1.96	30.51	2.22	38.36	3.76	32.60	5.14	33.91	2.61	30.49	4.03	26.90	5.55
Retail trade														
Beer	41.31	1.06	53.16	1.56	29.29	1.27	46.16	2.01	43.46	1.57	32.37	2.68	27.18	3.36
Wine	12.25	0.65	4.29	0.61	20.32	1.12	7.25	0.93	12.16	0.95	20.33	2.18	16.59	2.37
Liquor	10.64	0.65	9.00	0.88	12.31	0.91	4.64	0.76	9.37	0.90	17.14	2.00	29.94	3.59
No preference	34.55	1.05	32.19	1.50	36.96	1.47	40.77	2.04	33.91	1.46	28.28	2.62	25.32	3.05
Finance, insurance, real estate														
Beer	26.89	1.47	34.15	2.28	20.64	1.87	44.98	5.35	30.28	2.00	15.70	2.47	16.51	3.36
Wine	19.57	1.23	9.24	1.38	28.48	1.86	9.88	2.61	19.30	1.62	24.25	2.86	19.90	3.53
Liquor	9.66	1.08	8.57	1.41	10.61	1.40	--	--	6.33	1.06	13.56	2.21	25.53	5.50
No preference	42.72	1.59	46.43	2.45	39.52	2.07	39.74	5.03	42.92	2.09	45.66	3.38	36.57	5.03
Services: business and repair														
Beer	43.07	1.78	52.34	2.23	26.00	2.75	53.34	4.62	46.49	2.36	30.41	3.77	26.94	5.23
Wine	12.87	1.10	5.12	0.93	27.12	2.46	5.78	1.86	12.02	1.37	19.98	3.05	14.62	4.67
Liquor	8.79	0.92	7.75	1.07	10.69	1.69	--	--	6.26	1.01	13.05	2.47	31.25	5.73
No preference	33.77	1.69	32.92	2.13	35.32	2.76	35.52	4.67	33.46	2.07	35.17	4.00	27.20	5.47
Services: personal														
Beer	38.74	2.80	52.43	4.52	31.49	2.68	48.03	7.15	39.11	3.38	31.95	4.97	29.12	7.49
Wine	16.53	1.96	9.46	2.75	20.28	2.20	8.62	3.05	18.62	2.55	20.14	4.48	16.66	4.56
Liquor	12.00	1.56	7.53	2.23	14.36	1.83	--	--	7.54	1.54	21.69	4.61	29.95	5.96
No preference	31.33	2.08	30.15	3.48	31.96	2.61	35.97	5.46	33.27	3.46	24.84	4.71	23.21	5.74

See footnotes at end of table.

Table 1-11. Percent distribution of alcoholic beverage preference in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Services: entertainment and recreation														
Beer	45.01	3.06	50.34	3.77	33.95	4.97	60.96	4.65	41.66	4.49	24.31	6.57	--	--
Wine	10.59	1.78	5.20	1.72	21.78	3.86	--	--	11.32	2.66	16.78	5.29	--	--
Liquor	10.57	1.77	9.49	2.10	12.82	3.10	--	--	9.29	2.91	23.59	5.64	--	--
No preference	32.35	2.69	33.16	3.44	30.66	4.39	27.42	4.18	34.81	4.28	35.31	7.29	--	--
Services: professional and related														
Beer	27.20	0.82	38.90	1.53	19.67	0.87	44.24	2.64	28.95	1.11	19.12	1.46	16.66	2.05
Wine	23.71	0.81	11.40	1.00	31.64	1.06	7.20	1.31	23.65	1.03	30.35	1.76	27.87	2.44
Liquor	9.04	0.52	7.24	0.79	10.19	0.66	5.61	1.12	5.10	0.50	13.57	1.18	23.56	2.27
No preference	39.04	0.88	41.66	1.49	37.36	1.11	42.33	2.34	41.27	1.20	36.01	1.79	30.27	2.47
Public administration														
Beer	36.87	2.03	45.08	2.80	19.99	2.23	59.38	6.73	40.43	3.03	28.77	3.45	20.49	3.78
Wine	13.47	1.22	5.10	0.88	30.66	2.58	--	--	11.56	1.50	20.54	2.97	11.97	2.63
Liquor	9.13	1.01	8.41	1.26	10.60	1.58	--	--	4.95	1.13	10.53	1.94	31.08	4.28
No preference	39.59	2.15	40.60	2.87	37.53	2.96	32.80	6.24	42.46	3.19	38.28	3.64	35.30	4.94
Military														
Beer	56.42	4.55	59.77	5.08	--	--	82.86	5.23	53.31	6.39	--	--	--	--
Wine	10.38	2.99	8.55	2.99	--	--	--	--	--	--	--	--	--	--
Liquor	7.48	2.31	--	--	--	--	--	--	--	--	--	--	--	--
No preference	25.71	4.05	24.00	4.52	--	--	--	--	32.39	6.15	--	--	--	--
Smoked Any Cigarettes in Last Year														
Yes														
Beer	48.35	0.73	58.05	1.01	33.69	1.01	54.46	1.85	50.78	0.97	39.14	1.56	37.75	2.94
Wine	8.60	0.37	3.30	0.32	16.63	0.75	3.76	0.56	8.57	0.47	12.93	0.99	8.88	1.28
Liquor	10.94	0.46	8.84	0.54	14.11	0.70	4.44	0.64	8.76	0.52	17.77	1.07	30.09	2.88
No preference	31.00	0.66	28.57	0.87	34.68	1.09	36.35	1.78	30.81	0.92	28.85	1.41	22.35	2.16
No														
Beer	36.31	0.59	47.19	0.75	19.74	0.67	49.61	1.51	40.19	0.77	27.19	1.09	22.00	1.30
Wine	17.92	0.45	8.21	0.40	32.71	0.79	9.11	0.84	16.85	0.56	23.97	0.98	20.83	1.20
Liquor	8.38	0.32	7.62	0.39	9.55	0.48	3.98	0.54	4.15	0.30	11.73	0.77	25.22	1.27
No preference	36.26	0.53	35.87	0.69	36.87	0.80	36.42	1.43	37.76	0.74	35.81	1.16	30.55	1.31
Smoked 100 or More Cigarettes in Life														
Yes														
Beer	42.85	0.62	51.93	0.78	28.16	0.81	54.84	1.79	48.23	0.80	33.45	1.03	27.37	1.48
Wine	12.20	0.36	5.61	0.33	22.86	0.72	3.96	0.56	11.13	0.45	16.74	0.80	15.46	1.12
Liquor	11.46	0.38	9.97	0.44	13.85	0.57	4.37	0.61	7.68	0.44	15.25	0.78	28.11	1.34
No preference	32.46	0.54	31.32	0.69	34.31	0.89	35.83	1.73	32.04	0.74	33.34	1.01	27.92	1.31
No														
Beer	38.14	0.70	50.48	0.94	21.05	0.79	48.96	1.54	39.72	0.90	26.33	1.59	21.20	1.95
Wine	17.49	0.54	7.44	0.48	31.40	0.93	9.26	0.87	16.48	0.65	28.23	1.52	24.38	1.90
Liquor	6.27	0.35	5.11	0.41	7.88	0.54	4.02	0.57	3.89	0.32	10.43	1.09	22.20	1.99
No preference	36.86	0.66	35.80	0.86	38.34	0.94	36.90	1.49	38.67	0.87	33.49	1.67	30.59	2.07

See footnotes at end of table.

Table 1-11. Percent distribution of alcoholic beverage preference in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Any Depression in Past Year</u>														
Yes														
Beer	40.18	2.02	52.19	3.00	26.85	2.38	45.18	4.40	39.77	2.61	28.84	5.28	--	--
Wine	12.36	1.26	6.98	1.46	18.33	2.05	5.01	1.39	14.37	1.77	23.80	5.12	--	--
Liquor	7.78	1.02	5.23	1.16	10.60	1.65	4.06	1.35	7.94	1.32	15.51	4.80	--	--
No preference	39.04	2.09	35.19	2.99	43.31	2.71	45.50	3.97	36.91	2.65	31.85	5.89	--	--
No														
Beer	40.99	0.51	51.34	0.64	25.05	0.60	52.30	1.19	44.79	0.63	31.39	0.89	25.51	1.26
Wine	14.41	0.33	6.30	0.28	26.90	0.60	6.89	0.57	13.38	0.39	20.06	0.75	18.22	1.01
Liquor	9.43	0.31	8.19	0.34	11.35	0.44	4.19	0.44	5.96	0.31	13.80	0.66	26.24	1.16
No preference	34.04	0.45	32.98	0.58	35.66	0.71	35.64	1.18	34.79	0.59	33.41	0.88	28.73	1.13
<u>Any Depression in Life</u>														
Yes														
Beer	34.09	1.20	45.90	1.93	21.71	1.28	42.27	2.88	34.44	1.57	22.87	2.50	--	--
Wine	16.39	0.93	7.93	0.97	25.25	1.49	5.83	1.36	17.19	1.14	29.13	2.80	--	--
Liquor	7.59	0.62	5.51	0.73	9.76	1.01	4.72	1.01	7.15	0.78	9.50	1.75	41.85	10.14
No preference	40.73	1.30	39.26	2.00	42.28	1.64	46.30	2.65	40.00	1.74	36.93	2.96	25.74	7.35
No														
Beer	41.82	0.54	51.94	0.66	25.68	0.66	53.60	1.25	46.03	0.67	32.07	0.93	25.69	1.28
Wine	14.07	0.34	6.15	0.29	26.69	0.63	6.93	0.58	12.89	0.40	19.37	0.77	18.28	1.04
Liquor	9.59	0.33	8.36	0.37	11.56	0.47	4.08	0.46	5.89	0.32	14.20	0.69	25.94	1.24
No preference	33.42	0.46	32.41	0.59	35.03	0.75	34.46	1.26	34.15	0.62	33.09	0.91	28.81	1.15
<u>Alcohol Use Disorder in Past Year</u>														
None														
Beer	38.23	0.52	48.96	0.67	23.36	0.61	49.28	1.30	42.10	0.68	30.38	0.89	25.06	1.26
Wine	16.34	0.36	7.41	0.33	28.71	0.62	8.94	0.73	15.44	0.44	20.91	0.78	18.55	1.03
Liquor	9.83	0.32	8.64	0.38	11.48	0.45	4.47	0.52	6.13	0.34	13.33	0.66	26.01	1.16
No preference	34.44	0.47	33.72	0.62	35.44	0.72	36.41	1.35	35.25	0.64	34.00	0.93	29.09	1.15
Abuse														
Beer	56.53	1.81	63.06	2.06	37.94	3.06	58.19	3.61	57.98	2.13	45.62	5.68	--	--
Wine	4.32	0.64	2.42	0.68	9.76	1.57	2.81	0.89	3.93	0.73	10.99	3.54	--	--
Liquor	5.76	0.71	4.63	0.73	8.96	1.71	3.87	1.11	3.55	0.72	18.39	3.68	--	--
No preference	32.57	1.62	29.29	1.85	41.94	3.02	33.88	3.31	33.96	2.01	24.12	4.55	--	--
Dependence														
Beer	53.15	1.40	59.82	1.72	38.05	2.24	55.22	2.58	55.58	1.88	39.28	3.92	36.10	8.13
Wine	4.28	0.61	1.47	0.44	10.64	1.62	2.58	0.81	3.41	0.61	12.29	3.07	--	--
Liquor	7.92	0.67	6.69	0.77	10.71	1.38	3.50	0.79	7.29	0.89	19.58	3.07	38.59	9.15
No preference	33.67	1.37	31.17	1.60	39.33	2.63	37.91	2.55	32.46	1.78	28.55	3.42	--	--
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
Beer	32.62	0.67	44.36	0.94	20.50	0.76	45.01	1.72	34.40	0.88	24.44	1.24	23.54	1.83
Wine	16.96	0.46	6.62	0.44	27.64	0.76	9.22	0.89	16.66	0.59	20.68	1.08	21.50	1.54
Liquor	9.35	0.41	7.65	0.55	11.10	0.53	5.16	0.71	6.87	0.43	13.83	0.98	19.26	1.46
No preference	41.07	0.66	41.37	0.91	40.75	0.92	40.62	1.78	42.07	0.89	41.05	1.32	35.70	1.89

See footnotes at end of table.

Table 1-11. Percent distribution of alcoholic beverage preference in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Moderate drinker														
Beer	47.69	0.71	56.69	0.90	31.82	1.02	57.69	1.81	52.09	0.93	37.05	1.54	26.77	1.98
Wine	13.20	0.47	6.44	0.44	25.13	0.96	5.31	0.81	12.23	0.58	20.42	1.22	17.49	1.69
Liquor	8.79	0.43	7.73	0.49	10.67	0.70	2.95	0.54	4.91	0.42	14.25	1.04	30.75	2.19
No preference	30.32	0.67	29.14	0.87	32.39	1.07	34.05	1.77	30.78	0.88	28.28	1.37	24.99	1.83
Heavier drinker														
Beer	49.96	1.16	56.17	1.30	29.57	1.77	55.33	2.89	58.77	1.64	39.37	2.13	28.99	2.82
Wine	11.02	0.69	5.93	0.60	27.77	1.89	5.10	1.16	7.72	0.74	19.68	1.73	13.45	1.90
Liquor	11.34	0.64	9.95	0.73	15.91	1.51	5.05	1.12	7.06	0.75	14.01	1.39	34.86	2.55
No preference	27.67	0.98	27.95	1.14	26.75	1.96	34.52	2.84	26.44	1.50	26.94	1.74	22.69	2.31
Usual/Heaviest Drinking Level in Past Year³														
Light drinker														
Beer	32.99	0.68	44.82	0.96	20.82	0.78	44.86	1.86	35.13	0.90	24.66	1.28	24.30	1.93
Wine	16.92	0.48	6.48	0.46	27.66	0.80	9.80	0.96	16.51	0.61	20.54	1.12	20.75	1.58
Liquor	9.37	0.43	7.63	0.56	11.17	0.56	5.18	0.75	7.05	0.45	13.42	1.01	18.64	1.51
No preference	40.72	0.69	41.07	0.96	40.36	0.96	40.16	1.90	41.31	0.91	41.38	1.38	36.32	1.95
Moderate drinker														
Beer	45.91	0.72	55.42	0.90	30.14	1.00	57.18	1.84	49.34	0.92	35.80	1.57	26.37	1.95
Wine	13.69	0.48	6.67	0.44	25.33	0.94	5.43	0.76	12.99	0.59	20.61	1.22	17.88	1.73
Liquor	9.02	0.46	8.02	0.52	10.69	0.68	3.22	0.58	5.05	0.44	15.00	1.09	30.96	2.26
No preference	31.38	0.66	29.89	0.86	33.84	1.07	34.17	1.80	32.62	0.89	28.59	1.36	24.79	1.80
Heavier drinker														
Beer	49.55	1.08	56.07	1.23	29.60	1.58	54.81	2.66	58.00	1.47	39.12	2.00	27.62	2.63
Wine	11.27	0.65	5.92	0.56	27.65	1.73	4.76	1.02	8.30	0.72	19.88	1.61	14.79	1.93
Liquor	10.49	0.56	9.20	0.65	14.44	1.32	4.52	0.93	6.49	0.66	13.01	1.24	34.27	2.47
No preference	28.69	0.95	28.81	1.11	28.31	1.77	35.91	2.57	27.21	1.35	28.00	1.71	23.31	2.26
5 or More Drinks in a Single Day														
Not once in past year														
Beer	26.63	0.63	37.39	0.95	16.42	0.64	37.98	2.34	29.64	0.89	22.87	1.05	20.85	1.28
Wine	24.47	0.55	12.58	0.64	35.77	0.80	19.09	1.77	24.69	0.76	26.78	1.04	21.42	1.22
Liquor	11.63	0.45	10.85	0.62	12.37	0.53	5.93	1.19	6.15	0.43	13.68	0.79	25.69	1.31
No preference	36.25	0.61	38.17	0.87	34.43	0.85	35.37	2.46	38.62	0.89	35.70	1.13	30.86	1.30
1 to 11 times in past year														
Beer	42.87	0.82	50.55	1.07	29.35	1.13	46.68	1.86	44.46	1.00	33.78	1.84	36.93	4.21
Wine	9.34	0.43	4.14	0.38	18.50	0.96	6.45	0.88	9.33	0.52	13.27	1.35	8.00	1.93
Liquor	8.17	0.41	7.35	0.52	9.63	0.68	4.56	0.65	6.28	0.48	15.04	1.39	29.76	4.03
No preference	38.81	0.83	37.14	1.06	41.75	1.22	41.45	1.97	39.05	0.98	37.40	1.92	24.55	3.36
12 or more times in past year														
Beer	63.43	0.86	67.71	1.03	49.88	1.65	61.85	1.67	66.83	1.21	57.80	2.21	49.25	3.95
Wine	2.70	0.28	1.66	0.26	5.99	0.82	2.04	0.49	1.98	0.30	6.09	1.13	3.50	1.20
Liquor	6.94	0.47	5.80	0.49	10.54	1.05	3.17	0.58	5.69	0.55	13.11	1.48	27.87	3.73
No preference	25.98	0.81	23.91	0.94	32.51	1.71	32.44	1.59	24.45	1.11	21.65	1.75	18.12	2.97

See footnotes at end of table.

Table 1-11. Percent distribution of alcoholic beverage preference in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Drinking Enough to Feel Drunk</u>														
Not once in past year														
Beer	34.48	0.62	45.26	0.81	20.52	0.70	50.90	2.27	39.48	0.87	28.83	1.02	24.47	1.25
Wine	19.78	0.47	9.66	0.48	32.89	0.77	13.37	1.44	18.68	0.64	22.89	0.89	19.08	1.06
Liquor	11.34	0.40	10.21	0.52	12.80	0.54	6.00	1.08	6.06	0.41	13.32	0.72	25.56	1.18
No preference	33.38	0.54	33.85	0.73	32.76	0.82	28.36	2.17	34.87	0.79	33.92	1.03	29.69	1.18
1 to 11 times in past year														
Beer	45.39	0.73	55.41	0.99	29.29	1.03	47.45	1.61	46.77	0.90	37.38	2.04	32.04	5.02
Wine	9.63	0.40	3.68	0.35	19.19	0.88	6.73	0.72	9.94	0.50	13.32	1.45	10.02	2.74
Liquor	7.30	0.41	6.18	0.44	9.12	0.68	4.29	0.57	5.91	0.46	15.18	1.43	33.41	4.76
No preference	36.66	0.71	33.56	0.94	41.65	1.13	40.48	1.59	36.32	0.88	33.33	1.92	24.16	3.86
12 or more times in past year														
Beer	57.68	1.44	62.89	1.66	42.94	2.56	59.71	2.45	58.10	2.04	49.24	3.83	42.95	8.81
Wine	3.33	0.42	1.29	0.30	9.09	1.38	1.99	0.57	3.90	0.61	5.31	1.64	--	--
Liquor	6.53	0.58	5.48	0.61	9.49	1.28	2.70	0.67	6.75	0.80	17.03	2.97	34.30	7.94
No preference	31.86	1.42	29.87	1.64	37.49	2.69	35.33	2.41	30.46	2.09	27.40	3.23	--	--
<u>Driving After Drinking</u>														
Not once in past year														
Beer	38.96	0.51	49.65	0.65	23.95	0.60	50.38	1.30	42.64	0.66	30.30	0.89	25.12	1.26
Wine	15.70	0.34	7.00	0.32	27.90	0.60	7.76	0.62	14.88	0.42	20.93	0.76	18.45	1.03
Liquor	9.85	0.32	8.63	0.37	11.57	0.45	4.48	0.48	6.21	0.33	13.73	0.67	26.54	1.17
No preference	34.43	0.46	33.59	0.59	35.62	0.70	36.42	1.29	35.22	0.63	33.95	0.92	28.72	1.14
1 or 2 times in past year														
Beer	52.45	1.79	58.90	2.23	36.37	2.86	52.05	3.78	53.08	2.16	50.35	5.44	--	--
Wine	5.53	0.72	2.55	0.66	12.98	1.85	--	--	5.81	0.85	9.64	3.18	--	--
Liquor	5.91	0.76	4.72	0.84	8.88	1.52	4.73	1.32	4.45	0.79	14.57	3.58	--	--
No preference	35.50	1.77	33.17	2.15	41.30	2.97	39.97	3.82	35.90	2.11	24.57	4.45	--	--
3 or more times in past year														
Beer	61.08	1.85	66.31	2.06	42.91	3.53	62.74	3.41	63.07	2.23	46.26	6.83	--	--
Wine	2.47	0.56	--	--	6.12	1.69	--	--	2.22	0.58	--	--	--	--
Liquor	5.22	0.84	4.72	0.92	6.95	1.95	--	--	4.93	0.95	17.57	4.94	--	--
No preference	30.44	1.85	27.10	1.99	42.06	3.87	32.82	3.39	29.03	2.23	30.14	5.82	--	--
<u>Getting into Situation that Could Be Harmful</u>														
Not once in past year														
Beer	40.13	0.49	50.69	0.64	24.79	0.60	50.57	1.23	44.00	0.63	31.19	0.89	25.21	1.25
Wine	14.91	0.33	6.61	0.29	26.97	0.59	7.25	0.57	13.93	0.40	20.35	0.74	18.40	1.02
Liquor	9.59	0.31	8.32	0.35	11.42	0.43	4.17	0.44	6.17	0.31	13.78	0.66	26.37	1.17
No preference	34.32	0.45	33.27	0.59	35.83	0.70	36.97	1.23	34.87	0.59	33.59	0.90	28.87	1.14
At least once in past year														
Beer	56.96	2.07	61.76	2.12	37.51	4.14	59.06	3.16	57.11	2.89	38.94	7.57	--	--
Wine	3.21	0.71	--	--	9.78	2.51	2.76	0.95	2.93	0.82	--	--	--	--
Liquor	4.80	0.80	4.29	0.84	6.88	2.09	4.42	1.21	3.12	0.83	16.78	5.85	--	--
No preference	34.70	1.89	31.95	2.00	45.83	4.40	33.75	2.89	36.14	2.90	35.11	8.04	--	--

See footnotes at end of table.

Table 1-11. Percent distribution of alcoholic beverage preference in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Age Started Drinking</u>														
16 years or younger														
Beer	46.34	0.82	56.06	1.05	26.96	1.20	51.01	1.76	46.92	1.06	38.46	2.38	34.08	3.54
Wine	9.97	0.53	4.86	0.46	20.17	1.11	5.32	0.69	9.85	0.63	19.49	1.92	11.31	2.29
Liquor	6.51	0.40	5.82	0.46	7.89	0.73	4.12	0.64	5.57	0.49	9.63	1.35	23.64	2.83
No preference	35.91	0.79	32.00	0.97	43.72	1.43	38.72	1.64	36.40	1.04	30.39	2.29	29.34	3.34
17 or 18 years														
Beer	44.10	0.82	52.83	1.04	28.01	1.08	55.72	1.92	45.82	1.06	33.32	1.68	28.98	2.51
Wine	12.19	0.47	5.56	0.41	24.42	0.99	7.70	0.90	11.62	0.59	17.11	1.25	14.89	1.83
Liquor	6.95	0.37	6.24	0.45	8.25	0.61	2.58	0.52	4.97	0.40	11.97	1.06	21.68	2.23
No preference	36.02	0.76	34.69	1.00	38.49	1.13	32.88	1.85	36.99	0.99	36.85	1.70	33.63	2.59
19 or 20 years														
Beer	36.30	1.12	46.71	1.63	21.86	1.34	46.54	3.23	41.26	1.55	27.06	2.15	22.08	2.58
Wine	17.31	0.77	7.04	0.74	31.58	1.43	9.88	1.70	17.77	1.08	19.81	1.71	17.64	2.36
Liquor	10.58	0.67	10.27	0.92	10.99	0.94	6.95	1.49	5.86	0.70	15.50	1.50	26.83	2.86
No preference	34.87	1.06	34.90	1.45	34.82	1.50	36.36	3.10	33.91	1.44	36.84	2.16	32.55	2.85
21 years or older														
Beer	33.77	0.85	45.78	1.32	22.55	0.93	44.10	4.46	41.71	1.26	28.63	1.37	22.25	1.69
Wine	20.24	0.67	9.43	0.77	30.34	1.00	6.92	1.82	18.27	0.95	23.00	1.22	22.18	1.60
Liquor	14.85	0.64	12.97	0.92	16.62	0.88	7.54	2.27	8.81	0.73	16.03	1.13	29.57	1.73
No preference	30.01	0.78	30.57	1.21	29.49	1.04	40.14	4.36	29.99	1.19	31.36	1.42	24.84	1.61
<u>Drinking Days of the Week in Past Year</u>														
Holidays or special occasions only														
Beer	28.38	1.48	39.21	2.07	15.88	1.74	42.97	5.73	33.09	2.25	21.63	2.25	22.13	3.41
Wine	21.08	1.22	8.40	1.08	35.73	2.06	14.46	3.97	18.65	1.58	23.86	2.28	25.29	2.78
Liquor	9.03	0.96	9.30	1.24	8.71	1.24	--	--	6.08	1.11	12.40	1.76	13.50	2.19
No preference	40.28	1.59	41.94	2.11	38.36	2.24	39.36	5.75	40.54	2.24	41.43	2.71	37.72	3.36
Weekends only														
Beer	42.63	0.59	54.21	0.78	26.86	0.75	51.61	1.40	44.72	0.73	31.56	1.27	26.38	2.04
Wine	13.01	0.36	4.70	0.31	24.32	0.69	7.00	0.64	13.03	0.45	18.16	0.96	16.06	1.55
Liquor	7.76	0.33	6.20	0.39	9.88	0.48	4.23	0.49	5.77	0.35	13.63	0.94	21.91	1.96
No preference	35.76	0.59	33.98	0.77	38.18	0.85	36.07	1.39	35.62	0.72	35.96	1.26	35.35	2.18
Weekdays/weekends														
Beer	41.06	0.84	49.47	1.05	24.41	0.99	53.19	2.30	47.03	1.16	33.69	1.33	25.88	1.72
Wine	14.99	0.54	8.34	0.52	28.17	1.09	5.16	0.87	13.02	0.69	21.49	1.16	17.48	1.34
Liquor	12.20	0.51	10.66	0.59	15.26	0.81	4.25	0.75	6.66	0.56	14.45	0.94	32.16	1.68
No preference	30.17	0.70	29.97	0.88	30.57	1.09	36.84	2.24	31.91	1.07	28.16	1.27	22.66	1.40
<u>Family History of Alcoholism</u>														
None														
Beer	41.63	0.75	50.72	0.92	24.86	0.91	53.45	1.91	46.94	0.95	33.70	1.38	24.65	1.49
Wine	14.65	0.45	7.07	0.44	28.62	0.91	7.08	0.85	12.92	0.57	20.06	1.06	18.88	1.32
Liquor	10.10	0.44	8.95	0.50	12.23	0.68	3.92	0.65	5.58	0.45	13.81	0.90	26.06	1.55
No preference	32.46	0.68	32.10	0.80	33.11	1.08	34.90	1.83	33.48	0.91	30.97	1.26	28.96	1.48

See footnotes at end of table.

Table 1-11. Percent distribution of alcoholic beverage preference in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
2nd degree relatives only														
Beer	39.67	0.97	50.57	1.31	23.28	1.27	47.74	2.08	42.63	1.29	27.43	1.83	25.30	3.37
Wine	14.36	0.65	5.98	0.56	26.95	1.22	6.94	0.91	14.07	0.80	22.17	1.74	15.46	2.40
Liquor	8.26	0.51	6.64	0.58	10.70	0.89	4.20	0.78	5.55	0.55	14.23	1.46	30.45	3.51
No preference	36.84	0.95	36.01	1.31	38.08	1.34	39.73	2.00	37.08	1.27	35.27	2.08	28.27	3.44
1st degree relatives only														
Beer	42.36	1.25	51.99	1.72	28.47	1.68	59.20	4.16	46.05	1.69	33.49	2.37	30.07	2.99
Wine	13.86	0.86	6.32	0.79	24.74	1.60	6.75	1.95	11.99	1.02	19.10	1.89	17.09	2.63
Liquor	10.75	0.73	9.61	0.91	12.40	1.15	--	--	7.99	0.96	13.71	1.60	22.93	2.70
No preference	31.51	1.13	30.10	1.58	33.54	1.72	29.78	3.83	32.24	1.58	32.15	2.34	28.65	2.88
Both 1st and 2nd degree relatives														
Beer	40.19	0.89	53.43	1.34	25.58	1.06	51.27	2.38	41.91	1.13	28.39	1.95	24.11	3.82
Wine	13.91	0.62	4.91	0.52	23.85	1.06	6.02	0.93	14.28	0.79	18.93	1.49	18.43	3.16
Liquor	8.33	0.50	6.77	0.63	10.04	0.73	4.80	0.90	6.40	0.55	13.56	1.35	28.52	3.75
No preference	36.50	0.96	33.74	1.38	39.55	1.23	37.05	2.33	36.32	1.14	37.94	2.01	27.82	4.16
Any Parent Alcoholic														
Yes														
Beer	41.68	0.86	53.51	1.28	27.62	1.03	54.33	2.31	43.54	1.09	29.16	1.82	29.66	3.28
Wine	13.86	0.62	5.15	0.51	24.20	1.10	5.91	0.92	13.69	0.75	20.11	1.45	16.49	2.49
Liquor	8.93	0.50	7.77	0.65	10.31	0.73	4.76	0.90	7.22	0.55	13.68	1.27	24.21	3.14
No preference	34.25	0.90	31.97	1.27	36.95	1.21	34.11	2.18	34.11	1.10	35.83	1.82	28.52	3.25
No														
Beer	40.72	0.56	50.76	0.69	24.15	0.72	50.82	1.29	44.95	0.73	32.01	1.00	24.93	1.34
Wine	14.48	0.36	6.65	0.32	27.40	0.70	7.05	0.64	13.33	0.44	20.13	0.85	18.41	1.09
Liquor	9.51	0.33	8.18	0.37	11.71	0.50	3.97	0.48	5.62	0.35	13.88	0.73	26.58	1.22
No preference	34.23	0.51	33.36	0.63	35.66	0.81	37.21	1.30	35.17	0.70	32.65	0.98	28.77	1.21
Married to Alcoholic/Lived with Alcoholic as Married														
Yes														
Beer	33.19	1.16	50.20	2.35	25.26	1.13	35.12	4.33	37.97	1.47	25.31	2.06	20.39	3.21
Wine	17.86	0.87	6.76	1.14	23.03	1.14	10.66	2.67	17.05	1.04	21.95	1.88	17.45	2.84
Liquor	13.55	0.85	12.10	1.53	14.22	0.98	--	--	9.20	0.91	20.00	1.97	34.76	4.00
No preference	34.36	1.16	30.14	2.12	36.33	1.34	47.68	4.45	34.69	1.50	31.66	2.23	27.11	3.52
No														
Beer	41.94	0.53	51.44	0.65	25.10	0.66	52.71	1.21	45.55	0.67	32.22	0.98	26.00	1.33
Wine	13.88	0.35	6.29	0.29	27.33	0.68	6.52	0.55	12.89	0.41	19.86	0.80	18.26	1.08
Liquor	8.83	0.30	7.83	0.34	10.61	0.47	4.12	0.43	5.58	0.31	12.94	0.68	25.44	1.19
No preference	34.22	0.46	33.24	0.57	35.95	0.77	35.74	1.20	34.92	0.62	33.64	0.95	28.90	1.16
Any Alcohol Treatment in Past Year														
Yes														
Beer	54.84	2.67	61.66	3.04	33.47	4.53	56.87	6.29	59.75	3.40	31.53	6.75	--	--
Wine	3.37	0.97	--	--	--	--	--	--	--	--	--	--	--	--
Liquor	10.40	1.62	7.59	1.61	19.20	4.27	--	--	9.62	1.94	23.10	7.13	--	--
No preference	29.78	2.42	27.68	2.86	36.35	4.86	38.72	5.88	25.92	3.02	31.45	6.77	--	--

See footnotes at end of table.

Table 1-11. Percent distribution of alcoholic beverage preference in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Beer	40.63	0.49	51.07	0.63	25.02	0.60	51.57	1.19	44.16	0.62	31.35	0.89	25.45	1.26
Wine	14.58	0.32	6.46	0.29	26.73	0.59	7.00	0.56	13.72	0.39	20.21	0.73	18.24	1.01
Liquor	9.34	0.30	8.10	0.34	11.20	0.43	4.21	0.43	5.96	0.31	13.70	0.66	26.23	1.16
No preference	34.34	0.45	33.21	0.57	36.02	0.70	36.31	1.19	35.13	0.59	33.41	0.88	28.79	1.13
<u>Any Alcohol Treatment in Life</u>														
Yes														
Beer	58.62	1.68	64.42	1.85	36.94	3.16	66.14	3.77	60.63	2.23	48.25	3.90	32.50	7.24
Wine	4.99	0.72	2.38	0.62	14.76	2.42	--	--	4.39	0.81	9.72	2.39	--	--
Liquor	8.73	0.94	7.36	0.98	13.86	2.40	--	--	6.66	1.06	19.05	3.22	29.50	7.04
No preference	26.17	1.44	24.54	1.64	32.29	3.06	28.14	3.58	26.49	1.98	22.42	2.98	28.73	8.48
No														
Beer	39.73	0.49	50.16	0.65	24.71	0.59	50.50	1.19	43.28	0.63	30.47	0.90	25.31	1.27
Wine	14.98	0.34	6.69	0.30	26.91	0.60	7.13	0.58	14.15	0.41	20.67	0.75	18.47	1.03
Liquor	9.41	0.30	8.15	0.35	11.22	0.43	4.35	0.45	6.00	0.32	13.56	0.67	26.22	1.18
No preference	34.79	0.46	33.85	0.59	36.16	0.71	37.11	1.18	35.56	0.61	33.96	0.90	28.74	1.13

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-12. Percent distribution of type of beer drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Regular	39.82	0.46	49.36	0.60	25.33	0.57	41.61	1.33	40.46	0.62	37.02	0.89	40.22	1.39
Lite or reduced calorie	39.96	0.49	38.53	0.61	42.14	0.66	44.16	1.36	42.29	0.63	37.21	0.93	26.08	1.23
Malt, low-alcohol, or combination	4.63	0.19	5.38	0.26	3.49	0.23	6.80	0.58	4.58	0.26	3.73	0.36	3.30	0.45
Does not drink beer	15.22	0.34	6.43	0.28	28.58	0.62	7.16	0.56	12.33	0.38	21.70	0.79	29.70	1.21
Race														
White														
Regular	38.69	0.50	48.76	0.66	23.79	0.61	41.26	1.45	39.46	0.66	34.88	0.93	39.86	1.45
Lite or reduced calorie	41.93	0.52	40.63	0.65	43.85	0.70	46.89	1.44	44.57	0.67	39.09	0.99	26.87	1.27
Malt, low-alcohol, or combination	3.45	0.17	3.98	0.24	2.67	0.22	4.45	0.49	3.23	0.22	3.41	0.36	3.08	0.45
Does not drink beer	15.60	0.37	6.38	0.30	29.24	0.66	7.11	0.61	12.45	0.42	22.32	0.85	29.58	1.25
Black														
Regular	45.69	1.44	50.01	1.86	38.05	2.02	37.81	3.74	44.77	1.87	54.38	3.01	45.11	5.67
Lite or reduced calorie	23.52	1.21	23.21	1.62	24.06	1.72	22.60	3.30	25.48	1.80	21.04	2.37	11.68	3.32
Malt, low-alcohol, or combination	16.22	1.16	18.09	1.47	12.93	1.40	29.53	3.26	16.24	1.51	8.01	1.85	--	--
Does not drink beer	13.79	0.94	7.76	0.95	24.44	1.87	9.80	1.85	12.68	1.09	15.65	2.15	35.51	5.53
American Indian/Alaska Native														
Regular	54.40	5.54	60.43	7.61	46.23	6.74	59.47	9.92	50.09	8.39	--	--	--	--
Lite or reduced calorie	33.09	5.02	29.11	7.56	38.48	5.76	28.55	7.78	42.07	8.36	--	--	--	--
Malt, low-alcohol, or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink beer	6.46	2.77	--	--	--	--	--	--	--	--	--	--	--	--
Asian/Pacific Islander														
Regular	52.99	3.54	62.86	3.78	26.72	5.52	51.21	7.97	54.52	4.49	50.48	9.84	--	--
Lite or reduced calorie	29.84	3.45	25.77	3.64	40.65	7.15	34.43	8.15	30.93	4.32	19.31	6.23	--	--
Malt, low-alcohol, or combination	4.46	1.40	5.39	1.77	--	--	--	--	--	--	--	--	--	--
Does not drink beer	12.71	2.48	5.98	1.96	30.63	6.78	--	--	10.21	2.74	28.33	8.79	--	--
Hispanic Origin														
Hispanic														
Regular	50.60	1.85	56.83	2.29	36.63	2.72	57.21	3.95	49.42	2.34	49.16	4.37	38.91	9.09
Lite or reduced calorie	34.03	1.72	33.98	2.18	34.15	2.66	29.02	3.63	36.41	2.13	32.96	4.10	34.42	9.56
Malt, low-alcohol, or combination	4.03	0.65	4.18	0.85	3.69	0.95	5.84	1.73	4.04	0.92	--	--	--	--
Does not drink beer	10.58	1.03	4.85	0.93	23.44	2.33	6.69	1.96	9.75	1.19	14.07	2.91	24.20	6.69
Nonhispanic														
Regular	39.01	0.46	48.71	0.62	24.71	0.58	39.74	1.40	39.83	0.65	36.26	0.91	40.18	1.43
Lite or reduced calorie	40.43	0.51	38.93	0.64	42.63	0.69	46.09	1.47	42.70	0.67	37.39	0.96	25.94	1.25
Malt, low-alcohol, or combination	4.68	0.20	5.48	0.28	3.50	0.24	6.89	0.61	4.62	0.27	3.86	0.38	3.38	0.47
Does not drink beer	15.56	0.36	6.57	0.30	28.81	0.64	7.09	0.58	12.51	0.40	22.23	0.83	29.79	1.22
Marital Status														
Married														
Regular	38.90	0.58	48.34	0.76	23.48	0.74	38.17	2.76	39.78	0.81	36.53	1.05	41.59	1.80
Lite or reduced calorie	40.26	0.61	40.05	0.78	40.60	0.89	46.36	2.87	43.39	0.84	37.82	1.09	28.16	1.66
Malt, low-alcohol, or combination	3.37	0.21	3.98	0.30	2.39	0.28	2.49	0.78	3.29	0.27	3.65	0.44	3.35	0.59
Does not drink beer	17.12	0.46	7.39	0.41	33.05	0.85	12.17	1.71	13.34	0.52	21.62	0.92	26.12	1.39

See footnotes at end of table.

Table 1-12. Percent distribution of type of beer drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Living with someone as if married														
Regular	48.60	2.01	58.09	2.74	36.35	2.93	44.87	4.33	49.40	2.66	54.49	6.72	--	--
Lite or reduced calorie	36.28	1.97	34.11	2.64	39.07	2.98	42.42	4.11	34.34	2.45	28.84	6.13	--	--
Malt, low-alcohol, or combination	4.78	0.93	3.90	1.07	5.92	1.68	--	--	5.32	1.34	--	--	--	--
Does not drink beer	10.06	1.32	3.64	1.29	18.36	2.30	8.85	2.18	10.48	1.66	--	--	--	--
Widowed														
Regular	32.99	1.84	50.52	3.43	24.56	2.08	--	--	29.65	6.57	31.78	3.40	34.26	2.32
Lite or reduced calorie	28.12	1.69	29.12	3.09	27.64	2.08	--	--	47.57	7.72	32.06	3.54	23.88	1.84
Malt, low-alcohol, or combination	4.08	0.75	4.86	1.31	3.70	0.89	--	--	--	--	4.92	1.37	3.19	0.87
Does not drink beer	34.11	1.86	14.38	2.29	43.60	2.32	--	--	17.10	5.04	30.49	3.44	37.92	2.34
Divorced														
Regular	35.69	1.29	48.28	1.93	22.63	1.38	33.44	7.26	35.77	1.77	34.59	2.10	41.39	4.57
Lite or reduced calorie	42.49	1.26	39.87	1.86	45.21	1.71	53.15	7.56	44.90	1.70	41.85	2.17	19.79	3.40
Malt, low-alcohol, or combination	3.85	0.40	4.34	0.62	3.35	0.58	--	--	4.51	0.62	2.80	0.54	--	--
Does not drink beer	17.70	0.94	7.26	0.85	28.52	1.64	--	--	14.40	1.11	20.68	1.86	35.72	4.34
Separated														
Regular	42.38	2.39	52.17	3.45	31.26	3.06	43.49	7.56	41.59	3.12	42.21	4.36	57.61	10.96
Lite or reduced calorie	35.17	2.17	31.37	3.04	39.48	3.10	32.72	6.71	39.63	2.87	27.01	4.29	--	--
Malt, low-alcohol, or combination	6.33	1.21	7.56	1.94	4.95	1.29	--	--	5.54	1.41	6.66	2.24	--	--
Does not drink beer	14.69	1.59	7.42	1.59	22.95	2.68	--	--	11.39	1.60	24.12	4.22	--	--
Never married														
Regular	42.84	0.96	50.74	1.22	28.57	1.28	42.25	1.49	43.19	1.23	50.11	3.71	34.46	4.99
Lite or reduced calorie	40.90	0.98	36.14	1.19	49.50	1.39	44.04	1.57	39.12	1.17	27.77	3.25	19.38	4.30
Malt, low-alcohol, or combination	7.90	0.50	9.19	0.69	5.59	0.59	7.82	0.72	8.42	0.74	4.48	1.44	--	--
Does not drink beer	8.03	0.47	3.62	0.39	16.00	1.03	5.73	0.61	8.76	0.65	17.34	2.58	42.73	5.83
Ever Raised Children														
Yes														
Regular	38.93	0.54	49.09	0.74	24.61	0.67	43.50	2.71	39.88	0.77	36.18	0.94	40.71	1.50
Lite or reduced calorie	38.59	0.57	38.55	0.76	38.64	0.77	38.07	2.64	41.76	0.80	38.01	1.00	26.68	1.34
Malt, low-alcohol, or combination	4.07	0.22	4.55	0.31	3.39	0.28	6.96	1.16	4.22	0.31	3.74	0.38	3.30	0.49
Does not drink beer	18.06	0.43	7.59	0.40	32.85	0.74	10.90	1.45	13.83	0.50	21.78	0.83	28.73	1.26
No														
Regular	41.46	0.78	49.83	0.96	26.86	1.00	41.23	1.47	41.52	0.95	44.68	2.45	36.97	2.95
Lite or reduced calorie	42.50	0.81	38.49	0.96	49.49	1.13	45.36	1.52	43.26	0.97	29.88	2.18	22.14	2.47
Malt, low-alcohol, or combination	5.66	0.34	6.78	0.49	3.71	0.42	6.77	0.63	5.24	0.45	3.65	0.83	--	--
Does not drink beer	9.98	0.43	4.46	0.38	19.62	0.87	6.41	0.60	9.57	0.53	20.99	2.07	36.17	2.99
Children Under 14 Living in Household														
Yes														
Regular	40.52	0.79	51.70	1.16	26.49	0.94	40.06	3.10	40.10	0.85	43.29	2.59	50.56	11.04
Lite or reduced calorie	40.90	0.78	39.97	1.13	42.07	1.05	41.02	3.01	41.79	0.85	35.68	2.37	--	--
Malt, low-alcohol, or combination	3.76	0.29	3.70	0.40	3.85	0.41	4.36	0.95	3.69	0.32	4.19	1.01	--	--
Does not drink beer	14.46	0.50	4.44	0.43	27.03	0.93	14.07	1.93	14.06	0.53	16.51	1.77	33.30	9.82

See footnotes at end of table.

Table 1-12. Percent distribution of type of beer drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Regular	39.52	0.53	48.45	0.69	24.74	0.70	41.81	1.41	40.79	0.83	35.98	0.96	39.97	1.37
Lite or reduced calorie	39.56	0.58	37.97	0.70	42.18	0.83	44.58	1.46	42.76	0.84	37.46	1.02	26.32	1.23
Malt, low-alcohol, or combination	5.01	0.23	6.03	0.33	3.31	0.27	7.13	0.63	5.41	0.38	3.65	0.37	3.38	0.46
Does not drink beer	15.55	0.41	7.20	0.36	29.37	0.77	6.23	0.57	10.70	0.50	22.56	0.87	29.62	1.21
Education														
11 years or less														
Regular	51.84	1.28	58.11	1.59	38.59	2.00	55.82	3.04	53.63	2.03	49.11	2.37	47.46	2.85
Lite or reduced calorie	31.42	1.25	29.30	1.51	35.90	1.85	29.35	2.70	33.43	2.04	31.78	2.27	28.28	2.61
Malt, low-alcohol, or combination	5.98	0.55	6.50	0.72	4.87	0.80	9.14	1.66	6.11	0.84	4.53	1.00	4.49	1.02
Does not drink beer	10.46	0.73	5.80	0.70	20.31	1.64	5.69	1.27	6.46	0.94	14.42	1.60	19.04	2.01
12 years														
Regular	40.60	0.78	51.51	1.10	24.74	0.94	45.71	2.43	42.24	1.12	34.75	1.57	38.13	2.28
Lite or reduced calorie	38.11	0.83	37.08	1.12	39.61	1.14	38.24	2.23	40.89	1.17	37.71	1.73	23.76	2.10
Malt, low-alcohol, or combination	4.58	0.33	5.16	0.46	3.75	0.44	7.70	1.02	4.32	0.46	3.46	0.65	3.59	0.84
Does not drink beer	16.19	0.59	5.84	0.50	31.25	1.16	7.83	1.05	12.17	0.71	23.45	1.52	33.64	2.20
13-15 years														
Regular	35.16	0.81	44.98	1.11	22.62	0.93	35.82	1.84	35.77	1.08	33.12	1.84	33.98	3.00
Lite or reduced calorie	44.03	0.88	42.95	1.16	45.42	1.14	50.85	2.01	44.82	1.14	38.35	1.80	29.04	2.60
Malt, low-alcohol, or combination	4.53	0.38	5.72	0.58	3.02	0.39	5.71	0.83	4.58	0.54	3.98	0.72	--	--
Does not drink beer	16.03	0.61	6.19	0.51	28.62	1.05	7.32	0.84	14.51	0.75	24.55	1.56	35.60	2.65
16 or more years														
Regular	38.82	0.81	47.43	1.10	24.59	1.05	37.33	3.17	39.36	0.99	37.30	1.59	41.21	2.59
Lite or reduced calorie	41.45	0.83	40.33	1.08	43.31	1.19	50.18	3.49	43.86	1.02	38.45	1.58	24.29	2.13
Malt, low-alcohol, or combination	4.17	0.33	4.75	0.45	3.20	0.42	5.34	1.59	4.44	0.40	3.37	0.61	3.61	1.19
Does not drink beer	15.24	0.56	7.21	0.49	28.51	1.09	7.15	1.39	12.08	0.61	20.49	1.29	30.00	2.39
Currently Employed Full Time														
Yes														
Regular	40.29	0.57	48.16	0.72	23.90	0.77	42.77	1.77	41.14	0.72	36.78	1.13	41.91	4.42
Lite or reduced calorie	43.49	0.60	41.97	0.73	46.66	0.92	44.56	1.67	44.46	0.76	41.00	1.18	31.74	4.20
Malt, low-alcohol, or combination	3.97	0.23	4.51	0.29	2.86	0.30	5.64	0.81	3.83	0.26	3.52	0.46	--	--
Does not drink beer	12.00	0.37	5.17	0.32	26.24	0.80	6.84	0.70	10.29	0.41	18.56	0.91	22.13	3.76
No														
Regular	39.04	0.71	52.18	1.06	26.83	0.79	40.53	1.79	38.38	1.19	37.48	1.42	40.08	1.46
Lite or reduced calorie	34.10	0.75	30.50	1.01	37.45	0.94	43.79	1.95	35.73	1.10	30.08	1.41	25.62	1.25
Malt, low-alcohol, or combination	5.72	0.32	7.40	0.55	4.16	0.34	7.89	0.83	6.85	0.61	4.13	0.57	3.31	0.48
Does not drink beer	20.57	0.61	9.35	0.58	31.00	0.92	7.45	0.83	18.49	0.87	27.61	1.34	30.33	1.27
Personal Annual Income														
None														
Regular	38.18	1.00	51.87	1.58	26.20	1.11	40.69	3.71	35.20	1.90	37.82	1.91	39.64	1.57
Lite or reduced calorie	28.59	0.88	26.72	1.37	30.22	1.16	33.47	3.94	35.87	1.82	27.79	1.71	24.20	1.26
Malt, low-alcohol, or combination	5.32	0.45	6.57	0.79	4.23	0.50	11.17	2.21	7.42	1.05	5.11	0.90	3.29	0.54
Does not drink beer	27.12	0.92	13.82	1.03	38.75	1.32	14.67	3.18	20.55	1.52	28.21	1.75	32.20	1.44

See footnotes at end of table.

Table 1-12. Percent distribution of type of beer drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
\$1 to \$9,999														
Regular	40.39	1.13	52.39	1.65	28.96	1.25	41.80	1.95	40.38	1.56	35.35	2.80	41.29	3.85
Lite or reduced calorie	38.76	1.13	33.29	1.56	43.98	1.38	44.87	1.88	34.85	1.42	33.23	2.79	30.62	3.37
Malt, low-alcohol, or combination	6.61	0.48	9.25	0.84	4.09	0.50	7.44	0.82	7.16	0.84	3.40	0.78	3.99	1.38
Does not drink beer	13.81	0.69	4.82	0.56	22.38	1.10	5.53	0.65	17.05	1.19	27.81	2.24	23.61	2.80
\$10,000 to \$24,999														
Regular	40.31	0.82	53.51	1.12	23.11	1.00	41.41	1.89	41.22	1.05	36.24	1.90	39.38	5.97
Lite or reduced calorie	41.27	0.83	37.25	1.13	46.52	1.21	45.26	1.88	41.17	1.04	37.59	1.85	37.67	6.58
Malt, low-alcohol, or combination	4.15	0.36	5.09	0.53	2.94	0.39	4.81	0.82	4.38	0.49	2.98	0.64	--	--
Does not drink beer	14.02	0.60	3.94	0.44	27.15	1.09	8.43	1.00	12.95	0.73	23.00	1.68	20.30	4.95
\$25,000 or more														
Regular	39.88	0.70	45.33	0.85	23.54	1.08	42.02	4.18	40.79	0.86	37.44	1.36	45.35	5.06
Lite or reduced calorie	44.55	0.73	44.21	0.87	45.58	1.24	44.31	3.99	46.33	0.89	41.57	1.39	30.48	4.54
Malt, low-alcohol, or combination	3.65	0.27	3.91	0.32	2.90	0.44	7.41	2.61	3.49	0.30	3.61	0.57	--	--
Does not drink beer	11.69	0.45	6.38	0.43	27.61	1.10	5.44	1.59	9.17	0.45	17.23	1.02	19.72	3.43
Current/Most Recent Occupation														
Executive, administrative, managerial														
Regular	34.82	1.08	42.53	1.47	21.60	1.42	28.28	4.83	34.42	1.42	34.60	1.97	43.16	3.46
Lite or reduced calorie	44.08	1.13	44.16	1.47	43.95	1.71	52.35	5.16	47.50	1.55	41.89	2.06	24.99	2.91
Malt, low-alcohol, or combination	3.92	0.47	4.54	0.67	2.85	0.60	--	--	4.30	0.66	2.87	0.69	--	--
Does not drink beer	16.71	0.78	8.27	0.78	31.17	1.57	12.66	3.02	13.18	0.94	20.34	1.61	27.87	2.93
Professional specialty														
Regular	37.60	1.04	47.92	1.54	25.49	1.37	37.40	3.81	38.41	1.32	34.81	2.05	40.71	3.26
Lite or reduced calorie	39.86	1.04	38.54	1.53	41.40	1.51	48.53	3.89	42.21	1.37	37.40	2.14	24.56	2.76
Malt, low-alcohol, or combination	4.69	0.50	5.86	0.77	3.31	0.59	8.55	2.09	4.53	0.61	4.94	1.13	--	--
Does not drink beer	17.46	0.78	7.34	0.76	29.33	1.34	5.00	1.39	14.51	0.93	22.73	1.77	31.87	2.90
Technician/related support														
Regular	38.34	2.20	49.34	2.92	22.68	2.60	39.40	5.99	39.28	2.78	33.85	5.51	39.81	7.78
Lite or reduced calorie	40.51	2.23	38.64	2.97	43.17	2.98	39.21	6.10	40.88	2.75	45.78	5.53	--	--
Malt, low-alcohol, or combination	4.83	0.88	5.82	1.35	3.41	0.99	--	--	4.89	1.17	--	--	--	--
Does not drink beer	15.96	1.46	6.20	1.38	29.85	2.79	12.76	3.66	14.58	1.80	18.07	3.98	34.56	7.74
Sales														
Regular	35.46	1.21	43.48	1.70	25.00	1.52	39.52	2.72	34.31	1.71	34.02	2.58	36.14	3.76
Lite or reduced calorie	44.15	1.23	43.09	1.69	45.52	1.67	47.07	2.71	48.94	1.76	37.54	2.49	31.69	3.71
Malt, low-alcohol, or combination	3.91	0.44	4.25	0.63	3.45	0.60	5.45	1.18	3.54	0.58	3.47	0.95	--	--
Does not drink beer	15.94	0.89	8.80	0.98	25.25	1.55	7.73	1.47	12.74	1.15	24.01	2.22	28.14	3.94
Administrative support, including clerical														
Regular	28.82	1.03	50.61	2.39	20.71	0.95	33.84	2.67	29.63	1.41	23.48	1.97	28.34	2.88
Lite or reduced calorie	40.93	1.17	35.74	2.27	42.87	1.31	51.78	2.90	44.45	1.51	33.11	2.19	24.46	2.44
Malt, low-alcohol, or combination	3.79	0.39	6.34	1.02	2.85	0.40	4.41	1.17	3.86	0.56	3.97	0.91	--	--
Does not drink beer	26.33	0.95	7.18	1.15	33.46	1.16	9.96	1.54	21.87	1.27	39.36	2.26	44.91	3.01
Private household														
Regular	44.23	6.74	--	--	41.97	6.82	--	--	41.22	9.24	66.83	11.54	--	--
Lite or reduced calorie	31.87	6.10	--	--	33.16	6.28	--	--	31.32	8.73	--	--	--	--
Malt, low-alcohol, or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink beer	16.87	4.25	--	--	17.55	4.39	--	--	16.45	5.87	--	--	--	--

See footnotes at end of table.

Table 1-12. Percent distribution of type of beer drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Protective service														
Regular	49.26	3.71	50.92	4.01	35.00	7.79	66.23	7.32	42.60	5.17	44.73	6.94	66.09	11.11
Lite or reduced calorie	38.69	3.89	38.89	4.21	36.92	7.33	26.88	7.09	43.32	5.65	43.05	7.08	--	--
Malt, low-alcohol, or combination	5.05	1.17	4.79	1.26	--	--	--	--	6.50	1.90	--	--	--	--
Does not drink beer	6.71	1.36	5.07	1.34	20.82	5.54	--	--	7.58	1.99	10.79	3.84	--	--
Service, except protective and household														
Regular	41.29	1.42	56.08	2.50	30.61	1.59	40.88	2.72	40.98	2.12	43.03	3.18	41.18	5.38
Lite or reduced calorie	36.08	1.40	28.56	2.23	41.51	1.66	41.00	2.78	36.59	1.96	27.74	2.85	27.83	4.61
Malt, low-alcohol, or combination	7.11	0.71	10.71	1.45	4.52	0.63	8.79	1.55	7.01	0.99	3.63	1.22	--	--
Does not drink beer	15.01	0.94	4.54	0.84	22.58	1.41	8.85	1.34	15.05	1.39	24.81	2.91	21.81	4.05
Farming, forestry, fishing														
Regular	50.56	3.08	54.18	3.39	25.76	6.17	41.70	5.10	56.08	4.34	49.12	6.76	55.09	9.14
Lite or reduced calorie	36.00	2.67	35.77	2.96	37.56	6.87	51.16	5.16	34.26	3.86	28.04	6.33	--	--
Malt, low-alcohol, or combination	5.42	1.26	5.17	1.32	--	--	--	--	--	--	--	--	--	--
Does not drink beer	8.02	1.38	4.89	1.30	29.52	5.93	--	--	6.35	1.84	17.19	4.51	--	--
Precision production, craft, repair														
Regular	52.90	1.31	53.64	1.36	43.52	4.67	51.84	3.94	55.70	1.68	46.58	2.88	51.83	3.99
Lite or reduced calorie	36.31	1.28	36.47	1.33	34.24	4.22	37.41	3.91	36.51	1.63	39.48	2.87	26.00	3.44
Malt, low-alcohol, or combination	3.70	0.43	3.78	0.46	--	--	8.02	1.79	3.63	0.60	2.21	0.76	--	--
Does not drink beer	6.60	0.62	5.58	0.60	19.46	3.39	--	--	3.76	0.62	11.13	1.84	19.01	2.91
Operators, fabricators, laborers														
Regular	46.94	1.78	53.66	2.27	31.20	2.50	51.96	5.00	47.52	2.33	46.13	4.42	38.10	5.18
Lite or reduced calorie	37.63	1.73	36.95	2.23	39.25	2.91	34.54	4.45	38.64	2.22	39.79	4.38	31.95	4.78
Malt, low-alcohol, or combination	4.91	0.75	5.15	0.89	4.35	1.38	8.03	2.45	4.85	1.05	--	--	--	--
Does not drink beer	10.40	1.04	4.09	0.84	25.20	2.63	--	--	8.99	1.39	11.06	2.16	23.95	4.23
Transportation, material moving														
Regular	47.56	2.06	48.86	2.12	29.77	6.61	63.29	6.01	45.87	2.94	43.18	4.31	48.88	6.17
Lite or reduced calorie	40.95	2.14	40.29	2.18	49.99	7.97	34.81	6.06	44.32	3.00	39.87	4.12	32.49	6.10
Malt, low-alcohol, or combination	5.18	1.15	5.44	1.23	--	--	--	--	5.77	1.52	--	--	--	--
Does not drink beer	6.07	1.02	5.28	1.00	16.82	4.95	--	--	3.81	0.88	10.36	2.95	15.24	4.13
Handlers, equipment cleaners, helpers, laborers														
Regular	47.56	2.29	51.03	2.55	30.41	5.04	40.46	4.07	49.98	3.16	58.21	6.15	42.41	9.13
Lite or reduced calorie	39.61	2.29	37.62	2.45	49.43	5.70	47.28	4.31	39.52	3.05	25.59	5.26	--	--
Malt, low-alcohol, or combination	6.40	1.13	6.98	1.31	--	--	7.80	2.11	5.20	1.57	--	--	--	--
Does not drink beer	6.27	0.98	4.37	0.94	15.65	3.81	--	--	5.29	1.15	--	--	27.76	8.81
Military														
Regular	36.65	5.15	38.56	5.90	--	--	46.53	10.05	32.41	6.03	--	--	--	--
Lite or reduced calorie	49.60	5.08	48.34	5.81	57.30	11.52	46.86	9.98	57.75	5.96	--	--	--	--
Malt, low-alcohol, or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink beer	8.51	2.87	--	--	--	--	--	--	--	--	--	--	--	--
Current/Most Recent Industry														
Agriculture, forestry, fisheries														
Regular	50.26	3.10	56.82	3.49	24.36	5.21	50.05	6.68	54.06	4.23	41.76	5.73	54.28	8.54
Lite or reduced calorie	34.73	2.55	33.52	2.96	39.52	6.10	44.47	6.66	35.60	4.18	32.46	5.67	--	--
Malt, low-alcohol, or combination	3.59	1.01	3.31	1.04	--	--	--	--	--	--	--	--	--	--
Does not drink beer	11.26	1.80	6.16	1.83	31.40	5.10	--	--	8.25	2.22	21.63	5.12	21.25	6.25

See footnotes at end of table.

Table 1-12. Percent distribution of type of beer drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Mining														
Regular	35.88	6.50	38.49	7.39	--	--	--	--	37.61	9.45	--	--	--	--
Lite or reduced calorie	50.09	6.79	50.99	7.58	46.69	11.93	--	--	54.16	10.26	48.41	11.10	--	--
Malt, low-alcohol, or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink beer	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Construction														
Regular	52.81	1.77	55.20	1.77	27.88	5.11	48.87	4.19	57.54	2.16	45.85	3.81	44.38	5.22
Lite or reduced calorie	35.41	1.60	35.17	1.65	37.83	4.88	38.31	4.06	35.07	2.04	35.00	3.33	32.18	5.49
Malt, low-alcohol, or combination	3.66	0.55	3.76	0.59	--	--	7.29	1.93	3.04	0.67	3.04	1.07	--	--
Does not drink beer	7.66	0.90	5.36	0.86	31.64	4.68	--	--	3.63	0.81	16.10	2.90	20.34	4.72
Manufacturing														
Regular	44.05	1.07	50.13	1.30	26.45	1.52	45.07	3.37	44.14	1.45	41.43	2.15	49.12	3.07
Lite or reduced calorie	39.92	1.01	39.00	1.24	42.56	1.82	44.52	3.24	42.29	1.41	40.68	2.25	22.16	2.38
Malt, low-alcohol, or combination	4.26	0.40	4.67	0.47	3.08	0.71	5.07	1.33	4.94	0.57	3.36	0.72	--	--
Does not drink beer	11.52	0.65	5.95	0.54	27.65	1.66	5.04	1.30	8.50	0.75	14.08	1.45	25.98	2.52
Transportation, communications, other public utilities														
Regular	41.62	1.62	47.16	1.97	25.63	2.46	45.69	7.68	40.80	2.04	41.86	3.29	42.88	4.83
Lite or reduced calorie	40.43	1.63	40.19	1.92	41.12	2.72	40.57	6.32	44.92	2.11	35.79	3.22	25.58	3.84
Malt, low-alcohol, or combination	5.24	0.78	5.71	0.98	3.89	0.94	--	--	4.81	0.91	6.65	1.98	--	--
Does not drink beer	12.48	1.02	6.73	0.95	29.07	2.63	--	--	9.47	1.22	15.40	2.35	26.41	3.88
Wholesale trade														
Regular	38.49	2.02	42.46	2.37	25.06	3.22	42.57	5.75	38.59	2.72	38.06	4.46	33.47	6.68
Lite or reduced calorie	45.80	2.06	46.47	2.41	43.53	3.50	43.12	5.91	50.30	2.72	40.71	4.74	35.45	5.93
Malt, low-alcohol, or combination	3.60	0.74	4.11	0.93	--	--	--	--	2.78	0.79	--	--	--	--
Does not drink beer	11.79	1.27	6.54	1.19	29.53	3.45	--	--	7.93	1.34	17.08	3.43	28.80	5.78
Retail trade														
Regular	39.29	1.14	51.27	1.69	27.13	1.28	41.14	2.07	40.01	1.67	34.17	2.64	38.29	3.49
Lite or reduced calorie	39.98	1.15	36.16	1.65	43.85	1.39	44.68	2.16	40.80	1.55	32.37	2.54	31.48	3.78
Malt, low-alcohol, or combination	4.61	0.45	5.67	0.74	3.55	0.51	6.08	0.94	4.07	0.59	4.25	1.21	--	--
Does not drink beer	15.60	0.78	6.66	0.74	24.67	1.22	7.74	0.99	14.63	1.12	28.08	2.44	27.90	3.12
Finance, insurance, real estate														
Regular	30.83	1.57	42.13	2.50	21.09	1.76	31.36	4.84	29.22	2.02	32.63	3.39	34.23	4.69
Lite or reduced calorie	45.10	1.66	45.12	2.46	45.08	2.20	48.23	5.18	50.44	2.25	39.75	3.24	25.26	3.77
Malt, low-alcohol, or combination	3.71	0.67	5.71	1.24	1.98	0.62	--	--	2.60	0.62	3.49	1.16	--	--
Does not drink beer	20.32	1.24	6.94	1.25	31.85	1.96	12.11	2.98	17.64	1.68	24.12	2.69	35.70	5.10
Services: business and repair														
Regular	42.54	1.74	49.38	2.20	29.94	2.75	48.19	4.62	41.54	2.32	41.39	4.03	41.65	6.19
Lite or reduced calorie	37.21	1.76	36.14	2.23	39.16	2.79	32.63	4.38	39.68	2.33	34.64	3.80	33.73	5.73
Malt, low-alcohol, or combination	6.41	0.85	7.61	1.20	4.22	1.01	12.99	2.85	6.76	1.20	--	--	--	--
Does not drink beer	13.29	1.16	6.46	1.02	25.85	2.58	6.20	1.92	11.56	1.49	20.78	3.22	22.47	5.27
Services: personal														
Regular	39.79	3.21	56.94	6.06	30.70	2.64	33.71	9.06	38.52	3.44	45.14	5.66	49.58	7.40
Lite or reduced calorie	35.71	2.83	33.60	5.22	36.83	2.82	45.80	8.30	36.39	3.27	28.12	4.79	24.25	6.68
Malt, low-alcohol, or combination	5.00	1.15	--	--	5.50	1.56	--	--	6.19	1.95	--	--	--	--
Does not drink beer	18.82	1.71	5.40	1.68	25.93	2.36	14.19	3.25	18.36	2.39	22.69	4.21	24.13	5.05

See footnotes at end of table.

Table 1-12. Percent distribution of type of beer drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Services: entertainment and recreation														
Regular	39.08	2.74	46.96	3.63	22.75	3.56	31.60	4.19	42.61	4.28	48.54	7.43	--	--
Lite or reduced calorie	41.52	2.78	36.94	3.40	51.02	4.65	53.33	4.70	40.77	4.24	23.12	6.03	--	--
Malt, low-alcohol, or combination	7.36	1.77	7.81	2.40	6.42	2.23	12.78	3.81	--	--	--	--	--	--
Does not drink beer	11.07	1.66	6.86	1.68	19.81	3.61	--	--	10.30	2.54	23.19	5.55	55.35	11.31
Services: professional and related														
Regular	33.36	0.90	48.83	1.62	23.40	0.95	37.59	2.75	34.14	1.18	30.07	1.71	32.61	2.65
Lite or reduced calorie	40.61	0.91	37.34	1.55	42.72	1.13	49.11	2.73	42.16	1.20	37.89	1.85	27.39	2.55
Malt, low-alcohol, or combination	4.47	0.41	6.56	0.80	3.12	0.38	5.59	1.15	5.01	0.59	3.26	0.63	3.30	1.02
Does not drink beer	21.23	0.76	7.15	0.79	30.29	1.03	7.48	1.29	18.33	0.97	28.78	1.65	35.46	2.51
Public administration														
Regular	38.62	2.05	46.00	2.77	23.48	2.46	51.31	7.60	38.21	2.88	33.84	3.49	40.78	4.72
Lite or reduced calorie	40.71	2.24	40.82	2.98	40.49	2.81	33.73	7.06	44.67	3.31	42.89	3.74	23.74	4.42
Malt, low-alcohol, or combination	5.67	0.91	5.97	1.19	5.06	1.34	--	--	5.74	1.20	4.94	1.73	--	--
Does not drink beer	14.58	1.21	6.70	1.03	30.76	2.56	--	--	11.24	1.49	18.34	2.77	26.62	3.85
Military														
Regular	36.33	4.79	37.46	5.45	--	--	46.29	10.03	33.73	5.62	--	--	--	--
Lite or reduced calorie	49.41	4.77	48.78	5.44	53.47	11.23	46.61	9.90	56.10	5.60	--	--	--	--
Malt, low-alcohol, or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink beer	8.90	2.57	--	--	--	--	--	--	--	--	--	--	--	--
Smoked Any Cigarettes in Last Year														
Yes														
Regular	44.31	0.73	53.73	1.01	30.05	0.93	47.61	1.86	44.42	0.95	40.65	1.48	46.07	2.70
Lite or reduced calorie	38.03	0.74	35.50	1.00	41.85	0.98	41.03	1.84	39.84	0.95	34.67	1.48	21.33	2.34
Malt, low-alcohol, or combination	4.90	0.30	5.37	0.43	4.19	0.40	6.53	0.78	4.68	0.40	4.14	0.61	4.52	1.13
Does not drink beer	12.43	0.44	5.11	0.41	23.50	0.87	4.54	0.62	10.65	0.54	20.45	1.18	27.38	2.45
No														
Regular	37.01	0.56	46.63	0.74	22.36	0.67	36.85	1.62	37.66	0.78	35.09	1.08	38.56	1.54
Lite or reduced calorie	41.18	0.62	40.43	0.76	42.33	0.85	46.63	1.73	44.02	0.81	38.57	1.15	27.43	1.41
Malt, low-alcohol, or combination	4.46	0.23	5.38	0.33	3.05	0.29	7.03	0.79	4.51	0.31	3.51	0.42	2.95	0.50
Does not drink beer	16.98	0.44	7.25	0.38	31.78	0.81	9.23	0.82	13.51	0.51	22.37	0.99	30.36	1.33
Smoked 100 or More Cigarettes in Life														
Yes														
Regular	41.90	0.57	50.85	0.77	27.43	0.75	47.34	1.82	42.55	0.79	37.78	1.04	42.97	1.68
Lite or reduced calorie	38.75	0.58	37.18	0.77	41.30	0.82	40.88	1.81	41.39	0.78	38.07	1.10	25.43	1.53
Malt, low-alcohol, or combination	4.46	0.23	5.04	0.33	3.52	0.29	6.67	0.76	4.51	0.33	3.70	0.44	3.52	0.59
Does not drink beer	14.55	0.41	6.63	0.37	27.37	0.80	4.84	0.61	11.26	0.48	20.19	0.88	27.33	1.42
No														
Regular	36.74	0.67	47.02	0.93	22.51	0.78	36.43	1.66	37.68	0.88	35.21	1.65	33.97	2.14
Lite or reduced calorie	41.76	0.78	40.66	0.95	43.28	1.07	47.11	1.76	43.49	0.96	35.16	1.70	27.58	2.06
Malt, low-alcohol, or combination	4.88	0.29	5.91	0.44	3.45	0.37	6.93	0.82	4.68	0.37	3.80	0.58	2.80	0.67
Does not drink beer	16.21	0.52	6.11	0.45	30.20	0.93	9.25	0.85	13.75	0.60	25.32	1.50	35.08	2.13

See footnotes at end of table.

Table 1-12. Percent distribution of type of beer drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Any Depression in Past Year</u>														
Yes														
Regular	40.73	2.03	51.74	2.87	28.52	2.47	42.64	3.45	39.19	2.85	43.89	6.16	--	--
Lite or reduced calorie	40.51	2.05	35.13	2.76	46.49	2.75	44.38	3.73	40.02	2.71	33.02	5.90	--	--
Malt, low-alcohol, or combination	7.15	1.16	8.52	1.85	5.62	1.39	6.49	1.97	8.29	1.70	--	--	--	--
Does not drink beer	11.15	1.17	4.46	1.29	18.56	2.20	6.49	1.97	11.70	1.80	19.85	5.12	--	--
No														
Regular	39.78	0.46	49.28	0.60	25.18	0.58	41.52	1.39	40.52	0.64	36.90	0.90	40.23	1.40
Lite or reduced calorie	39.94	0.50	38.65	0.61	41.93	0.69	44.14	1.39	42.40	0.65	37.28	0.93	26.11	1.24
Malt, low-alcohol, or combination	4.53	0.19	5.26	0.27	3.39	0.23	6.83	0.60	4.41	0.25	3.74	0.36	3.31	0.45
Does not drink beer	15.39	0.35	6.50	0.29	29.07	0.64	7.21	0.58	12.36	0.39	21.73	0.80	29.65	1.22
<u>Any Depression in Life</u>														
Yes														
Regular	38.79	1.21	49.53	1.93	27.54	1.44	43.94	2.51	37.86	1.53	35.89	2.97	27.41	7.90
Lite or reduced calorie	41.39	1.25	38.36	2.00	44.56	1.57	43.14	2.58	42.14	1.64	37.93	2.94	25.28	7.03
Malt, low-alcohol, or combination	5.12	0.53	6.36	0.87	3.81	0.62	5.04	1.15	5.61	0.76	3.75	0.96	--	--
Does not drink beer	14.39	0.86	5.69	0.86	23.52	1.46	7.88	1.37	13.94	1.07	22.13	2.73	44.84	9.97
No														
Regular	39.95	0.47	49.34	0.62	24.98	0.60	41.15	1.44	40.83	0.67	37.12	0.91	40.52	1.42
Lite or reduced calorie	39.79	0.51	38.55	0.63	41.76	0.72	44.35	1.46	42.31	0.65	37.15	0.96	26.10	1.24
Malt, low-alcohol, or combination	4.57	0.20	5.27	0.28	3.44	0.25	7.15	0.64	4.43	0.27	3.73	0.38	3.32	0.46
Does not drink beer	15.33	0.36	6.50	0.30	29.38	0.67	7.02	0.59	12.09	0.41	21.67	0.82	29.35	1.22
<u>Alcohol Use Disorder in Past Year</u>														
None														
Regular	38.33	0.47	48.38	0.64	24.41	0.58	40.23	1.40	38.77	0.67	35.79	0.91	40.14	1.42
Lite or reduced calorie	39.55	0.51	38.84	0.66	40.54	0.69	43.05	1.43	42.46	0.69	37.57	0.96	25.86	1.24
Malt, low-alcohol, or combination	4.25	0.20	5.02	0.28	3.18	0.23	6.36	0.70	4.23	0.27	3.63	0.36	3.27	0.46
Does not drink beer	17.48	0.38	7.40	0.33	31.45	0.67	10.06	0.81	14.19	0.44	22.64	0.83	30.02	1.23
Abuse														
Regular	45.94	1.74	51.61	2.14	29.78	2.71	44.54	3.69	45.64	2.14	50.45	5.52	--	--
Lite or reduced calorie	45.22	1.67	40.36	1.96	59.09	3.10	46.72	3.50	46.60	2.12	35.55	4.67	--	--
Malt, low-alcohol, or combination	5.45	0.80	5.98	0.94	3.95	1.55	7.03	1.54	4.39	0.98	--	--	--	--
Does not drink beer	3.13	0.52	1.90	0.50	6.64	1.30	--	--	3.05	0.63	7.20	2.49	--	--
Dependence														
Regular	48.17	1.41	54.68	1.76	33.42	1.97	43.92	2.41	51.01	1.83	50.02	4.08	36.85	8.23
Lite or reduced calorie	39.81	1.38	35.00	1.69	50.70	2.17	45.88	2.53	37.64	1.75	31.93	4.05	34.45	8.38
Malt, low-alcohol, or combination	7.28	0.68	7.46	0.85	6.89	1.10	8.00	1.29	7.70	1.01	3.56	0.96	--	--
Does not drink beer	4.51	0.55	2.86	0.58	8.25	1.19	1.94	0.57	3.38	0.60	14.48	2.93	--	--
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
Regular	33.58	0.61	45.11	0.90	21.67	0.71	39.06	1.71	33.19	0.86	30.87	1.27	34.28	1.92
Lite or reduced calorie	39.84	0.67	40.33	0.95	39.33	0.85	42.34	1.71	42.88	0.89	36.64	1.33	25.76	1.73
Malt, low-alcohol, or combination	3.92	0.26	5.08	0.42	2.72	0.28	4.85	0.72	3.91	0.35	3.41	0.51	3.81	0.79
Does not drink beer	22.56	0.55	9.40	0.55	36.15	0.84	13.65	1.11	19.93	0.67	28.94	1.27	36.08	1.85

See footnotes at end of table.

Table 1-12. Percent distribution of type of beer drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Moderate drinker														
Regular	41.67	0.70	49.43	0.93	27.98	0.94	40.74	1.77	43.45	0.91	37.74	1.43	42.17	2.11
Lite or reduced calorie	43.12	0.75	40.25	0.93	48.18	1.07	48.57	1.89	44.71	0.95	41.10	1.51	27.49	1.96
Malt, low-alcohol, or combination	4.72	0.30	5.02	0.41	4.19	0.42	7.41	0.90	4.42	0.38	3.79	0.61	3.40	0.76
Does not drink beer	10.37	0.42	5.17	0.39	19.55	0.85	3.19	0.59	7.37	0.44	17.25	1.16	26.30	1.78
Heavier drinker														
Regular	52.43	1.17	57.01	1.34	37.37	1.96	49.62	3.29	54.99	1.61	50.59	2.29	50.96	2.87
Lite or reduced calorie	33.75	1.12	32.61	1.26	37.50	1.98	38.51	3.12	34.81	1.61	32.42	2.18	23.92	2.41
Malt, low-alcohol, or combination	6.28	0.52	6.61	0.62	5.18	0.78	9.26	1.61	7.05	0.79	4.51	0.82	2.17	0.74
Does not drink beer	7.34	0.55	3.55	0.46	19.79	1.59	2.61	0.88	2.84	0.45	12.37	1.33	22.65	2.63
Usual/Heaviest Drinking Level in Past Year³														
Light drinker														
Regular	33.47	0.63	45.10	0.95	21.49	0.74	39.93	1.81	32.91	0.89	30.52	1.30	34.58	2.01
Lite or reduced calorie	39.30	0.70	40.24	1.01	38.32	0.88	40.73	1.75	42.53	0.94	36.40	1.40	25.83	1.80
Malt, low-alcohol, or combination	3.75	0.26	4.80	0.42	2.68	0.30	4.97	0.77	3.64	0.35	3.31	0.53	3.71	0.82
Does not drink beer	23.37	0.58	9.77	0.58	37.36	0.88	14.25	1.18	20.82	0.72	29.60	1.32	35.81	1.93
Moderate drinker														
Regular	40.67	0.71	48.75	0.92	27.27	0.91	40.80	1.78	42.04	0.91	37.06	1.43	40.53	2.10
Lite or reduced calorie	43.72	0.74	40.65	0.92	48.81	1.06	48.86	1.90	45.48	0.95	41.36	1.49	28.16	1.97
Malt, low-alcohol, or combination	4.59	0.29	5.11	0.42	3.71	0.38	6.51	0.85	4.49	0.39	3.65	0.60	3.56	0.78
Does not drink beer	10.90	0.43	5.35	0.39	20.11	0.85	3.73	0.66	7.94	0.46	17.80	1.19	27.12	1.85
Heavier drinker														
Regular	51.24	1.05	56.29	1.23	35.77	1.76	46.03	2.89	54.30	1.43	49.53	2.14	51.64	2.70
Lite or reduced calorie	35.03	1.03	33.64	1.18	39.27	1.83	42.01	2.80	35.66	1.42	33.29	2.04	23.05	2.32
Malt, low-alcohol, or combination	6.17	0.47	6.29	0.56	5.80	0.80	9.08	1.46	6.64	0.70	4.67	0.82	2.33	0.73
Does not drink beer	7.38	0.52	3.58	0.43	19.03	1.44	2.88	0.80	3.14	0.46	12.39	1.24	22.72	2.45
5 or More Drinks in a Single Day														
Not once in past year														
Regular	34.57	0.62	46.79	0.94	22.97	0.71	39.50	2.38	35.00	0.90	31.23	1.11	37.99	1.49
Lite or reduced calorie	35.35	0.66	36.43	0.97	34.33	0.82	33.34	2.39	38.33	0.93	36.81	1.17	24.65	1.31
Malt, low-alcohol, or combination	4.09	0.27	5.11	0.43	3.12	0.29	5.84	1.08	4.38	0.41	3.74	0.46	3.25	0.52
Does not drink beer	25.70	0.60	11.49	0.62	39.19	0.85	20.59	1.87	22.08	0.78	28.03	1.06	33.54	1.41
1 to 11 times in past year														
Regular	40.98	0.81	49.49	1.03	25.97	1.04	40.73	1.95	40.15	1.06	43.19	2.00	45.92	4.26
Lite or reduced calorie	44.98	0.82	40.45	1.01	52.96	1.25	45.98	1.87	46.99	1.06	39.16	1.96	32.78	4.24
Malt, low-alcohol, or combination	4.58	0.31	5.33	0.44	3.27	0.41	6.29	0.83	4.17	0.37	3.86	0.81	--	--
Does not drink beer	9.19	0.44	4.48	0.43	17.48	0.92	6.86	0.85	8.40	0.53	13.47	1.37	16.33	3.31
12 or more times in past year														
Regular	47.34	0.93	51.91	1.12	32.91	1.52	43.19	1.99	48.72	1.19	48.98	2.25	51.49	4.11
Lite or reduced calorie	42.60	0.97	39.46	1.10	52.54	1.70	47.05	2.12	42.55	1.22	37.53	2.23	31.57	3.63
Malt, low-alcohol, or combination	5.67	0.40	5.78	0.47	5.31	0.65	7.61	0.97	5.48	0.53	3.62	0.72	--	--
Does not drink beer	4.07	0.32	2.66	0.30	8.52	0.92	2.02	0.58	2.86	0.35	9.57	1.29	13.62	2.51

See footnotes at end of table.

Table 1-12. Percent distribution of type of beer drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Drinking Enough to Feel Drunk														
Not once in past year														
Regular	37.68	0.60	48.30	0.81	23.94	0.73	41.04	2.20	38.07	0.90	35.39	1.01	40.09	1.46
Lite or reduced calorie	36.42	0.62	37.27	0.83	35.31	0.83	33.55	2.21	39.96	0.92	37.00	1.05	25.42	1.25
Malt, low-alcohol, or combination	4.13	0.23	4.87	0.33	3.18	0.28	9.03	1.27	4.08	0.32	3.66	0.41	3.25	0.48
Does not drink beer	21.45	0.51	9.27	0.48	37.22	0.83	15.92	1.58	17.58	0.64	23.78	0.93	30.61	1.31
1 to 11 times in past year														
Regular	40.10	0.72	48.77	0.96	26.15	0.99	38.62	1.56	40.69	0.91	39.58	2.15	42.61	4.65
Lite or reduced calorie	45.78	0.72	41.66	0.91	52.41	1.12	48.54	1.60	46.14	0.89	40.66	2.08	35.82	5.04
Malt, low-alcohol, or combination	4.72	0.33	5.54	0.47	3.38	0.38	5.97	0.76	4.49	0.42	3.79	0.77	--	--
Does not drink beer	9.12	0.42	3.85	0.38	17.58	0.83	6.58	0.80	8.38	0.48	15.61	1.59	18.84	3.49
12 or more times in past year														
Regular	49.20	1.52	54.93	1.76	33.00	2.14	47.19	2.73	49.92	2.06	55.31	3.96	43.53	9.13
Lite or reduced calorie	39.63	1.53	35.74	1.73	50.63	2.48	44.42	2.67	38.55	2.14	27.41	3.55	22.94	6.74
Malt, low-alcohol, or combination	6.76	0.65	6.86	0.80	6.49	1.08	6.59	1.07	7.14	0.91	5.26	1.66	--	--
Does not drink beer	4.24	0.45	2.47	0.41	9.26	1.23	1.81	0.54	4.14	0.62	11.60	2.36	25.19	6.94
Driving After Drinking														
Not once in past year														
Regular	38.98	0.46	49.03	0.63	24.88	0.58	41.46	1.37	39.37	0.67	36.32	0.90	40.04	1.42
Lite or reduced calorie	39.24	0.50	38.06	0.65	40.91	0.68	42.73	1.40	41.83	0.68	37.26	0.95	25.98	1.26
Malt, low-alcohol, or combination	4.68	0.20	5.55	0.29	3.46	0.24	7.04	0.67	4.70	0.28	3.81	0.37	3.26	0.45
Does not drink beer	16.75	0.37	7.06	0.31	30.36	0.65	8.56	0.68	13.74	0.42	22.33	0.81	30.13	1.24
1 or 2 times in past year														
Regular	44.38	1.67	50.43	2.03	29.30	2.58	40.41	4.06	44.61	1.94	50.26	5.38	61.92	12.01
Lite or reduced calorie	47.25	1.69	43.87	1.98	55.69	2.82	50.97	4.02	47.90	1.97	36.76	4.91	--	--
Malt, low-alcohol, or combination	3.51	0.53	3.22	0.58	4.23	1.16	6.81	1.52	2.47	0.57	--	--	--	--
Does not drink beer	4.80	0.66	2.41	0.66	10.77	1.64	--	--	5.02	0.79	11.41	3.33	--	--
3 or more times in past year														
Regular	48.59	1.89	53.60	2.21	31.20	3.74	45.21	3.89	51.31	2.26	43.09	6.77	--	--
Lite or reduced calorie	43.38	1.89	38.87	2.17	59.04	3.83	47.70	3.73	41.28	2.26	42.55	6.61	--	--
Malt, low-alcohol, or combination	5.41	0.89	6.06	1.09	--	--	4.98	1.43	5.63	1.19	--	--	--	--
Does not drink beer	2.24	0.56	1.46	0.58	4.97	1.46	--	--	1.44	0.43	--	--	--	--
Getting into Situation that Could Be Harmful														
Not once in past year														
Regular	39.36	0.46	49.15	0.61	25.14	0.57	40.53	1.33	40.02	0.63	36.88	0.89	40.25	1.41
Lite or reduced calorie	40.00	0.50	38.73	0.63	41.86	0.66	44.34	1.36	42.44	0.65	37.46	0.93	26.15	1.25
Malt, low-alcohol, or combination	4.48	0.19	5.24	0.27	3.38	0.23	6.92	0.61	4.40	0.26	3.63	0.34	3.26	0.45
Does not drink beer	15.82	0.35	6.61	0.29	29.20	0.62	7.93	0.64	12.80	0.39	21.76	0.79	29.76	1.22
At least once in past year														
Regular	49.78	2.40	54.19	2.64	31.91	4.06	49.13	3.62	50.70	2.82	47.64	8.05	--	--
Lite or reduced calorie	40.41	2.32	36.42	2.53	56.61	4.37	43.04	3.60	39.36	2.70	30.66	6.96	--	--
Malt, low-alcohol, or combination	7.55	1.14	7.62	1.25	--	--	6.02	1.48	8.37	1.73	--	--	--	--
Does not drink beer	2.26	0.56	1.77	0.60	4.24	1.41	--	--	--	--	--	--	--	--

See footnotes at end of table.

Table 1-12. Percent distribution of type of beer drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Age Started Drinking														
16 years or younger														
Regular	44.94	0.93	52.18	1.15	30.50	1.24	45.44	2.15	44.33	1.13	44.32	2.44	51.15	3.55
Lite or reduced calorie	40.04	0.87	36.64	1.04	46.82	1.33	42.49	2.01	41.45	1.07	34.55	2.39	24.26	3.40
Malt, low-alcohol, or combination	5.69	0.38	6.49	0.51	4.09	0.52	7.05	0.88	5.19	0.47	5.22	1.06	4.42	1.27
Does not drink beer	8.83	0.47	4.31	0.42	17.84	1.08	4.76	0.62	8.52	0.60	15.30	1.72	18.42	2.50
17 or 18 years														
Regular	40.68	0.77	48.31	1.01	26.61	0.99	39.83	1.95	40.64	1.02	39.76	1.65	46.22	2.63
Lite or reduced calorie	43.19	0.82	41.27	1.04	46.73	1.18	46.91	2.04	44.80	1.06	39.55	1.69	29.35	2.42
Malt, low-alcohol, or combination	5.06	0.34	5.70	0.47	3.88	0.45	7.17	0.95	4.48	0.43	4.79	0.82	5.25	1.30
Does not drink beer	10.95	0.46	4.62	0.38	22.61	0.99	5.94	0.81	10.01	0.55	15.81	1.25	18.60	2.04
19 or 20 years														
Regular	38.34	1.03	50.36	1.44	21.66	1.26	36.49	3.18	38.53	1.39	38.06	2.24	40.59	2.93
Lite or reduced calorie	40.26	1.10	38.21	1.45	43.10	1.61	45.34	3.11	42.33	1.47	37.84	2.27	29.29	2.92
Malt, low-alcohol, or combination	3.17	0.36	3.02	0.46	3.37	0.55	4.34	1.11	3.88	0.62	1.76	0.45	--	--
Does not drink beer	18.03	0.82	8.35	0.82	31.47	1.48	13.33	2.08	15.06	1.03	22.34	1.86	28.11	2.82
21 years or older														
Regular	33.78	0.83	45.96	1.29	22.40	0.91	31.87	4.27	35.87	1.28	31.46	1.37	33.89	1.84
Lite or reduced calorie	36.12	0.84	37.61	1.22	34.72	1.06	41.22	4.26	39.61	1.20	36.77	1.41	24.45	1.72
Malt, low-alcohol, or combination	3.83	0.34	4.93	0.57	2.80	0.35	7.12	3.07	4.53	0.54	3.32	0.50	2.43	0.64
Does not drink beer	25.91	0.74	11.11	0.79	39.75	1.07	19.79	3.63	19.54	0.99	28.17	1.32	38.85	1.97
Drinking Days of the Week in Past Year														
Holidays or special occasions only														
Regular	35.50	1.56	46.40	2.22	22.91	1.80	40.54	5.47	35.73	2.39	34.77	2.79	34.18	3.13
Lite or reduced calorie	33.00	1.60	34.15	2.10	31.67	2.15	37.15	5.46	37.62	2.44	28.95	2.63	26.12	3.24
Malt, low-alcohol, or combination	4.68	0.68	6.50	1.11	2.57	0.68	--	--	6.00	1.10	3.52	1.09	--	--
Does not drink beer	26.20	1.32	12.55	1.38	41.97	2.11	16.34	4.13	19.99	1.59	32.49	2.60	35.58	3.33
Weekends only														
Regular	37.53	0.57	47.14	0.78	24.45	0.70	40.94	1.45	37.81	0.73	33.55	1.19	36.66	2.34
Lite or reduced calorie	43.35	0.61	42.20	0.79	44.93	0.81	44.58	1.44	44.73	0.75	41.75	1.26	28.39	2.07
Malt, low-alcohol, or combination	4.34	0.24	5.12	0.35	3.29	0.28	6.46	0.67	4.03	0.32	3.06	0.46	4.77	0.95
Does not drink beer	14.55	0.40	5.41	0.33	27.00	0.74	7.84	0.69	13.20	0.48	21.49	1.03	29.75	2.06
Weekdays/weekends														
Regular	44.78	0.80	53.24	0.99	28.05	1.03	43.42	2.68	47.38	1.09	41.79	1.45	43.81	1.72
Lite or reduced calorie	35.80	0.76	33.91	0.94	39.54	1.06	43.94	2.65	38.11	1.08	33.96	1.41	24.79	1.56
Malt, low-alcohol, or combination	5.11	0.33	5.55	0.44	4.24	0.47	7.98	1.24	5.44	0.47	4.59	0.64	2.45	0.57
Does not drink beer	13.77	0.50	6.78	0.43	27.60	1.03	4.32	0.77	8.57	0.57	19.09	1.13	28.11	1.60
Family History of Alcoholism														
None														
Regular	41.00	0.63	49.77	0.82	24.84	0.85	41.04	1.88	42.38	0.93	38.64	1.30	40.45	1.65
Lite or reduced calorie	38.18	0.65	37.35	0.82	39.70	0.95	43.75	1.93	41.35	0.91	35.60	1.32	25.59	1.52
Malt, low-alcohol, or combination	4.31	0.26	4.99	0.35	3.07	0.32	6.51	0.86	4.55	0.37	3.50	0.52	2.61	0.46
Does not drink beer	16.06	0.49	7.51	0.45	31.81	0.95	8.46	0.94	11.38	0.53	21.68	1.11	30.55	1.55

See footnotes at end of table.

Table 1-12. Percent distribution of type of beer drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
2nd degree relatives only														
Regular	37.08	0.91	46.24	1.26	23.31	1.20	37.71	2.31	38.33	1.26	33.11	2.11	38.07	3.53
Lite or reduced calorie	44.01	0.96	42.69	1.30	46.00	1.36	47.03	2.44	45.29	1.31	41.38	2.12	27.72	3.15
Malt, low-alcohol, or combination	4.82	0.42	5.70	0.62	3.51	0.47	7.28	1.22	4.45	0.49	3.57	0.86	--	--
Does not drink beer	13.91	0.60	5.38	0.52	26.75	1.21	7.59	0.99	11.79	0.74	21.84	1.55	30.55	3.28
1st degree relatives only														
Regular	42.12	1.25	53.70	1.72	25.41	1.51	46.33	4.38	41.05	1.73	42.18	2.43	42.47	3.15
Lite or reduced calorie	36.88	1.16	34.21	1.60	40.72	1.77	39.07	3.95	39.80	1.70	33.86	2.29	29.03	2.97
Malt, low-alcohol, or combination	4.99	0.53	5.54	0.72	4.19	0.75	9.49	2.18	4.88	0.69	3.65	0.82	--	--
Does not drink beer	15.57	0.88	5.89	0.75	29.53	1.65	5.11	1.71	13.67	1.23	20.15	1.98	23.56	2.62
Both 1st and 2nd degree relatives														
Regular	39.04	0.91	49.39	1.27	27.60	1.09	45.36	2.44	39.03	1.15	33.88	1.92	37.33	4.39
Lite or reduced calorie	41.08	0.92	39.21	1.24	43.15	1.22	43.16	2.31	42.25	1.12	38.96	1.99	22.58	3.40
Malt, low-alcohol, or combination	4.88	0.41	5.86	0.62	3.80	0.47	5.90	0.99	4.62	0.52	4.47	0.85	6.62	2.18
Does not drink beer	14.67	0.62	5.28	0.57	25.04	1.05	5.29	0.84	13.70	0.79	22.57	1.71	32.84	3.84
Any Parent Alcoholic														
Yes														
Regular	39.97	0.89	50.67	1.20	27.26	1.07	46.31	2.53	38.95	1.15	36.94	1.88	43.06	3.54
Lite or reduced calorie	40.08	0.87	37.46	1.17	43.19	1.19	41.74	2.39	41.79	1.12	37.14	1.80	25.73	3.19
Malt, low-alcohol, or combination	4.95	0.39	5.88	0.57	3.85	0.48	6.42	1.00	4.77	0.51	4.00	0.75	6.15	1.86
Does not drink beer	14.66	0.61	5.59	0.55	25.43	1.05	5.25	0.86	14.02	0.75	21.88	1.57	24.48	2.92
No														
Regular	39.77	0.51	48.99	0.68	24.57	0.66	39.91	1.47	41.01	0.69	37.05	0.98	39.84	1.46
Lite or reduced calorie	39.93	0.54	38.83	0.68	41.73	0.75	45.03	1.54	42.48	0.71	37.23	1.02	26.13	1.30
Malt, low-alcohol, or combination	4.53	0.21	5.24	0.30	3.35	0.25	6.94	0.67	4.51	0.29	3.65	0.40	2.92	0.45
Does not drink beer	15.41	0.38	6.67	0.31	29.82	0.73	7.84	0.69	11.71	0.43	21.65	0.88	30.39	1.31
Married to Alcoholic/Lived with Alcoholic as Married														
Yes														
Regular	33.63	1.22	50.83	2.51	25.60	1.20	31.28	3.87	35.57	1.53	30.96	2.36	29.88	3.74
Lite or reduced calorie	38.67	1.13	33.45	2.13	41.10	1.31	49.24	4.37	41.24	1.41	32.53	2.15	28.38	3.54
Malt, low-alcohol, or combination	4.77	0.51	5.75	0.98	4.31	0.59	6.98	2.22	4.96	0.68	4.21	0.94	--	--
Does not drink beer	22.53	1.01	9.97	1.38	28.39	1.25	11.49	2.61	17.79	1.08	32.04	2.27	38.91	4.06
No														
Regular	40.61	0.50	49.27	0.63	25.27	0.63	42.20	1.39	41.19	0.66	37.90	0.97	41.27	1.48
Lite or reduced calorie	40.13	0.52	38.85	0.63	42.40	0.76	43.86	1.42	42.45	0.69	37.89	0.99	25.85	1.28
Malt, low-alcohol, or combination	4.61	0.20	5.35	0.28	3.30	0.25	6.79	0.59	4.52	0.28	3.66	0.39	3.35	0.48
Does not drink beer	14.29	0.35	6.20	0.29	28.62	0.70	6.91	0.56	11.51	0.40	20.21	0.84	28.77	1.27
Any Alcohol Treatment in Past Year														
Yes														
Regular	57.13	2.90	64.08	3.40	35.34	4.78	57.88	6.45	58.81	3.43	50.17	7.55	--	--
Lite or reduced calorie	26.22	2.59	22.39	2.98	38.21	5.10	31.91	5.88	24.84	2.97	--	--	--	--
Malt, low-alcohol, or combination	8.21	1.40	8.67	1.72	6.77	2.26	--	--	8.96	1.84	--	--	--	--
Does not drink beer	7.83	1.54	4.40	1.50	18.59	4.12	--	--	6.35	1.81	--	--	--	--

See footnotes at end of table.

Table 1-12. Percent distribution of type of beer drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Regular	39.42	0.46	48.93	0.61	25.19	0.57	41.01	1.34	39.96	0.63	36.84	0.90	40.23	1.40
Lite or reduced calorie	40.28	0.49	39.00	0.62	42.20	0.66	44.60	1.38	42.76	0.65	37.40	0.92	26.13	1.23
Malt, low-alcohol, or combination	4.55	0.19	5.28	0.27	3.45	0.23	6.74	0.58	4.46	0.26	3.71	0.36	3.31	0.45
Does not drink beer	15.39	0.34	6.49	0.29	28.72	0.62	7.36	0.58	12.49	0.39	21.70	0.79	29.64	1.21
<u>Any Alcohol Treatment in Life</u>														
Yes														
Regular	54.16	1.69	59.13	1.98	35.56	3.17	55.98	4.59	55.04	2.06	51.48	3.82	41.51	8.28
Lite or reduced calorie	31.55	1.62	28.68	1.92	42.28	3.23	35.36	4.19	31.73	1.91	27.61	3.68	26.18	7.14
Malt, low-alcohol, or combination	6.95	0.79	7.40	0.92	5.30	1.41	6.74	1.85	7.31	1.06	6.01	1.60	--	--
Does not drink beer	7.00	0.82	4.58	0.80	16.03	2.34	--	--	5.55	0.95	14.44	2.78	25.36	6.89
No														
Regular	38.83	0.46	48.46	0.61	24.97	0.56	40.35	1.35	39.29	0.64	36.27	0.91	40.19	1.41
Lite or reduced calorie	40.55	0.50	39.44	0.63	42.14	0.67	44.92	1.39	43.14	0.66	37.71	0.94	26.08	1.25
Malt, low-alcohol, or combination	4.47	0.19	5.19	0.27	3.43	0.24	6.81	0.59	4.36	0.26	3.61	0.37	3.21	0.45
Does not drink beer	15.79	0.35	6.60	0.30	29.02	0.63	7.64	0.61	12.87	0.40	22.08	0.81	29.81	1.23

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-13. Percent distribution of type of wine drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Regular	50.67	0.52	46.70	0.63	56.70	0.75	37.16	1.21	49.84	0.65	58.55	0.98	59.47	1.29
Wine cooler	11.27	0.34	7.67	0.34	16.73	0.62	23.01	0.98	11.87	0.45	5.21	0.43	2.29	0.38
Fortified or combination	2.72	0.14	2.10	0.17	3.66	0.24	3.11	0.39	2.84	0.19	2.34	0.28	2.30	0.32
Does not drink wine	34.86	0.51	43.06	0.65	22.41	0.58	36.21	1.16	34.96	0.65	33.51	0.92	35.39	1.27
Race														
White														
Regular	53.09	0.56	49.16	0.67	58.90	0.80	38.61	1.32	52.36	0.69	61.14	1.03	60.93	1.34
Wine cooler	11.00	0.36	7.43	0.37	16.29	0.65	23.24	1.03	11.52	0.49	5.24	0.46	2.29	0.39
Fortified or combination	2.54	0.14	1.77	0.16	3.68	0.26	2.76	0.36	2.67	0.20	2.22	0.29	2.29	0.33
Does not drink wine	32.94	0.53	41.26	0.68	20.64	0.59	34.99	1.24	33.03	0.69	30.99	0.95	33.95	1.33
Black														
Regular	29.74	1.37	27.04	1.74	34.49	1.98	23.68	3.13	31.12	1.75	30.79	2.90	28.08	4.91
Wine cooler	14.92	1.05	12.07	1.43	19.97	1.62	25.73	3.15	16.03	1.34	6.19	1.42	--	--
Fortified or combination	4.15	0.56	4.14	0.78	4.18	0.80	3.73	1.36	4.57	0.76	3.89	1.11	--	--
Does not drink wine	50.43	1.46	55.91	1.94	40.74	1.91	45.49	3.49	47.49	1.80	58.84	3.19	68.58	5.23
American Indian/Alaska Native														
Regular	28.10	5.16	22.65	5.73	35.48	9.76	30.73	9.86	26.27	6.96	--	--	--	--
Wine cooler	10.57	3.67	--	--	22.59	6.96	--	--	--	--	--	--	--	--
Fortified or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink wine	59.13	5.49	71.82	6.65	41.93	7.39	48.06	11.97	65.86	7.85	73.02	14.40	--	--
Asian/Pacific Islander														
Regular	46.31	3.51	43.15	3.93	54.73	7.09	39.73	7.36	47.61	4.59	52.12	9.66	--	--
Wine cooler	11.34	2.38	--	--	28.73	6.77	--	--	13.73	3.56	--	--	--	--
Fortified or combination	5.57	1.91	5.68	1.83	--	--	--	--	--	--	--	--	--	--
Does not drink wine	35.08	3.42	44.02	4.15	11.27	3.40	29.69	7.54	33.47	4.51	43.48	9.55	--	--
Hispanic Origin														
Hispanic														
Regular	40.42	1.83	34.41	2.23	53.87	2.77	25.86	3.57	44.80	2.35	41.60	4.30	52.94	9.47
Wine cooler	10.40	1.10	7.26	1.21	17.46	2.15	25.85	3.66	8.01	1.14	--	--	--	--
Fortified or combination	0.99	0.31	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink wine	47.52	1.88	56.69	2.35	26.96	2.60	45.33	4.20	45.76	2.35	55.03	4.38	45.05	9.69
Nonhispanic														
Regular	51.47	0.53	47.81	0.64	56.87	0.76	38.30	1.24	50.30	0.65	59.52	1.00	59.76	1.30
Wine cooler	11.34	0.34	7.71	0.36	16.69	0.61	22.87	0.98	12.16	0.48	5.40	0.45	2.39	0.39
Fortified or combination	2.86	0.15	2.18	0.18	3.86	0.26	3.27	0.43	3.00	0.20	2.46	0.30	2.33	0.33
Does not drink wine	33.88	0.51	41.86	0.66	22.11	0.59	35.10	1.14	34.05	0.66	32.23	0.92	35.03	1.28
Marital Status														
Married														
Regular	53.64	0.68	49.32	0.85	60.69	1.01	32.22	2.26	49.97	0.86	60.23	1.16	62.90	1.60
Wine cooler	9.58	0.41	6.30	0.46	14.94	0.76	26.79	2.42	12.13	0.62	5.07	0.49	1.91	0.45
Fortified or combination	2.54	0.17	1.81	0.19	3.73	0.34	2.44	0.64	2.87	0.25	2.25	0.32	1.68	0.38
Does not drink wine	33.82	0.67	42.08	0.87	20.32	0.78	37.92	2.71	34.64	0.85	32.01	1.09	33.09	1.54

See footnotes at end of table.

Table 1-13. Percent distribution of type of wine drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Living with someone as if married														
Regular	45.03	2.18	40.34	3.08	51.08	3.06	34.24	4.02	49.52	2.86	51.34	6.87	--	--
Wine cooler	11.82	1.41	6.50	1.45	18.69	2.46	20.75	3.42	8.08	1.39	--	--	--	--
Fortified or combination	2.77	0.69	--	--	4.78	1.31	--	--	--	--	--	--	--	--
Does not drink wine	40.16	2.25	51.94	3.06	24.93	2.66	41.23	4.54	39.95	2.81	36.51	6.32	--	--
Widowed														
Regular	51.71	1.94	44.73	3.67	55.07	2.27	--	--	43.35	7.44	52.86	3.73	51.91	2.42
Wine cooler	4.86	0.91	--	--	6.97	1.30	--	--	--	--	7.22	2.16	2.81	0.84
Fortified or combination	3.47	0.58	--	--	4.07	0.77	--	--	--	--	--	--	4.10	0.79
Does not drink wine	39.35	1.94	52.61	3.73	32.98	2.22	--	--	45.62	7.69	36.84	3.58	40.32	2.39
Divorced														
Regular	50.92	1.27	44.40	1.85	57.69	1.75	27.30	7.17	50.25	1.67	54.33	2.24	51.22	4.24
Wine cooler	10.10	0.78	5.41	0.79	14.96	1.29	26.56	6.32	12.40	1.10	5.80	0.93	--	--
Fortified or combination	2.20	0.34	1.25	0.36	3.19	0.58	--	--	2.33	0.46	1.71	0.53	--	--
Does not drink wine	36.15	1.22	48.68	1.81	23.15	1.57	41.97	7.52	34.24	1.55	37.87	2.16	41.50	4.31
Separated														
Regular	40.11	2.31	35.12	3.20	45.78	3.12	31.12	6.96	39.01	2.87	46.35	4.74	46.90	11.43
Wine cooler	12.71	1.71	6.67	1.68	19.57	2.92	26.03	6.37	14.25	2.20	--	--	--	--
Fortified or combination	3.26	0.76	--	--	3.99	1.23	--	--	3.23	0.91	--	--	--	--
Does not drink wine	42.69	2.43	54.66	3.44	29.10	2.98	38.02	7.48	41.75	3.09	46.52	4.73	49.43	11.57
Never married														
Regular	45.19	0.97	43.07	1.18	49.01	1.48	39.02	1.48	51.29	1.30	52.29	3.84	54.47	5.72
Wine cooler	16.56	0.72	12.52	0.79	23.87	1.41	22.23	1.10	11.58	0.80	--	--	--	--
Fortified or combination	3.22	0.34	3.12	0.43	3.40	0.54	3.18	0.51	3.19	0.43	--	--	--	--
Does not drink wine	34.49	0.91	40.72	1.15	23.23	1.27	35.05	1.36	33.38	1.23	39.08	3.74	37.50	5.63
Ever Raised Children														
Yes														
Regular	50.28	0.62	45.96	0.78	56.37	0.86	24.38	2.02	44.97	0.80	58.41	1.04	60.08	1.40
Wine cooler	9.78	0.36	6.13	0.42	14.93	0.61	25.60	2.30	13.00	0.58	5.38	0.47	2.35	0.41
Fortified or combination	2.57	0.16	1.70	0.19	3.81	0.30	2.53	0.82	2.81	0.23	2.33	0.31	2.23	0.34
Does not drink wine	36.95	0.61	45.83	0.81	24.44	0.72	47.02	2.61	38.86	0.81	33.45	0.97	34.74	1.37
No														
Regular	51.39	0.80	47.95	0.99	57.39	1.18	39.70	1.38	58.79	0.96	59.76	2.58	55.44	3.09
Wine cooler	14.01	0.58	10.28	0.57	20.53	1.11	22.49	1.05	9.78	0.59	3.66	0.96	--	--
Fortified or combination	2.99	0.25	2.78	0.31	3.34	0.41	3.22	0.43	2.89	0.33	2.47	0.67	--	--
Does not drink wine	31.01	0.74	38.37	0.94	18.16	0.91	34.06	1.28	27.80	0.93	34.01	2.52	39.69	2.99
Children Under 14 Living in Household														
Yes														
Regular	45.53	0.84	42.70	1.17	49.08	1.10	23.20	2.31	45.51	0.90	58.26	2.57	52.66	9.11
Wine cooler	13.91	0.55	8.31	0.65	20.93	0.93	28.73	2.78	13.54	0.59	8.78	1.36	--	--
Fortified or combination	2.72	0.23	1.63	0.27	4.08	0.40	3.21	1.09	2.77	0.26	2.20	0.63	--	--
Does not drink wine	37.47	0.88	47.06	1.24	25.45	1.02	44.21	3.07	37.81	0.93	30.68	2.36	42.54	9.09

See footnotes at end of table.

Table 1-13. Percent distribution of type of wine drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Regular	52.91	0.59	48.25	0.71	60.62	0.87	39.05	1.31	53.90	0.86	58.59	1.01	59.63	1.28
Wine cooler	10.12	0.37	7.42	0.39	14.58	0.69	22.23	1.00	10.30	0.57	4.62	0.44	2.28	0.38
Fortified or combination	2.72	0.18	2.28	0.20	3.44	0.31	3.09	0.42	2.90	0.28	2.37	0.30	2.35	0.33
Does not drink wine	33.72	0.56	41.50	0.71	20.85	0.68	35.13	1.25	32.29	0.81	33.98	0.95	35.22	1.26
Education														
11 years or less														
Regular	26.05	1.19	22.46	1.36	33.64	1.97	19.01	2.53	22.04	1.77	28.76	2.29	38.95	2.70
Wine cooler	9.11	0.70	6.12	0.69	15.43	1.55	25.05	2.61	8.72	1.03	3.59	0.82	--	--
Fortified or combination	2.06	0.33	1.93	0.41	2.33	0.58	--	--	2.17	0.58	2.03	0.57	1.77	0.59
Does not drink wine	62.40	1.25	69.11	1.51	48.21	1.97	53.15	3.01	66.60	1.90	65.37	2.45	57.82	2.65
12 years														
Regular	36.39	0.81	31.32	1.07	43.75	1.23	24.43	1.74	31.84	1.02	46.96	1.78	54.21	2.38
Wine cooler	13.17	0.57	8.36	0.58	20.15	1.02	23.89	1.79	14.26	0.78	7.78	0.97	2.75	0.77
Fortified or combination	2.80	0.26	1.87	0.28	4.14	0.48	3.22	0.69	2.76	0.36	2.57	0.53	2.89	0.68
Does not drink wine	47.08	0.86	57.81	1.13	31.49	1.09	47.99	2.09	50.48	1.12	42.22	1.69	39.73	2.34
13-15 years														
Regular	53.09	0.88	48.34	1.17	59.16	1.22	44.12	1.96	51.48	1.13	64.27	1.72	66.53	2.42
Wine cooler	14.56	0.68	10.73	0.93	19.45	1.03	23.87	1.51	15.05	0.95	5.19	0.72	3.05	0.93
Fortified or combination	3.09	0.29	2.58	0.39	3.74	0.39	3.44	0.70	3.18	0.38	2.36	0.60	3.18	0.82
Does not drink wine	28.99	0.73	38.13	1.15	17.30	0.87	28.23	1.61	30.06	1.02	27.96	1.66	26.65	2.14
16 or more years														
Regular	72.79	0.76	70.96	0.99	75.82	1.06	59.81	2.94	71.66	0.95	77.31	1.41	78.79	1.90
Wine cooler	7.15	0.42	5.08	0.43	10.57	0.80	17.37	2.03	8.09	0.57	3.65	0.65	--	--
Fortified or combination	2.58	0.24	1.98	0.26	3.57	0.48	--	--	2.86	0.32	2.34	0.44	--	--
Does not drink wine	16.89	0.66	21.42	0.92	9.40	0.69	19.72	2.47	16.83	0.80	16.19	1.28	17.01	1.77
Currently Employed Full Time														
Yes														
Regular	50.56	0.63	46.93	0.76	58.13	0.91	34.97	1.60	50.23	0.75	58.73	1.19	65.81	4.10
Wine cooler	11.23	0.40	8.01	0.42	17.96	0.77	21.08	1.33	11.53	0.50	5.82	0.56	--	--
Fortified or combination	2.23	0.16	1.89	0.18	2.92	0.30	1.86	0.38	2.38	0.21	2.06	0.32	--	--
Does not drink wine	35.48	0.65	42.70	0.78	20.43	0.80	41.36	1.62	35.37	0.80	32.99	1.10	29.86	4.05
No														
Regular	50.85	0.79	46.16	1.05	55.21	1.04	39.20	1.75	48.67	1.19	58.20	1.53	58.95	1.37
Wine cooler	11.33	0.50	6.89	0.59	15.47	0.77	24.80	1.33	12.87	0.82	4.06	0.55	2.32	0.40
Fortified or combination	3.54	0.28	2.59	0.34	4.42	0.39	4.26	0.71	4.23	0.46	2.87	0.50	2.38	0.34
Does not drink wine	33.83	0.68	43.91	1.07	24.47	0.79	31.43	1.60	33.71	1.06	34.48	1.48	35.84	1.37
Personal Annual Income														
None														
Regular	52.90	1.07	48.50	1.57	56.75	1.41	39.49	3.94	42.89	2.06	56.69	2.05	58.32	1.52
Wine cooler	6.47	0.52	2.09	0.39	10.29	0.85	22.56	3.81	12.58	1.37	3.36	0.68	2.32	0.44
Fortified or combination	2.95	0.33	1.99	0.36	3.79	0.54	--	--	3.78	0.76	2.72	0.63	2.51	0.40
Does not drink wine	37.01	1.01	46.79	1.64	28.46	1.19	33.59	3.71	39.70	2.03	36.81	1.92	36.23	1.51

See footnotes at end of table.

Table 1-13. Percent distribution of type of wine drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
\$1 to \$9,999														
Regular	42.08	1.11	37.89	1.59	46.07	1.45	38.11	1.80	41.78	1.62	49.59	2.57	57.31	3.85
Wine cooler	17.60	0.83	11.76	0.95	23.16	1.28	25.80	1.48	14.58	1.11	4.84	1.04	--	--
Fortified or combination	3.78	0.38	3.02	0.50	4.51	0.52	3.93	0.60	4.19	0.61	2.91	0.79	--	--
Does not drink wine	36.13	1.05	46.87	1.60	25.91	1.14	31.76	1.58	39.15	1.59	41.93	2.63	36.24	3.79
\$10,000 to \$24,999														
Regular	43.12	0.86	35.07	1.16	53.60	1.17	32.01	1.82	43.22	1.08	53.09	1.98	63.26	6.63
Wine cooler	14.15	0.67	9.95	0.87	19.61	0.98	20.95	1.52	14.48	0.86	6.94	1.04	--	--
Fortified or combination	2.56	0.25	1.98	0.30	3.33	0.42	2.14	0.52	2.62	0.32	2.87	0.72	--	--
Does not drink wine	39.65	0.87	52.50	1.24	22.93	1.02	44.32	1.96	39.04	1.11	37.06	1.99	34.15	6.69
\$25,000 or more														
Regular	59.79	0.78	55.71	0.95	72.00	1.18	52.64	4.33	57.93	0.91	63.73	1.38	73.24	4.04
Wine cooler	7.92	0.38	6.51	0.40	12.14	0.92	12.99	2.53	9.13	0.52	5.23	0.61	--	--
Fortified or combination	2.18	0.20	1.89	0.22	3.06	0.43	--	--	2.43	0.26	1.83	0.34	--	--
Does not drink wine	29.71	0.74	35.47	0.89	12.42	0.86	32.33	4.14	30.14	0.88	28.74	1.27	25.52	3.97
Current/Most Recent Occupation														
Executive, administrative, managerial														
Regular	66.61	1.10	64.75	1.37	69.80	1.59	52.09	5.07	66.11	1.46	70.44	2.05	66.54	3.09
Wine cooler	8.61	0.67	6.52	0.83	12.20	1.09	23.71	4.50	10.02	0.93	5.12	0.98	--	--
Fortified or combination	2.36	0.31	1.98	0.39	3.02	0.51	--	--	2.84	0.47	1.70	0.44	--	--
Does not drink wine	22.04	0.97	26.32	1.33	14.69	1.28	21.28	4.33	20.75	1.22	22.27	1.81	29.66	2.95
Professional specialty														
Regular	73.81	1.02	73.46	1.44	74.22	1.31	59.26	3.63	72.65	1.29	78.53	1.85	80.61	2.31
Wine cooler	8.24	0.60	5.38	0.66	11.59	1.00	18.47	2.71	9.58	0.83	4.25	0.99	--	--
Fortified or combination	3.20	0.40	2.75	0.55	3.74	0.59	--	--	3.39	0.50	3.07	0.75	--	--
Does not drink wine	14.17	0.79	18.00	1.17	9.69	0.89	17.64	2.57	13.84	0.98	13.82	1.55	14.13	2.16
Technician/related support														
Regular	55.32	2.05	50.45	3.01	62.24	3.09	50.92	5.31	55.57	2.50	54.99	5.72	67.07	7.87
Wine cooler	13.43	1.74	11.69	1.89	15.91	3.02	19.10	4.18	15.90	2.54	--	--	--	--
Fortified or combination	3.07	0.80	--	--	3.77	0.98	--	--	2.99	0.88	--	--	--	--
Does not drink wine	27.81	2.22	34.65	2.93	18.07	2.59	27.18	4.72	24.92	2.81	37.64	5.69	29.19	7.69
Sales														
Regular	54.31	1.26	54.67	1.75	53.84	1.72	34.89	2.70	54.68	1.82	65.18	2.39	65.82	3.70
Wine cooler	12.72	0.87	7.82	0.94	19.10	1.52	30.36	2.59	12.16	1.17	2.99	0.85	--	--
Fortified or combination	2.71	0.35	2.14	0.43	3.46	0.61	2.19	0.70	3.33	0.59	2.24	0.67	--	--
Does not drink wine	29.71	1.19	34.91	1.68	22.94	1.50	32.17	2.74	29.36	1.73	28.94	2.40	28.17	3.57
Administrative support, including clerical														
Regular	55.60	1.13	48.79	2.32	58.14	1.33	42.44	2.70	52.67	1.51	69.20	2.37	61.21	2.76
Wine cooler	15.82	0.85	9.82	1.28	18.05	1.04	30.39	2.57	17.60	1.20	7.01	1.22	3.49	1.16
Fortified or combination	3.74	0.43	1.74	0.48	4.48	0.55	3.37	0.89	3.83	0.59	3.93	1.01	3.48	0.91
Does not drink wine	24.35	0.99	39.06	2.33	18.88	0.96	23.31	2.51	25.43	1.35	19.44	1.95	31.11	2.84
Private household														
Regular	39.82	6.60	--	--	41.44	6.76	--	--	31.42	7.96	--	--	--	--
Wine cooler	16.46	4.32	--	--	17.12	4.47	--	--	--	--	--	--	--	--
Fortified or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink wine	36.58	6.74	--	--	36.91	6.89	--	--	43.80	10.00	43.09	12.65	--	--

See footnotes at end of table.

Table 1-13. Percent distribution of type of wine drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Protective service														
Regular	42.40	3.62	44.83	3.97	21.55	6.00	31.63	7.50	41.11	4.98	51.54	6.86	57.32	10.31
Wine cooler	12.92	3.82	11.46	4.24	25.49	6.96	19.80	5.48	16.44	6.51	--	--	--	--
Fortified or combination	3.35	1.03	3.31	1.11	--	--	--	--	--	--	--	--	--	--
Does not drink wine	41.33	3.62	40.40	3.93	49.32	7.78	44.23	8.66	38.74	5.10	45.22	6.78	42.68	10.31
Service, except protective and household														
Regular	39.82	1.43	38.23	2.46	40.96	1.64	40.18	2.66	39.78	2.00	39.52	3.40	38.84	5.06
Wine cooler	15.33	1.03	8.43	1.40	20.31	1.43	24.12	2.05	13.86	1.39	5.43	1.42	--	--
Fortified or combination	3.31	0.47	3.23	0.73	3.36	0.58	3.32	0.78	3.32	0.70	3.63	1.15	--	--
Does not drink wine	41.24	1.44	49.84	2.51	35.04	1.55	31.97	2.57	42.88	2.06	50.75	3.46	53.65	5.01
Farming, forestry, fishing														
Regular	28.74	2.25	27.33	2.43	38.38	6.64	23.53	5.19	27.95	3.78	26.66	5.59	53.39	7.36
Wine cooler	8.39	1.42	6.85	1.42	18.90	5.57	13.80	3.40	6.95	1.94	--	--	--	--
Fortified or combination	4.53	1.20	3.49	1.15	--	--	--	--	--	--	--	--	--	--
Does not drink wine	58.07	2.58	62.01	2.66	31.05	6.47	56.68	5.45	61.25	4.03	62.82	6.37	36.10	7.29
Precision production, craft, repair														
Regular	34.82	1.26	34.18	1.31	42.85	4.27	24.37	3.22	32.81	1.57	39.89	2.81	49.86	3.72
Wine cooler	8.31	0.73	7.66	0.75	16.48	3.05	17.85	3.07	8.47	0.87	5.36	1.20	--	--
Fortified or combination	1.22	0.26	1.31	0.28	--	--	--	--	1.60	0.41	--	--	--	--
Does not drink wine	55.07	1.34	56.33	1.40	39.12	4.40	54.82	3.60	56.74	1.73	54.22	2.87	46.92	3.78
Operators, fabricators, laborers														
Regular	30.08	1.93	30.28	2.33	29.60	2.80	28.66	4.66	25.62	2.25	37.12	4.45	39.44	5.40
Wine cooler	11.81	1.13	7.65	1.12	21.56	2.42	17.11	3.33	14.30	1.71	6.63	1.81	--	--
Fortified or combination	1.80	0.58	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink wine	55.86	1.91	59.73	2.40	46.79	3.13	52.85	4.58	57.10	2.50	55.04	4.48	55.82	5.49
Transportation, material moving														
Regular	24.62	1.81	23.84	1.88	35.25	7.21	18.53	4.57	24.53	2.47	25.97	3.84	29.47	5.77
Wine cooler	8.61	1.15	6.94	1.04	31.35	8.46	17.42	4.37	8.09	1.44	8.02	2.89	--	--
Fortified or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink wine	65.20	2.01	67.80	2.07	29.68	6.17	62.53	6.25	66.22	2.76	63.29	4.62	68.15	5.85
Handlers, equipment cleaners, helpers, laborers														
Regular	27.02	2.10	26.31	2.31	30.55	4.78	24.21	3.26	30.16	3.38	20.47	4.62	34.55	8.66
Wine cooler	10.73	1.38	8.24	1.39	23.04	4.85	18.29	2.92	8.19	1.79	--	--	--	--
Fortified or combination	2.54	0.69	2.66	0.80	--	--	5.70	1.89	--	--	--	--	--	--
Does not drink wine	59.08	2.33	62.05	2.51	44.41	5.31	51.79	4.20	59.39	3.50	73.63	5.03	64.07	8.72
Military														
Regular	47.30	5.70	46.09	6.63	54.70	11.61	--	--	54.17	6.52	--	--	--	--
Wine cooler	16.28	4.61	14.67	4.99	--	--	--	--	--	--	--	--	--	--
Fortified or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink wine	35.05	5.37	37.65	6.03	--	--	57.32	9.27	27.66	5.65	--	--	--	--
Current/Most Recent Industry														
Agriculture, forestry, fisheries														
Regular	33.52	2.71	29.14	2.79	50.84	5.96	31.07	6.80	32.46	3.82	32.68	5.99	46.25	7.44
Wine cooler	8.25	1.41	6.10	1.35	16.73	4.32	14.95	4.22	7.03	1.97	--	--	--	--
Fortified or combination	4.16	1.11	2.86	0.97	--	--	--	--	--	--	--	--	--	--
Does not drink wine	54.06	3.12	61.89	3.02	23.13	5.76	50.59	6.73	56.67	4.34	56.84	6.62	42.04	7.68

See footnotes at end of table.

Table 1-13. Percent distribution of type of wine drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Mining														
Regular	41.19	6.01	34.73	6.49	65.34	11.77	--	--	21.95	6.26	66.64	9.74	--	--
Wine cooler	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Fortified or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink wine	48.98	6.32	58.15	6.81	--	--	--	--	66.37	7.95	--	--	--	--
Construction														
Regular	37.60	1.62	35.64	1.70	58.03	5.02	24.72	3.58	39.60	2.22	42.53	3.50	35.40	5.44
Wine cooler	7.59	0.81	7.09	0.83	12.82	3.37	15.63	2.92	6.06	0.93	7.11	1.88	--	--
Fortified or combination	1.70	0.37	1.60	0.39	--	--	--	--	1.81	0.54	--	--	--	--
Does not drink wine	52.75	1.66	55.32	1.75	26.04	4.27	56.17	4.06	52.38	2.21	49.40	3.76	59.39	5.73
Manufacturing														
Regular	45.45	1.10	43.36	1.30	51.52	1.86	34.43	3.20	43.15	1.42	49.26	2.17	57.70	2.89
Wine cooler	9.71	0.56	7.54	0.63	15.98	1.24	19.31	2.53	11.64	0.83	5.82	0.92	--	--
Fortified or combination	1.87	0.30	1.70	0.31	2.37	0.64	--	--	1.62	0.34	2.11	0.64	--	--
Does not drink wine	42.28	1.10	46.82	1.31	29.12	1.66	43.33	3.27	42.49	1.45	42.37	2.15	39.99	2.95
Transportation, communications, other public utilities														
Regular	45.60	1.64	42.24	1.92	55.29	2.89	28.22	5.96	44.09	2.03	51.18	3.26	52.82	4.46
Wine cooler	10.61	1.05	8.11	1.14	17.81	2.37	30.56	6.69	11.76	1.39	4.50	1.10	--	--
Fortified or combination	2.39	0.44	1.70	0.47	4.37	1.06	--	--	2.73	0.66	--	--	--	--
Does not drink wine	41.02	1.60	47.42	2.00	22.53	2.30	37.27	7.07	41.27	2.07	41.38	3.19	41.31	4.41
Wholesale trade														
Regular	49.22	2.10	46.60	2.38	58.06	3.98	42.42	5.72	47.67	2.71	54.03	4.53	55.60	5.99
Wine cooler	8.60	1.15	6.20	1.11	16.70	3.01	15.30	4.11	10.05	1.51	--	--	--	--
Fortified or combination	2.89	0.71	2.49	0.79	--	--	--	--	3.20	0.92	--	--	--	--
Does not drink wine	39.16	1.97	44.71	2.36	20.42	2.89	37.41	5.33	39.07	2.72	39.93	4.41	40.18	5.89
Retail trade														
Regular	43.25	1.15	39.59	1.57	46.97	1.53	35.02	1.98	42.93	1.56	56.97	2.76	50.55	3.78
Wine cooler	15.94	0.85	11.16	1.09	20.78	1.22	26.55	1.74	14.73	1.13	4.17	0.98	--	--
Fortified or combination	2.99	0.34	2.72	0.48	3.26	0.47	2.88	0.63	3.25	0.50	2.13	0.79	--	--
Does not drink wine	37.34	1.15	45.97	1.69	28.57	1.42	35.08	2.08	38.72	1.57	36.00	2.72	41.74	3.77
Finance, insurance, real estate														
Regular	66.46	1.63	70.13	2.37	63.30	2.17	41.26	5.17	66.41	2.20	74.36	3.10	76.37	3.55
Wine cooler	10.09	1.10	3.78	0.92	15.53	1.75	24.34	4.34	11.15	1.64	4.41	1.40	--	--
Fortified or combination	2.98	0.53	--	--	4.44	0.90	--	--	3.18	0.76	2.45	0.95	--	--
Does not drink wine	19.95	1.35	24.20	2.18	16.29	1.60	29.81	4.91	18.62	1.70	18.78	2.67	18.29	3.41
Services: business and repair														
Regular	49.82	1.82	44.06	2.21	60.43	2.86	38.33	4.60	48.84	2.32	59.46	3.83	55.58	6.33
Wine cooler	9.52	0.95	8.63	1.22	11.17	1.61	19.58	3.43	9.89	1.32	--	--	--	--
Fortified or combination	2.71	0.57	2.16	0.61	3.72	1.19	--	--	3.51	0.90	--	--	--	--
Does not drink wine	37.59	1.74	44.71	2.22	24.47	2.59	39.12	4.55	37.41	2.33	35.96	3.77	41.07	6.13
Services: personal														
Regular	46.03	2.34	51.38	4.31	43.19	2.99	40.34	7.03	44.93	3.32	52.10	5.48	52.92	7.09
Wine cooler	15.07	1.59	--	--	20.22	2.08	31.32	5.61	12.76	2.06	--	--	--	--
Fortified or combination	2.63	0.76	--	--	3.36	1.06	--	--	--	--	--	--	--	--
Does not drink wine	35.34	2.15	40.31	3.85	32.71	2.70	26.14	4.51	37.13	3.37	37.42	5.24	42.24	6.86

See footnotes at end of table.

Table 1-13. Percent distribution of type of wine drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Services: entertainment and recreation														
Regular	52.54	3.28	51.51	3.97	54.66	5.24	38.72	5.79	56.31	4.49	77.28	5.19	--	--
Wine cooler	12.73	1.93	10.19	2.14	17.99	3.86	23.23	4.04	8.99	2.54	--	--	--	--
Fortified or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink wine	31.88	2.93	35.47	3.84	24.44	3.97	36.18	5.20	31.25	4.28	21.66	5.09	42.49	11.16
Services: professional and related														
Regular	64.62	0.96	64.82	1.57	64.49	1.17	48.00	3.00	64.05	1.26	70.82	1.74	73.20	2.31
Wine cooler	11.77	0.67	5.68	0.74	15.69	0.98	23.67	2.26	13.67	0.93	5.27	0.93	3.00	1.03
Fortified or combination	3.28	0.35	2.59	0.53	3.73	0.42	4.45	1.05	3.05	0.41	3.62	0.75	1.97	0.65
Does not drink wine	19.89	0.76	26.41	1.46	15.69	0.81	23.22	2.25	18.91	0.98	19.84	1.48	21.02	2.09
Public administration														
Regular	54.22	2.11	51.71	2.86	59.38	2.68	39.72	7.01	52.34	3.18	60.57	3.53	60.35	4.48
Wine cooler	11.46	2.06	8.86	2.93	16.83	2.29	26.30	6.15	13.53	3.58	6.10	1.63	--	--
Fortified or combination	3.31	0.64	2.98	0.82	3.96	1.00	--	--	4.64	1.09	--	--	--	--
Does not drink wine	30.51	1.87	36.07	2.59	19.08	2.13	32.82	8.18	29.03	2.65	30.88	3.24	34.40	4.23
Military														
Regular	46.41	5.45	45.54	6.28	52.00	11.25	23.03	7.75	51.90	6.30	--	--	--	--
Wine cooler	15.62	4.23	13.39	4.51	--	--	--	--	16.80	5.83	--	--	--	--
Fortified or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink wine	36.04	5.17	38.84	5.75	--	--	57.03	9.26	29.58	5.66	--	--	--	--
Smoked Any Cigarettes in Last Year														
Yes														
Regular	42.43	0.74	37.84	0.97	49.37	1.06	38.16	1.79	42.25	0.95	46.31	1.52	43.85	2.68
Wine cooler	11.03	0.47	7.60	0.60	16.21	0.80	19.99	1.37	11.04	0.65	4.93	0.68	3.29	0.99
Fortified or combination	2.43	0.22	2.24	0.27	2.73	0.36	3.69	0.64	2.28	0.26	2.06	0.45	--	--
Does not drink wine	43.52	0.74	51.74	0.99	31.10	0.96	37.91	1.77	43.70	1.01	46.01	1.48	51.75	2.62
No														
Regular	55.84	0.61	52.25	0.76	61.32	0.89	36.38	1.49	55.19	0.78	65.08	1.16	63.90	1.33
Wine cooler	11.42	0.40	7.72	0.37	17.07	0.76	25.40	1.26	12.45	0.54	5.36	0.52	2.00	0.40
Fortified or combination	2.90	0.17	2.02	0.20	4.24	0.32	2.65	0.44	3.23	0.26	2.50	0.34	2.65	0.39
Does not drink wine	29.43	0.58	37.63	0.76	16.93	0.65	34.86	1.51	28.80	0.74	26.83	1.10	30.74	1.35
Smoked 100 or More Cigarettes in Life														
Yes														
Regular	49.19	0.65	44.75	0.80	56.38	0.92	38.44	1.70	46.11	0.82	56.72	1.16	57.25	1.60
Wine cooler	9.45	0.36	6.47	0.43	14.27	0.63	19.59	1.31	11.02	0.55	4.62	0.49	2.22	0.46
Fortified or combination	2.49	0.18	2.01	0.20	3.27	0.33	3.56	0.60	2.62	0.25	1.98	0.30	1.90	0.35
Does not drink wine	38.39	0.61	46.26	0.81	25.64	0.75	38.17	1.67	39.69	0.84	36.22	1.09	38.22	1.57
No														
Regular	52.86	0.72	49.77	0.94	57.13	1.02	36.02	1.53	54.79	0.90	62.92	1.72	64.51	2.18
Wine cooler	13.97	0.55	9.57	0.53	20.06	0.96	26.09	1.30	12.99	0.65	6.63	0.79	2.44	0.63
Fortified or combination	3.06	0.22	2.24	0.27	4.19	0.35	2.70	0.47	3.13	0.29	3.21	0.56	3.20	0.68
Does not drink wine	29.64	0.71	38.01	0.92	18.04	0.83	34.43	1.57	28.69	0.88	27.01	1.60	28.94	2.06

See footnotes at end of table.

Table 1-13. Percent distribution of type of wine drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Any Depression in Past Year</u>														
Yes														
Regular	47.67	2.17	43.66	3.01	52.13	2.90	35.86	3.87	52.17	2.78	59.20	6.17	--	--
Wine cooler	17.96	1.60	14.41	2.44	21.90	2.36	28.73	3.15	13.00	1.91	14.24	4.55	--	--
Fortified or combination	4.62	0.83	4.37	1.21	4.91	1.15	--	--	5.52	1.22	--	--	--	--
Does not drink wine	29.49	2.19	37.43	3.27	20.68	2.26	31.88	3.88	29.31	2.60	21.47	4.76	--	--
No														
Regular	50.79	0.53	46.81	0.64	56.93	0.76	37.27	1.26	49.73	0.67	58.53	0.99	59.54	1.29
Wine cooler	10.99	0.35	7.43	0.35	16.48	0.63	22.53	1.02	11.81	0.46	5.05	0.43	2.30	0.38
Fortified or combination	2.64	0.14	2.02	0.16	3.60	0.25	3.09	0.39	2.72	0.19	2.33	0.28	2.27	0.32
Does not drink wine	35.08	0.52	43.26	0.66	22.50	0.59	36.56	1.22	35.22	0.67	33.72	0.94	35.33	1.27
<u>Any Depression in Life</u>														
Yes														
Regular	53.87	1.28	50.88	1.95	57.00	1.67	39.67	2.78	55.05	1.64	67.66	3.04	77.90	6.32
Wine cooler	16.99	1.11	13.54	1.83	20.61	1.37	28.92	2.41	15.45	1.55	6.87	1.43	--	--
Fortified or combination	3.91	0.49	3.50	0.70	4.33	0.68	3.40	0.90	4.27	0.68	3.64	1.17	--	--
Does not drink wine	24.70	1.15	31.51	1.75	17.56	1.28	27.41	2.73	24.75	1.38	21.15	2.61	--	--
No														
Regular	50.27	0.54	46.26	0.66	56.65	0.78	36.68	1.34	49.09	0.70	57.78	1.02	59.04	1.31
Wine cooler	10.55	0.34	7.06	0.31	16.12	0.63	21.86	0.99	11.35	0.45	5.07	0.45	2.31	0.38
Fortified or combination	2.57	0.14	1.95	0.16	3.55	0.26	3.05	0.40	2.63	0.19	2.23	0.29	2.32	0.33
Does not drink wine	36.14	0.54	44.27	0.68	23.18	0.62	37.92	1.34	36.43	0.69	34.55	0.97	35.76	1.30
<u>Alcohol Use Disorder in Past Year</u>														
None														
Regular	51.64	0.55	47.39	0.69	57.52	0.79	34.93	1.36	50.31	0.71	59.32	1.01	59.64	1.30
Wine cooler	10.80	0.36	7.05	0.37	16.00	0.62	23.41	1.18	12.16	0.49	5.28	0.46	2.25	0.38
Fortified or combination	2.53	0.14	1.76	0.16	3.59	0.25	2.55	0.37	2.68	0.20	2.30	0.29	2.30	0.33
Does not drink wine	34.60	0.55	43.36	0.73	22.45	0.61	38.68	1.38	34.39	0.73	32.73	0.94	35.23	1.28
Abuse														
Regular	48.17	1.79	46.60	2.08	52.62	3.11	43.55	3.68	48.99	1.99	56.47	5.43	--	--
Wine cooler	14.34	1.10	11.14	1.31	23.43	2.46	22.56	2.45	11.89	1.43	--	--	--	--
Fortified or combination	3.05	0.57	2.79	0.68	3.80	1.05	3.86	1.11	2.87	0.71	--	--	--	--
Does not drink wine	33.79	1.71	38.95	2.12	19.08	2.66	29.62	3.29	35.47	1.98	36.92	5.39	--	--
Dependence														
Regular	44.23	1.52	41.85	1.93	49.61	2.30	39.94	2.62	46.47	1.87	46.36	4.00	52.73	9.17
Wine cooler	13.15	1.03	9.53	1.02	21.35	2.26	22.07	2.01	9.30	1.05	4.91	1.69	--	--
Fortified or combination	4.12	0.61	4.01	0.70	4.38	1.11	4.32	1.16	4.19	0.74	3.35	1.22	--	--
Does not drink wine	37.83	1.47	43.98	1.88	23.89	1.95	32.84	2.39	39.42	1.88	44.94	4.11	43.60	8.54
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
Regular	48.79	0.76	44.14	1.02	53.60	0.95	31.53	1.58	48.58	0.93	56.43	1.50	57.95	2.01
Wine cooler	13.30	0.49	8.07	0.53	18.71	0.74	24.36	1.40	14.69	0.64	7.27	0.76	2.82	0.61
Fortified or combination	2.95	0.21	2.23	0.27	3.70	0.33	3.11	0.50	2.97	0.29	3.05	0.46	2.31	0.50
Does not drink wine	34.71	0.75	45.31	1.07	23.77	0.75	40.95	1.70	33.49	0.93	33.00	1.43	36.48	2.01

See footnotes at end of table.

Table 1-13. Percent distribution of type of wine drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Moderate drinker														
Regular	53.61	0.76	49.36	0.92	61.10	1.16	39.66	2.04	53.56	1.01	61.62	1.58	62.46	2.06
Wine cooler	10.25	0.49	7.68	0.56	14.78	0.88	22.87	1.52	9.99	0.67	3.81	0.57	2.02	0.62
Fortified or combination	2.24	0.19	1.65	0.21	3.27	0.38	2.66	0.59	2.43	0.27	1.36	0.30	2.31	0.55
Does not drink wine	33.68	0.70	41.19	0.91	20.43	0.86	34.42	1.75	33.75	0.95	33.07	1.46	33.20	1.96
Heavier drinker														
Regular	49.77	1.10	46.91	1.32	59.20	1.95	44.29	2.82	44.90	1.50	58.64	2.12	57.89	2.70
Wine cooler	8.61	0.58	7.13	0.65	13.49	1.47	20.84	2.17	8.50	0.89	3.04	0.65	--	--
Fortified or combination	3.23	0.42	2.73	0.45	4.89	0.99	3.92	1.23	3.55	0.56	2.60	0.71	--	--
Does not drink wine	38.25	1.12	43.14	1.32	22.17	1.58	30.95	2.65	42.84	1.54	35.59	2.06	38.08	2.62
Usual/Heaviest Drinking Level in Past Year³														
Light drinker														
Regular	48.60	0.76	43.98	1.03	53.35	0.97	31.73	1.68	48.21	0.95	56.12	1.56	57.08	2.06
Wine cooler	12.88	0.50	7.35	0.52	18.57	0.76	23.15	1.52	14.38	0.65	7.32	0.81	2.97	0.64
Fortified or combination	2.95	0.22	2.17	0.27	3.76	0.35	3.00	0.51	2.93	0.30	3.23	0.49	2.26	0.52
Does not drink wine	35.45	0.76	46.36	1.08	24.21	0.80	42.08	1.87	34.38	0.96	33.18	1.49	37.45	2.07
Moderate drinker														
Regular	53.34	0.76	49.16	0.92	60.25	1.15	38.83	1.95	53.46	1.02	61.08	1.57	62.85	2.09
Wine cooler	11.09	0.50	8.34	0.57	15.66	0.89	24.14	1.49	11.02	0.69	4.24	0.60	2.04	0.62
Fortified or combination	2.28	0.19	1.70	0.21	3.24	0.37	2.69	0.57	2.50	0.27	1.33	0.29	2.34	0.55
Does not drink wine	33.09	0.69	40.70	0.91	20.49	0.84	34.08	1.71	32.77	0.96	33.25	1.47	32.77	2.01
Heavier drinker														
Regular	50.82	1.04	47.49	1.28	61.04	1.77	43.75	2.63	46.52	1.42	60.10	1.98	59.92	2.53
Wine cooler	8.64	0.53	7.11	0.61	13.33	1.34	21.00	2.00	8.26	0.80	2.94	0.60	--	--
Fortified or combination	2.96	0.37	2.48	0.40	4.44	0.84	3.85	1.05	3.23	0.49	2.16	0.63	2.16	0.68
Does not drink wine	37.50	1.05	42.84	1.26	21.13	1.42	31.39	2.50	41.89	1.43	34.69	1.93	36.30	2.43
5 or More Drinks in a Single Day														
Not once in past year														
Regular	58.68	0.71	55.12	0.99	62.06	0.89	34.67	2.48	56.04	0.98	64.75	1.21	63.96	1.34
Wine cooler	10.82	0.43	6.03	0.44	15.37	0.68	25.68	2.12	14.83	0.71	6.15	0.59	2.54	0.43
Fortified or combination	2.86	0.20	1.80	0.24	3.86	0.33	3.36	0.81	3.14	0.32	2.56	0.37	2.41	0.37
Does not drink wine	27.26	0.62	36.59	0.96	18.40	0.63	35.86	2.49	25.60	0.88	26.26	1.07	30.57	1.33
1 to 11 times in past year														
Regular	50.07	0.82	47.83	1.05	54.01	1.25	35.65	1.78	52.91	1.05	59.10	1.98	46.76	4.21
Wine cooler	12.51	0.56	8.67	0.59	19.29	1.07	25.67	1.62	10.63	0.60	4.63	0.79	--	--
Fortified or combination	2.59	0.23	2.11	0.26	3.43	0.44	2.77	0.51	2.85	0.31	1.67	0.42	--	--
Does not drink wine	34.38	0.81	40.98	1.05	22.74	1.08	35.48	1.85	33.09	1.01	34.28	1.84	50.63	4.22
12 or more times in past year														
Regular	38.00	0.97	36.66	1.09	42.26	1.78	39.75	1.92	36.92	1.18	38.37	2.17	39.14	3.98
Wine cooler	10.77	0.65	8.68	0.75	17.39	1.42	19.53	1.39	9.21	0.92	2.88	0.65	--	--
Fortified or combination	2.63	0.31	2.45	0.34	3.21	0.63	3.24	0.72	2.43	0.35	2.41	0.74	--	--
Does not drink wine	48.10	1.01	51.82	1.17	36.35	1.60	36.97	1.76	50.93	1.27	55.76	2.21	57.34	3.96

See footnotes at end of table.

Table 1-13. Percent distribution of type of wine drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Drinking Enough to Feel Drunk														
Not once in past year														
Regular	54.17	0.66	49.82	0.88	59.81	0.91	32.62	2.18	50.33	0.89	60.86	1.14	60.55	1.34
Wine cooler	9.07	0.39	5.41	0.35	13.80	0.71	18.82	1.68	12.50	0.66	5.41	0.51	2.34	0.39
Fortified or combination	2.50	0.18	1.79	0.21	3.42	0.30	2.31	0.62	2.92	0.28	2.20	0.32	1.96	0.31
Does not drink wine	33.88	0.66	42.59	0.90	22.60	0.72	46.15	2.33	33.83	0.90	31.19	1.05	34.70	1.32
1 to 11 times in past year														
Regular	49.29	0.75	45.90	0.98	54.74	1.11	36.30	1.60	52.70	0.90	55.64	2.10	56.90	4.81
Wine cooler	13.89	0.51	9.76	0.63	20.55	0.95	25.88	1.47	11.63	0.54	4.60	0.77	--	--
Fortified or combination	2.70	0.23	1.93	0.25	3.94	0.43	3.10	0.53	2.62	0.28	2.18	0.64	--	--
Does not drink wine	33.60	0.68	41.85	0.95	20.34	0.93	33.98	1.48	32.60	0.85	37.13	2.04	36.60	4.66
12 or more times in past year														
Regular	39.90	1.37	38.86	1.61	42.83	2.39	42.33	2.26	38.20	1.83	38.83	3.80	36.76	8.80
Wine cooler	13.89	1.22	10.67	1.42	23.02	2.26	21.03	1.90	10.36	1.87	--	--	--	--
Fortified or combination	3.66	0.54	3.64	0.59	3.72	1.08	3.61	0.85	3.35	0.66	5.31	1.87	--	--
Does not drink wine	42.06	1.42	46.53	1.69	29.38	2.20	32.60	2.15	47.45	2.01	52.05	3.94	58.17	8.55
Driving After Drinking														
Not once in past year														
Regular	51.16	0.54	46.89	0.67	57.15	0.79	35.76	1.31	49.98	0.70	59.17	1.01	59.69	1.30
Wine cooler	11.08	0.35	7.27	0.34	16.41	0.62	23.18	1.06	12.15	0.49	5.31	0.46	2.31	0.38
Fortified or combination	2.66	0.14	2.01	0.17	3.58	0.25	3.06	0.39	2.78	0.20	2.32	0.29	2.34	0.33
Does not drink wine	34.63	0.53	43.35	0.70	22.38	0.59	37.38	1.24	34.60	0.70	32.84	0.94	35.20	1.27
1 or 2 times in past year														
Regular	48.79	1.80	48.06	2.21	50.61	3.06	42.54	3.39	50.22	2.14	55.18	5.74	--	--
Wine cooler	13.28	1.15	9.92	1.31	21.63	2.51	23.77	3.09	10.73	1.32	--	--	--	--
Fortified or combination	2.56	0.54	1.62	0.58	4.88	1.09	3.34	1.47	2.15	0.50	--	--	--	--
Does not drink wine	35.00	1.68	40.10	2.14	22.27	2.48	30.36	3.71	36.43	2.00	37.33	5.62	--	--
3 or more times in past year														
Regular	46.29	2.21	44.20	2.59	53.54	3.59	42.34	4.30	48.51	2.38	45.62	6.40	--	--
Wine cooler	13.23	1.34	10.70	1.50	21.98	3.10	21.40	3.13	10.29	1.48	--	--	--	--
Fortified or combination	3.54	0.83	3.34	0.87	--	--	--	--	4.08	1.07	--	--	--	--
Does not drink wine	36.66	2.07	41.52	2.49	19.79	3.06	33.33	3.81	36.83	2.49	45.28	6.64	--	--
Getting into Situation that Could Be Harmful														
Not once in past year														
Regular	50.78	0.53	46.63	0.65	56.81	0.77	35.05	1.25	49.87	0.67	58.93	0.99	59.69	1.30
Wine cooler	11.15	0.35	7.38	0.35	16.63	0.63	23.45	1.05	12.00	0.47	5.25	0.44	2.20	0.37
Fortified or combination	2.65	0.14	1.96	0.16	3.65	0.24	2.95	0.40	2.75	0.19	2.36	0.28	2.33	0.32
Does not drink wine	34.94	0.51	43.56	0.67	22.42	0.58	37.97	1.25	34.89	0.67	33.06	0.92	35.33	1.27
At least once in past year														
Regular	49.28	2.17	48.06	2.45	54.23	4.47	50.03	3.77	49.19	2.88	46.06	7.37	--	--
Wine cooler	14.49	1.59	12.25	1.68	23.58	3.78	20.48	2.96	9.73	1.59	--	--	--	--
Fortified or combination	4.40	0.88	4.32	0.91	--	--	4.23	1.52	4.86	1.13	--	--	--	--
Does not drink wine	31.63	1.93	35.21	2.21	17.16	3.57	25.14	2.73	35.92	2.82	46.60	7.62	--	--

See footnotes at end of table.

Table 1-13. Percent distribution of type of wine drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Age Started Drinking														
16 years or younger														
Regular	49.35	0.89	46.84	1.08	54.35	1.39	41.60	1.75	50.37	1.14	60.35	2.45	51.93	3.59
Wine cooler	12.57	0.58	8.06	0.59	21.57	1.16	22.04	1.42	10.88	0.67	2.95	0.83	--	--
Fortified or combination	3.17	0.30	2.74	0.35	4.02	0.57	3.21	0.63	3.41	0.39	2.59	0.66	--	--
Does not drink wine	34.47	0.88	41.81	1.11	19.83	1.09	32.76	1.62	34.85	1.16	33.65	2.46	43.56	3.61
17 or 18 years														
Regular	50.86	0.84	47.31	0.99	57.41	1.33	35.96	1.90	51.45	1.05	60.04	1.75	59.22	2.66
Wine cooler	11.70	0.54	8.15	0.62	18.23	1.01	22.10	1.54	11.88	0.73	4.72	0.69	--	--
Fortified or combination	2.35	0.23	1.90	0.29	3.17	0.37	2.39	0.67	2.61	0.30	1.76	0.37	--	--
Does not drink wine	34.65	0.78	42.29	1.00	20.58	1.04	38.80	1.87	33.69	1.02	33.22	1.64	36.13	2.63
19 or 20 years														
Regular	52.10	1.11	47.54	1.51	58.42	1.50	27.78	2.90	50.44	1.44	62.89	2.20	62.70	3.00
Wine cooler	10.91	0.68	7.95	0.81	15.01	1.15	27.23	2.73	11.49	0.99	4.91	0.94	--	--
Fortified or combination	3.01	0.38	1.85	0.40	4.63	0.70	4.20	1.11	3.08	0.53	2.73	0.77	--	--
Does not drink wine	33.54	1.08	42.28	1.48	21.41	1.29	40.23	3.15	34.47	1.47	29.22	2.13	31.88	2.87
21 years or older														
Regular	51.80	0.89	45.97	1.30	57.25	1.16	28.87	3.98	46.66	1.32	55.73	1.51	61.51	1.80
Wine cooler	9.58	0.55	6.01	0.62	12.92	0.88	27.22	3.79	13.48	0.92	6.64	0.77	2.05	0.47
Fortified or combination	2.52	0.25	1.63	0.32	3.35	0.39	--	--	2.27	0.36	2.54	0.46	2.93	0.52
Does not drink wine	35.58	0.83	45.85	1.32	25.97	0.96	40.49	4.41	36.98	1.25	34.59	1.47	33.04	1.76
Drinking Days of the Week in Past Year														
Holidays or special occasions only														
Regular	55.77	1.95	49.09	2.42	63.49	2.43	38.15	5.85	49.88	2.54	65.10	3.02	61.63	3.42
Wine cooler	8.69	0.81	3.69	0.74	14.47	1.46	14.90	3.52	12.68	1.52	3.68	0.94	4.57	1.36
Fortified or combination	3.75	0.53	3.13	0.72	4.47	0.82	--	--	3.84	0.85	3.56	0.88	--	--
Does not drink wine	31.32	2.07	43.37	2.59	17.39	2.13	37.39	6.04	33.21	2.65	27.25	2.89	31.31	3.44
Weekends only														
Regular	46.70	0.63	42.36	0.78	52.61	0.87	33.42	1.32	47.63	0.78	54.59	1.44	57.35	2.32
Wine cooler	13.81	0.42	9.60	0.47	19.53	0.70	25.28	1.20	13.27	0.50	6.80	0.71	2.05	0.68
Fortified or combination	2.35	0.16	1.62	0.18	3.33	0.27	2.38	0.37	2.49	0.21	1.96	0.33	2.11	0.59
Does not drink wine	36.76	0.65	46.02	0.85	24.16	0.75	38.39	1.36	36.17	0.78	36.52	1.32	38.17	2.31
Weekdays/weekends														
Regular	56.28	0.80	52.71	0.99	63.35	1.27	46.45	2.39	54.65	1.16	61.55	1.43	60.07	1.62
Wine cooler	7.53	0.51	5.56	0.53	11.42	0.98	18.29	1.92	8.59	0.81	3.70	0.50	1.81	0.47
Fortified or combination	3.11	0.28	2.61	0.31	4.10	0.53	4.33	1.06	3.36	0.41	2.48	0.48	2.46	0.45
Does not drink wine	32.44	0.76	38.59	0.97	20.26	0.94	30.57	2.13	32.73	1.08	31.56	1.37	34.92	1.56
Family History of Alcoholism														
None														
Regular	50.34	0.72	46.55	0.89	57.32	1.03	37.96	1.76	48.73	0.97	55.49	1.37	59.86	1.53
Wine cooler	9.23	0.42	6.55	0.44	14.17	0.81	21.00	1.58	10.31	0.59	4.23	0.52	2.03	0.40
Fortified or combination	2.46	0.19	1.84	0.21	3.61	0.37	2.66	0.60	2.65	0.28	2.12	0.33	2.22	0.39
Does not drink wine	37.51	0.75	44.67	0.92	24.31	0.90	37.79	1.80	37.88	1.02	37.81	1.33	35.31	1.52

See footnotes at end of table.

Table 1-13. Percent distribution of type of wine drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
2nd degree relatives only														
Regular	51.86	1.04	48.37	1.30	57.09	1.41	38.62	2.26	52.06	1.35	62.64	2.17	60.01	3.56
Wine cooler	14.16	0.71	9.35	0.96	21.39	1.13	24.22	1.63	14.09	1.10	6.68	0.96	--	--
Fortified or combination	2.72	0.32	2.36	0.42	3.27	0.44	4.28	1.02	2.50	0.37	1.70	0.41	--	--
Does not drink wine	30.88	0.96	39.49	1.33	17.92	1.10	32.28	2.01	30.98	1.28	28.80	2.03	32.79	3.34
1st degree relatives only														
Regular	50.68	1.29	46.57	1.71	56.61	1.88	28.80	3.70	49.67	1.81	58.78	2.35	58.07	3.32
Wine cooler	9.43	0.73	6.92	0.85	13.06	1.24	27.84	3.64	9.63	0.97	4.34	0.97	--	--
Fortified or combination	3.06	0.45	2.57	0.58	3.77	0.72	--	--	3.11	0.62	4.03	1.12	--	--
Does not drink wine	36.35	1.23	43.38	1.74	26.21	1.53	40.50	4.43	37.27	1.78	31.97	2.30	38.11	3.29
Both 1st and 2nd degree relatives														
Regular	50.18	0.95	45.31	1.27	55.56	1.25	36.92	2.19	49.75	1.13	61.51	2.12	58.25	4.08
Wine cooler	13.34	0.66	8.92	0.76	18.22	1.00	23.26	1.94	13.33	0.85	6.60	1.16	--	--
Fortified or combination	3.04	0.31	2.18	0.36	4.00	0.49	2.80	0.65	3.31	0.40	2.45	0.65	--	--
Does not drink wine	32.82	0.93	42.92	1.31	21.67	1.05	36.79	2.21	32.85	1.18	29.05	1.92	34.62	4.07
Any Parent Alcoholic														
Yes														
Regular	49.87	0.92	44.91	1.19	55.76	1.25	36.47	2.22	48.81	1.11	61.65	2.01	58.12	3.51
Wine cooler	12.49	0.62	8.94	0.73	16.70	0.95	23.10	1.75	12.61	0.82	5.88	1.00	--	--
Fortified or combination	2.53	0.25	1.89	0.31	3.28	0.42	2.56	0.60	2.64	0.35	2.30	0.55	--	--
Does not drink wine	34.46	0.89	43.45	1.25	23.78	1.02	37.44	2.26	35.17	1.17	29.49	1.83	38.44	3.43
No														
Regular	50.93	0.59	47.21	0.70	57.07	0.86	37.41	1.41	50.22	0.76	57.61	1.10	59.65	1.36
Wine cooler	10.87	0.37	7.31	0.39	16.75	0.67	22.97	1.14	11.59	0.49	5.01	0.46	2.41	0.40
Fortified or combination	2.78	0.16	2.16	0.19	3.81	0.29	3.30	0.49	2.91	0.23	2.36	0.30	2.32	0.34
Does not drink wine	34.99	0.57	42.95	0.72	21.87	0.67	35.76	1.28	34.88	0.76	34.72	1.05	34.98	1.34
Married to Alcoholic/Lived with Alcoholic as Married														
Yes														
Regular	49.81	1.23	43.66	2.29	52.68	1.43	34.87	4.16	47.17	1.57	58.40	2.26	56.58	4.32
Wine cooler	13.28	0.84	6.40	1.12	16.48	1.13	30.90	3.90	15.42	1.09	5.95	1.07	--	--
Fortified or combination	3.61	0.43	2.74	0.75	4.02	0.54	--	--	4.23	0.59	2.28	0.63	--	--
Does not drink wine	32.67	1.18	46.61	2.32	26.18	1.22	29.24	4.07	32.53	1.51	32.62	2.23	37.71	4.28
No														
Regular	50.78	0.55	46.89	0.64	57.67	0.82	37.30	1.26	50.24	0.69	58.57	1.06	59.76	1.34
Wine cooler	11.01	0.35	7.75	0.36	16.80	0.67	22.55	1.01	11.34	0.46	5.10	0.45	2.20	0.38
Fortified or combination	2.61	0.15	2.06	0.17	3.57	0.27	3.04	0.40	2.63	0.20	2.35	0.30	2.27	0.34
Does not drink wine	35.14	0.55	42.84	0.67	21.50	0.64	36.61	1.23	35.32	0.69	33.64	1.00	35.15	1.30
Any Alcohol Treatment in Past Year														
Yes														
Regular	34.56	2.85	31.05	3.05	45.52	5.59	32.24	5.79	32.38	3.40	50.84	7.56	--	--
Wine cooler	10.26	1.62	9.55	1.85	12.51	3.49	20.18	4.10	7.45	1.81	--	--	--	--
Fortified or combination	3.99	1.11	3.70	1.28	--	--	--	--	5.03	1.66	--	--	--	--
Does not drink wine	50.06	3.15	54.64	3.45	35.71	5.19	44.03	6.22	53.66	3.75	41.71	7.66	--	--

See footnotes at end of table.

Table 1-13. Percent distribution of type of wine drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Regular	51.04	0.53	47.16	0.64	56.86	0.76	37.35	1.26	50.31	0.65	58.65	0.99	59.64	1.29
Wine cooler	11.29	0.35	7.62	0.35	16.79	0.63	23.11	1.00	11.98	0.46	5.21	0.43	2.29	0.38
Fortified or combination	2.69	0.15	2.05	0.17	3.64	0.25	3.13	0.40	2.78	0.19	2.34	0.28	2.30	0.32
Does not drink wine	34.51	0.51	42.72	0.66	22.22	0.58	35.92	1.17	34.46	0.65	33.40	0.92	35.21	1.27
<u>Any Alcohol Treatment in Life</u>														
Yes														
Regular	37.78	1.65	35.44	1.86	46.54	3.36	35.37	3.71	37.33	2.15	40.13	3.79	47.98	8.54
Wine cooler	9.26	0.88	7.35	0.92	16.41	2.48	19.61	2.71	7.27	1.06	--	--	--	--
Fortified or combination	2.80	0.52	2.17	0.53	5.14	1.49	--	--	3.55	0.81	--	--	--	--
Does not drink wine	49.26	1.77	54.46	1.97	29.80	2.91	42.33	4.09	50.90	2.32	52.79	3.95	42.93	8.20
No														
Regular	51.56	0.53	47.74	0.65	57.06	0.76	37.32	1.26	50.85	0.66	59.50	1.01	59.75	1.29
Wine cooler	11.41	0.36	7.70	0.36	16.75	0.63	23.30	1.02	12.23	0.47	5.23	0.45	2.19	0.37
Fortified or combination	2.71	0.15	2.09	0.18	3.61	0.25	3.22	0.42	2.78	0.20	2.37	0.29	2.35	0.33
Does not drink wine	33.86	0.51	42.00	0.67	22.15	0.58	35.67	1.19	33.68	0.65	32.50	0.92	35.20	1.27

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-14. Percent distribution of type of liquor drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Mixed drink	56.69	0.45	52.68	0.59	62.77	0.63	59.57	1.21	54.92	0.61	57.12	0.90	60.47	1.30
Straight liquor	9.27	0.26	12.23	0.39	4.79	0.27	10.17	0.73	8.82	0.34	9.20	0.54	10.45	0.80
Liqueurs or combination	4.77	0.20	4.46	0.26	5.23	0.29	5.77	0.62	4.95	0.25	4.54	0.37	2.45	0.37
Does not drink liquor	28.69	0.43	30.04	0.55	26.64	0.59	24.05	1.09	30.77	0.57	28.41	0.85	25.83	1.15
Race														
White														
Mixed drink	57.90	0.48	53.51	0.62	64.38	0.67	61.50	1.29	56.11	0.64	58.05	0.96	60.95	1.33
Straight liquor	8.62	0.27	11.62	0.41	4.17	0.26	9.78	0.75	8.04	0.34	8.56	0.55	9.89	0.83
Liqueurs or combination	4.98	0.22	4.63	0.27	5.50	0.32	5.87	0.66	5.34	0.29	4.62	0.39	2.49	0.39
Does not drink liquor	27.92	0.44	29.60	0.58	25.43	0.62	22.39	1.10	29.98	0.60	28.10	0.91	25.83	1.20
Black														
Mixed drink	50.04	1.52	49.92	1.96	50.25	2.03	48.83	3.92	48.62	1.96	53.74	2.99	55.99	5.40
Straight liquor	14.56	1.01	16.90	1.36	10.41	1.25	11.77	2.44	14.82	1.36	15.05	2.24	18.99	3.97
Liqueurs or combination	2.28	0.37	2.02	0.47	2.76	0.60	--	--	2.29	0.47	--	--	--	--
Does not drink liquor	32.42	1.46	30.79	1.88	35.29	1.97	36.43	3.45	33.60	1.92	28.09	2.82	22.01	4.00
American Indian/Alaska Native														
Mixed drink	42.44	6.55	40.14	9.54	45.57	6.90	51.78	12.13	42.75	7.70	--	--	--	--
Straight liquor	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Liqueurs or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink liquor	45.91	6.49	45.38	8.71	46.63	8.28	30.69	9.85	48.06	8.16	--	--	--	--
Asian/Pacific Islander														
Mixed drink	41.91	3.78	37.00	4.24	54.96	7.05	36.72	7.33	44.40	4.87	38.20	9.03	--	--
Straight liquor	17.83	3.13	19.81	3.72	--	--	27.28	8.21	15.29	3.24	--	--	--	--
Liqueurs or combination	4.74	1.27	5.21	1.58	--	--	--	--	--	--	--	--	--	--
Does not drink liquor	35.16	3.54	37.48	4.23	28.99	6.10	25.84	6.62	37.09	4.42	37.66	8.83	--	--
Hispanic Origin														
Hispanic														
Mixed drink	45.43	1.76	41.21	2.22	54.88	2.70	48.51	4.17	46.05	2.31	42.45	4.37	36.13	7.54
Straight liquor	8.63	1.12	11.03	1.55	3.26	0.84	6.59	2.02	8.35	1.39	10.29	3.28	--	--
Liqueurs or combination	3.57	0.74	3.21	0.96	4.36	1.03	--	--	2.84	0.71	6.49	2.10	--	--
Does not drink liquor	41.58	1.77	43.45	2.25	37.40	2.67	42.13	4.14	41.42	2.27	40.53	4.42	45.91	9.19
Nonhispanic														
Mixed drink	57.60	0.46	53.77	0.60	63.25	0.65	61.04	1.22	55.63	0.63	58.11	0.93	61.46	1.29
Straight liquor	9.37	0.27	12.40	0.41	4.89	0.29	10.62	0.79	8.93	0.35	9.13	0.54	10.23	0.82
Liqueurs or combination	4.82	0.21	4.50	0.25	5.29	0.31	5.89	0.62	5.09	0.27	4.43	0.37	2.44	0.37
Does not drink liquor	27.65	0.43	28.78	0.55	25.97	0.60	22.00	1.04	29.87	0.58	27.58	0.88	25.05	1.13
Marital Status														
Married														
Mixed drink	57.05	0.60	53.57	0.76	62.75	0.84	59.74	2.96	55.41	0.79	57.48	1.06	63.41	1.62
Straight liquor	8.16	0.33	10.95	0.48	3.61	0.33	7.35	1.49	7.50	0.40	8.97	0.64	9.64	1.02
Liqueurs or combination	4.30	0.24	3.72	0.30	5.26	0.40	5.70	1.61	4.40	0.32	4.53	0.45	2.51	0.49
Does not drink liquor	29.93	0.58	31.22	0.73	27.80	0.80	26.72	2.65	32.30	0.75	28.28	1.02	23.52	1.44

See footnotes at end of table.

Table 1-14. Percent distribution of type of liquor drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Living with someone as if married														
Mixed drink	57.24	2.18	53.05	3.12	62.66	2.92	65.08	3.96	53.12	2.66	56.18	7.62	--	--
Straight liquor	9.60	1.26	12.18	1.95	6.26	1.35	8.51	2.29	10.44	1.57	--	--	--	--
Liqueurs or combination	4.79	1.00	3.51	1.11	6.44	1.73	--	--	4.87	1.18	--	--	--	--
Does not drink liquor	27.87	1.99	30.61	2.85	24.33	2.64	21.92	3.39	31.02	2.58	27.46	6.92	--	--
Widowed														
Mixed drink	55.28	1.93	47.64	3.49	58.95	2.31	--	--	49.34	7.65	57.39	3.65	55.21	2.31
Straight liquor	10.89	1.20	18.27	2.69	7.34	1.24	--	--	--	--	12.63	2.53	10.07	1.30
Liqueurs or combination	3.07	0.61	--	--	3.64	0.82	--	--	--	--	--	--	2.67	0.73
Does not drink liquor	30.01	1.76	31.89	3.35	29.11	2.09	--	--	32.41	7.42	25.75	3.03	31.74	2.26
Divorced														
Mixed drink	57.17	1.27	51.98	1.81	62.57	1.69	56.47	7.79	57.16	1.69	57.69	2.27	55.16	4.44
Straight liquor	9.91	0.84	14.48	1.42	5.16	0.74	--	--	10.77	1.13	7.48	1.25	14.20	3.26
Liqueurs or combination	4.89	0.55	3.81	0.68	6.01	0.89	--	--	5.07	0.65	5.83	1.22	--	--
Does not drink liquor	27.56	1.13	29.17	1.61	25.89	1.52	32.53	7.42	26.57	1.41	28.51	1.99	29.16	3.90
Separated														
Mixed drink	51.39	2.30	47.71	3.40	55.58	3.18	55.56	7.39	49.07	2.97	58.15	4.58	--	--
Straight liquor	11.72	1.66	15.49	2.67	7.44	1.89	--	--	13.64	2.41	10.13	2.52	--	--
Liqueurs or combination	5.36	1.13	3.62	1.47	7.35	1.73	--	--	6.01	1.46	--	--	--	--
Does not drink liquor	30.93	2.17	32.88	3.32	28.71	2.66	37.28	7.31	30.74	2.84	27.27	3.92	--	--
Never married														
Mixed drink	56.27	0.94	51.45	1.16	64.97	1.40	59.15	1.48	53.72	1.25	48.16	3.61	54.77	5.50
Straight liquor	11.31	0.60	14.13	0.82	6.21	0.75	11.26	0.93	10.96	0.81	14.01	2.45	17.26	4.21
Liqueurs or combination	6.09	0.46	6.85	0.64	4.72	0.59	6.11	0.74	6.51	0.59	2.69	0.90	--	--
Does not drink liquor	25.67	0.86	26.85	1.09	23.55	1.16	23.02	1.27	27.91	1.14	34.94	3.81	25.94	4.53
Ever Raised Children														
Yes														
Mixed drink	56.38	0.56	52.98	0.74	61.18	0.77	53.95	2.62	54.44	0.76	57.89	0.96	61.47	1.44
Straight liquor	8.62	0.31	11.52	0.48	4.52	0.31	8.64	1.41	8.12	0.42	8.79	0.56	10.25	0.87
Liqueurs or combination	4.14	0.22	3.52	0.27	5.00	0.34	4.63	1.00	4.16	0.28	4.66	0.40	2.46	0.40
Does not drink liquor	30.28	0.53	31.42	0.72	28.67	0.71	32.25	2.52	32.81	0.72	27.93	0.91	25.08	1.28
No														
Mixed drink	57.25	0.74	52.16	0.94	66.12	1.07	60.68	1.35	55.81	0.97	50.10	2.55	53.80	3.18
Straight liquor	10.48	0.46	13.44	0.66	5.33	0.55	10.48	0.82	10.10	0.59	12.93	1.85	11.79	2.04
Liqueurs or combination	5.92	0.37	6.05	0.48	5.71	0.50	5.99	0.71	6.40	0.45	3.51	0.80	--	--
Does not drink liquor	25.76	0.68	27.70	0.88	22.37	0.95	22.42	1.16	27.03	0.90	32.81	2.49	30.80	2.84
Children Under 14 Living in Household														
Yes														
Mixed drink	54.05	0.76	50.68	1.08	58.28	1.06	53.08	3.15	54.20	0.82	53.29	2.59	56.41	11.36
Straight liquor	7.71	0.43	10.76	0.70	3.87	0.38	6.88	1.58	7.29	0.45	10.94	1.77	--	--
Liqueurs or combination	4.20	0.31	3.40	0.39	5.19	0.51	4.65	1.48	4.18	0.33	4.21	1.07	--	--
Does not drink liquor	33.54	0.74	34.62	1.08	32.17	1.01	34.65	2.99	33.87	0.80	30.79	2.32	--	--

See footnotes at end of table.

Table 1-14. Percent distribution of type of liquor drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Mixed drink	57.83	0.53	53.45	0.69	65.08	0.77	60.44	1.32	55.60	0.86	57.75	0.95	60.57	1.29
Straight liquor	9.96	0.32	12.80	0.46	5.25	0.37	10.62	0.79	10.25	0.51	8.91	0.55	10.37	0.80
Liqueurs or combination	5.01	0.23	4.87	0.31	5.25	0.34	5.92	0.64	5.68	0.36	4.60	0.39	2.45	0.37
Does not drink liquor	26.58	0.49	28.26	0.64	23.80	0.69	22.62	1.12	27.88	0.75	28.02	0.90	25.79	1.14
Education														
11 years or less														
Mixed drink	41.48	1.23	38.41	1.55	47.99	1.97	40.51	2.91	39.99	1.89	40.90	2.35	46.92	2.92
Straight liquor	11.46	0.89	13.78	1.19	6.54	0.99	12.33	2.11	11.07	1.42	10.84	1.75	12.38	1.88
Liqueurs or combination	3.36	0.48	2.64	0.55	4.90	0.93	4.72	1.25	2.88	0.66	2.87	0.86	3.80	1.05
Does not drink liquor	43.33	1.21	44.71	1.52	40.40	1.95	41.80	2.94	45.54	1.99	45.25	2.43	36.84	2.77
12 years														
Mixed drink	55.48	0.79	51.05	1.09	61.91	1.06	59.65	2.03	52.73	1.10	56.39	1.64	60.89	2.27
Straight liquor	8.09	0.44	10.82	0.70	4.13	0.44	10.00	1.20	8.04	0.59	6.52	0.81	9.25	1.31
Liqueurs or combination	3.97	0.31	3.59	0.38	4.53	0.52	5.09	0.89	3.96	0.43	4.17	0.66	1.56	0.47
Does not drink liquor	31.92	0.78	34.10	1.08	28.76	1.06	24.84	1.73	34.84	1.10	32.43	1.65	26.94	2.02
13-15 years														
Mixed drink	60.63	0.79	55.86	1.15	66.73	1.11	63.19	1.70	57.53	1.08	63.39	1.70	66.79	2.59
Straight liquor	8.70	0.47	12.08	0.76	4.37	0.48	9.34	1.11	8.53	0.64	8.44	1.04	8.35	1.44
Liqueurs or combination	5.38	0.41	5.82	0.61	4.83	0.47	7.18	1.11	5.06	0.48	5.06	0.81	--	--
Does not drink liquor	24.52	0.72	25.45	1.00	23.34	0.98	19.94	1.41	28.23	1.00	21.61	1.50	21.80	2.28
16 or more years														
Mixed drink	60.64	0.80	58.26	1.04	64.55	1.14	69.77	3.01	58.82	1.00	60.15	1.63	67.68	2.41
Straight liquor	9.95	0.47	12.81	0.67	5.23	0.52	9.98	2.18	9.14	0.55	11.51	1.01	11.00	1.68
Liqueurs or combination	5.55	0.36	4.90	0.44	6.63	0.57	3.96	1.14	6.26	0.46	5.18	0.72	2.78	0.79
Does not drink liquor	23.31	0.69	23.39	0.91	23.17	1.00	15.66	2.21	25.26	0.88	22.59	1.38	17.86	1.91
Currently Employed Full Time														
Yes														
Mixed drink	56.67	0.55	53.34	0.70	63.63	0.85	59.46	1.64	55.61	0.72	57.76	1.15	60.89	4.51
Straight liquor	9.13	0.32	11.37	0.45	4.47	0.33	9.57	0.93	9.02	0.40	9.14	0.65	10.42	3.37
Liqueurs or combination	4.73	0.24	4.37	0.28	5.48	0.40	4.30	0.62	4.74	0.28	4.99	0.50	--	--
Does not drink liquor	28.94	0.51	30.43	0.65	25.85	0.78	26.04	1.43	30.14	0.66	27.54	1.06	25.27	3.82
No														
Mixed drink	56.71	0.70	51.13	1.00	61.89	0.92	59.67	1.71	52.86	1.08	55.91	1.48	60.44	1.35
Straight liquor	9.50	0.43	14.23	0.77	5.12	0.44	10.73	1.15	8.21	0.62	9.31	0.92	10.45	0.83
Liqueurs or combination	4.82	0.35	4.67	0.53	4.97	0.41	7.13	1.08	5.58	0.55	3.70	0.54	2.39	0.38
Does not drink liquor	28.27	0.67	29.14	0.96	27.47	0.83	22.20	1.48	32.68	1.02	30.07	1.39	25.87	1.20
Personal Annual Income														
None														
Mixed drink	54.87	1.00	50.01	1.53	59.13	1.26	50.45	4.42	50.19	1.96	53.03	2.01	59.43	1.40
Straight liquor	9.35	0.58	13.22	1.02	5.97	0.68	10.38	2.49	6.52	0.98	10.23	1.21	10.20	0.86
Liqueurs or combination	3.71	0.48	3.65	0.82	3.76	0.54	7.67	3.91	5.09	0.98	3.08	0.71	2.67	0.45
Does not drink liquor	31.28	0.96	32.19	1.49	30.49	1.17	31.36	4.63	37.86	1.92	32.47	1.88	26.83	1.29

See footnotes at end of table.

Table 1-14. Percent distribution of type of liquor drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
\$1 to \$9,999														
Mixed drink	55.29	1.06	48.33	1.50	61.92	1.42	58.11	1.70	51.45	1.62	53.67	2.92	63.02	3.79
Straight liquor	10.04	0.66	15.29	1.15	5.05	0.57	11.14	1.10	8.98	1.00	9.07	1.84	11.01	2.28
Liqueurs or combination	5.37	0.49	5.56	0.73	5.18	0.58	6.85	0.95	4.96	0.63	3.37	0.73	--	--
Does not drink liquor	28.69	1.10	30.05	1.59	27.39	1.33	23.50	1.56	33.72	1.59	33.54	2.73	23.76	3.06
\$10,000 to \$24,999														
Mixed drink	57.02	0.83	50.87	1.16	65.03	1.08	63.55	1.84	54.65	1.08	57.07	1.91	63.19	6.70
Straight liquor	8.38	0.48	11.80	0.79	3.93	0.40	8.09	1.02	8.95	0.68	6.65	0.97	--	--
Liqueurs or combination	4.95	0.35	4.49	0.45	5.55	0.53	4.27	0.70	4.93	0.44	5.93	0.97	--	--
Does not drink liquor	29.04	0.76	32.20	1.10	24.92	1.00	23.44	1.65	30.95	1.01	29.48	1.75	22.61	6.37
\$25,000 or more														
Mixed drink	57.95	0.69	55.88	0.84	64.14	1.20	60.27	4.16	56.91	0.86	59.50	1.36	65.49	4.93
Straight liquor	9.50	0.41	11.17	0.52	4.51	0.49	12.91	3.04	9.04	0.49	9.99	0.79	11.98	3.80
Liqueurs or combination	4.78	0.29	4.29	0.33	6.23	0.57	--	--	4.94	0.34	4.74	0.56	--	--
Does not drink liquor	27.31	0.66	28.25	0.79	24.49	1.09	23.64	3.22	28.64	0.79	25.22	1.22	20.68	3.97
Current/Most Recent Occupation														
Executive, administrative, managerial														
Mixed drink	62.73	1.07	60.15	1.42	67.16	1.52	72.45	4.44	60.81	1.44	63.21	2.00	65.29	3.34
Straight liquor	9.25	0.67	12.72	0.99	3.31	0.52	13.16	3.76	8.11	0.81	8.68	1.19	15.39	2.56
Liqueurs or combination	5.03	0.46	4.53	0.57	5.87	0.78	--	--	5.89	0.64	4.61	0.83	--	--
Does not drink liquor	22.39	0.94	22.05	1.22	22.98	1.40	10.67	2.53	24.65	1.30	22.70	1.71	16.43	2.59
Professional specialty														
Mixed drink	61.14	1.05	58.38	1.47	64.37	1.38	72.01	3.31	60.29	1.32	58.64	2.15	63.70	3.21
Straight liquor	9.29	0.62	12.88	0.97	5.09	0.63	6.77	1.78	8.59	0.74	12.14	1.46	7.81	2.02
Liqueurs or combination	6.62	0.54	6.99	0.76	6.20	0.71	7.81	2.41	6.69	0.69	7.07	1.08	3.90	1.21
Does not drink liquor	22.34	0.89	21.14	1.23	23.74	1.27	12.78	2.44	23.97	1.17	21.65	1.86	22.76	2.83
Technician/related support														
Mixed drink	61.40	2.17	57.34	3.01	67.18	2.80	70.36	5.74	58.00	2.72	62.52	5.55	69.41	7.47
Straight liquor	10.01	1.47	12.90	2.30	5.89	1.25	15.14	5.66	9.94	1.62	--	--	--	--
Liqueurs or combination	4.16	0.77	4.77	1.14	3.29	0.92	--	--	5.30	1.14	--	--	--	--
Does not drink liquor	23.59	1.92	24.58	2.70	22.18	2.54	9.87	3.21	26.07	2.42	29.49	5.45	--	--
Sales														
Mixed drink	59.62	1.26	57.22	1.80	62.76	1.75	61.76	2.83	56.79	1.74	59.35	2.64	69.64	3.52
Straight liquor	8.08	0.70	10.62	1.07	4.76	0.82	7.16	1.41	6.50	0.91	11.69	1.82	8.29	1.88
Liqueurs or combination	5.35	0.58	4.53	0.72	6.42	0.94	7.06	1.49	5.39	0.75	5.52	1.32	--	--
Does not drink liquor	26.42	1.12	27.05	1.60	25.61	1.57	23.50	2.31	30.75	1.62	22.90	2.33	20.78	3.43
Administrative support, including clerical														
Mixed drink	63.69	1.08	54.05	2.41	67.28	1.13	65.79	2.78	62.14	1.47	64.21	2.18	66.46	2.73
Straight liquor	6.00	0.52	11.85	1.49	3.82	0.43	5.35	1.29	5.43	0.72	5.79	1.01	9.96	1.83
Liqueurs or combination	4.70	0.44	4.26	0.90	4.87	0.51	4.58	1.20	5.40	0.65	5.24	0.99	--	--
Does not drink liquor	25.22	0.96	29.21	2.18	23.73	1.01	24.28	2.47	26.68	1.39	24.11	2.00	22.30	2.33
Private household														
Mixed drink	54.78	6.33	--	--	55.85	6.38	--	--	47.69	9.12	--	--	81.94	8.57
Straight liquor	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Liqueurs or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink liquor	37.24	6.33	--	--	35.85	6.33	--	--	49.67	9.22	--	--	--	--

See footnotes at end of table.

Table 1-14. Percent distribution of type of liquor drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Protective service														
Mixed drink	55.75	3.58	57.02	3.93	44.85	7.75	52.19	8.29	56.29	5.19	53.08	6.95	68.84	9.11
Straight liquor	12.32	2.28	12.76	2.49	--	--	20.05	7.11	9.94	2.64	15.70	4.84	--	--
Liqueurs or combination	3.32	1.07	3.22	1.12	--	--	--	--	--	--	--	--	--	--
Does not drink liquor	28.11	3.11	26.45	3.31	42.38	7.80	22.87	5.83	29.59	4.65	28.36	6.16	30.52	9.07
Service, except protective and household														
Mixed drink	53.01	1.37	46.38	2.37	57.81	1.55	58.94	2.74	48.51	1.99	54.13	3.42	52.31	5.07
Straight liquor	9.48	0.86	14.06	1.61	6.17	0.82	9.92	1.67	9.91	1.22	7.66	1.84	8.65	2.62
Liqueurs or combination	5.21	0.64	5.77	1.15	4.80	0.74	6.93	1.52	4.96	0.82	3.04	1.20	--	--
Does not drink liquor	31.48	1.30	33.27	2.20	30.19	1.50	23.66	2.18	35.81	1.93	33.48	3.31	35.49	4.98
Farming, forestry, fishing														
Mixed drink	49.05	2.95	48.20	3.17	54.86	6.80	52.46	5.77	40.49	4.08	53.37	6.49	69.00	6.98
Straight liquor	7.44	1.36	8.04	1.50	--	--	--	--	6.85	2.11	--	--	--	--
Liqueurs or combination	2.58	0.93	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink liquor	39.64	2.85	39.58	3.04	40.05	6.75	34.22	5.24	48.55	4.37	36.28	6.52	21.93	6.35
Precision production, craft, repair														
Mixed drink	46.67	1.31	46.06	1.36	54.43	4.46	48.61	3.55	45.97	1.74	46.80	2.75	48.04	3.53
Straight liquor	11.32	0.87	11.71	0.93	6.30	1.78	14.76	2.54	11.67	1.17	8.69	1.51	10.59	2.10
Liqueurs or combination	3.94	0.49	3.92	0.51	--	--	5.60	1.52	3.69	0.62	3.99	1.16	--	--
Does not drink liquor	37.30	1.24	37.51	1.31	34.59	4.08	30.65	3.24	37.91	1.68	39.88	2.72	36.52	3.55
Operators, fabricators, laborers														
Mixed drink	50.08	1.82	50.00	2.35	50.27	2.97	57.83	4.52	48.42	2.61	49.97	4.40	47.27	5.10
Straight liquor	9.95	1.24	12.26	1.67	4.53	1.29	7.10	2.22	11.26	2.07	7.13	1.79	13.94	4.08
Liqueurs or combination	3.11	0.60	2.82	0.69	3.79	1.20	--	--	2.43	0.70	--	--	--	--
Does not drink liquor	36.80	1.86	34.84	2.34	41.41	2.99	31.46	4.25	37.78	2.60	38.97	4.27	34.70	4.89
Transportation, material moving														
Mixed drink	50.42	2.18	49.07	2.32	68.82	6.61	50.37	6.45	50.66	2.85	48.95	4.50	53.25	6.25
Straight liquor	12.33	1.38	12.63	1.47	--	--	19.79	5.47	12.37	1.89	7.72	2.04	15.29	4.32
Liqueurs or combination	2.48	0.60	2.66	0.65	--	--	--	--	--	--	--	--	--	--
Does not drink liquor	34.35	2.06	35.19	2.16	22.86	5.93	26.16	5.83	34.67	2.73	40.00	4.45	27.34	5.15
Handlers, equipment cleaners, helpers, laborers														
Mixed drink	45.21	2.27	44.73	2.57	47.57	4.96	49.58	3.98	43.52	3.18	35.82	5.71	58.18	9.33
Straight liquor	13.69	1.82	14.28	2.05	10.80	3.58	13.58	2.82	12.66	2.30	18.24	7.09	--	--
Liqueurs or combination	3.07	0.82	3.07	0.93	--	--	--	--	4.14	1.31	--	--	--	--
Does not drink liquor	37.37	2.18	37.44	2.40	37.01	4.89	32.36	3.83	39.68	3.00	45.09	6.12	27.47	8.40
Military														
Mixed drink	60.93	4.92	58.54	5.52	75.47	9.73	55.22	8.58	64.75	6.24	--	--	--	--
Straight liquor	8.99	2.67	10.47	3.12	--	--	--	--	--	--	--	--	--	--
Liqueurs or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink liquor	26.55	4.73	27.84	5.18	--	--	--	--	27.61	5.77	--	--	--	--
Current/Most Recent Industry														
Agriculture, forestry, fisheries														
Mixed drink	53.86	2.89	50.01	3.24	69.10	5.23	62.40	6.37	46.19	4.27	56.01	5.41	66.43	6.71
Straight liquor	9.30	1.64	10.58	1.94	--	--	--	--	9.54	2.60	--	--	--	--
Liqueurs or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink liquor	34.19	2.84	36.64	3.32	24.51	4.94	25.05	5.37	41.42	4.46	32.25	5.52	24.57	6.26

See footnotes at end of table.

Table 1-14. Percent distribution of type of liquor drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Mining														
Mixed drink	53.35	6.55	51.47	7.52	60.37	11.35	--	--	36.87	8.35	67.26	11.04	--	--
Straight liquor	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Liqueurs or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink liquor	36.02	6.74	37.49	8.01	--	--	--	--	52.68	9.31	--	--	--	--
Construction														
Mixed drink	47.71	1.67	46.65	1.78	58.76	4.89	44.12	4.02	48.55	2.19	47.51	3.77	50.30	5.43
Straight liquor	11.37	1.06	12.11	1.15	--	--	16.76	3.18	11.28	1.50	7.21	1.51	13.06	3.52
Liqueurs or combination	3.59	0.58	3.12	0.55	--	--	--	--	3.57	0.78	3.76	1.23	--	--
Does not drink liquor	36.61	1.59	37.34	1.70	29.05	4.58	35.14	4.00	35.53	2.22	41.43	3.50	33.02	5.12
Manufacturing														
Mixed drink	52.43	0.96	49.95	1.16	59.63	1.80	58.72	2.91	51.42	1.38	51.34	2.18	54.04	2.79
Straight liquor	10.71	0.70	12.64	0.88	5.11	0.82	10.95	1.94	10.44	0.93	10.44	1.38	12.44	2.00
Liqueurs or combination	3.65	0.36	3.95	0.46	2.78	0.54	5.51	1.54	3.24	0.42	3.91	0.87	3.23	1.01
Does not drink liquor	32.74	1.02	32.88	1.25	32.33	1.70	24.47	2.57	34.50	1.29	33.89	2.15	29.21	2.54
Transportation, communications, other public utilities														
Mixed drink	57.43	1.61	55.00	1.91	64.44	2.75	55.12	6.64	56.72	2.09	57.70	3.27	62.70	4.61
Straight liquor	9.42	1.01	10.99	1.29	4.89	1.14	14.87	4.67	8.66	1.22	7.80	1.79	14.17	3.43
Liqueurs or combination	3.40	0.51	3.10	0.57	4.29	1.08	--	--	4.17	0.69	2.80	1.00	--	--
Does not drink liquor	29.27	1.50	30.49	1.78	25.73	2.53	27.76	5.32	30.18	1.96	30.69	3.14	21.19	3.91
Wholesale trade														
Mixed drink	56.24	2.11	54.72	2.44	61.37	3.57	56.60	6.01	54.59	2.73	56.57	4.45	64.68	6.37
Straight liquor	9.26	1.15	10.55	1.40	4.89	1.67	8.63	2.92	7.44	1.37	11.76	2.76	14.68	4.53
Liqueurs or combination	5.06	0.92	4.33	1.03	7.52	2.04	--	--	6.27	1.40	--	--	--	--
Does not drink liquor	29.21	1.95	30.24	2.26	25.69	3.14	29.93	5.43	31.70	2.61	27.33	4.04	18.12	5.43
Retail trade														
Mixed drink	57.82	1.13	53.03	1.71	62.68	1.40	60.51	2.07	55.64	1.60	56.24	2.72	62.79	3.60
Straight liquor	8.06	0.54	11.22	0.97	4.86	0.57	9.47	1.06	7.04	0.75	8.00	1.53	8.25	1.86
Liqueurs or combination	5.90	0.59	5.63	0.81	6.17	0.74	6.61	1.35	6.11	0.72	5.62	1.43	--	--
Does not drink liquor	27.57	1.02	29.54	1.50	25.56	1.27	22.70	1.63	30.87	1.52	28.71	2.49	26.33	3.34
Finance, insurance, real estate														
Mixed drink	63.88	1.65	58.94	2.52	68.12	2.04	66.74	5.15	60.42	2.04	66.15	3.23	73.78	4.35
Straight liquor	8.28	1.00	13.17	1.72	4.07	0.85	--	--	7.74	1.17	9.91	1.92	--	--
Liqueurs or combination	4.42	0.69	4.56	1.11	4.29	0.85	--	--	4.62	0.82	5.68	1.58	--	--
Does not drink liquor	22.84	1.35	22.57	2.05	23.07	1.85	21.15	4.11	26.41	1.85	18.20	2.65	17.88	3.55
Services: business and repair														
Mixed drink	55.24	1.72	51.60	2.23	61.93	2.61	58.80	4.57	52.45	2.23	59.34	3.76	58.98	5.93
Straight liquor	10.19	1.08	12.45	1.49	6.01	1.25	9.60	2.78	10.22	1.41	10.94	2.49	--	--
Liqueurs or combination	5.29	0.77	4.65	0.95	6.46	1.32	--	--	6.16	1.09	3.98	1.43	--	--
Does not drink liquor	28.55	1.57	30.61	2.09	24.76	2.27	25.81	4.01	30.15	2.15	25.48	3.17	30.79	5.47
Services: personal														
Mixed drink	54.07	2.36	46.54	4.01	58.07	2.96	61.74	7.49	50.99	3.64	46.96	5.55	65.23	6.23
Straight liquor	11.34	1.50	18.99	3.34	7.28	1.52	--	--	11.70	2.64	16.10	4.68	--	--
Liqueurs or combination	5.84	1.09	8.07	2.17	4.66	1.13	11.11	3.70	5.56	1.49	--	--	--	--
Does not drink liquor	28.49	2.21	26.41	3.96	29.60	2.80	20.41	4.82	31.45	3.13	34.01	5.39	21.52	5.21

See footnotes at end of table.

Table 1-14. Percent distribution of type of liquor drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Services: entertainment and recreation														
Mixed drink	53.67	3.05	51.74	3.93	57.66	4.61	51.14	4.96	54.99	4.65	52.79	7.47	68.80	10.17
Straight liquor	10.90	2.01	13.38	2.69	--	--	11.89	3.77	12.07	2.76	--	--	--	--
Liqueurs or combination	5.41	1.28	5.37	1.64	--	--	--	--	--	--	--	--	--	--
Does not drink liquor	29.61	2.89	28.90	3.75	31.09	4.28	31.96	4.58	29.25	4.66	27.18	6.87	--	--
Services: professional and related														
Mixed drink	61.72	0.93	57.04	1.48	64.73	1.08	68.35	2.56	59.07	1.18	63.43	1.83	62.63	2.73
Straight liquor	7.77	0.52	13.28	1.11	4.22	0.40	8.11	1.93	7.38	0.65	8.38	0.96	7.72	1.61
Liqueurs or combination	5.66	0.42	5.84	0.73	5.54	0.49	6.45	1.40	6.01	0.56	5.26	0.72	3.66	0.98
Does not drink liquor	24.12	0.77	23.13	1.24	24.76	0.98	16.71	1.99	26.86	1.05	22.12	1.60	24.67	2.47
Public administration														
Mixed drink	60.13	1.97	59.21	2.62	62.02	2.87	68.82	6.08	59.97	2.92	55.25	3.51	64.68	4.84
Straight liquor	9.59	1.11	11.98	1.54	4.69	1.07	--	--	8.96	1.59	9.92	2.20	12.67	3.00
Liqueurs or combination	4.27	0.70	4.30	0.89	4.19	1.16	--	--	5.57	1.14	4.76	1.27	--	--
Does not drink liquor	25.41	1.77	23.89	2.19	28.53	2.77	22.78	5.68	25.23	2.54	28.41	3.31	21.59	4.19
Military														
Mixed drink	60.98	4.89	58.64	5.44	76.15	9.21	54.93	8.52	64.47	6.28	--	--	--	--
Straight liquor	8.69	2.40	10.04	2.78	--	--	--	--	--	--	--	--	--	--
Liqueurs or combination	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Does not drink liquor	27.19	4.45	28.55	4.83	--	--	--	--	27.87	5.30	--	--	--	--
Smoked Any Cigarettes in Last Year														
Yes														
Mixed drink	54.69	0.68	50.17	0.94	61.53	0.99	57.52	1.59	52.85	0.91	57.15	1.55	54.15	3.02
Straight liquor	11.52	0.44	14.98	0.67	6.29	0.47	12.62	1.12	11.73	0.59	9.55	0.91	13.30	1.95
Liqueurs or combination	4.89	0.31	4.54	0.41	5.43	0.48	6.75	0.89	4.94	0.40	4.02	0.58	--	--
Does not drink liquor	28.31	0.64	29.67	0.87	26.24	0.89	22.46	1.44	29.97	0.85	28.53	1.38	30.73	2.65
No														
Mixed drink	57.94	0.55	54.25	0.72	63.56	0.76	61.19	1.57	56.39	0.78	57.10	1.07	62.27	1.42
Straight liquor	7.87	0.31	10.51	0.45	3.84	0.31	8.24	0.85	6.77	0.39	9.01	0.66	9.64	0.89
Liqueurs or combination	4.69	0.24	4.41	0.30	5.10	0.36	4.99	0.76	4.96	0.31	4.83	0.49	2.81	0.44
Does not drink liquor	28.93	0.52	30.27	0.69	26.89	0.72	25.31	1.40	31.34	0.74	28.35	1.01	24.43	1.25
Smoked 100 or More Cigarettes in Life														
Yes														
Mixed drink	55.86	0.55	52.28	0.73	61.66	0.81	57.05	1.58	53.27	0.79	58.20	1.05	60.44	1.51
Straight liquor	10.82	0.35	13.93	0.51	5.79	0.37	12.30	1.08	10.62	0.48	10.06	0.69	11.93	1.00
Liqueurs or combination	4.77	0.24	4.24	0.30	5.62	0.38	6.70	0.85	5.27	0.35	4.06	0.40	1.85	0.38
Does not drink liquor	27.97	0.51	28.95	0.67	26.40	0.73	23.25	1.41	30.41	0.72	26.93	0.98	25.06	1.32
No														
Mixed drink	57.91	0.69	53.30	0.92	64.28	0.93	61.84	1.62	57.11	0.91	54.53	1.65	60.54	2.26
Straight liquor	6.98	0.36	9.54	0.55	3.43	0.34	8.25	0.87	6.43	0.45	7.13	0.85	7.10	1.27
Liqueurs or combination	4.76	0.31	4.80	0.41	4.71	0.42	4.92	0.78	4.53	0.34	5.69	0.82	3.83	0.85
Does not drink liquor	29.75	0.63	31.77	0.88	26.97	0.90	24.77	1.44	31.26	0.82	31.97	1.63	27.56	2.02

See footnotes at end of table.

Table 1-14. Percent distribution of type of liquor drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Any Depression in Past Year</u>														
Yes														
Mixed drink	58.94	2.08	54.48	2.88	63.90	2.72	58.76	3.71	58.46	2.74	61.98	6.02	--	--
Straight liquor	12.99	1.51	18.99	2.51	6.33	1.40	14.52	2.78	12.39	2.20	10.50	3.69	--	--
Liqueurs or combination	8.88	1.22	8.21	1.71	9.63	1.72	11.37	2.64	8.22	1.57	--	--	--	--
Does not drink liquor	18.97	1.60	18.15	2.33	19.88	2.19	15.34	2.56	20.56	2.17	21.91	5.06	--	--
No														
Mixed drink	56.59	0.45	52.61	0.60	62.72	0.63	59.64	1.26	54.76	0.62	57.03	0.92	60.46	1.31
Straight liquor	9.12	0.27	11.99	0.40	4.71	0.28	9.81	0.75	8.65	0.34	9.18	0.54	10.39	0.80
Liqueurs or combination	4.60	0.20	4.33	0.25	5.01	0.29	5.30	0.62	4.80	0.25	4.53	0.38	2.46	0.37
Does not drink liquor	29.09	0.44	30.47	0.58	26.98	0.59	24.77	1.15	31.25	0.58	28.53	0.87	25.88	1.16
<u>Any Depression in Life</u>														
Yes														
Mixed drink	61.00	1.31	57.16	1.89	65.02	1.67	63.56	2.54	60.22	1.68	59.07	3.01	69.89	8.30
Straight liquor	10.48	0.79	14.58	1.35	6.17	0.82	10.34	1.62	10.22	1.04	11.51	1.89	--	--
Liqueurs or combination	7.96	0.70	7.06	1.01	8.91	0.95	9.41	1.82	7.76	0.88	7.18	1.47	--	--
Does not drink liquor	20.03	1.02	20.65	1.51	19.39	1.28	16.16	1.92	21.29	1.36	21.74	2.55	--	--
No														
Mixed drink	56.14	0.47	52.21	0.61	62.42	0.67	58.79	1.32	54.16	0.63	56.96	0.95	60.25	1.33
Straight liquor	9.12	0.28	11.98	0.41	4.56	0.29	10.14	0.80	8.62	0.35	9.01	0.56	10.43	0.82
Liqueurs or combination	4.36	0.20	4.19	0.26	4.65	0.29	5.06	0.60	4.54	0.25	4.32	0.39	2.45	0.37
Does not drink liquor	29.78	0.46	31.02	0.59	27.79	0.64	25.58	1.22	32.14	0.60	28.98	0.90	26.08	1.16
<u>Alcohol Use Disorder in Past Year</u>														
None														
Mixed drink	56.42	0.48	52.12	0.65	62.39	0.65	57.86	1.39	54.52	0.67	57.81	0.92	60.63	1.32
Straight liquor	7.93	0.27	10.79	0.41	3.96	0.27	7.80	0.76	7.38	0.35	8.13	0.51	10.32	0.82
Liqueurs or combination	4.28	0.20	3.75	0.25	5.01	0.30	3.74	0.62	4.72	0.27	4.38	0.38	2.52	0.38
Does not drink liquor	30.76	0.45	32.69	0.60	28.08	0.62	30.10	1.31	32.86	0.62	28.91	0.88	25.70	1.15
Abuse														
Mixed drink	61.28	1.69	59.93	1.97	65.14	2.98	67.85	2.99	58.02	2.07	58.92	5.38	59.52	15.90
Straight liquor	13.16	1.20	14.48	1.52	9.42	1.68	10.84	1.75	13.78	1.55	17.47	5.11	--	--
Liqueurs or combination	6.46	0.82	6.11	0.92	7.47	1.65	9.25	1.78	5.09	0.86	--	--	--	--
Does not drink liquor	18.69	1.32	19.18	1.50	17.30	2.33	11.50	1.92	22.70	1.78	17.59	3.73	--	--
Dependence														
Mixed drink	55.72	1.49	51.24	1.91	65.86	2.15	59.57	2.58	56.01	1.90	43.98	4.07	51.35	8.79
Straight liquor	17.92	1.15	20.73	1.55	11.56	1.48	16.93	2.02	17.39	1.61	22.63	3.27	20.59	6.35
Liqueurs or combination	7.72	0.90	8.27	1.18	6.46	1.11	9.72	1.72	6.85	0.99	6.43	2.09	--	--
Does not drink liquor	18.15	1.18	19.34	1.51	15.45	1.53	13.59	1.85	19.00	1.55	26.58	3.79	28.06	7.23
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
Mixed drink	57.13	0.64	51.83	0.98	62.60	0.81	55.66	1.73	55.74	0.90	59.88	1.30	60.50	2.03
Straight liquor	5.34	0.28	7.88	0.49	2.71	0.27	5.38	0.75	4.98	0.37	5.35	0.60	7.44	1.04
Liqueurs or combination	3.87	0.25	3.10	0.33	4.66	0.36	2.26	0.50	4.38	0.33	4.31	0.54	2.20	0.54
Does not drink liquor	33.55	0.63	37.08	0.97	29.91	0.79	36.66	1.75	34.84	0.87	30.25	1.25	29.58	1.92

See footnotes at end of table.

Table 1-14. Percent distribution of type of liquor drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Moderate drinker														
Mixed drink	58.30	0.72	55.31	0.92	63.58	1.03	64.58	1.83	55.78	0.97	58.01	1.53	61.73	2.11
Straight liquor	10.03	0.43	12.23	0.61	6.15	0.49	10.10	1.24	9.70	0.55	10.09	0.90	11.80	1.39
Liqueurs or combination	5.25	0.31	4.86	0.40	5.95	0.51	6.80	0.98	5.34	0.39	4.73	0.65	2.95	0.66
Does not drink liquor	26.22	0.63	27.40	0.79	24.14	0.90	18.42	1.45	28.94	0.88	27.04	1.34	23.37	1.74
Heavier drinker														
Mixed drink	53.38	1.07	50.28	1.23	63.56	1.95	58.05	2.56	51.45	1.56	51.14	2.12	59.54	2.83
Straight liquor	17.93	0.86	19.93	1.05	11.36	1.32	20.33	2.17	18.42	1.35	16.61	1.71	14.85	2.07
Liqueurs or combination	5.96	0.59	5.99	0.70	5.87	0.99	10.84	1.83	5.54	0.73	4.82	0.91	--	--
Does not drink liquor	22.62	0.97	23.66	1.15	19.21	1.55	10.79	1.59	24.46	1.45	27.37	1.94	23.19	2.55
Usual/Heaviest Drinking Level in Past Year³														
Light drinker														
Mixed drink	56.57	0.65	51.31	1.01	62.00	0.84	54.55	1.84	55.12	0.92	59.73	1.35	59.76	2.11
Straight liquor	5.09	0.29	7.59	0.51	2.52	0.27	5.26	0.83	4.66	0.37	5.11	0.62	7.35	1.08
Liqueurs or combination	3.81	0.26	2.86	0.33	4.78	0.38	2.37	0.53	4.28	0.34	4.23	0.54	2.16	0.55
Does not drink liquor	34.41	0.66	38.12	1.02	30.59	0.82	37.76	1.89	35.88	0.90	30.73	1.31	30.43	2.01
Moderate drinker														
Mixed drink	58.90	0.67	55.64	0.87	64.29	1.00	65.23	1.73	56.39	0.93	58.44	1.52	63.04	2.05
Straight liquor	9.65	0.42	11.92	0.59	5.89	0.46	9.42	1.21	9.37	0.54	9.94	0.88	11.14	1.29
Liqueurs or combination	5.00	0.29	4.74	0.38	5.44	0.47	6.01	0.79	5.25	0.39	4.50	0.64	2.66	0.65
Does not drink liquor	26.29	0.61	27.53	0.78	24.24	0.88	19.24	1.43	28.81	0.87	26.99	1.34	22.99	1.74
Heavier drinker														
Mixed drink	54.02	1.02	50.88	1.19	63.64	1.80	58.66	2.44	52.13	1.45	51.90	2.00	59.59	2.70
Straight liquor	16.81	0.78	18.87	0.97	10.50	1.14	18.72	1.89	17.30	1.22	15.44	1.52	14.40	2.02
Liqueurs or combination	6.14	0.56	6.04	0.66	6.46	0.95	10.60	1.70	5.49	0.66	5.31	0.91	2.71	0.87
Does not drink liquor	22.87	0.93	24.04	1.12	19.31	1.41	12.01	1.55	24.83	1.37	27.30	1.85	22.97	2.37
5 or More Drinks in a Single Day														
Not once in past year														
Mixed drink	57.90	0.65	53.90	0.98	61.70	0.78	54.34	2.55	55.12	0.92	60.48	1.13	62.22	1.46
Straight liquor	6.27	0.31	9.15	0.54	3.54	0.31	3.32	0.94	5.14	0.40	6.80	0.57	9.68	0.91
Liqueurs or combination	4.08	0.25	3.52	0.34	4.60	0.35	--	--	4.81	0.38	4.59	0.48	2.25	0.39
Does not drink liquor	31.02	0.61	32.71	0.93	29.42	0.75	40.52	2.45	34.35	0.87	27.31	1.07	24.95	1.30
1 to 11 times in past year														
Mixed drink	62.19	0.80	58.00	1.03	69.58	1.15	64.71	1.81	61.38	1.02	61.53	1.93	63.67	4.12
Straight liquor	9.61	0.47	12.31	0.69	4.86	0.50	8.49	1.19	9.22	0.57	12.69	1.31	8.07	1.96
Liqueurs or combination	4.80	0.32	4.13	0.39	5.98	0.57	4.21	0.70	4.96	0.42	5.19	0.84	--	--
Does not drink liquor	22.96	0.74	25.10	0.95	19.20	1.03	22.13	1.60	23.97	0.93	20.33	1.58	24.08	3.90
12 or more times in past year														
Mixed drink	48.81	0.94	46.57	1.08	55.88	1.75	57.52	1.93	46.67	1.25	41.54	2.24	46.14	3.88
Straight liquor	14.04	0.64	15.63	0.78	9.02	1.05	14.14	1.30	13.86	0.83	13.45	1.66	18.92	3.11
Liqueurs or combination	5.88	0.50	5.77	0.59	6.24	0.83	9.23	1.19	5.02	0.50	3.70	0.87	--	--
Does not drink liquor	30.80	0.96	31.51	1.10	28.57	1.56	18.92	1.49	33.89	1.23	40.72	2.27	31.66	3.70

See footnotes at end of table.

Table 1-14. Percent distribution of type of liquor drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Drinking Enough to Feel Drunk														
Not once in past year														
Mixed drink	54.03	0.63	50.02	0.84	59.22	0.82	43.32	2.30	51.14	0.88	57.22	1.05	60.52	1.36
Straight liquor	7.08	0.31	9.67	0.49	3.73	0.31	4.72	0.94	5.87	0.41	7.84	0.58	10.18	0.85
Liqueurs or combination	4.04	0.23	3.65	0.30	4.54	0.35	2.98	0.91	4.53	0.35	4.25	0.40	2.50	0.39
Does not drink liquor	34.20	0.59	36.09	0.81	31.76	0.78	47.74	2.32	38.00	0.85	29.98	1.01	25.97	1.19
1 to 11 times in past year														
Mixed drink	61.77	0.70	56.74	0.95	69.87	1.00	65.66	1.53	60.19	0.88	61.48	2.07	66.19	4.83
Straight liquor	10.32	0.45	13.39	0.66	5.38	0.48	9.76	1.02	10.45	0.55	10.52	1.22	11.64	2.75
Liqueurs or combination	4.96	0.33	4.19	0.40	6.18	0.56	4.38	0.65	5.03	0.40	5.98	1.06	--	--
Does not drink liquor	22.38	0.63	24.95	0.84	18.25	0.85	19.85	1.27	23.65	0.77	21.56	1.79	18.99	4.50
12 or more times in past year														
Mixed drink	54.92	1.38	52.90	1.61	60.62	2.39	61.25	2.20	52.62	1.97	40.61	3.54	47.17	8.92
Straight liquor	16.50	0.97	18.73	1.25	10.16	1.51	14.75	1.45	15.79	1.50	27.57	3.41	18.53	6.62
Liqueurs or combination	7.58	0.72	7.98	0.88	6.44	1.13	10.29	1.34	6.34	0.79	--	--	--	--
Does not drink liquor	20.82	1.19	20.19	1.36	22.63	2.06	13.71	1.55	24.89	1.65	28.05	3.55	34.30	9.01
Driving After Drinking														
Not once in past year														
Mixed drink	56.35	0.48	51.95	0.63	62.52	0.66	58.12	1.29	54.48	0.67	57.35	0.92	60.70	1.32
Straight liquor	8.51	0.27	11.51	0.41	4.30	0.27	9.35	0.79	7.80	0.35	8.67	0.52	10.51	0.82
Liqueurs or combination	4.43	0.20	3.99	0.26	5.04	0.30	4.54	0.60	4.72	0.26	4.54	0.38	2.51	0.38
Does not drink liquor	30.14	0.44	31.94	0.58	27.60	0.62	27.54	1.21	32.49	0.61	28.75	0.88	25.47	1.16
1 or 2 times in past year														
Mixed drink	62.61	1.57	60.29	1.95	68.40	2.50	65.34	3.23	61.75	1.95	60.45	5.53	64.61	13.26
Straight liquor	12.48	1.19	14.10	1.55	8.44	1.33	9.98	2.10	12.75	1.49	17.66	5.08	--	--
Liqueurs or combination	6.35	0.80	5.94	0.99	7.39	1.42	11.28	2.12	5.23	0.90	--	--	--	--
Does not drink liquor	18.09	1.33	19.17	1.66	15.41	1.99	13.03	2.28	19.74	1.64	20.01	4.28	--	--
3 or more times in past year														
Mixed drink	57.00	2.12	55.60	2.57	61.85	3.74	65.09	3.87	53.29	2.38	53.17	6.79	--	--
Straight liquor	17.41	1.51	18.67	1.91	13.03	2.84	17.15	3.02	17.76	1.96	16.32	4.86	--	--
Liqueurs or combination	8.64	1.22	8.57	1.40	8.88	2.32	9.12	2.51	8.48	1.38	--	--	--	--
Does not drink liquor	16.32	1.53	16.76	1.76	14.77	2.68	8.24	2.06	19.59	1.99	22.12	6.04	--	--
Getting into Situation that Could Be Harmful														
Not once in past year														
Mixed drink	56.63	0.46	52.44	0.62	62.72	0.63	59.30	1.26	54.73	0.63	57.46	0.90	60.87	1.30
Straight liquor	8.78	0.27	11.71	0.41	4.52	0.26	8.93	0.72	8.33	0.34	9.03	0.54	10.39	0.81
Liqueurs or combination	4.52	0.19	4.09	0.25	5.15	0.29	4.72	0.56	4.87	0.26	4.44	0.37	2.49	0.38
Does not drink liquor	29.49	0.43	31.16	0.57	27.06	0.59	26.56	1.20	31.56	0.57	28.39	0.85	25.44	1.15
At least once in past year														
Mixed drink	59.81	2.15	58.14	2.29	66.57	4.15	62.03	3.35	59.42	2.83	48.52	8.32	--	--
Straight liquor	18.68	1.72	19.36	1.86	15.92	3.70	18.36	2.70	18.97	2.35	19.77	5.72	--	--
Liqueurs or combination	10.00	1.39	10.18	1.62	9.26	2.27	12.54	2.39	7.21	1.36	--	--	--	--
Does not drink liquor	10.96	1.21	11.74	1.46	7.76	2.16	6.93	1.48	13.34	1.87	18.49	5.97	--	--

See footnotes at end of table.

Table 1-14. Percent distribution of type of liquor drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Age Started Drinking														
16 years or younger														
Mixed drink	55.28	0.84	51.18	1.08	63.44	1.38	60.43	1.64	53.90	1.08	51.30	2.58	51.40	3.35
Straight liquor	12.71	0.58	15.61	0.81	6.94	0.72	12.26	1.12	12.25	0.74	14.51	1.78	15.63	2.49
Liqueurs or combination	6.37	0.42	5.93	0.52	7.26	0.67	7.62	0.98	6.52	0.52	3.65	0.75	5.18	1.54
Does not drink liquor	25.03	0.77	26.67	0.98	21.77	1.09	19.25	1.33	26.82	0.99	29.25	2.28	27.23	3.44
17 or 18 years														
Mixed drink	58.19	0.80	53.84	1.05	66.21	1.09	58.52	1.95	57.90	0.99	57.90	1.72	60.77	2.75
Straight liquor	9.11	0.46	11.90	0.66	3.97	0.44	8.99	1.24	8.90	0.57	9.91	1.01	8.85	1.55
Liqueurs or combination	4.30	0.31	4.11	0.39	4.64	0.53	4.83	0.90	4.16	0.37	4.74	0.75	2.69	0.79
Does not drink liquor	27.93	0.73	29.70	0.95	24.68	0.97	27.27	1.85	28.50	0.90	26.94	1.54	27.69	2.55
19 or 20 years														
Mixed drink	58.59	1.07	55.55	1.56	62.80	1.47	58.57	3.21	54.06	1.42	63.14	2.16	70.23	2.80
Straight liquor	6.45	0.52	8.58	0.81	3.50	0.55	7.39	1.74	6.69	0.77	5.06	0.86	7.86	1.70
Liqueurs or combination	5.22	0.49	4.69	0.65	5.96	0.71	3.43	1.15	5.81	0.70	5.65	1.02	3.22	0.96
Does not drink liquor	29.15	1.00	30.52	1.45	27.26	1.33	30.53	2.89	32.84	1.30	25.35	2.09	18.19	2.22
21 years or older														
Mixed drink	55.59	0.84	51.38	1.25	59.53	1.10	60.50	4.49	52.33	1.30	56.83	1.46	60.26	1.86
Straight liquor	7.50	0.45	10.59	0.77	4.62	0.46	--	--	5.55	0.54	8.57	0.84	10.56	1.21
Liqueurs or combination	3.50	0.31	2.79	0.43	4.17	0.45	--	--	3.67	0.45	4.39	0.59	1.36	0.45
Does not drink liquor	32.70	0.81	34.51	1.23	31.00	1.06	29.80	4.17	37.92	1.28	29.64	1.40	26.51	1.64
Drinking Days of the Week in Past Year														
Holidays or special occasions only														
Mixed drink	57.11	1.52	55.30	2.06	59.19	2.28	46.54	5.56	56.47	2.19	60.87	2.61	56.04	3.53
Straight liquor	6.96	0.77	9.55	1.22	3.97	0.81	--	--	5.54	0.95	7.92	1.53	8.26	1.68
Liqueurs or combination	4.24	0.62	2.71	0.60	6.01	1.13	--	--	5.06	1.15	4.29	0.92	--	--
Does not drink liquor	31.13	1.54	31.87	2.05	30.27	2.11	41.60	5.28	32.22	2.23	26.75	2.36	32.14	3.60
Weekends only														
Mixed drink	57.30	0.61	52.50	0.82	63.82	0.78	59.51	1.38	55.58	0.78	58.33	1.32	64.53	2.21
Straight liquor	7.62	0.31	10.64	0.50	3.51	0.28	9.29	0.80	7.21	0.39	6.98	0.66	8.35	1.36
Liqueurs or combination	4.16	0.23	3.82	0.30	4.62	0.33	3.71	0.52	4.31	0.29	4.59	0.55	2.37	0.65
Does not drink liquor	30.43	0.58	32.52	0.79	27.60	0.73	26.93	1.31	32.41	0.71	29.57	1.27	24.64	1.95
Weekdays/weekends														
Mixed drink	55.54	0.73	52.44	0.91	61.67	1.13	61.30	2.30	53.12	1.03	54.66	1.45	59.39	1.70
Straight liquor	12.66	0.50	15.11	0.67	7.81	0.64	12.56	1.51	13.12	0.72	12.20	0.97	12.20	1.19
Liqueurs or combination	5.93	0.40	5.76	0.49	6.29	0.58	11.34	1.74	6.32	0.51	4.56	0.59	2.45	0.51
Does not drink liquor	25.12	0.65	26.00	0.84	23.36	0.96	14.65	1.51	26.85	0.97	27.48	1.27	24.80	1.47
Family History of Alcoholism														
None														
Mixed drink	53.84	0.63	50.50	0.79	59.98	0.97	58.02	1.97	51.45	0.92	53.02	1.38	59.41	1.60
Straight liquor	9.65	0.40	12.07	0.55	5.19	0.49	8.95	1.10	9.56	0.55	9.61	0.78	10.79	1.02
Liqueurs or combination	4.05	0.26	4.12	0.34	3.93	0.38	5.69	0.91	3.91	0.34	4.33	0.53	2.28	0.46
Does not drink liquor	31.76	0.62	32.62	0.79	30.18	0.97	26.98	1.71	34.40	0.90	32.19	1.29	26.71	1.46

See footnotes at end of table.

Table 1-14. Percent distribution of type of liquor drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
2nd degree relatives only														
Mixed drink	60.80	0.96	56.69	1.28	66.96	1.34	63.67	1.92	58.27	1.26	62.83	2.01	67.38	3.18
Straight liquor	8.73	0.51	11.56	0.77	4.49	0.54	9.40	1.33	8.72	0.67	8.52	1.07	6.76	1.65
Liqueurs or combination	4.98	0.42	4.56	0.52	5.62	0.64	5.45	1.14	5.07	0.52	4.68	0.80	--	--
Does not drink liquor	25.06	0.89	26.80	1.18	22.45	1.16	21.02	1.86	27.60	1.16	23.35	1.83	22.07	3.00
1st degree relatives only														
Mixed drink	55.75	1.24	51.92	1.78	61.28	1.80	56.07	4.15	53.85	1.70	56.96	2.39	60.89	3.23
Straight liquor	9.25	0.72	12.69	1.12	4.29	0.68	10.99	2.54	8.69	0.97	8.89	1.48	10.74	1.93
Liqueurs or combination	5.43	0.61	5.04	0.74	6.00	1.03	5.66	1.58	6.25	0.94	4.85	1.15	--	--
Does not drink liquor	28.88	1.14	29.43	1.64	28.08	1.67	27.15	3.39	30.28	1.55	28.90	2.25	24.56	2.76
Both 1st and 2nd degree relatives														
Mixed drink	58.72	0.90	53.91	1.31	64.05	1.12	58.49	2.21	57.92	1.13	61.19	2.01	58.76	4.28
Straight liquor	9.07	0.52	13.08	0.89	4.65	0.47	12.67	1.48	7.80	0.64	9.09	1.29	12.16	3.16
Liqueurs or combination	5.60	0.40	4.85	0.55	6.44	0.56	6.28	1.09	5.93	0.49	4.72	0.85	--	--
Does not drink liquor	26.13	0.79	27.76	1.17	24.33	1.00	21.90	1.82	28.06	1.05	24.27	1.68	26.24	3.73
Any Parent Alcoholic														
Yes														
Mixed drink	57.86	0.88	53.31	1.28	63.26	1.11	56.73	2.21	56.96	1.12	60.29	1.88	61.74	3.44
Straight liquor	8.87	0.49	12.42	0.82	4.66	0.48	11.98	1.39	7.67	0.59	9.13	1.20	10.79	2.33
Liqueurs or combination	5.78	0.41	5.64	0.57	5.95	0.57	6.38	1.07	6.20	0.53	4.79	0.86	--	--
Does not drink liquor	26.92	0.77	28.04	1.16	25.58	1.01	24.42	1.84	28.69	1.03	25.02	1.56	23.50	2.91
No														
Mixed drink	56.30	0.48	52.49	0.63	62.59	0.74	60.59	1.35	54.18	0.67	56.16	1.01	60.30	1.36
Straight liquor	9.40	0.30	12.17	0.44	4.83	0.33	9.52	0.84	9.24	0.40	9.22	0.59	10.41	0.85
Liqueurs or combination	4.43	0.22	4.13	0.27	4.95	0.33	5.55	0.74	4.49	0.28	4.47	0.42	2.39	0.40
Does not drink liquor	29.27	0.47	30.61	0.61	27.06	0.70	23.91	1.22	31.54	0.63	29.44	0.98	26.14	1.23
Married to Alcoholic/Lived with Alcoholic as Married														
Yes														
Mixed drink	59.96	1.16	53.22	2.14	63.10	1.31	61.82	4.46	57.64	1.53	62.98	2.31	66.05	3.94
Straight liquor	8.97	0.73	15.55	1.65	5.90	0.65	8.83	2.15	9.53	1.02	8.04	1.17	7.86	2.30
Liqueurs or combination	6.25	0.56	4.52	0.84	7.06	0.72	12.08	3.57	6.14	0.69	5.32	1.09	--	--
Does not drink liquor	24.35	1.01	26.17	1.95	23.50	1.17	17.27	3.45	26.30	1.38	22.75	1.94	21.80	3.24
No														
Mixed drink	56.27	0.48	52.64	0.61	62.70	0.69	59.44	1.25	54.52	0.67	56.27	0.96	59.90	1.37
Straight liquor	9.31	0.28	12.02	0.40	4.52	0.30	10.25	0.75	8.71	0.37	9.37	0.58	10.71	0.84
Liqueurs or combination	4.58	0.21	4.46	0.27	4.79	0.32	5.41	0.59	4.77	0.28	4.43	0.40	2.27	0.37
Does not drink liquor	29.24	0.45	30.29	0.57	27.40	0.66	24.44	1.11	31.44	0.62	29.23	0.92	26.23	1.23
Any Alcohol Treatment in Past Year														
Yes														
Mixed drink	46.58	2.86	44.53	3.33	52.98	5.18	51.90	6.19	44.54	3.48	44.29	7.71	--	--
Straight liquor	20.59	2.30	21.52	2.69	17.66	4.28	18.39	4.79	19.18	3.06	30.49	6.99	--	--
Liqueurs or combination	7.18	1.45	5.99	1.66	10.94	3.17	11.10	3.60	7.32	1.71	--	--	--	--
Does not drink liquor	25.02	2.45	27.40	2.89	17.54	3.96	18.62	4.53	27.90	3.42	25.23	6.81	--	--

See footnotes at end of table.

Table 1-14. Percent distribution of type of liquor drunk in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Mixed drink	56.92	0.45	52.91	0.59	62.91	0.63	59.85	1.24	55.20	0.62	57.30	0.91	60.46	1.31
Straight liquor	9.01	0.26	11.96	0.39	4.61	0.27	9.87	0.73	8.54	0.33	8.91	0.53	10.42	0.80
Liqueurs or combination	4.71	0.20	4.42	0.26	5.15	0.29	5.57	0.63	4.89	0.26	4.61	0.38	2.46	0.37
Does not drink liquor	28.77	0.43	30.12	0.56	26.77	0.59	24.25	1.11	30.85	0.57	28.46	0.86	25.86	1.15
<u>Any Alcohol Treatment in Life</u>														
Yes														
Mixed drink	48.05	1.76	46.03	2.01	55.61	3.23	55.06	4.45	47.53	2.16	41.57	3.71	49.64	8.26
Straight liquor	16.88	1.26	18.08	1.44	12.39	2.36	17.68	3.13	14.82	1.60	21.67	3.15	22.98	6.50
Liqueurs or combination	5.89	0.76	5.02	0.86	9.14	1.76	7.04	1.88	6.69	1.02	--	--	--	--
Does not drink liquor	28.71	1.53	30.37	1.83	22.49	2.65	20.22	3.15	30.18	2.15	33.67	3.90	27.38	7.32
No														
Mixed drink	57.28	0.45	53.29	0.60	63.03	0.64	59.96	1.30	55.52	0.62	57.93	0.92	60.73	1.31
Straight liquor	8.75	0.26	11.69	0.40	4.51	0.27	9.52	0.75	8.34	0.33	8.55	0.53	10.15	0.81
Liqueurs or combination	4.69	0.21	4.41	0.27	5.09	0.29	5.66	0.66	4.81	0.26	4.62	0.39	2.51	0.38
Does not drink liquor	28.69	0.43	30.01	0.58	26.79	0.60	24.38	1.16	30.82	0.58	28.14	0.88	25.79	1.17

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-15. Percent distribution of family history of alcoholism among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
None	44.09	0.46	47.40	0.63	39.07	0.61	39.04	1.11	40.59	0.59	47.26	0.94	65.25	1.25
2nd degree relatives only	21.66	0.40	21.58	0.55	21.80	0.52	28.00	1.18	22.32	0.49	19.78	0.74	11.24	0.76
1st degree relatives only	11.19	0.27	10.96	0.36	11.54	0.39	7.83	0.63	10.97	0.35	12.58	0.58	14.93	0.90
Both 1st and 2nd degree relatives	23.05	0.36	20.06	0.45	27.59	0.56	25.13	0.98	26.11	0.51	20.37	0.75	8.59	0.71
Race														
White														
None	43.47	0.49	46.59	0.68	38.87	0.65	38.60	1.18	39.42	0.62	46.49	1.00	65.38	1.28
2nd degree relatives only	22.12	0.43	22.18	0.60	22.03	0.56	28.47	1.25	23.05	0.54	20.21	0.80	11.42	0.81
1st degree relatives only	11.18	0.28	11.01	0.37	11.43	0.41	7.69	0.60	10.97	0.37	12.59	0.62	14.57	0.92
Both 1st and 2nd degree relatives	23.23	0.38	20.23	0.48	27.67	0.60	25.25	1.05	26.55	0.53	20.72	0.78	8.64	0.72
Black														
None	46.71	1.42	50.57	1.93	39.90	2.00	40.59	3.78	44.97	1.83	52.65	2.93	65.07	5.16
2nd degree relatives only	20.09	1.21	19.53	1.64	21.08	1.66	29.66	3.66	19.05	1.50	17.66	2.37	10.23	3.12
1st degree relatives only	11.06	0.91	10.70	1.19	11.70	1.29	7.13	1.74	11.29	1.25	11.77	1.75	19.53	5.11
Both 1st and 2nd degree relatives	22.13	1.24	19.20	1.54	27.31	1.91	22.62	2.97	24.70	1.73	17.93	2.15	5.17	1.72
American Indian/Alaska Native														
None	23.90	6.06	29.39	9.15	--	--	--	--	32.80	9.20	--	--	--	--
2nd degree relatives only	13.16	3.19	--	--	--	--	--	--	--	--	--	--	--	--
1st degree relatives only	14.80	8.10	--	--	--	--	--	--	--	--	--	--	--	--
Both 1st and 2nd degree relatives	48.14	6.10	34.26	8.69	66.95	5.81	55.88	12.77	44.51	7.93	--	--	--	--
Asian/Pacific Islander														
None	68.54	3.34	68.85	3.87	67.72	6.81	70.62	6.75	70.55	4.17	61.32	9.73	--	--
2nd degree relatives only	12.01	2.50	11.42	2.67	--	--	--	--	14.36	3.59	--	--	--	--
1st degree relatives only	8.87	2.05	7.83	2.23	--	--	--	--	--	--	--	--	--	--
Both 1st and 2nd degree relatives	10.57	2.34	11.90	2.98	--	--	--	--	9.75	2.95	--	--	--	--
Hispanic Origin														
Hispanic														
None	45.60	1.82	49.52	2.34	36.82	2.63	39.70	4.03	43.43	2.30	50.43	4.36	80.04	6.22
2nd degree relatives only	20.40	1.45	20.46	1.87	20.27	2.24	20.05	3.23	20.96	1.87	22.11	3.92	--	--
1st degree relatives only	9.46	0.98	7.75	1.15	13.29	2.01	9.86	2.44	10.25	1.42	8.70	1.86	--	--
Both 1st and 2nd degree relatives	24.53	1.59	22.27	1.99	29.61	2.56	30.39	3.75	25.36	2.10	18.76	3.80	--	--
Nonhispanic														
None	43.92	0.48	47.18	0.66	39.11	0.64	39.16	1.21	40.26	0.61	46.95	0.99	64.49	1.26
2nd degree relatives only	21.72	0.42	21.68	0.58	21.77	0.53	28.82	1.23	22.34	0.51	19.67	0.76	11.44	0.78
1st degree relatives only	11.38	0.28	11.32	0.38	11.46	0.39	7.68	0.67	11.10	0.37	12.84	0.61	15.49	0.94
Both 1st and 2nd degree relatives	22.99	0.38	19.82	0.46	27.65	0.58	24.34	0.99	26.30	0.52	20.54	0.77	8.57	0.71
Marital Status														
Married														
None	44.83	0.60	48.42	0.80	38.96	0.83	36.78	2.95	39.76	0.76	47.68	1.13	66.92	1.51
2nd degree relatives only	21.10	0.49	20.77	0.65	21.64	0.72	24.73	2.36	23.29	0.66	20.13	0.89	10.74	0.91
1st degree relatives only	11.50	0.37	11.21	0.46	11.97	0.57	8.72	1.47	10.97	0.48	11.77	0.67	14.76	1.16
Both 1st and 2nd degree relatives	22.57	0.47	19.60	0.59	27.42	0.74	29.77	2.67	25.99	0.66	20.42	0.89	7.58	0.83

See footnotes at end of table.

Table 1-15. Percent distribution of family history of alcoholism among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Living with someone as if married														
None	34.65	2.02	40.05	2.93	27.68	2.65	31.17	3.96	35.65	2.54	38.26	7.31	--	--
2nd degree relatives only	19.13	1.63	18.33	2.30	20.16	2.61	27.37	3.81	16.20	1.87	--	--	--	--
1st degree relatives only	12.66	1.76	14.01	2.61	10.92	2.01	9.23	4.03	12.38	1.70	27.79	7.40	--	--
Both 1st and 2nd degree relatives	33.56	2.00	27.61	2.64	41.25	3.01	32.23	3.72	35.77	2.71	23.04	5.84	--	--
Widowed														
None	59.08	1.88	64.90	3.31	56.28	2.30	--	--	47.15	7.80	53.72	3.71	63.45	2.31
2nd degree relatives only	13.81	1.34	12.28	1.99	14.55	1.72	--	--	--	--	16.24	2.40	12.58	1.72
1st degree relatives only	14.10	1.25	14.05	2.30	14.12	1.50	--	--	--	--	11.88	2.34	15.21	1.56
Both 1st and 2nd degree relatives	13.02	1.40	8.77	1.95	15.06	1.83	--	--	25.52	6.71	18.17	3.08	8.76	1.39
Divorced														
None	40.49	1.23	45.72	1.80	35.07	1.65	27.90	7.95	39.68	1.65	40.63	2.14	52.69	4.21
2nd degree relatives only	20.74	1.05	21.10	1.48	20.36	1.44	31.48	7.06	20.62	1.37	21.88	1.90	11.18	2.64
1st degree relatives only	12.75	0.89	12.34	1.27	13.17	1.15	--	--	11.68	1.20	13.73	1.57	17.32	2.86
Both 1st and 2nd degree relatives	26.03	1.07	20.84	1.44	31.41	1.57	28.23	6.62	28.02	1.49	23.76	1.99	18.81	3.39
Separated														
None	41.19	2.36	46.37	3.38	35.31	3.11	38.59	7.32	38.51	2.93	46.10	4.76	70.85	9.39
2nd degree relatives only	19.97	1.90	18.89	2.68	21.21	2.62	25.43	6.00	21.02	2.48	15.84	3.64	--	--
1st degree relatives only	13.52	1.64	14.43	2.51	12.50	2.04	--	--	13.49	2.24	15.79	3.14	--	--
Both 1st and 2nd degree relatives	25.31	2.14	20.32	2.80	30.98	3.10	26.36	6.99	26.98	2.77	22.27	4.12	--	--
Never married														
None	43.05	0.89	45.03	1.13	39.48	1.38	40.46	1.41	44.51	1.23	51.67	3.63	66.64	5.71
2nd degree relatives only	25.42	0.95	25.36	1.18	25.52	1.24	28.85	1.46	22.38	1.03	20.05	2.97	13.03	3.35
1st degree relatives only	8.89	0.48	8.88	0.66	8.91	0.72	7.29	0.65	9.76	0.72	18.15	3.18	14.90	5.13
Both 1st and 2nd degree relatives	22.64	0.78	20.72	0.92	26.10	1.27	23.39	1.19	23.35	1.09	10.14	2.10	--	--
Ever Raised Children														
Yes														
None	43.88	0.58	47.78	0.79	38.36	0.73	33.33	2.62	38.33	0.75	46.59	1.01	64.07	1.36
2nd degree relatives only	20.10	0.44	19.92	0.62	20.36	0.62	23.57	2.10	22.10	0.62	19.71	0.78	11.36	0.83
1st degree relatives only	12.48	0.35	12.19	0.47	12.89	0.50	11.93	1.64	11.69	0.46	12.67	0.62	15.56	1.00
Both 1st and 2nd degree relatives	23.54	0.46	20.10	0.59	28.39	0.67	31.17	2.44	27.89	0.67	21.03	0.81	9.02	0.78
No														
None	44.49	0.73	46.76	0.97	40.54	1.11	40.17	1.29	44.76	0.99	53.35	2.57	73.11	2.72
2nd degree relatives only	24.54	0.75	24.38	0.94	24.83	0.99	28.89	1.36	22.72	0.77	20.46	2.12	10.45	1.81
1st degree relatives only	8.82	0.42	8.87	0.55	8.72	0.59	7.02	0.68	9.66	0.56	11.78	1.56	10.74	1.82
Both 1st and 2nd degree relatives	22.15	0.61	19.99	0.73	25.91	1.00	23.93	1.12	22.86	0.79	14.41	1.72	5.70	1.46
Children Under 14 Living in Household														
Yes														
None	39.46	0.76	44.14	1.09	33.60	0.99	32.31	3.06	38.78	0.85	47.47	2.53	60.65	8.72
2nd degree relatives only	22.23	0.62	22.22	0.90	22.25	0.90	25.20	2.66	22.29	0.65	20.92	2.22	--	--
1st degree relatives only	11.35	0.46	10.91	0.66	11.91	0.65	12.03	2.03	10.99	0.49	12.75	1.67	--	--
Both 1st and 2nd degree relatives	26.95	0.67	22.73	0.91	32.25	1.00	30.46	2.97	27.95	0.76	18.86	1.99	--	--

See footnotes at end of table.

Table 1-15. Percent distribution of family history of alcoholism among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
None	46.11	0.55	48.67	0.72	41.87	0.76	39.94	1.24	42.29	0.80	47.23	1.01	65.36	1.26
2nd degree relatives only	21.42	0.49	21.33	0.64	21.57	0.65	28.38	1.31	22.35	0.68	19.60	0.80	11.29	0.76
1st degree relatives only	11.12	0.33	10.98	0.43	11.35	0.49	7.27	0.67	10.96	0.51	12.55	0.62	14.65	0.90
Both 1st and 2nd degree relatives	21.35	0.41	19.03	0.52	25.20	0.69	24.41	1.10	24.40	0.67	20.62	0.80	8.70	0.72
Education														
11 years or less														
None	45.24	1.26	48.83	1.55	37.65	1.90	31.44	2.77	38.43	2.00	50.90	2.57	67.48	2.52
2nd degree relatives only	14.34	0.88	14.48	1.07	14.04	1.42	20.62	2.28	15.00	1.53	13.43	1.75	7.51	1.27
1st degree relatives only	14.80	0.88	13.57	1.04	17.41	1.64	10.78	1.76	15.61	1.47	15.13	1.67	16.64	1.92
Both 1st and 2nd degree relatives	25.62	1.10	23.12	1.34	30.90	1.90	37.16	2.98	30.96	2.00	20.54	2.16	8.37	1.58
12 years														
None	43.53	0.90	47.11	1.17	38.32	1.15	37.25	1.97	40.73	1.19	46.95	1.68	60.75	2.20
2nd degree relatives only	20.33	0.72	20.27	0.92	20.41	1.02	26.81	1.76	20.57	1.00	18.36	1.34	12.91	1.51
1st degree relatives only	12.45	0.52	12.06	0.70	13.03	0.76	7.99	1.09	11.99	0.69	14.60	1.21	17.11	1.87
Both 1st and 2nd degree relatives	23.69	0.73	20.57	0.87	28.24	1.12	27.94	1.80	26.72	1.13	20.09	1.36	9.23	1.35
13-15 years														
None	40.14	0.78	43.01	1.07	36.47	1.08	39.23	1.63	35.61	1.07	44.06	1.92	66.83	2.45
2nd degree relatives only	24.76	0.77	25.53	1.10	23.77	0.95	31.30	1.73	24.51	1.02	21.61	1.58	11.30	1.75
1st degree relatives only	9.69	0.48	9.41	0.66	10.04	0.66	6.99	0.97	10.53	0.69	10.20	1.04	11.83	1.49
Both 1st and 2nd degree relatives	25.41	0.73	22.04	0.96	29.72	1.04	22.48	1.40	29.34	1.01	24.13	1.61	10.03	1.60
16 or more years														
None	47.98	0.83	50.77	1.08	43.37	1.20	49.20	3.31	45.60	0.99	47.96	1.63	65.56	2.44
2nd degree relatives only	23.01	0.65	22.55	0.87	23.78	1.00	27.53	2.64	23.93	0.81	22.51	1.35	13.16	1.77
1st degree relatives only	9.99	0.46	10.20	0.61	9.65	0.67	6.66	1.40	9.22	0.55	11.54	0.98	14.03	1.76
Both 1st and 2nd degree relatives	19.02	0.61	16.48	0.75	23.21	0.96	16.60	2.48	21.26	0.79	17.99	1.20	7.26	1.31
Currently Employed Full Time														
Yes														
None	43.24	0.57	45.81	0.72	37.89	0.87	39.49	1.70	41.95	0.69	47.50	1.17	64.60	4.25
2nd degree relatives only	22.47	0.46	22.43	0.60	22.54	0.76	25.70	1.42	22.71	0.56	20.68	0.94	11.66	2.77
1st degree relatives only	10.78	0.32	10.75	0.41	10.86	0.51	8.30	0.98	10.89	0.40	11.59	0.67	15.36	3.29
Both 1st and 2nd degree relatives	23.51	0.47	21.02	0.55	28.71	0.82	26.51	1.42	24.46	0.57	20.24	0.94	8.38	2.37
No														
None	45.52	0.73	51.13	1.12	40.29	0.88	38.62	1.61	36.51	1.07	46.81	1.50	65.30	1.29
2nd degree relatives only	20.33	0.67	19.58	0.99	21.03	0.74	30.15	1.75	21.15	0.90	18.11	1.14	11.20	0.78
1st degree relatives only	11.87	0.46	11.45	0.68	12.25	0.60	7.40	0.80	11.22	0.76	14.46	1.04	14.89	0.94
Both 1st and 2nd degree relatives	22.29	0.58	17.84	0.84	26.43	0.78	23.84	1.46	31.12	1.02	20.63	1.20	8.60	0.75
Personal Annual Income														
None														
None	52.72	1.04	60.01	1.59	46.34	1.28	45.80	3.99	35.56	1.85	48.99	2.00	65.88	1.41
2nd degree relatives only	16.36	0.70	13.96	1.00	18.45	0.98	30.44	3.60	21.06	1.60	17.17	1.46	10.82	0.82
1st degree relatives only	13.64	0.68	13.43	1.05	13.82	0.89	5.61	1.92	12.27	1.44	14.74	1.32	15.05	1.03
Both 1st and 2nd degree relatives	17.29	0.74	12.60	1.00	21.39	1.07	18.15	2.54	31.12	1.84	19.11	1.55	8.25	0.79

See footnotes at end of table.

Table 1-15. Percent distribution of family history of alcoholism among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
\$1 to \$9,999														
None	39.61	1.00	43.33	1.55	36.07	1.21	37.92	1.58	37.84	1.57	42.62	2.52	57.62	3.72
2nd degree relatives only	23.84	1.04	24.61	1.57	23.10	1.13	29.34	1.68	19.95	1.25	20.79	2.39	14.38	2.71
1st degree relatives only	10.87	0.63	9.89	0.88	11.81	0.84	7.88	0.78	12.06	1.02	14.42	1.98	17.78	2.91
Both 1st and 2nd degree relatives	25.68	0.94	22.17	1.36	29.02	1.21	24.87	1.50	30.14	1.41	22.17	2.25	10.22	2.05
\$10,000 to \$24,999														
None	40.78	0.86	44.98	1.21	35.31	1.09	38.55	1.88	39.58	1.05	45.17	2.05	62.49	5.79
2nd degree relatives only	21.81	0.73	21.23	1.03	22.57	0.95	26.44	1.77	22.12	0.90	16.68	1.42	11.61	3.69
1st degree relatives only	10.79	0.53	10.94	0.76	10.58	0.70	7.62	1.25	10.84	0.64	13.66	1.31	15.00	3.81
Both 1st and 2nd degree relatives	26.63	0.73	22.85	0.98	31.54	1.12	27.39	1.72	27.46	0.89	24.49	1.72	10.91	3.31
\$25,000 or more														
None	45.15	0.74	46.74	0.87	40.38	1.30	42.77	4.11	42.92	0.85	48.58	1.39	73.71	4.25
2nd degree relatives only	22.73	0.59	22.80	0.71	22.52	1.06	23.37	3.51	23.37	0.70	21.98	1.14	10.09	2.67
1st degree relatives only	10.59	0.40	10.66	0.49	10.39	0.72	10.68	2.48	10.52	0.48	10.85	0.80	--	--
Both 1st and 2nd degree relatives	21.53	0.57	19.80	0.66	26.72	1.09	23.18	4.01	23.18	0.69	18.60	1.06	7.73	2.74
Current/Most Recent Occupation														
Executive, administrative, managerial														
None	45.20	1.11	48.20	1.47	40.05	1.66	37.66	5.03	42.01	1.45	46.81	2.04	64.50	3.06
2nd degree relatives only	22.81	0.99	22.32	1.29	23.66	1.44	33.64	4.88	24.87	1.24	20.35	1.74	11.10	2.08
1st degree relatives only	11.57	0.75	12.18	1.01	10.53	1.06	--	--	10.80	0.88	12.82	1.54	15.00	2.61
Both 1st and 2nd degree relatives	20.41	0.93	17.30	1.13	25.76	1.56	21.46	3.73	22.32	1.32	20.02	1.66	9.40	1.80
Professional specialty														
None	45.40	1.14	51.15	1.63	38.66	1.44	41.14	4.03	43.05	1.37	44.90	2.36	65.19	3.00
2nd degree relatives only	22.86	0.89	21.97	1.26	23.91	1.28	30.54	3.79	22.97	1.13	23.91	1.93	12.33	1.97
1st degree relatives only	10.31	0.61	10.23	0.89	10.41	0.85	5.67	1.65	9.65	0.80	12.64	1.34	11.93	1.85
Both 1st and 2nd degree relatives	21.42	0.91	16.65	1.18	27.02	1.32	22.65	3.08	24.33	1.19	18.54	1.75	10.56	1.98
Technician/related support														
None	40.80	2.18	43.90	2.89	36.40	3.25	48.46	5.63	36.65	2.65	40.50	5.62	66.65	8.02
2nd degree relatives only	26.61	1.94	27.84	2.68	24.85	2.73	29.99	5.17	27.80	2.43	22.11	4.63	--	--
1st degree relatives only	11.07	1.44	10.83	1.97	11.43	1.95	9.80	3.24	10.47	1.85	14.05	3.99	--	--
Both 1st and 2nd degree relatives	21.51	1.70	17.43	2.20	27.32	2.66	11.76	3.61	25.08	2.19	23.34	4.65	--	--
Sales														
None	45.15	1.23	49.61	1.65	39.34	1.79	39.33	2.96	41.02	1.71	49.52	2.88	66.52	3.44
2nd degree relatives only	21.11	0.98	22.32	1.39	19.53	1.50	25.79	2.54	21.65	1.38	19.54	2.17	12.47	3.08
1st degree relatives only	9.80	0.70	9.12	0.91	10.68	1.05	7.53	1.42	9.29	0.96	11.28	1.46	13.28	2.51
Both 1st and 2nd degree relatives	23.94	1.08	18.95	1.28	30.44	1.65	27.35	2.46	28.04	1.62	19.66	2.12	7.74	1.84
Administrative support, including clerical														
None	41.50	1.08	45.48	2.34	40.02	1.18	36.47	2.65	35.81	1.50	46.20	2.31	65.29	2.61
2nd degree relatives only	21.70	0.92	19.84	1.70	22.40	1.04	28.93	2.57	23.45	1.29	17.12	1.68	12.14	1.76
1st degree relatives only	11.31	0.68	12.30	1.41	10.94	0.77	7.44	1.32	11.50	0.96	12.52	1.55	13.90	1.85
Both 1st and 2nd degree relatives	25.49	0.91	22.38	1.97	26.64	1.01	27.16	2.54	29.25	1.36	24.16	2.00	8.67	1.52
Private household														
None	27.91	5.01	--	--	27.89	5.09	--	--	23.35	6.22	--	--	41.64	14.64
2nd degree relatives only	22.34	5.17	--	--	23.24	5.33	--	--	17.13	5.83	--	--	--	--
1st degree relatives only	18.90	5.28	--	--	19.66	5.45	--	--	24.51	8.71	--	--	--	--
Both 1st and 2nd degree relatives	30.85	5.69	--	--	29.20	5.56	--	--	35.01	8.40	--	--	--	--

See footnotes at end of table.

Table 1-15. Percent distribution of family history of alcoholism among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Protective service														
None	44.15	3.58	46.13	3.95	27.15	7.27	49.17	8.18	41.38	5.20	37.53	6.64	69.84	9.12
2nd degree relatives only	23.41	3.81	22.83	4.19	28.46	6.87	20.84	5.70	26.37	6.21	20.01	5.01	--	--
1st degree relatives only	13.56	2.76	13.73	3.02	--	--	--	--	11.86	2.55	13.07	3.92	--	--
Both 1st and 2nd degree relatives	18.87	2.54	17.31	2.70	32.31	6.99	--	--	20.39	3.56	29.38	6.85	--	--
Service, except protective and household														
None	39.90	1.53	45.49	2.49	35.85	1.60	35.61	3.11	38.35	1.94	46.48	3.10	57.72	5.25
2nd degree relatives only	20.66	1.20	20.59	2.01	20.71	1.37	29.48	2.44	17.60	1.52	16.49	2.68	7.02	2.44
1st degree relatives only	11.09	0.84	8.55	1.22	12.92	1.12	6.42	1.12	10.76	1.16	16.48	2.40	24.72	4.69
Both 1st and 2nd degree relatives	28.36	1.32	25.38	2.15	30.52	1.58	28.49	2.68	33.29	1.81	20.55	2.71	10.54	3.09
Farming, forestry, fishing														
None	49.60	3.06	50.90	3.36	40.68	7.15	43.03	5.42	46.87	4.55	54.09	6.71	72.25	7.38
2nd degree relatives only	22.18	2.58	22.36	2.76	20.99	5.75	36.05	5.90	18.11	4.11	17.89	5.49	--	--
1st degree relatives only	10.36	1.68	9.68	1.72	--	--	--	--	11.51	3.01	12.01	3.47	--	--
Both 1st and 2nd degree relatives	17.85	2.24	17.06	2.35	23.30	5.79	13.35	3.79	23.51	3.65	16.01	3.70	--	--
Precision production, craft, repair														
None	44.56	1.29	44.91	1.34	40.14	4.49	40.97	3.42	40.76	1.62	47.36	2.77	66.79	3.35
2nd degree relatives only	20.80	1.03	20.90	1.06	19.55	3.55	24.96	3.06	22.33	1.34	19.56	2.25	8.42	1.96
1st degree relatives only	12.05	0.86	11.97	0.89	13.06	2.63	7.73	1.82	12.52	1.09	11.88	1.83	15.53	2.66
Both 1st and 2nd degree relatives	22.58	1.06	22.21	1.10	27.25	3.81	26.34	3.20	24.40	1.34	21.20	2.31	9.26	2.39
Operators, fabricators, laborers														
None	45.15	2.01	47.57	2.44	39.48	3.06	42.58	4.71	41.34	2.54	47.79	4.51	63.18	5.03
2nd degree relatives only	19.70	1.55	20.07	1.85	18.83	2.50	19.62	3.83	21.49	1.97	19.09	3.73	11.70	3.25
1st degree relatives only	12.36	1.16	10.71	1.34	16.20	2.20	9.40	2.46	11.59	1.54	14.11	2.59	16.87	3.51
Both 1st and 2nd degree relatives	22.80	1.69	21.65	2.07	25.49	2.77	28.41	5.01	25.58	2.17	19.01	3.19	--	--
Transportation, material moving														
None	49.38	2.24	50.43	2.31	35.12	7.28	34.44	5.83	46.85	2.99	54.93	4.32	68.41	5.76
2nd degree relatives only	17.49	1.61	17.71	1.70	--	--	28.53	5.48	17.29	2.10	17.75	3.61	--	--
1st degree relatives only	9.91	1.20	10.15	1.26	--	--	--	--	8.08	1.57	12.20	2.74	20.00	4.69
Both 1st and 2nd degree relatives	23.23	1.70	21.71	1.75	43.88	8.36	31.56	5.44	27.79	2.37	15.12	3.19	--	--
Handlers, equipment cleaners, helpers, laborers														
None	40.25	2.21	40.21	2.46	40.43	4.92	32.79	3.91	40.05	3.30	49.92	6.53	64.77	9.69
2nd degree relatives only	22.81	2.05	23.94	2.27	17.25	4.15	28.45	3.84	20.80	2.89	21.95	4.79	--	--
1st degree relatives only	11.15	1.46	11.34	1.65	10.25	2.53	9.37	2.44	11.71	2.21	8.86	2.74	--	--
Both 1st and 2nd degree relatives	25.79	2.21	24.52	2.50	32.07	4.47	29.39	3.90	27.43	3.24	19.28	7.19	--	--
Military														
None	46.58	6.07	45.61	6.37	52.50	11.65	48.66	8.83	41.72	7.11	--	--	--	--
2nd degree relatives only	23.08	4.33	22.46	4.64	--	--	33.39	9.22	19.24	5.01	--	--	--	--
1st degree relatives only	15.19	4.66	16.24	5.34	--	--	--	--	18.36	6.88	--	--	--	--
Both 1st and 2nd degree relatives	15.15	3.89	15.69	4.31	--	--	--	--	20.68	5.74	--	--	--	--
Current/Most Recent Industry														
Agriculture, forestry, fisheries														
None	51.93	2.84	55.30	3.72	38.65	6.42	57.24	6.10	46.39	4.33	50.54	5.64	70.45	8.19
2nd degree relatives only	21.11	2.47	19.38	3.07	27.93	5.61	24.66	5.20	21.92	4.24	21.44	4.10	--	--
1st degree relatives only	9.41	1.66	7.90	1.70	15.35	3.84	--	--	9.86	2.79	12.24	3.59	--	--
Both 1st and 2nd degree relatives	17.55	2.25	17.42	2.42	18.07	4.52	14.09	4.42	21.83	3.43	15.78	3.76	--	--

See footnotes at end of table.

Table 1-15. Percent distribution of family history of alcoholism among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Mining														
None	45.28	5.84	44.04	6.80	49.93	11.90	--	--	43.34	8.30	60.14	10.20	--	--
2nd degree relatives only	27.40	5.79	30.43	6.89	--	--	--	--	28.31	7.39	--	--	--	--
1st degree relatives only	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Both 1st and 2nd degree relatives	14.77	3.93	--	--	--	--	--	--	21.98	6.32	--	--	--	--
Construction														
None	41.89	1.68	42.69	1.78	33.65	5.07	41.59	4.12	38.77	2.24	44.11	3.46	64.12	5.34
2nd degree relatives only	21.08	1.42	21.33	1.52	18.54	3.77	25.36	3.86	21.60	1.86	20.01	3.06	--	--
1st degree relatives only	12.45	1.09	12.47	1.15	12.16	3.40	5.81	1.91	13.37	1.44	13.37	2.51	18.29	5.22
Both 1st and 2nd degree relatives	24.58	1.41	23.51	1.52	35.65	4.80	27.25	3.50	26.26	1.89	22.52	2.95	--	--
Manufacturing														
None	46.42	1.10	47.80	1.30	42.41	1.82	41.42	3.01	41.94	1.34	48.85	2.24	66.88	3.05
2nd degree relatives only	20.52	0.86	20.56	1.03	20.40	1.39	26.34	3.10	22.43	1.08	18.40	1.56	10.94	1.73
1st degree relatives only	12.33	0.68	11.72	0.76	14.12	1.37	7.55	1.62	11.86	0.86	13.58	1.43	16.07	2.05
Both 1st and 2nd degree relatives	20.73	0.88	19.93	1.02	23.07	1.52	24.69	2.94	23.77	1.19	19.17	1.73	6.11	1.42
Transportation, communications, other public utilities														
None	46.19	1.63	48.82	1.94	38.57	2.76	30.89	7.00	43.03	1.93	50.71	3.16	64.48	4.44
2nd degree relatives only	20.58	1.27	20.62	1.57	20.45	2.18	27.19	6.84	22.46	1.67	17.57	2.42	12.33	3.01
1st degree relatives only	11.34	1.04	11.02	1.17	12.25	1.85	--	--	10.43	1.44	12.90	2.10	14.79	3.12
Both 1st and 2nd degree relatives	21.90	1.35	19.53	1.53	28.73	2.70	33.41	7.50	24.08	1.78	18.82	2.37	8.40	2.23
Wholesale trade														
None	45.81	2.17	46.23	2.50	44.38	4.03	41.57	6.01	38.94	2.63	52.70	4.54	75.09	5.62
2nd degree relatives only	22.08	1.60	24.27	1.95	14.65	2.63	30.70	5.14	23.55	2.24	19.27	3.37	--	--
1st degree relatives only	10.94	1.23	9.77	1.42	14.92	3.05	--	--	10.70	1.72	13.69	2.92	--	--
Both 1st and 2nd degree relatives	21.17	1.69	19.73	1.92	26.05	3.13	21.25	4.27	26.81	2.38	14.33	3.23	--	--
Retail trade														
None	42.90	1.09	48.65	1.63	37.06	1.35	36.56	1.88	40.55	1.63	49.98	2.84	68.82	3.29
2nd degree relatives only	22.13	0.94	22.06	1.33	22.21	1.17	28.71	1.79	20.83	1.36	17.93	2.16	10.73	2.07
1st degree relatives only	9.81	0.62	8.87	0.90	10.76	0.84	7.14	1.07	10.80	0.98	10.58	1.56	13.75	2.36
Both 1st and 2nd degree relatives	25.16	0.91	20.42	1.23	29.97	1.28	27.59	1.69	27.82	1.47	21.51	2.34	6.70	1.59
Finance, insurance, real estate														
None	44.59	1.61	46.31	2.41	43.11	2.13	42.50	5.32	41.15	2.13	45.72	3.46	64.44	4.47
2nd degree relatives only	20.97	1.33	20.76	2.05	21.15	1.74	30.46	4.97	22.38	1.71	18.77	2.68	--	--
1st degree relatives only	11.71	0.99	12.12	1.53	11.36	1.28	--	--	11.27	1.28	12.64	2.02	16.84	3.14
Both 1st and 2nd degree relatives	22.73	1.39	20.81	2.06	24.37	1.88	19.30	4.07	25.20	1.92	22.87	2.77	12.13	3.08
Services: business and repair														
None	41.67	1.83	44.76	2.34	35.97	2.76	35.42	4.40	42.23	2.31	42.07	3.85	51.08	6.43
2nd degree relatives only	21.18	1.53	20.26	1.87	22.87	2.42	19.91	3.47	21.77	1.90	24.17	3.90	--	--
1st degree relatives only	11.47	1.05	11.66	1.32	11.11	1.65	9.53	2.37	10.70	1.31	12.53	2.41	20.45	5.07
Both 1st and 2nd degree relatives	25.69	1.62	23.32	2.03	30.05	2.58	35.14	4.53	25.31	2.00	21.22	3.23	20.49	5.44
Services: personal														
None	44.29	3.09	59.31	4.27	36.32	2.95	51.09	8.89	37.26	3.35	51.56	5.50	52.13	7.15
2nd degree relatives only	16.76	1.96	11.70	2.88	19.45	2.23	19.88	4.79	17.28	2.47	10.54	3.23	18.30	6.04
1st degree relatives only	11.02	1.46	8.55	1.99	12.33	1.86	--	--	10.02	2.13	11.35	2.86	25.98	6.10
Both 1st and 2nd degree relatives	27.93	2.25	20.45	3.31	31.89	2.80	23.12	5.62	35.43	3.45	26.55	5.06	--	--

See footnotes at end of table.

Table 1-15. Percent distribution of family history of alcoholism among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Services: entertainment and recreation														
None	39.07	2.87	41.98	3.71	33.03	4.30	33.02	4.80	42.54	4.46	41.40	7.29	50.84	11.42
2nd degree relatives only	21.85	2.51	23.05	3.22	19.35	3.70	28.97	4.95	16.79	3.05	19.53	5.56	--	--
1st degree relatives only	13.87	2.28	15.34	3.00	10.82	3.29	10.10	3.18	17.60	3.77	--	--	--	--
Both 1st and 2nd degree relatives	25.21	2.55	19.62	2.78	36.81	4.94	27.91	4.82	23.07	3.64	25.42	5.64	--	--
Services: professional and related														
None	41.84	0.96	48.34	1.67	37.65	1.09	35.73	2.86	38.67	1.22	43.39	1.76	64.76	2.70
2nd degree relatives only	24.20	0.86	24.91	1.50	23.74	0.95	34.85	3.00	24.40	1.06	22.21	1.57	13.54	1.74
1st degree relatives only	10.00	0.50	9.61	0.91	10.24	0.58	7.11	1.17	8.94	0.67	13.21	1.15	10.66	1.52
Both 1st and 2nd degree relatives	23.97	0.80	17.14	1.16	28.37	1.01	22.31	2.10	27.99	1.12	21.19	1.54	11.04	1.79
Public administration														
None	44.89	2.10	46.46	2.79	41.66	2.75	39.52	6.90	39.73	2.89	47.53	3.43	66.55	4.60
2nd degree relatives only	21.17	2.10	20.45	2.97	22.66	2.45	18.84	4.98	23.74	3.46	22.57	3.02	8.37	2.30
1st degree relatives only	12.39	1.43	12.79	1.95	11.56	1.69	--	--	10.70	1.47	9.98	1.95	17.93	3.99
Both 1st and 2nd degree relatives	21.55	1.61	20.30	2.01	24.12	2.54	20.21	4.77	25.83	2.46	19.91	3.07	7.14	2.22
Military														
None	46.78	5.76	45.55	6.09	54.71	11.19	48.40	8.80	41.17	6.81	--	--	--	--
2nd degree relatives only	22.12	4.01	21.52	4.29	--	--	33.74	9.19	18.86	4.62	--	--	--	--
1st degree relatives only	13.48	4.21	14.30	4.80	--	--	--	--	15.75	6.10	--	--	--	--
Both 1st and 2nd degree relatives	17.61	3.96	18.63	4.38	--	--	--	--	24.22	5.64	--	--	--	--
Smoked Any Cigarettes in Last Year														
Yes														
None	39.40	0.72	42.84	0.99	34.19	0.92	33.87	1.63	35.94	0.88	48.23	1.56	60.53	2.61
2nd degree relatives only	20.98	0.62	21.48	0.84	20.23	0.82	25.53	1.52	21.56	0.78	18.04	1.15	10.32	1.57
1st degree relatives only	12.07	0.43	11.68	0.60	12.66	0.63	8.97	1.07	12.17	0.55	13.02	0.98	18.33	2.04
Both 1st and 2nd degree relatives	27.55	0.61	24.00	0.80	32.93	0.90	31.63	1.62	30.33	0.87	20.70	1.16	10.82	1.76
No														
None	47.04	0.57	50.26	0.77	42.14	0.80	43.13	1.60	43.87	0.73	46.74	1.16	66.59	1.40
2nd degree relatives only	22.09	0.50	21.63	0.66	22.79	0.68	29.96	1.57	22.86	0.61	20.71	0.99	11.50	0.87
1st degree relatives only	10.64	0.33	10.51	0.43	10.84	0.51	6.93	0.71	10.13	0.45	12.35	0.70	13.96	1.00
Both 1st and 2nd degree relatives	20.23	0.44	17.60	0.54	24.23	0.69	19.97	1.18	23.14	0.63	20.20	0.95	7.95	0.80
Smoked 100 or More Cigarettes in Life														
Yes														
None	42.02	0.59	45.53	0.79	36.35	0.80	33.43	1.57	37.08	0.76	46.62	1.12	64.00	1.50
2nd degree relatives only	20.45	0.49	20.55	0.66	20.29	0.68	25.94	1.50	21.56	0.66	19.46	0.87	10.99	0.95
1st degree relatives only	12.31	0.35	12.10	0.48	12.66	0.51	9.27	1.04	12.16	0.48	12.48	0.69	16.35	1.10
Both 1st and 2nd degree relatives	25.21	0.47	21.82	0.60	30.70	0.76	31.36	1.52	29.19	0.70	21.44	0.89	8.66	0.88
No														
None	47.16	0.69	50.36	1.00	42.73	0.94	44.10	1.65	45.26	0.86	48.80	1.69	68.08	2.10
2nd degree relatives only	23.46	0.65	23.19	0.87	23.83	0.82	29.87	1.63	23.32	0.71	20.55	1.42	11.81	1.40
1st degree relatives only	9.53	0.39	9.16	0.53	10.03	0.57	6.53	0.71	9.39	0.50	12.82	1.10	11.70	1.39
Both 1st and 2nd degree relatives	19.85	0.53	17.29	0.65	23.40	0.85	19.49	1.22	22.03	0.71	17.83	1.31	8.41	1.23

See footnotes at end of table.

Table 1-15. Percent distribution of family history of alcoholism among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Any Depression in Past Year</u>														
Yes														
None	22.21	1.62	25.46	2.61	18.60	2.22	20.12	2.94	20.35	2.15	37.77	6.06	--	--
2nd degree relatives only	27.60	1.88	27.45	2.71	27.77	2.45	34.21	3.71	25.05	2.30	22.52	4.97	--	--
1st degree relatives only	10.90	1.35	10.67	1.97	11.16	1.64	8.72	2.68	11.90	1.82	12.08	3.59	--	--
Both 1st and 2nd degree relatives	39.29	2.01	36.42	2.94	42.47	2.79	36.95	3.92	42.70	2.58	27.63	5.37	--	--
No														
None	45.00	0.47	48.19	0.63	40.08	0.63	40.61	1.14	41.53	0.61	47.43	0.95	65.33	1.25
2nd degree relatives only	21.42	0.39	21.36	0.54	21.50	0.53	27.49	1.16	22.19	0.49	19.74	0.75	11.22	0.76
1st degree relatives only	11.20	0.27	10.97	0.36	11.56	0.40	7.76	0.64	10.93	0.36	12.59	0.59	14.95	0.90
Both 1st and 2nd degree relatives	22.38	0.37	19.48	0.45	26.85	0.58	24.15	1.03	25.34	0.52	20.24	0.75	8.50	0.71
<u>Any Depression in Life</u>														
Yes														
None	25.56	1.08	28.61	1.79	22.37	1.37	25.05	2.44	23.70	1.39	31.68	2.94	37.05	8.54
2nd degree relatives only	24.55	1.22	26.42	1.90	22.59	1.39	29.90	2.54	23.60	1.66	19.64	2.39	--	--
1st degree relatives only	11.63	0.82	11.48	1.29	11.79	0.99	7.98	1.53	11.91	1.10	15.61	2.38	--	--
Both 1st and 2nd degree relatives	38.26	1.16	33.49	1.85	43.25	1.64	37.06	2.58	40.79	1.54	33.06	2.83	19.19	6.20
No														
None	46.42	0.49	49.37	0.64	41.72	0.67	41.76	1.21	43.03	0.64	48.58	0.96	65.90	1.24
2nd degree relatives only	21.30	0.40	21.07	0.53	21.67	0.56	27.63	1.21	22.14	0.50	19.80	0.76	10.82	0.77
1st degree relatives only	11.13	0.28	10.90	0.37	11.50	0.42	7.80	0.69	10.84	0.36	12.33	0.58	14.94	0.92
Both 1st and 2nd degree relatives	21.14	0.38	18.66	0.46	25.10	0.60	22.80	1.05	24.00	0.54	19.30	0.76	8.34	0.71
<u>Alcohol Use Disorder in Past Year</u>														
None														
None	47.00	0.49	51.09	0.68	41.33	0.66	44.40	1.32	42.84	0.64	48.98	0.97	65.78	1.27
2nd degree relatives only	21.30	0.40	21.09	0.57	21.58	0.54	27.27	1.20	22.69	0.54	19.71	0.78	11.07	0.77
1st degree relatives only	11.03	0.28	10.64	0.37	11.57	0.41	7.57	0.68	10.62	0.38	12.00	0.59	14.88	0.92
Both 1st and 2nd degree relatives	20.67	0.39	17.18	0.48	25.51	0.59	20.76	1.05	23.84	0.56	19.31	0.74	8.27	0.72
Abuse														
None	35.43	1.79	40.25	2.30	21.73	2.40	34.40	3.61	35.11	2.04	35.37	5.37	74.13	11.71
2nd degree relatives only	24.03	1.49	22.88	1.77	27.32	2.82	30.37	3.10	21.27	1.70	20.22	3.91	--	--
1st degree relatives only	11.09	1.17	11.17	1.40	10.86	1.81	8.47	2.52	12.67	1.30	11.31	2.71	--	--
Both 1st and 2nd degree relatives	29.44	1.59	25.70	1.85	40.09	2.85	26.76	2.97	30.95	1.97	33.10	5.58	--	--
Dependence														
None	25.53	1.27	26.63	1.56	23.04	2.01	25.73	2.17	25.51	1.76	24.87	3.55	27.30	8.42
2nd degree relatives only	23.11	1.44	24.02	1.66	21.05	2.16	28.74	2.79	19.93	1.47	20.79	3.42	--	--
1st degree relatives only	12.59	0.95	13.03	1.20	11.60	1.36	8.22	1.33	12.67	1.32	23.53	3.30	--	--
Both 1st and 2nd degree relatives	38.77	1.51	36.32	1.80	44.31	2.35	37.31	2.36	41.89	1.95	30.82	3.62	33.19	8.62
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
None	45.29	0.64	50.70	0.98	39.71	0.83	41.91	1.75	41.07	0.85	48.97	1.33	66.84	1.94
2nd degree relatives only	21.69	0.55	21.20	0.82	22.20	0.71	28.44	1.66	22.46	0.72	19.61	1.09	11.30	1.17
1st degree relatives only	10.16	0.37	9.40	0.53	10.95	0.52	7.04	0.81	10.38	0.50	10.70	0.84	12.54	1.26
Both 1st and 2nd degree relatives	22.86	0.53	18.71	0.73	27.14	0.75	22.62	1.52	26.08	0.75	20.72	1.11	9.32	1.12

See footnotes at end of table.

Table 1-15. Percent distribution of family history of alcoholism among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Moderate drinker														
None	44.69	0.70	47.93	0.95	38.97	1.02	38.39	1.73	42.11	0.96	47.30	1.62	66.50	1.80
2nd degree relatives only	22.35	0.62	22.69	0.85	21.76	0.88	27.67	1.67	23.19	0.84	20.13	1.32	12.09	1.33
1st degree relatives only	11.11	0.44	10.80	0.56	11.65	0.67	8.85	1.20	10.74	0.57	12.84	1.02	13.64	1.48
Both 1st and 2nd degree relatives	21.85	0.57	18.59	0.69	27.62	0.96	25.09	1.49	23.97	0.79	19.73	1.24	7.78	1.06
Heavier drinker														
None	39.51	1.04	40.78	1.23	35.34	1.92	35.08	2.76	35.06	1.48	42.84	2.09	58.67	2.75
2nd degree relatives only	20.35	0.94	20.50	1.07	19.87	1.66	27.14	2.71	20.15	1.19	20.00	1.58	9.86	2.06
1st degree relatives only	13.79	0.72	13.53	0.88	14.62	1.24	7.31	1.24	12.89	1.08	16.32	1.45	22.82	2.43
Both 1st and 2nd degree relatives	26.35	0.92	25.19	1.09	30.16	1.79	30.47	2.59	31.91	1.42	20.84	1.69	8.65	1.53
Usual/Heaviest Drinking Level in Past Year³														
Light drinker														
None	45.51	0.65	50.86	1.00	40.01	0.85	42.69	1.84	41.43	0.88	48.32	1.38	66.46	1.99
2nd degree relatives only	21.75	0.57	21.13	0.85	22.38	0.76	28.35	1.79	22.34	0.76	20.24	1.15	11.83	1.23
1st degree relatives only	10.04	0.39	9.13	0.54	10.97	0.55	6.69	0.82	10.31	0.52	10.53	0.85	12.37	1.28
Both 1st and 2nd degree relatives	22.71	0.55	18.88	0.77	26.64	0.75	22.27	1.72	25.92	0.77	20.90	1.17	9.34	1.16
Moderate drinker														
None	44.85	0.71	48.10	0.97	39.46	1.00	38.59	1.76	41.52	0.96	49.07	1.64	67.89	1.79
2nd degree relatives only	22.50	0.62	22.87	0.86	21.89	0.86	27.84	1.73	23.77	0.84	19.25	1.29	11.79	1.31
1st degree relatives only	10.79	0.42	10.63	0.55	11.07	0.65	8.43	1.16	10.50	0.56	12.55	1.01	13.10	1.39
Both 1st and 2nd degree relatives	21.86	0.55	18.40	0.69	27.59	0.92	25.13	1.48	24.21	0.78	19.13	1.20	7.22	1.03
Heavier drinker														
None	39.53	0.99	41.48	1.15	33.54	1.76	34.90	2.54	36.34	1.37	41.39	1.96	58.58	2.70
2nd degree relatives only	20.41	0.86	20.59	1.00	19.86	1.52	27.20	2.53	19.72	1.06	20.70	1.47	9.63	1.84
1st degree relatives only	14.07	0.67	13.71	0.82	15.17	1.13	8.27	1.20	13.35	0.97	16.14	1.37	23.25	2.36
Both 1st and 2nd degree relatives	25.99	0.84	24.21	0.98	31.43	1.66	29.63	2.38	30.59	1.30	21.78	1.61	8.55	1.47
5 or More Drinks in a Single Day														
Not once in past year														
None	49.95	0.64	56.50	0.97	43.73	0.78	45.05	2.42	44.84	0.91	49.51	1.25	67.60	1.37
2nd degree relatives only	19.47	0.50	18.17	0.72	20.71	0.66	24.66	2.15	21.73	0.74	19.34	0.94	11.10	0.86
1st degree relatives only	10.86	0.39	10.22	0.54	11.47	0.52	7.85	1.35	10.39	0.53	11.00	0.71	13.18	0.97
Both 1st and 2nd degree relatives	19.72	0.50	15.12	0.68	24.09	0.70	22.45	2.08	23.04	0.80	20.16	0.91	8.12	0.76
1 to 11 times in past year														
None	38.62	0.77	42.35	1.01	32.02	1.08	37.69	1.76	36.82	0.98	43.35	1.94	52.06	4.07
2nd degree relatives only	24.73	0.64	24.39	0.87	25.34	0.99	29.95	1.62	24.11	0.80	22.22	1.75	14.97	3.07
1st degree relatives only	10.86	0.52	10.99	0.70	10.63	0.69	8.14	1.20	10.43	0.61	13.49	1.34	22.65	3.48
Both 1st and 2nd degree relatives	25.79	0.69	22.27	0.87	32.01	1.11	24.22	1.44	28.65	0.91	20.94	1.60	10.33	2.30
12 or more times in past year														
None	40.16	0.88	42.17	1.03	33.84	1.67	37.78	1.95	38.95	1.16	43.86	2.28	60.87	3.84
2nd degree relatives only	22.05	0.90	22.66	1.04	20.09	1.42	27.74	2.01	20.99	1.10	18.66	1.75	8.68	1.99
1st degree relatives only	12.17	0.55	11.74	0.65	13.55	1.04	7.56	0.81	12.60	0.76	16.97	1.59	20.11	2.89
Both 1st and 2nd degree relatives	25.62	0.78	23.43	0.88	32.51	1.64	26.93	1.68	27.45	0.99	20.50	1.75	10.34	2.36

See footnotes at end of table.

Table 1-15. Percent distribution of family history of alcoholism among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Drinking Enough to Feel Drunk														
Not once in past year														
None	50.53	0.61	54.70	0.83	45.13	0.79	49.18	2.23	46.23	0.83	49.86	1.10	65.87	1.33
2nd degree relatives only	19.34	0.45	18.75	0.61	20.11	0.65	23.36	1.94	21.13	0.66	19.60	0.88	11.52	0.83
1st degree relatives only	11.20	0.36	10.65	0.47	11.90	0.54	9.01	1.38	10.29	0.51	11.35	0.62	14.61	0.93
Both 1st and 2nd degree relatives	18.93	0.47	15.90	0.58	22.85	0.71	18.45	1.75	22.35	0.73	19.20	0.82	7.99	0.75
1 to 11 times in past year														
None	37.65	0.74	42.16	1.01	30.40	1.05	37.93	1.53	36.39	0.90	39.45	2.03	60.48	4.76
2nd degree relatives only	24.55	0.64	24.45	0.90	24.71	0.92	29.58	1.43	24.00	0.73	20.31	1.68	10.07	2.39
1st degree relatives only	11.11	0.44	11.14	0.58	11.05	0.65	7.68	0.83	11.04	0.54	16.58	1.56	17.51	3.64
Both 1st and 2nd degree relatives	26.69	0.65	22.25	0.83	33.84	1.08	24.81	1.26	28.57	0.84	23.67	1.81	11.93	2.79
12 or more times in past year														
None	32.67	1.33	34.10	1.63	28.63	2.14	33.53	2.11	30.79	1.83	34.88	3.76	53.98	8.55
2nd degree relatives only	24.31	1.44	24.75	1.68	23.09	2.12	28.91	2.28	21.77	2.02	21.08	3.08	--	--
1st degree relatives only	11.52	1.03	11.68	1.17	11.06	1.77	7.03	1.38	13.95	1.36	17.27	2.81	--	--
Both 1st and 2nd degree relatives	31.50	1.32	29.47	1.56	37.22	2.23	30.53	2.07	33.49	1.80	26.77	3.29	22.90	7.35
Driving After Drinking														
Not once in past year														
None	45.68	0.49	49.61	0.67	40.16	0.64	41.20	1.22	42.06	0.64	47.84	0.97	65.18	1.26
2nd degree relatives only	21.52	0.41	21.32	0.58	21.79	0.54	28.49	1.22	22.28	0.53	20.02	0.78	11.17	0.77
1st degree relatives only	11.01	0.27	10.70	0.37	11.45	0.40	7.23	0.61	10.73	0.38	12.22	0.59	14.99	0.91
Both 1st and 2nd degree relatives	21.79	0.39	18.37	0.48	26.60	0.59	23.07	1.02	24.93	0.55	19.92	0.75	8.66	0.72
1 or 2 times in past year														
None	34.25	1.74	38.62	2.17	23.36	2.53	28.41	3.23	34.67	2.15	41.42	5.52	69.54	11.14
2nd degree relatives only	21.95	1.49	20.50	1.88	25.58	2.69	24.49	3.62	21.71	1.67	17.42	3.42	--	--
1st degree relatives only	12.45	1.28	12.78	1.58	11.62	1.74	13.09	3.22	11.97	1.33	14.52	3.54	--	--
Both 1st and 2nd degree relatives	31.35	1.56	28.10	1.88	39.45	2.62	34.01	3.32	31.64	1.85	26.64	5.47	--	--
3 or more times in past year														
None	27.75	1.77	28.79	1.96	24.16	4.22	33.01	3.90	25.09	2.11	26.19	6.04	--	--
2nd degree relatives only	24.00	1.80	25.30	1.97	19.51	3.27	27.67	3.57	23.47	2.02	16.11	4.67	--	--
1st degree relatives only	12.34	1.35	12.06	1.53	13.31	2.65	7.10	1.89	13.21	1.74	23.15	5.26	--	--
Both 1st and 2nd degree relatives	35.90	2.01	33.85	2.27	43.01	3.98	32.21	3.64	38.22	2.38	34.55	6.63	--	--
Getting into Situation that Could Be Harmful														
Not once in past year														
None	44.65	0.47	48.38	0.65	39.25	0.62	39.84	1.18	41.12	0.60	47.31	0.95	65.14	1.25
2nd degree relatives only	21.54	0.40	21.33	0.55	21.85	0.52	27.87	1.19	22.35	0.51	19.85	0.75	11.35	0.77
1st degree relatives only	11.31	0.28	11.22	0.37	11.45	0.39	7.92	0.69	11.03	0.36	12.61	0.59	14.91	0.91
Both 1st and 2nd degree relatives	22.49	0.37	19.08	0.46	27.45	0.57	24.38	1.00	25.50	0.52	20.23	0.75	8.60	0.71
At least once in past year														
None	30.13	2.05	31.07	2.29	26.31	4.46	33.17	3.71	26.20	2.57	30.33	7.23	--	--
2nd degree relatives only	25.17	2.05	25.62	2.30	23.37	3.67	28.84	3.00	22.55	2.38	20.85	6.07	--	--
1st degree relatives only	8.31	1.02	7.50	1.08	11.61	2.61	7.37	1.58	8.45	1.46	14.65	4.20	--	--
Both 1st and 2nd degree relatives	36.39	1.98	35.81	2.18	38.72	4.01	30.63	3.12	42.80	2.80	34.17	7.74	--	--

See footnotes at end of table.

Table 1-15. Percent distribution of family history of alcoholism among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Age Started Drinking														
16 years or younger														
None	36.04	0.83	39.27	1.06	29.59	1.25	32.28	1.70	34.23	1.05	42.09	2.32	63.44	3.51
2nd degree relatives only	22.89	0.72	22.70	0.92	23.29	1.21	27.82	1.65	21.53	0.87	21.19	1.91	13.00	2.34
1st degree relatives only	10.39	0.52	10.70	0.68	9.77	0.73	8.64	1.04	11.25	0.68	9.91	1.26	12.78	2.26
Both 1st and 2nd degree relatives	30.67	0.75	27.33	0.92	37.35	1.31	31.26	1.50	32.98	0.99	26.82	2.21	10.77	2.35
17 or 18 years														
None	43.68	0.80	47.41	1.04	36.81	1.07	44.52	1.91	40.60	0.98	45.69	1.74	62.94	2.59
2nd degree relatives only	22.89	0.72	22.81	0.95	23.04	0.95	27.78	1.93	23.79	0.88	19.13	1.34	12.56	1.66
1st degree relatives only	11.28	0.46	11.13	0.59	11.55	0.74	7.70	0.91	10.80	0.59	14.76	1.23	14.92	1.91
Both 1st and 2nd degree relatives	22.15	0.64	18.65	0.77	28.60	1.05	20.00	1.63	24.80	0.84	20.42	1.32	9.58	1.60
19 or 20 years														
None	47.73	1.07	51.68	1.48	42.25	1.54	45.60	3.26	44.67	1.44	48.71	2.30	64.18	2.69
2nd degree relatives only	20.94	0.87	20.10	1.17	22.11	1.36	28.96	2.85	21.44	1.13	20.13	1.80	10.07	1.74
1st degree relatives only	11.52	0.67	10.94	0.89	12.33	1.01	6.98	1.79	11.17	0.93	12.36	1.30	17.03	2.09
Both 1st and 2nd degree relatives	19.80	0.84	17.28	1.13	23.30	1.23	18.47	2.42	22.73	1.20	18.79	1.72	8.72	1.73
21 years or older														
None	50.38	0.87	55.43	1.35	45.65	1.10	43.15	4.31	45.64	1.33	49.30	1.46	66.69	1.77
2nd degree relatives only	19.43	0.70	19.12	1.04	19.72	0.87	31.80	4.48	21.39	1.08	19.73	1.23	10.94	1.32
1st degree relatives only	11.77	0.56	11.16	0.83	12.33	0.78	--	--	10.90	0.84	12.27	0.95	14.51	1.32
Both 1st and 2nd degree relatives	18.43	0.66	14.29	0.86	22.30	0.93	20.47	3.41	22.08	1.09	18.70	1.11	7.86	0.96
Drinking Days of the Week in Past Year														
Holidays or special occasions only														
None	50.58	1.64	54.03	2.34	46.59	2.00	41.70	5.66	46.00	2.25	48.80	2.99	70.57	3.15
2nd degree relatives only	17.91	1.09	17.04	1.52	18.90	1.62	24.30	4.74	20.73	1.72	17.32	2.17	8.45	1.70
1st degree relatives only	11.43	1.00	10.48	1.22	12.52	1.54	--	--	9.55	1.50	14.07	2.00	13.47	2.10
Both 1st and 2nd degree relatives	20.09	1.28	18.44	1.76	21.99	1.74	27.04	5.17	23.72	1.85	19.81	2.40	7.52	1.68
Weekends only														
None	43.45	0.57	47.86	0.83	37.45	0.76	39.98	1.31	41.24	0.74	47.56	1.31	67.46	2.13
2nd degree relatives only	22.65	0.48	22.31	0.66	23.10	0.68	27.92	1.16	22.37	0.59	21.02	1.09	11.04	1.40
1st degree relatives only	10.38	0.33	10.04	0.45	10.85	0.46	7.52	0.69	10.65	0.46	11.63	0.80	13.80	1.59
Both 1st and 2nd degree relatives	23.51	0.46	19.78	0.62	28.59	0.74	24.58	1.10	25.75	0.63	19.79	1.07	7.71	1.24
Weekdays/weekends														
None	43.65	0.81	45.45	0.99	40.09	1.22	36.33	2.35	37.88	1.09	46.49	1.46	62.60	1.77
2nd degree relatives only	20.87	0.69	21.34	0.85	19.92	0.97	28.66	2.56	22.61	0.97	18.95	1.13	12.09	1.19
1st degree relatives only	12.52	0.50	12.41	0.63	12.72	0.75	8.73	1.46	12.02	0.72	13.33	0.94	15.95	1.18
Both 1st and 2nd degree relatives	22.96	0.62	20.79	0.76	27.26	1.08	26.28	2.10	27.50	1.02	21.22	1.17	9.36	0.99
Any Parent Alcoholic														
Yes														
None	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2nd degree relatives only	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1st degree relatives only	28.99	0.76	31.32	1.12	26.23	0.98	23.15	1.86	26.38	0.95	34.33	1.82	60.02	3.38
Both 1st and 2nd degree relatives	71.01	0.76	68.68	1.12	73.77	0.98	76.85	1.86	73.62	0.95	65.67	1.82	39.98	3.38

See footnotes at end of table.

Table 1-15. Percent distribution of family history of alcoholism among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
None	58.48	0.55	60.89	0.72	54.50	0.74	53.11	1.39	55.50	0.70	61.54	1.04	73.91	1.22
2nd degree relatives only	28.73	0.50	27.71	0.68	30.41	0.67	38.10	1.42	30.52	0.63	25.76	0.93	12.73	0.86
1st degree relatives only	5.38	0.22	5.16	0.28	5.74	0.32	2.31	0.38	5.31	0.29	6.01	0.43	8.94	0.79
Both 1st and 2nd degree relatives	7.41	0.26	6.23	0.32	9.35	0.43	6.49	0.67	8.67	0.40	6.68	0.54	4.42	0.55
<u>Married to Alcoholic/Lived with Alcoholic as Married</u>														
Yes														
None	24.99	1.03	27.28	2.21	23.93	1.10	10.83	2.65	21.70	1.33	29.55	2.05	50.64	3.96
2nd degree relatives only	20.88	0.96	22.92	1.97	19.94	1.04	28.71	4.08	22.27	1.33	17.23	1.58	14.35	2.51
1st degree relatives only	13.23	0.75	13.62	1.46	13.05	0.89	11.11	2.63	11.63	0.93	16.01	1.78	18.58	3.08
Both 1st and 2nd degree relatives	40.89	1.16	36.18	2.13	43.08	1.34	49.35	4.43	44.40	1.59	37.21	2.35	16.43	2.90
No														
None	46.53	0.50	48.68	0.66	42.72	0.71	40.66	1.15	43.41	0.63	49.82	1.03	66.73	1.27
2nd degree relatives only	21.76	0.43	21.49	0.56	22.25	0.58	27.96	1.19	22.33	0.54	20.15	0.80	10.92	0.79
1st degree relatives only	10.93	0.29	10.79	0.36	11.18	0.45	7.64	0.64	10.87	0.38	12.09	0.60	14.56	0.97
Both 1st and 2nd degree relatives	20.77	0.38	19.04	0.47	23.85	0.60	23.74	1.00	23.39	0.52	17.94	0.78	7.79	0.70
<u>Any Alcohol Treatment in Past Year</u>														
Yes														
None	17.86	2.28	18.93	2.69	14.54	3.99	16.80	4.47	17.69	2.92	19.11	5.61	--	--
2nd degree relatives only	18.11	2.27	19.51	2.68	13.70	3.98	28.85	5.61	12.51	2.33	23.91	6.56	--	--
1st degree relatives only	13.88	1.94	15.43	2.44	9.03	2.78	--	--	15.38	2.46	--	--	--	--
Both 1st and 2nd degree relatives	50.14	2.67	46.13	3.23	62.73	5.01	42.66	5.39	54.41	3.46	46.21	7.76	--	--
No														
None	44.70	0.46	48.24	0.62	39.41	0.62	39.85	1.13	41.21	0.59	47.65	0.95	65.33	1.25
2nd degree relatives only	21.75	0.40	21.64	0.55	21.91	0.52	27.97	1.19	22.58	0.50	19.73	0.74	11.27	0.76
1st degree relatives only	11.13	0.27	10.83	0.36	11.58	0.39	7.69	0.63	10.85	0.35	12.61	0.59	14.91	0.90
Both 1st and 2nd degree relatives	22.43	0.36	19.30	0.45	27.10	0.56	24.49	1.01	25.35	0.51	20.02	0.74	8.50	0.70
<u>Any Alcohol Treatment in Life</u>														
Yes														
None	24.78	1.53	26.50	1.79	18.35	2.63	18.62	2.87	23.21	2.01	33.38	3.83	44.10	8.27
2nd degree relatives only	18.69	1.34	19.59	1.55	15.31	2.38	23.03	3.48	17.34	1.61	20.36	3.32	--	--
1st degree relatives only	13.80	1.18	15.01	1.41	9.26	1.88	12.63	2.72	14.23	1.58	12.14	2.40	22.10	6.69
Both 1st and 2nd degree relatives	42.74	1.66	38.90	1.96	57.08	3.18	45.72	4.15	45.22	2.15	34.11	3.64	26.50	7.50
No														
None	45.44	0.47	49.35	0.65	39.81	0.63	40.81	1.17	41.99	0.60	47.98	0.97	65.76	1.25
2nd degree relatives only	21.87	0.41	21.76	0.58	22.03	0.53	28.44	1.22	22.72	0.51	19.75	0.76	11.33	0.77
1st degree relatives only	11.01	0.27	10.58	0.36	11.62	0.39	7.41	0.64	10.71	0.36	12.60	0.60	14.75	0.91
Both 1st and 2nd degree relatives	21.69	0.37	18.31	0.46	26.54	0.57	23.33	1.00	24.58	0.51	19.66	0.75	8.15	0.69

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-16. Percent distribution of having alcoholic parents among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Yes	24.60	0.39	22.15	0.48	28.32	0.61	26.49	1.03	26.86	0.51	23.21	0.76	11.72	0.78
No	75.40	0.39	77.85	0.48	71.68	0.61	73.51	1.03	73.14	0.51	76.79	0.76	88.28	0.78
Race														
White														
Yes	24.74	0.41	22.45	0.50	28.13	0.64	26.54	1.06	27.18	0.54	23.65	0.81	11.63	0.79
No	75.26	0.41	77.55	0.50	71.87	0.64	73.46	1.06	72.82	0.54	76.35	0.81	88.37	0.79
Black														
Yes	23.33	1.24	20.29	1.62	28.69	1.90	21.84	2.89	26.38	1.76	17.84	2.07	13.54	4.92
No	76.67	1.24	79.71	1.62	71.31	1.90	78.16	2.89	73.62	1.76	82.16	2.07	86.46	4.92
American Indian/Alaska Native														
Yes	54.71	6.85	50.04	8.90	61.03	7.87	69.21	9.77	45.33	8.00	--	--	--	--
No	45.29	6.85	49.96	8.90	38.97	7.87	30.79	9.77	54.67	8.00	--	--	--	--
Asian/Pacific Islander														
Yes	13.70	2.56	13.59	2.95	--	--	--	--	10.40	2.43	--	--	--	--
No	86.30	2.56	86.41	2.95	85.98	4.85	85.36	4.86	89.60	2.43	74.13	9.43	--	--
Hispanic Origin														
Hispanic														
Yes	25.03	1.60	22.18	2.01	31.43	2.60	35.02	3.85	24.06	1.99	21.07	3.75	--	--
No	74.97	1.60	77.82	2.01	68.57	2.60	64.98	3.85	75.94	1.99	78.93	3.75	94.39	2.95
Nonhispanic														
Yes	24.57	0.41	22.07	0.50	28.25	0.63	25.29	1.07	27.18	0.54	23.34	0.78	11.98	0.80
No	75.43	0.41	77.93	0.50	71.75	0.63	74.71	1.07	72.82	0.54	76.66	0.78	88.02	0.80
Marital Status														
Married														
Yes	23.80	0.48	21.24	0.62	28.00	0.80	27.54	2.54	26.53	0.65	22.67	0.89	11.03	0.96
No	76.20	0.48	78.76	0.62	72.00	0.80	72.46	2.54	73.47	0.65	77.33	0.89	88.97	0.96
Living with someone as if married														
Yes	33.35	2.16	28.94	3.00	39.06	3.00	35.93	4.37	33.40	2.48	27.53	6.64	--	--
No	66.65	2.16	71.06	3.00	60.94	3.00	64.07	4.37	66.60	2.48	72.47	6.64	--	--
Widowed														
Yes	16.51	1.42	14.91	2.35	17.27	1.84	--	--	35.36	7.37	21.21	3.22	12.28	1.45
No	83.49	1.42	85.09	2.35	82.73	1.84	--	--	64.64	7.37	78.79	3.22	87.72	1.45
Divorced														
Yes	28.23	1.10	24.26	1.58	32.34	1.52	28.78	6.17	28.92	1.44	28.57	2.18	20.26	3.58
No	71.77	1.10	75.74	1.58	67.66	1.52	71.22	6.17	71.08	1.44	71.43	2.18	79.74	3.58
Separated														
Yes	29.52	2.31	26.13	3.06	33.37	3.23	26.04	6.82	31.44	2.99	28.32	4.43	--	--
No	70.48	2.31	73.87	3.06	66.63	3.23	73.96	6.82	68.56	2.99	71.68	4.43	90.77	5.40

See footnotes at end of table.

Table 1-16. Percent distribution of having alcoholic parents among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Never married														
Yes	24.50	0.79	23.01	0.97	27.18	1.30	25.33	1.23	24.85	1.15	14.32	2.46	--	--
No	75.50	0.79	76.99	0.97	72.82	1.30	74.67	1.23	75.15	1.15	85.68	2.46	89.60	4.70
<u>Ever Raised Children</u>														
Yes														
Yes	25.32	0.48	22.23	0.60	29.67	0.73	33.93	2.53	28.62	0.67	23.77	0.81	12.28	0.86
No	74.68	0.48	77.77	0.60	70.33	0.73	66.07	2.53	71.38	0.67	76.23	0.81	87.72	0.86
No														
Yes	23.28	0.61	22.01	0.76	25.48	0.99	25.02	1.15	23.62	0.82	18.10	1.90	7.94	1.60
No	76.72	0.61	77.99	0.76	74.52	0.99	74.98	1.15	76.38	0.82	81.90	1.90	92.06	1.60
<u>Children Under 14 Living in Household</u>														
Yes														
Yes	28.03	0.68	23.76	0.90	33.37	1.03	34.21	2.98	28.19	0.74	24.20	2.21	--	--
No	71.97	0.68	76.24	0.90	66.63	1.03	65.79	2.98	71.81	0.74	75.80	2.21	87.47	7.49
No														
Yes	23.10	0.44	21.52	0.55	25.72	0.70	25.45	1.12	25.62	0.72	23.04	0.79	11.70	0.78
No	76.90	0.44	78.48	0.55	74.28	0.70	74.55	1.12	74.38	0.72	76.96	0.79	88.30	0.78
<u>Education</u>														
11 years or less														
Yes	29.59	1.17	26.15	1.39	36.86	1.96	40.36	3.08	34.86	2.02	23.83	2.24	14.37	1.88
No	70.41	1.17	73.85	1.39	63.14	1.96	59.64	3.08	65.14	2.02	76.17	2.24	85.63	1.88
12 years														
Yes	26.22	0.74	23.34	0.96	30.41	1.13	27.28	1.63	29.48	1.07	23.83	1.46	12.85	1.50
No	73.78	0.74	76.66	0.96	69.59	1.13	72.72	1.63	70.52	1.07	76.17	1.46	87.15	1.50
13-15 years														
Yes	25.64	0.74	22.90	0.97	29.13	1.07	24.19	1.52	28.76	0.98	24.51	1.56	10.40	1.49
No	74.36	0.74	77.10	0.97	70.87	1.07	75.81	1.52	71.24	0.98	75.49	1.56	89.60	1.49
16 or more years														
Yes	19.94	0.62	18.68	0.78	22.02	0.97	18.09	2.43	20.73	0.77	21.67	1.30	9.58	1.47
No	80.06	0.62	81.32	0.78	77.98	0.97	81.91	2.43	79.27	0.77	78.33	1.30	90.42	1.47
<u>Currently Employed Full Time</u>														
Yes														
Yes	24.74	0.48	22.81	0.57	28.77	0.86	28.16	1.48	25.13	0.58	22.59	0.97	11.43	2.79
No	75.26	0.48	77.19	0.57	71.23	0.86	71.84	1.48	74.87	0.58	77.41	0.97	88.57	2.79
No														
Yes	24.36	0.61	20.60	0.86	27.85	0.81	24.95	1.51	32.08	1.04	24.38	1.31	11.74	0.81
No	75.64	0.61	79.40	0.86	72.15	0.81	75.05	1.51	67.92	1.04	75.62	1.31	88.26	0.81

See footnotes at end of table.

Table 1-16. Percent distribution of having alcoholic parents among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Personal Annual Income														
None														
Yes	20.88	0.82	16.82	1.15	24.44	1.13	19.74	2.84	35.27	2.01	22.93	1.64	11.73	0.87
No	79.12	0.82	83.18	1.15	75.56	1.13	80.26	2.84	64.73	2.01	77.07	1.64	88.27	0.87
\$1 to \$9,999														
Yes	27.44	0.97	24.46	1.31	30.27	1.29	26.47	1.49	31.08	1.47	25.87	2.36	14.14	2.38
No	72.56	0.97	75.54	1.31	69.73	1.29	73.53	1.49	68.92	1.47	74.13	2.36	85.86	2.38
\$10,000 to \$24,999														
Yes	27.01	0.77	24.23	1.04	30.63	1.11	27.42	1.79	27.38	0.92	26.85	1.74	10.26	3.25
No	72.99	0.77	75.77	1.04	69.37	1.11	72.58	1.79	72.62	0.92	73.15	1.74	89.74	3.25
\$25,000 or more														
Yes	22.94	0.58	21.63	0.68	26.84	1.11	28.98	4.20	23.90	0.69	21.08	1.10	8.34	2.48
No	77.06	0.58	78.37	0.68	73.16	1.11	71.02	4.20	76.10	0.69	78.92	1.10	91.66	2.48
Current/Most Recent Occupation														
Executive, administrative, managerial														
Yes	22.68	0.94	20.44	1.19	26.52	1.55	20.89	3.70	22.72	1.24	25.56	1.82	13.04	2.11
No	77.32	0.94	79.56	1.19	73.48	1.55	79.11	3.70	77.28	1.24	74.44	1.82	86.96	2.11
Professional specialty														
Yes	22.75	0.91	19.28	1.22	26.82	1.35	24.00	3.25	25.45	1.17	21.29	1.85	9.05	1.82
No	77.25	0.91	80.72	1.22	73.18	1.35	76.00	3.25	74.55	1.17	78.71	1.85	90.95	1.82
Technician/related support														
Yes	21.70	1.80	18.57	2.28	26.15	2.67	15.71	3.84	24.92	2.44	21.33	4.35	--	--
No	78.30	1.80	81.43	2.28	73.85	2.67	84.29	3.84	75.08	2.44	78.67	4.35	96.05	2.96
Sales														
Yes	23.87	1.06	19.30	1.31	29.84	1.58	27.43	2.67	26.43	1.56	21.19	2.07	10.70	2.17
No	76.13	1.06	80.70	1.31	70.16	1.58	72.57	2.67	73.57	1.56	78.81	2.07	89.30	2.17
Administrative support, including clerical														
Yes	25.74	0.95	25.10	2.03	25.98	1.04	27.98	2.52	28.53	1.39	25.27	1.94	10.68	1.71
No	74.26	0.95	74.90	2.03	74.02	1.04	72.02	2.52	71.47	1.39	74.73	1.94	89.32	1.71
Private household														
Yes	34.73	6.29	--	--	33.24	6.26	--	--	42.05	9.36	--	--	--	--
No	65.27	6.29	--	--	66.76	6.26	89.73	9.37	57.95	9.36	57.06	12.79	79.89	10.73
Protective service														
Yes	26.35	3.31	25.15	3.54	36.65	7.66	28.76	10.21	24.09	3.86	36.45	6.84	--	--
No	73.65	3.31	74.85	3.54	63.35	7.66	71.24	10.21	75.91	3.86	63.55	6.84	90.54	5.29
Service, except protective and household														
Yes	30.43	1.32	26.65	2.11	33.16	1.61	28.51	2.50	34.77	1.84	26.21	2.91	18.66	3.70
No	69.57	1.32	73.35	2.11	66.84	1.61	71.49	2.50	65.23	1.84	73.79	2.91	81.34	3.70

See footnotes at end of table.

Table 1-16. Percent distribution of having alcoholic parents among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Farming, forestry, fishing														
Yes	19.27	2.26	19.05	2.45	20.84	5.34	16.80	4.20	24.31	3.75	16.98	3.89	--	--
No	80.73	2.26	80.95	2.45	79.16	5.34	83.20	4.20	75.69	3.75	83.02	3.89	91.62	4.25
Precision production, craft, repair														
Yes	24.27	1.11	23.80	1.12	30.28	3.88	25.86	3.26	26.06	1.47	23.08	2.44	13.73	2.42
No	75.73	1.11	76.20	1.12	69.72	3.88	74.14	3.26	73.94	1.47	76.92	2.44	86.27	2.42
Operators, fabricators, laborers														
Yes	25.60	1.75	22.98	2.18	31.73	2.88	31.73	4.88	28.10	2.23	21.41	2.99	12.68	3.27
No	74.40	1.75	77.02	2.18	68.27	2.88	68.27	4.88	71.90	2.23	78.59	2.99	87.32	3.27
Transportation, material moving														
Yes	22.29	1.76	20.59	1.76	45.41	8.36	22.07	4.83	25.54	2.55	18.52	3.51	14.21	4.49
No	77.71	1.76	79.41	1.76	54.59	8.36	77.93	4.83	74.46	2.55	81.48	3.51	85.79	4.49
Handlers, equipment cleaners, helpers, laborers														
Yes	30.01	2.13	29.69	2.49	31.59	4.99	36.44	3.89	29.58	3.30	20.57	6.98	--	--
No	69.99	2.13	70.31	2.49	68.41	4.99	63.56	3.89	70.42	3.30	79.43	6.98	82.55	8.55
Military														
Yes	22.67	4.30	23.48	4.73	--	--	--	--	29.59	6.02	--	--	--	--
No	77.33	4.30	76.52	4.73	82.24	9.07	85.48	5.24	70.41	6.02	--	--	--	--
<u>Current/Most Recent Industry</u>														
Agriculture, forestry, fisheries														
Yes	18.78	2.32	18.40	2.60	20.27	3.95	16.09	4.62	22.99	3.89	16.39	4.06	--	--
No	81.22	2.32	81.60	2.60	79.73	3.95	83.91	4.62	77.01	3.89	83.61	4.06	89.41	4.35
Mining														
Yes	19.35	4.77	16.89	4.86	--	--	--	--	--	--	--	--	--	--
No	80.65	4.77	83.11	4.86	71.48	11.60	--	--	81.81	5.82	82.83	8.28	66.60	15.68
Construction														
Yes	26.06	1.49	24.96	1.56	37.52	5.16	25.71	3.55	27.52	1.97	24.81	3.16	17.77	4.76
No	73.94	1.49	75.04	1.56	62.48	5.16	74.29	3.55	72.48	1.97	75.19	3.16	82.23	4.76
Manufacturing														
Yes	23.87	0.90	23.14	1.07	25.98	1.57	27.63	2.87	26.44	1.20	22.52	1.79	11.12	1.68
No	76.13	0.90	76.86	1.07	74.02	1.57	72.37	2.87	73.56	1.20	77.48	1.79	88.88	1.68
Transportation, communications, other public utilities														
Yes	24.19	1.40	21.46	1.64	32.07	2.79	35.30	7.44	25.88	1.82	21.51	2.58	12.88	2.97
No	75.81	1.40	78.54	1.64	67.93	2.79	64.70	7.44	74.12	1.82	78.49	2.58	87.12	2.97
Wholesale trade														
Yes	21.99	1.74	19.08	1.82	31.85	3.80	20.64	4.55	25.16	2.35	19.94	3.55	--	--
No	78.01	1.74	80.92	1.82	68.15	3.80	79.36	4.55	74.84	2.35	80.06	3.55	89.82	3.99
Retail trade														
Yes	25.62	0.96	21.62	1.30	29.68	1.31	27.63	1.78	27.58	1.50	22.74	2.32	11.46	2.14
No	74.38	0.96	78.38	1.30	70.32	1.31	72.37	1.78	72.42	1.50	77.26	2.32	88.54	2.14

See footnotes at end of table.

Table 1-16. Percent distribution of having alcoholic parents among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Finance, insurance, real estate														
Yes	24.79	1.43	23.23	2.11	26.14	1.92	21.70	4.22	25.53	1.94	26.94	2.87	18.04	3.72
No	75.21	1.43	76.77	2.11	73.86	1.92	78.30	4.22	74.47	1.94	73.06	2.87	81.96	3.72
Services: business and repair														
Yes	26.29	1.56	24.34	1.99	29.88	2.51	34.68	4.46	25.10	1.92	24.30	3.29	23.19	5.44
No	73.71	1.56	75.66	1.99	70.12	2.51	65.32	4.46	74.90	1.92	75.70	3.29	76.81	5.44
Services: personal														
Yes	30.05	2.19	20.84	3.22	34.93	2.84	21.11	5.43	37.13	3.63	31.34	5.11	11.79	3.64
No	69.95	2.19	79.16	3.22	65.07	2.84	78.89	5.43	62.87	3.63	68.66	5.11	88.21	3.64
Services: entertainment and recreation														
Yes	30.39	2.95	26.58	3.46	38.30	4.98	33.08	5.42	30.74	4.33	27.68	6.58	--	--
No	69.61	2.95	73.42	3.46	61.70	4.98	66.92	5.42	69.26	4.33	72.32	6.58	89.23	7.62
Services: professional and related														
Yes	23.99	0.80	19.54	1.21	26.86	1.01	22.59	2.27	27.11	1.07	23.92	1.54	7.70	1.41
No	76.01	0.80	80.46	1.21	73.14	1.01	77.41	2.27	72.89	1.07	76.08	1.54	92.30	1.41
Public administration														
Yes	23.44	1.73	22.71	2.31	24.94	2.36	37.50	8.16	24.51	2.23	21.97	3.19	10.31	2.58
No	76.56	1.73	77.29	2.31	75.06	2.36	62.50	8.16	75.49	2.23	78.03	3.19	89.69	2.58
Military														
Yes	24.29	4.22	25.48	4.65	--	--	--	--	31.87	5.76	--	--	--	--
No	75.71	4.22	74.52	4.65	83.42	8.55	85.56	5.21	68.13	5.76	--	--	--	--
<u>Smoked Any Cigarettes in Last Year</u>														
Yes														
Yes	29.51	0.67	26.53	0.85	34.01	0.96	32.99	1.66	31.46	0.89	24.80	1.27	15.11	2.01
No	70.49	0.67	73.47	0.85	65.99	0.96	67.01	1.66	68.54	0.89	75.20	1.27	84.89	2.01
No														
Yes	21.52	0.44	19.40	0.56	24.73	0.73	21.35	1.17	23.62	0.60	22.36	0.97	10.75	0.85
No	78.48	0.44	80.60	0.56	75.27	0.73	78.65	1.17	76.38	0.60	77.64	0.97	89.25	0.85
<u>Smoked 100 or More Cigarettes in Life</u>														
Yes														
Yes	27.19	0.50	24.41	0.64	31.69	0.78	32.68	1.59	30.42	0.72	24.31	0.91	12.67	0.97
No	72.81	0.50	75.59	0.64	68.31	0.78	67.32	1.59	69.58	0.72	75.69	0.91	87.33	0.97
No														
Yes	20.76	0.53	18.59	0.70	23.76	0.88	20.91	1.20	22.14	0.68	20.57	1.39	9.54	1.27
No	79.24	0.53	81.41	0.70	76.24	0.88	79.09	1.20	77.86	0.68	79.43	1.39	90.46	1.27
<u>Any Depression in Past Year</u>														
Yes														
Yes	40.12	1.95	38.06	3.09	42.41	2.66	38.29	3.66	43.66	2.67	25.55	5.17	--	--
No	59.88	1.95	61.94	3.09	57.59	2.66	61.71	3.66	56.34	2.67	74.45	5.17	--	--

See footnotes at end of table.

Table 1-16. Percent distribution of having alcoholic parents among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Yes	23.96	0.40	21.58	0.48	27.62	0.63	25.51	1.07	26.08	0.52	23.17	0.77	11.61	0.77
No	76.04	0.40	78.42	0.48	72.38	0.63	74.49	1.07	73.92	0.52	76.83	0.77	88.39	0.77
<u>Any Depression in Life</u>														
Yes														
Yes	37.73	1.22	34.88	1.89	40.73	1.70	36.41	2.62	39.64	1.60	34.90	2.83	19.13	6.49
No	62.27	1.22	65.12	1.89	59.27	1.70	63.59	2.62	60.36	1.60	65.10	2.83	80.87	6.49
No														
Yes	22.95	0.40	20.82	0.48	26.34	0.63	24.56	1.09	25.01	0.53	22.22	0.78	11.54	0.77
No	77.05	0.40	79.18	0.48	73.66	0.63	75.44	1.09	74.99	0.53	77.78	0.78	88.46	0.77
<u>Alcohol Use Disorder in Past Year</u>														
None														
Yes	22.24	0.40	19.20	0.50	26.46	0.62	22.81	1.13	24.45	0.55	22.02	0.76	11.21	0.79
No	77.76	0.40	80.80	0.50	73.54	0.62	77.19	1.13	75.55	0.55	77.98	0.76	88.79	0.79
Abuse														
Yes	30.76	1.63	27.87	1.94	39.01	2.84	29.62	3.17	31.85	1.84	31.52	5.49	--	--
No	69.24	1.63	72.13	1.94	60.99	2.84	70.38	3.17	68.15	1.84	68.48	5.49	93.43	6.43
Dependence														
Yes	40.24	1.43	38.79	1.72	43.52	2.30	35.66	2.15	43.69	1.94	38.62	3.99	45.47	8.78
No	59.76	1.43	61.21	1.72	56.48	2.30	64.34	2.15	56.31	1.94	61.38	3.99	54.53	8.78
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
Yes	23.17	0.54	19.43	0.73	27.03	0.77	23.58	1.51	25.75	0.75	21.73	1.10	10.52	1.13
No	76.83	0.54	80.57	0.73	72.97	0.77	76.42	1.51	74.25	0.75	78.27	1.10	89.48	1.13
Moderate drinker														
Yes	23.94	0.59	21.18	0.72	28.82	1.00	27.88	1.62	24.91	0.79	23.18	1.28	12.12	1.32
No	76.06	0.59	78.82	0.72	71.18	1.00	72.12	1.62	75.09	0.79	76.82	1.28	87.88	1.32
Heavier drinker														
Yes	29.55	0.92	28.22	1.08	33.92	1.85	29.54	2.38	34.75	1.48	26.78	1.86	13.68	1.88
No	70.45	0.92	71.78	1.08	66.08	1.85	70.46	2.38	65.25	1.48	73.22	1.86	86.32	1.88
<u>Usual/Heaviest Drinking Level in Past Year³</u>														
Light drinker														
Yes	22.88	0.57	19.26	0.78	26.62	0.79	22.62	1.63	25.56	0.77	21.84	1.13	10.34	1.15
No	77.12	0.57	80.74	0.78	73.38	0.79	77.38	1.63	74.44	0.77	78.16	1.13	89.66	1.15
Moderate drinker														
Yes	23.65	0.57	20.99	0.70	28.05	0.95	27.46	1.62	24.82	0.77	22.48	1.23	11.51	1.27
No	76.35	0.57	79.01	0.70	71.95	0.95	72.54	1.62	75.18	0.77	77.52	1.23	88.49	1.27

See footnotes at end of table.

Table 1-16. Percent distribution of having alcoholic parents among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Heavier drinker														
Yes	29.59	0.86	27.58	0.99	35.72	1.73	30.33	2.28	33.87	1.38	27.28	1.76	14.16	1.87
No	70.41	0.86	72.42	0.99	64.28	1.73	69.67	2.28	66.13	1.38	72.72	1.76	85.84	1.87
5 or More Drinks in a Single Day														
Not once in past year														
Yes	21.05	0.52	17.31	0.73	24.59	0.71	24.19	2.17	23.76	0.79	21.78	0.94	10.48	0.82
No	78.95	0.52	82.69	0.73	75.41	0.71	75.81	2.17	76.24	0.79	78.22	0.94	89.52	0.82
1 to 11 times in past year														
Yes	26.63	0.71	23.45	0.89	32.24	1.18	27.00	1.64	27.34	0.88	25.56	1.74	17.26	2.84
No	73.37	0.71	76.55	0.89	67.76	1.18	73.00	1.64	72.66	0.88	74.44	1.74	82.74	2.84
12 or more times in past year														
Yes	28.43	0.79	26.26	0.87	35.30	1.67	26.91	1.64	30.76	1.05	25.90	1.90	16.20	2.95
No	71.57	0.79	73.74	0.87	64.70	1.67	73.09	1.64	69.24	1.05	74.10	1.90	83.80	2.95
Drinking Enough to Feel Drunk														
Not once in past year														
Yes	20.76	0.47	18.21	0.60	24.06	0.71	22.97	1.92	23.10	0.71	21.40	0.84	11.17	0.80
No	79.24	0.47	81.79	0.60	75.94	0.71	77.03	1.92	76.90	0.71	78.60	0.84	88.83	0.80
1 to 11 times in past year														
Yes	27.59	0.67	23.80	0.83	33.69	1.09	25.92	1.38	28.34	0.80	29.14	1.92	14.62	3.19
No	72.41	0.67	76.20	0.83	66.31	1.09	74.08	1.38	71.66	0.80	70.86	1.92	85.38	3.19
12 or more times in past year														
Yes	33.81	1.30	32.17	1.49	38.46	2.36	30.10	2.09	37.93	1.89	30.12	3.56	23.95	7.20
No	66.19	1.30	67.83	1.49	61.54	2.36	69.90	2.09	62.07	1.89	69.88	3.56	76.05	7.20
Driving After Drinking														
Not once in past year														
Yes	23.27	0.41	20.35	0.49	27.38	0.63	24.09	1.10	25.64	0.54	22.63	0.77	11.68	0.78
No	76.73	0.41	79.65	0.49	72.62	0.63	75.91	1.10	74.36	0.54	77.37	0.77	88.32	0.78
1 or 2 times in past year														
Yes	33.79	1.72	31.42	2.06	39.68	2.71	39.30	3.69	32.55	1.94	30.36	5.63	--	--
No	66.21	1.72	68.58	2.06	60.32	2.71	60.70	3.69	67.45	1.94	69.64	5.63	93.06	6.70
3 or more times in past year														
Yes	36.18	1.77	35.10	2.02	39.93	3.85	32.00	3.35	38.29	2.09	37.06	6.79	--	--
No	63.82	1.77	64.90	2.02	60.07	3.85	68.00	3.35	61.71	2.09	62.94	6.79	--	--
Getting into Situation that Could Be Harmful														
Not once in past year														
Yes	24.16	0.40	21.53	0.49	27.99	0.61	26.15	1.10	26.34	0.52	23.10	0.77	11.63	0.77
No	75.84	0.40	78.47	0.49	72.01	0.61	73.85	1.10	73.66	0.52	76.90	0.77	88.37	0.77

See footnotes at end of table.

Table 1-16. Percent distribution of having alcoholic parents among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
At least once in past year														
Yes	34.69	1.72	32.63	1.88	43.08	4.09	29.30	2.73	40.31	2.75	35.70	7.43	--	--
No	65.31	1.72	67.37	1.88	56.92	4.09	70.70	2.73	59.69	2.75	64.30	7.43	--	--
<u>Age Started Drinking</u>														
16 years or younger														
Yes	31.29	0.80	28.88	0.98	36.10	1.34	32.01	1.59	33.86	1.02	25.37	2.14	13.97	2.37
No	68.71	0.80	71.12	0.98	63.90	1.34	67.99	1.59	66.14	1.02	74.63	2.14	86.03	2.37
17 or 18 years														
Yes	23.66	0.67	20.73	0.80	29.06	1.10	22.78	1.67	24.84	0.86	24.44	1.47	13.15	1.77
No	76.34	0.67	79.27	0.80	70.94	1.10	77.22	1.67	75.16	0.86	75.56	1.47	86.85	1.77
19 or 20 years														
Yes	21.13	0.90	19.28	1.23	23.71	1.30	18.84	2.34	22.60	1.24	22.42	1.79	12.70	1.99
No	78.87	0.90	80.72	1.23	76.29	1.30	81.16	2.34	77.40	1.24	77.58	1.79	87.30	1.99
21 years or older														
Yes	21.02	0.68	17.13	0.94	24.66	0.98	21.60	3.57	24.38	1.09	21.83	1.13	10.35	1.09
No	78.98	0.68	82.87	0.94	75.34	0.98	78.40	3.57	75.62	1.09	78.17	1.13	89.65	1.09
<u>Drinking Days of the Week in Past Year</u>														
Holidays or special occasions only														
Yes	21.49	1.24	18.19	1.72	25.30	1.81	24.72	4.82	25.07	1.84	21.67	2.36	9.75	1.79
No	78.51	1.24	81.81	1.72	74.70	1.81	75.28	4.82	74.93	1.84	78.33	2.36	90.25	1.79
Weekends only														
Yes	24.72	0.48	21.86	0.63	28.62	0.73	25.83	1.17	26.06	0.63	22.79	1.07	12.03	1.54
No	75.28	0.48	78.14	0.63	71.38	0.73	74.17	1.17	73.94	0.63	77.21	1.07	87.97	1.54
Weekdays/weekends														
Yes	25.12	0.68	23.34	0.82	28.66	1.10	28.39	2.18	29.04	1.01	24.12	1.19	12.06	1.04
No	74.88	0.68	76.66	0.82	71.34	1.10	71.61	2.18	70.96	1.01	75.88	1.19	87.94	1.04
<u>Overall Alcohol Beverage Preference in Past Year</u>														
Beer														
Yes	25.03	0.62	23.07	0.67	31.12	1.24	27.81	1.51	26.24	0.78	21.59	1.44	13.64	1.76
No	74.97	0.62	76.93	0.67	68.88	1.24	72.19	1.51	73.76	0.78	78.41	1.44	86.36	1.76
Wine														
Yes	23.79	0.93	18.06	1.59	25.87	1.13	23.20	3.16	27.38	1.33	23.19	1.62	10.62	1.61
No	76.21	0.93	81.94	1.59	74.13	1.13	76.80	3.16	72.62	1.33	76.81	1.62	89.38	1.61
Liquor														
Yes	23.45	1.15	21.28	1.56	25.81	1.65	30.15	4.94	32.04	2.14	22.95	1.92	10.79	1.50
No	76.55	1.15	78.72	1.56	74.19	1.65	69.85	4.94	67.96	2.14	77.05	1.92	89.21	1.50
No preference														
Yes	24.61	0.69	21.42	0.90	29.05	1.01	24.83	1.58	26.26	0.89	24.91	1.38	11.63	1.45
No	75.39	0.69	78.58	0.90	70.95	1.01	75.17	1.58	73.74	0.89	75.09	1.38	88.37	1.45

See footnotes at end of table.

Table 1-16. Percent distribution of having alcoholic parents among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Type of Beer Drunk in Past Year</u>														
Regular														
Yes	24.69	0.63	22.73	0.70	30.47	1.19	29.49	1.75	25.86	0.83	23.16	1.31	12.54	1.29
No	75.31	0.63	77.27	0.70	69.53	1.19	70.51	1.75	74.14	0.83	76.84	1.31	87.46	1.29
Lite or reduced calorie														
Yes	24.67	0.57	21.53	0.73	29.02	0.91	25.04	1.53	26.54	0.74	23.16	1.19	11.55	1.48
No	75.33	0.57	78.47	0.73	70.98	0.91	74.96	1.53	73.46	0.74	76.84	1.19	88.45	1.48
Malt, low-alcohol, or combination														
Yes	26.30	1.80	24.20	2.15	31.21	3.13	25.01	3.43	27.99	2.51	24.89	4.15	21.84	5.97
No	73.70	1.80	75.80	2.15	68.79	3.13	74.99	3.43	72.01	2.51	75.11	4.15	78.16	5.97
Does not drink beer														
Yes	24.31	0.68	22.35	0.75	30.05	1.28	27.40	1.79	27.02	0.96	20.43	1.34	12.73	1.40
No	75.69	0.68	77.65	0.75	69.95	1.28	72.60	1.79	72.98	0.96	79.57	1.34	87.27	1.40
<u>Type of Wine Drunk in Past Year</u>														
Regular														
Yes	24.21	0.51	21.30	0.66	27.85	0.73	26.00	1.61	26.30	0.67	24.44	1.01	11.45	0.95
No	75.79	0.51	78.70	0.66	72.15	0.73	74.00	1.61	73.70	0.67	75.56	1.01	88.55	0.95
Wine cooler														
Yes	27.26	1.18	25.82	1.95	28.26	1.40	26.60	1.97	28.54	1.59	26.21	3.80	--	--
No	72.74	1.18	74.18	1.95	71.74	1.40	73.40	1.97	71.46	1.59	73.79	3.80	93.20	5.46
Fortified or combination														
Yes	22.88	2.00	19.97	2.96	25.41	2.84	21.83	4.96	24.96	2.88	22.80	4.47	--	--
No	77.12	2.00	80.03	2.96	74.59	2.84	78.17	4.96	75.04	2.88	77.20	4.47	89.26	4.58
Does not drink wine														
Yes	24.31	0.68	22.35	0.75	30.05	1.28	27.40	1.79	27.02	0.96	20.43	1.34	12.73	1.40
No	75.69	0.68	77.65	0.75	69.95	1.28	72.60	1.79	72.98	0.96	79.57	1.34	87.27	1.40
<u>Type of Liquor Drunk in Past Year</u>														
Mixed drink														
Yes	25.11	0.50	22.42	0.65	28.54	0.75	25.23	1.27	27.86	0.69	24.50	1.02	11.96	1.00
No	74.89	0.50	77.58	0.65	71.46	0.75	74.77	1.27	72.14	0.69	75.50	1.02	88.04	1.00
Straight liquor														
Yes	23.54	1.20	22.50	1.39	27.58	2.56	31.20	3.41	23.35	1.64	23.03	2.71	12.09	2.58
No	76.46	1.20	77.50	1.39	72.42	2.56	68.80	3.41	76.65	1.64	76.97	2.71	87.91	2.58
Liqueurs or combination														
Yes	29.84	1.82	28.00	2.42	32.23	2.53	29.31	4.53	33.63	2.32	24.47	3.95	--	--
No	70.16	1.82	72.00	2.42	67.77	2.53	70.69	4.53	66.37	2.32	75.53	3.95	86.06	4.74
Does not drink liquor														
Yes	23.08	0.66	20.68	0.87	27.19	1.09	26.90	1.89	25.04	0.89	20.44	1.30	10.66	1.44
No	76.92	0.66	79.32	0.87	72.81	1.09	73.10	1.89	74.96	0.89	79.56	1.30	89.34	1.44

See footnotes at end of table.

Table 1-16. Percent distribution of having alcoholic parents among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Family History of Alcoholism</u>														
None	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Yes	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00
No														
2nd degree relatives only	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Yes	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00
No														
1st degree relatives only	63.74	1.20	63.31	1.59	64.35	1.65	78.32	3.31	64.59	1.61	63.33	2.27	47.11	3.13
Yes	36.26	1.20	36.69	1.59	35.65	1.65	21.68	3.31	35.41	1.61	36.67	2.27	52.89	3.13
No														
Both 1st and 2nd degree relatives	75.77	0.78	75.82	1.14	75.71	1.09	81.02	1.73	75.72	1.01	74.81	1.79	54.55	4.15
Yes	24.23	0.78	24.18	1.14	24.29	1.09	18.98	1.73	24.28	1.01	25.19	1.79	45.45	4.15
No														
<u>Married to Alcoholic/Lived with Alcoholic as Married</u>														
Yes	41.59	1.21	38.64	2.25	42.96	1.38	52.25	4.47	42.92	1.63	41.83	2.35	18.48	2.92
Yes	58.41	1.21	61.36	2.25	57.04	1.38	47.75	4.47	57.08	1.63	58.17	2.35	81.52	2.92
No														
No	22.43	0.41	21.10	0.48	24.78	0.65	25.01	1.04	24.47	0.54	20.52	0.80	11.03	0.79
Yes	77.57	0.41	78.90	0.48	75.22	0.65	74.99	1.04	75.53	0.54	79.48	0.80	88.97	0.79
No														
<u>Any Alcohol Treatment in Past Year</u>														
Yes	50.12	2.87	45.77	3.33	63.74	5.10	43.47	5.60	53.06	3.72	48.54	7.46	--	--
Yes	49.88	2.87	54.23	3.33	36.26	5.10	56.53	5.60	46.94	3.72	51.46	7.46	--	--
No														
No	24.01	0.39	21.46	0.47	27.82	0.61	25.87	1.07	26.15	0.51	22.86	0.76	11.57	0.77
Yes	75.99	0.39	78.54	0.47	72.18	0.61	74.13	1.07	73.85	0.51	77.14	0.76	88.43	0.77
No														
<u>Any Alcohol Treatment in Life</u>														
Yes	43.76	1.65	40.77	1.94	54.93	3.29	46.72	3.93	45.74	2.20	36.33	3.69	30.15	7.43
Yes	56.24	1.65	59.23	1.94	45.07	3.29	53.28	3.93	54.26	2.20	63.67	3.69	69.85	7.43
No														
No	23.27	0.39	20.42	0.48	27.37	0.61	24.73	1.06	25.34	0.51	22.53	0.78	11.27	0.76
Yes	76.73	0.39	79.58	0.48	72.63	0.61	75.27	1.06	74.66	0.51	77.47	0.78	88.73	0.76
No														

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-17. Percent distribution of having married/lived as if married with an alcoholic among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Yes	11.32	0.28	5.97	0.28	19.45	0.51	5.43	0.49	12.96	0.40	12.62	0.56	9.21	0.70
No	88.68	0.28	94.03	0.28	80.55	0.51	94.57	0.49	87.04	0.40	87.38	0.56	90.79	0.70
Race														
White														
Yes	11.50	0.30	6.24	0.31	19.29	0.54	5.35	0.50	13.31	0.44	12.62	0.59	9.38	0.73
No	88.50	0.30	93.76	0.31	80.71	0.54	94.65	0.50	86.69	0.44	87.38	0.59	90.62	0.73
Black														
Yes	10.21	0.81	4.30	0.76	20.64	1.61	4.17	1.54	10.94	1.12	13.45	1.79	6.61	2.14
No	89.79	0.81	95.70	0.76	79.36	1.61	95.83	1.54	89.06	1.12	86.55	1.79	93.39	2.14
American Indian/Alaska Native														
Yes	24.23	5.01	--	--	42.21	6.65	--	--	28.00	7.22	--	--	--	--
No	75.77	5.01	89.05	3.94	57.79	6.65	84.92	7.63	72.00	7.22	--	--	--	--
Asian/Pacific Islander														
Yes	4.50	1.81	--	--	--	--	--	--	--	--	--	--	--	--
No	95.50	1.81	98.39	1.19	87.80	5.53	98.36	1.64	92.92	2.97	100.00	0.00	--	--
Hispanic Origin														
Hispanic														
Yes	6.53	0.70	2.84	0.59	14.79	1.72	--	--	8.35	1.07	6.86	1.53	--	--
No	93.47	0.70	97.16	0.59	85.21	1.72	97.61	0.81	91.65	1.07	93.14	1.53	97.24	2.72
Nonhispanic														
Yes	11.71	0.29	6.17	0.29	19.87	0.53	5.85	0.54	13.29	0.41	13.02	0.59	9.47	0.72
No	88.29	0.29	93.83	0.29	80.13	0.53	94.15	0.54	86.71	0.41	86.98	0.59	90.53	0.72
Marital Status														
Married														
Yes	9.05	0.34	4.93	0.35	15.79	0.64	7.75	1.36	9.78	0.47	8.92	0.58	6.16	0.76
No	90.95	0.34	95.07	0.35	84.21	0.64	92.25	1.36	90.22	0.47	91.08	0.58	93.84	0.76
Living with someone as if married														
Yes	17.84	1.59	9.17	1.57	29.04	2.81	13.92	3.05	20.33	2.11	14.53	4.41	--	--
No	82.16	1.59	90.83	1.57	70.96	2.81	86.08	3.05	79.67	2.11	85.47	4.41	--	--
Widowed														
Yes	20.24	1.65	8.30	2.12	25.97	2.13	--	--	35.30	7.07	28.97	3.65	14.08	1.50
No	79.76	1.65	91.70	2.12	74.03	2.13	--	--	64.70	7.07	71.03	3.65	85.92	1.50
Divorced														
Yes	32.08	1.13	19.26	1.54	45.38	1.70	40.26	7.17	32.95	1.59	30.29	2.02	29.41	4.21
No	67.92	1.13	80.74	1.54	54.62	1.70	59.74	7.17	67.05	1.59	69.71	2.02	70.59	4.21
Separated														
Yes	28.90	2.03	16.76	2.75	42.68	3.09	16.35	5.21	30.49	2.59	29.93	4.39	--	--
No	71.10	2.03	83.24	2.75	57.32	3.09	83.65	5.21	69.51	2.59	70.07	4.39	67.38	11.36

See footnotes at end of table.

Table 1-17. Percent distribution of having married/lived as if married with an alcoholic among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Never married														
Yes	5.56	0.37	3.12	0.33	9.98	0.80	3.01	0.44	8.72	0.63	4.34	1.34	--	--
No	94.44	0.37	96.88	0.33	90.02	0.80	96.99	0.44	91.28	0.63	95.66	1.34	99.63	0.37
<u>Ever Raised Children</u>														
Yes														
Yes	13.86	0.36	7.26	0.39	23.17	0.65	14.40	1.69	15.19	0.52	13.14	0.60	9.88	0.77
No	86.14	0.36	92.74	0.39	76.83	0.65	85.60	1.69	84.81	0.52	86.86	0.60	90.12	0.77
No														
Yes	6.66	0.34	3.79	0.35	11.67	0.70	3.65	0.46	8.87	0.52	7.93	1.25	4.70	1.20
No	93.34	0.34	96.21	0.35	88.33	0.70	96.35	0.46	91.13	0.52	92.07	1.25	95.30	1.20
<u>Children Under 14 Living in Household</u>														
Yes														
Yes	13.03	0.49	5.69	0.51	22.23	0.82	15.22	2.23	13.50	0.54	8.69	1.23	--	--
No	86.97	0.49	94.31	0.51	77.77	0.82	84.78	2.23	86.50	0.54	91.31	1.23	94.76	3.30
No														
Yes	10.58	0.32	6.08	0.32	18.02	0.60	4.11	0.45	12.46	0.56	13.28	0.62	9.30	0.70
No	89.42	0.32	93.92	0.32	81.98	0.60	95.89	0.45	87.54	0.56	86.72	0.62	90.70	0.70
<u>Education</u>														
11 years or less														
Yes	13.84	0.85	7.63	0.89	26.97	1.64	10.88	1.93	17.39	1.52	13.93	1.53	8.46	1.53
No	86.16	0.85	92.37	0.89	73.03	1.64	89.12	1.93	82.61	1.52	86.07	1.53	91.54	1.53
12 years														
Yes	13.54	0.55	7.47	0.57	22.36	0.99	8.05	1.08	15.54	0.81	14.07	1.04	10.73	1.39
No	86.46	0.55	92.53	0.57	77.64	0.99	91.95	1.08	84.46	0.81	85.93	1.04	89.27	1.39
13-15 years														
Yes	12.23	0.52	5.87	0.49	20.37	0.89	3.51	0.54	15.33	0.76	15.74	1.30	11.02	1.51
No	87.77	0.52	94.13	0.49	79.63	0.89	96.49	0.54	84.67	0.76	84.26	1.30	88.98	1.51
16 or more years														
Yes	7.16	0.36	3.89	0.36	12.55	0.71	--	--	7.32	0.46	8.60	0.80	6.80	1.08
No	92.84	0.36	96.11	0.36	87.45	0.71	98.86	0.53	92.68	0.46	91.40	0.80	93.20	1.08
<u>Currently Employed Full Time</u>														
Yes														
Yes	10.44	0.36	5.76	0.35	20.19	0.73	5.47	0.68	10.90	0.46	11.92	0.65	8.11	2.56
No	89.56	0.36	94.24	0.35	79.81	0.73	94.53	0.68	89.10	0.46	88.08	0.65	91.89	2.56
No														
Yes	12.80	0.44	6.47	0.48	18.68	0.70	5.39	0.68	19.21	0.86	13.95	1.03	9.30	0.72
No	87.20	0.44	93.53	0.48	81.32	0.70	94.61	0.68	80.79	0.86	86.05	1.03	90.70	0.72

See footnotes at end of table.

Table 1-17. Percent distribution of having married/lived as if married with an alcoholic among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Personal Annual Income														
None														
Yes	13.11	0.62	5.90	0.67	19.42	0.98	6.42	1.76	23.34	1.60	12.26	1.25	9.09	0.75
No	86.89	0.62	94.10	0.67	80.58	0.98	93.58	1.76	76.66	1.60	87.74	1.25	90.91	0.75
\$1 to \$9,999														
Yes	12.59	0.72	6.78	0.86	18.12	1.03	4.99	0.68	19.80	1.30	17.83	1.89	10.80	2.23
No	87.41	0.72	93.22	0.86	81.88	1.03	95.01	0.68	80.20	1.30	82.17	1.89	89.20	2.23
\$10,000 to \$24,999														
Yes	13.07	0.56	6.71	0.52	21.36	1.00	5.79	0.83	14.12	0.69	18.05	1.43	7.59	2.60
No	86.93	0.56	93.29	0.52	78.64	1.00	94.21	0.83	85.88	0.69	81.95	1.43	92.41	2.60
\$25,000 or more														
Yes	8.59	0.38	5.31	0.37	18.44	0.94	5.90	1.89	8.46	0.46	9.15	0.68	8.88	2.93
No	91.41	0.38	94.69	0.37	81.56	0.94	94.10	1.89	91.54	0.46	90.85	0.68	91.12	2.93
Current/Most Recent Occupation														
Executive, administrative, managerial														
Yes	11.23	0.69	5.85	0.68	20.46	1.37	--	--	11.24	0.94	13.40	1.36	10.01	1.99
No	88.77	0.69	94.15	0.68	79.54	1.37	97.85	1.00	88.76	0.94	86.60	1.36	89.99	1.99
Professional specialty														
Yes	8.94	0.55	3.96	0.56	14.78	0.99	--	--	9.01	0.74	10.20	1.12	8.50	1.53
No	91.06	0.55	96.04	0.56	85.22	0.99	95.05	1.80	90.99	0.74	89.80	1.12	91.50	1.53
Technician/related support														
Yes	9.94	1.11	5.43	1.44	16.37	2.21	--	--	11.08	1.48	11.59	2.86	--	--
No	90.06	1.11	94.57	1.44	83.63	2.21	96.37	1.85	88.92	1.48	88.41	2.86	89.60	4.99
Sales														
Yes	10.22	0.68	3.59	0.57	18.88	1.35	5.69	1.39	11.76	1.05	10.92	1.52	10.60	2.10
No	89.78	0.68	96.41	0.57	81.12	1.35	94.31	1.39	88.24	1.05	89.08	1.52	89.40	2.10
Administrative support, including clerical														
Yes	15.15	0.79	4.18	0.85	19.23	0.99	7.67	1.32	17.82	1.19	17.72	1.76	9.27	1.32
No	84.85	0.79	95.82	0.85	80.77	0.99	92.33	1.32	82.18	1.19	82.28	1.76	90.73	1.32
Private household														
Yes	27.83	5.75	--	--	26.06	5.55	--	--	27.89	7.99	--	--	--	--
No	72.17	5.75	--	--	73.94	5.55	94.35	5.61	72.11	7.99	51.90	13.21	77.89	15.17
Protective service														
Yes	7.48	1.66	5.83	1.64	21.60	6.54	--	--	6.66	1.99	--	--	--	--
No	92.52	1.66	94.17	1.64	78.40	6.54	95.34	2.82	93.34	1.99	87.93	4.88	90.92	6.25
Service, except protective and household														
Yes	17.79	1.03	7.26	1.32	25.39	1.48	8.89	1.33	22.44	1.63	22.34	2.68	18.10	4.31
No	82.21	1.03	92.74	1.32	74.61	1.48	91.11	1.33	77.56	1.63	77.66	2.68	81.90	4.31

See footnotes at end of table.

Table 1-17. Percent distribution of having married/lived as if married with an alcoholic among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Farming, forestry, fishing														
Yes	7.32	1.37	5.43	1.30	20.29	5.24	--	--	11.66	2.75	--	--	--	--
No	92.68	1.37	94.57	1.30	79.71	5.24	98.08	1.08	88.34	2.75	93.46	2.40	94.75	3.03
Precision production, craft, repair														
Yes	9.06	0.72	8.26	0.72	19.12	3.26	--	--	11.39	1.06	8.36	1.46	4.48	1.43
No	90.94	0.72	91.74	0.72	80.88	3.26	96.96	1.22	88.61	1.06	91.64	1.46	95.52	1.43
Operators, fabricators, laborers														
Yes	13.36	1.16	9.04	1.22	23.49	2.40	6.95	2.56	15.97	1.69	12.78	2.52	10.68	2.73
No	86.64	1.16	90.96	1.22	76.51	2.40	93.05	2.56	84.03	1.69	87.22	2.52	89.32	2.73
Transportation, material moving														
Yes	7.49	0.99	6.47	0.99	21.30	5.37	--	--	7.96	1.40	7.55	1.88	--	--
No	92.51	0.99	93.53	0.99	78.70	5.37	95.67	2.28	92.04	1.40	92.45	1.88	91.27	3.85
Handlers, equipment cleaners, helpers, laborers														
Yes	7.20	1.16	5.03	1.05	17.96	3.67	--	--	10.86	1.96	--	--	--	--
No	92.80	1.16	94.97	1.05	82.04	3.67	98.15	0.93	89.14	1.96	92.26	2.79	92.93	3.95
Military														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	94.41	2.33	94.79	2.53	92.08	5.63	100.00	0.00	90.99	3.67	--	--	--	--
<u>Current/Most Recent Industry</u>														
Agriculture, forestry, fisheries														
Yes	7.66	1.40	5.16	1.39	17.52	5.16	--	--	12.04	2.78	--	--	--	--
No	92.34	1.40	94.84	1.39	82.48	5.16	98.42	1.02	87.96	2.78	96.75	1.57	88.66	4.90
Mining														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	88.65	3.96	92.39	3.76	74.65	11.33	--	--	89.02	5.38	86.32	8.91	88.69	8.08
Construction														
Yes	10.09	1.02	9.22	1.05	19.17	3.72	--	--	12.36	1.53	10.40	2.04	--	--
No	89.91	1.02	90.78	1.05	80.83	3.72	97.09	1.09	87.64	1.53	89.60	2.04	93.06	2.61
Manufacturing														
Yes	9.50	0.54	6.30	0.57	18.77	1.32	5.58	1.50	10.99	0.82	9.70	1.11	5.48	1.21
No	90.50	0.54	93.70	0.57	81.23	1.32	94.42	1.50	89.01	0.82	90.30	1.11	94.52	1.21
Transportation, communications, other public utilities														
Yes	10.55	0.94	7.14	0.95	20.40	2.23	--	--	11.86	1.38	9.64	1.68	9.78	2.65
No	89.45	0.94	92.86	0.95	79.60	2.23	95.85	2.12	88.14	1.38	90.36	1.68	90.22	2.65
Wholesale trade														
Yes	7.32	1.07	3.50	0.87	20.26	3.05	--	--	8.32	1.55	8.39	2.49	--	--
No	92.68	1.07	96.50	0.87	79.74	3.05	98.02	1.37	91.68	1.55	91.61	2.49	94.04	3.24
Retail trade														
Yes	13.28	0.72	4.77	0.74	21.92	1.25	6.89	0.99	16.97	1.14	15.96	1.98	12.93	2.77
No	86.72	0.72	95.23	0.74	78.08	1.25	93.11	0.99	83.03	1.14	84.04	1.98	87.07	2.77

See footnotes at end of table.

Table 1-17. Percent distribution of having married/lived as if married with an alcoholic among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Finance, insurance, real estate														
Yes	10.34	0.95	5.04	0.96	14.91	1.48	--	--	11.92	1.37	10.60	1.85	8.46	2.50
No	89.66	0.95	94.96	0.96	85.09	1.48	95.87	1.67	88.08	1.37	89.40	1.85	91.54	2.50
Services: business and repair														
Yes	11.83	1.05	7.56	1.13	19.71	1.98	7.89	2.32	11.94	1.31	13.88	2.53	13.86	4.06
No	88.17	1.05	92.44	1.13	80.29	1.98	92.11	2.32	88.06	1.31	86.12	2.53	86.14	4.06
Services: personal														
Yes	19.08	1.84	6.47	1.97	25.77	2.39	9.99	2.42	20.86	2.79	28.44	4.67	13.45	4.33
No	80.92	1.84	93.53	1.97	74.23	2.39	90.01	2.42	79.14	2.79	71.56	4.67	86.55	4.33
Services: entertainment and recreation														
Yes	11.39	1.79	5.92	1.78	22.74	3.72	--	--	12.45	2.75	17.20	5.36	--	--
No	88.61	1.79	94.08	1.78	77.26	3.72	93.81	2.39	87.55	2.75	82.80	5.36	73.72	10.35
Services: professional and related														
Yes	13.00	0.60	5.14	0.65	18.06	0.86	4.26	0.92	14.28	0.82	15.46	1.23	10.58	1.50
No	87.00	0.60	94.86	0.65	81.94	0.86	95.74	0.92	85.72	0.82	84.54	1.23	89.42	1.50
Public administration														
Yes	10.32	1.01	3.68	0.86	23.96	2.23	--	--	9.84	1.42	13.53	2.13	8.68	2.42
No	89.68	1.01	96.32	0.86	76.04	2.23	93.89	3.07	90.16	1.42	86.47	2.13	91.32	2.42
Military														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	95.04	2.07	95.41	2.23	92.61	5.26	100.00	0.00	92.27	3.16	100.00	0.00	--	--
<u>Smoked Any Cigarettes in Last Year</u>														
Yes														
Yes	16.33	0.50	8.92	0.55	27.54	0.86	7.73	0.85	18.59	0.70	18.22	1.09	15.47	2.01
No	83.67	0.50	91.08	0.55	72.46	0.86	92.27	0.85	81.41	0.70	81.78	1.09	84.53	2.01
No														
Yes	8.18	0.29	4.13	0.27	14.36	0.57	3.60	0.56	9.00	0.41	9.63	0.60	7.43	0.69
No	91.82	0.29	95.87	0.27	85.64	0.57	96.40	0.56	91.00	0.41	90.37	0.60	92.57	0.69
<u>Smoked 100 or More Cigarettes in Life</u>														
Yes														
Yes	14.16	0.38	7.68	0.40	24.64	0.69	7.93	0.82	16.82	0.58	13.82	0.69	10.18	0.90
No	85.84	0.38	92.32	0.40	75.36	0.69	92.07	0.82	83.18	0.58	86.18	0.69	89.82	0.90
No														
Yes	7.13	0.35	3.28	0.33	12.45	0.66	3.17	0.55	7.84	0.46	9.77	0.90	7.00	1.03
No	92.87	0.35	96.72	0.33	87.55	0.66	96.83	0.55	92.16	0.46	90.23	0.90	93.00	1.03
<u>Any Depression in Past Year</u>														
Yes														
Yes	22.53	1.66	16.13	2.10	29.62	2.54	10.62	2.14	28.23	2.23	26.11	5.18	--	--
No	77.47	1.66	83.87	2.10	70.38	2.54	89.38	2.14	71.77	2.23	73.89	5.18	--	--

See footnotes at end of table.

Table 1-17. Percent distribution of having married/lived as if married with an alcoholic among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Yes	10.86	0.29	5.61	0.28	18.95	0.53	5.00	0.51	12.25	0.40	12.39	0.57	9.13	0.69
No	89.14	0.29	94.39	0.28	81.05	0.53	95.00	0.51	87.75	0.40	87.61	0.57	90.87	0.69
<u>Any Depression in Life</u>														
Yes														
Yes	22.44	1.08	14.12	1.26	31.17	1.59	9.86	1.45	25.51	1.39	30.94	2.82	--	--
No	77.56	1.08	85.88	1.26	68.83	1.59	90.14	1.45	74.49	1.39	69.06	2.82	87.51	4.46
No														
Yes	9.93	0.27	5.12	0.27	17.59	0.52	4.57	0.51	11.15	0.39	11.08	0.55	9.13	0.71
No	90.07	0.27	94.88	0.27	82.41	0.52	95.43	0.51	88.85	0.39	88.92	0.55	90.87	0.71
<u>Alcohol Use Disorder in Past Year</u>														
None														
Yes	10.63	0.29	5.20	0.27	18.16	0.53	4.50	0.50	11.71	0.41	12.09	0.59	9.17	0.70
No	89.37	0.29	94.80	0.27	81.84	0.53	95.50	0.50	88.29	0.41	87.91	0.59	90.83	0.70
Abuse														
Yes	11.93	1.00	6.80	1.01	26.53	2.48	6.45	1.52	14.38	1.45	16.07	3.54	--	--
No	88.07	1.00	93.20	1.01	73.47	2.48	93.55	1.52	85.62	1.45	83.93	3.54	94.01	5.77
Dependence														
Yes	16.80	1.07	10.87	1.12	30.23	2.26	7.61	1.20	22.58	1.71	19.78	2.85	--	--
No	83.20	1.07	89.13	1.12	69.77	2.26	92.39	1.20	77.42	1.71	80.22	2.85	86.31	5.74
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
Yes	11.79	0.42	5.45	0.46	18.34	0.68	4.80	0.67	13.33	0.62	13.61	0.86	9.00	1.13
No	88.21	0.42	94.55	0.46	81.66	0.68	95.20	0.67	86.67	0.62	86.39	0.86	91.00	1.13
Moderate drinker														
Yes	10.39	0.41	5.06	0.39	19.78	0.88	5.59	0.81	11.38	0.55	12.34	0.92	9.28	1.16
No	89.61	0.41	94.94	0.39	80.22	0.88	94.41	0.81	88.62	0.55	87.66	0.92	90.72	1.16
Heavier drinker														
Yes	12.30	0.69	8.69	0.68	24.16	1.67	6.25	1.24	16.04	1.09	10.99	1.20	9.99	1.64
No	87.70	0.69	91.31	0.68	75.84	1.67	93.75	1.24	83.96	1.09	89.01	1.20	90.01	1.64
<u>Usual/Heaviest Drinking Level in Past Year³</u>														
Light drinker														
Yes	11.77	0.43	5.38	0.47	18.36	0.71	4.96	0.74	13.17	0.63	13.71	0.90	9.04	1.16
No	88.23	0.43	94.62	0.47	81.64	0.71	95.04	0.74	86.83	0.63	86.29	0.90	90.96	1.16
Moderate drinker														
Yes	10.50	0.41	5.24	0.40	19.20	0.83	5.51	0.78	11.62	0.56	12.23	0.93	9.28	1.14
No	89.50	0.41	94.76	0.40	80.80	0.83	94.49	0.78	88.38	0.56	87.77	0.93	90.72	1.14

See footnotes at end of table.

Table 1-17. Percent distribution of having married/lived as if married with an alcoholic among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Heavier drinker														
Yes	11.93	0.64	7.94	0.59	24.12	1.54	6.06	1.17	15.20	1.02	11.44	1.15	9.28	1.43
No	88.07	0.64	92.06	0.59	75.88	1.54	93.94	1.17	84.80	1.02	88.56	1.15	90.72	1.43
<u>5 or More Drinks in a Single Day</u>														
Not once in past year														
Yes	11.51	0.39	5.27	0.43	17.44	0.62	4.42	0.82	12.50	0.62	12.74	0.75	9.10	0.74
No	88.49	0.39	94.73	0.43	82.56	0.62	95.58	0.82	87.50	0.62	87.26	0.75	90.90	0.74
1 to 11 times in past year														
Yes	10.83	0.47	5.22	0.41	20.73	0.98	5.47	0.77	12.55	0.61	11.92	1.20	9.48	2.48
No	89.17	0.47	94.78	0.41	79.27	0.98	94.53	0.77	87.45	0.61	88.08	1.20	90.52	2.48
12 or more times in past year														
Yes	11.71	0.56	7.55	0.54	24.84	1.38	5.76	0.82	14.33	0.82	13.45	1.30	10.39	2.28
No	88.29	0.56	92.45	0.54	75.16	1.38	94.24	0.82	85.67	0.82	86.55	1.30	89.61	2.28
<u>Drinking Enough to Feel Drunk</u>														
Not once in past year														
Yes	10.45	0.34	5.13	0.36	17.33	0.61	4.95	0.90	10.81	0.52	11.71	0.63	8.88	0.71
No	89.55	0.34	94.87	0.36	82.67	0.61	95.05	0.90	89.19	0.52	88.29	0.63	91.12	0.71
1 to 11 times in past year														
Yes	12.77	0.49	6.59	0.51	22.70	0.89	5.92	0.69	15.03	0.72	15.02	1.37	9.97	2.62
No	87.23	0.49	93.41	0.51	77.30	0.89	94.08	0.69	84.97	0.72	84.98	1.37	90.03	2.62
12 or more times in past year														
Yes	11.39	0.89	7.70	0.84	21.83	2.00	4.84	0.85	15.04	1.37	18.82	2.91	22.20	7.59
No	88.61	0.89	92.30	0.84	78.17	2.00	95.16	0.85	84.96	1.37	81.18	2.91	77.80	7.59
<u>Driving After Drinking</u>														
Not once in past year														
Yes	11.08	0.29	5.68	0.28	18.65	0.53	5.17	0.53	12.47	0.41	12.40	0.58	9.31	0.71
No	88.92	0.29	94.32	0.28	81.35	0.53	94.83	0.53	87.53	0.41	87.60	0.58	90.69	0.71
1 or 2 times in past year														
Yes	12.90	1.14	6.60	1.04	28.59	2.72	4.12	1.21	16.07	1.65	18.23	3.57	--	--
No	87.10	1.14	93.40	1.04	71.41	2.72	95.88	1.21	83.93	1.65	81.77	3.57	96.83	3.18
3 or more times in past year														
Yes	14.16	1.27	9.16	1.19	31.54	3.57	9.31	2.00	16.68	1.65	15.11	3.98	--	--
No	85.84	1.27	90.84	1.19	68.46	3.57	90.69	2.00	83.32	1.65	84.89	3.98	--	--
<u>Getting into Situation that Could Be Harmful</u>														
Not once in past year														
Yes	11.28	0.29	5.74	0.28	19.33	0.52	5.41	0.50	12.76	0.41	12.48	0.56	9.23	0.70
No	88.72	0.29	94.26	0.28	80.67	0.52	94.59	0.50	87.24	0.41	87.52	0.56	90.77	0.70

See footnotes at end of table.

Table 1-17. Percent distribution of having married/lived as if married with an alcoholic among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
At least once in past year														
Yes	12.83	1.37	9.86	1.40	24.85	3.84	5.76	1.36	18.39	2.33	24.57	5.91	--	--
No	87.17	1.37	90.14	1.40	75.15	3.84	94.24	1.36	81.61	2.33	75.43	5.91	--	--
<u>Age Started Drinking</u>														
16 years or younger														
Yes	13.42	0.56	8.22	0.56	23.80	1.12	7.28	0.83	16.37	0.80	14.57	1.56	13.46	2.50
No	86.58	0.56	91.78	0.56	76.20	1.12	92.72	0.83	83.63	0.80	85.43	1.56	86.54	2.50
17 or 18 years														
Yes	9.30	0.44	4.72	0.40	17.73	0.99	3.61	0.63	10.55	0.60	11.43	1.03	7.45	1.48
No	90.70	0.44	95.28	0.40	82.27	0.99	96.39	0.63	89.45	0.60	88.57	1.03	92.55	1.48
19 or 20 years														
Yes	9.62	0.60	5.24	0.69	15.70	1.13	4.57	1.45	11.29	0.90	8.80	1.11	9.55	1.77
No	90.38	0.60	94.76	0.69	84.30	1.13	95.43	1.45	88.71	0.90	91.20	1.11	90.45	1.77
21 years or older														
Yes	13.02	0.54	5.54	0.59	20.02	0.83	--	--	14.03	0.88	14.84	0.94	8.49	0.86
No	86.98	0.54	94.46	0.59	79.98	0.83	96.60	1.26	85.97	0.88	85.16	0.94	91.51	0.86
<u>Drinking Days of the Week in Past Year</u>														
Holidays or special occasions only														
Yes	10.02	0.82	3.32	0.64	17.76	1.52	--	--	11.50	1.33	9.64	1.43	7.95	1.68
No	89.98	0.82	96.68	0.64	82.24	1.52	93.20	2.26	88.50	1.33	90.36	1.43	92.05	1.68
Weekends only														
Yes	11.21	0.36	5.64	0.41	18.80	0.61	4.72	0.54	12.97	0.50	13.02	0.79	9.28	1.42
No	88.79	0.36	94.36	0.41	81.20	0.61	95.28	0.54	87.03	0.50	86.98	0.79	90.72	1.42
Weekdays/weekends														
Yes	11.83	0.48	6.98	0.47	21.43	0.93	7.04	1.15	13.31	0.68	12.95	0.92	9.51	0.90
No	88.17	0.48	93.02	0.47	78.57	0.93	92.96	1.15	86.69	0.68	87.05	0.92	90.49	0.90
<u>Family History of Alcoholism</u>														
None														
Yes	6.42	0.30	3.44	0.33	11.91	0.60	1.51	0.35	6.93	0.47	7.89	0.64	7.15	0.79
No	93.58	0.30	96.56	0.33	88.09	0.60	98.49	0.35	93.07	0.47	92.11	0.64	92.85	0.79
2nd degree relatives only														
Yes	10.92	0.56	6.34	0.62	17.79	0.97	5.57	0.92	12.93	0.87	10.99	1.04	11.76	2.16
No	89.08	0.56	93.66	0.62	82.21	0.97	94.43	0.92	87.07	0.87	89.01	1.04	88.24	2.16
1st degree relatives only														
Yes	13.39	0.79	7.42	0.83	22.00	1.46	7.70	1.93	13.74	1.12	16.07	1.73	11.46	1.91
No	86.61	0.79	92.58	0.83	78.00	1.46	92.30	1.93	86.26	1.12	83.93	1.73	88.54	1.91

See footnotes at end of table.

Table 1-17. Percent distribution of having married/lived as if married with an alcoholic among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Both 1st and 2nd degree relatives														
Yes	20.09	0.71	10.77	0.75	30.37	1.14	10.66	1.37	22.04	0.89	23.06	1.71	17.62	3.11
No	79.91	0.71	89.23	0.75	69.63	1.14	89.34	1.37	77.96	0.89	76.94	1.71	82.38	3.11
<u>Any Parent Alcoholic</u>														
Yes														
Yes	19.15	0.68	10.42	0.71	29.51	1.10	10.71	1.36	20.71	0.86	22.75	1.55	14.53	2.35
No	80.85	0.68	89.58	0.71	70.49	1.10	89.29	1.36	79.29	0.86	77.25	1.55	85.47	2.35
No														
Yes	8.77	0.28	4.71	0.29	15.48	0.53	3.53	0.43	10.12	0.46	9.56	0.56	8.50	0.71
No	91.23	0.28	95.29	0.29	84.52	0.53	96.47	0.43	89.88	0.46	90.44	0.56	91.50	0.71
<u>Any Alcohol Treatment in Past Year</u>														
Yes														
Yes	27.59	2.33	20.06	2.52	51.19	5.15	10.62	3.14	32.94	3.25	36.31	7.46	--	--
No	72.41	2.33	79.94	2.52	48.81	5.15	89.38	3.14	67.06	3.25	63.69	7.46	--	--
No														
Yes	10.95	0.28	5.56	0.28	19.01	0.51	5.24	0.50	12.43	0.40	12.30	0.55	9.18	0.69
No	89.05	0.28	94.44	0.28	80.99	0.51	94.76	0.50	87.57	0.40	87.70	0.55	90.82	0.69
<u>Any Alcohol Treatment in Life</u>														
Yes														
Yes	23.34	1.35	16.29	1.34	49.72	3.21	10.68	2.15	27.13	1.81	25.26	3.36	22.35	7.22
No	76.66	1.35	83.71	1.34	50.28	3.21	89.32	2.15	72.87	1.81	74.74	3.36	77.65	7.22
No														
Yes	10.49	0.28	5.02	0.27	18.37	0.51	4.97	0.50	11.83	0.39	11.97	0.56	8.89	0.69
No	89.51	0.28	94.98	0.27	81.63	0.51	95.03	0.50	88.17	0.39	88.03	0.56	91.11	0.69

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-18. Percent distribution of any alcohol treatment in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Yes	2.26	0.15	2.84	0.21	1.38	0.15	3.53	0.40	2.62	0.20	1.35	0.20	--	--
No	97.74	0.15	97.16	0.21	98.62	0.15	96.47	0.40	97.38	0.20	98.65	0.20	99.72	0.12
Race														
White														
Yes	2.09	0.14	2.67	0.21	1.23	0.15	3.72	0.43	2.34	0.21	1.22	0.21	--	--
No	97.91	0.14	97.33	0.21	98.77	0.15	96.28	0.43	97.66	0.21	98.78	0.21	99.75	0.12
Black														
Yes	3.05	0.46	3.63	0.64	2.03	0.59	--	--	3.77	0.68	--	--	--	--
No	96.95	0.46	96.37	0.64	97.97	0.59	98.43	0.66	96.23	0.68	97.44	0.94	99.03	0.96
American Indian/Alaska Native														
Yes	9.00	3.54	--	--	--	--	--	--	--	--	--	--	--	--
No	91.00	3.54	88.95	4.68	93.78	3.73	95.27	4.41	89.18	4.08	84.42	13.11	--	--
Asian/Pacific Islander														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	98.25	1.03	97.60	1.42	100.00	0.00	97.07	2.88	98.07	1.42	100.00	0.00	--	--
Hispanic Origin														
Hispanic														
Yes	2.54	0.64	3.06	0.87	--	--	--	--	3.00	0.87	--	--	--	--
No	97.46	0.64	96.94	0.87	98.62	0.69	96.57	1.78	97.00	0.87	99.09	0.90	100.00	0.00
Nonhispanic														
Yes	2.26	0.15	2.85	0.22	1.39	0.16	3.55	0.42	2.62	0.21	1.38	0.21	--	--
No	97.74	0.15	97.15	0.22	98.61	0.16	96.45	0.42	97.38	0.21	98.62	0.21	99.71	0.12
Marital Status														
Married														
Yes	1.39	0.14	1.74	0.21	0.80	0.15	3.63	1.14	1.63	0.20	0.99	0.23	--	--
No	98.61	0.14	98.26	0.21	99.20	0.15	96.37	1.14	98.37	0.20	99.01	0.23	99.74	0.15
Living with someone as if married														
Yes	4.24	0.86	6.86	1.46	--	--	--	--	4.72	1.16	--	--	--	--
No	95.76	0.86	93.14	1.46	99.15	0.41	95.68	1.62	95.28	1.16	100.00	0.00	--	--
Widowed														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	99.08	0.39	98.03	1.11	99.59	0.22	--	--	91.44	5.08	99.45	0.39	99.70	0.21
Divorced														
Yes	3.78	0.49	4.35	0.72	3.18	0.66	--	--	5.02	0.76	2.58	0.65	--	--
No	96.22	0.49	95.65	0.72	96.82	0.66	98.79	1.21	94.98	0.76	97.42	0.65	100.00	0.00
Separated														
Yes	5.35	1.24	7.76	1.94	--	--	--	--	6.64	1.86	--	--	--	--
No	94.65	1.24	92.24	1.94	97.39	1.52	99.49	0.62	93.36	1.86	95.27	1.64	100.00	0.00

See footnotes at end of table.

Table 1-18. Percent distribution of any alcohol treatment in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Never married														
Yes	3.39	0.32	4.01	0.45	2.26	0.42	3.56	0.46	3.31	0.51	--	--	--	--
No	96.61	0.32	95.99	0.45	97.74	0.42	96.44	0.46	96.69	0.51	96.66	1.38	100.00	0.00
Ever Raised Children														
Yes														
Yes	1.88	0.15	2.37	0.22	1.19	0.16	3.15	1.05	2.58	0.24	1.18	0.21	--	--
No	98.12	0.15	97.63	0.22	98.81	0.16	96.85	1.05	97.42	0.24	98.82	0.21	99.68	0.13
No														
Yes	2.96	0.25	3.64	0.37	1.78	0.29	3.61	0.42	2.68	0.34	2.89	0.86	--	--
No	97.04	0.25	96.36	0.37	98.22	0.29	96.39	0.42	97.32	0.34	97.11	0.86	100.00	0.00
Children Under 14 Living in Household														
Yes														
Yes	1.95	0.22	2.65	0.36	1.08	0.18	--	--	2.06	0.24	--	--	--	--
No	98.05	0.22	97.35	0.36	98.92	0.18	97.88	0.91	97.94	0.24	98.83	0.60	100.00	0.00
No														
Yes	2.40	0.17	2.92	0.24	1.53	0.20	3.72	0.43	3.14	0.32	1.38	0.21	--	--
No	97.60	0.17	97.08	0.24	98.47	0.20	96.28	0.43	96.86	0.32	98.62	0.21	99.72	0.12
Education														
11 years or less														
Yes	3.83	0.51	4.40	0.69	2.62	0.59	4.67	1.09	5.62	1.11	2.86	0.76	--	--
No	96.17	0.51	95.60	0.69	97.38	0.59	95.33	1.09	94.38	1.11	97.14	0.76	99.84	0.16
12 years														
Yes	2.72	0.27	3.60	0.40	1.45	0.28	4.72	0.95	3.42	0.39	0.82	0.24	--	--
No	97.28	0.27	96.40	0.40	98.55	0.28	95.28	0.95	96.58	0.39	99.18	0.24	99.58	0.30
13-15 years														
Yes	2.41	0.24	3.18	0.37	1.43	0.27	2.90	0.55	2.77	0.36	1.62	0.51	--	--
No	97.59	0.24	96.82	0.37	98.57	0.27	97.10	0.55	97.23	0.36	98.38	0.51	99.86	0.14
16 or more years														
Yes	0.98	0.17	1.08	0.22	0.80	0.21	--	--	0.96	0.22	1.06	0.34	--	--
No	99.02	0.17	98.92	0.22	99.20	0.21	98.54	0.83	99.04	0.22	98.94	0.34	99.66	0.25
Currently Employed Full Time														
Yes														
Yes	1.89	0.18	2.35	0.25	0.92	0.16	2.99	0.56	2.04	0.21	1.03	0.25	--	--
No	98.11	0.18	97.65	0.25	99.08	0.16	97.01	0.56	97.96	0.21	98.97	0.25	100.00	0.00
No														
Yes	2.88	0.23	3.98	0.39	1.86	0.26	4.03	0.63	4.37	0.46	1.95	0.35	--	--
No	97.12	0.23	96.02	0.39	98.14	0.26	95.97	0.63	95.63	0.46	98.05	0.35	99.70	0.13

See footnotes at end of table.

Table 1-18. Percent distribution of any alcohol treatment in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Personal Annual Income														
None														
Yes	1.92	0.27	2.37	0.45	1.52	0.32	--	--	4.35	0.84	1.88	0.46	--	--
No	98.08	0.27	97.63	0.45	98.48	0.32	96.29	1.57	95.65	0.84	98.12	0.46	99.72	0.13
\$1 to \$9,999														
Yes	3.46	0.36	5.27	0.64	1.74	0.35	3.53	0.51	4.29	0.68	--	--	--	--
No	96.54	0.36	94.73	0.64	98.26	0.35	96.47	0.51	95.71	0.68	97.87	0.65	99.49	0.51
\$10,000 to \$24,999														
Yes	2.62	0.30	3.58	0.48	1.36	0.26	3.98	0.74	2.85	0.38	--	--	--	--
No	97.38	0.30	96.42	0.48	98.64	0.26	96.02	0.74	97.15	0.38	99.37	0.34	100.00	0.00
\$25,000 or more														
Yes	1.52	0.17	1.73	0.22	0.87	0.25	--	--	1.68	0.22	1.30	0.32	--	--
No	98.48	0.17	98.27	0.22	99.13	0.25	98.75	1.04	98.32	0.22	98.70	0.32	100.00	0.00
Current/Most Recent Occupation														
Executive, administrative, managerial														
Yes	1.38	0.25	1.53	0.35	1.10	0.32	--	--	1.43	0.32	1.74	0.57	--	--
No	98.62	0.25	98.47	0.35	98.90	0.32	99.29	0.41	98.57	0.32	98.26	0.57	99.77	0.22
Professional specialty														
Yes	0.94	0.23	0.95	0.32	0.93	0.26	--	--	0.86	0.24	--	--	--	--
No	99.06	0.23	99.05	0.32	99.07	0.26	97.01	1.59	99.14	0.24	99.39	0.28	99.43	0.41
Technician/related support														
Yes	2.08	0.59	2.77	0.93	--	--	--	--	2.75	0.91	--	--	--	--
No	97.92	0.59	97.23	0.93	98.91	0.55	97.41	1.34	97.25	0.91	100.00	0.00	100.00	0.00
Sales														
Yes	1.53	0.27	1.62	0.40	1.41	0.37	2.92	0.85	1.64	0.42	--	--	--	--
No	98.47	0.27	98.38	0.40	98.59	0.37	97.08	0.85	98.36	0.42	99.21	0.36	100.00	0.00
Administrative support, including clerical														
Yes	1.41	0.26	2.37	0.65	1.06	0.27	--	--	1.35	0.31	--	--	--	--
No	98.59	0.26	97.63	0.65	98.94	0.27	96.73	1.13	98.65	0.31	99.49	0.34	99.30	0.50
Private household														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	95.39	3.24	--	--	98.10	1.91	100.00	0.00	94.77	5.04	90.32	9.23	100.00	0.00
Protective service														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	97.23	1.17	96.90	1.30	100.00	0.00	95.12	4.14	98.59	0.82	94.50	3.60	100.00	0.00
Service, except protective and household														
Yes	3.44	0.46	5.03	0.93	2.29	0.45	4.02	0.98	4.21	0.71	--	--	--	--
No	96.56	0.46	94.97	0.93	97.71	0.45	95.98	0.98	95.79	0.71	98.66	0.73	100.00	0.00

See footnotes at end of table.

Table 1-18. Percent distribution of any alcohol treatment in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Farming, forestry, fishing														
Yes	3.90	1.33	4.27	1.51	--	--	--	--	8.51	2.99	--	--	--	--
No	96.10	1.33	95.73	1.51	98.61	1.38	99.36	0.65	91.49	2.99	99.47	0.51	100.00	0.00
Precision production, craft, repair														
Yes	4.23	0.54	4.27	0.57	--	--	6.53	2.02	5.24	0.78	1.99	0.83	--	--
No	95.77	0.54	95.73	0.57	96.23	1.89	93.47	2.02	94.76	0.78	98.01	0.83	100.00	0.00
Operators, fabricators, laborers														
Yes	3.08	0.63	3.71	0.82	--	--	--	--	4.21	1.03	--	--	--	--
No	96.92	0.63	96.29	0.82	98.41	0.71	97.17	1.30	95.79	1.03	98.27	1.14	99.39	0.61
Transportation, material moving														
Yes	2.61	0.74	2.65	0.79	--	--	--	--	--	--	--	--	--	--
No	97.39	0.74	97.35	0.79	97.91	1.18	91.65	3.70	97.74	0.81	98.45	0.80	100.00	0.00
Handlers, equipment cleaners, helpers, laborers														
Yes	4.79	0.97	4.98	1.02	--	--	--	--	5.43	1.52	--	--	--	--
No	95.21	0.97	95.02	1.02	96.12	2.65	95.55	1.71	94.57	1.52	94.83	2.14	100.00	0.00
Military														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	--	--	--	--
<u>Current/Most Recent Industry</u>														
Agriculture, forestry, fisheries														
Yes	3.95	1.40	4.71	1.74	--	--	--	--	--	--	--	--	--	--
No	96.05	1.40	95.29	1.74	99.08	0.92	99.11	0.88	92.29	2.92	98.94	0.73	100.00	0.00
Mining														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	100.00	0.00	100.00	0.00	100.00	0.00	--	--	100.00	0.00	100.00	0.00	100.00	0.00
Construction														
Yes	5.13	0.73	5.35	0.78	--	--	8.23	2.28	5.01	0.94	4.57	1.63	--	--
No	94.87	0.73	94.65	0.78	97.16	1.25	91.77	2.28	94.99	0.94	95.43	1.63	100.00	0.00
Manufacturing														
Yes	2.41	0.32	2.88	0.41	1.03	0.36	--	--	3.69	0.53	--	--	--	--
No	97.59	0.32	97.12	0.41	98.97	0.36	97.46	0.94	96.31	0.53	99.25	0.30	99.86	0.14
Transportation, communications, other public utilities														
Yes	1.43	0.32	1.65	0.40	--	--	--	--	1.33	0.42	--	--	--	--
No	98.57	0.32	98.35	0.40	99.21	0.41	98.76	1.23	98.67	0.42	98.34	0.59	98.42	1.11
Wholesale trade														
Yes	1.89	0.56	2.13	0.69	--	--	--	--	--	--	--	--	--	--
No	98.11	0.56	97.87	0.69	98.94	0.75	91.54	3.51	98.75	0.54	99.43	0.56	100.00	0.00
Retail trade														
Yes	2.82	0.36	3.51	0.57	2.13	0.44	4.10	0.81	3.20	0.54	--	--	--	--
No	97.18	0.36	96.49	0.57	97.87	0.44	95.90	0.81	96.80	0.54	99.43	0.34	100.00	0.00

See footnotes at end of table.

Table 1-18. Percent distribution of any alcohol treatment in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Finance, insurance, real estate														
Yes	1.30	0.36	2.10	0.69	--	--	--	--	--	--	--	--	--	--
No	98.70	0.36	97.90	0.69	99.38	0.32	99.53	0.30	98.75	0.46	97.80	1.00	100.00	0.00
Services: business and repair														
Yes	2.49	0.52	2.63	0.64	--	--	--	--	3.03	0.77	--	--	--	--
No	97.51	0.52	97.37	0.64	97.79	0.91	96.44	1.60	96.97	0.77	99.12	0.54	100.00	0.00
Services: personal														
Yes	3.24	1.21	--	--	--	--	--	--	--	--	--	--	--	--
No	96.76	1.21	93.13	3.00	98.68	0.63	99.10	0.90	96.11	2.31	94.49	2.76	98.86	1.13
Services: entertainment and recreation														
Yes	3.82	1.30	--	--	--	--	--	--	--	--	--	--	--	--
No	96.18	1.30	96.02	1.69	96.51	1.94	96.00	2.52	96.10	1.53	96.00	3.64	100.00	0.00
Services: professional and related														
Yes	1.34	0.23	1.65	0.37	1.15	0.23	3.23	1.13	1.40	0.26	--	--	--	--
No	98.66	0.23	98.35	0.37	98.85	0.23	96.77	1.13	98.60	0.26	99.37	0.23	99.59	0.30
Public administration														
Yes	1.19	0.41	--	--	--	--	--	--	--	--	--	--	--	--
No	98.81	0.41	98.94	0.47	98.54	0.85	98.04	1.38	98.91	0.50	98.35	1.15	100.00	0.00
Military														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	--	--
<u>Smoked Any Cigarettes in Last Year</u>														
Yes														
Yes	4.34	0.31	5.43	0.45	2.68	0.34	5.67	0.68	4.94	0.44	2.40	0.46	--	--
No	95.66	0.31	94.57	0.45	97.32	0.34	94.33	0.68	95.06	0.44	97.60	0.46	99.13	0.45
No														
Yes	0.96	0.11	1.22	0.16	0.56	0.11	1.84	0.48	0.98	0.14	0.79	0.19	--	--
No	99.04	0.11	98.78	0.16	99.44	0.11	98.16	0.48	99.02	0.14	99.21	0.19	99.89	0.08
<u>Smoked 100 or More Cigarettes in Life</u>														
Yes														
Yes	3.04	0.21	3.74	0.30	1.92	0.23	5.68	0.68	3.83	0.33	1.42	0.25	--	--
No	96.96	0.21	96.26	0.30	98.08	0.23	94.32	0.68	96.17	0.33	98.58	0.25	99.68	0.15
No														
Yes	1.10	0.15	1.44	0.22	0.64	0.15	1.59	0.46	1.01	0.17	1.17	0.36	--	--
No	98.90	0.15	98.56	0.22	99.36	0.15	98.41	0.46	98.99	0.17	98.83	0.36	99.83	0.17
<u>Any Depression in Past Year</u>														
Yes														
Yes	10.39	1.59	12.83	2.32	7.68	1.59	12.19	2.71	9.87	1.98	--	--	--	--
No	89.61	1.59	87.17	2.32	92.32	1.59	87.81	2.71	90.13	1.98	92.61	3.30	--	--

See footnotes at end of table.

Table 1-18. Percent distribution of any alcohol treatment in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Yes	1.93	0.13	2.49	0.18	1.07	0.13	2.81	0.37	2.28	0.18	1.24	0.20	--	--
No	98.07	0.13	97.51	0.18	98.93	0.13	97.19	0.37	97.72	0.18	98.76	0.20	99.77	0.11
<u>Any Depression in Life</u>														
Yes														
Yes	5.31	0.66	6.99	1.04	3.55	0.64	6.99	1.39	5.19	0.84	3.62	1.06	--	--
No	94.69	0.66	93.01	1.04	96.45	0.64	93.01	1.39	94.81	0.84	96.38	1.06	97.73	2.28
No														
Yes	1.88	0.13	2.41	0.19	1.03	0.14	2.86	0.40	2.25	0.19	1.16	0.21	--	--
No	98.12	0.13	97.59	0.19	98.97	0.14	97.14	0.40	97.75	0.19	98.84	0.21	99.77	0.11
<u>Alcohol Use Disorder in Past Year</u>														
None														
Yes	0.73	0.08	0.91	0.13	0.47	0.09	0.86	0.24	1.05	0.14	0.27	0.08	--	--
No	99.27	0.08	99.09	0.13	99.53	0.09	99.14	0.24	98.95	0.14	99.73	0.08	99.90	0.07
Abuse														
Yes	4.39	0.68	4.66	0.82	3.62	1.17	4.12	1.27	4.91	0.92	--	--	--	--
No	95.61	0.68	95.34	0.82	96.38	1.17	95.88	1.27	95.09	0.92	96.83	1.66	100.00	0.00
Dependence														
Yes	13.75	1.02	15.16	1.30	10.55	1.46	11.24	1.54	14.30	1.41	18.98	3.14	--	--
No	86.25	1.02	84.84	1.30	89.45	1.46	88.76	1.54	85.70	1.41	81.02	3.14	89.05	5.41
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
Yes	0.85	0.12	1.02	0.19	0.68	0.15	1.39	0.43	1.01	0.17	0.45	0.16	--	--
No	99.15	0.12	98.98	0.19	99.32	0.15	98.61	0.43	98.99	0.17	99.55	0.16	99.91	0.09
Moderate drinker														
Yes	1.82	0.20	2.20	0.28	1.15	0.22	3.09	0.67	2.03	0.27	0.90	0.29	--	--
No	98.18	0.20	97.80	0.28	98.85	0.22	96.91	0.67	97.97	0.27	99.10	0.29	99.84	0.16
Heavier drinker														
Yes	6.85	0.58	7.14	0.67	5.90	0.97	8.91	1.29	8.85	0.93	4.30	0.85	--	--
No	93.15	0.58	92.86	0.67	94.10	0.97	91.09	1.29	91.15	0.93	95.70	0.85	99.07	0.48
<u>Usual/Heaviest Drinking Level in Past Year³</u>														
Light drinker														
Yes	0.78	0.12	0.94	0.19	0.61	0.15	--	--	0.97	0.17	0.49	0.17	--	--
No	99.22	0.12	99.06	0.19	99.39	0.15	98.97	0.41	99.03	0.17	99.51	0.17	99.91	0.09
Moderate drinker														
Yes	1.55	0.18	1.79	0.26	1.15	0.22	2.95	0.65	1.69	0.24	--	--	--	--
No	98.45	0.18	98.21	0.26	98.85	0.22	97.05	0.65	98.31	0.24	99.39	0.25	99.83	0.17

See footnotes at end of table.

Table 1-18. Percent distribution of any alcohol treatment in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Heavier drinker														
Yes	6.33	0.51	6.78	0.62	4.96	0.79	8.05	1.12	8.11	0.80	4.06	0.80	--	--
No	93.67	0.51	93.22	0.62	95.04	0.79	91.95	1.12	91.89	0.80	95.94	0.80	99.31	0.41
5 or More Drinks in a Single Day														
Not once in past year														
Yes	0.42	0.08	0.55	0.13	0.30	0.08	--	--	0.56	0.13	--	--	--	--
No	99.58	0.08	99.45	0.13	99.70	0.08	99.67	0.21	99.44	0.13	99.61	0.15	99.87	0.09
1 to 11 times in past year														
Yes	1.90	0.23	2.08	0.31	1.59	0.31	1.95	0.53	2.07	0.30	1.64	0.45	--	--
No	98.10	0.23	97.92	0.31	98.41	0.31	98.05	0.53	97.93	0.30	98.36	0.45	100.00	0.00
12 or more times in past year														
Yes	5.86	0.42	6.12	0.50	5.03	0.71	6.30	0.76	6.35	0.58	4.36	0.86	--	--
No	94.14	0.42	93.88	0.50	94.97	0.71	93.70	0.76	93.65	0.58	95.64	0.86	98.22	0.92
Drinking Enough to Feel Drunk														
Not once in past year														
Yes	0.59	0.09	0.62	0.12	0.54	0.12	--	--	0.97	0.17	--	--	--	--
No	99.41	0.09	99.38	0.12	99.46	0.12	99.91	0.09	99.03	0.17	99.66	0.12	99.85	0.09
1 to 11 times in past year														
Yes	2.51	0.25	3.10	0.36	1.55	0.28	2.63	0.56	2.55	0.31	2.49	0.67	--	--
No	97.49	0.25	96.90	0.36	98.45	0.28	97.37	0.56	97.45	0.31	97.51	0.67	100.00	0.00
12 or more times in past year														
Yes	9.27	0.72	10.02	0.91	7.17	1.10	7.67	0.94	9.93	1.13	13.43	2.60	--	--
No	90.73	0.72	89.98	0.91	92.83	1.10	92.33	0.94	90.07	1.13	86.57	2.60	93.53	3.73
Driving After Drinking														
Not once in past year														
Yes	1.31	0.11	1.58	0.15	0.95	0.12	2.00	0.35	1.49	0.16	0.99	0.17	--	--
No	98.69	0.11	98.42	0.15	99.05	0.12	98.00	0.35	98.51	0.16	99.01	0.17	99.78	0.10
1 or 2 times in past year														
Yes	7.22	0.84	8.09	1.07	5.06	1.23	8.00	1.71	7.84	1.13	--	--	--	--
No	92.78	0.84	91.91	1.07	94.94	1.23	92.00	1.71	92.16	1.13	97.47	1.18	93.62	6.19
3 or more times in past year														
Yes	11.90	1.35	12.60	1.63	9.50	2.13	10.09	2.02	12.69	1.74	13.31	4.51	--	--
No	88.10	1.35	87.40	1.63	90.50	2.13	89.91	2.02	87.31	1.74	86.69	4.51	--	--
Getting into Situation that Could Be Harmful														
Not once in past year														
Yes	1.67	0.12	2.07	0.17	1.10	0.13	2.23	0.34	2.00	0.17	1.18	0.20	--	--
No	98.33	0.12	97.93	0.17	98.90	0.13	97.77	0.34	98.00	0.17	98.82	0.20	99.77	0.11

See footnotes at end of table.

Table 1-18. Percent distribution of any alcohol treatment in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
At least once in past year														
Yes	13.96	1.46	14.21	1.61	12.96	2.96	11.84	1.90	16.22	2.31	13.36	4.42	--	--
No	86.04	1.46	85.79	1.61	87.04	2.96	88.16	1.90	83.78	2.31	86.64	4.42	--	--
Age Started Drinking														
16 years or younger														
Yes	4.89	0.38	5.53	0.51	3.61	0.53	6.23	0.75	4.87	0.50	3.66	0.80	--	--
No	95.11	0.38	94.47	0.51	96.39	0.53	93.77	0.75	95.13	0.50	96.34	0.80	99.71	0.29
17 or 18 years														
Yes	1.60	0.18	1.96	0.25	0.93	0.21	1.17	0.36	1.91	0.26	1.44	0.41	--	--
No	98.40	0.18	98.04	0.25	99.07	0.21	98.83	0.36	98.09	0.26	98.56	0.41	99.51	0.34
19 or 20 years														
Yes	1.25	0.27	1.72	0.43	0.60	0.20	--	--	1.58	0.37	--	--	--	--
No	98.75	0.27	98.28	0.43	99.40	0.20	98.57	0.99	98.42	0.37	99.14	0.50	99.62	0.38
21 years or older														
Yes	1.00	0.18	1.36	0.33	0.67	0.17	--	--	1.68	0.38	0.61	0.21	--	--
No	99.00	0.18	98.64	0.33	99.33	0.17	99.29	0.70	98.32	0.38	99.39	0.21	99.86	0.10
Drinking Days of the Week in Past Year														
Holidays or special occasions only														
Yes	0.75	0.27	--	--	--	--	--	--	--	--	--	--	--	--
No	99.25	0.27	99.22	0.40	99.29	0.37	99.44	0.56	98.77	0.54	99.53	0.37	100.00	0.00
Weekends only														
Yes	1.68	0.17	2.22	0.24	0.95	0.15	2.79	0.47	1.75	0.22	0.72	0.22	--	--
No	98.32	0.17	97.78	0.24	99.05	0.15	97.21	0.47	98.25	0.22	99.28	0.22	99.71	0.21
Weekdays/weekends														
Yes	3.61	0.27	4.17	0.37	2.52	0.36	5.75	0.92	4.84	0.45	2.34	0.43	--	--
No	96.39	0.27	95.83	0.37	97.48	0.36	94.25	0.92	95.16	0.45	97.66	0.43	99.66	0.18
Family History of Alcoholism														
None														
Yes	0.92	0.13	1.14	0.17	0.51	0.16	1.52	0.41	1.14	0.21	0.55	0.18	--	--
No	99.08	0.13	98.86	0.17	99.49	0.16	98.48	0.41	98.86	0.21	99.45	0.18	99.85	0.11
2nd degree relatives only														
Yes	1.89	0.26	2.57	0.40	0.87	0.27	3.64	0.84	1.47	0.29	1.63	0.50	--	--
No	98.11	0.26	97.43	0.40	99.13	0.27	96.36	0.84	98.53	0.29	98.37	0.50	100.00	0.00
1st degree relatives only														
Yes	2.81	0.42	4.00	0.66	1.08	0.35	--	--	3.67	0.62	--	--	--	--
No	97.19	0.42	96.00	0.66	98.92	0.35	94.72	1.98	96.33	0.62	98.84	0.51	99.58	0.41
Both 1st and 2nd degree relatives														
Yes	4.92	0.41	6.54	0.67	3.13	0.39	6.00	0.98	5.45	0.54	3.06	0.72	--	--
No	95.08	0.41	93.46	0.67	96.87	0.39	94.00	0.98	94.55	0.54	96.94	0.72	98.67	0.78

See footnotes at end of table.

Table 1-18. Percent distribution of any alcohol treatment in the past year among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Any Parent Alcoholic</u>														
Yes														
Yes	4.61	0.40	5.88	0.60	3.10	0.40	5.80	0.98	5.17	0.52	2.82	0.63	--	--
No	95.39	0.40	94.12	0.60	96.90	0.40	94.20	0.98	94.83	0.52	97.18	0.63	98.50	0.77
No														
Yes	1.50	0.13	1.98	0.18	0.70	0.13	2.72	0.42	1.68	0.19	0.90	0.18	--	--
No	98.50	0.13	98.02	0.18	99.30	0.13	97.28	0.42	98.32	0.19	99.10	0.18	99.89	0.08
<u>Married to Alcoholic/Lived with Alcoholic as Married</u>														
Yes														
Yes	5.51	0.53	9.55	1.27	3.63	0.48	6.91	2.05	6.65	0.76	3.88	0.96	--	--
No	94.49	0.53	90.45	1.27	96.37	0.48	93.09	2.05	93.35	0.76	96.12	0.96	99.44	0.56
No														
Yes	1.85	0.14	2.42	0.20	0.84	0.14	3.34	0.41	2.02	0.20	0.98	0.19	--	--
No	98.15	0.14	97.58	0.20	99.16	0.14	96.66	0.41	97.98	0.20	99.02	0.19	99.75	0.12
<u>Any Alcohol Treatment in Life</u>														
Yes														
Yes	34.84	1.75	33.47	1.99	39.96	3.37	44.09	3.90	35.25	2.15	27.28	3.55	--	--
No	65.16	1.75	66.53	1.99	60.04	3.37	55.91	3.90	64.75	2.15	72.72	3.55	88.37	4.68
No														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00	100.00	0.00

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.

Table 1-19. Percent distribution of any alcohol treatment in lifetime among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992.

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Yes	6.49	0.24	8.50	0.33	3.45	0.24	8.01	0.61	7.42	0.33	4.95	0.38	2.37	0.38
No	93.51	0.24	91.50	0.33	96.55	0.24	91.99	0.61	92.58	0.33	95.05	0.38	97.63	0.38
Race														
White														
Yes	6.26	0.24	8.33	0.35	3.19	0.23	8.34	0.63	7.14	0.34	4.63	0.37	2.20	0.38
No	93.74	0.24	91.67	0.35	96.81	0.23	91.66	0.63	92.86	0.34	95.37	0.37	97.80	0.38
Black														
Yes	7.22	0.72	8.92	0.97	4.22	0.85	4.36	1.45	8.38	1.05	6.84	1.58	--	--
No	92.78	0.72	91.08	0.97	95.78	0.85	95.64	1.45	91.62	1.05	93.16	1.58	96.24	2.06
American Indian/Alaska Native														
Yes	29.42	5.55	34.33	8.20	--	--	--	--	32.83	8.16	--	--	--	--
No	70.58	5.55	65.67	8.20	77.23	6.99	83.73	10.21	67.17	8.16	50.71	17.95	--	--
Asian/Pacific Islander														
Yes	4.07	1.35	--	--	--	--	--	--	--	--	--	--	--	--
No	95.93	1.35	94.99	1.80	98.44	1.15	94.46	3.49	96.29	1.74	95.85	2.88	--	--
Hispanic Origin														
Hispanic														
Yes	6.67	0.97	8.35	1.32	2.92	0.92	6.69	2.14	7.46	1.29	--	--	--	--
No	93.33	0.97	91.65	1.32	97.08	0.92	93.31	2.14	92.54	1.29	94.45	2.39	98.05	1.91
Nonhispanic														
Yes	6.51	0.25	8.54	0.35	3.51	0.25	8.24	0.67	7.44	0.33	4.96	0.38	2.35	0.39
No	93.49	0.25	91.46	0.35	96.49	0.25	91.76	0.67	92.56	0.33	95.04	0.38	97.65	0.39
Marital Status														
Married														
Yes	4.58	0.25	6.16	0.36	2.00	0.23	8.09	1.41	5.10	0.34	3.97	0.44	2.13	0.48
No	95.42	0.25	93.84	0.36	98.00	0.23	91.91	1.41	94.90	0.34	96.03	0.44	97.87	0.48
Living with someone as if married														
Yes	12.53	1.42	16.08	1.97	7.95	1.69	12.34	2.75	13.30	1.78	--	--	--	--
No	87.47	1.42	83.92	1.97	92.05	1.69	87.66	2.75	86.70	1.78	91.78	3.23	--	--
Widowed														
Yes	3.92	0.78	7.56	1.88	2.17	0.71	--	--	--	--	5.49	1.53	2.30	0.80
No	96.08	0.78	92.44	1.88	97.83	0.71	--	--	87.95	5.37	94.51	1.53	97.70	0.80
Divorced														
Yes	10.80	0.90	14.59	1.44	6.86	0.93	--	--	12.89	1.29	8.78	1.18	--	--
No	89.20	0.90	85.41	1.44	93.14	0.93	92.93	3.33	87.11	1.29	91.22	1.18	95.72	1.59
Separated														
Yes	11.17	1.83	17.49	3.04	3.99	1.64	--	--	13.21	2.68	9.29	2.23	--	--
No	88.83	1.83	82.51	3.04	96.01	1.64	94.22	4.00	86.79	2.68	90.71	2.23	98.46	1.56

See footnotes at end of table.

Table 1-19. Percent distribution of any alcohol treatment in lifetime among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Never married														
Yes	8.45	0.54	10.33	0.73	5.06	0.62	7.62	0.76	9.67	0.80	7.77	1.99	--	--
No	91.55	0.54	89.67	0.73	94.94	0.62	92.38	0.76	90.33	0.80	92.23	1.99	98.51	1.05
Ever Raised Children														
Yes														
Yes	5.97	0.27	7.91	0.39	3.23	0.27	8.44	1.55	7.32	0.39	4.75	0.40	2.59	0.43
No	94.03	0.27	92.09	0.39	96.77	0.27	91.56	1.55	92.68	0.39	95.25	0.40	97.41	0.43
No														
Yes	7.45	0.38	9.49	0.54	3.90	0.40	7.93	0.64	7.61	0.53	6.73	1.24	--	--
No	92.55	0.38	90.51	0.54	96.10	0.40	92.07	0.64	92.39	0.53	93.27	1.24	99.10	0.56
Children Under 14 Living in Household														
Yes														
Yes	6.04	0.38	8.17	0.60	3.38	0.35	6.58	1.58	6.28	0.41	4.32	0.96	--	--
No	93.96	0.38	91.83	0.60	96.62	0.35	93.42	1.58	93.72	0.41	95.68	0.96	100.00	0.00
No														
Yes	6.69	0.27	8.62	0.38	3.48	0.28	8.21	0.64	8.49	0.47	5.05	0.41	2.43	0.39
No	93.31	0.27	91.38	0.38	96.52	0.28	91.79	0.64	91.51	0.47	94.95	0.41	97.57	0.39
Education														
11 years or less														
Yes	10.21	0.80	12.24	1.07	5.92	1.10	12.28	2.09	12.82	1.47	9.70	1.42	2.59	0.93
No	89.79	0.80	87.76	1.07	94.08	1.10	87.72	2.09	87.18	1.47	90.30	1.42	97.41	0.93
12 years														
Yes	8.26	0.45	11.31	0.69	3.82	0.42	9.72	1.16	10.83	0.71	4.40	0.61	--	--
No	91.74	0.45	88.69	0.69	96.18	0.42	90.28	1.16	89.17	0.71	95.60	0.61	98.25	0.62
13-15 years														
Yes	6.46	0.39	8.68	0.63	3.62	0.41	6.83	0.85	7.27	0.55	5.14	0.84	2.71	0.89
No	93.54	0.39	91.32	0.63	96.38	0.41	93.17	0.85	92.73	0.55	94.86	0.84	97.29	0.89
16 or more years														
Yes	3.18	0.28	3.87	0.41	2.05	0.29	3.80	1.07	3.17	0.38	3.15	0.55	2.77	0.75
No	96.82	0.28	96.13	0.41	97.95	0.29	96.20	1.07	96.83	0.38	96.85	0.55	97.23	0.75
Currently Employed Full Time														
Yes														
Yes	6.22	0.28	7.82	0.38	2.90	0.31	7.95	0.87	6.77	0.36	4.12	0.44	--	--
No	93.78	0.28	92.18	0.38	97.10	0.31	92.05	0.87	93.23	0.36	95.88	0.44	97.72	1.30
No														
Yes	6.94	0.36	10.07	0.62	4.03	0.34	8.08	0.82	9.40	0.69	6.51	0.69	2.38	0.40
No	93.06	0.36	89.93	0.62	95.97	0.34	91.92	0.82	90.60	0.69	93.49	0.69	97.62	0.40

See footnotes at end of table.

Table 1-19. Percent distribution of any alcohol treatment in lifetime among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Personal Annual Income														
None														
Yes	5.16	0.44	6.73	0.73	3.78	0.50	5.42	1.77	9.75	1.22	6.01	0.85	2.00	0.39
No	94.84	0.44	93.27	0.73	96.22	0.50	94.58	1.77	90.25	1.22	93.99	0.85	98.00	0.39
\$1 to \$9,999														
Yes	8.58	0.58	12.97	1.00	4.39	0.56	8.57	0.87	10.01	1.05	6.11	1.09	4.80	1.76
No	91.42	0.58	87.03	1.00	95.61	0.56	91.43	0.87	89.99	1.05	93.89	1.09	95.20	1.76
\$10,000 to \$24,999														
Yes	8.25	0.49	12.01	0.78	3.36	0.41	8.52	1.03	9.10	0.63	5.70	0.95	--	--
No	91.75	0.49	87.99	0.78	96.64	0.41	91.48	1.03	90.90	0.63	94.30	0.95	97.06	1.74
\$25,000 or more														
Yes	4.68	0.30	5.48	0.37	2.26	0.35	--	--	5.12	0.37	3.94	0.54	--	--
No	95.32	0.30	94.52	0.37	97.74	0.35	95.84	1.51	94.88	0.37	96.06	0.54	98.20	1.27
Current/Most Recent Occupation														
Executive, administrative, managerial														
Yes	3.98	0.43	4.45	0.58	3.17	0.57	--	--	3.83	0.54	4.79	0.89	--	--
No	96.02	0.43	95.55	0.58	96.83	0.57	97.49	1.03	96.17	0.54	95.21	0.89	97.01	1.04
Professional specialty														
Yes	2.94	0.37	3.23	0.53	2.60	0.44	--	--	2.72	0.43	2.35	0.58	3.94	1.19
No	97.06	0.37	96.77	0.53	97.40	0.44	94.84	2.01	97.28	0.43	97.65	0.58	96.06	1.19
Technician/related support														
Yes	6.26	1.07	8.69	1.70	2.80	0.96	--	--	6.61	1.31	--	--	--	--
No	93.74	1.07	91.31	1.70	97.20	0.96	92.99	2.44	93.39	1.31	93.79	3.31	100.00	0.00
Sales														
Yes	4.78	0.52	5.82	0.80	3.42	0.56	5.06	1.13	5.97	0.88	3.66	0.89	--	--
No	95.22	0.52	94.18	0.80	96.58	0.56	94.94	1.13	94.03	0.88	96.34	0.89	98.74	0.90
Administrative support, including clerical														
Yes	3.80	0.39	7.40	1.12	2.46	0.36	5.91	1.33	4.17	0.59	2.50	0.63	--	--
No	96.20	0.39	92.60	1.12	97.54	0.36	94.09	1.33	95.83	0.59	97.50	0.63	98.46	0.67
Private household														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	94.34	3.38	--	--	97.00	2.19	100.00	0.00	92.78	5.34	90.32	9.23	100.00	0.00
Protective service														
Yes	7.16	1.65	7.86	1.83	--	--	--	--	5.97	1.86	--	--	--	--
No	92.84	1.65	92.14	1.83	98.83	1.22	86.91	5.55	94.03	1.86	92.88	3.75	100.00	0.00
Service, except protective and household														
Yes	8.84	0.83	12.03	1.42	6.54	0.93	9.94	1.86	9.77	1.12	4.86	1.22	--	--
No	91.16	0.83	87.97	1.42	93.46	0.93	90.06	1.86	90.23	1.12	95.14	1.22	93.49	2.75

See footnotes at end of table.

Table 1-19. Percent distribution of any alcohol treatment in lifetime among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Farming, forestry, fishing														
Yes	10.38	1.71	10.88	1.89	--	--	--	--	16.15	3.41	--	--	--	--
No	89.62	1.71	89.12	1.89	93.07	3.36	91.80	3.18	83.85	3.41	95.30	1.97	96.99	2.96
Precision production, craft, repair														
Yes	12.27	0.87	12.81	0.93	--	--	14.25	2.36	15.36	1.33	7.44	1.35	--	--
No	87.73	0.87	87.19	0.93	94.61	2.03	85.75	2.36	84.64	1.33	92.56	1.35	98.39	0.79
Operators, fabricators, laborers														
Yes	8.98	1.01	11.72	1.38	2.57	0.86	--	--	10.95	1.46	9.73	2.70	--	--
No	91.02	1.01	88.28	1.38	97.43	0.86	94.00	1.97	89.05	1.46	90.27	2.70	98.65	0.85
Transportation, material moving														
Yes	9.28	1.29	9.64	1.39	--	--	14.73	5.45	9.86	1.61	7.03	1.93	--	--
No	90.72	1.29	90.36	1.39	95.64	2.03	85.27	5.45	90.14	1.61	92.97	1.93	95.04	3.87
Handlers, equipment cleaners, helpers, laborers														
Yes	13.18	1.62	14.29	1.83	7.70	3.16	12.08	2.79	14.31	2.38	16.76	4.11	--	--
No	86.82	1.62	85.71	1.83	92.30	3.16	87.92	2.79	85.69	2.38	83.24	4.11	100.00	0.00
Military														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	95.72	2.15	95.51	2.45	97.05	2.87	98.49	1.52	93.78	3.39	--	--	--	--
Current/Most Recent Industry														
Agriculture, forestry, fisheries														
Yes	8.50	1.70	9.49	2.07	--	--	--	--	13.51	3.29	--	--	--	--
No	91.50	1.70	90.51	2.07	95.43	2.34	95.66	1.74	86.49	3.29	95.16	1.88	97.02	2.94
Mining														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	91.43	3.37	89.14	4.34	100.00	0.00	--	--	90.95	5.35	91.57	5.05	100.00	0.00
Construction														
Yes	12.59	1.16	13.40	1.25	--	--	14.35	3.09	14.58	1.63	9.18	2.10	--	--
No	87.41	1.16	86.60	1.25	95.89	1.42	85.65	3.09	85.42	1.63	90.82	2.10	98.46	0.96
Manufacturing														
Yes	7.47	0.52	9.21	0.69	2.43	0.50	8.09	1.56	9.29	0.76	6.01	1.07	--	--
No	92.53	0.52	90.79	0.69	97.57	0.50	91.91	1.56	90.71	0.76	93.99	1.07	98.35	0.63
Transportation, communications, other public utilities														
Yes	6.05	0.72	6.90	0.90	3.59	0.94	--	--	6.14	0.96	5.24	1.21	--	--
No	93.95	0.72	93.10	0.90	96.41	0.94	92.05	3.25	93.86	0.96	94.76	1.21	93.83	2.52
Wholesale trade														
Yes	9.42	1.25	10.60	1.50	--	--	15.18	4.34	10.35	1.84	7.25	2.25	--	--
No	90.58	1.25	89.40	1.50	94.57	2.03	84.82	4.34	89.65	1.84	92.75	2.25	98.53	1.46
Retail trade														
Yes	6.52	0.56	8.71	0.92	4.29	0.58	7.84	1.12	7.35	0.85	3.87	0.98	--	--
No	93.48	0.56	91.29	0.92	95.71	0.58	92.16	1.12	92.65	0.85	96.13	0.98	98.33	1.02

See footnotes at end of table.

Table 1-19. Percent distribution of any alcohol treatment in lifetime among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Finance, insurance, real estate														
Yes	3.53	0.55	5.30	1.04	1.99	0.51	--	--	3.12	0.68	5.57	1.45	--	--
No	96.47	0.55	94.70	1.04	98.01	0.51	98.73	0.79	96.88	0.68	94.43	1.45	97.23	1.48
Services: business and repair														
Yes	8.23	1.02	9.63	1.41	5.66	1.35	12.13	3.11	9.26	1.45	4.79	1.38	--	--
No	91.77	1.02	90.37	1.41	94.34	1.35	87.87	3.11	90.74	1.45	95.21	1.38	100.00	0.00
Services: personal														
Yes	6.12	1.31	10.48	2.98	3.82	0.98	--	--	6.51	2.43	--	--	--	--
No	93.88	1.31	89.52	2.98	96.18	0.98	95.84	1.95	93.49	2.43	91.90	3.10	95.04	2.52
Services: entertainment and recreation														
Yes	8.69	1.99	8.87	2.24	--	--	--	--	7.21	2.02	--	--	--	--
No	91.31	1.99	91.13	2.24	91.66	4.02	88.29	4.36	92.79	2.02	92.49	4.01	100.00	0.00
Services: professional and related														
Yes	4.04	0.38	5.63	0.74	3.01	0.36	6.57	1.40	4.32	0.53	2.52	0.52	3.28	1.01
No	95.96	0.38	94.37	0.74	96.99	0.36	93.43	1.40	95.68	0.53	97.48	0.52	96.72	1.01
Public administration														
Yes	3.69	0.67	4.12	0.87	--	--	--	--	4.02	0.95	4.08	1.46	--	--
No	96.31	0.67	95.88	0.87	97.19	1.02	96.57	2.01	95.98	0.95	95.92	1.46	98.49	0.89
Military														
Yes	--	--	--	--	--	--	--	--	--	--	--	--	--	--
No	94.77	2.12	94.39	2.40	97.25	2.69	98.50	1.51	92.43	3.22	100.00	0.00	--	--
Smoked Any Cigarettes in Last Year														
Yes														
Yes	11.26	0.47	14.74	0.67	5.99	0.50	12.11	1.11	12.42	0.64	8.87	0.79	5.42	1.28
No	88.74	0.47	85.26	0.67	94.01	0.50	87.89	1.11	87.58	0.64	91.13	0.79	94.58	1.28
No														
Yes	3.50	0.21	4.59	0.31	1.85	0.21	4.77	0.64	3.90	0.30	2.86	0.40	1.51	0.34
No	96.50	0.21	95.41	0.31	98.15	0.21	95.23	0.64	96.10	0.30	97.14	0.40	98.49	0.34
Smoked 100 or More Cigarettes in Life														
Yes														
Yes	8.60	0.34	10.99	0.47	4.73	0.36	12.28	1.08	10.43	0.51	5.69	0.46	3.02	0.53
No	91.40	0.34	89.01	0.47	95.27	0.36	87.72	1.08	89.57	0.51	94.31	0.46	96.98	0.53
No														
Yes	3.37	0.26	4.57	0.39	1.72	0.25	4.16	0.61	3.44	0.32	3.17	0.68	--	--
No	96.63	0.26	95.43	0.39	98.28	0.25	95.84	0.61	96.56	0.32	96.83	0.68	99.10	0.40
Any Depression in Past Year														
Yes														
Yes	17.04	1.87	21.52	2.93	12.06	1.79	17.50	3.01	17.07	2.53	12.16	3.97	--	--
No	82.96	1.87	78.48	2.93	87.94	1.79	82.50	3.01	82.93	2.53	87.84	3.97	--	--

See footnotes at end of table.

Table 1-19. Percent distribution of any alcohol treatment in lifetime among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No														
Yes	6.06	0.22	8.03	0.32	3.02	0.22	7.23	0.62	6.98	0.31	4.82	0.38	2.17	0.37
No	93.94	0.22	91.97	0.32	96.98	0.22	92.77	0.62	93.02	0.31	95.18	0.38	97.83	0.37
<u>Any Depression in Life</u>														
Yes														
Yes	12.63	0.92	16.84	1.55	8.23	0.89	13.39	1.92	12.66	1.19	10.98	1.68	--	--
No	87.37	0.92	83.16	1.55	91.77	0.89	86.61	1.92	87.34	1.19	89.02	1.68	83.36	6.24
No														
Yes	5.72	0.23	7.62	0.32	2.69	0.23	6.97	0.64	6.67	0.33	4.44	0.39	2.04	0.36
No	94.28	0.23	92.38	0.32	97.31	0.23	93.03	0.64	93.33	0.33	95.56	0.39	97.96	0.36
<u>Alcohol Use Disorder in Past Year</u>														
None														
Yes	3.94	0.20	5.25	0.32	2.12	0.18	4.06	0.53	4.80	0.30	2.98	0.32	1.89	0.36
No	96.06	0.20	94.75	0.32	97.88	0.18	95.94	0.53	95.20	0.30	97.02	0.32	98.11	0.36
Abuse														
Yes	12.37	1.11	14.24	1.36	7.06	1.55	12.16	2.22	12.37	1.43	13.67	3.31	--	--
No	87.63	1.11	85.76	1.36	92.94	1.55	87.84	2.22	87.63	1.43	86.33	3.31	93.40	6.46
Dependence														
Yes	23.98	1.23	27.20	1.56	16.69	1.81	17.36	1.94	26.10	1.68	33.68	3.65	29.10	8.25
No	76.02	1.23	72.80	1.56	83.31	1.81	82.64	1.94	73.90	1.68	66.32	3.65	70.90	8.25
<u>Usual Drinking Level in Past Year³</u>														
Light drinker														
Yes	3.53	0.25	4.94	0.43	2.07	0.24	4.51	0.75	3.78	0.34	2.84	0.51	2.25	0.65
No	96.47	0.25	95.06	0.43	97.93	0.24	95.49	0.75	96.22	0.34	97.16	0.51	97.75	0.65
Moderate drinker														
Yes	5.69	0.36	6.87	0.48	3.62	0.40	6.85	0.99	6.80	0.49	3.72	0.55	1.43	0.46
No	94.31	0.36	93.13	0.48	96.38	0.40	93.15	0.99	93.20	0.49	96.28	0.55	98.57	0.46
Heavier drinker														
Yes	15.85	0.82	17.63	0.96	10.02	1.24	17.67	2.04	19.84	1.27	12.21	1.32	4.36	1.12
No	84.15	0.82	82.37	0.96	89.98	1.24	82.33	2.04	80.16	1.27	87.79	1.32	95.64	1.12
<u>Usual/Heaviest Drinking Level in Past Year³</u>														
Light drinker														
Yes	3.35	0.26	4.68	0.45	1.99	0.24	4.20	0.79	3.53	0.34	2.84	0.54	2.37	0.69
No	96.65	0.26	95.32	0.45	98.01	0.24	95.80	0.79	96.47	0.34	97.16	0.54	97.63	0.69
Moderate drinker														
Yes	5.34	0.35	6.51	0.46	3.41	0.38	6.56	0.96	6.39	0.47	3.34	0.51	1.18	0.42
No	94.66	0.35	93.49	0.46	96.59	0.38	93.44	0.96	93.61	0.47	96.66	0.51	98.82	0.42

See footnotes at end of table.

Table 1-19. Percent distribution of any alcohol treatment in lifetime among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Heavier drinker														
Yes	14.72	0.73	16.56	0.88	9.10	1.06	16.21	1.81	18.43	1.11	11.05	1.16	4.25	1.06
No	85.28	0.73	83.44	0.88	90.90	1.06	83.79	1.81	81.57	1.11	88.95	1.16	95.75	1.06
5 or More Drinks in a Single Day														
Not once in past year														
Yes	2.00	0.18	2.51	0.29	1.51	0.19	2.99	0.88	1.90	0.24	2.06	0.32	1.73	0.40
No	98.00	0.18	97.49	0.29	98.49	0.19	97.01	0.88	98.10	0.24	97.94	0.32	98.27	0.40
1 to 11 times in past year														
Yes	6.31	0.41	7.50	0.57	4.21	0.47	5.32	0.82	7.02	0.55	5.86	0.97	--	--
No	93.69	0.41	92.50	0.57	95.79	0.47	94.68	0.82	92.98	0.55	94.14	0.97	97.72	1.18
12 or more times in past year														
Yes	14.50	0.62	16.12	0.75	9.39	1.01	12.55	1.25	16.11	0.87	13.90	1.42	7.73	1.91
No	85.50	0.62	83.88	0.75	90.61	1.01	87.45	1.25	83.89	0.87	86.10	1.42	92.27	1.91
Drinking Enough to Feel Drunk														
Not once in past year														
Yes	2.60	0.18	3.27	0.28	1.74	0.21	2.99	0.81	3.14	0.29	2.25	0.27	1.54	0.35
No	97.40	0.18	96.73	0.28	98.26	0.21	97.01	0.81	96.86	0.29	97.75	0.27	98.46	0.35
1 to 11 times in past year														
Yes	8.23	0.43	10.68	0.63	4.30	0.42	6.48	0.78	8.62	0.53	10.06	1.34	5.11	1.85
No	91.77	0.43	89.32	0.63	95.70	0.42	93.52	0.78	91.38	0.53	89.94	1.34	94.89	1.85
12 or more times in past year														
Yes	19.42	1.05	21.70	1.21	12.97	1.80	14.43	1.63	21.68	1.53	27.97	3.41	26.73	7.46
No	80.58	1.05	78.30	1.21	87.03	1.80	85.57	1.63	78.32	1.53	72.03	3.41	73.27	7.46
Driving After Drinking														
Not once in past year														
Yes	5.08	0.22	6.67	0.33	2.84	0.22	5.53	0.57	5.90	0.31	4.30	0.37	2.20	0.38
No	94.92	0.22	93.33	0.33	97.16	0.22	94.47	0.57	94.10	0.31	95.70	0.37	97.80	0.38
1 or 2 times in past year														
Yes	14.34	1.15	15.98	1.43	10.25	1.79	15.27	2.41	14.78	1.47	10.60	2.92	--	--
No	85.66	1.15	84.02	1.43	89.75	1.79	84.73	2.41	85.22	1.47	89.40	2.92	90.34	6.93
3 or more times in past year														
Yes	20.60	1.64	22.91	2.01	12.60	2.37	19.46	2.59	20.78	2.08	23.12	5.43	--	--
No	79.40	1.64	77.09	2.01	87.40	2.37	80.54	2.59	79.22	2.08	76.88	5.43	--	--
Getting into Situation that Could Be Harmful														
Not once in past year														
Yes	5.71	0.22	7.47	0.32	3.14	0.23	6.42	0.61	6.62	0.31	4.65	0.38	2.19	0.37
No	94.29	0.22	92.53	0.32	96.86	0.23	93.58	0.61	93.38	0.31	95.35	0.38	97.81	0.37

See footnotes at end of table.

Table 1-19. Percent distribution of any alcohol treatment in lifetime among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
At least once in past year														
Yes	22.28	1.69	23.66	1.91	16.68	3.10	18.32	2.35	25.63	2.57	28.54	6.46	--	--
No	77.72	1.69	76.34	1.91	83.32	3.10	81.68	2.35	74.37	2.57	71.46	6.46	--	--
Age Started Drinking														
16 years or younger														
Yes	12.34	0.57	14.98	0.77	7.08	0.68	13.34	1.09	13.00	0.80	10.22	1.26	4.51	1.21
No	87.66	0.57	85.02	0.77	92.92	0.68	86.66	1.09	87.00	0.80	89.78	1.26	95.49	1.21
17 or 18 years														
Yes	5.27	0.34	6.45	0.48	3.10	0.37	4.16	0.64	5.93	0.48	4.76	0.68	4.02	1.20
No	94.73	0.34	93.55	0.48	96.90	0.37	95.84	0.64	94.07	0.48	95.24	0.68	95.98	1.20
19 or 20 years														
Yes	4.65	0.51	6.41	0.79	2.20	0.47	--	--	5.43	0.67	5.38	1.23	--	--
No	95.35	0.51	93.59	0.79	97.80	0.47	98.22	1.03	94.57	0.67	94.62	1.23	97.78	0.88
21 years or older														
Yes	3.04	0.31	4.33	0.53	1.84	0.28	--	--	4.14	0.59	2.85	0.41	1.11	0.37
No	96.96	0.31	95.67	0.53	98.16	0.28	99.29	0.70	95.86	0.59	97.15	0.41	98.89	0.37
Drinking Days of the Week in Past Year														
Holidays or special occasions only														
Yes	4.04	0.64	5.69	1.06	2.14	0.62	--	--	3.53	0.86	4.22	1.24	--	--
No	95.96	0.64	94.31	1.06	97.86	0.62	92.78	2.77	96.47	0.86	95.78	1.24	96.17	1.57
Weekends only														
Yes	5.51	0.28	7.38	0.44	2.97	0.26	7.27	0.69	5.88	0.37	3.44	0.48	2.35	0.64
No	94.49	0.28	92.62	0.44	97.03	0.26	92.73	0.69	94.12	0.37	96.56	0.48	97.65	0.64
Weekdays/weekends														
Yes	8.76	0.43	10.70	0.57	4.91	0.51	9.98	1.40	11.74	0.70	6.95	0.66	1.99	0.44
No	91.24	0.43	89.30	0.57	95.09	0.51	90.02	1.40	88.26	0.70	93.05	0.66	98.01	0.44
Family History of Alcoholism														
None														
Yes	3.65	0.26	4.75	0.36	1.62	0.25	3.82	0.61	4.24	0.41	3.50	0.50	1.60	0.40
No	96.35	0.26	95.25	0.36	98.38	0.25	96.18	0.61	95.76	0.41	96.50	0.50	98.40	0.40
2nd degree relatives only														
Yes	5.60	0.44	7.72	0.68	2.42	0.41	6.59	1.10	5.77	0.58	5.09	0.92	--	--
No	94.40	0.44	92.28	0.68	97.58	0.41	93.41	1.10	94.23	0.58	94.91	0.92	98.46	0.75
1st degree relatives only														
Yes	8.00	0.69	11.64	1.08	2.77	0.58	12.92	2.73	9.63	1.10	4.77	0.98	3.51	1.18
No	92.00	0.69	88.36	1.08	97.23	0.58	87.08	2.73	90.37	1.10	95.23	0.98	96.49	1.18
Both 1st and 2nd degree relatives														
Yes	12.04	0.60	16.48	0.96	7.14	0.63	14.58	1.69	12.86	0.76	8.28	0.99	7.32	2.31
No	87.96	0.60	83.52	0.96	92.86	0.63	85.42	1.69	87.14	0.76	91.72	0.99	92.68	2.31

See footnotes at end of table.

Table 1-19. Percent distribution of any alcohol treatment in lifetime among current drinkers,¹ by sex and age group according to selected respondent characteristics, United States, 1992. (Continued)

Respondent characteristics ²	Both sexes/ ages 18 and older		Sex				Age group							
	Estimate	S.E.	Male		Female		18-24 years		25-44 years		45-64 years		65 years and older	
			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Any Parent Alcoholic</u>														
Yes														
Yes	11.55	0.57	15.64	0.87	6.69	0.62	14.13	1.58	12.64	0.75	7.75	0.91	6.11	1.66
No	88.45	0.57	84.36	0.87	93.31	0.62	85.87	1.58	87.36	0.75	92.25	0.91	93.89	1.66
No														
Yes	4.84	0.23	6.46	0.33	2.17	0.20	5.81	0.59	5.51	0.33	4.10	0.42	1.88	0.38
No	95.16	0.23	93.54	0.33	97.83	0.20	94.19	0.59	94.49	0.33	95.90	0.42	98.12	0.38
<u>Married to Alcoholic/Lived with Alcoholic as Married</u>														
Yes														
Yes	13.38	0.81	23.17	1.78	8.82	0.78	15.76	3.14	15.54	1.09	9.90	1.37	5.76	2.07
No	86.62	0.81	76.83	1.78	91.18	0.78	84.24	3.14	84.46	1.09	90.10	1.37	94.24	2.07
No														
Yes	5.61	0.23	7.56	0.32	2.15	0.20	7.57	0.61	6.22	0.32	4.23	0.39	2.03	0.37
No	94.39	0.23	92.44	0.32	97.85	0.20	92.43	0.61	93.78	0.32	95.77	0.39	97.97	0.37

-- Fewer than 10 respondents in this cell.

¹ **Current drinker:** 12 or more drinks of alcohol in the past year.

² Excludes respondents for whom the characteristic was coded "other or unknown."

³ **Light drinker:** fewer than 3 drinks per week on average. **Moderate drinker:** 3 to fewer than 14 drinks per week on average. **Heavier drinker:** 2 or more drinks per day on average.

SOURCE: National Longitudinal Alcohol Epidemiologic Survey, 1992, National Institute on Alcohol Abuse and Alcoholism.