U.S. Alcohol Epidemiologic Data Reference Manual Volume 8, Number 2

ALCOHOL USE AND ALCOHOL USE DISORDERS IN THE UNITED STATES, A 3-YEAR FOLLOW-UP:

MAIN FINDINGS FROM THE 2004–2005 WAVE 2 NATIONAL EPIDEMIOLOGIC SURVEY ON ALCOHOL AND RELATED CONDITIONS (NESARC)

September 2010

National Institutes of Health

National Institute on Alcohol Abuse and Alcoholism 5635 Fishers Lane, MSC 9304
Bethesda, MD 20892-9304

Acknowledgments

This publication was developed by CSR, Incorporated, under Contract No.HHSN267200800023C for the operation of the Alcohol Epidemiologic Data System (AEDS) for the Division of Epidemiology and Prevention Research (DEPR) of the National Institute on Alcohol Abuse and Alcoholism (NIAAA), National Institutes of Health (NIH), U.S. Department of Health and Human Services. The study on which this manual is based, the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC), is sponsored by NIAAA, with supplemental support from the National Institute on Drug Abuse. This research was supported in part by the Intramural Program of NIAAA. Principal authors of this manual are Chiung M. Chen, M.A., and Hsiao-ye Yi, Ph.D., of CSR; and Deborah A. Dawson, Ph.D., Frederick S. Stinson, Ph.D., and Bridget F. Grant, Ph.D., Ph.D., of the Laboratory of Epidemiology and Biometry of NIAAA. Rosalind A. Breslow, Ph.D., of DEPR served as NIAAA's Project Officer on the above-referenced contract and oversaw the completion of this manual.

All material appearing in this manual is in the public domain and may be reproduced or copied without the permission of NIAAA. Citation of the source is appreciated.

Table of Contents

List of Tables	v
List of Exhibits	viii
Foreword	ix
1. Introduction	1
2. Data Source	2
3. Data Coverage	4
3.1 NESARC Alcohol Items	4
3.1.1 Drinking Status	4
3.1.2 Drinking Level	4
3.1.3 Exceeding Daily and Weekly Low-Risk Drinking Limits	6
3.1.4 Overall Beverage Preference	7
3.1.5 Age at Drinking Onset	7
3.1.6 DSM-IV Alcohol Use Disorders	7
3.1.7 Family History of Alcoholism	11
3.1.8 Alcohol Treatment	11
3.2 Other NESARC Items	11
3.2.1 Basic Demographic and Background Information	14
3.2.2 Tobacco Use Status	14
3.2.3 Drug Use Status	14
3.2.4 Medical Conditions	14
3.2.5 DSM-IV Drug and Nicotine Use Disorders	18
3.2.6 DSM-IV Mood and Anxiety Disorders	19
3.2.7 DSM-IV Personality and Conduct Disorders	19
4. Data Tables	20
4.1 Percent Distribution Tables	20
4.2 Health Condition Rates Tables	25
4.3 Psychiatric Disorder Rates Tables	26
4.4 Quality of Life Scores Tables	27
5. References	29



List of Tables

1 -		ercent distribution of drinking status (since the Wave 1 interview) at Wave 2 among variable], by sex and age group, according to selected respondent characteristics at Wave	1.
	V	ariables:	
	1.	Wave 1 current drinkers	33
	2.	Wave 1 former drinkers	.45
	3.	Wave 1 lifetime abstainers	57
1-	lir	ercent distribution of past-year status of exceeding daily and weekly low-risk drinking mits at Wave 2 among [variable], by sex and age group, according to selected respondent paracteristics at Wave 1.	t
	V	ariables:	
	4.	Wave 1 non-current drinkers	.68
	5.	Wave 1 current drinkers who did not exceed drinking limits in the past year	.82
	6.	Wave 1 current drinkers who exceeded daily but not weekly drinking limits in the past year	97
	7.	Wave 1 current drinkers who exceeded weekly or both daily and weekly drinking limits in the past year	112
1-	by	ercent distribution of past-year <i>DSM-IV</i> alcohol use disorder (AUD) transition status y Wave 2 among [variable], by sex and age group, according to selected respondent naracteristics at Wave 1.	
	V	ariables:	
	8.	Wave 1 current drinkers with no past-year AUD	127
	9.	Wave 1 current drinkers with past-year alcohol abuse only	142
	10	O. Wave 1 current drinkers with past-year alcohol dependence	157
1-1	1	Percent distribution of past-year recovery status at Wave 2 among individuals in full remission from <i>DSM-IV</i> alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1.	172
1- 1	,	Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a <i>DSM-IV</i> alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1	187
1- 1	(Rate (%) of 1-year (i.e., Wave 2 past year) first incidence of <i>DSM-IV</i> alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1.	202
1- 1	(Rate (%) of 3-year (i.e., Wave 1 to Wave 2) first incidence of <i>DSM-IV</i> alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1.	214

2- Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to [variable]. Variables: 1. 2. Wave 1 past-year average drinking level among Wave 1 current drinkers228 3. Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits 4. Wave 1 past-year *DSM-IV* alcohol use disorder status among Wave 1 current drinkers 230 Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more 5. drinks for women in a single day among Wave 1 current drinkers232 6. Wave 1 past-year frequency of drinking enough to feel drunk among Wave 1 current drinkers 233 7. 8. Wave 1 past-year alcoholic beverage preference among Wave 1 current drinkers.....236 9 Family history of alcoholism at Wave 1 among Wave 1 current drinkers238 Having had alcoholic parents by Wave 1 among Wave 1 current drinkers......240 10. Having ever married/lived as if married with an alcoholic at Wave 1 3- Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected DSM-IV psychiatric disorders, by sex and age group, according to [variable]. Variables: 1. 2. Wave 1 past-year average drinking level among Wave 1 current drinkers246 3. Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits 4. Wave 1 past-year *DSM-IV* alcohol use disorder status 5. Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more 6. Wave 1 past-year frequency of drinking enough to feel drunk among Wave 1 current drinkers......259

7.

	8.	Wave 1 past-year alcoholic beverage preference among Wave 1 current drinkers	266
	9.	Family history of alcoholism at Wave 1 among Wave 1 current drinkers	271
	10.	Having had alcoholic parents by Wave 1 among Wave 1 current drinkers	275
	11.	Having ever married/lived as if married with an alcoholic at Wave 1 among Wave 1 current drinkers	277
4-	score	lity of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-bases based on the Short Form 12 Health Survey Version 2 (SF–12v2), by sex and age p, according to [variable].	sed
	<u>Vari</u>	ables:	
	1.	Wave 1 past-year drinking status	279
	2.	Wave 1 past-year average drinking level among Wave 1 current drinkers	281
	3.	Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits among Wave 1 current drinkers	283
	4.	Wave 1 past-year <i>DSM-IV</i> alcohol use disorder status among Wave 1 current drinkers	285
	5.	Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more drinks for women in a single day among Wave 1 current drinkers	287
	6.	Wave 1 past-year frequency of drinking enough to feel drunk among Wave 1 current drinkers	289
	7.	Age of starting to drink among Wave 1 current drinkers	291
	8.	Wave 1 past-year alcoholic beverage preference among Wave 1 current drinkers	293
	9.	Family history of alcoholism at Wave 1 among Wave 1 current drinkers	296
	10.	Having had alcoholic parents by Wave 1 among Wave 1 current drinkers	298
	11.	Having ever married/lived as if married with an alcoholic at Wave 1 among Wave 1 current drinkers	299

List of Exhibits

Na	tional Epidemiologic Survey on Alcohol and Related Conditions	
1.	(Wave 1 Section 2A): Selected Questions on Alcohol Consumption	8
	(Wave 2 Section 2A): Selected Questions on Alcohol Consumption	9
2.	(Section 2B): <i>DSM-IV</i> Alcohol Abuse and Dependence Diagnostic Criteria and Associated Questionnaire Items	10
3.	(Wave 1 Section 2D): Selected Questions on Family History of Alcoholism	12
4.	(Section 2C): Selected Questions on Treatment Utilization	13
5.	(Section 1): Questionnaire Items for Selected Demographic and Background Information	15
6.	(Wave 1 Section 3A): Selected Questions on Tobacco Use	16
7.	(Wave 1 Section 3B): Selected Questions on Medicine Use	16
8.	(Wave 1 Section 13; Wave 2 Section 14): Selected Questions on Medical Conditions	17

Foreword

The National Institute on Alcohol Abuse and Alcoholism (NIAAA), a part of the National Institutes of Health, is the primary Federal agency that conducts and supports epidemiologic, biomedical, and behavioral research related to the causes, consequences, treatment, and prevention of alcohol-related problems.

The Alcohol Epidemiologic Data Reference Manuals (AEDRMs) produced by the Alcohol Epidemiologic Data System (AEDS) of NIAAA provide detailed epidemiologic data useful to researchers, health care planners, and others interested in alcohol abuse, associated illnesses and psychiatric disorders, and alcohol-related mortality.

This manual is the second publication in Volume 8 of the AEDRM series. Volume 8 is devoted to data from the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC), a household survey designed, conducted, and sponsored by NIAAA, with supplemental support from the National Institute on Drug Abuse. The NESARC is the largest and most comprehensive survey conducted on alcohol use, alcohol use disorders, and their physical and psychiatric disabilities. The first publication of Volume 8 (2006) contains main findings from the Wave 1 NESARC conducted in 2001–2002. The current manual presents data from the Wave 2 NESARC conducted in 2004–2005. To assess changes in the 3 years of follow-up, this manual incorporates data from Wave 1 as baseline measures.

Other volumes of the AEDRM series include information on per capita alcohol consumption, liver cirrhosis mortality, county alcohol-problem indicators, hospital discharges with alcohol-related conditions, and State trends in drinking behaviors and alcohol-related mortality. It is hoped that these documents will serve as a useful reference for both researchers and others interested in the alcoholism field.

Kenneth R. Warren, Ph.D. Acting Director National Institute on Alcohol Abuse and Alcoholism

1. Introduction

In 2001–2002, NIAAA conducted the first wave (Wave 1) of the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC), a longitudinal study that was the most ambitious and comprehensive survey of its type ever conducted. In 2004–2005, NIAAA conducted the second wave (Wave 2) of NESARC, following up on the same respondents from the first wave. The NESARC includes extensive questions on patterns of alcohol consumption, as well as items designed to provide psychiatric classification of alcohol and other substance use disorders, mood and anxiety disorders, and personality disorders. In addition, the survey contains a variety of questions on family history of alcoholism, alcohol treatment utilization, medical conditions, and sociodemographic information.

Findings from the Wave 1 NESARC were published in an earlier data reference manual (Volume 8, Number 1) (Chen et al. 2006). The current manual (Volume 8, Number 2) presents major findings from the Wave 2 NESARC. The two documents use a similar layout. However, the Wave 1 manual focuses on prevalence statistics among the U.S. population in 2001–2002, whereas the Wave 2 manual focuses on changes during the 3-year period between the two waves among the baseline population.

The following sections describe the data sources as well as the variables and data tables presented in this manual.

2. Data Source

All data presented in this manual are based on the 2001–2002 Wave 1 NESARC and 2004–2005 Wave 2 NESARC, with the latter being a longitudinal follow-up to the former. The NESARC is a nationwide household survey designed and conducted by NIAAA. The fieldwork for this survey was completed under NIAAA's direction by trained U.S. Census Bureau Field Representatives. Wave 1 NESARC data were collected during 2001–2002 through computer-assisted personal interviews (CAPI) in face-to-face household settings. The sample included 43,093 respondents ages 18 and older, representing the civilian, noninstitutionalized adult population in the United States, including all 50 States and the District of Columbia. Military personnel living off base and residents in noninstitutionalized group quarters housing, such as boarding houses, shelters, and dormitories, were also included.

Data collection for Wave 2 began in August 2004 and was completed by September 2005. The Wave 2 NESARC reinterviewed 34,653 of the 43,093 Wave 1 NESARC respondents. Of the 8,440 Wave 1 respondents who were not included in Wave 2, 3,134 were not eligible for a Wave 2 interview because they were institutionalized, mentally/physically impaired, on active duty in the armed forces throughout the Wave 2 interview period, deceased, or deported. The remaining respondents (5,306) were eligible for a Wave 2 interview but were not reinterviewed because they refused or because of the inability to reach or locate them. The household response rate for the Wave 1 NESARC was 89 percent, and the person response rate was 93 percent, yielding an overall response rate of 81 percent. The Wave 2 NESARC response rate by itself was 86.7 percent, and accounting for the Wave 1 NESARC response rate yielded an overall cumulative survey response rate of 70.2 percent (the product of the Wave 2 and Wave 1 response rates). Sampling weights are provided in Wave 2 data to reflect design characteristics of the NESARC and account for nonresponse as well as sample attrition. The weighted Wave 2 data represent the same baseline population as represented in Wave 1.

The Wave 1 NESARC used a multistage stratified design in which primary sampling units (PSUs) were stratified according to certain sociodemographic criteria. The sampling frame for housing units is the Census 2000/2001 Supplementary Survey (C2SS) and that for group quarters is the Census 2000 Group Quarters Inventory. The C2SS sample of 655 PSUs was selected at the first stage, including 401 self-representing (SR) and 254 non-self-representing (NSR) PSUs. All SR PSUs were selected with certainty. For the NSR sample, two PSUs were selected per stratum, with probability proportional to the size of the estimated 1996 population of the stratum.

At the second stage, housing units and group-quarter units (converted to housing unit equivalents) were systematically selected within the PSUs. Non-Hispanic Black and Hispanic housing units were selected at higher rates than other housing units. At the third stage, within each household, one person was selected randomly from a roster of people living in the household. Within group quarters, respondents were selected based upon the position of their name on the list obtained by interviewers. Young adults ages 18–24 were sampled at a rate of 2.25 times that of other members of the household.

Details of the NESARC sampling design and methodology can be found in "Source and Accuracy Statement for Wave 1 of the 2001–2002 National Epidemiologic Survey on Alcohol and Related Conditions" (Grant et al. 2003*b*) and "Source and Accuracy Statement for the 2004–2005 Wave 2 National Epidemiologic Survey on Alcohol and Related Conditions" (Grant and Kaplan 2005).

Because of the complex survey design employed by the NESARC, variance estimation procedures that assume a simple random sample are not appropriate. Clustering in the NESARC sample selection typically resulted in standard errors larger than those that would be obtained with a simple random sample of equal size. Therefore, variance estimates that do not account appropriately for sample design effects can produce inaccurate estimates of statistical significance, making nonsignificant differences appear to be significant. To take into account the NESARC sample design, all standard errors of estimates presented in this manual were generated using SUDAAN (Research Triangle Institute 2008), a computer program that uses appropriate statistical techniques to adjust for sample design effects. All tables in this manual include estimates of standard errors to help readers assess the precision of the estimates presented.

3. Data Coverage

Data provided in this manual include items associated with alcohol use, alcohol use disorders, and other related mental and health conditions. The focus is on changes during the 3-year follow-up period between the 2001–2002 Wave 1 and 2004–2005 Wave 2 NESARC. In both waves, the information was collected using the NIAAA Alcohol Use Disorder and Associated Disabilities Interview Schedule–*Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV)* Version (AUDADIS-IV), a fully structured diagnostic interview instrument (questionnaire) designed for experienced lay interviewers (Grant, Dawson, and Hasin 2001). The measures used in this manual are described in the following sections. The source questionnaire items for some of the measures are shown in exhibits to provide the readers with the exact wording of the questions. However, response alternatives and skip patterns are not shown in the exhibits. The source questionnaire items are also noted for their locations in the interview instruments used for Wave 1 and/or Wave 2. If the locations of the items are the same in both waves, no specific wave is indicated.

3.1 NESARC Alcohol Items

The primary focus of the NESARC is alcohol, including amounts and patterns of consumption, experiences associated with drinking, classification of alcohol use disorders, and family history of alcohol problems.

3.1.1 Drinking Status

Because a substantial number of NESARC respondents were nondrinkers (either lifetime abstainers or former drinkers), NESARC included some screener questions to determine current drinking status. Only respondents who reported having at least 1 drink of any type of alcohol in the past year were considered to be current drinkers and were asked detailed questions about past-year alcohol consumption. In Wave 1, lifetime abstainers were those who never had 1 or more drinks in their life, and former drinkers were those who had at least 1 drink in their life but not in the past year. In Wave 2, abstainers since the Wave 1 interview were those who never had 1 or more drinks since the Wave 1 interview, and former drinkers were those who had at least 1 drink since the Wave 1 interview but not in the past year. Questions used to determine drinking status (Items 1 and 3 from Section 2A) are shown in Exhibit 1.

3.1.2 Drinking Level

The NESARC contains detailed questions about past-year alcohol consumption. For each beverage type (coolers, beer, wine, and liquor), there are questions about the usual frequency of drinking, quantity of drinks consumed on drinking days, and size of drinks. Flashcards showing life-sized photographs of different types of glasses, with various fill levels designated in ounces, were provided to help respondents report drink size. The amount of ethanol in each drink can be calculated by using an ethanol conversion

factor—the proportion of each drink that is pure alcohol. Ethanol conversion factors were derived from questions on the subtype of beverage usually consumed and additional information on the main brand. If a brand name was provided, its actual ethanol content was used, and the value for beverage subtype was edited for consistency with brand. If no brand was provided, the ethanol conversion factors were set to the average values for the beverage subtypes, as follows:

Coolers:	
Wine coolers	0.050
Malt-based coolers	0.050
Liquor-based coolers	0.050
Prepackaged cocktails	0.120
Unknown	0.050
Beer:	
Regular beer	0.050
Malt liquor	0.065
Lite or reduced-calorie beer	0.042
Ice beer	0.055
Unknown	0.050
Wine:	
Regular wine	0.125
Champagne or sparking wine	0.120
Fortified wine (including sherry, port, sake)	0.180
Low-alcohol fruit-flavored wine	0.070
Unknown	0.120
<u>Liquor:</u>	
80-proof liquor including brandy	0.400
100-proof liquor	0.500
Liqueurs or cordials	0.271
Unknown	0.400

From these alcohol items, it is possible to calculate estimates of total ethanol consumption during the past year by summing beverage-specific volumes across the four individual beverage types. Dividing this annual total by 365 yields the average daily volume of ethanol intake, the key statistic used for "drinking level" classification.

As described in the NESARC Data Notes (NIAAA 2004*a*), the algorithm for calculating the average daily volume of ethanol intake is as follows:

First, all the reported frequencies of drinking were converted to number of drinking days per year, using the midpoints of the categorical response options—e.g., 3 to 4 times a week = $3.5 \times 52 = 182$. (For respondents who did not drink the type of beverage in question, the frequency was set to zero.)

For respondents whose largest quantity of drinks was 5 or fewer, average daily volume of ethanol intake had two components:

- 1) the usual quantity times the frequency of drinking that quantity: $Q_U \times F_U$, where F_U = the overall frequency of drinking minus the frequency of drinking the largest quantity; and
- 2) the largest quantity times the frequency of drinking the largest quantity: QL x FL.

The sum of these two products, representing the total number of drinks consumed per year, was then multiplied by the ethanol content of the drink in ounces, derived by multiplying the size of drink in ounces times the ethanol content by volume. The resulting annual volume of ethanol intake was divided by 365 to yield average daily ethanol intake of the beverage in question. These volumes were then summed across beverages to yield the overall average daily volume of ethanol intake.

For respondents whose largest quantity of drinks was 6 or more, average daily volume had three components:

- 1) the usual quantity times the frequency of drinking that quantity: $Q_U \times F_U$, where F_U = the overall frequency minus the frequency of drinking 5 or more drinks;
- 2) an intermediate component, Q₅ x F₅, where F₅ = the frequency of drinking 5 or more drinks minus the frequency of drinking the largest quantity and Q₅ = exp((log(max(5, Q_U)) + log(Q_L 1))/2)—that is, the geometric mean of the band of quantities between 5 and the largest number of drinks minus 1; and
- 3) the largest quantity times the frequency of drinking the largest quantity: QL x FL.

Again, this sum of products was multiplied by the ethanol content per drink (see previous page) and divided by 365 to yield average daily ethanol intake of the beverage in question, and volumes were summed across beverages to yield the overall average daily volume of ethanol intake. Assuming that 1 standard drink contains 0.60 ounces of ethanol, the average daily volume can be converted to the number of drinks. Based on this measure, three categories of average drinking level were defined for current drinkers: light drinker = no more than 0.257 ounces of ethanol per day (i.e., 3 or fewer drinks per week); moderate drinker = more than 0.257 ounces and up to 1.2 ounces of ethanol per day (i.e., 3 to 14 drinks per week) for men and up to 0.6 ounces (i.e., 3 to 7 drinks per week) for women; and heavier drinker = more than 1.2 ounces of ethanol (i.e., more than 2 drinks) per day for men and more than 0.6 ounces (i.e., more than 1 drink) per day for women.

3.1.3 Exceeding Daily and Weekly Low-Risk Drinking Limits

According to NIAAA's low-risk drinking guidelines, men may be at risk for alcohol-related problems if they drink more than 14 drinks per week or more than 4 drinks on any day, and women may be at risk if they drink more than 7 drinks per week or more than 3 drinks on any day (NIAAA 2004b).

Wave 1 NESARC Questions 8e and 9 in Section 2A and the corresponding Wave 2 NESARC questions 4f and 4e in Section 2A (see Exhibit 1) ask about the frequency of drinking 5 or more drinks for both sexes and the frequency of drinking 4 or more drinks for women, respectively. In this manual, men were considered to exceed daily low-risk drinking limits if they reported drinking 5 or more drinks at least once during the past 12

months, or if their usual or largest ethanol intake on a single day exceeded 2.7 ounces (4.5 standard drinks). Women were considered to exceed daily limits if they reported drinking 4 or more drinks at least once during the past 12 months, or if their usual or largest ethanol intake on a single day exceeded 2.1 ounces (3.5 standard drinks). For both men and women, exceeding weekly low-risk drinking limits has the same definition as heavier drinking (described in 3.1.2): on average, more than 14 drinks per week (i.e., 2 drinks or 1.2 ounces of ethanol per day) for men and more than 7 drinks per week (i.e., 1 drink or 0.6 ounces of ethanol per day) for women.

3.1.4 Overall Beverage Preference

Wave 1 NESARC Questions 4a, 5a, 6a, and 7a in Section 2A (see Exhibit 1) ask about past-year consumption of coolers, beer, wine, and liquor. Relatively few respondents consumed only one of the four types of alcohol. Overall beverage preference was derived from calculations of average daily ethanol intake in the form of coolers, beer, wine, and liquor, separately. Overall beverage preference was assigned to a single type of alcohol if the respondent received at least 75 percent of past-year ethanol intake from that type of beverage. If no beverage type predominated using this rule, the respondent was categorized as having no preference.

3.1.5 Age at Drinking Onset

Wave 1 NESARC Question 16a in Section 2A (shown in Exhibit 1) asks respondents to report the age when they first started drinking ("not counting small tastes or sips"). Age categories used in this manual are 14 years or younger, 15 to 17 years, 18 to 20 years, and 21 years or older.

3.1.6 DSM-IV Alcohol Use Disorders

The NESARC alcohol use disorders were assessed by AUDADIS-IV questionnaire items that tap criteria articulated in the *DSM-IV* (American Psychiatric Association 1994). Exhibit 2 presents the *DSM-IV* criteria for alcohol abuse and dependence along with the NESARC questionnaire items from Section 2B that were used to determine whether a person meets a particular criterion (Grant et al. 2004*a*). Reliability and validity of the AUDADIS-IV measures for alcohol use disorders are extensively discussed elsewhere (Grant et al. 1995, 2003*a*).

A diagnosis of *DSM-IV* alcohol abuse requires that a person show a maladaptive pattern of alcohol use leading to clinically significant impairment or distress, as demonstrated by meeting at least one of the four abuse criteria. A diagnosis of alcohol dependence requires that a person meet at least three of the seven dependence criteria. Because the *DSM-IV* considers alcohol dependence a syndrome, symptoms comprising three or more dependence criteria have to cluster within any 12-month period. The withdrawal criterion of the alcohol dependence diagnosis was measured as a syndrome, requiring at least two positive symptoms of withdrawal as defined in the *DSM-IV*, or one positive symptom of withdrawal relief/avoidance (i.e., taking a drink or medicine or drug to avoid or get over bad aftereffects of drinking). A person who meets criteria for both abuse and dependence is classified in the dependence category.

Exhibit 1. National Epidemiologic Survey on Alcohol and Related Conditions

(Wave 1 Section 2A): Selected Questions on Alcohol Consumption

- 1. In your entire life, have you had at least 1 drink of any kind of alcohol, not counting small tastes or sips?
- 3. During the last 12 months, did you have at least 1 drink of any kind of alcohol?
- 4a. During the last 12 months, did you drink any premixed alcoholic coolers? By coolers, I mean wine, malt, or liquor-based coolers or any prepackaged cocktails with alcohol and mixer already combined in the container.
- 4b. During the last 12 months, about how often did you drink any coolers?
- 4c. What was the size of the TYPICAL bottle, can, or glass of cooler that you USUALLY drank during the last 12 months?
- 4d. How many (units reported in 4c) of cooler did you USUALLY drink on days when you drank coolers?
- 5a. During the last 12 months, did you drink any beer, light beer, or malt liquor? Do not count nonalcoholic beers.
- 5b. During the last 12 months, about how often did you drink any beer or malt liquor?
- 5c. What was the size of the TYPICAL can, bottle, or glass of beer or malt liquor that you USUALLY drank during the last 12 months?
- 5d. How many (units reported in 5c) of beer or malt liquor did you USUALLY drink on days when you drank beer?
- 6a. During the last 12 months, did you drink any type of wine, including champagne, sparkling wine, or fortified wines such as sherry, port, or sake? Do not count wine coolers.
- 6b. During the last 12 months, about how often did you drink any type of wine?
- 6c. What was the size of the TYPICAL glass or bottle of wine that you USUALLY drank during the last 12 months? Please do not include the amount of any soda or ice that may have been added.
- 6d. How many (units reported in 6c) of wine did you USUALLY drink on days when you drank wine?
- 7a. During the last 12 months, did you drink any liquor, including mixed drinks and liqueurs? Do not count liquor-based coolers or premixed cocktails that you may have told me about earlier.
- 7b. During the last 12 months, about how often did you drink any liquor?
- 7c. How much liquor did you USUALLY have in a drink? Please do not include the amount of any soda, water, ice, cola, or juice that may have been added to your drink.
- 7d. How many (drinks of this size/units reported in 7c) of liquor did you USUALLY drink on days when you drank liquor?
- 8a. During the last 12 months, about how often did you drink ANY alcoholic beverage?
- 8b. Counting all types of alcohol combined, how many drinks did you USUALLY have on days when you drank during the last 12 months?
- 8e. During the last 12 months, about how often did you drink FIVE OR MORE drinks in a single day?
- 9. During the last 12 months, about how often did you drink FOUR OR MORE drinks in a single day? (Women only)
- 10. During the last 12 months, about how often did you drink enough to feel intoxicated or drunk, that is, when your speech was slurred, you felt unsteady on your feet, or you had blurred vision?
- 16a. About how old were you when you first started drinking, not counting small tastes or sips of alcohol?

Exhibit 1. National Epidemiologic Survey on Alcohol and Related Conditions (Continued)

(Wave 2 Section 2A): Selected Questions on Alcohol Consumption

- 1. Since your LAST interview in (MO/YR), have you had at least 1 drink of any kind of alcohol, not counting small tastes or sips?
- 3. During the last 12 months, that is, since (month one year ago) did you have a total of at least 12 drinks of any kind of alcohol?
- 5a. During the last 12 months, did you drink any prepackaged alcoholic coolers? By coolers, I mean wine-based, malt-based, and liquor-based coolers, hard lemonade, hard cider, and any prepackaged cocktails with the alcohol and mixer already combined in the container.
- 5b. During the last 12 months, about how often did you drink any coolers?
- 5c. What was the size of the TYPICAL bottle, can, or glass of cooler that you USUALLY drank during the last 12 months?
- 5d. How many (units reported in 5c) of cooler did you USUALLY drink on days when you drank coolers?
- 6a. During the last 12 months, did you drink any beer or malt liquor? Do not count nonalcoholic beers.
- 6b. During the last 12 months, about how often did you drink any beer or malt liquor?
- 6c. What was the size of the TYPICAL can, bottle, or glass of beer or malt liquor that you USUALLY drank during the last 12 months?
- 6d. How many (units reported in 6c) of beer or malt liquor did you USUALLY drink on days when you drank beer?
- 7a. During the last 12 months, did you drink any type of wine? Do not count any wine coolers you may have told me about earlier.
- 7b. During the last 12 months, about how often did you drink any type of wine?
- 7c. What was the size of the TYPICAL glass or bottle of wine that you USUALLY drank during the last 12 months? Please do not include the amount of any soda or ice that may have been added.
- 7d. How many (units reported in 7c) of wine did you USUALLY drink on days when you drank wine?
- 8a. During the last 12 months, did you drink any liquor, including mixed drinks and liqueurs? Do not count any liquorbased coolers or prepackaged cocktails that you may have told me about earlier.
- 8b. During the last 12 months, about how often did you drink any liquor?
- 8c. How much liquor did you USUALLY have in a drink? Please do not include the amount of any soda, water, ice, cola, or juice that may have been added to your drink.
- 8d. How many (drinks of this size/units reported in 8c) of liquor did you USUALLY drink on days when you drank liquor?
- 4a. During the last 12 months, about how often did you drink any kind of alcoholic beverage?
- 4b. How many drinks did you USUALLY have on days when you drank during the last 12 months?
- 4f. During the last 12 months, about how often did you drink FIVE OR MORE drinks in a single day?
- 4e. During the last 12 months, about how often did you drink FOUR OR MORE drinks in a single day? (Women only)
- 9a. During the last 12 months, about how often did you drink enough alcohol of any kind to feel intoxicated or drunk, that is, when your speech was slurred, you felt unsteady on your feet, or you had blurred vision?
- 14a. About how old were you when you first started drinking, not counting small tastes or sips of alcohol?

Exhibit 2. National Epidemiologic Survey on Alcohol and Related Conditions (Section 2B):

DSM-IV Alcohol Abuse and Dependence Diagnostic Criteria and Associated Questionnaire Items

Diagnostic Criteria for Alcohol Abuse

Diagnostic Criterion: Drinking resulting in failure to fulfill major role obligations at work, school, or home Questionnaire Items:

- Have a period when your drinking or being sick from drinking often interfered with taking care of your home or family.
- Have job or school troubles because of your drinking or being sick from drinking—like missing too much work, not doing your work well, being demoted or losing a job, or being suspended, expelled, or dropping out of school.

Diagnostic Criterion: Continued to drink despite social or interpersonal problem caused by drinking Questionnaire Items:

- Continue to drink even though you knew it was causing you trouble with your family or friends.
- · Get into physical fights while drinking or right after drinking.

Diagnostic Criterion: Recurrent drinking in situations where alcohol use is physically hazardous Questionnaire Items:

- More than once drive a car or other vehicle WHILE you were drinking.
- More than once drive a car, motorcycle, truck, boat, or other vehicle AFTER having too much to drink.
- Get into a situation while drinking or after drinking that increased your chances of getting hurt—like swimming, using machinery, or walking in a dangerous area or around heavy traffic.

Diagnostic Criterion: Alcohol-related legal problems Questionnaire Item:

 Get arrested, held at a police station, or have any other legal problems because of your drinking.

Diagnostic Criteria for Alcohol Dependence

Diagnostic Criterion: Tolerance Questionnaire Items:

- Find that your usual number of drinks had much less effect on you than it once did.
- Find that you had to drink much more than you once did to get the effect you wanted.
- Drink as much as a fifth of liquor in one day, that would be about 20 drinks, or 3 bottles of wine, or as much as 3 sixpacks of beer in a single day.
- Increase your drinking because the amount you used to drink didn't give you the same effect anymore.

Diagnostic Criterion: Withdrawal syndrome or withdrawal relief/avoidance

Questionnaire Items:

- The next few questions are about the bad after effects of drinking that people may have when the effects of alcohol are wearing off. This includes the morning after drinking or in the first few days after stopping or cutting down. Did you EVER [at least 2 of the following items a-h]
 - (a) Have trouble falling asleep or staying asleep (when the effects of alcohol were wearing off).
 - (b) Find yourself shaking (when the effects of alcohol were wearing off).
 - (c) Feel anxious or nervous (when the effects of alcohol were wearing off).

- (d) Feel sick to your stomach or vomit (when the effects of alcohol were wearing off).
- (e) Feel more restless than is usual for you (when the effects of alcohol were wearing off).
- (f) Find yourself sweating or your heart beating fast (when the effects of alcohol were wearing off).
- (g) See, feel, or hear things that weren't really there (when the effects of alcohol were wearing off).
- (h) Have fits or seizures (when the effects of alcohol were wearing off).
- Take a drink or use any drug or medicine, other than aspirin, Advil™, or Tylenol™, to GET OVER any of the bad aftereffects of drinking.
- Take a drink or use any drug or medicine, other than aspirin, Advil™, or Tylenol™, to KEEP FROM having any of these bad aftereffects of drinking.

Diagnostic Criterion: Drinking larger amounts over a longer period of time than intended Questionnaire Items:

- Have a period when you ended up drinking more than you meant to.
- Have a period when you kept on drinking for longer than you had intended to.

Diagnostic Criterion: Persistent desire or unsuccessful efforts to cut down or control drinking Questionnaire Items:

- More than once want to stop or cut down on your drinking.
- More than once TRY to stop or cut down on your drinking but found you couldn't do it.

Diagnostic Criterion: Important social, occupational, or recreational activities given up or reduced in favor of drinking

Questionnaire Items:

- Give up or cut down on activities that were important to you in order to drink—like work, school, or associating with friends or relatives.
- Give up or cut down on activities that you were interested in or that gave you pleasure in order to drink.

Diagnostic Criterion: Great deal of time spent in activities to obtain alcohol, to drink, or to recover from its effects Questionnaire Items:

- Have a period when you spent a lot of time drinking.
- Have a period when you spent a lot of time being sick or getting over the bad aftereffects of drinking.

Diagnostic Criterion: Continued to drink despite knowledge of having a persistent or recurrent physical or psychological problem caused or exacerbated by drinking Questionnaire Items:

- Continued to drink even though you knew it was making you feel depressed, uninterested in things, or suspicious or distrustful of other people.
- Continued to drink even though you knew it was causing you a health problem or making a health problem worse.
- Continue to drink even though you had experienced a prior blackout, that is, awakened the next day not being able to remember some of the things you did while drinking or after drinking.

3.1.7 Family History of Alcoholism

Section 2D of the Wave 1 NESARC asks questions about family history of alcoholism or problem drinking (see Exhibit 3). For these questions, an *alcoholic* or *problem drinker* was defined for each respondent during the interview as a person who has: physical or emotional problems because of drinking; problems with a spouse, family, or friends because of drinking; problems at work or school because of drinking; or problems with the police (like drunk driving) because of drinking; or a person who seems to spend a lot of time drinking or being hung over.

A relative who has been an alcoholic or problem drinker can be either a blood or nonblood relative. Blood relatives can be further classified as first-degree or second-degree relatives. *First-degree relatives* are biological parents or children, and full siblings. *Second-degree relatives* are biological grandparents and full siblings of either biological parent. *Nonblood relatives* include spouses and domestic partners.

The NESARC items shown in Exhibit 3 provide a basis on which to categorize NESARC respondents with regard to family history of alcoholism: "no family history of alcoholism," "only second-degree relatives alcoholic," "only first-degree relatives alcoholic," and "both first- and second-degree relatives alcoholic." Respondents' family members are included even if they were deceased at the time of the interview; however, family members younger than 10 and deceased family members who died before they reached age 10 are excluded.

Questions 15 and 19 of Section 2D (see Exhibit 3) ask specifically about ever being married to an alcoholic/problem drinker or ever living with an alcoholic/problem drinker as if married. Analyses in this manual include a variable that is coded *yes* if the answer to Question 15 or 19 was positive.

3.1.8 Alcohol Treatment

As shown in Exhibit 4, Section 2C of the NESARC asks questions designed to assess a respondent's history of contact with 13 types of professionals, organizations, and/or programs offering treatment assistance with alcohol problems. For this manual, a respondent's lifetime and past-year treatment-seeking status as of the Wave 1 interview was defined based on Wave 1 Questions 2a and 2b, respectively. A positive response to any of the different treatment providers or settings was counted as an indication of alcohol treatment. Similarly, a respondent's treatment-seeking status since the Wave 1 interview (i.e., during the 3 years of follow-up) was defined by Wave 2 Question 2a.

3.2 Other NESARC Items

Other NESARC variables not directly related to alcohol but used for the analyses presented in this manual are described in the following sections.

Exhibit 3. National Epidemiologic Survey on Alcohol and Related Conditions (Wave 1 Section 2D): Selected Questions on Family History of Alcoholism

Now I would like to ask you some questions about whether any of your relatives, regardless of whether or not they are now living, have EVER been alcoholics or problem drinkers. By alcoholic or problem drinker, I mean a person who has physical or emotional problems because of drinking (PAUSE); problems with a spouse, family, or friends because of drinking (PAUSE); problems at work or school because of drinking (PAUSE); problems with the police because of drinking—like drunk driving (PAUSE) or a person who seems to spend a lot of time drinking or being hung over. (Repeat definition frequently.)

- 1. Has your blood or natural father been an alcoholic or problem drinker at ANY time in his life?
- 2. Has your blood or natural mother been an alcoholic or problem drinker at ANY time in her life?
- 3b. Was your full brother an alcoholic or problem drinker at ANY time in his life?
- 3c. How many of your full brothers are now, or were in the past, alcoholics or problem drinkers?
- 4b. Was your full sister an alcoholic or problem drinker at ANY time in her life?
- 4c. How many of your full sisters are now, or were in the past, alcoholics or problem drinkers?
- 5b. Was your natural son an alcoholic or problem drinker at ANY time in his life?
- 5c. How many of your natural sons are now, or were in the past, alcoholics or problem drinkers?
- 6b. Was your natural daughter an alcoholic or problem drinker at ANY time in her life?
- 6c. How many of your natural daughters are now, or were in the past, alcoholics or problem drinkers?
- 7b. Was your natural father's full brother an alcoholic or problem drinker at ANY time in his life?
- 7c. How many of your natural father's full brothers are now, or were in the past, alcoholics or problem drinkers?
- 8b. Was your natural father's full sister an alcoholic or problem drinker at ANY time in her life?
- 8c. How many of your natural father's full sisters are now, or were in the past, alcoholics or problem drinkers?
- 9b. Was your natural mother's full brother an alcoholic or problem drinker at ANY time in his life?
- 9c. How many of your natural mother's full brothers are now, or were in the past, alcoholics or problem drinkers?
- 10b. Was your natural mother's full sister an alcoholic or problem drinker at ANY time in her life?
- 10c. How many of your natural mother's full sisters are now, or were in the past, alcoholics or problem drinkers?
- 11. Was your natural grandfather on your father's side an alcoholic or problem drinker at ANY time in his life? By natural grandfather on your father's side, I mean your father's natural or blood father.
- 12. Was your natural grandmother on your father's side an alcoholic or problem drinker at ANY time in her life? By natural grandmother on your father's side, I mean your father's natural or blood mother.
- 13a. Was your natural grandfather on your mother's side an alcoholic or problem drinker at ANY time in his life? By natural grandfather on your mother's side, I mean your mother's natural or blood father.
- 13b. Was your natural grandmother on your mother's side an alcoholic or problem drinker at ANY time in her life? By natural grandmother on your mother's side, I mean your mother's natural or blood mother.
- 15. Were you EVER married to an alcoholic or problem drinker?
- 19. Did you EVER live as if married with someone who was an alcoholic or problem drinker?

Exhibit 4. National Epidemiologic Survey on Alcohol and Related Conditions (Section 2C): Selected Questions on Treatment Utilization

1. Have you ever gone anywhere or seen anyone for a reason that was related in any way to your drinking—a physician, counselor, Alcoholics Anonymous, or any other community agency or professional? [Wave 1]

Since your LAST interview in (MO/YR), have you gone anywhere or seen anyone for a reason that was related in any way to your drinking—a physician, counselor, Alcoholics Anonymous, or any other community agency or professional? [Wave 2]

2a. I am going to read you a list of community agencies and professionals. For each one, please tell me if you have ever gone there for any reason related to your drinking. In your entire life, did you EVER go to (a/an) ... (Repeat phrase frequently) [Wave 1]

I am going to read you a list of community agencies and professionals. For each one, please tell me if you have gone there for any reason related to your drinking. Since your LAST interview, did you go to (a/an) ... (Repeat phrase frequently) [Wave 2]

- (1) Alcoholics Anonymous, Narcotics or Cocaine Anonymous meeting, or any 12-step meeting?
- (2) Family services or other social service agency?
- (3) Alcohol or drug detoxification ward or clinic?
- (4) Inpatient ward of a psychiatric or general hospital or community mental health program?
- (5) Outpatient clinic, including outreach programs and day or partial patient programs?
- (6) Alcohol or drug rehabilitation program?
- (7) Emergency room for any reason related to your drinking?
- (8) Halfway house, including therapeutic communities?
- (9) Crisis Center for any reason related to your drinking?
- (10) Employee Assistance Program (EAP)?
- (11) Clergyman, priest, or rabbi for any reason related to your drinking?
- (12) Private physician, psychiatrist, psychologist, social worker, or any other professional?
- (13) Any other agency or professional?
- 2b. Did you go there during the last 12 months ONLY, before the last 12 months ONLY, or during both time periods? [Wave 1]

Did you go there during the last 12 months? [Wave 2]

3.2.1 Basic Demographic and Background Information

Exhibit 5 shows demographic and background items from the Wave 1 NESARC that are included in this manual as baseline characteristics. These items include: sex, age, race/ethnicity, marital status, ever had children, children ages below 13 living in household, education, employment status, family income, U.S. nativity, family structure and various circumstances before age 18, homelessness, self-perceived health, and health insurance coverage.

3.2.2 Tobacco Use Status

Question 1 from Section 3A of the NESARC (see Exhibit 6) asks separately about lifetime use of the following five types of tobacco: (1) cigarettes, (2) cigars, (3) pipe, (4) snuff, and (5) chewing tobacco. In NESARC, respondents could be classified as *ever users* of tobacco product if they smoked at least 100 cigarettes, smoked 50 cigars or 50 pipes of tobacco, or used snuff or chewing tobacco at least 20 times. *Ever users* were asked question 3a, which allowed them to be classified as a *current user* of a particular tobacco type. A measure that summarizes the overall tobacco use status of each person in the NESARC is used in this manual, with the following three categories: (1) current user (past 12 months) of one or more types of tobacco, (2) ex-user (not in past 12 months) of one or more types of tobacco, and (3) lifetime non-user of any type of tobacco.

3.2.3 Drug Use Status

Question 1 from Section 3B of the NESARC (see Exhibit 7) asks separately about the lifetime use of the following nine types of medicine or drug: (1) sedatives, (2) tranquilizers, (3) painkillers (opiates not including heroin or methadone), (4) stimulants, (5) marijuana, (6) cocaine or crack, (7) hallucinogens, (8) inhalants or solvents, and (9) heroin. There also is a 10th "other drug" category. In NESARC, respondents could be classified as *ever drug users* if they reported having ever used at least one type of drug in these categories. Ever users were asked question 2b, which allowed them to be classified as a current user of a particular drug type. A measure that summarizes the overall drug use status of each person in the NESARC is used in this manual, with the following three categories: (1) current user (past 12 months) of any type of drug, (2) exuser (not in past 12 months/unknown if in past 12 months) of any type of drug, and (3) lifetime non-user of any type of drug.

3.2.4 Medical Conditions

Section 13 of the Wave 1 NESARC and Section 14 of Wave 2 ask about a list of medical conditions (see Exhibit 8). Respondents were categorized as having a particular medical condition in the past year if they reported having it and if a doctor or other health professional had diagnosed the condition. The medical conditions covered in the manual are (1) hardening of the arteries or arteriosclerosis, (2) high blood pressure or hypertension, (3) cirrhosis of the liver, (4) any other form of liver disease, (5) chest pain or angina pectoris, (6) rapid heart beat or tachycardia, (7) a heart attack or myocardial infarction, (8) any other form of heart disease, (9) a stomach ulcer, (10) gastritis, (11) arthritis, and (12) schizophrenia or a psychotic illness or episode.

Exhibit 5. National Epidemiologic Survey on Alcohol and Related Conditions (Section 1): Selected Demographic and Background Information at Wave 1

Sex

Male Female

Age

18–24 years 25–44 years 45–64 years 65 years and older

Race/Ethnicity¹

White, Not Hispanic or Latino Black, Not Hispanic or Latino

American Indian/Alaska Native, Not Hispanic or Latino Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino

Hispanic or Latino

Marital Status

Married

Living with someone as if married

Widowed Divorced Separated Never married

Ever had children (including step, adopted, foster)

yes No

Children Ages Below 13 Living in Household

Yes No

Education

11 years or less 12 years 13–15 years 16 or more years

Currently Employed Full Time

Yes No

Born in the United States

Yes No **Family Annual Income**

\$0 to \$19,999 \$20,000 to \$34,999 \$35,000 to \$69,999 \$70,000 or more

Family Structure Before Age 18

Both biological/adoptive parents in the household Only biological mother ever in the household (father never present)

Biological/adoptive parents divorced or not living together Raised by relatives, by foster parents, or in an institution

Before Age 18, Family Received Government Assistance

Yes No

Before Age 18, Ever in Jail or Juvenile Detention Center

Yes No

Before Age 18, Physically Abused by Parent/Caretaker

Yes No

Before Age 18, Saw Serious Fights at Home

Yes No

Before Age 18, Parent/Other Adult in Home Was Alcoholic

Yes No

Ever Had No Regular Place to Live Lasting 1+ Months

Yes No

Self-perceived Current Health

Excellent/Very good Good Fair/Poor

Currently Covered by Health Insurance

Yes No

¹ The race/ethnicity variable was constructed from the Hispanic origin variable and the single classification race recode according to an algorithm developed by the Census Bureau (NIAAA 2004*a*). Individuals who reported Hispanic or Latino origin were coded as Hispanic or Latino regardless of race. Non-Hispanic/Latino individuals who reported multiple races were coded into a single category in the following order of priority: 1) Black, 2) American Indian/Alaska Native, 3) Asian/Native Hawaiian/Pacific Islander, 4) White.

Exhibit 6. National Epidemiologic Survey on Alcohol and Related Conditions (Wave 1 Section 3A): Selected Questions on Tobacco Use

- 1. In your ENTIRE LIFE, have you ever. . .
 - a. Smoked at least 100 cigarettes?
 - b. Smoked at least 50 cigars?
 - c. Smoked a pipe at least 50 times?
 - d. Used snuff, such as Skoal, Skoal Bandit, or Copenhagen at least 20 times?
 - e. Used chewing tobacco, such as Redman, Levi Garrett, or Beechnut at least 20 times?
- 3a. When was the MOST RECENT time you (smoked/used) (Name of tobacco category)? Was it within the past year?

Exhibit 7. National Epidemiologic Survey on Alcohol and Related Conditions (Wave 1 Section 3B): Selected Questions on Medicine Use

Now I'd like to ask you about your experiences with medicines and other kinds of drugs that you may have used ON YOUR OWN—that is, either WITHOUT a doctor's prescription (PAUSE); in GREATER amounts, MORE OFTEN, or LONGER than prescribed (PAUSE); or for a reason other than a doctor said you should use them. People use these medicines and drugs ON THEIR OWN to feel more alert, to relax or quiet their nerves, to feel better, to enjoy themselves, or to get high, or just to see how they would work.

- 1a. Have you EVER used any of these medicines or drugs?
 - 1. Sedatives, for example, sleeping pills, bar-bit-your-ates, Seconal, Kway'-ludes, or Khlor'-all Hydrate
 - 2. Tranquilizers or anti-anxiety drugs, for example, Valium, Librium, muscle relaxants, or Zanax
 - 3. Painkillers, for example, Codeine, Darvon, Per'-ko-dan, Dill-odd'-id, or Demerol
 - 4. Stimulants, for example, Pray-lude -in, Benzadrine, Methadrine, uppers, or speed
 - 5. Mariwa¹-na, hash, THC, or grass
 - 6. Cocaine or crack
 - 7. Hallucinogens, for example, Ecstasy/MDMA, LSD, mescaline, Sillosy[']-bin, PCP, angel dust, or pay-o[']-tee
 - 8. Inhalants or solvents, for example, a'-mill nitrate, nitrous oxide, glue, tol'-u- een or gasoline
 - 9. Heroin
 - Any OTHER medicines, or drugs, or substances, for example, steroids, Elavil,
 Thorazine or Haldol
- 2b. Did you use (Name of drug category) in the last 12 months only, before the last 12 months only, or during both time periods?

Exhibit 8. National Epidemiologic Survey on Alcohol and Related Conditions: Selected Questions on Medical Conditions

[Wave 1 Section 13]

- 6a. Now I'd like to ask some questions about your health. In the past 12 months, have you had. . .
 - (1) Hardening of the arteries or arteriosclerosis?
 - (2) High blood pressure or hypertension?
 - (3) Cirrhosis of the liver?
 - (4) Any other form of liver disease?
 - (5) Chest pain or angina pectoris?
 - (6) Rapid heart beat or tachycardia?
 - (7) A heart attack or myocardial infarction?
 - (8) Any other form of heart disease?
 - (9) A stomach ulcer?
 - (10) Gastritis?
 - (11) Arthritis?
- b. Did a doctor or other health professional tell you that you had (Name of condition)?
- 6c. Did a doctor or other health professional EVER tell you that you had schizophrenia or a psychotic illness or episode?
- d. Did this happen in the last 12 months?

[Wave 2 Section 14]

15a. And now a few questions about your health. In the last 12 months, did you have. . .

[See list in the above Wave 1 Question 6a. Wave 2 listed six additional conditions, but the current manual only presents data for conditions that were asked about in both waves.]

- b. Did a doctor or other health professional tell you that you had (Name of condition)?
- 16a. In the last 12 months, did a doctor or other health professional tell you that you had schizophrenia or a psychotic illness or episode?

3.2.5 DSM-IV Drug and Nicotine Use Disorders

Section 3C of the NESARC contains questions that allow for a diagnosis of drug use disorders according to the *DSM-IV*.

The drug use disorder diagnoses assessed in the NESARC include *DSM-IV* diagnoses of abuse and dependence for each of 10 separate categories of medicine and illicit drugs. These categories include: sedatives, tranquilizers, opiates (other than heroin or methadone), stimulants, hallucinogens, cannabis, cocaine (including crack cocaine), inhalants/solvents, heroin, and other drugs. Sedatives, tranquilizers, opiates, and stimulants were counted only if used without or beyond the bounds of a prescription.

The *DSM-IV* criteria for drug-specific abuse and dependence are similar to those for alcohol abuse and dependence, but vary slightly across drugs. At least one of the four abuse criteria is required for a drug-specific abuse diagnosis, and in general, at least three of the seven dependence criteria are required for a drug-specific dependence diagnosis. The withdrawal criterion is not used for cannabis, hallucinogen, or inhalant dependence diagnosis. For data tables presented in this manual, a diagnosis of any drug abuse or dependence results from drug-specific diagnoses made for any of the 10 separate medicine/drug categories in a 12-month period.

NESARC assesses nicotine dependence in a separate AUDADIS-IV module. Section 3A contains questions that allow for a diagnosis of nicotine dependence according to *DSM-IV*. Nicotine dependence was assessed for any tobacco product, including cigarettes, cigars, pipes, chewing tobacco, and snuff. The withdrawal criterion was operationalized using four items: (1) the use of nicotine upon waking, (2) the use of nicotine after being in a situation in which use was restricted, (3) the use of nicotine to avoid nicotine withdrawal symptoms, and (4) waking up in the middle of the night to use tobacco. The "giving up activities in favor of nicotine use" criterion was assessed as (1) giving up or cutting down on activities that were important, like associating with friends or relatives or attending social activities because tobacco use was not permitted at the activity, and (2) giving up or cutting down on activities that you were interested in or that gave you pleasure because tobacco use was not permitted at the activity. The "great deal of time spent using tobacco" criterion was assessed by the single-symptom item "chain smoking." The "using tobacco more than intended" criterion was operationalized as having a period when tobacco was used more than intended. (Grant et al. 2004*b*).

3.2.6 DSM-IV Mood and Anxiety Disorders

The NESARC includes questionnaire items for the diagnosis of three mood disorders (Sections 4–5) and five anxiety disorders (Sections 6–9) according to criteria enumerated in the *DSM-IV*. The mood disorders assessed include major depressive disorder, bipolar I, and bipolar II. Anxiety disorders include panic with and without agoraphobia, social phobia, specific phobia, and generalized anxiety disorder (Section 9). To receive a formal *DSM-IV* mood or anxiety disorder diagnosis, a respondent needed to endorse a requisite number of symptoms pertaining to certain *DSM-IV* symptom criteria which are neither substance-induced nor due to bereavement or a general medical condition (NIAAA 2004a). Reliability and validity of the NESARC mood and anxiety disorder measures are extensively discussed elsewhere (Grant et al. 2005a; Grant et al. 2004d).

3.2.7 DSM-IV Personality and Conduct Disorders

The NESARC (Section 10) includes questionnaire items for the diagnosis of the 10 personality disorders according to criteria enumerated in the *DSM-IV*. Seven of the disorders were assessed at Wave 1: paranoid, schizoid, histrionic, antisocial, avoidant, dependent, and obsessive-compulsive personality disorders. Four were assessed at Wave 2: borderline, schizotypal, narcissistic, and antisocial personality disorders. Antisocial personality disorder was the only personality disorder assessed at both waves. The Wave 2 assessment of antisocial personality disorder was used in this manual. Because a specified number of criteria for conduct disorder before age 15 are required to meet a diagnosis of antisocial personality disorder, the NESARC also includes questionnaire items for assessing conduct disorder.

Because personality disorders are defined as long-term patterns of functioning, respondents were asked a series of questions about how they have felt or acted most of the time throughout their lives, regardless of the situation or the people they were with. Respondents were reminded throughout the personality disorder assessment sections to exclude times when they were depressed, manic, anxious, drinking heavily, using medicines or drugs, experiencing symptoms of withdrawal from medicines or drugs, or physically ill (Grant et al. 2004*c*, *e*; Grant et al. 2005*a*, *b*; Grant et al. 2008).

To receive a diagnosis for the *DSM-IV* personality disorders, respondents needed to endorse a requisite number of symptoms pertaining to a given disorder, with at least one symptom causing social and/or occupational dysfunction. Validity of the NESARC personality and conduct disorder measures are extensively discussed elsewhere (Grant et al. 2003*a*; Grant et al. 2004*c*, *e*; Grant et al. 2005*a*, *b*; Grant et al. 2008).

The estimates for personality and conduct disorders presented in the data tables are based on diagnoses assessed on a lifetime basis using *DSM-IV* disorder-specific algorithms.

4. Data Tables

Four groups of data tables are included in this manual. In each table, data are shown in three column sections: for both sexes ages 18 years and older as of the Wave 1 interview, separately for males and females 18 years and older, and for both sexes in each of the four age categories (i.e., 18–24 years, 25–44 years, 45–64 years, and 65 years and older).

The numbers presented herein are estimates derived from a representative sample of respondents. In a sample, each respondent represents one or more people in the population to which the estimates apply. In order for readers to assess the precision of the estimates provided, each estimate is accompanied by a value for the standard error of the estimate (labeled S.E. in the tables). Multiplying the standard error by 1.96 provides a margin of error above and below each estimate. This range defines a 95-percent confidence interval that will have a 95-percent chance of including the true value being estimated. All standard errors in this manual were calculated using SUDAAN, as discussed earlier. Estimates with very large standard errors or based on very small samples can be extremely unreliable. In this manual, some of the table cells include very few or no respondents. For the reader's information, estimates derived from fewer than 10 respondents in the numerators are shown in the tables but are flagged by a "*". Empty table cells are marked by a "-" symbol. Readers may use the relative standard error, calculated by dividing the standard error by the value of the estimate, as a measure of unreliability of the estimate. An estimate is conventionally considered unreliable if its relative standard error is greater than 0.3. (Klein et al. 2002).

It is important to note how missing values (i.e., "Don't know" and "Refusal") were handled in generating the estimates in this manual. In general, respondents with missing values on dichotomous variables (i.e., survey items with Yes/No response categories) were included in the "No" category. This was the case for all medical conditions and psychiatric disorders. For variables with more complex response/recoded categories, such as exceeding daily and weekly low-risk drinking limits, respondents with missing values were kept as a separate category in the data analysis but were not presented in the tables. Therefore, the percent distribution of these variables does not always add to 100. In general, the estimates are not greatly affected by missing values because, on average across subpopulation groups, only about 1–2 percent of respondents had missing data on the variables.

The four groups of data tables are discussed in the following sections. Numbers referenced in the examples are highlighted in **bold** type in the sample table portions.

4.1 Percent Distribution Tables

The first group of tables includes Tables 1-1 through 1-12. These tables present percent distributions of alcohol-related outcomes at Wave 2 among subgroups categorized by the corresponding alcohol-related antecedents at Wave 1. These tables cover a broad range of alcohol-related outcomes, such as drinking status, past-year status of exceeding daily and

weekly low-risk drinking limits, past-year *DSM-IV* alcohol use disorder transition status, past-year recovery status, and pattern of treatment-seeking behavior for drinking problems. Additionally, Tables 1-13 and 1-14 cover 1-year and 3-year first-incidence rates of *DSM-IV* alcohol use disorders. The data in each of these tables are presented for various subgroups defined by sociodemographic characteristics and a wide range of variables measured at Wave 1, including alcohol treatment utilization, family history of alcoholism, major depressive disorder, and personality disorders.

Of particular note, Tables 1-8, 1-9, and 1-10 show percent distribution of Wave 2 past-year *DSM-IV* alcohol use disorder status for individuals with no AUD, abuse only, and dependence (with or without abuse) at Wave 1, respectively. According to Dawson et al. (2008a), transitions of AUD status among Wave 1 current drinkers can be described by these 12 categories:

- 1. No AUD at Wave 1; remained without AUD and continued drinking at Wave 2.
- 2. No AUD at Wave 1; remained without AUD and stopped drinking by Wave 2.
- 3. No AUD at Wave 1; developed abuse only by Wave 2.
- 4. No AUD at Wave 1; developed dependence (with or without abuse) by Wave 2.
- 5. Abuse only at Wave 1; nonabstinent remission to no AUD by Wave 2.
- 6. Abuse only at Wave 1; abstinent remission to no AUD by Wave 2.
- 7. Abuse only at Wave 1; remained abuse only at Wave 2.
- 8. Abuse only at Wave 1; developed dependence (with or without abuse) by Wave 2.
- 9. Dependence at Wave 1; nonabstinent remission to no AUD by Wave 2.
- 10. Dependence at Wave 1; abstinent remission to no AUD by Wave 2.
- 11. Dependence at Wave 1; partial remission (abuse or subclinical dependence) at Wave 2.
- 12. Dependence at Wave 1; remained dependent at Wave 2.

Tables 1-8, 1-9, and 1-10 present data for categories 1–4, 5 –8, and 9 –12, respectively. As examples, portions of these tables are shown on the next page. The denominators in these tables are based on Wave 1 current drinkers and their AUD status at Wave 1. The boldfaced numbers in the portion of Table 1-8 indicate that among male current drinkers who had no AUD at Wave 1, 75.20 percent remained without AUD and continued drinking at Wave 2. Although less prevalent, a sizable proportion (12.59 percent) stopped drinking completely. Only small percentages developed alcohol abuse only and alcohol dependence at Wave 2 (7.63 percent and 4.57 percent, respectively). The portion of Table 1-9 indicates that 20.08 percent of female current drinkers who had alcohol abuse only at Wave 1 still had alcohol abuse only at Wave 2, and 11.82 percent developed alcohol dependence. By contrast, 61.37 percent of these individuals were in nonabstinent remission to no AUD, and 6.74 percent were in abstinent remission to no AUD.

Table 1-8 (No past-year AUD at Wave 1)

	Both	Both sexes		Sex					
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	F-4:	S.E.		Ma	le	Female			
	Estimate		Estimate	S.E.	Estimate	S.E.			
<u>Total</u>									
Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	77.54 13.55 5.36 3.55	0.43 0.41 0.21 0.17	75.20 12.59 7.63 4.57	0.60 0.51 0.33 0.28	79.87 14.51 3.08 2.54	0.56 0.52 0.21 0.19			
Race/Ethnicity									
White, Not Hispanic or Latino Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	79.28 11.70 5.84 3.18	0.46 0.39 0.25 0.19	76.05 11.27 8.61 4.07	0.67 0.56 0.39 0.33	82.35 12.11 3.21 2.33	0.54 0.46 0.25 0.21			

Table 1-9 (Past-year alcohol abuse only at Wave 1)

	Both	Both sexes		Sex					
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	. .	S.E.		Ma	ıle	Female			
	Estimate		Estimate	S.E.	Estimate	S.E.			
<u>Total</u>									
Nonabstinent remission to no AUD	52.43 4.61 28.95 14.01	1.56 0.66 1.43 1.23	48.93 3.78 32.42 14.87	1.84 0.74 1.80 1.60	61.37 6.74 20.08 11.82	2.47 1.41 2.12 1.76			
Race/Ethnicity									
White, Not Hispanic or Latino Nonabstinent remission to no AUD Abstinent remission to no AUD Remained alcohol abuse only Developed alcohol dependence	53.37 3.39 31.14 12.10	1.83 0.69 1.65 1.24	49.72 3.15 35.15 11.98	2.13 0.84 2.04 1.59	62.30 3.96 21.33 12.40	2.86 1.28 2.42 1.94			

 $\underline{\text{Table 1-10}} \ \ \textbf{(Past-year alcohol dependence at Wave 1)}$

Respondent characteristics at Waye 1		Both sexes		Sex					
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	F-4:	S.E.	Ма	le	Fen	nale			
	Estimate		Estimate	S.E.	Estimate	S.E.			
<u>Total</u>									
Nonabstinent remission to no AUD	18.45 5.41 39.80 36.34	1.45 0.75 1.71 1.70	16.88 5.84 38.59 38.69	1.80 1.00 2.20 2.21	21.78 4.50 42.39 31.33	2.51 1.05 2.91 2.46			
Race/Ethnicity									
White, Not Hispanic or Latino Nonabstinent remission to no AUD Abstinent remission to no AUD Partial remission Remained alcohol dependent	17.34 4.35 40.08 38.23	1.67 0.83 2.13 2.20	15.27 5.28 37.24 42.21	2.01 1.15 2.68 2.83	21.60 2.42 45.92 30.06	3.02 0.90 3.63 3.12			

Furthermore, as indicated by the boldfaced numbers in the portion of Table 1-10, among non-Hispanic White male drinkers, 42.21 percent of those who had alcohol dependence at Wave 1 remained alcohol dependent at Wave 2, whereas 37.24 percent were in partial remission. Accordingly, only small percentages of these dependent individuals were able to achieve abstinent remission to no AUD (5.28 percent) or nonabstinent remission to no AUD (15.27 percent) by Wave 2.

Table 1-11 presents percent distribution of past-year recovery status at Wave 2 among individuals who were in full remission from *DSM-IV* alcohol dependence at Wave 1, by sex and age group. According to Dawson et al. (2007), recovery status can be defined by the categories listed below. The rationale for these categories is presented elsewhere (Dawson et al. 2005).

- 1. Still dependent: Fulfilled the DSM-IV criteria for alcohol dependence.
- 2. *Partial remission:* Did not meet the criteria for alcohol dependence, but reported one or more symptoms of either alcohol abuse or dependence.
- 3. Asymptomatic risk drinker: Did not experience any symptoms of alcohol abuse or dependence but met the criteria for risk drinking as defined in Helping Patients Who Drink Too Much, A CLINICIAN'S GUIDE, Updated 2005 Edition (http://pubs.niaaa.nih.gov/publications/practitioner/cliniciansguide2005/cliniciansguide.htm): >14 drinks per week or 5+ drinks on any day for men and >7 drinks per week or 4+ drinks on any day for women, assuming a standard drink size of 0.6 ounces of ethanol.
- 4. *Low-risk drinker*: Consumed alcohol but did not experience any symptoms of abuse or dependence and did not meet the criteria for risk drinking specified above.
- 5. Abstainer: Did not consume any alcohol.

Individuals were classified as being in full remission at Wave 1 if they were in categories 3, 4, and 5 in the year immediately preceding the Wave 1 interview. They were counted as positive for recurrence of *DSM-IV* alcohol dependence if they were alcohol dependent, or else were counted as partial remission if they were positive for recurrence of any AUD symptoms during the year immediately preceding the Wave 2 interview.

A portion of Table 1-11 is shown on the next page. The boldfaced numbers indicate that 3.48 percent of individuals in full remission from alcohol dependence at Wave 1 had a recurrence of alcohol dependence at Wave 2 and that 17.64 percent were in partial remission at Wave 2. Hence, the majority of those in full remission remained in full remission; most of them were current drinkers (15.20 percent asymptomatic risk drinkers and 27.37 percent low-risk drinkers) rather than abstainers (36.32 percent) at Wave 2. Nevertheless, the percent distribution of recovery status may vary by respondent characteristics at Wave 1. For example, the percentage of low-risk drinkers is higher in non-Hispanic White men (25.56 percent) than non-Hispanic Black men (11.91 percent), and the percentage of abstainers is much higher among non-Hispanic Black women (62.80 percent) than non-Hispanic White women (29.72 percent).

Table 1-11

Respondent characteristics at Wave 1	Both	Both sexes		Sex					
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Estimate	S.E.	Ма	le	Female				
	Estimate	9 S.E.	Estimate	S.E.	Estimate	S.E.			
<u>Total</u>									
Asymptomatic risk drinker	15.20 27.37 36.32 17.64 3.48	0.99 1.30 1.35 1.00 0.41	14.52 24.94 38.29 18.53 3.72	1.29 1.63 1.87 1.29 0.53	16.50 32.07 32.50 15.93 3.01	1.75 2.05 2.05 1.68 0.73			
Race/Ethnicity									
White, Not Hispanic or Latino Asymptomatic risk drinker Low-risk drinker Abstainer Partial remission Recurrence of alcohol dependence		1.19 1.46 1.55 1.17 0.47	15.87 25.56 37.03 18.14 3.40	1.48 1.87 2.16 1.50 0.60	17.49 33.47 29.72 16.17 3.14	2.02 2.29 2.22 1.90 0.85			
Black, Not Hispanic or Latino Asymptomatic risk drinker Low-risk drinker Abstainer Partial remission Recurrence of alcohol dependence	10.51 15.07 55.48 15.20 3.74	2.59 2.44 4.79 2.75 1.57	12.39 11.91 52.09 18.85 4.76	3.12 2.74 5.68 3.85 2.22	6.46 21.90 62.80 7.32 1.53	2.99 5.66 6.47 2.97 1.10			

Portions of Tables 1-13 and 1-14 are presented on the next page to show the rates of 1-year and 3-year first incidence of AUD, respectively. Following Dawson et al. (2008*b*) and Grant et al. (2009), individuals were counted as positive for the 1-year incidence of abuse or dependence if they met the criteria for these disorders for the first time in the year preceding the Wave 2 interview. Similarly, individuals were counted as positive for the 3-year incidence if they met the criteria for abuse or dependence for the first time during the 3-year follow-up period between the Wave 1 and Wave 2 interviews. Note that the *DSM-IV* hierarchy of these disorders in which a diagnosis of dependence preempts abuse is not imposed for these estimates. Thus, individuals were eligible for the incidence of abuse even if they were concurrently or previously classified with dependence.

These 1-year or 3-year new incidence cases were used as numerators to calculate the incidence rates of abuse and dependence. The denominators were restricted to individuals who were at risk for first incidence of those disorders. For the 1-year incidence, the risk groups for dependence and abuse comprised individuals who never met the diagnosis for those disorders prior to the year preceding the Wave 2 interview. For the 3-year incidence, the risk groups for alcohol abuse and dependence comprised individuals who never met the diagnosis for those disorders prior to or at the Wave 1 interview.

As an example, the boldfaced numbers in the portion of Table 1-13 indicate that among non-Hispanic Whites ages 18–24 years old at Wave 1, the 1-year first-incidence rate of alcohol abuse and of alcohol dependence were 4.29 and 4.74 percent, respectively. With respect to the 3-year first-incidence rates shown in Table 1-14, the rates of alcohol use disorder demonstrate a declining trend with age; the rates dropped rapidly from 16.46 percent among the 18- to 24-year-olds to 6.50 percent among the 25- to 44-year-olds, then to 3.74 percent among the 45- to 64-year-olds, and finally to less than 1 percent among individuals ages 65 years and older.

Table 1-13 (1-year first incidence)

Respondent characteristics at Wave 1 and 1-year first AUD incidence at Wave 2		Age group at Wave 1								
		18–24 years		25-44 years		45-64 years		65 years and older		
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.		
<u>Total</u>										
Alcohol use disorder		0.59 0.48 0.47	1.77 1.11 1.80	0.17 0.14 0.17	0.82 0.43 1.11	0.12 0.09 0.13	0.15 0.08 0.20	0.08 0.07 0.06		
Race/Ethnicity										
White, Not Hispanic or Latino Alcohol use disorder Alcohol abuse Alcohol dependence		0.85 0.72 0.60	1.89 1.43 1.53	0.24 0.21 0.17	0.87 0.54 1.14	0.15 0.12 0.16	0.15 0.10 0.20	0.10 0.09 0.07		
Black, Not Hispanic or Latino Alcohol use disorder Alcohol abuse Alcohol dependence		1.34 0.74 1.38	1.84 0.74 2.53	0.39 0.22 0.54	1.27 0.16 1.53	0.42 0.11 0.37	 0.17	 0.17		

Table 1-14 (3-year first incidence)

	Age group at Wave 1								
Respondent characteristics at Wave 1 and 3-year first AUD incidence at Wave 2	18–24	years	25–44	years	45–64	years	65 years a	and older	
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	
<u>Total</u>									
Alcohol use disorder Alcohol abuse Alcohol dependence	16.46 13.84 9.79	1.00 0.89 0.71	6.50 5.81 3.61	0.36 0.37 0.23	3.74 3.30 2.03	0.29 0.27 0.18	0.99 0.93 0.35	0.16 0.15 0.08	
Race/Ethnicity									
White, Not Hispanic or Latino Alcohol use disorder	19.50 17.06 10.02	1.44 1.28 0.92	7.17 6.79 3.25	0.48 0.46 0.27	4.09 3.77 2.03	0.35 0.33 0.22	1.00 0.98 0.30	0.18 0.18 0.08	
Black, Not Hispanic or Latino Alcohol use disorder Alcohol abuse Alcohol dependence	14.02 10.36 9.76	1.90 1.44 1.54	6.76 5.18 4.70	0.81 0.74 0.68	3.86 2.41 2.68	0.60 0.46 0.43	0.91 0.79 0.53	0.39 0.37 0.26	

4.2 Health Condition Rates Tables

The second group of tables includes Tables 2-1 through 2-11. These tables present rates (expressed as percentages) for selected past-year health conditions at Wave 2. The denominators used in these tables are respondents who did not report the respective past-year health conditions at the Wave 1 interview. Each table presents rates for these conditions by one of the key alcohol-related measures.

In the portion of Table 2-1 shown on the next page, the rate for high blood pressure or hypertension is 15.13 percent among former drinkers who did not report having this condition for the year preceding the Wave 1 interview. This means that for every 100

former drinkers ages 18 years and older in the United States who did not have high blood pressure or hypertension in the past year of 2001–2002, approximately 15 people reported having this condition in the past year of 2004–2005.

Table 2-1

Wave 1 past-year drinking status and Wave 2 past-year health conditions	Both s	Both sexes		Sex					
	Cationata	0.5	Ма	le	Fem	ale			
• •	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.			
Former drinker									
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension	2.17 15.13	0.24 0.72	2.34 14.93	0.37 1.10	2.03 15.30	0.29 0.87			
Cirrhosis of the liver	0.22 0.65	0.06 0.11	0.38 0.59	0.12 0.15	0.09 0.71	0.05 0.16			
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	4.47 1.00	0.36 0.32 0.13 0.28	5.00 4.12 1.35 3.56	0.57 0.48 0.23 0.43	4.42 4.78 0.71 2.94	0.43 0.43 0.13 0.34			
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	2.19 5.04 15.09 0.81	0.29 0.37 0.72 0.14	2.57 4.36 12.69 0.97	0.51 0.57 0.96 0.27	1.87 5.63 17.38 0.68	0.27 0.45 0.94 0.15			

4.3 Psychiatric Disorder Rates Tables

The third group of tables includes Tables 3-1 through 3-11. These tables show 1-year and 3-year first-incidence rates per 100 population for selected past-year substance use, mood, and anxiety disorders. The numerators used are the numbers of new cases (i.e., individuals who had a specific disorder for the first time in their lives) during the year preceding the Wave 2 interview for the 1-year first incidence and during the 3 years since the Wave 1 interview for the 3-year first incidence. The denominators are respondents who never had a diagnosis of the respective disorders prior to the year preceding the Wave 2 interview for the 1-year first incidence or prior to or at the Wave 1 interview for the 3-year first incidence. Each of the tables presents rates of the disorders by one of the key alcohol-related measures. Detailed descriptions of the methods used for calculating incidence rates and the definitions of these specific disorders can be found in Grant et al. (2009).

In the portion of Table 3-2 shown on the next page, we observe that among light drinkers, the 1-year first-incidence rates for substance use disorders in general are higher among men than among women (e.g., 2.75 vs. 1.32 percent for alcohol use disorder and 4.99 vs. 3.74 percent for nicotine dependence). In contrast, the 1-year first-incidence rates for mood and anxiety disorders are lower among men than among women (1.54 vs. 3.52 percent for any mood disorder, and 1.16 vs. 2.25 percent for any anxiety disorder).

Note that the rate for bipolar II among men who were light drinkers is 0.12 percent. The rate is flagged with a "*" indicating that there are fewer than 10 new cases of bipolar II in that cell and the estimate is considered unreliable.

Table 3-2

	Both	sexes		S	ex	
Wave 1 past-year average drinking level and first incidence rates of psychiatric disorders	Estimate	S.E.	Ma	ale	Fem	ale
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Light drinker						
1-year first incidence						
Alcohol use disorder Alcohol abuse Alcohol dependence	1.87 1.18 1.55	0.17 0.14 0.12	2.75 1.76 2.16	0.34 0.27 0.25	1.32 0.82 1.10	0.14 0.11 0.13
Nicotine dependence	4.28	0.24	4.99	0.40	3.74	0.31
Any drug use disorder Any drug abuse Any drug dependence	0.38 0.36 0.36	0.07 0.07 0.08	0.41 0.37 0.56	0.10 0.10 0.16	0.37 0.35 0.21	0.09 0.09 0.08
Any mood disorder Major depressive disorder Bipolar I Bipolar II	1.76 0.57	0.18 0.15 0.07 0.05	1.54 0.94 0.51 *0.12	0.20 0.14 0.11 0.06	3.52 2.50 0.61 0.31	0.29 0.24 0.10 0.08
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia Social phobia Specific phobia Generalized anxiety	1.72 0.77 0.64 0.12 0.34 0.45 1.20	0.15 0.09 0.08 0.03 0.06 0.07 0.11	1.16 0.49 0.43 *0.06 0.33 0.29 0.75	0.18 0.12 0.11 0.04 0.10 0.08 0.14	2.25 1.00 0.81 0.16 0.34 0.60 1.56	0.23 0.14 0.12 0.06 0.08 0.10 0.17

4.4 Quality of Life Scores Tables

The fourth group of tables, Tables 4-1 through 4-11, presents measures of quality of life (QOL) at the Wave 1 interview and the change scores between Wave 1 and Wave 2 interviews. NESARC measures QOL using Version 2 of the Short Form 12 Health Survey (SF-12v2), which consists of 12 items designed to generate two summary scales—the norm-based physical component summary score (NBPCS) and the norm-based mental component summary score (NBMCS)—and eight individual scales representing physical functioning, role physical (the extent to which health interferes with regular activities), bodily pain, general health, vitality, social functioning, role emotional (the extent to which emotional problems interfere with regular activities), and mental health (Dawson et al. 2009). All scales were standardized to a mean of 50 (range 0–100) using standard norm-based scoring techniques, with higher scores indicating better functioning.

A portion of Table 4-4 is shown on the next page. The boldfaced numbers indicate that among individuals with alcohol dependence at Wave 1, the NBPCS at Wave 1 decreases with age: 55.30 among those aged 18–24, followed by 52.77 among those aged 25–44, 49.83 among those aged 45–64, and 41.48 among individuals aged 65 years and older. The deterioration of NBPCS since the Wave 1 interview (-4.87) is particularly pronounced among the group 65 years and older. As for NBMCS at Wave 1, the scores are all below the norm of 50 for all age-groups. The 45- to 64-year-olds had the lowest score (43.87) but the largest improvement since the Wave 1 interview (2.53).

<u>Table 4-4</u>

				Age group	at Wave 1			
Wave 1 past-year <i>DSM-IV</i> alcohol use disorder status and norm-based SF-12v2 scales	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Alcohol dependence								
Physical functioning — Wave 1	55.04	0.31	53.16	0.46	50.04	0.98	46.46	3.09
— change from Wave 1	-0.32	0.35	-1.55	0.59	-1.41	0.88	-8.73	3.85
Role-physical — Wave 1	54.50	0.33	52.04	0.48	48.53	1.08	40.89	3.16
— change from Wave 1	-1.83	0.51	-2.26	0.65	-1.56	0.91	-2.66	3.33
Bodily pain — Wave 1	52.47	0.55	49.25	0.70	45.99	1.26	44.52	3.18
— change from Wave 1	1.31	0.61	0.63	0.87	1.01	1.06	-3.49	3.01
General health — Wave 1	52.76	0.58	49.75	0.74	46.13	1.24	37.30	2.68
— change from Wave 1	0.67	0.57	-0.23	0.51	-0.93	0.87	2.30	3.64
Vitality — Wave 1	54.24	0.56	51.94	0.55	49.88	0.79	46.50	3.54
— change from Wave 1	-0.58	0.73	-0.23	0.59	-0.39	1.14	-1.87	2.97
Social functioning — Wave 1	51.85	0.47	48.32	0.67	46.12	1.07	49.62	2.66
— change from Wave 1	-0.31	0.64	1.08	0.62	1.31	1.06	-5.29	2.86
Role-emotional — Wave 1	50.58	0.53	48.12	0.67	43.57	1.28	45.02	2.85
— change from Wave 1	-1.60	0.74	-0.84	0.79	1.30	1.30	-2.61	2.94
Mental health — Wave 1	49.43	0.66	47.32	0.66	44.05	1.00	48.88	2.25
— change from Wave 1	0.94	0.64	1.32	0.65	2.60	0.97	0.93	2.29
Physical Component Summary (NBPCS)								
— Wave 1	55.30	0.35	52.77	0.52	49.83	1.04	41.48	3.42
— change from Wave 1	-0.11	0.39	-1.45	0.60	-1.90	0.73	-4.87	4.01
Mental Component Summary (NBMCS)								
— Wave 1	49.48	0.58	46.98	0.66	43.87	1.02	49.05	2.36
— change from Wave 1	-0.29	0.66	1.09	0.59	2.53	1.07	0.09	2.72

5. References

- American Psychiatric Association (APA). *Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition*. Washington, DC: APA, 1994.
- Chen, C.M.; Yi, H.; Falk, D.E.; Stinson, F.S.; Dawson, D.A.; and Grant, B.F. *Alcohol Use and Alcohol Use Disorders in the United States: Main Findings from the 2001–2002 National Epidemiologic Survey on Alcohol and Related Conditions (NESARC)*. NIH Publication No. 05-5737. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism, 2006.
- Dawson, D.A.; Grant, B.F.; Stinson, F.S.; Chou, P.S.; Huang, B.; and Ruan, W.J. Recovery from *DSM-IV* alcohol dependence: United States, 2001-2002. *Addiction* 100(3):281–292, 2005.
- Dawson, D.A.; Goldstein, R.B.; and Grant, B.F. Rates and correlates of relapse among individuals in remission from *DSM-IV* alcohol dependence: A 3-year follow-up. *Alcoholism: Clinical and Experimental Research* 31(12):2036–2045, 2007.
- Dawson, D.A.; Stinson, F.S.; Chou, S.P.; and Grant, B.F. Three-year changes in adult risk drinking behavior in relation to the course of alcohol-use disorders. *Journal of Studies on Alcohol and Drugs* 69(6):866–877, 2008*a*.
- Dawson, D.A.; Goldstein, R.B.; Chou, S.P.; Ruan, W.J.; and Grant, B.F. Age at first drink and the first incidence of adult-onset *DSM-IV* alcohol use disorders. *Alcoholism: Clinical and Experimental Research* 32(12):2149–2160, 2008b.
- Dawson, D.A.; Li, T.K.; Chou, S.P.; and Grant, B.F. Transitions in and out of alcohol use disorders: Their associations with conditional changes in quality of life over a 3-year follow-up interval. *Alcohol and Alcoholism* 44(1):84–92, 2009.
- Grant, B.F.; Harford T.C.; Dawson, D.A.; Chou, S.P.; and Pickering, R. The Alcohol Use Disorder and Associated Disabilities Interview Schedule (AUDADIS): Reliability of alcohol and drug modules in a general population sample. *Drug and Alcohol Dependence* 39(1):37–44, 1995.
- Grant, B.F.; Dawson, D.A.; and Hasin, D.S. *The Alcohol Use Disorder and Associated Disabilities Interview Schedule–DSM-IV Version*. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism, 2001.
- Grant, B.F.; Dawson, D.A.; Stinson, F.S.; Chou, P.S.; Kay, W.; and Pickering, R. The Alcohol Use Disorder and Associated Disabilities Interview Schedule-IV (AUDADIS-IV): Reliability of alcohol consumption, tobacco use, family history of depression and psychiatric diagnostic modules in a general population sample. *Drug and Alcohol Dependence* 71(1):7–16, 2003*a*.

- Grant, B.F.; Kaplan, K.D.; Shepard, J.; and Moore, T. Source and Accuracy Statement for Wave 1 of the 2001-2002 National Epidemiologic Survey on Alcohol and Related Conditions. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism, 2003b.
- Grant, B.F.; Dawson, D.A.; Stinson, F.S.; Chou, S.P.; Dufour, M.C.; and Pickering, R.P. The 12-month prevalence and trends in *DSM-IV* alcohol abuse and dependence: United States, 1991–1992 and 2001–2002. *Drug and Alcohol Dependence* 74(3):223–234, 2004*a*.
- Grant, B.F.; Hasin, D.S.; Chou, S.P.; Stinson, F.S.; and Dawson, D.A. Nicotine dependence and psychiatric disorders in the United States: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Archives of General Psychiatry* 61(11):1107–1115, 2004b.
- Grant, B.F.; Hasin, D.S.; Stinson, F.S.; Dawson, D.A.; Chou, S.P.; Ruan, W.J.; and Pickering, R.P. Prevalence, correlates, and disability of personality disorders in the United States: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Clinical Psychiatry* 65(7):948–958, 2004*c*.
- Grant, B.F.; Stinson, F.S.; Dawson, D.A.; Chou, S.P.; Dufour, M.C.; Compton, W.; Pickering, R.P.; and Kaplan, K. Prevalence and co-occurrence of substance use disorders and independent mood and anxiety disorders: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Archives of General Psychiatry* 61(8):807–816, 2004*d*.
- Grant, B.F.; Stinson, F.S.; Dawson, D.A.; Chou, S.P.; Ruan, W.J.; and Pickering, R.P. Co-occurrence of 12-month alcohol and drug use disorders and personality disorders in the United States: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Archives of General Psychiatry* 61(4):361–368, 2004*e*.
- Grant, B.F., and Kaplan, K.D. *Source and Accuracy Statement for the 2004–2005 Wave 2 National Epidemiologic Survey on Alcohol and Related Conditions*. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism, 2005.
- Grant, B.F.; Hasin, D.S.; Stinson, F.S.; Dawson, D.A.; Patricia Chou, S.; June Ruan, W.; and Huang, B. Co-occurrence of 12-month mood and anxiety disorders and personality disorders in the U.S.: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Psychiatric Research* 39(1):1–9, 2005*a*.
- Grant, B.F.; Stinson, F.S.; Dawson, D.A.; Chou, S.P.; and Ruan, W.J. Co-occurrence of *DSM-IV* personality disorders in the United States: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Comprehensive Psychiatry* 46(1):1–5, 2005*b*.
- Grant, B.F.; Chou, S.P.; Goldstein, R.B.; Huang, B.; Stinson, F.S.; Saha, T.D.; Smith, S.M.; Dawson, D.A.; Pulay, A.J.; Pickering, R.P.; and Ruan, W.J. Prevalence, correlates,

disability, and comorbidity of *DSM-IV* borderline personality disorder: Results from the Wave 2 National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Clinical Psychiatry* 69(4):533–545, 2008.

Grant, B.F.; Goldstein, R.B.; Chou, S.P.; Huang, B.; Stinson, F.S.; Dawson, D.A.; Saha, T.D.; Smith, S.M.; Pulay, A.J.; Pickering, R.P.; Ruan, W.J.; and Compton, W.M. Sociodemographic and psychopathologic predictors of first incidence of *DSM-IV* substance use, mood and anxiety disorders: Results from the Wave 2 National Epidemiologic Survey on Alcohol and Related Conditions. *Molecular Psychiatry* 14(11):1051–1066, 2009.

Klein, R.J.; Proctor, S.E.; Boudreault, M.A.; and Turczyn, K.M. Healthy People 2010 criteria for data suppression. *Healthy People 2010 Statistical Notes* (24):1–12, 2002.

National Institute on Alcohol Abuse and Alcoholism (NIAAA). *Wave 1 NESARC Data Notes*. Bethesda, MD: NIAAA, 2004*a*.

National Institute on Alcohol Abuse and Alcoholism (NIAAA). *The Physicians' Guide to Helping Patients With Alcohol Problems* (Revised). NIH Publication No. 04-3769. Bethesda, MD: NIAAA, 2004b.

Research Triangle Institute (RTI). *Software for Survey Data Analyses (SUDAAN) Version 10.* Research Triangle Park, NC: RTI, 2008.

Table 1-1. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 current drinkers, by sex and age group, according to selected respondent characteristics at Wave 1.

	Both :	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Mal	le	Fema	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Current drinker		0.38	88.73	0.46	86.18	0.50	90.11	0.64	88.30	0.47	87.77	0.59	81.01	0.88
Former drinker Abstainer since the Wave 1 interview		0.13 0.36	1.84 9.43	0.17 0.43	2.41 11.41	0.17 0.47	2.55 7.34	0.39 0.51	2.12 9.59	0.17 0.45	1.86 10.37	0.19 0.55	2.23 16.76	0.31 0.80
Race/Ethnicity														
White, Not Hispanic or Latino														
Current drinker	89.27	0.37	89.93	0.50	88.57	0.44	92.54	0.69	90.40	0.51	89.40	0.58	82.70	0.84
Former drinker	1.93	0.14	1.74	0.19	2.13	0.19	2.14	0.43	1.98	0.21	1.70	0.20	2.13	0.34
Abstainer since the Wave 1 interview	8.80	0.33	8.33	0.46	9.30	0.41	5.32	0.55	7.63	0.46	8.90	0.55	15.17	0.76
Black, Not Hispanic or Latino														
Current drinker		0.80	86.39	1.04	77.79	1.36	81.79	2.47	84.44	1.11	80.76	1.47	71.37	2.87
Former drinker		0.31	2.65	0.53	2.51	0.34	3.20	1.08	2.32	0.39	2.37	0.52	3.93	1.33
Abstainer since the Wave 1 interview	15.21	0.82	10.96	0.98	19.70	1.29	15.01	2.35	13.25	1.12	16.86	1.45	24.69	2.88
American Indian/Alaska Native, Not Hispanic or Latino														
Current drinker		2.28	86.96	3.23	85.39	3.03	90.76	4.98	88.39	3.38	85.94	3.97	70.66	6.67
Former drinker		0.91	*1.79	0.86	*4.08	1.66	*5.72	4.11	*2.24	1.23	*1.97	1.17	*5.61	4.13
Abstainer since the Wave 1 interview	10.91	2.18	11.24	3.12	10.54	2.55	*3.51	2.97	9.38	3.26	12.09	3.79	23.73	7.89
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino														
Current drinker	80.17	1.83	82.36	2.23	76.46	3.04	89.64	2.94	80.51	2.26	79.43	4.45	53.57	10.01
Former drinker	*1.76	0.55	*0.85	0.60	*3.29	1.22	*2.43	1.72	*1.58	0.86	*1.23	0.72	*3.32	3.36
Abstainer since the Wave 1 interview		1.91	16.79	2.28	20.26	3.03	7.93	2.59	17.91	2.21	19.33	4.28	43.11	10.14
Hispanic or Latino														
Current drinker	82.02	1.24	85.36	1.39	77.18	1.75	85.44	1.80	82.25	1.31	80.86	2.01	70.02	5.03
Former drinker	2.99	0.40	2.21	0.49	4.11	0.81	3.60	1.29	2.84	0.47	3.29	0.94	*0.84	0.49
Abstainer since the Wave 1 interview	14.99	1.17	12.43	1.34	18.71	1.57	10.96	1.52	14.92	1.17	15.85	1.94	29.14	5.04
Marital Status														
Married														
Current drinker	87.66	0.47	88.48	0.59	86.67	0.60	83.24	2.10	88.68	0.57	88.49	0.70	82.86	1.04
Former drinker	1.99	0.16	1.60	0.18	2.46	0.24	3.72	0.97	2.05	0.22	1.75	0.23	2.03	0.40
Abstainer since the Wave 1 interview	10.35	0.44	9.92	0.57	10.87	0.52	13.03	1.82	9.27	0.53	9.76	0.67	15.11	0.96
Living with someone as if married														
Current drinker	89.71	1.34	89.86	2.21	89.55	1.59	91.95	2.27	87.47	1.99	94.55	2.05	92.23	7.57
Former drinker	2.04	0.55	*1.62	0.68	2.49	0.82	*3.23	1.39	2.04	0.76	*0.60	0.43		_
Abstainer since the Wave 1 interview	8.25	1.30	8.52	2.10	7.96	1.46	4.82	1.80	10.49	1.92	*4.85	2.01	*7.77	7.57
Widowed														
Current drinker		1.51	82.42	2.70	75.02	1.76	-	_	84.13	5.68	77.53	2.94	75.91	1.73
Former drinker		0.53	*2.03	0.82	3.18	0.66	_	_	*0.67	0.68	4.23	1.45	2.58	0.54
Abstainer since the Wave 1 interview	20.37	1.47	15.55	2.65	21.80	1.71	_	_	15.19	5.64	18.24	2.69	21.51	1.71

Table 1-1. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 current drinkers, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes			Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Mal	e	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Divorced														
Current drinker	86.91	0.84	88.41	1.20	85.66	1.08	75.02	10.02	87.84	1.24	87.08	1.09	83.31	2.42
Former drinker		0.34	2.53	0.58	1.93	0.37	l . —	_	2.36	0.52	2.14	0.50	*2.09	1.06
Abstainer since the Wave 1 interview	10.89	0.80	9.06	1.07	12.41	1.02	*24.98	10.02	9.80	1.22	10.78	0.98	14.60	2.16
Separated														
Current drinker	83.50	1.57	83.53	2.73	83.49	1.78	86.31	6.90	87.50	1.93	76.33	3.24	80.40	7.27
Former drinker		0.64	3.65	1.30	*1.57	0.63	_	_	3.04	0.99	*1.80	0.81	*2.81	2.79
Abstainer since the Wave 1 interview	14.07	1.46	12.82	2.43	14.94	1.75	*13.69	6.90	9.46	1.71	21.87	3.20	*16.78	6.78
Never married														
Current drinker	89.25	0.58	90.08	0.73	88.16	0.89	91.46	0.72	87.69	0.96	87.66	1.54	71.64	4.83
Former drinker	2.24	0.30	2.15	0.73	2.36	0.34	2.33	0.72	2.16	0.35	1.71	0.50	*4.35	1.70
Abstainer since the Wave 1 interview	8.51	0.48	7.76	0.41	9.48	0.84	6.22	0.58	10.15	0.89	10.63	1.42	24.01	4.93
Ever Had Children (Including Step, Adopted, Foster)														
Yes														
Current drinker	86.69	0.44	88.15	0.55	85.19	0.56	84.41	1.65	87.98	0.52	87.59	0.66	81.45	0.89
Former drinker	2.10	0.44	1.81	0.55	2.39	0.56	3.13	0.72	2.22	0.52	1.86	0.00	2.06	0.89
Abstainer since the Wave 1 interview	11.21	0.14	10.04	0.18	2.39 12.42	0.50	12.46	1.43	2.22 9.81	0.48	10.55	0.19	2.06 16.50	0.32
Abstainer since the wave i interview	11.21	0.41	10.04	0.52	12.42	0.50	12.40	1.43	9.01	0.46	10.55	0.62	16.50	0.62
No														
Current drinker		0.52	89.97	0.65	88.94	0.79	91.55	0.73	89.04	0.75	88.97	1.07	76.45	2.85
Former drinker	2.15	0.22	1.90	0.33	2.47	0.38	2.40	0.44	1.88	0.28	1.84	0.47	4.00	1.35
Abstainer since the Wave 1 interview	8.33	0.45	8.13	0.57	8.59	0.72	6.04	0.57	9.08	0.73	9.20	0.99	19.55	2.64
Children Ages Below 13 Living in Household														
Yes														
Current drinker	87.36	0.54	88.63	0.80	86.14	0.71	84.72	1.46	87.81	0.61	87.91	1.26	74.18	7.37
Former drinker	2.38	0.23	1.81	0.29	2.94	0.35	3.59	0.87	2.29	0.26	1.83	0.50	*3.66	2.79
Abstainer since the Wave 1 interview	10.26	0.50	9.56	0.76	10.92	0.58	11.69	1.25	9.91	0.55	10.26	1.17	22.16	6.95
No														
Current drinker	87.60	0.42	88.77	0.50	86.20	0.60	92.05	0.71	88.89	0.60	87.74	0.60	81.16	0.87
Former drinker		0.14	1.86	0.19	2.13	0.20	2.18	0.42	1.91	0.22	1.86	0.19	2.20	0.32
Abstainer since the Wave 1 interview	10.42	0.40	9.37	0.45	11.67	0.58	5.77	0.57	9.20	0.59	10.39	0.58	16.65	0.80
Education														
11 years or less														
Current drinker	76.54	1.21	80.35	1.56	70.67	1.95	85.97	1.86	77.45	1.88	74.28	2.22	67.69	2.45
Former drinker		0.35	1.86	0.39	3.50	0.66	2.39	0.73	2.16	0.49	3.54	0.81	*1.79	0.71
Abstainer since the Wave 1 interview	20.96	1.22	17.79	1.53	25.83	1.94	11.64	1.76	20.39	1.86	22.18	2.22	30.51	2.47
12 years														
12 years	05.44	0.61	07.44	0.75	02.26	0.00	97.05	1 25	96.20	0.05	0E E0	0.00	01 15	1 15
Current drinker	85.44 2.20	0.61	87.41	0.75	83.26	0.88	87.05	1.35	86.29	0.85	85.50	0.99	81.15	1.45
Former drinker		0.27 0.55	1.99	0.37 0.74	2.43 14.32	0.35 0.77	2.89 10.06	0.76 1.20	2.26 11.45	0.43 0.79	1.65 12.85	0.31 0.96	2.35 16.51	0.55 1.34
Abstainer since the wave 1 interview	12.30	0.55	10.60	0.74	14.32	0.77	10.06	1.20	11.45	0.79	12.85	0.96	10.01	1.34

Table 1-1. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 current drinkers, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Education 13-15 years Current dinker Current dinke		Both :	sexes		S	Sex					Age group	at Wave 1			
Education Common Series S		Fatimata	C.F.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
13-15 years Current directer 224 0.20 2.24 0.32 2.25 0.71 80.49 0.62 2.77 0.26 81.51 0.68 83.07 1 Current directer 224 0.20 2.24 0.32 2.25 0.27 2.43 0.62 2.07 0.26 2.15 0.33 2.24 1.00 Abstainer since the Wave 1 interview 8 89 0.45 8.51 0.64 9.27 0.59 4.78 0.60 9.01 0.70 9.72 0.84 11.00 16 or more years Current directer 175 0.18 1.29 0.20 2.28 0.33 1.27 9.20 1 0.57 9.53 0.72 86.61 1.00 Abstainer since the Wave 1 interview 1 1.75 0.18 1.29 0.20 2.28 0.33 1.27 9.20 1 0.57 9.53 0.72 86.61 1.00 Abstainer since the Wave 1 interview 1 1.75 0.18 1.29 0.20 2.28 0.33 1.27 1.01 2.04 0.28 1.33 0.24 1.53 0.00 Abstainer since the Wave 1 interview 8 89 0.65 0.52 7.08 0.50 0.52 7.08 0.50 4.20 1.39 5.95 0.49 0.14 0.63 1.18 1 1.00 Currently Employed Full Time Ves Current dirinker 1 1.76 0.14 1.47 0.18 2.20 0.23 1.71 0.01 89.24 0.47 89.91 0.60 86.38 2.2 Former dirinker 1 1.76 0.14 1.47 0.18 2.20 0.23 1.71 0.61 89.0 0.46 8.47 0.57 1.159 2.00 No Current dirinker 2 84.45 0.56 85.19 0.78 83.95 0.66 90.10 0.91 85.53 0.91 83.54 1.04 80.57 0.59 0.49 80.40 0.30 0.45 88.50 0.50 0.51 1.00 0.51 1.00 0.51 1.00 0.50 0.5		Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Current drinker	Education														
Former drinker															
Abstainer since the Wave 1 interview															1.59
16 or more years															0.70
Current drinker	Abstainer since the Wave 1 interview	8.90	0.45	8.51	0.64	9.27	0.59	4.78	0.60	9.01	0.70	9.72	0.84	14.00	1.43
Former drinker															
Abstainer since the Wave 1 interview	Current drinker	91.72	0.44	92.66	0.58	90.64	0.61		1.78	92.01	0.57	92.53	0.72	86.61	1.40
Yes Current drinker 89.52 0.40 90.29 0.52 88.35 0.56 90.11 0.91 89.24 0.47 89.91 0.60 86.38 2.			0.18	1.29			0.33		1.01			1.33	0.24	1.58	0.48
Ves Current drinker	Abstainer since the Wave 1 interview	6.53	0.39	6.05	0.52	7.08	0.50	4.20	1.39	5.95	0.49	6.14	0.63	11.81	1.30
Current drinker	Currently Employed Full Time														
Former drinker	Yes														
Former drinker		89.52	0.40	90.29	0.52	88.35	0.56	90.11	0.91	89.24	0.47	89.91	0.60	86.38	2.81
No Current drinker	Former drinker	1.76	0.14	1.47	0.18	2.20	0.23	1.71	0.46	1.86	0.17	1.61	0.22	*2.02	1.08
Current drinker			0.39	8.24	0.49				0.81		0.46		0.57	11.59	2.54
Current drinker	No														
Former drinker		84.45	0.56	85.19	0.78	83.95	0.66	90.10	0.91	85.53	0.91	83.54	1.04	80.57	0.88
Abstainer since the Wave 1 interview															0.33
\$0 to \$19,999 Current drinker															0.82
Current drinker 82.98 0.84 85.29 1.14 80.99 1.01 90.63 1.03 82.66 1.27 79.28 1.87 74.44 1. Former drinker 2.63 0.27 2.37 0.43 2.85 0.34 2.94 0.68 2.52 0.46 2.22 0.47 2.74 0. Abstainer since the Wave 1 interview 14.39 0.79 12.34 1.06 16.16 0.99 6.43 0.81 14.82 1.20 18.50 1.83 22.82 1. S20,000 to \$34,999	Family Annual Income														
Former drinker	\$0 to \$19,999														
Abstainer since the Wave 1 interview	Current drinker	82.98	0.84	85.29	1.14	80.99	1.01	90.63	1.03	82.66	1.27	79.28	1.87	74.44	1.78
\$20,000 to \$34,999 Current drinker	Former drinker	2.63	0.27	2.37	0.43	2.85	0.34	2.94	0.68	2.52	0.46	2.22	0.47	2.74	0.55
Current drinker 84.49 0.72 85.06 1.02 83.84 0.93 88.45 1.64 85.32 1.05 83.32 1.36 80.46 1. Former drinker 2.31 0.30 2.38 0.44 2.24 0.40 3.02 1.04 2.40 0.47 1.90 0.43 2.01 0. Abstainer since the Wave 1 interview 13.20 0.63 12.56 0.91 13.93 0.92 8.54 1.39 12.28 0.94 14.78 1.29 17.53 1. \$35,000 to \$69,999 \$ Current drinker 87.91 0.46 88.73 0.64 86.98 0.64 89.03 1.25 89.01 0.63 87.54 0.90 83.08 1. Former drinker 2.19 0.20 1.84 0.26 2.57 0.31 2.69 0.74 2.05 0.28 2.05 0.36 2.68 0. Abstainer since the Wave 1 interview 9.91 0.44 9.43 0.60 10.45 0.58 8.27 1.04 8.94 0.59 10.41 0.82 14.23 1. \$70,000 or more Current drinker 91.69 0.48 92.69 0.64 90.47 0.65 93.03 1.58 91.43 0.57 92.15 0.76 89.19 2. Former drinker 6.72 0.45 6.07 0.59 7.51 0.62 6.47 1.55 6.70 0.54 6.28 0.69 10.07 1. \$80 or 1.50 or 1.5	Abstainer since the Wave 1 interview	14.39	0.79	12.34	1.06	16.16	0.99	6.43	0.81	14.82	1.20	18.50	1.83	22.82	1.73
Former drinker	\$20,000 to \$34,999														
Former drinker	Current drinker	84.49	0.72	85.06	1.02	83.84	0.93	88.45	1.64	85.32	1.05	83.32	1.36	80.46	1.62
\$35,000 to \$69,999 Current drinker			0.30	2.38	0.44	2.24	0.40	3.02	1.04	2.40	0.47	1.90	0.43	2.01	0.60
Current drinker 87.91 0.46 88.73 0.64 86.98 0.64 89.03 1.25 89.01 0.63 87.54 0.90 83.08 1. Former drinker 2.19 0.20 1.84 0.26 2.57 0.31 2.69 0.74 2.05 0.28 2.05 0.36 2.68 0. Abstainer since the Wave 1 interview 9.91 0.44 9.43 0.60 10.45 0.58 8.27 1.04 8.94 0.59 10.41 0.82 14.23 1. \$70,000 or more Current drinker 91.69 0.48 92.69 0.64 90.47 0.65 93.03 1.58 91.43 0.57 92.15 0.76 89.19 2. Former drinker 91.69 0.48 92.69 0.64 90.47 0.65 93.03 1.58 91.43 0.57 92.15 0.76 89.19 2. Former drinker 9.10 0.45 0.45 0.75 0.45 0.67	Abstainer since the Wave 1 interview	13.20	0.63	12.56	0.91	13.93	0.92	8.54	1.39	12.28	0.94	14.78	1.29	17.53	1.52
Former drinker	\$35,000 to \$69,999														
Abstainer since the Wave 1 interview	Current drinker	87.91	0.46	88.73	0.64	86.98	0.64	89.03	1.25	89.01	0.63	87.54	0.90	83.08	1.45
\$70,000 or more Current drinker	Former drinker	2.19	0.20	1.84	0.26	2.57	0.31	2.69	0.74	2.05	0.28	2.05	0.36	2.68	0.64
Current drinker 91.69 0.48 92.69 0.64 90.47 0.65 93.03 1.58 91.43 0.57 92.15 0.76 89.19 2. Former drinker 1.59 0.17 1.24 0.23 2.01 0.27 *0.49 0.26 1.87 0.29 1.57 0.28 *0.75 0. Abstainer since the Wave 1 interview 6.72 0.45 6.07 0.59 7.51 0.62 6.47 1.55 6.70 0.54 6.28 0.69 10.07 1. Yes Current drinker 88.50 0.35 89.44 0.46 87.52 0.43 91.00 0.63 89.49 0.45 88.63 0.55 81.87 0. Former drinker 2.08 0.13 1.87 0.18 2.31 0.17 2.38 0.38 2.10 0.18 1.88 0.19 2.16 0.	Abstainer since the Wave 1 interview	9.91	0.44	9.43	0.60	10.45	0.58	8.27	1.04	8.94	0.59	10.41	0.82	14.23	1.32
Current drinker 91.69 0.48 92.69 0.64 90.47 0.65 93.03 1.58 91.43 0.57 92.15 0.76 89.19 2. Former drinker 1.59 0.17 1.24 0.23 2.01 0.27 *0.49 0.26 1.87 0.29 1.57 0.28 *0.75 0. Abstainer since the Wave 1 interview 6.72 0.45 6.07 0.59 7.51 0.62 6.47 1.55 6.70 0.54 6.28 0.69 10.07 1. Yes Current drinker 88.50 0.35 89.44 0.46 87.52 0.43 91.00 0.63 89.49 0.45 88.63 0.55 81.87 0. Former drinker 2.08 0.13 1.87 0.18 2.31 0.17 2.38 0.38 2.10 0.18 1.88 0.19 2.16 0.	\$70,000 or more														
Former drinker		91.69	0.48	92.69	0.64	90.47	0.65	93.03	1.58	91.43	0.57	92.15	0.76	89.19	2.10
Born in the United States Yes Current drinker 88.50 0.35 89.44 0.46 87.52 0.43 91.00 0.63 89.49 0.45 88.63 0.55 81.87 0. Former drinker 2.08 0.13 1.87 0.18 2.31 0.17 2.38 0.38 2.10 0.18 1.88 0.19 2.16 0.	Former drinker	1.59	0.17	1.24	0.23	2.01	0.27	*0.49	0.26	1.87	0.29	1.57	0.28	*0.75	0.52
Yes Current drinker	Abstainer since the Wave 1 interview	6.72	0.45	6.07	0.59	7.51	0.62	6.47	1.55	6.70	0.54	6.28	0.69	10.07	1.88
Current drinker 88.50 0.35 89.44 0.46 87.52 0.43 91.00 0.63 89.49 0.45 88.63 0.55 81.87 0. Former drinker 2.08 0.13 1.87 0.18 2.31 0.17 2.38 0.38 2.10 0.18 1.88 0.19 2.16 0.	Born in the United States														
Current drinker 88.50 0.35 89.44 0.46 87.52 0.43 91.00 0.63 89.49 0.45 88.63 0.55 81.87 0. Former drinker 2.08 0.13 1.87 0.18 2.31 0.17 2.38 0.38 2.10 0.18 1.88 0.19 2.16 0.	Yes														
Former drinker		88.50	0.35	89.44	0.46	87.52	0.43	91.00	0.63	89.49	0.45	88.63	0.55	81.87	0.85
															0.32
Abstainer since the wave i interview	Abstainer since the Wave 1 interview		0.32	8.70	0.42	10.17	0.39	6.62	0.49	8.40	0.43	9.48	0.52	15.97	0.77

Table 1-1. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 current drinkers, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Born in the United States														
No														
Current drinker		1.17	84.06	1.20	73.17	1.91	81.69	3.03	80.68	1.30	80.02	1.83	71.74	3.94
Former drinker		0.30	1.68	0.41	3.39	0.59	*4.13	1.87	2.20	0.42	1.65	0.53	*2.96	1.18
Abstainer since the Wave 1 interview	17.83	1.14	14.26	1.20	23.44	1.85	14.18	2.48	17.12	1.23	18.34	1.85	25.30	3.86
Family Structure Before Age 18														
Both biological/adoptive parents in the household														
Current drinker		0.69	90.46	0.87	86.58	0.97	90.79	1.14	89.48	0.86	86.95	1.45	78.18	3.01
Former drinker		0.26	1.99	0.36	2.33	0.36	2.11	0.57	2.14	0.36	2.17	0.51	*2.44	0.93
Abstainer since the Wave 1 interview	9.28	0.64	7.55	0.82	11.09	0.88	7.10	0.99	8.38	0.82	10.88	1.37	19.38	2.87
Only biological mother ever in the household (father never present)														
Current drinker	87.60	0.41	88.58	0.48	86.49	0.55	90.96	0.85	88.22	0.54	88.07	0.60	81.75	0.91
Former drinker	2.07	0.15	1.86	0.20	2.31	0.19	2.79	0.55	2.09	0.21	1.73	0.20	2.24	0.34
Abstainer since the Wave 1 interview	10.33	0.39	9.57	0.45	11.20	0.54	6.24	0.64	9.69	0.51	10.20	0.59	16.01	0.84
Biological/adoptive parents divorced or no longer living together														
Current drinker	86.26	0.98	88.05	1.38	84.38	1.19	84.51	2.26	87.40	1.41	86.28	1.69	82.48	3.03
Former drinker		0.36	1.28	0.35	3.25	0.67	2.51	0.95	2.04	0.59	2.78	0.63	*1.25	0.78
Abstainer since the Wave 1 interview		0.90	10.66	1.34	12.37	1.05	12.98	2.10	10.56	1.26	10.94	1.57	16.27	2.91
Raised by relatives, by foster parents, or in an institution Current drinker	76.09	3.09	77.20	5.12	74.92	3.75	80.43	7.70	78.85	3.98	83.09	4.96	58.48	9.94
Former drinker		1.06	*2.54	1.21	*3.67	1.80	00.43	7.70	*4.19	1.73	*2.38	1.85	*3.15	3.11
Abstainer since the Wave 1 interview	20.81	3.05	20.26	5.08	21.40	3.57	*19.57	 7.70	16.95	3.62	14.53	4.19	38.36	10.08
Before Age 18, Family Received Government Assistance														
Yes														
Current drinker	87.89	0.72	89.51	1.05	86.29	1.01	88.47	1.58	88.33	0.94	87.52	1.45	83.34	2.95
Former drinker		0.72	1.78	0.40	3.10	0.49	2.50	0.70	2.68	0.48	1.57	0.54	*2.83	1.30
Abstainer since the Wave 1 interview		0.66	8.71	0.95	10.61	0.93	9.03	1.38	9.00	0.89	10.90	1.38	13.83	2.76
No														
Current drinker	87.46	0.42	88.62	0.49	86.16	0.53	90.50	0.70	88.29	0.51	87.79	0.63	80.83	0.94
Former drinker		0.14	1.85	0.18	2.30	0.18	2.56	0.44	2.01	0.18	1.89	0.20	2.18	0.33
Abstainer since the Wave 1 interview		0.40	9.53	0.47	11.54	0.51	6.93	0.56	9.70	0.49	10.33	0.60	16.99	0.87
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes														
Current drinker	87.79	1.49	89.26	1.65	81.77	3.43	88.45	2.85	90.07	1.98	85.24	2.92	79.35	7.77
Former drinker	1.91	0.52	*1.17	0.44	*4.95	1.80	*1.88	1.08	*1.54	0.72	*1.96	0.85	*5.14	3.89
Abstainer since the Wave 1 interview	10.30	1.37	9.57	1.52	13.28	3.15	9.67	2.69	8.40	1.91	12.80	2.74	*15.51	7.15

Table 1-1. Percent distribution of drinking status ¹ (since the Wave 1 interview) at Wave 2 among Wave 1 current drinkers, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.										
Before Age 18, Ever in Jail or Juvenile Detention Center														
No Comment distant	07.54	0.00	00.00	0.40	00.05	0.54	00.00	0.04	00.00	0.40	07.07	0.57	04.04	0.00
Current drinker Former drinker		0.39 0.13	88.69 1.88	0.46 0.18	86.25 2.37	0.51 0.17	90.22 2.60	0.64 0.41	88.22 2.14	0.49 0.17	87.87 1.86	0.57 0.19	81.04 2.18	0.89 0.31
Abstainer since the Wave 1 interview	10.37	0.37	9.42	0.43	11.38	0.48	7.19	0.52	9.64	0.47	10.28	0.54	16.79	0.82
Before Age 18, Physically Abused by Parent/Caretaker														
Yes														
Current drinker	83.26	1.88	85.51	2.69	81.64	2.58	92.26	2.79	81.52	2.73	82.81	2.97	77.22	6.72
Former drinker	2.80	0.71	*2.55	1.08	2.98	0.96	*2.86	1.30	4.02	1.29	*0.98	0.67	*0.49	0.49
Abstainer since the Wave 1 interview	13.94	1.62	11.94	2.39	15.38	2.17	*4.89	2.45	14.46	2.32	16.21	2.93	22.30	6.70
No														
Current drinker	87.68 2.09	0.38	88.82	0.45	86.39	0.51	90.02	0.65	88.59	0.47	87.94	0.58	81.07	0.88
Former drinker Abstainer since the Wave 1 interview	10.24	0.13 0.36	1.82 9.36	0.17 0.43	2.39 11.23	0.17 0.48	2.54 7.44	0.41 0.52	2.03 9.37	0.18 0.46	1.89 10.17	0.19 0.55	2.26 16.67	0.32 0.81
Before Age 18, Seriously Neglected by Parent/Caretaker														
Yes Current drinker	85.33	1.62	87.06	2.62	84.07	2.13	87.99	4.76	86.01	2.42	84.33	3.16	79.79	6.24
Former drinker		0.52	*1.14	0.57	2.80	0.75	*1.89	1.35	2.37	0.75	*1.59	0.77	*2.61	2.58
Abstainer since the Wave 1 interview		1.58	11.80	2.62	13.12	2.03	*10.12	4.64	11.62	2.30	14.08	3.14	17.60	5.92
No														
Current drinker	87.59	0.39	88.77	0.45	86.26	0.53	90.17	0.64	88.38	0.50	87.87	0.58	81.03	0.89
Former drinker		0.13	1.86	0.17	2.40	0.17	2.57	0.40	2.11	0.17	1.87	0.19	2.22	0.32
Abstainer since the Wave 1 interview	10.30	0.37	9.37	0.43	11.34	0.50	7.26	0.51	9.51	0.47	10.26	0.55	16.75	0.81
Before Age 18, Saw Serious Fights at Home														
Yes														
Current drinker		0.84	88.14	1.38	86.53	1.03	92.16	1.78	88.99	1.06	84.65	1.56	74.67	4.14
Former drinker		0.31	1.91	0.47	2.29	0.42	*2.28	0.94	1.94	0.46	2.33	0.52	*2.23	1.06
Abstainer since the Wave 1 interview	10.65	0.78	9.95	1.30	11.18	1.03	5.56	1.56	9.08	1.05	13.02	1.41	23.10	4.05
No														
Current drinker	87.55	0.40	88.78	0.48	86.13	0.53	89.89	0.67	88.20	0.51	88.15	0.60	81.32	0.88
Former drinker	2.11 10.34	0.14 0.37	1.83 9.38	0.18 0.45	2.43 11.44	0.19 0.50	2.58 7.53	0.41 0.53	2.14 9.65	0.19 0.49	1.80 10.05	0.19 0.57	2.23 16.46	0.33 0.80
	10.34	0.37	9.30	0.45	11.44	0.50	7.55	0.53	9.05	0.49	10.05	0.57	10.40	0.60
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
Yes														
Current drinker	88.59	0.62	89.78	0.86	87.55	0.79	91.39	1.15	89.33	0.79	87.57	1.09	83.39	2.64
Former drinker Abstainer since the Wave 1 interview	2.46 8.95	0.25 0.57	2.33 7.89	0.40 0.79	2.57 9.88	0.33 0.75	2.11 6.50	0.59 1.03	2.44 8.22	0.37 0.71	2.48 9.95	0.43 0.95	3.12 13.49	1.01 2.38
Abstaile Since the wave I interview	0.95	0.57	7.09	0.79	9.00	0.75	0.50	1.03	0.22	0.71	9.90	0.95	13.49	2.36

Table 1-1. Percent distribution of drinking status ¹ (since the Wave 1 interview) at Wave 2 among Wave 1 current drinkers, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
No														
Current drinker		0.40	88.46	0.48	85.71	0.58	89.76	0.71	87.97	0.53	87.83	0.62	80.63	0.92
Former drinker		0.13	1.72	0.18	2.36	0.19	2.67	0.45	2.01	0.17	1.65	0.19	2.09	0.32
Abstainer since the Wave 1 interview	10.78	0.39	9.82	0.46	11.93	0.56	7.57	0.58	10.02	0.51	10.52	0.61	17.28	0.86
Ever Had No Regular Place to Live Lasting 1+ Months														
Yes														
Current drinker		1.85	86.71	2.52	82.37	3.22	85.22	4.06	85.79	2.48	87.92	2.82	52.23	15.15
Former drinker		0.88	*2.53	1.28	*2.34	0.86	*3.42	2.06	*1.72	0.75	*3.06	1.78	*3.55	3.58
Abstainer since the Wave 1 interview	12.36	1.70	10.77	2.25	15.29	3.01	11.36	3.63	12.49	2.42	9.02	2.30	*44.22	15.57
No														
Current drinker	87.58	0.39	88.80	0.46	86.26	0.51	90.27	0.66	88.38	0.48	87.76	0.60	81.23	0.86
Former drinker		0.13	1.82	0.17	2.41	0.17	2.52	0.39	2.13	0.17	1.83	0.19	2.22	0.32
Abstainer since the Wave 1 interview	10.31	0.37	9.38	0.43	11.33	0.48	7.21	0.52	9.49	0.46	10.41	0.57	16.55	0.79
Self-Perceived Current Health														
Excellent/Very good														
Current drinker		0.39	90.46	0.50	88.94	0.49	90.91	0.73	89.69	0.51	90.68	0.59	84.85	1.08
Former drinker		0.14	1.50	0.16	2.31	0.21	2.35	0.44	1.91	0.19	1.68	0.23	1.55	0.36
Abstainer since the Wave 1 interview	8.37	0.37	8.04	0.48	8.74	0.45	6.73	0.57	8.39	0.48	7.64	0.56	13.61	1.02
Good														
Current drinker	84.62	0.64	87.26	0.83	81.75	0.90	88.81	1.53	85.02	0.95	84.87	1.16	80.29	1.58
Former drinker		0.29	2.69	0.45	2.73	0.37	3.43	1.03	2.98	0.46	2.05	0.38	2.85	0.63
Abstainer since the Wave 1 interview	12.67	0.60	10.05	0.79	15.51	0.84	7.76	1.29	12.00	0.88	13.08	1.15	16.85	1.51
Fair/Poor														
Current drinker	78.97	1.12	80.20	1.54	77.61	1.62	85.16	3.38	82.33	1.81	79.08	1.58	71.93	2.42
Former drinker		0.37	2.28	0.56	2.37	0.49	*1.97	1.04	1.94	0.60	2.36	0.56	2.90	0.72
Abstainer since the Wave 1 interview	18.71	1.07	17.53	1.47	20.02	1.53	12.86	3.15	15.73	1.73	18.56	1.51	25.17	2.36
Currently Covered by Health Insurance														
Yes														
Current drinker	88.32	0.38	89.36	0.48	87.23	0.48	91.46	0.76	89.65	0.45	88.74	0.60	80.94	0.88
Former drinker		0.13	1.85	0.20	2.21	0.15	2.56	0.49	2.01	0.18	1.75	0.18	2.25	0.32
Abstainer since the Wave 1 interview	9.65	0.36	8.79	0.43	10.56	0.45	5.98	0.55	8.35	0.43	9.51	0.56	16.81	0.81
No														
Current drinker		0.83	86.02	1.04	80.41	1.26	87.37	1.20	82.55	1.20	81.56	1.72	87.39	5.95
Former drinker		0.34	1.80	0.32	3.54	0.56	2.54	0.58	2.58	0.46	2.54	0.65		_
Abstainer since the Wave 1 interview	13.82	0.78	12.18	0.96	16.05	1.21	10.09	1.11	14.88	1.06	15.89	1.57	*12.61	5.95

Table 1-1. Percent distribution of drinking status ¹ (since the Wave 1 interview) at Wave 2 among Wave 1 current drinkers, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Catimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Tobacco Use Status														
Current user														
Current drinker		0.52	89.24	0.68	87.73	0.71	91.55	0.93	89.29	0.66	87.07	0.98	82.29	2.40
Former drinker	2.26	0.21	2.13	0.28	2.46	0.32	2.49	0.58	2.34	0.31	1.95	0.32	2.47	0.73
Abstainer since the Wave 1 interview	9.09	0.48	8.63	0.63	9.81	0.66	5.96	0.82	8.37	0.62	10.98	0.90	15.24	2.30
Ex-user														
Current drinker	88.74	0.56	89.17	0.78	88.22	0.71	92.49	2.59	90.92	0.93	90.38	0.77	83.90	1.10
Former drinker	1.98	0.25	1.89	0.34	2.09	0.33	l —	_	2.20	0.46	1.73	0.34	2.34	0.48
Abstainer since the Wave 1 interview	9.28	0.49	8.94	0.70	9.70	0.66	7.51	2.59	6.88	0.79	7.90	0.73	13.76	1.01
Lifetime nonsmoker														
Current drinker	86.24	0.56	88.04	0.68	84.71	0.75	88.83	0.89	87.04	0.67	86.49	0.90	76.57	1.59
Former drinker	2.07	0.19	1.55	0.26	2.50	0.24	2.79	0.58	1.95	0.23	1.88	0.29	1.97	0.48
Abstainer since the Wave 1 interview	11.69	0.52	10.40	0.62	12.79	0.70	8.39	0.76	11.01	0.63	11.62	0.84	21.46	1.53
<u>Drug Use Status</u>														
Current user														
Current drinker	92.89	0.80	93.55	1.04	91.86	1.07	94.33	1.00	93.27	1.14	89.88	2.42	81.06	5.46
Former drinker	1.86	0.40	1.65	0.49	2.17	0.63	1.83	0.66	2.37	0.65	*0.19	0.19	*4.17	2.74
Abstainer since the Wave 1 interview	5.26	0.68	4.80	0.95	5.97	0.89	3.85	0.78	4.36	0.86	9.93	2.42	*14.77	5.30
Ex-user														
Current drinker	91.61	0.53	91.60	0.74	91.61	0.68	92.29	1.24	91.94	0.69	91.28	0.97	84.37	3.78
Former drinker	1.57	0.53	1.33	0.74	1.88	0.88	1.63	0.60	1.52	0.69	1.63	0.36	°2.05	1.49
Abstainer since the Wave 1 interview	6.82	0.49	7.07	0.26	6.51	0.33	6.08	1.10	6.55	0.26	7.09	0.86	13.58	3.57
Lifetime nondrug user														
Current drinker	85.66	0.44	87.10	0.53	84.18	0.61	88.00	0.93	86.09	0.61	86.63	0.62	80.87	0.90
Former drinker	2.30	0.15	2.04	0.22	2.58	0.21	3.05	0.55	2.34	0.23	2.02	0.22	2.21	0.33
Abstainer since the Wave 1 interview	12.04	0.41	10.86	0.50	13.24	0.57	8.95	0.76	11.57	0.57	11.35	0.59	16.93	0.82
Any Major Depressive Disorder in the Past Year														
Yes														
Current drinker	86.94	1.21	87.97	2.12	86.41	1.44	89.24	2.38	88.75	1.47	83.11	2.69	82.26	5.11
Former drinker	1.93	0.45	*1.49	0.80	2.16	0.50	*1.84	0.93	2.44	0.76	*1.27	0.53	*1.18	1.17
Abstainer since the Wave 1 interview	11.12	1.16	10.54	1.98	11.43	1.39	8.92	2.26	8.81	1.34	15.62	2.65	16.56	5.07
No														
Current drinker	87.55	0.39	88.76	0.46	86.16	0.52	90.18	0.67	88.27	0.49	88.02	0.58	80.98	0.88
Former drinker	2.12	0.13	1.85	0.17	2.43	0.18	2.61	0.41	2.10	0.17	1.89	0.19	2.25	0.32
Abstainer since the Wave 1 interview	10.33	0.36	9.39	0.43	11.41	0.48	7.21	0.54	9.64	0.46	10.09	0.54	16.77	0.81
Any Major Depressive Disorder in Life														
Yes														
Current drinker	88.05	0.72	88.97	1.25	87.57	0.82	89.48	1.74	89.07	0.93	87.67	1.25	80.86	2.68
Former drinker	2.46	0.72	2.23	0.56	2.58	0.36	*1.24	0.58	2.98	0.53	2.21	0.48	*2.44	1.05
Abstainer since the Wave 1 interview	9.49	0.69	8.80	1.09	9.85	0.81	9.28	1.68	7.95	0.84	10.12	1.18	16.70	2.57
A MORIGINAL SHIPS THE ANALYS I HITCHAICH	3.49	0.03	0.00	1.03	5.05	0.01	0.20	1.00	1.33	0.04	10.12	1.10	10.70	2.07

Table 1-1. Percent distribution of drinking status ¹ (since the Wave 1 interview) at Wave 2 among Wave 1 current drinkers, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Fatimete	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Major Depressive Disorder in Life														
No														
Current drinker		0.40	88.70	0.47	85.84	0.55	90.19	0.69	88.16	0.50	87.79	0.62	81.02	0.92
Former drinker	2.05 10.51	0.13	1.80	0.18	2.37	0.19	2.74	0.43	1.97 9.87	0.18	1.79	0.21	2.21	0.33
Abstainer since the Wave 1 interview	10.51	0.38	9.49	0.44	11.78	0.52	7.07	0.55	9.87	0.48	10.42	0.59	16.77	0.85
Age Started Drinking														
14 years or younger														
Current drinker		0.90	88.76	1.26	90.57	1.25	94.53	1.51	88.90	1.28	87.73	2.19	86.11	3.44
Former drinker		0.40	2.07	0.57	2.04	0.58	*0.90	0.48	2.37	0.65	2.16	0.78	*2.33	1.28
Abstainer since the Wave 1 interview	8.50	0.83	9.16	1.17	7.39	1.14	4.57	1.43	8.73	1.17	10.11	2.12	11.56	3.42
15 to 17 years														
Current drinker	89.99	0.51	90.05	0.70	89.90	0.73	90.98	1.04	90.92	0.67	88.50	1.11	85.07	1.79
Former drinker	1.89	0.23	1.67	0.27	2.23	0.37	2.33	0.57	1.82	0.34	1.80	0.45	*1.37	0.63
Abstainer since the Wave 1 interview	8.12	0.46	8.28	0.64	7.87	0.64	6.69	0.88	7.26	0.63	9.70	1.06	13.56	1.75
18 to 20 years														
Current drinker	89.36	0.50	89.78	0.59	88.84	0.69	89.90	1.08	90.48	0.66	90.05	0.75	82.42	1.36
Former drinker		0.18	1.95	0.25	2.05	0.26	2.93	0.71	1.79	0.26	1.78	0.27	2.17	0.53
Abstainer since the Wave 1 interview	8.64	0.46	8.27	0.54	9.11	0.62	7.18	0.93	7.73	0.59	8.16	0.73	15.41	1.24
21 years or older														
Current drinker	83.07	0.66	85.21	0.92	81.66	0.80	85.77	2.21	82.69	0.94	85.14	0.96	78.79	1.41
Former drinker		0.24	1.80	0.36	2.89	0.30	*3.32	1.36	2.78	0.39	1.94	0.29	2.46	0.49
Abstainer since the Wave 1 interview	14.48	0.62	12.99	0.86	15.45	0.76	10.91	1.83	14.52	0.81	12.92	0.91	18.75	1.31
Family History of Alcoholism														
None														
Current drinker		0.50	88.26	0.58	84.60	0.79	89.16	1.06	86.99	0.68	88.32	0.75	80.26	1.21
Former drinker		0.17	1.58	0.22	2.20	0.27	2.59	0.67	1.91	0.25	1.31	0.25	2.08	0.42
Abstainer since the Wave 1 interview	11.46	0.48	10.15	0.54	13.20	0.76	8.25	0.91	11.09	0.64	10.37	0.74	17.67	1.14
2nd-degree relatives only														
Current drinker	89.44	0.62	90.04	0.83	88.77	0.81	92.81	1.01	89.38	0.79	88.83	1.20	83.43	2.33
Former drinker		0.25	1.89	0.35	2.44	0.38	2.51	0.69	1.95	0.35	2.00	0.43	3.04	0.92
Abstainer since the Wave 1 interview	8.41	0.56	8.07	0.78	8.79	0.73	4.68	0.72	8.66	0.72	9.16	1.10	13.53	2.16
1st-degree relatives only														
Current drinker	85.69	0.87	87.44	1.19	83.91	1.15	89.54	2.36	87.31	1.28	86.04	1.36	79.84	1.91
Former drinker		0.29	1.55	0.40	2.34	0.44	*2.24	1.13	2.38	0.53	1.64	0.43	*1.54	0.54
Abstainer since the Wave 1 interview	12.36	0.82	11.00	1.14	13.75	1.07	8.21	2.07	10.32	1.23	12.32	1.27	18.62	1.84
Both 1st- and 2nd-degree relatives														
Current drinker		0.58	89.26	0.96	87.66	0.71	88.68	1.45	89.96	0.78	87.06	1.07	83.30	2.45
Former drinker		0.28	2.60	0.46	2.75	0.36	2.63	0.75	2.51	0.39	2.89	0.45	2.99	1.00
Abstainer since the Wave 1 interview	8.94	0.52	8.14	0.82	9.59	0.63	8.69	1.23	7.54	0.69	10.05	0.99	13.71	2.24

Table 1-1. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 current drinkers, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Parent Alcoholic														
Yes														
Current drinker	88.46	0.59	89.92	0.81	87.25	0.73	89.57	1.36	89.43	0.77	87.10	0.97	85.58	2.15
Former drinker		0.23	2.12	0.36	2.57	0.33	2.60	0.68	2.25	0.35	2.36	0.43	2.71	0.94
Abstainer since the Wave 1 interview	9.17	0.54	7.96	0.73	10.18	0.69	7.84	1.16	8.32	0.70	10.54	0.89	11.71	1.81
No														
Current drinker	87.24	0.42	88.43	0.48	85.79	0.58	90.28	0.72	87.93	0.54	87.98	0.65	80.34	0.94
Former drinker		0.14	1.77	0.18	2.35	0.19	2.53	0.46	2.07	0.20	1.70	0.20	2.16	0.32
Abstainer since the Wave 1 interview	10.73	0.39	9.80	0.46	11.85	0.55	7.18	0.58	10.00	0.51	10.32	0.65	17.50	0.87
Married to Alcoholic/Lived with Alcoholic as if Married														
Yes														
Current drinker	86.63	0.88	87.38	1.76	86.39	0.93	87.34	3.54	87.14	1.34	86.97	1.24	82.78	2.45
Former drinker	1.99	0.33	*1.64	0.63	2.10	0.37	*4.06	2.28	1.91	0.45	2.23	0.56	*0.64	0.45
Abstainer since the Wave 1 interview	11.39	0.79	10.98	1.53	11.51	0.86	8.60	2.98	10.95	1.19	10.80	1.15	16.58	2.45
No														
Current drinker	87.62	0.40	88.80	0.46	86.14	0.54	90.19	0.64	88.44	0.48	87.89	0.62	80.83	0.91
Former drinker	2.13	0.13	1.85	0.18	2.47	0.19	2.50	0.39	2.14	0.19	1.80	0.20	2.39	0.34
Abstainer since the Wave 1 interview	10.25	0.37	9.35	0.44	11.39	0.51	7.31	0.52	9.42	0.47	10.31	0.59	16.78	0.82
Any Alcohol Treatment in the Past Year														
Yes														
Current drinker	86.16	2.26	87.92	2.57	81.15	5.13	89.80	4.98	82.52	3.63	94.33	2.76	*66.26	18.73
Former drinker		1.05	*1.40	0.83	*4.03	3.23	_	_	*3.49	1.92	*0.98	0.98	_	_
Abstainer since the Wave 1 interview		2.11	10.68	2.51	14.82	4.31	*10.20	4.98	13.99	3.23	*4.69	2.58	*33.74	18.73
No														
Current drinker	87.54	0.39	88.74	0.46	86.21	0.50	90.11	0.64	88.38	0.48	87.71	0.59	81.05	0.87
Former drinker		0.13	1.85	0.17	2.40	0.17	2.60	0.40	2.10	0.17	1.87	0.19	2.23	0.31
Abstainer since the Wave 1 interview		0.36	9.41	0.43	11.39	0.47	7.29	0.51	9.52	0.45	10.42	0.56	16.71	0.80
Any Alcohol Treatment in Life														
Yes														
Current drinker	88.07	1.21	88.27	1.37	87.51	2.09	90.56	3.14	87.88	1.71	89.40	2.49	71.52	7.80
Former drinker		0.70	3.71	0.81	3.76	1.26	*1.70	1.07	4.62	1.13	*2.49	0.90	*8.04	4.72
Abstainer since the Wave 1 interview		0.98	8.02	1.14	8.72	1.74	*7.73	2.98	7.49	1.27	8.11	2.07	*20.44	7.30
No														
Current drinker	87.50	0.39	88.76	0.46	86.15	0.51	90.09	0.65	88.32	0.48	87.70	0.58	81.14	0.88
Former drinker		0.12	1.73	0.17	2.38	0.17	2.58	0.40	1.99	0.17	1.83	0.19	2.15	0.30
Abstainer since the Wave 1 interview	10.46	0.37	9.52	0.44	11.47	0.48	7.33	0.52	9.70	0.46	10.47	0.55	16.72	0.80

Table 1-1. Percent distribution of drinking status ¹ (since the Wave 1 interview) at Wave 2 among Wave 1 current drinkers, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Conduct Disorder														
Yes														
Current drinker	90.26	2.24	90.32	2.79	90.13	3.28	87.20	4.61	89.83	3.71	96.38	1.86	*77.24	12.76
Former drinker		0.64	*0.49	0.38	[*] 3.27	1.87	*0.50	0.50	__ *1.86	1.23	__ *0.39	0.40	[*] 7.05	6.90
Abstainer since the Wave 1 interview	8.39	2.18	9.19	2.76	*6.60	2.74	*12.30	4.61	*8.31	3.58	*3.22	1.80	*15.70	11.43
No														
Current drinker	87.49	0.38	88.70	0.46	86.15	0.50	90.17	0.65	88.28	0.47	87.68	0.59	81.02	0.88
Former drinker	2.12	0.13	1.86	0.17	2.40	0.17	2.60	0.40	2.12	0.17	1.87	0.19	2.21	0.31
Abstainer since the Wave 1 interview	10.39	0.36	9.43	0.43	11.44	0.47	7.23	0.51	9.60	0.45	10.44	0.56	16.77	0.81
Paranoid Personality Disorder — Lifetime														
Yes														
Current drinker	81.47	1.50	82.34	2.28	80.80	1.86	84.40	2.41	81.87	2.16	79.36	3.43	66.62	7.45
Former drinker		0.59	3.32	1.07	2.09	0.62	*2.80	1.09	3.17	0.94	*1.50	0.76	_	
Abstainer since the Wave 1 interview	15.90	1.43	14.33	2.21	17.11	1.74	12.81	2.28	14.97	1.99	19.13	3.39	33.38	7.45
No														
Current drinker	87.82	0.39	88.99	0.47	86.50	0.50	90.60	0.67	88.67	0.49	88.05	0.59	81.18	0.89
Former drinker		0.13	1.78	0.17	2.43	0.18	2.53	0.40	2.06	0.17	1.87	0.19	2.25	0.32
Abstainer since the Wave 1 interview		0.37	9.23	0.44	11.07	0.47	6.87	0.54	9.27	0.46	10.08	0.56	16.57	0.82
Schizoid Personality Disorder — Lifetime														
Yes														
Current drinker	85.71	1.56	87.52	2.15	83.56	2.17	88.67	2.79	87.04	2.08	81.79	3.21	83.77	5.35
Former drinker		0.56	*2.46	0.92	2.33	0.70	*3.72	1.94	2.40	0.84	*0.93	0.47	*4.97	2.86
Abstainer since the Wave 1 interview		1.42	10.02	2.00	14.11	2.04	7.62	2.18	10.56	1.93	17.28	3.16	*11.25	4.73
Ne														
No Current drinker	87.58	0.39	88.77	0.47	86.26	0.50	90.16	0.64	88.34	0.48	87.93	0.58	80.96	0.89
Former drinker		0.33	1.82	0.47	2.41	0.30	2.50	0.39	2.11	0.40	1.89	0.30	2.18	0.32
Abstainer since the Wave 1 interview		0.37	9.41	0.44	11.32	0.47	7.33	0.51	9.55	0.46	10.18	0.55	16.86	0.82
Schizotypal Personality Disorder — Lifetime ²														
V.														
Yes Current drinker	87.03	1.38	88.73	1.71	84.87	2.01	89.21	3.07	88.85	1.57	85.34	2.77	59.12	9.68
Former drinker		0.60	2.31	0.67	3.80	1.05	*2.24	1.13	2.82	0.72	*2.93	1.28	*10.36	6.18
Abstainer since the Wave 1 interview		1.26	8.96	1.61	11.33	1.74	8.55	2.89	8.33	1.50	11.73	2.57	30.52	9.11
No														
No Current drinker	87.54	0.39	88.73	0.47	86.23	0.51	90.16	0.64	88.27	0.48	87.86	0.59	81.24	0.87
Former drinker		0.13	1.82	0.17	2.36	0.17	2.57	0.40	2.08	0.18	1.82	0.19	2.14	0.31
Abstainer since the Wave 1 interview		0.36	9.45	0.44	11.41	0.48	7.27	0.51	9.64	0.46	10.32	0.55	16.62	0.80

Table 1-1. Percent distribution of drinking status ¹ (since the Wave 1 interview) at Wave 2 among Wave 1 current drinkers, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Antisocial Personality Disorder — Lifetime ²														
Yes														
Current drinker	89.50	1.36	89.18	1.70	90.46	1.89	88.58	2.39	92.82	1.49	83.88	3.53	77.98	16.72
Former drinker		0.59	1.96	0.71	2.80	0.99	*3.35	1.45	*1.85	0.64	*1.74	1.07	_	_
Abstainer since the Wave 1 interview	8.32	1.16	8.85	1.49	6.73	1.62	8.07	1.94	5.33	1.28	14.38	3.30	*22.02	16.72
No														
Current drinker	87.42	0.40	88.70	0.47	86.07	0.52	90.25	0.67	88.04	0.49	87.89	0.59	81.03	0.87
Former drinker	2.11	0.13	1.83	0.18	2.40	0.17	2.48	0.40	2.13	0.18	1.86	0.19	2.25	0.32
Abstainer since the Wave 1 interview		0.37	9.47	0.44	11.52	0.48	7.28	0.56	9.82	0.46	10.24	0.55	16.72	0.79
Borderline Personality Disorder — Lifetime ²														
Yes														
Current drinker	86.49	1.02	87.71	1.45	85.36	1.39	89.59	2.03	87.74	1.30	83.08	2.39	68.61	7.60
Former drinker		0.57	4.17	0.88	3.54	0.75	3.23	1.00	3.85	0.86	4.07	1.33	*6.62	4.51
Abstainer since the Wave 1 interview	9.67	0.85	8.12	1.18	11.10	1.18	7.18	1.75	8.41	1.07	12.86	2.11	24.77	6.89
No														
Current drinker	87.59	0.40	88.79	0.47	86.24	0.54	90.17	0.66	88.34	0.50	88.00	0.60	81.23	0.90
Former drinker		0.13	1.70	0.17	2.33	0.17	2.46	0.41	1.98	0.18	1.75	0.18	2.15	0.30
Abstainer since the Wave 1 interview		0.37	9.51	0.44	11.43	0.50	7.37	0.53	9.68	0.47	10.25	0.57	16.62	0.83
Histrionic Personality Disorder — Lifetime														
Yes														
Current drinker	88.99	1.50	88.04	2.35	89.93	2.11	88.42	2.71	89.07	2.47	89.83	3.21	88.58	5.77
Former drinker		0.89	*2.95	1.47	*2.51	1.04	*2.20	1.29	4.10	1.65	*0.65	0.65	_	_
Abstainer since the Wave 1 interview		1.34	9.01	2.14	7.55	1.71	9.38	2.58	6.83	1.85	9.52	3.14	*11.42	5.77
No														
Current drinker	87.49	0.39	88.74	0.46	86.09	0.50	90.19	0.67	88.28	0.48	87.74	0.59	80.95	0.88
Former drinker		0.12	1.82	0.17	2.41	0.17	2.57	0.40	2.07	0.17	1.88	0.19	2.24	0.32
Abstainer since the Wave 1 interview		0.37	9.44	0.44	11.50	0.47	7.24	0.53	9.65	0.46	10.38	0.56	16.80	0.81
Narcissistic Personality Disorder — Lifetime ²														
Yes														
Current drinker	89.23	1.01	91.00	1.24	86.14	1.68	87.56	2.73	91.24	1.16	89.48	1.85	78.20	5.74
Former drinker		0.51	2.26	0.68	2.83	0.79	*4.14	1.78	2.09	0.51	*1.86	0.79	*1.91	1.89
Abstainer since the Wave 1 interview		0.85	6.74	0.99	11.03	1.44	8.30	2.13	6.67	0.99	8.67	1.51	19.89	5.54
No														
No Current drinker	87.40	0.41	88.53	0.49	86.18	0.53	90.40	0.65	88.07	0.52	87.67	0.61	81.10	0.89
Former drinker		0.13	1.80	0.17	2.39	0.18	2.37	0.38	2.12	0.18	1.86	0.19	2.24	0.32
Abstainer since the Wave 1 interview		0.39	9.66	0.46	11.43	0.49	7.23	0.53	9.81	0.48	10.47	0.58	16.66	0.82

Table 1-1. Percent distribution of drinking status 1 (since the Wave 1 interview) at Wave 2 among Wave 1 current drinkers, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Fatianata	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45-64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Avoidant Personality Disorder — Lifetime														
Yes														
Current drinker	. 85.02	1.92	84.48	3.27	85.41	2.37	87.23	3.62	84.49	2.73	83.24	4.25	91.83	5.70
Former drinker		0.94	*3.74	1.62	*2.82	1.10	*2.78	1.52	3.26	1.36	*3.37	2.14	*4.15	4.12
Abstainer since the Wave 1 interview		1.69	11.78	2.88	11.77	2.10	10.00	3.39	12.25	2.42	13.39	3.70	*4.02	4.00
No														
Current drinker	. 87.58	0.39	88.81	0.46	86.20	0.50	90.22	0.64	88.41	0.48	87.85	0.58	80.94	0.88
Former drinker	2.08	0.13	1.80	0.17	2.40	0.17	2.54	0.40	2.08	0.17	1.83	0.19	2.22	0.31
Abstainer since the Wave 1 interview		0.36	9.38	0.43	11.40	0.47	7.24	0.52	9.51	0.45	10.32	0.55	16.84	0.81
Dependent Personality Disorder — Lifetime														
Yes														
Current drinker		3.90	86.06	6.90	87.80	4.68	80.87	9.29	90.48	4.20	87.15	7.25	*100.00	0.00
Former drinker	. *1.08	0.76	-	_	*1.79	1.26	—	_	*0.97	0.97	*3.45	3.50	_	_
Abstainer since the Wave 1 interview	. 11.81	3.82	*13.94	6.90	*10.41	4.57	*19.13	9.29	*8.55	3.92	*9.40	6.25	_	_
No														
Current drinker	. 87.52	0.38	88.74	0.46	86.17	0.50	90.19	0.64	88.29	0.47	87.77	0.58	80.99	0.88
Former drinker	. 2.12	0.13	1.85	0.17	2.41	0.17	2.57	0.39	2.12	0.17	1.86	0.19	2.23	0.31
Abstainer since the Wave 1 interview	. 10.36	0.36	9.42	0.43	11.41	0.47	7.23	0.51	9.59	0.45	10.38	0.55	16.78	0.81
Obsessive-Compulsive Personality Disorder — Lifetime														
Yes														
Current drinker	. 87.50	0.95	88.07	1.34	86.91	1.30	86.92	2.62	88.70	1.22	89.56	1.54	75.68	3.91
Former drinker	2.25	0.38	2.06	0.56	2.46	0.53	*5.09	2.04	1.67	0.42	*1.51	0.59	*3.62	1.54
Abstainer since the Wave 1 interview		0.85	9.88	1.23	10.63	1.15	7.99	1.68	9.63	1.17	8.93	1.44	20.70	3.83
No														
Current drinker	87.52	0.40	88.79	0.48	86.11	0.51	90.39	0.62	88.25	0.51	87.60	0.62	81.40	0.88
Former drinker		0.13	1.82	0.18	2.41	0.18	2.32	0.37	2.17	0.19	1.89	0.20	2.12	0.32
Abstainer since the Wave 1 interview		0.37	9.39	0.45	11.48	0.49	7.29	0.51	9.58	0.48	10.50	0.58	16.47	0.81

¹ Current drinker: 1 or more drinks in the past year. Former drinker: at least 1 drink since the Wave 1 interview, but not in the past year. Abstainer since the Wave 1 interview: never had 1 or more drinks since the Wave 1 interview.

Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.

Fewer than 10 observations in the cell.

SOURCE: NIAAA 2001–2002 and 2004–2005 National Epidemiologic Surveys on Alcohol and Related Conditions.

⁻ Empty cell.

Table 1-2. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 former drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1.

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Fatimata	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Total</u>														
Current drinker		0.81	24.60	1.21	24.95	0.95	62.03	3.58	32.57	1.41	20.33	1.12	12.97	0.99
Former drinker		0.25	2.44	0.43	1.92	0.26	4.64	1.55	3.19	0.52	1.50	0.29	1.27	0.29
Abstainer since the Wave 1 interview	73.05	0.85	72.96	1.27	73.13	0.96	33.33	3.62	64.25	1.42	78.16	1.12	85.76	1.02
Race/Ethnicity														
White, Not Hispanic or Latino														
Current drinker	. 24.04	0.88	22.69	1.36	25.19	1.16	68.07	4.83	31.49	1.76	21.64	1.30	13.44	1.16
Former drinker	2.19	0.32	2.67	0.57	1.78	0.32	*4.33	2.09	3.63	0.75	1.55	0.39	1.34	0.36
Abstainer since the Wave 1 interview	. 73.77	0.95	74.63	1.45	73.03	1.18	27.60	4.91	64.88	1.82	76.82	1.33	85.22	1.20
Black, Not Hispanic or Latino														
Current drinker	. 23.91	1.29	24.78	2.12	23.30	1.40	66.43	5.72	29.23	2.47	17.84	2.08	11.27	1.55
Former drinker		0.57	2.70	1.06	2.40	0.58	*6.57	4.60	3.12	0.94	2.15	0.77	*0.76	0.52
Abstainer since the Wave 1 interview		1.38	72.52	2.19	74.29	1.51	26.99	4.92	67.65	2.73	80.01	2.00	87.97	1.59
American Indian/Alaska Native, Not Hispanic or Latino														
Current drinker	. 29.08	4.45	32.58	7.45	26.56	5.50	*41.80	26.90	49.81	9.97	17.38	5.22	*11.50	6.53
Former drinker		0.07	*0.16	0.16		_	_	_	_	_	*0.14	0.14	_	_
Abstainer since the Wave 1 interview		4.46	67.26	7.46	73.44	5.50	*58.20	26.90	50.19	9.97	82.48	5.27	88.50	6.53
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or														
Latino														
Current drinker	25.63	4.61	38.52	7.05	15.72	4.38	*68.49	13.76	28.93	6.93	20.61	5.42	_	_
Former drinker		0.95	_	_	*2.34	1.72	*8.67	8.29		_	*1.34	1.36	_	_
Abstainer since the Wave 1 interview		5.04	61.48	7.05	81.95	5.08	*22.84	12.50	71.07	6.93	78.05	5.61	100.00	0.00
Hispanic or Latino														
Current drinker	29.79	2.54	30.49	3.84	29.03	2.93	47.49	7.36	38.40	4.02	14.97	2.14	14.89	3.74
Former drinker		0.65	1.92	0.65	2.69	0.93	*3.55	2.32	3.05	0.94	*0.59	0.33	*2.36	1.35
Abstainer since the Wave 1 interview		2.39	67.59	3.80	68.27	2.79	48.96	7.36	58.56	3.82	84.44	2.14	82.74	4.02
Marital Status														
Married														
Current drinker	23.60	1.01	22.27	1.40	24.91	1.31	41.60	7.26	32.78	1.79	20.88	1.35	12.90	1.52
Former drinker		0.30	2.03	0.45	1.75	0.35	*6.93	3.25	2.98	0.68	1.13	0.34	*1.05	0.40
Abstainer since the Wave 1 interview		1.05	75.71	1.47	73.34	1.35	51.47	7.27	64.24	1.82	77.99	1.37	86.05	1.55
Living with someone as if married														
Current drinker	23.74	4.76	15.74	5.26	33.33	7.42	70.88	13.80	22.52	6.51	*10.09	4.85	*35.67	20.08
Former drinker		1.74	*3.35	2.39	*4.57	2.55	*3.42	3.48	*7.33	3.49				
Abstainer since the Wave 1 interview		4.90	80.90	5.73	62.10	7.06	*25.70	13.54	70.15	6.83	89.91	4.85	*64.33	20.08
Widowed	1													
Current drinker	14.90	1.47	14.18	3.11	15.07	1.58	_	_	*42.42	16.32	18.56	3.13	13.54	1.58
Former drinker		0.47	*4.14	1.78	1.32	0.43	_	_		_	*2.04	1.09	1.86	0.53
Abstainer since the Wave 1 interview		1.60	81.68	3.65	83.61	1.63	_	_	*57.58	16.32	79.40	3.24	84.60	1.73

Table 1-2. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 former drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Fatimata	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Divorced														
Current drinker		1.69	22.34	3.03	22.23	2.13	*64.48	23.06	35.57	4.37	20.05	2.37	9.12	2.18
Former drinker		0.73	*1.95	1.08	3.18	0.95	*	_	*2.96	1.72	3.40	1.03	*0.69	0.68
Abstainer since the Wave 1 interview	75.00	1.83	75.71	3.17	74.59	2.29	*35.52	23.06	61.47	4.62	76.55	2.45	90.20	2.43
Separated														
Current drinker	24.44	4.23	24.58	7.38	24.37	5.32	*52.72	26.00	36.07	8.41	12.41	3.84	*15.69	6.53
Former drinker	*4.65	2.25	*5.24	5.04	*4.34	2.23	_	_	*6.10	4.11	*4.77	3.06	_	_
Abstainer since the Wave 1 interview		4.30	70.18	8.17	71.29	5.33	*47.28	26.00	57.84	8.21	82.82	4.64	84.31	6.53
Never married														
Current drinker	40.82	2.28	40.74	3.53	40.91	2.99	70.87	4.00	31.35	3.29	22.49	3.38	14.96	4.42
		0.79	3.64	1.30	*1.26	0.46	*3.77	1.96	2.86	1.13	*0.53	0.53	*1.31	1.31
Former drinker Abstainer since the Wave 1 interview	56.61	2.39	55.62	3.62	57.83	2.98	25.35	3.91	65.79	3.26	76.99	3.44	83.74	4.59
Abstainer since the wave i interview	36.61	2.39	33.62	3.02	37.03	2.90	25.35	3.91	65.79	3.20	76.99	3.44	03.74	4.59
Ever Had Children (Including Step, Adopted, Foster)														
Yes														
Current drinker	22.43	0.79	20.96	1.18	23.55	1.00	54.84	6.38	31.38	1.50	20.41	1.21	12.77	1.02
Former drinker		0.25	2.08	0.43	2.03	0.28	*5.81	2.75	3.26	0.60	1.52	0.32	1.17	0.31
Abstainer since the Wave 1 interview		0.82	76.96	1.24	74.42	1.04	39.35	5.56	65.36	1.56	78.07	1.21	86.06	1.04
A COLUMN OF THE TAXABLE THE TA	70.01	0.02	70.00		7 1.12	1.0-1	00.00	0.00	00.00	1.00	10.01	1.2	00.00	1.01
No														
Current drinker		1.85	37.03	2.82	33.51	2.47	65.77	4.66	37.17	2.96	19.83	2.32	14.94	3.01
Former drinker		0.63	3.66	1.04	*1.23	0.46	*4.04	1.87	2.89	1.11	*1.43	0.66	*2.25	1.23
Abstainer since the Wave 1 interview	61.83	1.93	59.31	2.87	65.25	2.48	30.19	4.68	59.94	3.00	78.74	2.42	82.81	3.41
Children Ages Below 13 Living in Household														
Yes														
Current drinker	32.10	1.47	28.53	2.37	34.91	1.91	57.94	5.19	33.13	1.67	20.45	2.88	*8.12	3.73
Former drinker		0.42	2.56	0.70	2.81	0.56	5.27	2.04	2.96	0.54	*1.07	0.72	_	_
Abstainer since the Wave 1 interview		1.50	68.92	2.39	62.27	1.94	36.79	5.24	63.91	1.69	78.48	2.89	91.88	3.73
No														
Current drinker	22.02	0.83	23.19	1.33	21.00	0.95	64.96	4.95	31.72	2.10	20.31	1.15	13.15	1.00
Former drinker		0.63	23.19	0.52	1.56	0.95	*4.19	2.15	31.72	0.99	1.58	0.32	1.32	0.31
Abstainer since the Wave 1 interview		0.29	74.41	1.41	77.43	0.27	30.84	4.99	64.75	2.09	78.11	1.17	85.53	1.04
Education														
11 years or less														
Current drinker	19.30	1.50	21.80	2.43	16.88	1.53	53.68	8.02	33.89	4.29	13.18	2.07	10.83	1.48
Former drinker		0.36	1.31	0.40	2.12	0.53	*6.71	3.28	*2.59	0.95	*1.14	0.41	*0.96	0.41
Abstainer since the Wave 1 interview		1.50	76.90	2.43	81.00	1.57	39.62	3.26 7.92	63.52	4.30	85.69	2.11	88.21	1.52
				-		-						•		
12 years														
Current drinker		1.17	24.26	1.72	26.27	1.61	62.25	5.60	31.32	2.31	22.11	2.03	13.74	1.78
	4 07	0.07		0.57	1.88	0.47	*1.45	1 11	2.68	0.83	1.78	0.54	4 - 4	0.50
Former drinker Abstainer since the Wave 1 interview		0.37 1.22	2.07 73.67	1.79	71.85	1.62	36.29	1.44 5.54	66.00	2.44	76.10	0.54 2.04	1.54 84.72	1.81

Table 1-2. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 former drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Mal	e	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Education														
13–15 years														
Current drinker	27.53	1.44	27.68	2.30	27.41	1.71	68.91	5.84	31.70	2.43	21.47	2.13	12.90	1.91
Former drinker		0.53	3.86	1.08	1.80	0.44	*5.34	3.27	3.62	0.99	1.83	0.68	*1.47	0.88
Abstainer since the Wave 1 interview	69.78	1.49	68.46	2.40	70.79	1.72	25.76	5.43	64.68	2.60	76.70	2.11	85.63	2.03
16 or more years														
Current drinker		1.70	24.45	2.38	27.68	2.27	*47.51	12.76	35.17	3.07	22.31	2.38	16.47	3.12
Former drinker		0.65	2.57	1.06	1.96	0.61	[*] 13.78	9.09	3.87	1.65	*0.88	0.46	*1.04	0.72
Abstainer since the Wave 1 interview	71.53	1.82	72.98	2.42	70.36	2.41	*38.70	12.73	60.96	3.40	76.80	2.36	82.50	3.16
Currently Employed Full Time														
Yes														
Current drinker	29.29	1.24	28.31	1.65	30.63	1.65	66.47	5.78	32.35	1.73	22.43	1.60	13.32	4.15
Former drinker		0.35	2.40	0.54	1.55	0.35	*2.57	1.06	2.60	0.60	1.55	0.44	_	_
Abstainer since the Wave 1 interview	68.67	1.26	69.29	1.70	67.82	1.65	30.96	5.88	65.04	1.76	76.02	1.59	86.68	4.15
No														
Current drinker	21.29	0.92	19.98	1.49	22.04	1.06	58.80	4.46	32.97	2.20	17.99	1.40	12.95	1.01
Former drinker		0.32	2.48	0.57	2.11	0.32	6.15	2.34	4.26	0.91	1.45	0.40	1.34	0.31
Abstainer since the Wave 1 interview	76.47	0.97	77.54	1.58	75.86	1.07	35.06	4.42	62.77	2.25	80.56	1.44	85.71	1.05
Family Annual Income														
Talliny 7 tilliddi moonto														
\$0 to \$19,999	21.68	4.00	04.00	0.40	20.45	4.00	50.05	F 00	24.70	0.05	45.40	4.04	40.00	1.26
Current drinker		1.23 0.42	24.30	2.18	20.15	1.39	58.85 *5.30	5.66 2.65	34.70	2.95	15.40	1.94 0.66	12.29	
Former drinker Abstainer since the Wave 1 interview		1.29	2.97 72.73	0.87 2.32	1.97 77.88	0.44 1.40	35.84	2.65 5.35	3.98 61.32	1.25 3.08	1.73 82.87	1.96	1.37 86.34	0.38 1.36
\$20,000 to \$34,999														
Current drinker	23.33	1.46	20.45	2.08	26.01	1.87	57.86	7.04	33.02	2.77	15.71	2.03	13.41	2.04
Former drinker		0.40	1.68	0.63	1.82	0.50	*2.15	1.73	*2.01	0.87	1.93	0.58	*1.20	0.60
Abstainer since the Wave 1 interview	74.92	1.46	77.86	2.13	72.18	1.85	39.99	7.05	64.97	2.86	82.36	2.06	85.39	2.10
\$35,000 to \$69,999														
Current drinker	26.42	1.25	24.53	1.94	28.31	1.62	62.63	7.11	31.67	1.98	23.01	2.00	13.29	2.38
Former drinker		0.46	2.88	0.71	2.15	0.51	*8.18	5.01	3.67	0.80	1.42	0.47	*1.17	0.68
Abstainer since the Wave 1 interview	71.06	1.38	72.59	2.03	69.54	1.70	29.19	6.47	64.66	2.22	75.57	2.05	85.54	2.43
\$70,000 or more														
Current drinker	29.00	1.81	30.87	2.86	27.18	2.30	78.07	7.35	31.79	3.17	25.76	2.51	14.32	4.03
Former drinker		0.60	*2.00	1.05	*1.52	0.63	*2.50	2.29	*2.90	1.36	*0.98	0.69	*1.20	1.20
Abstainer since the Wave 1 interview	69.25	1.90	67.13	2.94	71.29	2.34	*19.42	7.62	65.32	3.31	73.27	2.60	84.48	4.18
Born in the United States														
Yes														
Current drinker	24.10	0.75	23.30	1.21	24.76	0.94	64.13	3.67	32.23	1.47	19.91	1.11	13.05	1.02
Former drinker		0.73	2.62	0.49	1.80	0.26	*3.88	1.77	3.40	0.59	1.56	0.32	1.33	0.31
Abstainer since the Wave 1 interview		0.79	74.08	1.28	73.43	0.94	31.99	3.71	64.36	1.47	78.53	1.12	85.62	1.06

Table 1-2. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 former drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Fatimeta	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Born in the United States														
No														
Current drinker	30.51	2.99	34.47	4.39	26.64	2.82	54.90	8.60	34.63	4.36	24.39	3.42	11.77	2.98
Former drinker	2.04	0.59	*1.11	0.50	2.95	0.95	*7.23	3.52	*1.85	0.82	*0.95	0.54	*0.43	0.33
Abstainer since the Wave 1 interview	67.45	3.02	64.42	4.38	70.42	3.05	37.87	8.68	63.52	4.21	74.65	3.43	87.80	3.07
Family Structure Before Age 18														
Both biological/adoptive parents in the household														
Current drinker	29.07	1.67	27.99	2.64	29.94	2.11	59.77	6.74	35.30	3.14	17.48	2.53	15.95	3.54
Former drinker	2.11	0.52	*1.38	0.57	2.68	0.86	*5.12	2.19	*2.37	0.97	*1.66	0.69	*0.19	0.19
Abstainer since the Wave 1 interview	68.82	1.65	70.63	2.68	67.38	2.16	35.11	6.82	62.33	3.16	80.86	2.58	83.86	3.55
Only biological mother ever in the household (father never present)														
Current drinker	23.92	0.94	24.06	1.39	23.79	1.13	65.31	4.93	32.15	1.81	21.27	1.29	12.63	1.13
Former drinker	2.25	0.31	2.76	0.55	1.80	0.28	*3.63	2.02	3.82	0.73	1.52	0.35	1.45	0.34
Abstainer since the Wave 1 interview	73.83	1.01	73.18	1.47	74.41	1.19	31.05	4.92	64.04	1.86	77.21	1.32	85.91	1.18
Biological/adoptive parents divorced or no longer living together														
Current drinker	25.02	2.03	23.37	3.54	26.11	2.47	57.41	7.74	29.14	3.07	18.70	3.28	13.25	3.11
Former drinker	0.85	0.27	*0.67	0.45	*0.97	0.35	*0.91	0.69	*1.35	0.57	*0.82	0.49		
Abstainer since the Wave 1 interview	74.12	2.03	75.96	3.63	72.92	2.48	41.68	7.79	69.51	3.05	80.48	3.26	86.75	3.11
Raised by relatives, by foster parents, or in an institution							di di						di.	
Current drinker	21.84	4.24	25.12	7.41	19.71	4.71	[*] 46.76	19.99	40.35	10.92	11.88	4.62	*12.52	5.90
Former drinker	*6.06	2.89	*7.31	6.31	*5.26	2.38	*41.73	20.93		. —	*3.47	2.49	*3.12	2.36
Abstainer since the Wave 1 interview	72.10	4.80	67.57	8.44	75.03	5.23	*11.51	8.57	59.65	10.92	84.64	5.19	84.36	6.08
Before Age 18, Family Received Government Assistance														
Yes														
Current drinker	29.69	1.82	31.93	3.22	27.99	2.10	66.20	5.37	33.50	2.91	15.65	2.80	21.05	5.36
Former drinker	2.40	0.51	*2.36	0.83	2.43	0.68	*1.78	0.83	3.21	0.94	*1.50	0.74	*2.39	1.63
Abstainer since the Wave 1 interview	67.91	1.91	65.71	3.29	69.59	2.21	32.02	5.35	63.29	2.98	82.85	2.85	76.56	5.30
No														
Current drinker	23.94	0.87	23.41	1.24	24.39	1.08	60.53	4.43	32.32	1.62	21.00	1.17	12.27	0.95
Former drinker	2.11	0.28	2.45	0.49	1.82	0.27	5.67	2.01	3.18	0.62	1.50	0.31	1.17	0.30
Abstainer since the Wave 1 interview	73.95	0.92	74.14	1.33	73.78	1.11	33.80	4.49	64.50	1.63	77.49	1.18	86.56	0.97
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes														
Current drinker	26.72	3.08	24.92	4.13	31.13	5.80	62.61	12.26	29.95	6.07	15.63	3.62	*25.01	10.82
Former drinker	*1.00	0.50	*0.42	0.42	*2.44	1.39	*1.35	1.38	*0.74	0.74	*1.38	0.95		
Abstainer since the Wave 1 interview	72.28	3.09	74.66	4.14	66.43	5.63	*36.04	12.27	69.31	6.12	82.98	3.76	74.99	10.82

Table 1-2. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 former drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Ever in Jail or Juvenile Detention Center														
No														
Current drinker		0.83	24.58	1.23	24.83	0.97	61.99	3.73	32.70	1.42	20.54	1.15	12.82	0.99
Former drinker		0.26	2.57	0.46	1.91	0.26	4.85	1.66	3.31	0.55	1.51	0.30	1.29	0.30
Abstainer since the Wave 1 interview	73.08	0.88	72.85	1.29	73.27	0.99	33.16	3.71	63.99	1.46	77.95	1.15	85.90	1.03
Before Age 18, Physically Abused by Parent/Caretaker														
Yes														
Current drinker	25.21	3.37	26.11	4.98	24.55	4.08	*52.58	19.90	27.04	4.97	24.20	4.68	*11.77	5.80
Former drinker	*3.48	1.48	*3.51	2.84	*3.46	1.61	*37.70	20.98	*1.30	0.92	*1.76	1.35	*5.12	4.97
Abstainer since the Wave 1 interview	71.31	3.33	70.38	5.09	71.99	4.19	*9.72	9.51	71.66	5.01	74.04	4.78	83.11	7.27
No														
Current drinker	24.77	0.81	24.54	1.22	24.97	0.94	62.34	3.66	32.90	1.43	20.11	1.12	12.99	0.99
Former drinker	2.09	0.23	2.39	0.40	1.84	0.25	3.56	1.28	3.30	0.55	1.49	0.30	1.20	0.29
Abstainer since the Wave 1 interview	73.13	0.86	73.07	1.28	73.19	0.95	34.10	3.62	63.80	1.46	78.40	1.13	85.81	1.03
Before Age 18, Seriously Neglected by Parent/Caretaker														
Yes														
Current drinker	26.91	3.26	22.04	4.48	30.62	4.01	80.02	8.79	24.97	4.34	21.79	4.35	19.59	6.49
Former drinker	*1.89	0.90	*2.17	1.54	*1.68	1.09	*2.03	2.06	*2.64	1.87	*1.97	1.48	_	_
Abstainer since the Wave 1 interview	71.20	3.44	75.80	4.96	67.69	4.10	*17.95	8.46	72.39	4.78	76.24	4.62	80.41	6.49
No														
Current drinker	24.70	0.80	24.71	1.24	24.70	0.95	61.06	3.67	32.92	1.46	20.26	1.10	12.80	0.97
Former drinker	2.17	0.25	2.45	0.45	1.93	0.26	4.78	1.57	3.21	0.54	1.48	0.30	1.30	0.30
Abstainer since the Wave 1 interview	73.13	0.85	72.84	1.29	73.38	0.97	34.16	3.74	63.87	1.48	78.26	1.10	85.90	1.00
Before Age 18, Saw Serious Fights at Home														
Yes														
Current drinker	25.52	2.03	25.46	3.17	25.56	2.54	53.31	13.04	32.25	3.44	19.42	2.69	15.56	4.08
Former drinker	2.68	0.64	*1.45	0.56	3.68	1.10	*4.95	3.04	3.54	1.29	*1.77	0.81	*2.43	1.71
Abstainer since the Wave 1 interview	71.81	2.12	73.09	3.25	70.76	2.75	41.74	13.37	64.21	3.59	78.81	2.77	82.00	4.33
No														
Current drinker	24.69	0.86	24.49	1.27	24.87	1.04	63.07	3.64	32.62	1.58	20.49	1.20	12.80	1.00
Former drinker	2.08	0.27	2.58	0.49	1.67	0.24	4.61	1.65	3.13	0.57	1.46	0.32	1.20	0.30
Abstainer since the Wave 1 interview	73.22	0.91	72.94	1.34	73.47	1.05	32.32	3.65	64.25	1.59	78.05	1.21	86.00	1.03
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
Yes														
Current drinker	23.16	1.36	20.12	2.11	25.68	1.75	59.02	6.77	28.27	2.00	18.80	2.12	10.54	2.16
Former drinker		0.48	2.14	0.67	3.02	0.67	*4.96	2.89	3.69	0.99	1.20	0.45	*3.37	1.29
Abstainer since the Wave 1 interview		1.46	77.74	2.22	71.31	1.81	36.02	6.89	68.04	2.16	80.01	2.13	86.09	2.60

Table 1-2. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 former drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
No														
Current drinker		0.93	26.10	1.36	24.71	1.14	62.85	3.97	34.41	1.75	20.97	1.23	13.38	1.07
Former drinker		0.29	2.54	0.53	1.54	0.25	4.56	1.77	2.97	0.64	1.63	0.37	0.92	0.28
Abstainer since the Wave 1 interview	72.66	0.96	71.36	1.40	73.75	1.15	32.60	4.04	62.62	1.72	77.40	1.25	85.70	1.10
Ever Had No Regular Place to Live Lasting 1+ Months														
Yes														
Current drinker		3.06	18.66	3.66	29.24	5.57	75.04	11.06	31.03	5.89	10.58	3.29	*18.42	10.35
Former drinker		0.45	*0.83	0.67	*0.52	0.52	*04.00		*0.58	0.58	*0.23	0.23	*5.51	5.46
Abstainer since the Wave 1 interview	76.48	3.12	80.51	3.74	70.25	5.59	*24.96	11.06	68.39	6.01	89.19	3.30	76.07	11.45
No														
Current drinker	24.86	0.83	24.88	1.23	24.84	0.97	61.51	3.67	32.63	1.43	20.80	1.19	12.92	0.99
Former drinker		0.26	2.52	0.45	1.95	0.26	4.83	1.61	3.29	0.54	1.56	0.31	1.23	0.29
Abstainer since the Wave 1 interview	72.93	0.88	72.60	1.30	73.20	0.98	33.67	3.70	64.08	1.45	77.64	1.20	85.85	1.02
Self-Perceived Current Health														
Excellent/Very good														
Current drinker		1.26	28.28	1.82	30.98	1.54	65.32	4.27	33.80	1.70	21.80	1.87	15.64	1.73
Former drinker		0.35	2.50	0.59	2.02	0.37	*2.98	1.39	3.46	0.72	1.13	0.35	*1.19	0.45
Abstainer since the Wave 1 interview	68.03	1.33	69.22	1.89	67.00	1.57	31.69	4.35	62.75	1.76	77.07	1.88	83.16	1.78
Good														
Current drinker	23.24	1.29	24.08	1.96	22.52	1.53	54.32	7.90	30.89	2.90	21.88	1.95	14.03	1.89
Former drinker		0.45	2.87	0.86	0.97	0.28	*8.82	5.88	2.29	0.99	1.70	0.65	*0.78	0.42
Abstainer since the Wave 1 interview	74.91	1.34	73.05	2.06	76.51	1.54	36.87	7.13	66.83	3.01	76.42	1.97	85.19	1.93
Fair/Poor														
Current drinker	16.96	1.30	17.18	2.00	16.78	1.39	48.88	12.00	29.91	3.78	16.08	1.70	9.68	1.26
Former drinker	2.37	0.42	1.85	0.58	2.77	0.62	*10.29	5.80	*3.70	1.37	1.88	0.60	1.77	0.59
Abstainer since the Wave 1 interview	80.68	1.34	80.97	2.08	80.45	1.47	40.83	12.04	66.40	3.95	82.04	1.78	88.55	1.39
Currently Covered by Health Insurance														
Yes														
Current drinker	23.30	0.84	22.27	1.17	24.18	1.06	57.58	4.29	32.28	1.61	20.22	1.14	12.98	0.99
Former drinker	2.09	0.27	2.43	0.47	1.80	0.26	5.75	2.14	2.89	0.58	1.65	0.32	1.28	0.30
Abstainer since the Wave 1 interview	74.60	0.90	75.30	1.25	74.02	1.08	36.67	4.47	64.83	1.66	78.14	1.17	85.73	1.03
No														
Current drinker	32.65	2.06	37.27	3.61	28.92	2.29	70.63	6.93	33.59	3.07	20.86	2.38	*11.35	5.02
Former drinker		0.62	*2.48	1.07	2.53	0.69	*2.50	1.83	4.25	1.22	*0.86	0.61	_	_
Abstainer since the Wave 1 interview	64.84	2.07	60.25	3.69	68.55	2.27	26.87	6.49	62.16	3.14	78.28	2.37	88.65	5.02

Table 1-2. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 former drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	es	Se	ex				į	Age group	at Wave 1			
Male	S.E.	е	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
Estimate		S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
27.49	1.52 27.	2.20	26.36	1.86	78.20	6.08	34.74	3.14	19.02	1.83	13.24	2.55
2.96	0.52 2.	0.81	2.35	0.62	*0.70	0.51	3.78	1.09	2.15	0.66	*2.16	0.96
69.55	1.51 69.	2.25	71.29	1.88	21.10	6.01	61.48	3.14	78.83	1.87	84.61	2.84
16.36	1.25 16.	1.48	20.10	1.96	49.21	11.12	24.15	2.81	19.73	1.94	12.03	1.36
	- 1	0.61	1.94	0.59	*13.28	9.42	*3.82	1.48	1.26	0.46	*1.09	0.39
		1.55	77.96	2.00	37.51	10.16	72.04	3.02	79.01	1.96	86.88	1.35
30.46	1.19 30.	2.01	26.40	1.32	59.09	4.21	34.08	1.82	21.69	1.70	13.95	1.66
		0.69	1.75	0.31	4.61	1.74	2.66	0.66	1.22	0.42	*1.19	0.47
		2.13	71.85	1.34	36.30	4.22	63.26	1.98	77.09	1.75	84.86	1.72
31.33	5.30 31.	6.58	42.42	7.38	*85.52	12.40	40.17	7.39	18.90	6.97	*26.67	13.31
		2.47	*2.29	2.32		_	*2.42	1.94	*4.78	4.64		
		6.74	55.29	7.82	*14.48	12.40	57.41	7.69	76.32	7.89	73.33	13.31
20.12	1.80 20.	2.17	34.49	3.31	51.61	8.33	30.13	2.68	18.04	2.33	*5.57	3.20
		1.55	3.07	1.05	*6.53	4.67	5.25	1.55	*2.53	1.11	5.57	5.20
		2.32	62.44	3.31	41.86	8.29	64.62	2.85	79.43	2.29	94.43	3.20
05.40							~~ ~=				40.04	
		1.36	23.26	1.05	63.93	4.11	32.97	1.77	20.82	1.32	13.04	0.99
		0.36	1.75	0.25	4.31	1.54	2.52	0.49	1.22	0.26	1.32	0.31
72.70	0.99 72.	1.41	74.99	1.07	31.75	4.06	64.51	1.81	77.96	1.33	85.64	1.03
		4.47	26.88	3.45	64.63	12.04	33.87	5.87	18.50	3.27	[*] 5.15	2.68
		1.66	*3.68	1.33	*7.69	6.30	*7.28	2.68	*0.38	0.37	*3.62	2.28
77.50	2.79 77.	4.69	69.44	3.53	*27.67	10.86	58.85	6.12	81.13	3.33	91.23	3.08
24.86	0.83 24.	1.23	24.80	0.96	61.90	3.77	32.47	1.44	20.48	1.17	13.22	1.01
		0.45	1.78	0.26	4.50	1.61	2.90	0.53	1.59	0.31	1.20	0.30
72.75	0.88 72.	1.30	73.41	0.99	33.60	3.81	64.63	1.45	77.93	1.17	85.58	1.05
24.29	1.58 24.	3.48	26.52	1.90	67.07	9.38	31.26	3.72	22.89	2.27	11.57	2.68
		1.80	3.36	0.71	*13.06	8.43	4.94	1.30	*1.75	0.82	*5.19	2.13
		3.85	70.12	1.95	19.87	6.61	63.80	3.76		2.50	83.24	3.13
			4.64 1.80	4.64 1.80 3.36	4.64 1.80 3.36 0.71	4.64 1.80 3.36 0.71 *13.06	4.64 1.80 3.36 0.71 *13.06 8.43	4.64 1.80 3.36 0.71 *13.06 8.43 4.94	4.64 1.80 3.36 0.71 *13.06 8.43 4.94 1.30	4.64 1.80 3.36 0.71 *13.06 8.43 4.94 1.30 *1.75	4.64 1.80 3.36 0.71 *13.06 8.43 4.94 1.30 *1.75 0.82	4.64 1.80 3.36 0.71 *13.06 8.43 4.94 1.30 *1.75 0.82 *5.19

Table 1-2. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 former drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Major Depressive Disorder in Life														
No														
Current drinker		0.88	24.64	1.29	24.61	1.02	61.44	4.03	32.80	1.51	19.75	1.22	13.10	1.02
Former drinker		0.24	2.18	0.39	1.61	0.26	3.67	1.35	2.88	0.56	1.45	0.30	0.90	0.26
Abstainer since the Wave 1 interview	73.49	0.92	73.18	1.33	73.78	1.03	34.88	3.99	64.32	1.51	78.81	1.23	86.00	1.06
Age Started Drinking														
14 years or younger														
Current drinker	25.59	2.40	22.19	3.26	30.81	3.80	63.62	9.57	27.69	4.11	19.35	3.39	10.53	4.04
Former drinker	1.54	0.55	*1.23	0.67	*2.02	0.96	*1.19	0.95	*2.17	1.14	*1.20	0.82	*0.92	0.92
Abstainer since the Wave 1 interview	72.88	2.44	76.58	3.29	67.17	3.82	35.20	9.61	70.14	4.22	79.45	3.44	88.55	4.12
15 to 17 years														
Current drinker	28.26	1.71	25.33	2.36	32.45	2.48	64.18	5.67	30.41	2.60	19.72	2.49	10.89	2.54
Former drinker	2.87	0.57	3.20	0.86	2.40	0.73	*3.70	1.98	4.42	1.14	*0.91	0.50	*2.12	0.95
Abstainer since the Wave 1 interview	68.87	1.69	71.47	2.32	65.14	2.49	32.12	5.36	65.17	2.69	79.38	2.48	86.98	2.53
18 to 20 years														
Current drinker	24.91	1.23	25.17	1.86	24.68	1.66	64.18	6.04	33.00	2.56	22.26	1.79	12.19	1.62
Former drinker	2.16	0.37	2.78	0.70	1.63	0.36	*7.22	3.58	2.65	0.77	1.63	0.44	*1.41	0.54
Abstainer since the Wave 1 interview	72.93	1.31	72.06	1.95	73.69	1.70	28.60	5.10	64.34	2.71	76.11	1.83	86.40	1.70
21 years or older														
Current drinker	22.18	1.21	25.00	2.29	20.92	1.29	51.88	11.21	35.33	2.80	19.21	1.68	15.05	1.59
Former drinker		0.38	*1.73	0.85	2.04	0.42	*9.25	7.21	2.77	0.96	1.87	0.63	*1.12	0.45
Abstainer since the Wave 1 interview		1.22	73.27	2.27	77.03	1.31	38.87	10.59	61.90	2.78	78.93	1.74	83.83	1.66
Family History of Alcoholism														
None														
Current drinker	27.49	1.12	28.87	1.71	26.30	1.44	63.59	5.42	39.36	2.11	23.17	1.84	13.13	1.41
Former drinker		0.28	1.89	0.46	1.41	0.31	*3.80	2.13	1.16	0.38	2.07	0.52	1.14	0.36
Abstainer since the Wave 1 interview		1.15	69.24	1.74	72.30	1.44	32.60	5.30	59.48	2.13	74.76	1.84	85.73	1.42
2nd-degree relatives only														
Current drinker	27.52	1.72	27.11	2.76	27.89	2.43	64.85	6.53	31.45	2.77	22.49	2.87	12.77	2.75
Former drinker		0.74	4.13	1.37	2.81	0.79	*4.87	2.54	6.24	1.77	*0.61	0.40	*2.52	1.24
Abstainer since the Wave 1 interview		1.77	68.76	2.85	69.30	2.59	30.28	6.47	62.31	2.81	76.90	2.88	84.71	2.94
1st-degree relatives only														
Current drinker	19.20	1.44	17.35	2.24	20.61	2.00	60.10	11.26	26.87	3.80	18.86	2.27	11.65	1.86
Former drinker		0.60	*2.69	1.08	1.82	0.64	*8.52	8.02	*2.45	1.45	*1.98	0.89	*1.85	0.78
Abstainer since the Wave 1 interview		1.48	79.96	2.38	77.58	2.03	31.38	10.06	70.69	4.03	79.16	2.34	86.50	1.98
Both 1st- and 2nd-degree relatives														
Current drinker	22.09	1.35	19.93	2.08	23.86	1.76	57.17	7.36	26.15	2.27	16.25	1.84	14.29	2.37
Former drinker		0.51	*2.12	0.86	2.30	0.56	*5.00	3.74	4.25	1.05	*0.84	0.35	_	_
Abstainer since the Wave 1 interview		1.47	77.95	2.26	73.85	1.84	37.83	7.15	69.60	2.55	82.91	1.82	85.71	2.37

Table 1-2. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 former drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Falleria	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Parent Alcoholic														
Yes														
Current drinker	22.00	1.32	21.11	2.21	22.72	1.64	59.33	6.63	26.42	2.24	16.90	1.93	11.18	2.22
Former drinker	1.99	0.44	1.82	0.73	2.13	0.54	*0.38	0.38	4.28	1.13	*0.60	0.22	*1.07	0.70
Abstainer since the Wave 1 interview	76.01	1.39	77.07	2.35	75.14	1.67	40.29	6.62	69.30	2.42	82.50	1.92	87.75	2.32
No														
Current drinker	25.72	0.90	25.73	1.32	25.71	1.14	62.91	4.06	35.09	1.70	21.65	1.26	13.30	1.06
Former drinker		0.30	2.64	0.52	1.84	0.28	6.05	1.99	2.74	0.60	1.85	0.39	1.31	0.33
Abstainer since the Wave 1 interview	72.07	0.94	71.63	1.37	72.44	1.15	31.04	4.14	62.17	1.69	76.50	1.28	85.39	1.09
Abstainer since the wave i interview	12.01	0.94	71.03	1.37	12.44	1.15	31.04	4.14	02.17	1.09	70.50	1.20	65.59	1.09
Married to Alcoholic/Lived with Alcoholic as if Married														
Yes														
Current drinker	21.66	1.60	21.13	3.55	21.83	1.87	*36.48	18.63	26.61	3.30	23.22	2.39	9.32	1.88
Former drinker		0.54	*0.74	0.65	2.69	0.68	_	_	3.55	1.27	*1.74	0.68	*1.15	0.82
Abstainer since the Wave 1 interview	76.14	1.67	78.13	3.63	75.48	1.93	*63.52	18.63	69.84	3.50	75.03	2.38	89.53	2.22
No														
Current drinker	25.35	0.89	24.91	1.28	25.77	1.01	62.90	3.66	33.73	1.59	19.71	1.19	13.48	1.09
Former drinker		0.89	24.91	0.47	1.72	0.26	4.80	1.61	3.12	0.58	1.45	0.33	1.29	0.32
Abstainer since the Wave 1 interview	72.50	0.26	72.50	1.34	72.51	1.03	32.30	3.78	63.15	1.57	78.84	1.21	85.23	1.12
Any Alcohol Treatment in the Past Year														
V.														
Yes	40.40	0.00	40.00	0.00	*44.00	4.00	*00.70	04.00	45.70	4.00	*= =4	0.04	*04.40	40.00
Current drinker		2.83	13.66	3.62	*11.92	4.36	*60.76	31.69	15.73	4.88	*5.74	2.34	*31.42	12.38
Former drinker	*1.42	0.90	*0.48	0.48	*3.57	2.71	·		*3.18	2.02				
Abstainer since the Wave 1 interview	85.45	2.95	85.86	3.63	84.51	4.96	*39.24	31.69	81.09	5.22	94.26	2.34	68.58	12.38
No														
Current drinker	25.19	0.84	25.19	1.26	25.20	0.97	62.04	3.59	33.41	1.46	20.95	1.17	12.76	0.99
Former drinker	2.18	0.26	2.54	0.45	1.89	0.26	4.68	1.56	3.19	0.53	1.57	0.31	1.29	0.30
Abstainer since the Wave 1 interview	72.62	0.88	72.27	1.32	72.91	0.98	33.29	3.63	63.40	1.47	77.49	1.17	85.96	1.02
Any Alcohol Treatment in Life														
Yes														
Current drinker	18.59	2.32	18.22	2.76	19.63	4.08	*37.79	19.72	21.13	3.81	16.56	2.98	15.29	4.23
Former drinker	*2.45	0.96	*2.75	1.25	*1.60	1.23	*31.84	23.66	*2.95	1.75	*1.09	2.96 0.75	*1.24	1.21
Abstainer since the Wave 1 interview	78.96	2.39	79.03	2.92	78.77	4.19	*30.37	18.09	2.95 75.92	4.05	82.35	3.03	83.46	4.96
Na														
No Current drinker	25.37	0.89	25.63	1.37	25.18	0.99	62.74	3.66	33.93	1.52	20.79	1.20	12.87	1.03
Former drinker	23.37	0.89	23.03	0.41	1.93	0.99	3.84	1.30	3.21	0.56	1.55	0.33	1.27	0.30
Abstainer since the Wave 1 interview	72.50	0.24	71.98	1.42	72.89	1.01	33.42	3.64	62.86	1.59	77.66	1.22	85.86	1.06
Abstailed silice the wave I illerview	12.50	0.93	/ 1.90	1.42	12.09	1.01	33.42	3.04	02.00	1.09	11.00	1.22	00.00	1.00

Table 1-2. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 former drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Conduct Disorder														
Yes														
Current drinker		9.02	48.12	11.51	63.67	12.32	*74.31	13.66	*57.42	14.58	*40.57	17.06	*33.43	25.13
Former drinker		1.95			^6.59	5.07	*10.65	8.17			*		*	
Abstainer since the Wave 1 interview	43.14	8.71	51.88	11.51	*29.73	11.08	*15.04	11.03	42.58	14.58	*59.43	17.06	*66.57	25.13
No														
Current drinker		0.79	24.30	1.20	24.68	0.93	61.53	3.65	32.28	1.43	20.18	1.08	12.89	0.98
Former drinker		0.25	2.47	0.44	1.88	0.26	4.40	1.60	3.22	0.52	1.51	0.30	1.28	0.30
Abstainer since the Wave 1 interview	73.34	0.84	73.23	1.26	73.44	0.94	34.07	3.68	64.50	1.44	78.31	1.08	85.83	1.01
Paranoid Personality Disorder — Lifetime														
Yes														
Current drinker	. 26.46	3.21	28.40	5.60	25.08	3.86	63.37	13.47	27.51	5.41	19.28	4.11	*13.48	4.92
Former drinker	2.98	1.10	*0.37	0.29	*4.84	1.85	*6.73	5.90	*2.17	1.43	*2.69	1.58	*3.17	2.45
Abstainer since the Wave 1 interview	70.56	3.36	71.23	5.64	70.08	4.13	*29.90	13.46	70.32	5.65	78.03	4.31	83.35	5.18
No														
Current drinker	24.72	0.82	24.44	1.22	24.95	0.99	61.91	3.68	32.87	1.45	20.38	1.16	12.96	1.01
Former drinker	2.12	0.25	2.53	0.45	1.77	0.25	4.47	1.61	3.25	0.54	1.45	0.29	1.23	0.30
Abstainer since the Wave 1 interview	73.17	0.88	73.03	1.29	73.28	1.02	33.62	3.69	63.88	1.46	78.17	1.17	85.81	1.05
Schizoid Personality Disorder — Lifetime														
Yes														
Current drinker	23.69	3.25	27.66	5.97	20.51	3.89	*54.12	16.19	35.40	6.13	14.84	4.22	*7.35	4.24
Former drinker	.1.	1.37	*3.04	2.15	*3.79	1.71	*13.27	10.19	*2.73	2.03	*2.62	1.65	*2.93	2.75
Abstainer since the Wave 1 interview		3.31	69.31	6.24	75.70	3.84	*32.61	14.29	61.87	6.24	82.54	4.34	89.73	4.78
No														
Current drinker	24.84	0.84	24.49	1.24	25.13	0.97	62.39	3.71	32.45	1.44	20.61	1.18	13.07	1.00
Former drinker	_	0.25	2.42	0.44	1.84	0.25	4.24	1.55	3.21	0.53	1.45	0.30	1.24	0.30
Abstainer since the Wave 1 interview	1	0.89	73.09	1.30	73.03	1.00	33.36	3.73	64.35	1.46	77.94	1.17	85.69	1.04
Schizotypal Personality Disorder — Lifetime ³														
Yes														
Current drinker	30.46	3.75	37.55	5.31	24.40	4.13	63.25	14.98	34.17	6.25	24.47	4.74	*16.90	6.41
Former drinker		0.81	*1.33	1.14	*2.88	1.12	*4.90	4.87	*2.54	1.45	*1.97	0.99		
Abstainer since the Wave 1 interview		3.86	61.12	5.28	72.72	4.37	*31.86	15.07	63.29	6.38	73.56	4.97	83.10	6.41
No														
Current drinker	24.51	0.80	23.96	1.17	24.98	1.00	61.95	3.65	32.46	1.45	20.13	1.09	12.87	1.00
Former drinker		0.26	2.50	0.45	1.87	0.26	4.63	1.63	3.23	0.54	1.48	0.30	1.30	0.30
Abstainer since the Wave 1 interview	73.33	0.85	73.55	1.24	73.15	1.01	33.42	3.65	64.31	1.47	78.39	1.09	85.83	1.04

Table 1-2. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 former drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Antisocial Personality Disorder — Lifetime ³														
Yes														
Current drinker	28.16	3.91	25.86	4.41	33.64	8.14	62.22	12.78	25.89	6.30	17.00	5.00	*27.62	12.14
Former drinker	*2.66	1.09	*1.30	0.97	*5.89	2.97	*4.03	3.29	*3.64	2.22	*1.61	1.16		
Abstainer since the Wave 1 interview	69.18	3.92	72.84	4.47	60.47	8.28	*33.76	12.82	70.46	6.56	81.39	5.00	72.38	12.14
No														
Current drinker	24.66	0.81	24.53	1.23	24.77	0.97	62.01	3.57	32.93	1.45	20.46	1.15	12.77	0.98
Former drinker	2.14	0.26	2.51	0.46	1.83	0.25	4.70	1.68	3.16	0.53	1.50	0.30	1.29	0.30
Abstainer since the Wave 1 interview	73.20	0.86	72.96	1.30	73.40	0.98	33.29	3.56	63.91	1.44	78.04	1.15	85.94	1.01
Borderline Personality Disorder — Lifetime ³														
Yes														
Current drinker	32.12	2.98	30.59	4.18	33.26	3.67	71.77	10.89	31.05	4.61	25.91	4.38	30.11	8.07
Former drinker	3.56	1.22	*3.09	2.11	*3.91	1.45	*10.85	9.90	*4.27	1.74	*2.21	1.26	_	_
Abstainer since the Wave 1 interview	64.32	2.99	66.32	4.29	62.83	3.80	*17.38	7.57	64.67	4.74	71.88	4.42	69.89	8.07
Nie														
No Current drinker	04.00	0.84	04.00	4.00	04.04	4.00	64.40	2.70	20.70	4.50	40.00	4.07	40.50	4.04
Former drinker	24.28 2.06	0.84	24.22	1.22 0.40	24.34 1.77	1.03 0.24	61.13 4.07	3.79 1.38	32.72 3.08	1.50 0.54	19.92 1.45	1.07 0.29	12.53 1.30	1.01 0.30
Abstainer since the Wave 1 interview		0.23	73.38	1.29	73.89	1.05	34.79	3.77	64.20	1.52	78.63	1.08	86.16	1.05
Abstainer since the wave I interview	75.00	0.03	75.50	1.23	13.03	1.05	34.73	5.77	04.20	1.52	70.03	1.00	00.10	1.05
<u>Histrionic Personality Disorder — Lifetime</u>														
Yes														
Current drinker	37.58	7.10	34.45	11.13	40.56	9.32	*36.30	16.14	42.54	12.82	46.71	10.63	_	_
Former drinker	*6.90	4.79	*9.66	8.49	*4.28	4.17	*17.83	15.59	*8.11	7.71	_	_	_	_
Abstainer since the Wave 1 interview	55.52	6.80	55.89	10.42	55.16	9.47	*45.87	17.28	49.35	12.85	53.29	10.63	*100.00	0.00
No														
Current drinker	24.64	0.81	24.48	1.21	24.78	0.95	63.41	3.55	32.46	1.42	20.04	1.13	13.04	0.99
Former drinker	2.10	0.23	2.35	0.39	1.89	0.25	3.93	1.33	3.13	0.52	1.52	0.30	1.28	0.30
Abstainer since the Wave 1 interview	73.26	0.85	73.17	1.27	73.33	0.97	32.66	3.51	64.40	1.44	78.44	1.13	85.69	1.03
Narcissistic Personality Disorder — Lifetime ³														
V														
Yes Current drinker	36.33	2.97	38.74	4.15	33.48	3.92	74.92	8.59	42.28	4.35	27.24	3.91	17.39	5.00
Former drinker	36.33	0.96	*2.71	4.15 1.27	33.48 4.97	3.92 1.60	*5.44	8.59 3.57	42.28 *4.11	4.35 1.77	*2.73	1.47	*4.04	2.81
Abstainer since the Wave 1 interview	59.92	3.02	58.55	4.14	61.55	4.09	*19.64	7.78	53.61	4.40	70.03	3.82	78.56	5.90
N.														
No Current drinker	24.05	0.82	23.51	1.22	24.49	0.98	60.73	3.80	31.72	1.47	19.92	1.08	12.80	1.01
Former drinker	24.05	0.82	23.51	0.46	1.75	0.96	4.56	1.69	31.72	0.55	1.43	0.30	1.17	0.30
Abstainer since the Wave 1 interview	73.90	0.20	74.07	1.28	73.75	1.00	34.71	3.83	65.18	1.50	78.65	1.09	86.03	1.03

Table 1-2. Percent distribution of drinking status ¹ (since the Wave 1 interview) at Wave 2 among Wave 1 former drinkers, ² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2		0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.								
Avoidant Personality Disorder — Lifetime														
Yes														
Current drinker	27.26	4.35	29.51	7.68	25.99	5.00	*36.31	14.61	31.24	6.53	23.91	6.95	*15.45	11.96
Former drinker		2.59	*6.22	5.72	*3.37	2.36	*22.21	18.10	*1.95	1.40	*3.10	3.05	_	_
Abstainer since the Wave 1 interview		4.53	64.28	7.71	70.64	5.30	*41.47	15.60	66.81	6.72	72.98	7.23	84.55	11.96
No														
Current drinker	24.73	0.84	24.51	1.24	24.92	0.97	63.13	3.71	32.61	1.45	20.22	1.14	12.95	0.99
Former drinker		0.23	2.37	0.39	1.87	0.25	3.89	1.31	3.22	0.53	1.45	0.29	1.28	0.30
Abstainer since the Wave 1 interview	73.17	0.88	73.13	1.30	73.20	0.99	32.98	3.68	64.17	1.46	78.33	1.15	85.77	1.03
Dependent Personality Disorder — Lifetime														
Yes														
Current drinker	*37.67	13.73	*19.43	20.66	*46.51	14.26	*47.02	30.52	*44.04	18.47	*28.82	22.88	_	_
Former drinker		11.91	*46.31	17.43	*2.77	2.81	*52.98	30.52	*4.62	4.72	_	_	_	_
Abstainer since the Wave 1 interview		10.40	*34.26	8.66	50.71	14.16	-	_	*51.34	18.44	*71.18	22.88	*100.00	0.00
No														
Current drinker	24.75	0.81	24.62	1.21	24.85	0.96	62.29	3.65	32.51	1.41	20.31	1.12	12.98	0.99
Former drinker		0.23	2.33	0.38	1.91	0.26	3.80	1.29	3.18	0.52	1.51	0.29	1.27	0.30
Abstainer since the Wave 1 interview	73.15	0.85	73.06	1.27	73.23	0.97	33.91	3.63	64.31	1.43	78.18	1.12	85.74	1.02
Obsessive-Compulsive Personality Disorder — Lifetime														
Yes														
Current drinker	22.85	2.22	25.30	3.55	20.50	2.86	54.17	12.36	25.49	3.97	18.74	3.12	17.47	4.33
Former drinker	3.06	0.92	*1.72	0.97	4.35	1.54	*2.62	2.01	*4.42	2.01	*2.86	1.34	*0.93	0.90
Abstainer since the Wave 1 interview	74.09	2.35	72.98	3.59	75.15	3.08	*43.20	12.46	70.09	4.26	78.40	3.29	81.59	4.28
No														
Current drinker	24.96	0.84	24.54	1.24	25.32	0.99	62.65	3.70	33.28	1.47	20.49	1.21	12.71	1.03
Former drinker		0.26	2.51	0.47	1.72	0.24	4.80	1.68	3.06	0.53	1.37	0.29	1.29	0.31
Abstainer since the Wave 1 interview		0.90	72.95	1.33	72.96	1.02	32.55	3.66	63.66	1.48	78.14	1.22	86.00	1.07

Current drinker: 1 or more drinks in the past year. Former drinker: at least 1 drink since the Wave 1 interview, but not in the past year. Abstainer since the Wave 1 interview: never had 1 or more drinks since the Wave 1 interview.

Wave 1 former drinker: at least 1 drink in life, but not in the past year.

Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.

Fewer than 10 observations in the cell.

SOURCE: NIAAA 2001–2002 and 2004–2005 National Epidemiologic Surveys on Alcohol and Related Conditions.

Table 1-3. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 lifetime abstainers,² by sex and age group, according to selected respondent characteristics at Wave 1.

Current drinker Former drinker Abstainer since the Wave 1 interview Race/Ethnicity White, Not Hispanic or Latino Current drinker Former drinker Abstainer since the Wave 1 interview Black, Not Hispanic or Latino Current drinker Former drinker Former drinker Former drinker	23.25 1.27 75.48 23.54 1.19 75.26 22.35 1.54	0.90 0.17 0.91 1.38 0.21 1.40	Ma Estimate 30.46 1.15 68.39 28.89 1.22 69.89	S.E. 1.44 0.28 1.44	Estimate 19.90 1.33 78.77	0.97 0.20 0.98	18–24 Estimate 43.63 2.12 54.26	years S.E. 2.23 0.54 2.30	25–44 Estimate 26.89 1.18 71.93	years S.E. 1.49 0.26 1.49	45–64 Estimate 19.89 1.08 79.03	years S.E. 1.41 0.28 1.44	8.64 1.04 90.32	S.E. 0.92 0.30
Total Current drinker	23.25 1.27 75.48 23.54 1.19 75.26	0.90 0.17 0.91 1.38 0.21	30.46 1.15 68.39 28.89 1.22	1.44 0.28 1.44	19.90 1.33	0.97 0.20	43.63 2.12	2.23 0.54	26.89 1.18	1.49	19.89 1.08	1.41 0.28	8.64 1.04	0.92 0.30
Current drinker	1.27 75.48 23.54 1.19 75.26 22.35 1.54	0.17 0.91 1.38 0.21	1.15 68.39 28.89 1.22	0.28 1.44 2.09	1.33	0.20	2.12	0.54	1.18	0.26	1.08	0.28	1.04	0.30
Former drinker Abstainer since the Wave 1 interview Race/Ethnicity White, Not Hispanic or Latino Current drinker Former drinker Abstainer since the Wave 1 interview Black, Not Hispanic or Latino Current drinker Former drinker Former drinker	1.27 75.48 23.54 1.19 75.26 22.35 1.54	0.17 0.91 1.38 0.21	1.15 68.39 28.89 1.22	0.28 1.44 2.09	1.33	0.20	2.12	0.54	1.18	0.26	1.08	0.28	1.04	0.30
Abstainer since the Wave 1 interview Race/Ethnicity White, Not Hispanic or Latino Current drinker Former drinker Abstainer since the Wave 1 interview Black, Not Hispanic or Latino Current drinker Former drinker	75.48 23.54 1.19 75.26 22.35 1.54	0.91 1.38 0.21	28.89 1.22	2.09										
Race/Ethnicity White, Not Hispanic or Latino Current drinker Former drinker Abstainer since the Wave 1 interview Black, Not Hispanic or Latino Current drinker Former drinker	23.54 1.19 75.26 22.35 1.54	1.38 0.21	28.89 1.22	2.09	78.77	0.98	54.26	2.30	71.93	1.49	79.03	1.44	90.32	
White, Not Hispanic or Latino Current drinker Former drinker Abstainer since the Wave 1 interview Black, Not Hispanic or Latino Current drinker Former drinker	1.19 75.26 22.35 1.54	0.21	1.22											0.95
Current drinker Former drinker Abstainer since the Wave 1 interview Black, Not Hispanic or Latino Current drinker Former drinker	1.19 75.26 22.35 1.54	0.21	1.22											
Current drinker	1.19 75.26 22.35 1.54	0.21	1.22											
Abstainer since the Wave 1 interview	75.26 22.35 1.54				20.87	1.51	47.42	3.77	30.54	2.84	21.33	2.13	9.84	1.19
Black, Not Hispanic or Latino Current drinker Former drinker	22.35 1.54	1.40	69.89	0.41	1.18	0.26	*1.25	0.58	1.54	0.52	*1.08	0.41	1.01	0.36
Current drinker	1.54		00.00	2.11	77.96	1.54	51.33	3.80	67.92	2.90	77.59	2.17	89.16	1.24
Former drinker	1.54													
		1.50	25.01	3.09	21.27	1.49	42.04	4.21	22.39	2.59	17.16	2.18	6.46	1.59
Abstainer since the Wave 1 interview		0.43	*1.64	0.71	1.51	0.49	4.56	1.69	*0.93	0.40	*0.78	0.57	*0.40	0.29
l l	76.11	1.55	73.36	3.11	77.22	1.55	53.40	4.45	76.67	2.60	82.06	2.22	93.15	1.61
American Indian/Alaska Native, Not Hispanic or Latino														
	15.49	3.72	*28.09	8.49	*11.09	4.42	*31.51	13.67	*28.72	9.53	*10.90	5.99	_	_
Former drinker	_	_	_	_	_	_		_	_	_	_	_	_	_
Abstainer since the Wave 1 interview	84.51	3.72	71.91	8.49	88.91	4.42	*68.49	13.67	71.28	9.53	89.10	5.99	100.00	0.00
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino														
Current drinker	18.23	2.21	26.95	3.86	14.14	2.44	35.56	7.04	20.84	3.99	13.47	2.68	*2.59	2.62
Former drinker	*1.25	0.49	_	_	*1.84	0.73	*3.79	2.49	*0.08	0.08	*0.57	0.50	*3.92	2.72
Abstainer since the Wave 1 interview	80.52	2.27	73.05	3.86	84.02	2.47	60.66	7.36	79.08	3.98	85.97	2.72	93.48	3.84
Hispanic or Latino														
Current drinker	26.95	1.51	43.20	3.81	20.07	1.56	41.00	3.40	26.82	2.55	23.78	3.08	7.54	1.31
Former drinker	1.46	0.32	*1.29	0.62	1.53	0.42	*1.35	0.74	*1.40	0.47	*2.01	0.94	*0.84	0.65
Abstainer since the Wave 1 interview	71.59	1.50	55.51	3.85	78.40	1.58	57.65	3.42	71.78	2.59	74.21	3.10	91.62	1.53
Marital Status														
Married														
Current drinker	18.94	0.98	24.86	1.79	16.13	1.02	21.49	3.87	25.02	1.69	19.08	1.51	8.05	1.18
Former drinker	0.94	0.19	1.16	0.39	0.83	0.22	*2.32	1.33	0.83	0.26	*0.92	0.32	*0.82	0.44
Abstainer since the Wave 1 interview	80.12	0.99	73.98	1.79	83.04	1.03	76.19	4.05	74.15	1.68	80.00	1.54	91.13	1.25
Living with someone as if married														
	19.84	4.16	39.30	11.68	13.34	3.58	*23.31	8.71	16.85	5.35	*25.07	9.45	_	_
Former drinker	*1.76	1.28	_	_	*2.34	1.71	*0.91	0.92	_	_	*6.86	6.70	*13.70	13.92
	78.40	4.38	60.70	11.68	84.32	4.00	75.78	8.75	83.15	5.35	*68.07	11.30	*86.30	13.92
Widowed														
Current drinker	9.96	1.21	29.60	7.16	8.45	1.12	l _	_	*18.72	13.01	11.72	3.49	9.55	1.34
	*1.29	0.43	*1.39	1.34	*1.28	0.45	_	_	_	_	*1.21	1.17	*1.32	0.48
	88.75	1.35	69.01	7.64	90.27	1.28	_	_	81.28	13.01	87.07	3.49	89.14	1.50

Table 1-3. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 lifetime abstainers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Mal	e	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Divorced														
Current drinker		2.54	24.70	4.99	24.16	2.54	*12.91	13.04	39.53	4.99	20.64	3.43	10.77	3.67
Former drinker		1.01	*1.20	0.86	3.39	1.29	*23.12	20.89	*4.80	2.50	*2.05	1.16	*0.57	0.57
Abstainer since the Wave 1 interview	72.85	2.58	74.10	5.13	72.45	2.60	*63.97	23.61	55.68	5.00	77.31	3.37	88.67	3.71
Separated														
Current drinker	22.55	3.80	*27.00	9.90	21.81	4.17	*35.09	20.63	26.37	5.85	21.92	6.19	*6.52	4.66
Former drinker	*2.61	1.29	*4.31	4.25	*2.33	1.34	l . —	_	*3.95	2.53	*0.80	0.81	*5.50	5.40
Abstainer since the Wave 1 interview	74.84	3.97	68.69	10.31	75.86	4.30	*64.91	20.63	69.68	6.07	77.28	6.22	87.98	6.76
Never married	1													
Never married Current drinker	40.41	1.77	40.77	2.49	40.11	2.33	49.76	2.54	31.12	3.22	31.30	4.57	*6.39	3.07
Former drinker		0.37	*1.08	0.47	1.99	0.55	2.02	0.54	*1.24	0.63	*0.49	0.49	*0.41	0.41
Abstainer since the Wave 1 interview		1.82	58.15	2.52	57.90	2.31	48.22	2.60	67.64	3.24	68.20	4.56	93.20	3.09
Ever Had Children (Including Step, Adopted, Foster)														
Yes														
Current drinker		0.87	24.98	1.79	15.39	0.85	29.26	3.11	24.84	1.50	18.02	1.41	8.74	0.97
Former drinker		0.19	1.28	0.39	1.25	0.21	3.92	1.42	1.50	0.34	0.84 81.14	0.24	1.07 90.19	0.33
Abstainer since the Wave 1 interview	80.86	0.86	73.74	1.79	83.35	0.84	66.83	3.34	73.67	1.48	81.14	1.43	90.19	1.00
No														
Current drinker	36.87	1.68	38.21	2.24	35.71	2.34	47.21	2.61	32.19	3.05	32.10	3.54	7.87	2.20
Former drinker		0.36	*0.97	0.37	1.59	0.51	1.67	0.52	*0.36	0.28	*2.66	1.39	*0.77	0.48
Abstainer since the Wave 1 interview	61.83	1.70	60.83	2.28	62.70	2.31	51.13	2.67	67.45	3.02	65.23	3.47	91.36	2.20
Children Ages Below 13 Living in Household														
Yes														
Current drinker	25.16	1.25	30.84	2.89	22.85	1.25	37.09	3.29	24.09	1.53	19.46	2.80	*5.23	2.63
Former drinker		0.34	*1.32	0.58	1.77	0.46	3.03	1.13	1.68	0.40	*0.06	0.06	_	_
Abstainer since the Wave 1 interview	73.20	1.30	67.84	2.98	75.38	1.31	59.88	3.40	74.23	1.54	80.48	2.82	94.77	2.63
No Current drinker	22.45	1.11	30.32	1.68	18.60	1 20	47.20	2.02	20.61	0.51	10.07	1 56	8.84	0.97
Former drinker		0.18	1.09	0.31	1.13	1.28 0.22	47.20 1.62	2.83 0.55	30.61 *0.52	2.51 0.27	19.97 1.26	1.56 0.32	8.84 1.10	0.97
Abstainer since the Wave 1 interview		1.11	68.59	1.65	80.27	1.31	51.18	2.83	68.88	2.53	78.77	1.58	90.06	1.00
Education														
11 years or less	1		1											
Current drinker		1.32	32.43	3.14	13.09	1.38	43.07	3.98	24.23	3.00	13.09	2.31	8.14	1.52
Former drinker		0.30 1.37	2.33 65.25	0.80 3.19	1.10 85.81	0.31 1.42	*2.20 54.73	0.97 4.02	2.28 73.49	0.72 3.04	*0.75 86.16	0.29 2.48	*0.98 90.88	0.54 1.56
Abstailer since the wave i interview	00.23	1.37	05.25	3.19	1 0.00	1.42	34.73	4.02	13.49	3.04	00.10	2.46	90.00	1.00
12 years	1													
Current drinker	20.46	1.21	25.65	2.43	18.25	1.34	44.24	3.83	24.09	2.34	14.75	1.61	6.78	1.20
Former drinker	1.68	0.35	*1.20	0.56	1.89	0.43	*2.67	1.18	*1.30	0.54	*1.90	0.68	*1.18	0.49
Abstainer since the Wave 1 interview	77.86	1.29	73.15	2.49	79.86	1.43	53.09	3.98	74.61	2.39	83.35	1.77	92.03	1.24

Table 1-3. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 lifetime abstainers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Mal	е	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.										
Education														
13–15 years														
Current drinker		1.72	33.73	3.01	25.35	1.83	44.84	3.77	27.94	2.78	23.33	2.90	11.57	2.33
Former drinker		0.26	*0.52	0.37	1.23	0.35	*1.48	0.66	*0.94	0.42	*0.49	0.37	*1.15	0.76
Abstainer since the Wave 1 interview	70.86	1.70	65.75	3.03	73.42	1.82	53.68	3.82	71.12	2.78	76.18	2.91	87.28	2.38
16 or more years														
Current drinker		2.22	31.29	3.52	26.31	2.31	35.38	7.18	30.95	3.16	30.55	3.19	11.84	2.81
Former drinkerAbstainer since the Wave 1 interview		0.29 2.24	*0.70 68.00	0.45 3.48	*0.69 73.00	0.39 2.38	*2.42 62.20	2.04 7.17	*0.44 68.61	0.35 3.15	*0.76 68.68	0.60 3.37	*0.60 87.56	0.46 2.84
Abstairier since the wave i interview	71.04	2.24	00.00	3.40	73.00	2.30	62.20	7.17	00.01	3.15	00.00	3.37	07.30	2.04
Currently Employed Full Time														
Yes														
Current drinker	28.60	1.33	31.29	1.99	26.45	1.56	38.02	3.66	30.28	1.96	24.88	1.85	10.33	3.32
Former drinker		0.22	0.82	0.31	1.02	0.29	*0.98	0.50	0.88	0.34	*0.91	0.35	*1.64	1.01
Abstainer since the Wave 1 interview	70.47	1.36	67.90	1.98	72.53	1.62	61.00	3.67	68.84	1.99	74.21	1.89	88.03	3.40
No														
Current drinker		1.03	29.39	2.17	16.70	1.12	46.21	2.48	21.83	1.90	14.14	1.50	8.54	0.93
Former drinker		0.23	1.58	0.51	1.48	0.26	2.64	0.75	1.63	0.43	*1.28	0.46	1.00	0.31
Abstainer since the Wave 1 interview	78.85	1.04	69.03	2.19	81.82	1.10	51.14	2.55	76.54	1.88	84.59	1.59	90.46	0.97
Family Annual Income														
\$0 to \$19,999														
Current drinker		1.19	31.46	2.91	16.09	1.26	44.64	3.21	24.18	2.78	14.04	1.83	7.27	1.09
Former drinker		0.30	*1.26	0.50	1.57	0.35	2.16	0.82	1.70	0.62	*1.22	0.61	1.17	0.42
Abstainer since the Wave 1 interview	78.64	1.20	67.28	2.86	82.34	1.26	53.21	3.26	74.12	2.77	84.74	1.86	91.56	1.13
\$20,000 to \$34,999														
Current drinker		1.34	26.03	2.64	17.17	1.49	36.25	4.61	21.06	2.55	19.88	2.58	9.41	1.78
Former drinker		0.37	*1.98	0.81	1.60	0.43	*2.49	1.28	*1.74	0.65	*2.38	0.90	*0.61	0.51
Abstainer since the Wave 1 interview	78.39	1.32	72.00	2.69	81.23	1.51	61.26	4.72	77.20	2.51	77.74	2.56	89.98	1.79
\$35,000 to \$69,999														
Current drinker		1.45	29.30	2.33	22.89	1.61	40.76	4.10	28.20	2.43	20.89	2.69	10.96	2.18
Former drinker		0.25	*0.71	0.41	0.99	0.32	*1.99	0.92	*0.19	0.10	*0.90	0.49	*1.43	0.87
Abstainer since the Wave 1 interview	73.95	1.43	69.99	2.30	76.12	1.61	57.25	4.12	71.61	2.42	78.20	2.69	87.61	2.46
\$70,000 or more													т.	
Current drinker		2.19	35.98	3.37	29.01	2.61	58.44	6.54	36.17	3.93	24.36	2.89	*10.18	4.10
Former drinker		0.33	*0.87	0.59	*0.90	0.44	*1.72	1.26	*1.70	0.82	— 75.64		*0.34	0.34
Abstainer since the Wave 1 interview	67.20	2.24	63.15	3.37	70.09	2.61	39.84	6.59	62.13	3.90	75.64	2.89	89.48	4.12
Born in the United States														
Yes														
Current drinker	23.45	1.23	29.71	1.83	20.51	1.38	46.15	2.72	29.86	2.17	20.05	1.78	7.68	0.89
Former drinker		0.22	1.30	0.35	1.52	0.26	2.49	0.70	1.46	0.40	1.35	0.38	0.94	0.32
Abstainer since the Wave 1 interview	75.10	1.24	69.00	1.85	77.97	1.38	51.36	2.79	68.68	2.21	78.60	1.79	91.39	0.93

Table 1-3. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 lifetime abstainers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Born in the United States														
No														
Current drinker		1.42	32.44	2.31	18.39	1.64	36.43	4.21	22.43	2.06	19.49	2.16	14.39	2.41
Former drinker		0.17	*0.77	0.34	0.84	0.23	*1.04	0.62	*0.76	0.25	*0.40	0.23	*1.65	0.96
Abstainer since the Wave 1 interview	76.45	1.41	66.80	2.33	80.77	1.65	62.53	4.28	76.80	2.01	80.11	2.20	83.96	2.58
Family Structure Before Age 18														
Both biological/adoptive parents in the household														
Current drinker		2.27	46.04	4.43	24.36	2.26	55.03	3.84	29.36	3.83	19.93	4.31	*1.60	0.92
Former drinker		0.61	*1.71	1.06	*2.01	0.75	*2.72	1.21	*2.82	1.44	*0.63	0.54	_	_
Abstainer since the Wave 1 interview	66.41	2.27	52.25	4.43	73.63	2.28	42.25	3.82	67.82	3.83	79.43	4.33	98.40	0.92
Only biological mother ever in the household (father never present)														
Current drinker	20.74	0.94	26.77	1.58	18.02	1.00	39.22	2.95	24.54	1.77	19.35	1.60	8.40	0.99
Former drinker	1.26	0.20	1.07	0.32	1.35	0.23	2.00	0.64	0.99	0.28	1.27	0.35	1.19	0.36
Abstainer since the Wave 1 interview	78.00	0.96	72.16	1.59	80.63	1.03	58.78	3.04	74.47	1.76	79.39	1.64	90.41	1.04
Biological/adoptive parents divorced or no longer living together														
Current drinker		2.40	33.50	4.12	24.41	2.75	43.17	4.75	28.24	4.11	21.92	4.36	14.28	4.02
Former drinker		0.30	*0.72	0.52	*1.04	0.38	*2.32	1.09	*0.97	0.50	_	_	*0.65	0.65
Abstainer since the Wave 1 interview	71.75	2.39	65.77	4.13	74.55	2.71	54.51	4.73	70.79	4.08	78.08	4.36	85.07	4.05
Raised by relatives, by foster parents, or in an institution														
Current drinker		3.93	46.60	7.55	34.52	4.24	60.51	11.44	51.19	6.25	25.69	6.45	16.57	5.45
Former drinker		0.60	*2.06	1.60					*1.38	1.35	*0.81	0.84		_
Abstainer since the Wave 1 interview	60.15	4.04	51.35	7.56	65.48	4.24	39.49	11.44	47.43	6.43	73.50	6.61	83.43	5.45
Before Age 18, Family Received Government Assistance														
Yes														
Current drinker		2.14	37.57	4.57	27.75	2.57	42.32	3.67	32.38	3.82	19.05	4.25	*11.10	4.82
Former drinker		0.61	*2.85	1.37	*1.76	0.61	*4.13	1.41	*1.00	0.68	*1.90	1.88	*1.13	1.13
Abstainer since the Wave 1 interview	67.00	2.13	59.59	4.64	70.49	2.52	53.55	3.55	66.62	3.83	79.05	4.50	87.77	4.91
No														
Current drinker		0.95	29.61	1.47	18.98	1.02	43.94	2.66	25.98	1.54	19.95	1.48	8.51	0.88
Former drinker		0.16	0.95	0.26	1.28	0.20	1.63	0.51	1.21	0.27	1.03	0.27	1.03	0.31
Abstainer since the Wave 1 interview	76.48	0.96	69.44	1.47	79.74	1.03	54.43	2.73	72.80	1.54	79.03	1.51	90.45	0.92
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes									de					
Current drinker		7.72	48.15	9.39	36.72	10.44	69.37	11.42	*43.03	12.93	46.11	12.03	*1.50	1.59
Former drinker		1.44			*4.91	4.82	*4.95	4.88		. —			*	
Abstainer since the Wave 1 interview	53.76	7.70	51.85	9.39	58.37	11.06	*25.67	10.88	56.97	12.93	53.89	12.03	*98.50	1.59

Table 1-3. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 lifetime abstainers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Ever in Jail or Juvenile Detention Center														
No														
Current drinker	22.92	0.91	29.85	1.46	19.79	0.99	42.93	2.29	26.74	1.47	19.38	1.43	8.72	0.92
Former drinker		0.17	1.19	0.28	1.30	0.19	2.04	0.50	1.19	0.26	1.10	0.28	1.05	0.30
Abstainer since the Wave 1 interview	75.81	0.93	68.96	1.47	78.90	0.99	55.03	2.36	72.07	1.47	79.52	1.47	90.23	0.96
Before Age 18, Physically Abused by Parent/Caretaker														
Yes														
Current drinker	34.25	5.39	44.35	9.54	28.59	6.00	*39.93	12.83	47.45	9.76	25.87	7.50	*23.03	9.44
Former drinker	*1.20	0.89	*1.14	1.15	*1.23	1.23	*11.78	8.51						
Abstainer since the Wave 1 interview	64.55	5.38	54.51	9.52	70.18	6.00	*48.29	13.98	52.55	9.76	74.13	7.50	76.97	9.44
No														
Current drinker		0.89	30.11	1.46	19.72	0.96	43.68	2.27	26.39	1.50	19.70	1.38	8.43	0.93
Former drinker	1.27	0.17	1.15	0.28	1.33	0.20	1.99	0.54	1.21	0.27	1.11	0.28	1.05	0.31
Abstainer since the Wave 1 interview	75.72	0.90	68.74	1.46	78.95	0.97	54.34	2.35	72.40	1.51	79.18	1.41	90.52	0.96
Before Age 18, Seriously Neglected by Parent/Caretaker														
Yes														
Current drinker	- ii	4.94	34.46	10.45	31.65	5.73	70.03	12.59	43.74	8.11	15.53	5.51	*8.58	4.56
Former drinker		0.46 4.95	*1.59	1.60	— 68.35	— 5.73	*2.54 *27.43	2.58	 56.26	_		— 5.51	— 91.42	4.50
Abstainer since the Wave 1 interview	67.08	4.95	63.95	10.51	08.35	5.73	27.43	12.45	56.26	8.11	84.47	5.51	91.42	4.56
No														
Current drinker	23.07	0.90	30.39	1.43	19.66	0.98	43.05	2.26	26.56	1.48	19.99	1.40	8.64	0.93
Former drinker		0.17	1.14	0.28	1.36	0.20	2.11	0.55	1.20	0.26	1.10	0.28	1.06	0.31
Abstainer since the Wave 1 interview	75.65	0.91	68.47	1.43	78.98	0.98	54.84	2.33	72.23	1.48	78.91	1.44	90.30	0.97
Before Age 18, Saw Serious Fights at Home														
Yes														
Current drinker	27.35	2.38	30.98	5.58	25.95	2.76	33.66	6.39	33.55	4.47	22.38	4.01	16.14	5.05
Former drinker		0.46	*0.51	0.51	*0.93	0.60	*2.55	1.90	*1.11	0.94	_	_	_	_
Abstainer since the Wave 1 interview	71.84	2.36	68.52	5.58	73.12	2.71	63.78	6.44	65.35	4.42	77.62	4.01	83.86	5.05
No														
Current drinker	22.97	0.91	30.43	1.51	19.47	0.98	44.28	2.34	26.37	1.50	19.69	1.47	8.36	0.90
Former drinker		0.18	1.19	0.29	1.36	0.21	2.09	0.57	1.19	0.27	1.17	0.30	1.08	0.31
Abstainer since the Wave 1 interview	75.72	0.93	68.38	1.52	79.17	0.99	53.63	2.41	72.44	1.50	79.15	1.49	90.56	0.93
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
Yes														
Current drinker	28.51	1.96	33.67	3.58	26.16	2.27	49.75	5.21	29.56	3.28	23.87	3.17	14.13	3.39
Former drinker		0.45	*1.94	1.02	*1.16	0.47	*1.43	0.89	*2.22	0.91	*1.07	0.78	_	_
Abstainer since the Wave 1 interview	70.09	1.92	64.40	3.56	72.68	2.25	48.82	5.19	68.22	3.18	75.06	3.21	85.87	3.39

Table 1-3. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 lifetime abstainers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Fatimata	0.5	Ма	e	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
No														
Current drinker	22.29	0.98	29.88	1.56	18.75	1.08	42.60	2.41	26.27	1.69	19.06	1.57	8.05	0.93
Former drinker	1.25	0.19	1.01	0.28	1.36	0.23	2.23	0.63	0.94	0.26	1.08	0.29	1.15	0.33
Abstainer since the Wave 1 interview	76.46	0.98	69.11	1.55	79.89	1.08	55.17	2.52	72.79	1.69	79.85	1.61	90.80	0.97
Ever Had No Regular Place to Live Lasting 1+ Months														
Yes														
Current drinker	20.38	5.74	*22.01	9.24	19.20	6.99	*5.27	5.73	27.83	9.33	*17.81	10.69	*15.94	12.31
Former drinker	l —	_	l —	_	_		l —	_	_	_	_	_	_	_
Abstainer since the Wave 1 interview	79.62	5.74	77.99	9.24	80.80	6.99	*94.73	5.73	72.17	9.33	82.19	10.69	*84.06	12.31
No														
Current drinker	23.27	0.90	30.56	1.45	19.91	0.98	43.85	2.25	26.87	1.50	19.91	1.40	8.60	0.91
Former drinker	1.28	0.17	1.16	0.28	1.34	0.20	2.13	0.55	1.20	0.26	1.09	0.28	1.05	0.30
Abstainer since the Wave 1 interview	75.44	0.91	68.28	1.45	78.75	0.98	54.02	2.32	71.93	1.50	79.00	1.43	90.36	0.94
Self-Perceived Current Health														
Excellent/Very good														
Current drinker	28.41	1.39	34.54	2.07	24.86	1.49	45.59	2.45	27.04	1.88	24.79	2.63	9.99	1.56
Former drinker	1.43	0.24	1.03	0.33	1.65	0.32	2.25	0.63	1.12	0.33	1.02	0.39	1.61	0.63
Abstainer since the Wave 1 interview	70.16	1.40	64.43	2.06	73.49	1.49	52.15	2.52	71.84	1.89	74.19	2.64	88.40	1.71
01														
Good	40.04	4.00	00.77	0.50	40.40	4.05	04.00	4.07	00.00	0.07	4.4.40	4.00	0.04	4.45
Current drinker	18.24 1.38	1.22	22.77 *1.91	2.53	16.48	1.35	34.32 *2.00	4.97	26.62 *1.28	2.67	14.49 *1.57	1.90	9.24 *1.08	1.45
Former drinker Abstainer since the Wave 1 interview	80.38	0.36 1.23	75.31	0.80 2.51	1.18 82.34	0.36 1.38	63.68	1.46 5.08	72.10	0.59 2.67	83.94	0.65 1.98	89.68	0.57 1.60
Abstainer since the wave i interview	00.30	1.23	75.51	2.51	02.34	1.30	03.00	5.06	72.10	2.07	03.94	1.90	09.00	1.00
Fair/Poor														
Current drinker	11.29	1.03	16.42	2.76	9.98	1.14	37.14	8.48	13.61	3.16	13.97	1.87	6.40	1.26
Former drinker	0.78	0.27	*0.60	0.43	*0.83	0.32	*1.22	0.88	*1.79	0.91	*0.61	0.45	*0.54	0.36
Abstainer since the Wave 1 interview	87.93	1.03	82.98	2.80	89.19	1.15	61.64	8.48	84.60	3.28	85.42	1.88	93.06	1.29
Currently Covered by Health Insurance														
Yes														
Current drinker	20.49	1.00	26.19	1.63	17.96	1.05	42.62	2.80	24.48	1.66	19.15	1.63	8.70	0.92
Former drinker	1.26	0.18	1.19	0.34	1.29	0.21	2.32	0.67	1.13	0.32	1.12	0.34	1.06	0.31
Abstainer since the Wave 1 interview	78.25	1.02	72.61	1.64	80.75	1.08	55.06	2.85	74.40	1.67	79.73	1.70	90.24	0.96
No														
Current drinker	32.29	1.58	42.77	3.10	26.68	1.61	45.12	3.18	32.60	2.85	22.30	2.75	*7.21	4.54
Former drinker	1.32	0.32	*1.03	0.48	1.48	0.46	*1.81	0.91	1.31	0.46	*0.95	0.40	*0.55	0.56
Abstainer since the Wave 1 interview	66.39	1.57	56.20	3.07	71.85	1.56	53.07	3.13	66.09	2.83	76.75	2.80	92.24	4.59
													-	

Table 1-3. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 lifetime abstainers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	e	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Tobacco Use Status														
Current user														
Current drinker	33.83	2.49	43.09	3.99	27.36	3.13	57.47	6.68	38.31	4.79	33.34	4.21	10.13	2.92
Former drinker	2.06	0.64	*1.07	0.77	2.75	0.94	*0.70	0.51	*1.73	1.04	*2.89	1.34	*2.29	1.63
Abstainer since the Wave 1 interview	64.10	2.42	55.84	3.86	69.88	3.10	41.83	6.69	59.97	4.84	63.77	4.26	87.58	3.16
Ex-user														
Current drinker	16.01	2.21	17.08	3.30	15.22	2.51	*39.51	25.16	36.07	8.55	15.71	3.38	10.48	2.64
Former drinker	1.75	0.68	*3.00	1.48	*0.84	0.49	*6.67	7.12	*1.33	1.35	*2.51	1.33	*1.14	0.85
Abstainer since the Wave 1 interview	82.25	2.23	79.92	3.31	83.94	2.58	*53.82	25.68	62.60	8.64	81.78	3.65	88.38	2.74
Lifetime nonsmoker														
Current drinker	22.73	0.97	30.22	1.67	19.56	0.99	42.40	2.35	25.31	1.55	18.62	1.48	8.15	0.93
Former drinker	1.14	0.37	0.93	0.28	1.23	0.33	2.22	0.59	1.12	0.27	*0.64	0.26	0.13	0.33
Abstainer since the Wave 1 interview	76.13	1.00	68.85	1.68	79.21	1.01	55.38	2.45	73.57	1.55	80.74	1.54	90.95	0.97
Drug Use Status														
Current user														
Current drinker	32.87	7.28	43.61	12.41	26.51	7.30	60.27	14.24	*30.51	10.83	*16.49	11.17	*7.90	8.03
Former drinker	*3.16	2.47	*8.50	6.82	20.51	-	*7.79	7.13	30.51	10.00	*3.09	3.14	7.50	0.00
Abstainer since the Wave 1 interview	63.96	7.43	47.88	13.07	73.49	7.30	*31.94	11.60	69.49	10.83	80.41	11.48	92.10	8.03
Ex-user														
Current drinker	42.92	5.55	48.63	9.57	39.14	7.68	55.96	14.00	44.96	9.88	34.26	8.07	*19.56	17.68
Former drinker	*0.26	0.26	40.03	9.57	*0.43	0.44	*0.99	1.02	44.90	9.00	34.20	0.07	19.50	17.00
Abstainer since the Wave 1 interview	56.82	5.55	51.37	— 9.57	60.42	7.68	43.05	14.03	 55.04	9.88	— 65.74	8.07	*80.44	17.68
Abstainer since the wave i interview	30.62	5.55	31.37	9.57	00.42	7.00	43.03	14.03	55.04	9.00	05.74	6.07	00.44	17.00
Lifetime nondrug user														
Current drinker	22.76	0.92	29.83	1.48	19.51	0.99	42.85	2.29	26.45	1.52	19.64	1.44	8.59	0.93
Former drinker	1.27	0.17	1.07	0.27	1.36	0.21	2.02	0.54	1.22	0.27	1.08	0.28	1.05	0.30
Abstainer since the Wave 1 interview	75.97	0.94	69.10	1.50	79.13	1.00	55.13	2.36	72.33	1.52	79.28	1.48	90.36	0.96
Any Major Depressive Disorder in the Past Year														
Yes														
Current drinker	20.01	3.48	*9.93	5.16	22.26	4.04	47.72	9.81	*7.88	3.53	17.51	5.36	*11.05	4.97
Former drinker	*1.52	0.86	_	_	*1.86	1.05	_	_	*3.68	2.50	*1.14	1.14	_	_
Abstainer since the Wave 1 interview	78.47	3.49	90.07	5.16	75.87	4.03	52.28	9.81	88.44	4.21	81.36	5.43	88.95	4.97
No														
Current drinker	23.37	0.91	30.88	1.47	19.80	0.97	43.43	2.21	27.58	1.54	19.99	1.40	8.59	0.92
Former drinker	1.26	0.17	1.17	0.28	1.30	0.20	2.22	0.57	1.09	0.25	1.08	0.28	1.06	0.31
Abstainer since the Wave 1 interview	75.37	0.93	67.95	1.47	78.90	0.98	54.35	2.28	71.33	1.54	78.93	1.44	90.35	0.95
Any Major Depressive Disorder in Life														
Yes														
Current drinker	16.91	2.11	14.32	4.49	17.64	2.36	36.30	6.96	17.66	3.48	10.12	2.70	10.12	3.37
Former drinker	*1.12	0.50	17.52		*1.44	0.64	30.00	<u> </u>	*1.60	1.09	*1.92	1.13		J.57
Abstainer since the Wave 1 interview	81.96	2.10	85.68	4.49	80.92	2.37	63.70	6.96	80.74	3.58	87.95	2.88	89.88	3.37
, words, or only the trave i intertion	01.00	2.10	00.00	1.10	00.02	2.01	00.70	0.00	00.1 1	0.00	01.00	2.00	00.00	0.07

Table 1-3. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 lifetime abstainers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Cation ata	0.5	Ma	ale	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Major Depressive Disorder in Life														
No														
Current drinker	23.82	0.92	31.44	1.48	20.14	0.98	44.32	2.21	27.69	1.58	20.97	1.46	8.54	0.92
Former drinker	1.29	0.18	1.22	0.29	1.32	0.21	2.32	0.59	1.14	0.26	0.99	0.28	1.11	0.32
Abstainer since the Wave 1 interview	74.89	0.94	67.34	1.49	78.55	0.99	53.37	2.28	71.16	1.58	78.04	1.51	90.35	0.95
Family History of Alcoholism														
None														
Current drinker	25.97	1.07	32.63	1.81	22.71	1.20	44.73	2.65	30.38	2.10	24.42	1.79	9.71	1.25
Former drinker		0.20	1.06	0.30	1.37	0.25	1.54	0.54	1.17	0.34	1.09	0.35	1.40	0.44
Abstainer since the Wave 1 interview		1.08	66.30	1.79	75.93	1.22	53.73	2.73	68.45	2.12	74.49	1.84	88.89	1.27
2nd-degree relatives only														
Current drinker	20.65	2.10	25.37	4.00	18.30	1.99	42.39	5.06	16.14	3.08	13.78	2.74	6.85	2.27
Former drinker	1.26	0.40	*0.59	0.58	1.59	0.53	*2.63	1.22	*1.09	0.64	*0.52	0.52	*0.59	0.59
Abstainer since the Wave 1 interview		2.11	74.04	4.00	80.10	2.05	54.98	5.12	82.77	3.10	85.70	2.77	92.56	2.35
1st-degree relatives only														
Current drinker	16.90	1.68	26.25	3.67	12.76	1.84	42.04	7.63	25.20	3.59	14.16	2.84	7.05	1.70
Former drinker	*1.28	0.45	*2.18	1.17	*0.88	0.40	*2.38	1.75	*1.66	0.84	*1.39	0.98	*0.64	0.64
Abstainer since the Wave 1 interview		1.68	71.57	3.76	86.36	1.83	55.58	7.48	73.13	3.62	84.45	2.93	92.31	1.80
Both 1st- and 2nd-degree relatives														
Current drinker	19.55	1.92	29.87	4.58	16.13	1.87	41.17	5.92	24.32	3.76	12.12	2.58	*6.82	2.48
Former drinker	1.31	0.49	*1.26	1.01	*1.33	0.55	*4.02	2.13	*0.91	0.76	*1.21	0.73	_	_
Abstainer since the Wave 1 interview	79.14	1.92	68.87	4.61	82.55	1.89	54.81	5.85	74.76	3.79	86.67	2.65	93.18	2.48
Any Parent Alcoholic														
Yes														
Current drinker	22.90	1.86	36.83	4.09	16.97	1.87	45.22	5.27	25.23	3.22	15.62	3.22	*8.57	3.09
Former drinker		0.52	*2.32	1.24	*1.30	0.53	*4.23	1.96	*1.78	0.86	*0.82	0.82	_	_
Abstainer since the Wave 1 interview	75.50	1.85	60.85	4.17	81.73	1.84	50.55	5.18	73.00	3.22	83.56	3.27	91.43	3.09
No														
Current drinker	23.30	0.96	29.60	1.58	20.34	1.05	43.38	2.41	27.16	1.68	20.58	1.48	8.65	0.92
Former drinker		0.17	0.99	0.27	1.33	0.21	1.80	0.54	1.08	0.27	1.12	0.29	1.14	0.33
Abstainer since the Wave 1 interview	75.48	0.97	69.40	1.57	78.33	1.06	54.82	2.48	71.76	1.68	78.30	1.53	90.21	0.96
Married to Alcoholic/Lived with Alcoholic as if Married														
Yes														
Current drinker	16.12	2.42	*32.18	10.68	15.00	2.44	*85.61	15.88	37.29	6.30	11.41	2.91	*5.15	2.03
Former drinker		0.73	*7.83	7.57	*1.07	0.56	_	_	*3.70	2.29	*1.41	1.05	_	_
Abstainer since the Wave 1 interview		2.47	59.98	11.16	83.93	2.47	*14.39	15.88	59.00	6.40	87.18	2.82	94.85	2.03
No														
Current drinker	23.67	0.94	30.44	1.45	20.30	1.04	43.56	2.23	26.42	1.56	20.69	1.49	8.92	0.97
Former drinker		0.17	1.07	0.27	1.35	0.20	2.12	0.54	1.07	0.25	1.05	0.29	1.12	0.32
Abstainer since the Wave 1 interview		0.95	68.49	1.44	78.35	1.04	54.32	2.31	72.52	1.56	78.27	1.53	89.96	1.01

Table 1-3. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 lifetime abstainers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	p at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Alcohol Treatment in the Past Year														
No														
Current drinker	23.25	0.90	30.46	1.44	19.90	0.97	43.63	2.23	26.89	1.49	19.89	1.41	8.64	0.92
Former drinker		0.17	1.15	0.28	1.33	0.20	2.12	0.54	1.18	0.26	1.08	0.28	1.04	0.30
Abstainer since the Wave 1 interview	75.48	0.91	68.39	1.44	78.77	0.98	54.26	2.30	71.93	1.49	79.03	1.44	90.32	0.95
Any Alcohol Treatment in Life														
No														
Current drinker	23.25	0.90	30.46	1.44	19.90	0.97	43.63	2.23	26.89	1.49	19.89	1.41	8.64	0.92
Former drinker		0.17	1.15	0.28	1.33	0.20	2.12	0.54	1.18	0.26	1.08	0.28	1.04	0.30
Abstainer since the Wave 1 interview		0.91	68.39	1.44	78.77	0.98	54.26	2.30	71.93	1.49	79.03	1.44	90.32	0.95
Conduct Disorder														
Yes														
Current drinker	*30.68	11.38	*40.47	15.35	*7.88	5.78	*36.86	22.06	*50.30	22.30	*6.86	5.52	*40.11	28.11
Former drinker	30.00	11.30	40.47	15.55	7.00	5.76	30.00	22.00	30.30	22.30	0.80	5.52	40.11	20.11
Abstainer since the Wave 1 interview	69.32	11.38	59.53	15.35	92.12	5.78	*63.14	22.06	*49.70	22.30	*93.14	5.52	*59.89	28.11
No														
Current drinker	23.20	0.91	30.32	1.45	19.93	0.98	43.69	2.26	26.76	1.49	20.00	1.42	8.54	0.92
Former drinker		0.17	1.17	0.28	1.33	0.20	2.14	0.55	1.19	0.26	1.09	0.28	1.04	0.30
Abstainer since the Wave 1 interview		0.93	68.51	1.46	78.73	0.98	54.17	2.33	72.06	1.49	78.92	1.46	90.41	0.95
Paranoid Personality Disorder — Lifetime														
Yes														
Current drinker	17.02	3.11	20.96	8.41	15.85	3.31	33.95	8.28	21.56	6.72	*3.70	1.93	*7.34	6.59
Former drinker	*0.95	0.71	*1.44	1.46	*0.80	0.81	_	_	*0.98	0.98	*2.02	2.03	_	_
Abstainer since the Wave 1 interview	82.04	3.20	77.60	8.60	83.35	3.42	66.05	8.28	77.46	6.79	94.28	2.84	92.66	6.59
No														
Current drinker	23.44	0.93	30.66	1.49	20.04	0.99	44.03	2.30	27.06	1.51	20.44	1.45	8.66	0.93
Former drinker		0.17	1.14	0.28	1.35	0.21	2.21	0.57	1.19	0.27	1.05	0.28	1.06	0.31
Abstainer since the Wave 1 interview	75.28	0.94	68.19	1.50	78.61	1.00	53.77	2.37	71.76	1.51	78.52	1.49	90.28	0.97
Schizoid Personality Disorder — Lifetime														
Yes														
Current drinker	13.81	3.72	*12.83	6.41	14.14	4.44	26.91	8.97	*10.30	5.65	*7.89	4.18	_	_
Former drinker		1.25	-	_	*2.35	1.67	-	_	_	_	*6.65	4.50	_	_
Abstainer since the Wave 1 interview	84.44	4.02	87.17	6.41	83.51	4.85	73.09	8.97	89.70	5.65	85.46	6.82	100.00	0.00
No														
Current drinker	23.47	0.91	30.78	1.45	20.05	0.98	44.42	2.27	27.23	1.49	20.16	1.43	8.75	0.92
Former drinker		0.17	1.17	0.28	1.30	0.20	2.22	0.57	1.21	0.26	0.95	0.26	1.05	0.30
Abstainer since the Wave 1 interview	75.27	0.92	68.04	1.46	78.65	0.98	53.36	2.34	71.57	1.50	78.88	1.47	90.20	0.96

Table 1-3. Percent distribution of drinking status¹ (since the Wave 1 interview) at Wave 2 among Wave 1 lifetime abstainers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Fallerate	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Schizotypal Personality Disorder — Lifetime ³														
Yes														
Current drinker	23.71	3.52	26.14	6.29	22.20	4.18	47.16	8.50	16.97	4.35	14.74	6.16	*3.14	2.50
Former drinker	*1.95	0.84	_	_	*3.16	1.36	*4.61	2.42	*1.62	1.23	_	_	_	_
Abstainer since the Wave 1 interview	74.34	3.62	73.86	6.29	74.64	4.41	48.22	8.39	81.41	4.57	85.26	6.16	96.86	2.50
No														
Current drinker	23.23	0.91	30.63	1.47	19.83	0.97	43.42	2.24	27.28	1.55	20.03	1.43	8.72	0.92
Former drinker		0.17	1.20	0.29	1.27	0.20	1.97	0.55	1.16	0.26	1.11	0.28	1.05	0.30
Abstainer since the Wave 1 interview	75.52	0.92	68.17	1.48	78.89	0.97	54.62	2.31	71.56	1.55	78.87	1.47	90.22	0.96
Antisocial Personality Disorder — Lifetime ³														
Yes														
Current drinker	33.85	8.10	37.00	10.08	*26.29	10.81	50.52	13.13	*26.52	11.04	*3.88	3.19	_	_
Former drinker	*2.86	2.88	*4.05	4.10		- 10.01	*6.07	5.91	20.52	- 11.04	J.00	J. 13	_	_
Abstainer since the Wave 1 interview	63.29	8.53	58.95	10.67	73.71	10.81	*43.42	12.96	73.48	11.04	*96.12	3.19	*100.00	0.00
Abstailer since the wave i interview	03.29	0.55	36.93	10.07	13.11	10.01	43.42	12.90	73.40	11.04	90.12	3.19	100.00	0.00
No														
Current drinker	23.14	0.90	30.31	1.45	19.87	0.98	43.42	2.21	26.89	1.49	19.99	1.42	8.65	0.92
Former drinker		0.17	1.08	0.27	1.33	0.20	2.00	0.53	1.19	0.26	1.09	0.28	1.04	0.30
Abstainer since the Wave 1 interview	75.60	0.91	68.61	1.46	78.79	0.98	54.58	2.28	71.92	1.49	78.93	1.45	90.31	0.95
Borderline Personality Disorder — Lifetime ³														
Yes														
Current drinker	39.43	3.94	40.69	6.76	38.82	4.97	60.91	7.97	39.38	6.23	22.87	7.67	*15.02	8.52
Former drinker		1.13	10.00	_	*3.47	1.70	*0.75	0.73	*2.53	2.06	*4.76	3.32	10.02	- 0.02
Abstainer since the Wave 1 interview	58.24	3.89	59.31	6.76	57.71	5.01	38.34	7.77	58.09	6.28	72.37	7.97	84.98	8.52
No														
No Current drinker	22.65	0.91	30.06	1.51	19.22	0.96	42.45	2.29	26.34	1.48	19.80	1.39	8.56	0.91
Former drinker		0.31	1.20	0.29	1.25	0.30	2.21	0.58	1.12	0.25	0.96	0.26	1.05	0.30
Abstainer since the Wave 1 interview	76.12	0.17	68.74	1.50	79.53	0.20	55.34	2.37	72.54	1.48	79.25	1.43	90.39	0.30
Histrionic Personality Disorder — Lifetime														
•														
Yes	07.74	0.00	*00.54	45.00	00.54	40.07	* 44 00	40.00	*00.40	40.04	*40.04	40.00	*50.04	00.00
Current drinker		9.29	*36.51	15.98	38.54	10.87	*41.39	13.98	*38.18	13.31	*18.94	18.08	*50.04	32.32
Former drinker Abstainer since the Wave 1 interview	62.29	— 9.29	*63.49	— 15.98	— 61.46	— 10.87	58.61	— 13.98	— 61.82	— 13.31	*81.06	— 18.08	*49.96	— 32.32
Abdumor differ the very fillerview	02.23	5.25	00.40	10.00	01.70	10.07	30.01	10.00	01.02	10.01	01.00	10.00	40.00	52.52
No Common distance	00.40	0.04	00.00	4.46	40.77	0.00	40.00	0.05	00.70	4.46	40.00	4.46	0.00	0.64
Current drinker	23.13	0.91	30.39	1.46	19.77	0.98	43.68	2.25	26.79	1.49	19.90	1.42	8.60	0.91
Former drinker		0.17	1.16	0.28	1.34	0.20	2.17	0.56	1.19	0.26	1.08	0.28	1.04	0.30
Abstainer since the Wave 1 interview	75.59	0.92	68.44	1.47	78.89	0.99	54.14	2.32	72.02	1.49	79.02	1.46	90.36	0.95

Table 1-3. Percent distribution of drinking status 1 (since the Wave 1 interview) at Wave 2 among Wave 1 lifetime abstainers, 2 by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and drinking status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Narcissistic Personality Disorder — Lifetime ³														
Yes														
Current drinker	33.34	3.31	32.46	5.36	34.07	4.41	52.87	6.61	29.92	5.33	25.64	8.07	*13.05	6.40
Former drinker	*1.92	0.88	*2.09	1.48	*1.77	1.06	*2.44	1.52	*1.81	1.50	_	_	*5.06	4.98
Abstainer since the Wave 1 interview	64.74	3.31	65.45	5.50	64.16	4.42	44.68	6.69	68.27	5.53	74.36	8.07	81.90	8.02
No														
Current drinker	22.72	0.92	30.31	1.53	19.32	0.97	42.79	2.22	26.70	1.54	19.63	1.45	8.54	0.94
Former drinker	1.24	0.17	1.08	0.28	1.31	0.20	2.09	0.59	1.14	0.25	1.13	0.29	0.95	0.28
Abstainer since the Wave 1 interview	76.04	0.93	68.61	1.53	79.37	0.97	55.13	2.28	72.16	1.54	79.24	1.48	90.51	0.98
Avoidant Personality Disorder — Lifetime														
Yes														
Current drinker	14.15	3.49	*6.57	3.89	17.32	4.51	33.26	9.95	*6.30	3.85	*8.31	4.20	_	
Former drinker	*1.29	1.12	0.57	3.09	*1.82	1.58	33.20	9.95	*0.54	0.55	*3.99	3.95	_	
Abstainer since the Wave 1 interview	84.56	3.64	93.43	3.89	80.86	4.71	66.74	9.95	93.15	3.90	87.70	5.74	100.00	0.00
No														
Current drinker	23.43	0.90	30.91	1.45	19.96	0.98	44.01	2.23	27.32	1.49	20.13	1.42	8.71	0.92
Former drinker	1.27 75.30	0.17	1.17	0.28	1.32	0.20	2.19	0.56	1.19	0.26	1.02	0.27	1.05	0.30
Abstainer since the Wave 1 interview	75.30	0.91	67.92	1.46	78.73	0.98	53.80	2.29	71.49	1.49	78.85	1.46	90.24	0.96
<u>Dependent Personality Disorder — Lifetime</u>														
Yes														
Current drinker	*10.83	5.45	*4.11	4.46	*12.67	6.67	*16.85	12.28	_	_	_	_	*37.48	21.56
Former drinker	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Abstainer since the Wave 1 interview	89.17	5.45	*95.89	4.46	87.33	6.67	*83.15	12.28	*100.00	0.00	100.00	0.00	*62.52	21.56
No														
Current drinker	23.31	0.90	30.55	1.44	19.95	0.97	43.80	2.24	26.98	1.49	20.04	1.42	8.52	0.92
Former drinker		0.17	1.16	0.28	1.34	0.20	2.13	0.55	1.19	0.26	1.09	0.28	1.04	0.30
Abstainer since the Wave 1 interview	75.41	0.91	68.29	1.44	78.72	0.98	54.07	2.32	71.83	1.49	78.87	1.45	90.44	0.96
Obsessive-Compulsive Personality Disorder — Lifetime														
Voc														
Yes Current drinker	24.04	3.51	32.78	6.38	20.98	4.08	49.36	8.11	22.53	5.76	12.50	3.50	*6.77	4.02
Current drinker Former drinker	*0.71	0.45	*0.73	0.30	*0.70	0.55	49.30	0.11	*0.98	0.71	*1.40	3.59 1.40	0.77 —	4.02
Abstainer since the Wave 1 interview	75.25	3.51	66.49	6.39	78.33	4.08	50.64	8.11	76.49	5.76	86.10	3.79	93.23	4.02
No														
Current drinker	23.21	0.89	30.36	1.47	19.84	0.98	43.15	2.28	27.12	1.47	20.29	1.41	8.70	0.92
Former drinker	-	0.89	1.17	0.29	1.36	0.98	2.29	0.59	1.19	0.27	1.06	0.28	1.07	0.32
Abstainer since the Wave 1 interview	75.49	0.10	68.47	1.47	78.80	0.98	54.56	2.36	71.68	1.48	78.65	1.45	90.22	0.96
													* * * * *	

Current drinker: 1 or more drinks in the past year. Former drinker: at least 1 drink since the Wave 1 interview, but not in the past year. Abstainer since the Wave 1 interview: never had 1 or more drinks since the Wave 1 interview.

Lifetime abstainer: never had 1 or more drinks in life.

Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.

Fewer than 10 observations in the cell.

SOURCE: NIAAA 2001–2002 and 2004–2005 National Epidemiologic Surveys on Alcohol and Related Conditions.

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits 1 at Wave 2 among Wave 1 non-current drinkers, 2 by sex and age group, according to selected respondent characteristics at Wave 1.

Department of the constraint of the set Weet A	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly		0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Total</u>														
Not current drinker	75.97	0.62	73.03	0.92	77.83	0.69	51.31	1.86	70.27	1.08	79.85	0.91	89.13	0.68
Did not exceed drinking limits		0.50	17.14	0.79	17.20	0.55	26.91	1.66	20.15	0.90	16.35	0.75	10.14	0.67
Exceeded daily but not weekly drinking limits		0.27	7.48	0.54	3.57	0.26	16.70	1.55	7.55	0.59	2.30	0.30	0.43	0.11
Exceeded weekly or both daily and weekly drinking limits		0.14	2.31	0.28	1.29	0.15	4.86	0.72	1.96	0.26	1.41	0.28	0.28	0.10
Race/Ethnicity														
White, Not Hispanic or Latino														
Not current drinker		0.80	75.08	1.16	76.92	0.98	46.64	3.18	68.89	1.63	78.48	1.19	88.22	0.82
Did not exceed drinking limits		0.65	15.97	0.99	18.01	0.81	25.30	2.60	21.21	1.39	17.45	1.00	11.15	0.82
Exceeded daily but not weekly drinking limits		0.36	7.02	0.67	3.64	0.38	22.24	2.57	8.06	0.89	2.46	0.42	*0.35	0.11
Exceeded weekly or both daily and weekly drinking limits	1.55	0.18	1.88	0.34	1.32	0.20	5.82	1.20	1.74	0.35	1.48	0.33	*0.25	0.12
Black, Not Hispanic or Latino														
Not current drinker	76.89	0.96	75.12	1.74	77.84	1.00	52.00	3.49	74.43	1.93	82.43	1.38	91.09	1.14
Did not exceed drinking limits		0.80	17.35	1.70	17.22	0.85	33.95	3.12	18.68	1.63	13.82	1.22	7.76	1.17
Exceeded daily but not weekly drinking limits	3.44	0.51	3.87	0.96	3.21	0.60	9.09	2.35	4.30	1.01	1.71	0.40	*0.45	0.28
Exceeded weekly or both daily and weekly drinking limits	2.40	0.38	3.65	0.96	1.74	0.31	4.96	1.57	2.60	0.56	2.04	0.81	*0.70	0.29
American Indian/Alaska Native, Not Hispanic or Latino														
Not current drinker	76.61	3.00	68.80	5.59	80.85	3.42	65.07	13.15	58.10	6.79	84.65	4.25	95.28	2.83
Did not exceed drinking limits	14.83	2.71	16.72	4.83	13.80	2.99	*5.10	3.79	24.86	6.26	13.72	4.15	*4.72	2.83
Exceeded daily but not weekly drinking limits	5.97	1.73	*10.32	3.86	*3.60	1.58	*27.04	13.24	*9.83	3.72	*1.63	1.16	_	_
Exceeded weekly or both daily and weekly drinking limits	*2.59	1.37	*4.15	2.37	*1.74	1.70	*2.79	2.83	*7.21	4.11	_	_	_	_
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino														
Not current drinker	79.89	2.19	69.38	3.44	85.51	2.39	58.06	6.60	77.06	3.55	84.73	2.40	98.19	1.84
Did not exceed drinking limits		2.07	23.17	3.12	11.06	2.29	28.84	5.96	16.62	3.80	14.33	2.47		
Exceeded daily but not weekly drinking limits	3.58	0.88	6.52	2.00	*2.01	0.81	*11.33	4.28	*4.32	1.59	*0.31	0.31	*1.81	1.84
Exceeded weekly or both daily and weekly drinking limits	*1.01	0.41	*0.93	0.62	*1.06	0.58	_	_	*2.01	0.99	*0.62	0.61	_	_
Hispanic or Latino														
Not current drinker	72.01	1.27	63.20	2.50	77.41	1.28	57.07	3.40	69.16	2.09	80.17	1.98	89.72	1.58
Did not exceed drinking limits		1.24	20.10	1.99	17.35	1.12	25.67	3.11	19.43	1.82	15.18	1.79	9.47	1.68
Exceeded daily but not weekly drinking limits		0.83	13.36	1.98	4.46	0.54	12.35	2.13	10.20	1.61	3.60	0.97	*0.74	0.49
Exceeded weekly or both daily and weekly drinking limits	1.65	0.33	3.27	0.79	0.67	0.27	4.54	1.27	1.17	0.41	*1.01	0.45	*0.07	0.07
Marital Status														
Married														
Not current drinker		0.75	76.79	1.15	79.85	0.85	70.76	3.44	71.09	1.34	79.89	1.02	89.36	0.94
Did not exceed drinking limits		0.61	16.50	0.97	16.76	0.71	18.54	2.77	20.56	1.04	16.69	0.87	10.18	0.93
Exceeded daily but not weekly drinking limits	3.68	0.30	5.35	0.56	2.51	0.28	8.81	2.34	6.98	0.76	2.17	0.39	*0.26	0.15
Exceeded weekly or both daily and weekly drinking limits	1.04	0.16	1.31	0.27	0.85	0.18	*1.88	1.06	1.31	0.28	1.20	0.31	*0.19	0.14

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 non-current drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree destables destables et West 4	Both s	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fallerate	0.5	Ма	le	Fem	nale	18–24	years	25–44	years	45–64	years	65 years	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Living with someone as if married														
Not current drinker	77.99	3.34	77.96	5.24	78.01	4.15	60.88	9.16	80.09	4.35	85.84	4.33	*77.20	14.32
Did not exceed drinking limits	12.37	2.61	*8.95	3.40	14.80	3.43	25.03	7.93	9.86	2.94	*9.29	3.82	_	_
Exceeded daily but not weekly drinking limits	5.90	1.78	*8.63	3.43	*3.96	1.89	*10.60	5.41	*5.79	2.52	*2.27	1.40	*14.08	12.80
Exceeded weekly or both daily and weekly drinking limits	*3.75	1.50	*4.46	2.52	*3.24	1.87	*3.49	3.44	*4.26	2.55	*2.60	1.50	*8.71	8.42
Widowed														
Not current drinker	87.65	0.98	81.47	3.20	88.58	0.99	_	_	69.16	10.41	84.43	2.45	88.58	1.04
Did not exceed drinking limits	11.18	0.91	14.48	2.92	10.69	0.91	_	_	*26.18	10.16	13.40	2.22	10.50	0.98
Exceeded daily but not weekly drinking limits	0.87	0.25	*3.32	1.49	*0.50	0.17	_	_	*3.45	3.47	*1.76	0.76	*0.65	0.25
Exceeded weekly or both daily and weekly drinking limits	*0.24	0.10	*0.72	0.55	*0.17	0.09	_	_	*1.21	1.24	*0.41	0.40	*0.19	0.10
Divorced														
Not current drinker	77.02	1.43	77.03	2.55	77.02	1.73	*67.62	17.48	62.93	3.08	79.76	1.98	90.29	1.82
Did not exceed drinking limits		1.18	13.58	1.76	17.31	1.46	*24.35	15.96	22.22	2.49	15.31	1.74	9.19	1.77
Exceeded daily but not weekly drinking limits	5.04	0.77	7.54	1.74	3.84	0.81	*8.04	8.07	11.46	2.17	3.42	0.83	J.13	
Exceeded weekly or both daily and weekly drinking limits	1.48	0.34	*1.81	0.68	1.33	0.39	- 0.04	-	3.05	0.92	*1.01	0.41	*0.53	0.34
Separated														
Not current drinker	76.48	2.76	74.74	5.64	77.05	3.21	*58.52	17.12	68.45	5.43	82.73	3.46	88.41	4.91
Did not exceed drinking limits		2.47	13.36	3.68	17.43	3.04	*41.48	17.12	18.50	4.65	14.42	3.26	*9.86	4.85
							41.40					0.44	*0.70	
Exceeded daily but not weekly drinking limits	4.36	1.37	*6.39	4.65	3.69	1.03		_	9.15	3.05	*0.65			0.71
Exceeded weekly or both daily and weekly drinking limits	2.74	1.04	*5.51	2.86	*1.83	0.98	_	_	*3.90	1.83	*2.20	1.53	*1.03	1.04
Never married														
Not current drinker	59.44	1.27	59.24	1.91	59.63	1.64	45.17	2.15	68.77	2.32	73.60	2.75	89.70	2.78
Did not exceed drinking limits	23.58	1.15	21.40	1.57	25.69	1.45	29.29	1.97	19.79	1.86	19.33	2.38	8.52	2.54
Exceeded daily but not weekly drinking limits	12.36	0.98	14.17	1.53	10.62	1.16	19.41	1.84	8.26	1.22	2.68	0.86	*0.60	0.59
Exceeded weekly or both daily and weekly drinking limits	4.47	0.54	5.16	0.91	3.80	0.67	5.83	0.91	3.16	0.69	4.39	2.02	*1.18	1.17
Ever Had Children (Including Step, Adopted, Foster)														
Yes														
Not current drinker	79.67	0.61	77.68	1.00	80.75	0.69	60.65	3.19	71.74	1.15	80.59	0.95	89.17	0.70
Did not exceed drinking limits	15.80	0.51	15.42	0.87	16.01	0.57	26.34	2.61	19.71	0.92	16.04	0.80	10.11	0.70
Exceeded daily but not weekly drinking limits	3.45	0.31	5.40	0.55	2.39	0.37	10.99	2.12	7.08	0.32	2.06	0.32	0.45	0.70
Exceeded weekly or both daily and weekly drinking limits	1.04	0.14	1.46	0.29	0.80	0.13	*2.03	0.99	1.39	0.28	1.27	0.29	0.43	0.12
No														
Not current drinker	63.66	1.17	62.32	1.70	65.04	1.63	48.38	2.26	65.70	2.22	75.23	2.10	88.78	1.84
Did not exceed drinking limits	21.75	1.02	21.11	1.38	22.41	1.28	27.09	1.96	21.55	1.85	18.26	1.83	10.41	1.81
Exceeded daily but not weekly drinking limits	10.55	0.79	12.29	1.26	8.75	0.95	18.50	1.86	9.01	1.24	3.78	0.86	*0.23	0.23
	3.85								3.72	0.71				
Exceeded weekly or both daily and weekly drinking limits	3.85	0.43	4.25	0.65	3.44	0.59	5.74	0.91	3.12	0.71	2.29	0.66	*0.58	0.48

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 non-current drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree de la lacación de la Maria A	Both s	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatimete.	0.5	Ма	ıle	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Children Ages Below 13 Living in Household														
Yes														
Not current drinker	71.45	1.06	70.54	1.83	71.96	1.24	56.44	2.95	71.27	1.23	79.97	1.93	93.58	2.17
Did not exceed drinking limits	19.69	0.83	16.82	1.42	21.32	1.00	25.64	2.38	20.23	1.06	15.65	1.71	5.81	2.08
Exceeded daily but not weekly drinking limits	7.24	0.60	10.50	1.17	5.39	0.60	14.22	2.11	7.38	0.77	2.21	0.62	*0.61	0.61
Exceeded weekly or both daily and weekly drinking limits	1.61	0.30	2.14	0.64	1.32	0.27	3.66	1.06	1.10	0.25	*2.17	0.97	_	_
No														
Not current drinker	77.77	0.70	73.93	1.06	80.30	0.85	48.28	2.43	68.86	1.66	79.83	0.98	88.92	0.70
Did not exceed drinking limits	16.18	0.60	17.25	0.92	15.46	0.69	27.66	2.16	20.05	1.45	16.47	0.85	10.34	0.70
Exceeded daily but not weekly drinking limits	4.23	0.29	6.39	0.60	2.81	0.29	18.17	1.98	7.78	0.89	2.31	0.33	0.42	0.11
Exceeded weekly or both daily and weekly drinking limits	1.71	0.16	2.37	0.34	1.28	0.17	5.57	0.97	3.17	0.52	1.28	0.26	0.29	0.10
Education														
11 years or less														
Not current drinker	81.21	0.91	74.12	1.74	85.46	1.03	54.08	3.71	71.54	2.55	86.86	1.55	90.55	1.08
Did not exceed drinking limits	12.82	0.77	15.21	1.42	11.38	0.92	23.49	3.32	17.72	1.86	10.09	1.41	8.81	1.06
Exceeded daily but not weekly drinking limits		0.52	8.56	1.22	2.29	0.36	16.31	2.78	8.95	1.64	2.37	0.65	*0.42	0.21
Exceeded weekly or both daily and weekly drinking limits	1.25	0.25	2.12	0.52	0.74	0.21	5.41	1.69	1.76	0.58	0.68	0.26	*0.23	0.10
12 years														
Not current drinker	76.98	0.89	75.22	1.52	78.07	1.10	50.56	3.10	71.93	1.69	80.92	1.48	89.59	1.11
Did not exceed drinking limits	16.15	0.72	15.65	1.23	16.46	0.87	25.79	2.63	19.01	1.37	15.17	1.29	9.88	1.12
Exceeded daily but not weekly drinking limits		0.45	6.82	0.88	4.04	0.55	17.88	2.40	7.19	1.06	2.44	0.49	*0.31	0.14
Exceeded weekly or both daily and weekly drinking limits	1.63	0.25	2.20	0.44	1.28	0.26	5.72	1.40	1.74	0.41	1.18	0.33	*0.21	0.16
13–15 years														
Not current drinker	72.18	1.11	69.84	1.80	73.65	1.21	48.66	3.28	70.03	1.93	77.84	1.68	87.72	1.47
Did not exceed drinking limits	19.42	0.91	17.71	1.42	20.50	1.08	28.99	2.83	20.25	1.51	17.82	1.60	11.82	1.46
Exceeded daily but not weekly drinking limits	6.14	0.62	9.35	1.20	4.12	0.55	17.66	2.54	7.05	1.14	2.53	0.65	*0.45	0.34
Exceeded weekly or both daily and weekly drinking limits	2.21	0.35	3.09	0.71	1.65	0.38	4.55	1.14	2.59	0.67	1.80	0.69	_	_
16 or more years														
Not current drinker	72.73	1.42	72.28	2.19	73.05	1.61	61.57	6.25	67.25	2.18	73.97	2.04	85.60	2.19
Did not exceed drinking limits	21.59	1.15	21.31	1.92	21.79	1.35	32.46	6.66	23.60	1.84	22.35	1.83	12.40	2.03
Exceeded daily but not weekly drinking limits		0.56	4.79	0.90	3.55	0.64	*5.97	3.04	7.57	1.11	1.71	0.56	*0.75	0.53
Exceeded weekly or both daily and weekly drinking limits	1.58	0.34	1.63	0.59	1.54	0.38	_	_	1.58	0.52	1.98	0.71	*1.03	0.61
Currently Employed Full Time														
Yes														
Not current drinker	71.04	0.94	70.48	1.31	71.64	1.16	52.42	3.17	68.64	1.34	76.54	1.27	88.21	2.65
Did not exceed drinking limits	19.92	0.94	18.40	1.04	21.54	0.97	26.40	2.81	20.18	1.05	18.87	1.09	11.33	2.65
Exceeded daily but not weekly drinking limits		0.70	8.68	0.79	4.91	0.51	16.36	2.41	8.98	0.81	2.86	0.44	*0.16	0.16
Exceeded weekly or both daily and weekly drinking limits	2.16	0.43	2.43	0.42	1.88	0.29	4.77	1.26	2.16	0.36	1.74	0.39	*0.31	0.31
and moonly of both daily and moonly anniming infinite		5.20	2.10	J. 12		0.20		20		5.00		0.00	3.01	5.01

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 non-current drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

5	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	F. C	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Employed Full Time														
No														
Not current drinker		0.70	76.26	1.26	80.93	0.77	50.72	2.23	72.98	1.48	83.60	1.03	89.19	0.69
Did not exceed drinking limits		0.58	15.55	1.10	15.02	0.63	27.18	2.01	20.11	1.26	13.49	0.91	10.07	0.68
Exceeded daily but not weekly drinking limits		0.31	5.97	0.72	2.90	0.29	16.88	1.79	5.17	0.67	1.67	0.38	0.44	0.12
Exceeded weekly or both daily and weekly drinking limits	1.34	0.15	2.15	0.38	1.00	0.17	4.90	0.81	1.62	0.38	1.04	0.27	0.27	0.10
Family Annual Income														
\$0 to \$19,999														
Not current drinker		0.82	72.58	1.65	82.21	0.94	51.55	2.77	71.34	2.04	85.16	1.42	90.34	0.86
Did not exceed drinking limits		0.73	16.37	1.47	13.71	0.80	28.69	2.61	18.23	1.75	11.56	1.29	9.04	0.84
Exceeded daily but not weekly drinking limits		0.43	7.75	1.16	2.97	0.35	14.24	1.96	7.63	1.29	2.25	0.49	*0.34	0.12
Exceeded weekly or both daily and weekly drinking limits	1.60	0.24	3.18	0.71	0.92	0.19	5.15	1.21	2.54	0.53	0.79	0.28	*0.28	0.14
\$20,000 to \$34,999														
Not current drinker		1.01	77.51	1.72	78.82	1.18	56.12	3.85	72.92	1.88	82.55	1.62	88.35	1.33
Did not exceed drinking limits		0.88	14.56	1.47	16.62	0.99	25.10	3.41	17.84	1.55	14.79	1.64	11.02	1.33
Exceeded daily but not weekly drinking limits		0.57	6.65	1.02	3.68	0.62	16.85	2.77	7.43	1.10	1.86	0.54	*0.57	0.34
Exceeded weekly or both daily and weekly drinking limits	1.01	0.20	1.28	0.36	0.84	0.26	*1.67	0.70	1.81	0.53	*0.81	0.31	*0.07	0.07
\$35,000 to \$69,999														
Not current drinker		0.96	73.57	1.44	74.66	1.10	54.61	3.58	69.97	1.54	77.87	1.54	87.85	1.59
Did not exceed drinking limits		0.87	17.74	1.26	19.98	1.02	25.53	3.20	21.97	1.40	17.62	1.39	11.13	1.54
Exceeded daily but not weekly drinking limits		0.48	6.51	0.91	3.53	0.48	13.28	2.52	6.97	0.93	2.22	0.46	*0.49	0.34
Exceeded weekly or both daily and weekly drinking limits	1.91	0.30	2.16	0.52	1.72	0.34	6.51	1.56	1.08	0.37	2.18	0.60	*0.39	0.27
\$70,000 or more														
Not current drinker		1.44	66.98	2.26	71.91	1.60	35.67	5.07	66.15	2.65	74.84	1.84	87.30	2.94
Did not exceed drinking limits		1.13	20.29	1.89	21.06	1.36	27.30	4.87	21.76	2.06	20.87	1.64	11.74	2.80
Exceeded daily but not weekly drinking limits		0.80	9.98	1.39	4.97	0.93	31.21	4.96	8.80	1.61	2.91	0.76	*0.29	0.29
Exceeded weekly or both daily and weekly drinking limits	2.37	0.42	2.74	0.68	2.07	0.52	*5.83	2.40	3.27	0.82	1.38	0.48	*0.67	0.67
Born in the United States														
Yes														
Not current drinker		0.68	74.41	1.02	77.34	0.81	48.75	2.24	68.74	1.31	80.04	0.95	89.44	0.67
Did not exceed drinking limits	17.03	0.55	16.25	0.87	17.54	0.64	26.94	1.92	21.50	1.10	16.15	0.80	9.80	0.68
Exceeded daily but not weekly drinking limits	4.86	0.29	6.95	0.58	3.50	0.29	18.38	1.78	7.35	0.69	2.20	0.33	0.45	0.12
Exceeded weekly or both daily and weekly drinking limits	1.85	0.18	2.35	0.33	1.53	0.19	5.82	0.92	2.33	0.34	1.50	0.32	0.30	0.11
No														
Not current drinker		1.45	66.78	2.16	79.77	1.48	58.96	3.90	74.42	1.93	78.97	1.83	86.44	2.04
Did not exceed drinking limits		1.32	21.19	1.94	15.85	1.33	26.83	3.68	16.52	1.64	17.28	1.88	13.10	1.96
Exceeded daily but not weekly drinking limits	6.02	0.70	9.90	1.48	3.83	0.65	11.70	2.68	8.07	1.16	2.76	0.79	*0.17	0.11
Exceeded weekly or both daily and weekly drinking limits	0.99	0.25	2.10	0.60	*0.36	0.18	*1.98	1.03	*0.95	0.36	*0.98	0.42	*0.04	0.04

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 non-current drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

December the constant in a time of Maria	Both s	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Family Structure Before Age 18														
Both biological/adoptive parents in the household		4.00		0.45	70.44	4.00	40.00				04.00			
Not current drinker		1.39	66.25	2.45	72.41	1.62	43.36	3.60	66.57	2.55	81.88	2.09	89.90	2.02
Did not exceed drinking limits		1.13	16.03	1.79	20.42	1.47	25.21	2.94	22.01	2.01	15.13	2.04	8.56	1.97
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	9.08 2.34	0.95 0.44	14.19 3.53	1.78 0.93	5.63 1.54	0.91 0.48	24.64 6.78	3.49 1.75	9.90 1.52	1.45 0.56	1.58 *1.41	0.64 0.65	*1.16 *0.38	0.78 0.27
Only biological mother ever in the household (father never present)														
Not current drinker	77.69	0.67	74.85	1.03	79.51	0.76	54.44	2.58	71.84	1.35	79.56	1.01	89.45	0.76
Did not exceed drinking limits		0.53	17.08	0.86	16.24	0.64	26.17	2.08	19.54	1.03	16.76	0.85	9.93	0.75
Exceeded daily but not weekly drinking limits		0.29	5.97	0.59	3.01	0.28	14.92	2.00	6.63	0.69	2.19	0.35	0.34	0.11
Exceeded weekly or both daily and weekly drinking limits	1.49	0.18	2.05	0.32	1.14	0.18	4.36	0.98	1.90	0.34	1.37	0.31	*0.25	0.11
Biological/adoptive parents divorced or no longer living together Not current drinker	73.85	1.61	72.17	2.69	74.78	1.89	52.17	3.90	71.32	2.67	79.95	2.82	86.28	2.45
Did not exceed drinking limits		1.42	19.64	2.53	19.37	1.61	34.52	4.05	19.80	2.34	15.79	2.40	12.65	2.43
Exceeded daily but not weekly drinking limits		0.78	6.32	1.67	3.65	0.66	8.72	2.44	6.55	1.52	2.81	1.06	*0.49	0.35
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	1.90	0.76	1.87	0.67	1.91	0.60	*3.49	1.31	2.29	0.83	*1.45	0.64	*0.58	0.35
Raised by relatives, by foster parents, or in an institution	CC 04	2.00	60.40	F C0	CO 02	0.40	40.04	0.04	50.00	F 00	70.40	4.04	05.47	4.00
Not current drinker	66.21	3.02	60.18	5.68	69.93	3.49	42.64	9.94	50.96	5.36	79.43	4.34	85.17	4.00
Did not exceed drinking limits		2.61	15.67	4.63	19.80	3.17	*20.47	6.92	25.69	5.80	11.44	2.97	14.02	3.96
Exceeded daily but not weekly drinking limits		2.12	19.46	4.41	8.41	2.45	29.99	8.92	19.42	4.48	*6.62	3.23	*0.81	0.80
Exceeded weekly or both daily and weekly drinking limits	2.91	0.97	*4.60	2.12	*1.86	0.88	*6.89	4.67	*3.93	1.88	*2.38	1.51	_	_
Before Age 18, Family Received Government Assistance														
Yes														
Not current drinker	69.82	1.39	66.16	2.58	72.12	1.58	49.59	3.11	66.95	2.33	83.49	2.52	82.63	3.91
Did not exceed drinking limits	19.68	1.19	17.06	2.27	21.33	1.42	26.37	2.63	21.63	1.92	12.55	2.00	17.19	3.91
Exceeded daily but not weekly drinking limits	7.79	0.89	12.76	1.86	4.66	0.70	18.35	2.77	9.11	1.59	1.43	0.43	*0.18	0.18
Exceeded weekly or both daily and weekly drinking limits	2.71	0.52	4.02	1.14	1.89	0.44	5.69	1.55	2.31	0.59	*2.53	1.37	_	_
No Not ourroat drinker	76.87	0.67	74.03	0.98	78.67	0.76	51.78	2.23	70.98	1.18	79.46	0.94	89.59	0.66
Not current drinker Did not exceed drinking limits		0.56	17.15	0.98	16.59	0.76	27.06	2.23	19.84	0.98	16.76	0.94	9.65	0.65
		0.56	6.72	0.66	3.41	0.59	16.25	1.74	7.21	0.98	2.39	0.63	0.44	0.03
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	1.54	0.26	2.06	0.52	1.21	0.29	4.63	0.80	1.88	0.63	1.29	0.34	0.30	0.12
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes														
Not current drinker		3.05	68.60	4.11	67.30	4.64	33.75	8.14	68.00	5.44	76.87	4.25	85.22	6.82
Did not exceed drinking limits		2.35	15.14	2.97	19.56	4.14	26.47	7.02	13.29	3.44	15.77	3.89	*14.78	6.82
Exceeded daily but not weekly drinking limits	9.84	1.94	11.25	2.59	6.39	2.13	24.67	6.91	13.16	4.45	*4.02	1.66	_	_
Exceeded weekly or both daily and weekly drinking limits	5.52	1.38	5.01	1.63	*6.76	2.64	*15.11	6.43	*5.56	2.21	*3.34	1.64	_	_

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 non-current drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Parameter de la constantina della constantina de	Both :	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly low-risk drinking limits at Wave 2	Estimate	S.E.	Ma	ıle	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
iow-risk diffiking liffits at wave 2	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Ever in Jail or Juvenile Detention Center														
No														
Not current drinker	76.18	0.62	73.26	0.93	77.97	0.70	51.96	1.89	70.34	1.08	79.95	0.91	89.18	0.68
Did not exceed drinking limits	17.19	0.50	17.24	0.80	17.17	0.55	26.93	1.66	20.36	0.91	16.36	0.76	10.09	0.68
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	4.96 1.58	0.26 0.14	7.29 2.17	0.54 0.29	3.53 1.22	0.26 0.14	16.41 4.48	1.56 0.70	7.38 1.85	0.57 0.26	2.24 1.35	0.30 0.27	0.43 0.28	0.11 0.10
Before Age 18, Physically Abused by Parent/Caretaker														
Yes														
Not current drinker	71.90	2.89	68.68	4.85	74.06	3.29	54.09	11.46	67.02	4.70	75.33	4.03	83.46	5.32
Did not exceed drinking limits	16.05	2.04	12.55	2.80	18.40	2.84	*22.33	8.83	16.52	3.74	15.64	2.96	12.91	4.33
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	9.11 2.95	2.04 0.89	14.47 *4.31	3.95 1.80	5.51 *2.03	1.57 0.92	*13.41 *10.17	7.04 6.64	13.15 *3.31	4.00 1.53	6.58 *2.46	2.14 1.36	*3.63 —	3.54
Exceeded weekly of both daily and weekly diffiking liftins	2.93	0.09	4.31	1.00	2.03	0.92	10.17	0.04	3.31	1.55	2.40	1.30	_	_
No														
Not current drinker	76.11	0.61	73.19	0.93	77.96	0.69	51.26	1.89	70.41	1.10	80.06	0.89	89.23	0.68
Did not exceed drinking limits	17.21	0.50	17.30	0.79	17.15	0.56	27.00	1.68	20.31	0.93	16.38	0.75	10.09	0.68
Exceeded daily but not weekly drinking limits	4.95	0.27	7.23	0.54	3.50	0.26	16.77	1.58	7.31	0.58	2.10	0.31	0.37	0.09
Exceeded weekly or both daily and weekly drinking limits Before Age 18, Seriously Neglected by Parent/Caretaker	1.64	0.14	2.23	0.29	1.27	0.15	4.76	0.72	1.90	0.27	1.36	0.27	0.28	0.10
belote Age 10, Sellously Neglected by Faletil/Caletaker														
Yes														
Not current drinker	71.34	3.00	75.05	4.28	69.00	3.61	25.19	7.95	69.46	4.37	79.70	3.73	84.70	4.31
Did not exceed drinking limits		2.22	14.14	3.21	17.21	2.69	*23.22	7.92	17.21	3.45	14.09	3.01	13.70	4.18
Exceeded daily but not weekly drinking limits	9.61	1.98	9.35	2.77	9.78	2.40	*32.57	9.80	12.71	3.47	*4.68 *4.54	1.77	*0.73	0.73
Exceeded weekly or both daily and weekly drinking limits	*3.02	1.09	*1.45	1.44	*4.02	1.53	*19.02	8.49	*0.62	0.62	*1.54	1.01	*0.87	0.87
No														
Not current drinker	76.12	0.60	72.97	0.94	78.11	0.67	52.10	1.89	70.30	1.09	79.86	0.89	89.23	0.67
Did not exceed drinking limits	17.21	0.50	17.23	0.81	17.19	0.56	27.02	1.71	20.25	0.93	16.43	0.77	10.06	0.67
Exceeded daily but not weekly drinking limits	4.95	0.26	7.43	0.55	3.37	0.25	16.22	1.54	7.38	0.59	2.21	0.31	0.42	0.11
Exceeded weekly or both daily and weekly drinking limits	1.64	0.14	2.33	0.29	1.21	0.15	4.43	0.69	2.00	0.27	1.41	0.27	0.26	0.10
Before Age 18, Saw Serious Fights at Home														
Yes														
Not current drinker	73.87	1.62	73.23	2.87	74.29	1.93	58.55	6.11	67.32	2.83	79.78	2.27	84.23	3.08
Did not exceed drinking limits		1.25	14.33	1.98	18.90	1.64	18.37	4.70	19.36	1.99	15.76	2.08	14.12	2.88
Exceeded daily but not weekly drinking limits	6.92	1.08	9.47	2.10	5.27	0.94	17.24	4.79	10.27	2.17	3.35	1.03	*1.65	1.29
Exceeded weekly or both daily and weekly drinking limits	2.11	0.46	2.97	1.00	1.55	0.48	*5.85	2.85	3.05	0.97	*1.12	0.46	_	_
No														
Not current drinker	76.19	0.63	73.01	0.95	78.19	0.72	50.73	1.92	70.64	1.13	79.86	0.95	89.38	0.67
Did not exceed drinking limits	17.18	0.52	17.43	0.85	17.02	0.60	27.60	1.69	20.25	0.97	16.42	0.81	9.94	0.67
Exceeded daily but not weekly drinking limits	4.90	0.27	7.28	0.56	3.40	0.27	16.66	1.62	7.21	0.58	2.16	0.32	0.36	0.10
Exceeded weekly or both daily and weekly drinking limits	1.64	0.15	2.24	0.29	1.27	0.15	4.78	0.77	1.82	0.27	1.45	0.28	0.29	0.10

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits 1 at Wave 2 among Wave 1 non-current drinkers, 2 by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

December to be a statistical at Ways 4	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fallerate	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
Yes														
Not current drinker		1.22	75.92	1.87	74.12	1.42	46.90	3.66	71.23	1.84	79.70	1.84	88.06	1.86
Did not exceed drinking limits	16.62	0.96	13.81	1.37	18.49	1.18	28.36	3.61	17.67	1.48	14.95	1.61	11.23	1.80
Exceeded daily but not weekly drinking limits	6.12	0.67	6.56	1.13	5.83	0.79	17.64	3.32	8.94	1.08	2.81	0.72	*0.71	0.54
Exceeded weekly or both daily and weekly drinking limits	2.42	0.44	3.69	0.90	1.57	0.38	7.10	2.15	2.16	0.51	2.51	0.88	_	_
No														
Not current drinker	76.26	0.66	72.26	1.01	78.76	0.78	52.17	2.08	69.97	1.26	79.90	0.95	89.28	0.70
Did not exceed drinking limits		0.59	18.03	0.91	16.87	0.67	26.63	1.80	20.96	1.10	16.79	0.87	9.99	0.69
Exceeded daily but not weekly drinking limits	4.82	0.28	7.73	0.61	3.01	0.27	16.52	1.64	7.10	0.70	2.13	0.32	0.39	0.10
Exceeded weekly or both daily and weekly drinking limits	1.50	0.15	1.94	0.28	1.22	0.16	4.42	0.77	1.89	0.31	1.06	0.23	0.31	0.11
Ever Had No Regular Place to Live Lasting 1+ Months														
Yes														
Not current drinker	77.68	2.59	80.83	3.31	73.54	4.00	44.87	12.64	69.72	4.93	88.44	3.06	82.52	8.01
Did not exceed drinking limits	13.03	2.17	11.59	2.86	14.93	3.43	*20.49	9.40	16.12	4.03	8.52	2.72	*17.48	8.01
Exceeded daily but not weekly drinking limits	4.70	1.28	*2.82	1.32	7.19	2.34	*20.00	10.01	7.08	2.62	*1.21	0.94	_	_
Exceeded weekly or both daily and weekly drinking limits	4.58	1.40	*4.76	1.67	*4.35	2.47	*14.63	10.79	*7.08	2.54	*1.83	1.23	_	_
No														
Not current drinker	75.93	0.62	72.78	0.93	77.90	0.70	51.41	1.89	70.29	1.09	79.58	0.93	89.18	0.67
Did not exceed drinking limits	17.26	0.50	17.32	0.81	17.23	0.55	27.01	1.67	20.26	0.91	16.59	0.77	10.09	0.67
Exceeded daily but not weekly drinking limits	5.10	0.27	7.64	0.56	3.51	0.26	16.65	1.55	7.56	0.60	2.33	0.31	0.43	0.11
Exceeded weekly or both daily and weekly drinking limits	1.62	0.15	2.23	0.28	1.25	0.15	4.71	0.71	1.83	0.26	1.40	0.28	0.28	0.10
Self-Perceived Current Health														
Excellent/Very good														
Not current drinker	70.98	0.93	68.74	1.35	72.54	1.04	49.17	2.10	69.78	1.32	76.86	1.58	87.15	1.17
Did not exceed drinking limits	20.15	0.74	19.47	1.12	20.64	0.82	27.92	1.85	21.29	1.05	18.59	1.25	11.55	1.12
Exceeded daily but not weekly drinking limits		0.42	9.43	0.82	4.79	0.41	17.71	1.77	7.14	0.72	2.86	0.49	*0.64	0.19
Exceeded weekly or both daily and weekly drinking limits	2.09	0.21	2.36	0.37	1.91	0.26	4.94	0.86	1.75	0.28	1.68	0.37	*0.59	0.29
Good														
Not current drinker	79.10	0.97	76.37	1.59	80.75	1.03	60.00	4.12	71.09	2.15	81.17	1.42	88.27	1.23
Did not exceed drinking limits		0.82	15.29	1.27	16.20	0.99	25.37	3.53	18.27	1.54	15.97	1.33	11.38	1.22
Exceeded daily but not weekly drinking limits		0.45	6.26	1.07	2.52	0.38	10.60	2.54	9.13	1.46	1.69	0.53	*0.30	0.21
Exceeded weekly or both daily and weekly drinking limits	1.07	0.24	1.95	0.59	0.54	0.17	*3.92	1.87	1.35	0.41	1.17	0.52	*0.05	0.05
Fair/Poor														
Not current drinker		0.88	83.01	1.73	86.62	0.90	57.84	7.01	76.08	2.75	84.67	1.30	91.88	0.85
Did not exceed drinking limits		0.78	12.55	1.50	10.69	0.78	22.81	5.65	15.67	2.27	12.60	1.21	7.53	0.85
Exceeded daily but not weekly drinking limits		0.36	2.55	0.66	1.73	0.39	*14.25	5.66	5.11	1.51	1.41	0.38	[*] 0.36	0.19
Exceeded weekly or both daily and weekly drinking limits	1.14	0.26	1.89	0.55	0.75	0.28	*5.10	2.53	3.10	1.18	0.95	0.33	*0.22	0.09

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 non-current drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Dependent share staristics at Ways 4	Both s	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Factoria	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	ınd older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Covered by Health Insurance														
Yes														
Not current drinker		0.66	76.26	0.97	79.13	0.75	52.97	2.33	71.42	1.21	80.21	0.99	89.07	0.67
Did not exceed drinking limits	16.37	0.53	16.12	0.81	16.52	0.59	25.64	2.11	20.16	0.97	16.30	0.85	10.20	0.67
Exceeded daily but not weekly drinking limits		0.27	5.70	0.49	3.04	0.29	16.19	1.76	6.44	0.64	2.15	0.35	0.43	0.11
Exceeded weekly or both daily and weekly drinking limits	1.47	0.14	1.88	0.29	1.21	0.16	5.20	0.95	1.89	0.31	1.22	0.27	0.28	0.10
No														
Not current drinker	67.56	1.31	59.83	2.29	72.49	1.34	48.65	2.84	66.98	2.20	78.44	1.82	91.87	3.68
Did not exceed drinking limits	20.49	1.00	21.32	1.76	19.96	1.16	28.95	2.32	20.15	1.66	16.51	1.70	*7.76	3.65
Exceeded daily but not weekly drinking limits		0.92	14.77	1.87	5.74	0.74	17.52	2.57	10.72	1.51	2.88	0.67	*0.37	0.37
Exceeded weekly or both daily and weekly drinking limits	2.56	0.39	4.05	0.89	1.61	0.38	4.31	1.07	2.16	0.50	2.15	0.74	_	_
Tobacco Use Status														
Current user														
Not current drinker	71.20	1.29	69.13	1.89	73.32	1.61	32.50	4.54	64.38	2.70	78.03	1.66	87.86	2.12
Did not exceed drinking limits	17.62	1.07	17.58	1.62	17.65	1.45	27.52	5.01	19.79	2.12	16.53	1.51	10.58	1.92
Exceeded daily but not weekly drinking limits	8.05	0.81	9.05	1.26	7.02	0.97	27.95	5.19	12.18	1.69	3.57	0.81	*0.61	0.38
Exceeded weekly or both daily and weekly drinking limits	3.05	0.50	4.09	0.81	1.99	0.50	12.03	3.55	3.41	0.77	1.87	0.65	*0.95	0.58
Ex-user														
Not current drinker	82.42	1.06	83.53	1.31	81.14	1.58	51.89	10.31	74.09	2.76	81.10	1.68	88.33	1.20
Did not exceed drinking limits	14.28	0.95	12.51	1.22	16.32	1.36	*24.24	9.11	17.74	2.38	15.73	1.54	11.13	1.21
Exceeded daily but not weekly drinking limits	2.45	0.40	3.19	0.66	1.59	0.41	*13.94	8.36	7.60	1.71	1.96	0.55	*0.28	0.19
Exceeded weekly or both daily and weekly drinking limits	0.79	0.22	*0.77	0.28	*0.82	0.35	*9.92	6.78	*0.57	0.36	*1.05	0.38	*0.26	0.17
Lifetime nonsmoker														
Not current drinker	75.42	0.78	69.68	1.34	78.07	0.78	53.83	2.01	71.36	1.25	80.08	1.11	89.78	0.85
Did not exceed drinking limits	17.87	0.64	19.16	1.13	17.27	0.66	26.92	1.73	20.60	1.06	16.51	0.97	9.54	0.85
Exceeded daily but not weekly drinking limits	5.05	0.34	8.87	0.82	3.29	0.29	15.28	1.55	6.25	0.59	1.94	0.38	0.47	0.15
Exceeded weekly or both daily and weekly drinking limits	1.57	0.16	2.28	0.37	1.25	0.17	3.71	0.61	1.75	0.30	1.37	0.34	*0.16	0.09
Drug Use Status														
Current user														
Not current drinker	65.14	4.08	65.76	5.65	64.46	5.19	31.05	10.57	62.02	6.01	81.82	5.89	80.51	9.52
Did not exceed drinking limits	17.56	3.02	11.17	3.39	24.47	4.61	*13.65	6.02	22.99	4.87	13.09	4.76	*12.71	7.58
Exceeded daily but not weekly drinking limits	11.71	3.01	15.05	4.88	*8.10	2.95	41.00	11.05	*9.73	4.10	*3.95	3.85		_
Exceeded weekly or both daily and weekly drinking limits	4.87	1.73	*6.77	2.95	*2.81	1.74	*14.30	8.00	*3.63	2.35	*1.14	0.98	*6.77	6.52
Ex-user														
Not current drinker	72.18	1.71	77.84	2.12	64.86	2.98	47.22	7.14	68.70	2.64	80.66	2.18	92.33	3.99
Did not exceed drinking limits		1.52	12.75	1.71	24.58	2.76	25.53	6.07	19.86	2.45	14.70	2.03	*7.67	3.99
Exceeded daily but not weekly drinking limits		1.01	7.26	1.35	8.39	1.63	21.74	5.69	9.19	1.56	3.21	0.97	_	_
Exceeded weekly or both daily and weekly drinking limits	2.07	0.51	2.12	0.63	*2.02	0.85	*5.51	3.00	2.08	0.67	*1.41	0.63	_	_
, , , ,														

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits 1 at Wave 2 among Wave 1 non-current drinkers, 2 by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree destables statistics at West 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly			Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Drug Use Status														
Lifetime nondrug user														
Not current drinker	76.57	0.69	72.52	1.00	78.92	0.76	52.23	2.01	70.78	1.21	79.72	1.01	89.15	0.68
Did not exceed drinking limits	17.09 4.69	0.55 0.28	17.98	0.86 0.58	16.58	0.61	27.40	1.75 1.55	20.11 7.22	1.02	16.60 2.16	0.81	10.16 0.44	0.68 0.11
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	1.58	0.26	7.30 2.20	0.31	3.17 1.22	0.25 0.15	15.59 4.54	0.77	1.89	0.61 0.29	1.42	0.31 0.29	0.44	0.11
Any Major Depressive Disorder in the Past Year														
Yes														
Not current drinker	77.32	2.04	83.04	3.60	75.06	2.46	47.71	7.88	75.12	4.27	81.78	2.89	92.49	2.66
Did not exceed drinking limits		1.76	10.10	3.03	19.87	2.21	23.87	6.82	21.57	4.03	15.04	2.76	*7.19	2.63
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	3.52 2.06	0.97 0.68	*3.46 *3.40	1.51 1.53	3.55 *1.52	1.22 0.73	*20.88 *7.53	7.08 4.11	*2.15 *1.17	1.01 0.88	*1.14 *2.04	0.52 0.98	*0.32 —	0.32
Exceeded weekly of both daily and weekly diffiking liftins	2.00	0.00	3.40	1.55	1.52	0.73	7.55	4.11	1.17	0.00	2.04	0.96	_	_
No														
Not current drinker	75.90	0.63	72.67	0.94	78.00	0.70	51.48	1.87	70.02	1.10	79.73	0.92	89.04	0.69
Did not exceed drinking limits	17.18	0.51	17.39	0.81	17.04	0.56	27.06	1.65	20.08	0.91	16.43	0.75	10.22	0.68
Exceeded daily but not weekly drinking limits	5.17	0.28	7.63	0.56	3.57	0.26	16.50	1.57	7.84	0.62	2.37	0.32	0.43	0.11
Exceeded weekly or both daily and weekly drinking limits	1.67	0.15	2.27	0.29	1.28	0.15	4.73	0.73	2.00	0.27	1.37	0.29	0.28	0.10
Any Major Depressive Disorder in Life														
Yes														
Not current drinker	77.41	1.23	78.40	2.86	77.00	1.43	54.06	5.45	73.51	2.69	80.63	1.88	89.03	2.09
Did not exceed drinking limits		1.10	14.92	2.51	18.71	1.27	22.84	4.39	20.38	2.41	17.40	1.85	10.06	1.96
Exceeded daily but not weekly drinking limits	3.51 1.48	0.65 0.38	4.95 *1.73	1.53 0.71	2.92	0.59	16.13 *6.97	4.69 3.04	4.51 *1.61	1.17 0.69	1.16 *0.81	0.41	*0.91	0.80
Exceeded weekly or both daily and weekly drinking limits	1.48	0.38	1.73	0.71	1.37	0.45	6.97	3.04	1.01	0.69	0.81	0.39	_	_
No.	75.70	0.05	70.50	0.00	77.00	0.70	54.00	4.00	00.05	4.40	70.74	0.07	00.44	0.00
Not current drinker Did not exceed drinking limits	75.79 17.12	0.65 0.53	72.53 17.35	0.96 0.83	77.96 16.97	0.72 0.59	51.03 27.32	1.92 1.68	69.85 20.13	1.16 0.96	79.71 16.16	0.97 0.80	89.14 10.15	0.69 0.69
Exceeded daily but not weekly drinking limits	5.29	0.53	7.72	0.63	3.67	0.59	16.76	1.63	7.94	0.96	2.50	0.80	0.39	0.69
Exceeded weekly or both daily and weekly drinking limits	1.71	0.15	2.36	0.30	1.28	0.16	4.65	0.73	2.00	0.27	1.52	0.32	0.30	0.10
Family History of Alcoholism														
None														
Not current drinker	73.39	0.78	69.27	1.22	75.98	0.98	50.96	2.29	66.07	1.49	76.17	1.34	88.67	0.93
Did not exceed drinking limits	18.36	0.67	18.70	1.06	18.14	0.82	26.30	2.06	21.79	1.30	18.85	1.19	10.38	0.92
Exceeded daily but not weekly drinking limits	6.11	0.40	9.36	0.87	4.06	0.34	17.76	2.02	9.60	0.93	2.88	0.48	0.44	0.15
Exceeded weekly or both daily and weekly drinking limits	2.04	0.20	2.61	0.38	1.69	0.23	4.62	0.93	2.45	0.39	2.02	0.43	0.46	0.17
2nd-degree relatives only	75 70	4.00	70.50	0.00	77.00	4.50	F4 F4	4.40	75.00	0.00	00.00	4.07	00.05	4.04
Not current drinker Did not exceed drinking limits	75.73 18.01	1.32 1.19	73.56 18.37	2.30 2.07	77.22 17.76	1.58 1.40	51.54 27.55	4.10 3.71	75.39 19.26	2.06 1.90	80.82 16.72	1.97 1.84	89.85 9.08	1.81 1.70
Exceeded daily but not weekly drinking limits	4.84	0.61	5.91	1.10	4.11	0.71	15.25	2.67	4.39	0.99	1.95	0.65	*1.07	0.75
Exceeded weekly or both daily and weekly drinking limits	1.29	0.35	2.13	0.73	0.71	0.71	5.59	1.93	*0.96	0.40	*0.11	0.03	_	_

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits 1 at Wave 2 among Wave 1 non-current drinkers, 2 by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

December the contesting of Ways	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatimete	0.5	Ма	ıle	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Family History of Alcoholism														
1st-degree relatives only														
Not current drinker		1.09	79.45	2.02	83.25	1.34	53.08	6.81	73.98	2.43	82.76	1.78	90.49	1.29
Did not exceed drinking limits		1.04	15.87	1.84	14.14	1.27	31.23	5.66	18.68	2.22	15.07	1.77	9.28	1.29
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	2.76 0.59	0.48 0.17	3.86 *0.80	0.95 0.34	2.09 *0.46	0.52 0.20	*13.47 *2.21	5.12 1.34	6.49 *0.67	1.48 0.41	1.39 *0.76	0.40 0.34	*0.14 *0.09	0.14 0.09
Both 1st- and 2nd-degree relatives														
Not current drinker		1.18	78.05	1.99	79.12	1.38	51.48	4.66	74.37	1.99	84.84	1.57	88.44	1.83
Did not exceed drinking limits		0.98	12.73	1.37	16.58	1.31	26.35	4.11	17.67	1.70	11.71	1.34	11.33	1.76
Exceeded daily but not weekly drinking limits	4.31	0.60	6.44	1.22	2.97	0.50	16.34	3.57	5.70	1.10	1.99	0.63	*0.23	0.23
Exceeded weekly or both daily and weekly drinking limits	1.88	0.40	2.77	0.78	1.33	0.36	5.83	2.01	2.25	0.61	*1.45	0.79	_	_
Any Parent Alcoholic														
Yes														
Not current drinker	77.70	1.12	74.99	2.02	79.49	1.25	48.89	4.09	73.97	1.80	83.44	1.68	89.73	1.80
Did not exceed drinking limits	15.97	0.99	15.44	1.56	16.32	1.17	30.67	3.78	17.70	1.53	13.09	1.58	10.12	1.79
Exceeded daily but not weekly drinking limits	4.43	0.53	6.57	1.16	3.01	0.52	15.24	3.08	6.45	1.02	1.66	0.56	_	_
Exceeded weekly or both daily and weekly drinking limits	1.90	0.41	3.00	0.83	1.17	0.35	5.20	1.89	1.89	0.53	1.82	0.88	*0.15	0.15
No														
Not current drinker		0.66	72.56	1.02	77.46	0.80	51.78	2.02	69.26	1.26	78.84	0.98	89.05	0.69
Did not exceed drinking limits		0.56	17.55	0.88	17.39	0.66	26.18	1.73	20.83	1.06	17.26	0.85	10.14	0.69
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	5.24 1.64	0.30 0.15	7.70 2.14	0.62 0.29	3.70 1.32	0.28 0.16	16.99 4.79	1.67 0.78	7.85 1.98	0.70 0.30	2.48 1.30	0.34 0.26	0.48 0.29	0.13 0.11
	1.04	0.15	2.14	0.29	1.32	0.16	4.79	0.76	1.90	0.30	1.30	0.26	0.29	0.11
Married to Alcoholic/Lived with Alcoholic as if Married														
Yes														
Not current drinker	79.81	1.34	77.92	3.35	80.28	1.54	57.78	17.22	71.16	2.83	79.80	2.02	92.18	1.45
Did not exceed drinking limits		1.26	13.51	2.77	15.80	1.40	*2.16	2.24	20.00	2.61	16.63	1.81	7.49	1.41
Exceeded daily but not weekly drinking limits	3.73	0.63	5.80	2.19	3.22	0.59	*23.39	13.44	6.98	1.55	2.94	0.91		_
Exceeded weekly or both daily and weekly drinking limits	1.11	0.34	*2.72	1.21	*0.71	0.31	*16.68	14.82	*1.82	0.79	*0.63	0.36	*0.33	0.23
No	75.50					. ==	=	4.00			70.00			
Not current drinker		0.67	72.76	0.96	77.45	0.75	51.24	1.88	70.17	1.21	79.86	0.95	88.80	0.72
Did not exceed drinking limits	17.38 5.24	0.53 0.29	17.34 7.58	0.80	17.41	0.59	27.17	1.67	20.17	0.96	16.30	0.79	10.43 0.47	0.72
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	1.75	0.29	2.28	0.57 0.30	3.63 1.38	0.28 0.17	16.63 4.73	1.56 0.71	7.61 1.97	0.65 0.28	2.19 1.54	0.30 0.30	0.47	0.12 0.11
Any Alcohol Treatment in the Past Year		00	2.20	0.00		0		· · ·		0.20		0.00	0.2.	0
•														
Yes						4.00	******	04.05	0.4.07	4.05	0.4.00		00.50	40.0-
Not current drinker		2.83	86.34	3.62	88.08	4.36	*39.24	31.69	84.27	4.88	94.26	2.34	68.58	12.38
Did not exceed drinking limits Exceeded daily but not weekly drinking limits		1.48	*3.96 *6.73	1.60	*5.82 *2.26	3.29		_	*3.25	1.92	*2.31 *1.64	1.17	*23.44	11.36
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	5.37 *3.17	2.13 1.34	*2.88	2.97 1.48	*3.84	1.34 2.85	*60.76	— 31.69	*10.38 *1.96	4.46 1.20	*1.64 *1.79	1.40 1.47	*7.97	— 7.59
Exceeded weekly of both daily and weekly diffiking lifflits	3.17	1.34	2.00	1.40	3.04	2.00	00.70	31.09	1.50	1.20	1.13	1.47	1.31	1.59

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits 1 at Wave 2 among Wave 1 non-current drinkers, 2 by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Dependent characteristics at Ware 4	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatimeta	0.5	Ма	le	Fen	nale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Alcohol Treatment in the Past Year														
No														
Not current drinker		0.63	72.62	0.95	77.75	0.70	51.33	1.87	69.93	1.11	79.50	0.93	89.25	0.68
Did not exceed drinking limits		0.50	17.55	0.81	17.29	0.56	26.96	1.66	20.57	0.92	16.68	0.77	10.06	0.67
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	5.08 1.66	0.27 0.14	7.51 2.29	0.55 0.29	3.58 1.27	0.26 0.15	16.74 4.75	1.55 0.71	7.48 1.96	0.61 0.27	2.31 1.40	0.31 0.28	0.43 0.23	0.11 0.09
Any Alcohol Treatment in Life														
Yes														
Not current drinker	81.41	2.32	81.78	2.76	80.37	4.08	[*] 62.21	19.72	78.87	3.81	83.44	2.98	84.71	4.23
Did not exceed drinking limits		1.62	7.44	1.74	14.24	3.76	[*] 11.90	11.61	7.00	2.22	10.72	2.66	*9.94	3.13
Exceeded daily but not weekly drinking limits		1.55	7.82	2.01	*3.67	1.59	*10.60	10.48	9.91	3.02	*5.06	2.03	*2.60	2.53
Exceeded weekly or both daily and weekly drinking limits	2.62	0.80	2.93	0.97	*1.72	1.29	*15.29	14.37	*4.17	1.63	*0.78	0.56	*2.75	2.19
No														
Not current drinker	75.72	0.65	72.24	0.99	77.79	0.71	51.22	1.88	69.79	1.13	79.61	0.94	89.23	0.70
Did not exceed drinking limits	17.53	0.52	18.01	0.85	17.25	0.56	27.03	1.67	20.89	0.94	16.72	0.76	10.15	0.69
Exceeded daily but not weekly drinking limits	5.01	0.28	7.45	0.56	3.57	0.26	16.75	1.56	7.41	0.60	2.11	0.28	0.38	0.10
Exceeded weekly or both daily and weekly drinking limits	1.64	0.14	2.25	0.29	1.28	0.15	4.77	0.72	1.83	0.25	1.45	0.29	0.22	0.09
Conduct Disorder														
Yes														
Not current drinker	54.78	6.78	55.08	8.89	54.24	11.60	40.31	12.53	44.87	11.90	73.74	10.51	*63.66	18.77
Did not exceed drinking limits		6.44	*23.74	7.91	*20.01	11.26	*8.00	5.91	*37.83	13.48	*18.63	11.48	[*] 18.85	16.36
Exceeded daily but not weekly drinking limits	19.82	6.09	*20.26	8.41	*19.03	10.15	[*] 40.79	14.56	*17.30	11.75	[*] 6.65	5.39	*17.49	15.45
Exceeded weekly or both daily and weekly drinking limits	*3.00	2.42	*0.92	0.68	*6.71	6.44	*10.90	9.18	_	_	*0.98	1.02	_	_
No														
Not current drinker		0.61	73.27	0.93	77.95	0.68	51.51	1.87	70.49	1.09	79.90	0.90	89.22	0.66
Did not exceed drinking limits		0.50	17.05	0.79	17.18	0.55	27.25	1.67	20.00	0.90	16.33	0.76	10.11	0.66
Exceeded daily but not weekly drinking limits	4.97	0.26	7.31	0.54	3.50	0.24	16.27	1.52	7.46	0.59	2.26	0.30	0.37	0.09
Exceeded weekly or both daily and weekly drinking limits	1.67	0.14	2.32	0.29	1.27	0.15	4.75	0.72	1.97	0.26	1.41	0.28	0.28	0.10
Paranoid Personality Disorder — Lifetime														
Yes														
Not current drinker	77.24	2.22	73.54	4.43	79.17	2.53	53.63	6.77	74.61	4.29	86.07	3.00	89.01	4.04
Did not exceed drinking limits		1.74	12.36	2.93	14.44	2.18	21.31	5.46	15.47	3.20	10.62	2.74	*8.09	3.53
Exceeded daily but not weekly drinking limits	7.56	1.58	11.94	3.65	5.28	1.52	21.78	6.80	7.84	2.61	*2.74	1.40	*2.90	2.69
Exceeded weekly or both daily and weekly drinking limits	1.47	0.53	*2.15	1.27	*1.11	0.47	*3.27	1.62	*2.08	1.19	*0.56	0.44	_	_
No														
Not current drinker	75.92	0.63	73.01	0.95	77.78	0.72	51.19	1.91	70.08	1.10	79.60	0.95	89.13	0.69
Did not exceed drinking limits		0.50	17.30	0.81	17.31	0.57	27.21	1.71	20.37	0.91	16.58	0.78	10.18	0.68
Exceeded daily but not weekly drinking limits	4.99	0.27	7.33	0.54	3.50	0.26	16.43	1.58	7.53	0.59	2.28	0.31	0.38	0.10
Exceeded weekly or both daily and weekly drinking limits	1.69	0.15	2.31	0.29	1.30	0.15	4.94	0.76	1.95	0.27	1.45	0.29	0.28	0.10

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits 1 at Wave 2 among Wave 1 non-current drinkers, 2 by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

B	Both s	sexes			Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatimente	0.5	Ma	ile	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Schizoid Personality Disorder — Lifetime														
Yes														
Not current drinker	79.97	2.57	76.06	4.59	82.31	2.93	65.74	7.13	72.88	4.84	86.87	3.41	95.54	2.63
Did not exceed drinking limits	12.53	1.97	15.23	3.95	10.93	2.14	14.22	4.75	14.82	3.54	12.45	3.39	*4.46	2.63
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	6.49 *1.00	1.96 0.58	*6.72 *1.99	3.03 1.43	6.35 *0.41	2.24 0.34	*20.04 —	7.25 —	*9.13 *3.18	3.34 1.81	*0.68 —	0.49 —	_	_
No														
Not current drinker	75.85	0.64	72.94	0.94	77.69	0.70	50.63	1.90	70.19	1.11	79.58	0.94	89.04	0.68
Did not exceed drinking limits	17.32	0.50	17.20	0.80	17.40	0.56	27.51	1.70	20.32	0.91	16.50	0.79	10.23	0.68
Exceeded daily but not weekly drinking limits	5.04	0.27	7.51	0.56	3.48	0.25	16.55	1.55	7.50	0.60	2.36	0.31	0.43	0.11
Exceeded weekly or both daily and weekly drinking limits	1.71	0.15	2.31	0.29	1.32	0.15	5.09	0.76	1.92	0.26	1.47	0.29	0.28	0.10
Schizotypal Personality Disorder — Lifetime ³														
Yes														
Not current drinker	72.22	2.67	66.48	4.32	76.55	2.96	48.29	7.81	72.27	4.23	78.25	3.90	87.95	4.60
Did not exceed drinking limits	19.12	2.01	20.43	3.53	18.13	2.59	33.30	7.08	18.77	3.04	15.46	3.20	*11.10	4.55
Exceeded daily but not weekly drinking limits	7.01	1.57	10.03	2.57	4.73	1.66	17.74	5.49	8.07	2.95	*2.88	1.16	. —	_
Exceeded weekly or both daily and weekly drinking limits	1.65	1.03	*3.06	2.07	*0.59	0.32	*0.68	0.45	*0.90	0.52	*3.41	2.82	*0.95	0.94
No														
Not current drinker	76.13	0.62	73.33	0.92	77.88	0.71	51.49	1.88	70.17	1.14	79.91	0.90	89.15	0.68
Did not exceed drinking limits	17.09	0.51	16.99	0.80	17.16	0.57	26.53	1.62	20.23	0.93	16.38	0.78	10.12	0.68
Exceeded daily but not weekly drinking limits	5.01	0.27	7.37	0.54	3.53	0.26	16.64	1.57	7.52	0.61	2.27	0.32	0.43	0.11
Exceeded weekly or both daily and weekly drinking limits	1.69	0.14	2.27	0.28	1.32	0.15	5.11	0.76	2.02	0.27	1.33	0.25	0.26	0.10
Antisocial Personality Disorder — Lifetime ³														
Yes														
Not current drinker	70.67	3.38	71.85	4.04	67.87	6.83	43.13	8.95	73.99	5.36	84.39	4.57	73.28	11.77
Did not exceed drinking limits	17.69	3.00	16.50	3.60	20.53	6.09	30.36	8.42	13.65	4.72	12.20	4.30	*26.72	11.77
Exceeded daily but not weekly drinking limits	8.38	2.12	8.16	2.30	*8.88	4.53	22.27	7.76	[*] 6.81	2.68	[*] 2.96	1.83	_	_
Exceeded weekly or both daily and weekly drinking limits	3.27	1.22	*3.49	1.50	*2.73	2.05	*4.24	2.86	*5.55	2.61	*0.45	0.34	_	_
No														
Not current drinker	76.10	0.62	73.09	0.95	77.95	0.71	51.70	1.85	70.16	1.10	79.74	0.92	89.25	0.66
Did not exceed drinking limits	17.16	0.50	17.17	0.82	17.16	0.56	26.74	1.60	20.36	0.91	16.44	0.76	10.02	0.66
Exceeded daily but not weekly drinking limits	5.01	0.27	7.45	0.57	3.51	0.26	16.43	1.58	7.57	0.60	2.28	0.31	0.43	0.11
Exceeded weekly or both daily and weekly drinking limits	1.65	0.14	2.25	0.29	1.28	0.15	4.89	0.74	1.84	0.26	1.43	0.28	0.28	0.10
Borderline Personality Disorder — Lifetime ³														
Yes														
Not current drinker	65.33	2.31	66.45	3.48	64.61	2.88	35.47	6.39	66.32	3.70	74.84	3.81	74.95	6.43
Did not exceed drinking limits	19.19	1.82	14.03	2.65	22.52	2.49	32.02	5.38	15.57	2.58	16.75	3.13	22.85	6.08
Exceeded daily but not weekly drinking limits	10.46	1.54	10.00	2.07	10.75	2.02	24.27	5.15	12.62	2.55	4.26	1.21	*1.22	1.21
Exceeded weekly or both daily and weekly drinking limits	4.90	1.24	9.52	2.52	1.93	1.05	*7.45	3.39	5.50	2.07	*4.15	2.18	*0.97	0.97

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 non-current drinkers,² by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decreeded there is the same of	Both s	sexes			Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly the status of exceeding a large at Ways 2	Estimata	S.E.	Ма	ıle	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Borderline Personality Disorder — Lifetime ³														
No														
Not current drinker		0.63	73.39	0.96	78.53	0.71	52.49	1.94	70.55	1.12	80.13	0.88	89.41	0.68
Did not exceed drinking limits		0.52	17.31	0.83	16.91	0.58	26.53	1.71	20.48	0.94	16.32	0.77	9.89	0.68
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits		0.27 0.13	7.35 1.92	0.56 0.26	3.19 1.26	0.25 0.14	16.14 4.66	1.57 0.74	7.19 1.71	0.61 0.24	2.19 1.26	0.31 0.25	0.41 0.26	0.11 0.10
Histrionic Personality Disorder — Lifetime														
Yes														
Not current drinker		5.72	64.81	9.05	60.33	7.18	_60.80	10.64	59.41	8.84	58.80	9.94	92.38	7.55
Did not exceed drinking limits	22.48	4.75	22.14	7.65	22.76	5.79	*22.09	8.63	23.08	6.97	*26.84	9.30	*7.62	7.55
Exceeded daily but not weekly drinking limits		4.01	*11.92	5.79	*16.02	5.47	*17.11	7.72	*16.56	7.86	*11.61 *0.75	6.11	_	_
Exceeded weekly or both daily and weekly drinking limits	*1.00	0.62	*1.14	1.15	*0.88	0.62	_	_	*0.95	0.93	*2.75	2.13	_	_
No														
Not current drinker	76.11	0.62	73.13	0.93	77.99	0.70	50.99	1.84	70.38	1.08	80.02	0.92	89.12	0.68
Did not exceed drinking limits		0.49	17.08	0.78	17.15	0.55	27.07	1.61	20.13	0.90	16.26	0.75	10.15	0.68
Exceeded daily but not weekly drinking limits		0.27	7.43	0.55	3.46	0.26	16.69	1.60	7.46	0.59	2.22	0.31	0.43	0.11
Exceeded weekly or both daily and weekly drinking limits	1.69	0.15	2.32	0.29	1.30	0.15	5.02	0.74	1.97	0.26	1.40	0.28	0.28	0.10
Narcissistic Personality Disorder — Lifetime ³														
Yes														
Not current drinker	64.99	2.10	63.77	3.16	66.23	3.01	40.64	5.45	62.91	3.54	73.33	3.76	84.22	4.09
Did not exceed drinking limits		1.82	18.12	2.60	23.49	2.44	28.63	5.29	23.20	3.11	16.27	2.53	13.55	3.96
Exceeded daily but not weekly drinking limits	10.41	1.35	12.95	2.29	7.84	1.92	26.80	5.32	11.42	2.33	3.72	1.21	*1.01 *4.00	1.01
Exceeded weekly or both daily and weekly drinking limits	3.81	1.09	5.17	2.04	2.44	0.72	*3.93	1.84	2.46	1.01	*6.68	3.08	*1.22	0.83
No														
Not current drinker		0.62	73.74	0.96	78.38	0.69	52.31	1.90	70.82	1.12	80.20	0.89	89.28	0.69
Did not exceed drinking limits		0.51	17.06	0.80	16.90	0.57	26.75	1.65	19.93	0.95	16.35	0.78	10.04	0.69
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	4.78 1.56	0.27 0.14	7.06 2.09	0.56 0.26	3.37 1.24	0.24 0.15	15.76 4.94	1.60 0.77	7.26 1.92	0.62 0.27	2.22 1.13	0.31 0.22	0.41 0.25	0.11 0.10
Avoidant Personality Disorder — Lifetime														
•														
Yes	78.50	3.00	79.43	5.36	78.03	3.48	65.81	8.60	79.09	4.31	81.06	5.45	92.72	6.07
Not current drinker Did not exceed drinking limits		2.80	18.63	5.23	78.03 16.09	3.48	20.20	6.34	79.09 15.67	3.93	18.57	5.45 5.45	92.72 *7.28	6.07
Exceeded daily but not weekly drinking limits	3.81	1.34	*1.25	0.94	5.08	1.93	*11.34	5.96	*4.45	1.98	*0.37	0.37	7.26 —	
Exceeded weekly or both daily and weekly drinking limits	*0.77	0.44	*0.69	0.69	*0.81	0.57	*2.65	1.90	*0.79	0.78	_	_	_	_
No														
Not current drinker	75.91	0.62	72.91	0.94	77.83	0.70	50.75	1.88	70.05	1.09	79.82	0.92	89.10	0.68
Did not exceed drinking limits	17.18	0.50	17.11	0.80	17.22	0.56	27.17	1.67	20.27	0.91	16.29	0.76	10.16	0.68
Exceeded daily but not weekly drinking limits		0.27	7.61	0.55	3.53	0.26	16.91	1.60	7.63	0.61	2.35	0.31	0.43	0.11
Exceeded weekly or both daily and weekly drinking limits	1.71	0.15	2.34	0.29	1.30	0.15	4.94	0.74	1.99	0.27	1.45	0.28	0.28	0.10

Table 1-4. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits 1 at Wave 2 among Wave 1 non-current drinkers, 2 by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decreased and all constrainting at Ways 4	Both :	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly low-risk drinking limits at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
iow-risk diffiking lifflits at wave 2	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Dependent Personality Disorder — Lifetime														
Yes														
Not current drinker	78.00	6.69	*87.92	10.47	74.48	7.62	*68.03	16.94	75.06	12.22	91.45	8.13	*71.44	17.80
Did not exceed drinking limits	*19.40	6.66	*10.11	10.09	*22.69	7.79	*26.90	16.12	*24.94	12.22	*8.55	8.13	*19.31	16.85
Exceeded daily but not weekly drinking limits	*2.09	1.51	_	_	*2.83	1.99	*2.90	3.06	_	_	_	_	*9.25	9.08
Exceeded weekly or both daily and weekly drinking limits	*0.52	0.52	*1.97	2.13	_	_	*2.18	2.31	_	_	_	_	_	_
No														
Not current drinker	75.96	0.62	72.99	0.93	77.85	0.69	51.15	1.88	70.25	1.08	79.80	0.91	89.18	0.68
Did not exceed drinking limits	17.16	0.50	17.16	0.79	17.17	0.55	26.91	1.65	20.13	0.90	16.38	0.75	10.12	0.68
Exceeded daily but not weekly drinking limits	5.10	0.27	7.51	0.54	3.57	0.26	16.83	1.57	7.58	0.59	2.31	0.31	0.40	0.11
Exceeded weekly or both daily and weekly drinking limits	1.69	0.14	2.31	0.28	1.30	0.15	4.88	0.73	1.97	0.26	1.42	0.28	0.28	0.10
Obsessive-Compulsive Personality Disorder — Lifetime														
Yes														
Not current drinker	76.70	1.94	72.86	3.18	79.28	2.44	49.35	6.98	75.58	3.29	83.04	2.43	86.29	3.11
Did not exceed drinking limits	17.41	1.82	18.84	2.74	16.44	2.24	29.53	6.26	19.84	3.09	13.37	2.31	11.88	2.88
Exceeded daily but not weekly drinking limits	4.80	0.91	6.85	1.70	3.42	1.04	17.33	4.98	4.05	1.40	*2.44	0.93	*1.83	1.38
Exceeded weekly or both daily and weekly drinking limits	1.09	0.38	*1.44	0.65	*0.86	0.44	*3.79	2.03	*0.53	0.31	*1.16	0.66	_	_
No														
Not current drinker	75.92	0.62	73.04	0.93	77.74	0.71	51.47	1.93	69.87	1.09	79.59	0.95	89.26	0.69
Did not exceed drinking limits	17.16	0.49	17.01	0.79	17.25	0.55	26.70	1.65	20.18	0.90	16.59	0.77	10.06	0.68
Exceeded daily but not weekly drinking limits	5.11	0.43	7.53	0.78	3.58	0.33	16.65	1.59	7.82	0.63	2.29	0.32	0.36	0.10
Exceeded weekly or both daily and weekly drinking limits	1.73	0.15	2.37	0.30	1.32	0.15	4.94	0.75	2.07	0.28	1.43	0.29	0.29	0.10

Exceeding daily drinking limit: 5+ drinks for men and 4+ drinks for women on one or more occasions or the usual or largest ethanol intake of any beverage type greater than 4.5 drinks for men and greater than 3.5 drinks for women. Exceeding weekly drinking limit: on average more than 14 drinks per week for men and more than 7 drinks per week for women.

Non-current drinker: did not have 1 or more drinks in the past year.

Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.

Fewer than 10 observations in the cell.

SOURCE: NIAAA 2001-2002 and 2004-2005 National Epidemiologic Surveys on Alcohol and Related Conditions.

[—] Empty cell.

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 current drinkers² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1.

Description of the secretaristics of West 4	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatianata	0.5	Ма	le	Fen	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Total</u>														
Not current drinker	16.85	0.52	15.56	0.67	18.01	0.64	15.07	1.24	16.29	0.68	15.58	0.76	21.87	1.02
Did not exceed drinking limits	60.90	0.60	59.51	0.80	62.14	0.75	37.84	1.79	57.07	0.87	67.41	0.81	69.47	1.21
Exceeded daily but not weekly drinking limits	17.32	0.47	19.69	0.69	15.21	0.54	38.11	1.87	22.67	0.82	12.31	0.60	3.29	0.41
Exceeded weekly or both daily and weekly drinking limits	4.77	0.27	5.00	0.39	4.57	0.33	8.91	1.09	3.83	0.33	4.61	0.40	4.97	0.56
Race/Ethnicity														
White, Not Hispanic or Latino														
Not current drinker	14.75	0.52	14.05	0.76	15.35	0.61	11.78	1.54	13.57	0.78	13.75	0.80	19.97	0.98
Did not exceed drinking limits		0.67	62.05	0.92	64.43	0.84	38.13	2.27	58.70	1.11	68.63	0.91	71.64	1.24
Exceeded daily but not weekly drinking limits	16.99	0.54	18.64	0.78	15.57	0.64	41.27	2.29	23.71	1.04	12.89	0.69	2.98	0.43
Exceeded weekly or both daily and weekly drinking limits	4.80	0.32	5.04	0.44	4.59	0.41	8.82	1.37	3.87	0.41	4.64	0.47	5.14	0.63
Black, Not Hispanic or Latino														
Not current drinker	21.78	1.09	16.54	1.35	26.18	1.61	20.57	3.70	19.47	1.47	23.42	1.72	33.65	3.60
Did not exceed drinking limits		1.15	53.79	2.06	54.18	1.59	38.42	3.46	55.40	1.57	60.28	2.04	56.06	4.14
Exceeded daily but not weekly drinking limits	17.37	1.10	20.79	1.88	14.49	1.22	28.16	3.67	18.96	1.72	11.04	1.60	6.44	1.74
Exceeded weekly or both daily and weekly drinking limits	6.66	0.77	8.64	1.50	4.99	0.70	12.85	2.76	5.98	1.08	4.97	1.02	*3.61	1.30
American Indian/Alaska Native, Not Hispanic or Latino														
Not current drinker	17.29	3.42	19.71	5.68	14.78	3.68	*17.98	14.12	*15.43	6.03	12.57	4.17	35.92	8.40
Did not exceed drinking limits	61.41	4.27	58.17	6.48	64.79	5.26	*30.00	16.14	56.18	6.50	74.50	5.80	52.68	8.79
Exceeded daily but not weekly drinking limits	16.65	3.37	17.44	4.55	15.82	4.44	*52.02	19.02	24.35	5.64	*7.12	3.14	*6.48	4.54
Exceeded weekly or both daily and weekly drinking limits	*4.64	1.40	*4.68	1.49	*4.61	2.39	-	_	*4.05	0.96	*5.80	2.97	*4.92	4.73
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino														
Not current drinker	24.19	2.26	21.84	2.75	28.08	3.64	*19.77	6.35	21.68	2.80	23.90	4.78	47.12	10.09
Did not exceed drinking limits	60.69	4.08	59.97	5.44	61.90	4.68	33.32	8.82	64.55	4.55	68.49	5.52	43.64	10.28
Exceeded daily but not weekly drinking limits	11.43	2.63	16.56	3.54	*2.92	1.05	35.93	11.08	11.29	3.52	*5.30	2.46	*2.31	2.26
Exceeded weekly or both daily and weekly drinking limits	*2.96	1.15	*0.46	0.33	*7.10	2.92	*9.44	6.07	*2.49	1.48	*2.32	2.04	_	_
Hispanic or Latino														
Not current drinker	24.86	1.89	21.35	2.31	28.29	2.27	20.63	3.38	24.80	2.32	25.16	2.73	33.74	6.08
Did not exceed drinking limits		1.54	46.85	2.05	51.71	2.13	37.77	4.12	47.73	2.03	58.64	2.83	54.89	5.06
Exceeded daily but not weekly drinking limits	22.30	1.51	28.01	2.24	16.72	1.47	36.18	4.29	25.15	1.94	11.64	1.88	6.16	2.11
Exceeded weekly or both daily and weekly drinking limits	3.50	0.52	3.79	0.79	3.22	0.69	5.42	1.50	2.28	0.55	4.56	1.17	*5.21	2.35
Marital Status														
Married														
Not current drinker	15.87	0.65	15.34	0.88	16.41	0.75	21.79	3.35	15.27	0.86	14.57	0.91	19.45	1.24
Did not exceed drinking limits	64.92	0.72	63.80	1.04	66.06	0.89	42.79	4.07	59.53	1.10	69.18	1.00	71.77	1.49
Exceeded daily but not weekly drinking limits	15.14	0.72	16.69	0.79	13.58	0.66	33.37	4.07	21.88	0.99	11.80	0.71	3.46	0.56
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	3.97	0.34	3.99	0.40	3.95	0.40	*2.06	1.12	3.24	0.37	4.38	0.47	5.12	0.78
Exceeded weekly of both daily and weekly diffiking lifting	3.57	0.23	0.55	0.70	5.55	0.70	2.00	1.12	5.27	0.01	4.50	0.77	0.12	0.70

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 current drinkers² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree de la laboratoria Constitución A	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly		0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Living with someone as if married														
Not current drinker	16.02	2.49	17.22	4.78	15.11	2.59	*6.82	3.03	21.29	3.83	*10.38	4.28	*11.33	10.97
Did not exceed drinking limits	52.57	3.04	51.66	5.88	53.27	3.72	51.77	6.76	49.13	3.94	61.38	7.33	*74.42	16.41
Exceeded daily but not weekly drinking limits	24.23	2.74	20.51	3.84	27.06	3.50	33.00	6.16	23.07	3.50	19.11	5.93	*14.26	13.37
Exceeded weekly or both daily and weekly drinking limits	7.09	1.61	10.41	3.20	4.57	1.44	*8.41	4.48	6.36	1.96	*9.13	3.94	_	_
Widowed														
Not current drinker	28.29	1.77	22.65	3.76	29.68	2.02	_	_	*23.96	9.72	29.72	3.80	28.06	2.02
Did not exceed drinking limits	63.21	1.86	65.99	3.96	62.52	2.13		_	67.08	10.49	59.36	4.02	64.16	2.08
Exceeded daily but not weekly drinking limits	3.63	0.64	6.62	1.87	2.90	0.68	_	_	*4.87	3.54	6.78	1.92	2.67	0.65
Exceeded weekly or both daily and weekly drinking limits	4.30	0.80	*3.67	1.57	4.45	0.88	_	_	*4.10	3.25	*4.14	1.97	4.35	0.92
Divorced														
Not current drinker	17.81	1.23	14.80	1.93	19.65	1.53	*42.75	14.15	17.08	2.11	17.08	1.60	20.32	3.18
Did not exceed drinking limits		1.55	57.10	2.84	60.96	1.82	*5.63	5.53	52.14	2.73	62.99	2.08	70.50	3.63
Exceeded daily but not weekly drinking limits	17.18	1.41	21.87	2.32	14.29	1.40	49.67	14.20	24.92	2.75	14.58	1.59	*3.39	1.43
Exceeded weekly or both daily and weekly drinking limits	5.44	0.67	6.05	1.11	5.06	0.75	*1.94	2.10	5.86	1.12	5.31	0.97	5.21	1.79
Separated														
Not current drinker	23.04	2.62	18.59	3.94	25.75	3.37	*9.03	5.62	20.22	3.68	30.10	4.61	21.35	7.76
Did not exceed drinking limits		3.45	52.05	5.90	45.35	4.12	*38.15	14.63	47.89	4.76	41.48	5.65	73.86	8.38
Exceeded daily but not weekly drinking limits	23.71	3.01	22.61	5.88	24.39	3.23	*52.82	15.92	30.50	4.48	15.70	4.14	*1.60	1.59
Exceeded weekly or both daily and weekly drinking limits	5.03	1.39	*5.88	1.99	4.51	1.93	_	_	*1.39	0.59	11.75	3.77	*3.19	3.17
Never married														
Not current drinker	16.32	1.00	15.39	1.43	17.24	1.53	13.58	1.49	18.17	1.60	15.05	2.19	31.91	5.67
Did not exceed drinking limits		1.36	43.52	2.12	50.59	1.99	35.73	2.06	52.13	2.18	66.76	2.87	56.38	5.68
Exceeded daily but not weekly drinking limits	28.84	1.34	32.62	1.93	25.13	1.70	39.49	2.34	24.29	1.79	14.66	2.18	*3.08	1.59
Exceeded weekly or both daily and weekly drinking limits	7.46	0.76	8.05	1.16	6.89	0.93	11.10	1.43	5.02	0.95	3.26	0.90	*7.28	2.34
Ever Had Children (Including Step, Adopted, Foster)														
Yes														
Not current drinker	17.04	0.57	15.61	0.80	18.25	0.68	17.56	2.38	16.09	0.75	15.71	0.86	21.46	1.06
	63.67	0.57	62.99	0.80	64.24	0.68	37.86	2.38 3.13	58.47		67.54	0.86	69.92	1.06
Did not exceed drinking limits		0.66	16.85	0.95	13.48		37.86	3.13	22.02	1.01 0.93		0.91	3.51	0.45
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	4.14	0.49	4.32	0.77	3.98	0.56 0.36	4.97	1.43	3.35	0.93	12.15 4.52	0.65	4.73	0.45
No														
Not current drinker	16.23	0.93	15.40	1.20	17.12	1.38	14.19	1.53	16.87	1.30	14.60	1.60	26.16	3.20
Did not exceed drinking limits	51.60	1.11	49.11	1.63	54.24	1.77	37.83	2.07	53.17	1.69	66.42	2.03	64.74	3.51
Exceeded daily but not weekly drinking limits	25.04	1.02	28.15	1.63	21.72	1.77	37.58	2.07	24.49	1.69	13.52	1.29	*1.09	0.53
Exceeded weekly or both daily and weekly drinking limits	6.91	0.58	7.02	0.85	6.80	0.75	10.30	1.34	5.18	0.74	5.28	0.90	7.51	1.85
Exceeded weekly of both daily and weekly diffiking lifflits	0.91	0.56	7.02	0.00	0.60	0.75	10.30	1.34	5.16	0.74	5.20	0.90	7.51	1.00

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 current drinkers² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree destablement of the at Many 4	Both :	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatimata	S.E.	Ma	ale	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Children Ages Below 13 Living in Household														
Yes														
Not current drinker	. 16.55	0.77	16.09	1.31	16.90	0.89	19.35	2.33	16.37	0.90	14.82	1.66	28.29	8.76
Did not exceed drinking limits	. 58.02	1.02	56.47	1.57	59.19	1.31	37.94	3.01	58.30	1.15	68.11	2.12	71.71	8.76
Exceeded daily but not weekly drinking limits	. 21.96	0.90	23.53	1.39	20.77	1.08	36.56	2.95	22.34	1.05	12.85	1.63	_	_
Exceeded weekly or both daily and weekly drinking limits	. 3.44	0.33	3.85	0.56	3.14	0.41	6.15	1.33	2.95	0.35	4.22	0.82	_	_
No														
Not current drinker	. 17.00	0.58	15.34	0.74	18.58	0.80	12.94	1.51	16.19	0.99	15.71	0.79	21.73	1.01
Did not exceed drinking limits		0.70	60.75	1.00	63.65	0.94	37.79	2.16	55.33	1.41	67.29	0.89	69.42	1.21
Exceeded daily but not weekly drinking limits		0.52	18.12	0.82	12.36	0.56	38.88	2.32	23.15	1.26	12.22	0.65	3.37	0.42
Exceeded weekly or both daily and weekly drinking limits		0.34	5.46	0.48	5.31	0.42	10.28	1.47	5.08	0.56	4.67	0.46	5.08	0.57
Education														
11 years or less														
Not current drinker	. 33.35	1.72	29.84	2.48	37.12	2.44	19.94	3.57	35.54	2.94	36.10	2.98	34.99	2.77
Did not exceed drinking limits		1.73	44.78	2.29	47.86	2.55	29.88	4.22	37.97	2.98	50.79	3.11	59.43	2.69
Exceeded daily but not weekly drinking limits		1.31	20.42	2.07	11.70	1.44	35.17	4.81	23.77	2.71	11.66	1.71	2.59	0.90
Exceeded weekly or both daily and weekly drinking limits	4.02	0.62	4.93	1.01	3.04	0.73	15.01	3.23	2.72	0.87	1.46	0.54	*2.44	0.89
12 years														
Not current drinker	. 19.10	0.87	16.97	1.24	20.83	1.05	16.90	2.14	18.52	1.37	19.09	1.38	21.38	1.75
Did not exceed drinking limits		1.15	54.75	1.67	59.66	1.46	32.41	2.52	53.38	1.74	62.82	1.85	70.46	2.07
Exceeded daily but not weekly drinking limits		0.79	21.66	1.37	15.02	0.99	43.12	2.74	23.43	1.49	12.50	1.33	2.84	0.72
Exceeded weekly or both daily and weekly drinking limits		0.47	6.36	0.77	4.45	0.55	7.36	1.59	4.43	0.68	5.58	0.85	5.22	0.90
13–15 years														
Not current drinker	. 15.34	0.66	15.09	1.09	15.53	0.85	12.28	1.73	15.50	1.12	14.39	1.10	20.07	1.88
Did not exceed drinking limits		0.94	58.62	1.57	63.01	1.25	42.02	2.87	56.89	1.39	69.25	1.53	71.56	2.26
Exceeded daily but not weekly drinking limits	. 18.80	0.79	21.53	1.24	16.67	1.00	37.01	2.89	23.82	1.23	12.46	1.02	2.17	0.65
Exceeded weekly or both daily and weekly drinking limits	4.60	0.41	4.45	0.61	4.72	0.52	8.70	1.59	3.73	0.53	3.80	0.60	5.29	1.08
16 or more years														
Not current drinker	. 11.32	0.64	10.40	0.82	12.29	0.90	13.63	4.45	11.33	0.86	9.73	0.93	15.85	1.73
Did not exceed drinking limits		0.91	68.47	1.24	67.90	1.24	50.98	5.89	63.91	1.40	72.61	1.39	72.48	2.30
Exceeded daily but not weekly drinking limits		0.74	16.40	1.11	14.80	0.99	29.58	6.46	20.85	1.27	12.21	1.00	5.56	1.07
Exceeded weekly or both daily and weekly drinking limits	4.73	0.43	4.48	0.57	5.00	0.58	*5.81	3.21	3.76	0.50	5.31	0.77	5.97	1.27
Currently Employed Full Time														
Yes														
Not current drinker	. 14.32	0.58	13.40	0.81	15.47	0.72	16.44	2.07	15.14	0.72	12.84	0.80	15.30	3.28
Did not exceed drinking limits		0.72	59.41	0.92	62.49	1.03	37.98	2.36	57.38	1.06	68.84	0.98	73.08	3.86
Exceeded daily but not weekly drinking limits		0.66	22.57	0.93	17.70	0.80	38.36	2.44	23.24	0.97	14.20	0.80	5.09	1.66
Exceeded weekly or both daily and weekly drinking limits		0.31	4.43	0.42	4.29	0.42	7.08	1.28	4.11	0.41	4.02	0.47	6.53	2.08

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 current drinkers² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

5	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	E-tit-	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Employed Full Time														
No														
Not current drinker		0.75	19.88	1.19	20.32	0.87	13.80	1.59	19.21	1.30	20.76	1.38	22.44	1.02
Did not exceed drinking limits		0.87	59.70	1.49	61.82	0.95	37.71	2.53	56.31	1.56	64.72	1.48	69.16	1.26
Exceeded daily but not weekly drinking limits		0.56	13.91	1.00	12.95	0.65	37.87	2.48	21.23	1.33	8.75	0.87	3.14	0.44
Exceeded weekly or both daily and weekly drinking limits	5.30	0.39	6.13	0.69	4.83	0.46	10.61	1.62	3.14	0.57	5.72	0.62	4.84	0.56
Family Annual Income														
\$0 to \$19,999														
Not current drinker		1.25	22.07	1.94	26.10	1.38	14.69	2.01	24.12	2.05	27.64	2.72	29.73	2.04
Did not exceed drinking limits		1.38	48.89	2.37	53.94	1.53	33.92	2.76	48.85	2.38	57.65	2.63	64.06	2.15
Exceeded daily but not weekly drinking limits		1.02	21.15	2.01	16.52	1.19	42.54	3.06	22.41	2.15	9.89	1.42	3.03	0.62
Exceeded weekly or both daily and weekly drinking limits	4.89	0.59	7.23	1.11	3.44	0.52	8.84	1.68	4.36	0.76	4.83	0.93	2.51	0.68
\$20,000 to \$34,999														
Not current drinker	20.34	1.14	19.99	1.75	20.66	1.22	18.00	3.07	20.34	1.79	20.70	1.88	21.06	1.81
Did not exceed drinking limits	57.71	1.30	53.79	2.02	61.11	1.51	36.40	3.45	50.70	2.04	64.62	2.27	70.53	2.04
Exceeded daily but not weekly drinking limits		0.93	19.78	1.57	12.97	1.04	34.96	3.49	23.97	1.90	10.36	1.56	2.13	0.62
Exceeded weekly or both daily and weekly drinking limits	5.60	0.61	6.21	0.98	5.08	0.68	10.33	2.66	4.88	0.88	4.18	0.79	5.89	1.14
\$35,000 to \$69,999														
Not current drinker	16.33	0.66	15.83	1.00	16.79	0.85	15.60	2.18	15.48	0.91	16.10	1.19	19.73	1.70
Did not exceed drinking limits	61.74	1.00	59.19	1.38	64.08	1.32	43.70	3.34	57.57	1.51	67.45	1.47	69.49	2.07
Exceeded daily but not weekly drinking limits	17.32	0.92	20.43	1.43	14.47	0.89	33.23	3.31	23.56	1.43	11.76	0.99	4.37	0.95
Exceeded weekly or both daily and weekly drinking limits	4.47	0.39	4.35	0.55	4.59	0.57	7.47	1.80	3.26	0.53	4.59	0.60	6.09	1.06
\$70,000 or more														
Not current drinker	11.19	0.66	10.31	0.95	12.15	0.90	10.25	2.82	12.27	0.94	9.89	0.96	13.44	2.56
Did not exceed drinking limits	66.66	0.93	67.16	1.34	66.13	1.29	38.10	4.76	62.81	1.52	71.16	1.32	77.47	2.84
Exceeded daily but not weekly drinking limits		0.86	18.26	1.17	16.69	1.03	41.84	5.14	21.09	1.44	14.17	1.01	3.73	1.24
Exceeded weekly or both daily and weekly drinking limits	4.57	0.43	4.15	0.55	5.02	0.62	9.81	2.98	3.75	0.54	4.70	0.74	5.36	1.46
Born in the United States														
Yes														
Not current drinker	15.55	0.47	14.65	0.70	16.32	0.57	13.61	1.18	14.61	0.65	14.42	0.76	20.96	0.99
Did not exceed drinking limits		0.59	60.22	0.85	63.18	0.75	37.68	1.87	57.89	0.94	68.08	0.84	70.67	1.18
Exceeded daily but not weekly drinking limits	17.66	0.52	19.67	0.76	15.96	0.61	39.80	1.92	23.40	0.93	12.70	0.67	3.32	0.43
Exceeded weekly or both daily and weekly drinking limits	4.85	0.28	5.30	0.42	4.47	0.35	8.90	1.11	3.99	0.36	4.70	0.43	4.81	0.56
No														
Not current drinker	25.61	1.58	20.66	1.72	31.70	2.12	24.43	4.93	25.05	1.88	24.76	2.14	31.37	4.56
Did not exceed drinking limits		1.74	55.53	2.42	53.66	2.18	38.84	5.14	52.82	2.35	62.10	2.34	56.96	4.39
Exceeded daily but not weekly drinking limits	15.04	1.20	19.81	1.72	9.18	1.17	27.25	4.70	18.90	2.05	9.26	1.21	*3.00	1.11
Exceeded weekly or both daily and weekly drinking limits	4.27	0.71	3.32	0.82	5.45	1.05	8.98	2.94	3.00	0.73	3.88	1.07	6.72	2.31

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 current drinkers² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

5	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fallerate	0.5	Ма	le	Fem	ale	18–24	years	25-44	years	45–64	years	65 years	and olde
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.										
Family Structure Before Age 18														
Both biological/adoptive parents in the household														
Not current drinker	16.37	1.09	14.33	1.61	18.05	1.39	14.95	2.32	14.19	1.34	18.14	2.24	25.60	3.60
Did not exceed drinking limits	55.82	1.26	54.17	2.04	57.19	1.56	34.33	3.14	58.33	1.71	61.50	2.56	62.68	3.76
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	22.48 5.07	1.15 0.61	25.05 6.15	1.99 1.09	20.36 4.19	1.30 0.63	41.54 9.17	3.58 2.17	23.33 4.00	1.65 0.74	16.44 3.68	1.87 1.05	*2.86 7.65	1.20 2.01
Only biological mother ever in the household (father never present)														
Not current drinker	16.60	0.55	15.59	0.70	17.53	0.72	14.59	1.72	16.58	0.79	14.98	0.76	20.85	1.05
Did not exceed drinking limits	62.77	0.65	61.51	0.84	63.92	0.88	38.80	2.47	57.49	1.08	68.73	0.87	70.86	1.28
Exceeded daily but not weekly drinking limits	15.90	0.53	18.13	0.76	13.86	0.61	37.72	2.67	22.13	0.96	11.65	0.60	3.36	0.44
Exceeded weekly or both daily and weekly drinking limits	4.60	0.30	4.54	0.40	4.66	0.40	8.89	1.43	3.66	0.42	4.57	0.45	4.69	0.58
Biological/adoptive parents divorced or no longer living together Not current drinker	17.66	1.56	15.42	2.20	19.54	1.72	16.40	3.27	17.07	2.24	17.85	2.47	21.54	3.70
Did not exceed drinking limits	55.76	1.75	52.70	2.72	58.34	2.09	41.60	4.75	53.65	2.60	62.12	2.94	68.32	4.37
Exceeded daily but not weekly drinking limits		1.73	24.18	2.35	17.87	1.57	33.42	4.40	24.69	2.13	14.02	2.71	*3.04	1.68
Exceeded weekly or both daily and weekly drinking limits	5.74	0.85	7.50	1.49	4.25	0.95	8.58	2.53	4.60	1.12	6.01	1.54	*6.25	2.70
Raised by relatives, by foster parents, or in an institution	04.00	4.05	00.70	0.00	05.50	4.04	*04.50	44.44	00.44	5.04	00.44	7.00	47.05	40.00
Not current drinker	34.38	4.35	32.72	8.99	35.58	4.94	*31.58	11.14	32.41	5.91	23.44	7.60	47.85	10.92
Did not exceed drinking limits	43.53	4.52	40.49	7.25	45.73	5.42	*21.78	8.72	36.01	6.51	55.89	9.05	45.91	10.40
Exceeded daily but not weekly drinking limits	15.85	3.36	22.16	6.59	11.29	3.04	*31.80	12.54	27.26	6.11	*11.35	6.86	[*] 3.16	2.36
Exceeded weekly or both daily and weekly drinking limits	*5.17	1.87	*3.29	1.92	*6.53	2.84	*7.88	5.59	*4.33	3.16	*9.32	4.64	*1.40	1.41
Before Age 18, Family Received Government Assistance														
Yes														
Not current drinker	15.65	1.08	14.20	1.68	16.70	1.36	14.52	2.68	15.34	1.49	15.41	1.97	19.41	3.45
Did not exceed drinking limits	58.45	1.54	58.21	2.74	58.62	1.71	41.44	3.70	56.07	2.00	67.29	2.80	77.71	3.71
Exceeded daily but not weekly drinking limits	22.03	1.19	22.38	2.10	21.77	1.41	36.31	3.70	24.87	1.60	14.74	2.28	*1.18	0.90
Exceeded weekly or both daily and weekly drinking limits	3.78	0.57	4.97	1.03	2.91	0.59	7.73	2.07	3.52	0.77	2.56	0.88	*1.70	1.21
No.	47.00	0.50	45.70	0.70	40.00	0.00	45.00	4.40	40.47	0.75	45.00	0.04	00.07	4.40
Not current drinker	17.02	0.56	15.72	0.72	18.20	0.68	15.20	1.42	16.47	0.75	15.60	0.81	22.07	1.10
Did not exceed drinking limits	61.22	0.66	59.66	0.86	62.66	0.83	36.98	2.08	57.26	0.97	67.42	0.86	68.82	1.31
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	16.70 4.91	0.52 0.30	19.37 5.00	0.74 0.41	14.24 4.82	0.60 0.36	38.54 9.20	2.21 1.22	22.26 3.89	0.92 0.37	12.12 4.77	0.62 0.43	3.46 5.23	0.44 0.59
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes													*	
Not current drinker	20.40	2.96	18.03	3.41	28.10	6.16	22.10	6.90	16.50	4.64	21.73	5.24	*29.25	10.32
Did not exceed drinking limits	47.93	3.15	46.72	3.60	51.87	6.27	34.10	8.06	46.63	5.36	51.62	5.31	60.54	10.50
Exceeded daily but not weekly drinking limits	23.00	2.67	24.92	3.31	16.76	4.17	29.28	7.80	28.62	5.14	18.32	4.01	*7.48	4.73
Exceeded weekly or both daily and weekly drinking limits	8.18	1.64	9.69	2.06	*3.27	2.11	*14.51	5.04	*7.04	2.62	8.33	2.69	*2.73	2.72

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 current drinkers² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

December the production of Mount 4	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fairmata	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Ever in Jail or Juvenile Detention Center														
No														
Not current drinker		0.52	15.45	0.66	17.89	0.65	14.79	1.26	16.29	0.71	15.41	0.73	21.77	1.03
Did not exceed drinking limits		0.60	60.06	0.80	62.25	0.76	37.99	1.83	57.35	0.87	67.84	0.80	69.60	1.24
Exceeded daily but not weekly drinking limits		0.48	19.46	0.71	15.20	0.55	38.46	1.87	22.51	0.84	12.15	0.59	3.23	0.42
Exceeded weekly or both daily and weekly drinking limits	4.68	0.28	4.79	0.39	4.59	0.34	8.69	1.10	3.75	0.34	4.51	0.41	5.01	0.57
Before Age 18, Physically Abused by Parent/Caretaker														
Yes														
Not current drinker	21.53	2.55	17.39	4.32	23.50	3.10	*5.25	3.23	22.07	3.74	23.68	4.27	28.54	8.31
Did not exceed drinking limits		2.87	50.64	4.79	52.72	3.32	48.28	8.96	50.06	4.48	52.68	4.45	65.80	8.72
Exceeded daily but not weekly drinking limits		2.08	22.00	3.85	17.49	2.30	36.78	8.15	21.31	3.60	15.04	3.15	*	
Exceeded weekly or both daily and weekly drinking limits	7.48	1.61	9.96	3.13	6.29	1.95	*9.69	5.19	6.56	2.61	8.60	2.34	*5.66	3.36
No														
Not current drinker	16.70	0.52	15.52	0.66	17.77	0.65	15.40	1.28	16.05	0.69	15.32	0.75	21.77	1.02
Did not exceed drinking limits		0.59	59.71	0.79	62.55	0.76	37.49	1.79	57.37	0.86	67.89	0.83	69.53	1.21
Exceeded daily but not weekly drinking limits	17.27	0.47	19.63	0.70	15.12	0.55	38.15	1.91	22.73	0.84	12.22	0.59	3.35	0.42
Exceeded weekly or both daily and weekly drinking limits	4.68	0.27	4.88	0.39	4.50	0.33	8.89	1.10	3.72	0.33	4.48	0.40	4.96	0.57
Before Age 18, Seriously Neglected by Parent/Caretaker														
Yes														
Not current drinker	20.66	2.32	24.26	4.66	18.87	2.50	*12.30	5.63	20.91	3.83	21.72	4.57	23.94	7.28
Did not exceed drinking limits		2.62	56.93	4.29	52.30	3.25	40.78	8.62	48.76	4.52	60.68	4.64	65.47	7.86
Exceeded daily but not weekly drinking limits	21.02	2.55	16.79	3.59	23.13	3.12	43.17	8.52	25.43	4.52	13.72	3.48	*5.40	3.59
Exceeded weekly or both daily and weekly drinking limits	4.48	1.40	*2.02	1.35	5.70	1.99	*3.74	2.52	*4.90	2.68	*3.88	1.82	*5.19	3.00
No														
Not current drinker	16.74	0.52	15.38	0.66	17.98	0.66	15.16	1.25	16.13	0.71	15.41	0.74	21.83	1.03
Did not exceed drinking limits		0.60	59.56	0.80	62.51	0.76	37.75	1.83	57.36	0.88	67.60	0.82	69.55	1.23
Exceeded daily but not weekly drinking limits	17.21	0.48	19.75	0.71	14.91	0.54	37.95	1.93	22.58	0.86	12.27	0.61	3.25	0.41
Exceeded weekly or both daily and weekly drinking limits	4.78	0.27	5.06	0.39	4.53	0.33	9.08	1.12	3.79	0.33	4.63	0.41	4.97	0.56
Before Age 18, Saw Serious Fights at Home														
Yes														
Not current drinker	18.28	1.29	18.22	2.32	18.32	1.52	11.86	3.51	15.63	1.60	20.32	2.19	30.58	4.99
Did not exceed drinking limits		1.71	50.88	2.83	57.17	1.96	37.88	5.51	52.65	2.39	60.30	2.66	58.75	5.70
Exceeded daily but not weekly drinking limits	21.42	1.44	24.47	2.67	19.57	1.52	38.80	5.41	25.95	2.07	15.74	2.13	*4.13	2.10
Exceeded weekly or both daily and weekly drinking limits	5.36	0.74	6.09	1.19	4.92	0.95	11.45	3.78	5.48	1.26	3.59	0.84	*6.53	2.60
No														
Not current drinker	16.71	0.53	15.34	0.69	17.97	0.68	15.38	1.31	16.37	0.73	15.03	0.77	21.47	1.04
Did not exceed drinking limits		0.61	60.21	0.80	62.76	0.81	37.84	1.82	57.61	0.91	68.24	0.84	69.97	1.22
Exceeded daily but not weekly drinking limits	16.90	0.47	19.30	0.68	14.67	0.56	38.04	1.91	22.28	0.87	11.91	0.58	3.25	0.41
Exceeded weekly or both daily and weekly drinking limits	4.71	0.29	4.91	0.41	4.53	0.35	8.67	1.13	3.63	0.35	4.73	0.44	4.90	0.59

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 current drinkers² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

December to the content of the cat Ways 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly		0.5	Ма	ıle	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
Yes														
Not current drinker	15.66	0.94	13.96	1.36	16.86	1.18	12.63	2.22	15.10	1.19	16.48	1.45	17.25	3.04
Did not exceed drinking limits	58.40	1.20	56.81	1.80	59.53	1.38	30.71	3.55	54.92	1.66	64.04	1.76	73.54	3.29
Exceeded daily but not weekly drinking limits	21.20	1.04	23.63	1.67	19.48	1.12	47.67	3.83	25.99	1.49	14.75	1.34	4.93	1.47
Exceeded weekly or both daily and weekly drinking limits	4.63	0.45	5.35	0.81	4.11	0.55	9.00	2.37	3.85	0.60	4.60	0.64	4.28	1.18
No														
Not current drinker	17.17	0.56	15.92	0.73	18.35	0.73	15.62	1.39	16.63	0.78	15.30	0.82	22.54	1.10
Did not exceed drinking limits		0.66	60.11	0.87	62.91	0.84	39.45	1.93	57.68	1.00	68.46	0.94	68.88	1.29
Exceeded daily but not weekly drinking limits	16.31	0.51	18.81	0.74	13.94	0.60	35.95	1.93	21.74	0.99	11.55	0.67	3.06	0.43
Exceeded weekly or both daily and weekly drinking limits	4.81	0.30	4.92	0.40	4.71	0.39	8.89	1.23	3.83	0.39	4.61	0.46	5.07	0.60
Ever Had No Regular Place to Live Lasting 1+ Months														
Yes														
Not current drinker	26.00	3.74	23.38	5.35	29.22	5.28	*27.46	9.34	27.68	5.24	17.65	4.73	*51.07	16.79
Did not exceed drinking limits		3.75	53.17	5.34	45.82	5.94	*21.12	8.32	46.87	5.43	64.55	5.65	*48.93	16.79
Exceeded daily but not weekly drinking limits		2.43	12.89	3.13	20.82	3.89	41.51	9.73	16.94	3.85	10.51	3.46	_	_
Exceeded weekly or both daily and weekly drinking limits	7.02	1.78	9.37	2.90	*4.14	2.01	*9.91	6.56	7.17	2.37	*7.29	3.11	_	_
No														
Not current drinker	16.68	0.52	15.39	0.67	17.83	0.65	14.79	1.26	16.02	0.69	15.55	0.77	21.64	0.99
Did not exceed drinking limits		0.59	59.65	0.80	62.40	0.75	38.23	1.81	57.32	0.86	67.46	0.81	69.63	1.20
Exceeded daily but not weekly drinking limits		0.48	19.84	0.70	15.12	0.55	38.03	1.91	22.81	0.84	12.35	0.60	3.32	0.42
Exceeded weekly or both daily and weekly drinking limits	4.73	0.27	4.90	0.38	4.58	0.34	8.89	1.10	3.75	0.34	4.56	0.39	5.01	0.56
Self-Perceived Current Health														
Excellent/Very good														
Not current drinker	13.83	0.52	13.17	0.74	14.43	0.64	13.39	1.38	14.36	0.73	11.83	0.80	17.85	1.28
Did not exceed drinking limits		0.67	60.05	0.89	64.07	0.89	40.41	2.11	58.38	0.98	70.63	1.02	72.14	1.54
Exceeded daily but not weekly drinking limits	18.81	0.62	21.69	0.89	16.17	0.69	37.32	2.22	23.09	0.91	12.52	0.87	3.70	0.64
Exceeded weekly or both daily and weekly drinking limits	5.06	0.33	4.83	0.44	5.26	0.42	8.87	1.24	4.09	0.42	4.91	0.50	5.67	0.85
Good														
Not current drinker	21.21	0.95	18.38	1.38	23.55	1.18	20.27	3.42	22.28	1.58	19.66	1.59	22.54	1.84
Did not exceed drinking limits		1.10	58.45	1.63	58.60	1.31	29.09	3.37	51.93	1.84	63.23	1.73	69.41	2.07
Exceeded daily but not weekly drinking limits	16.03	0.93	17.58	1.46	14.76	0.97	41.07	4.11	23.21	1.80	12.99	1.35	3.38	0.79
Exceeded weekly or both daily and weekly drinking limits	4.14	0.39	5.41	0.72	3.09	0.45	9.57	2.58	2.43	0.50	4.06	0.61	4.64	0.96
Fair/Poor														
Not current drinker	26.50	1.58	25.17	2.21	27.67	2.06	16.89	4.80	22.38	2.69	26.91	2.19	31.05	2.82
Did not exceed drinking limits	58.08	1.81	58.04	2.65	58.11	2.10	36.08	6.40	55.61	3.38	58.85	2.51	62.96	2.94
Exceeded daily but not weekly drinking limits	10.90	0.97	11.46	1.71	10.41	1.19	39.32	6.28	16.90	2.53	10.04	1.41	2.10	0.65
Exceeded weekly or both daily and weekly drinking limits	4.28	0.62	5.07	0.96	3.58	0.72	*7.71	3.97	4.63	1.14	4.21	0.91	3.47	1.02

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 current drinkers² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decreadest sharestaristics at Ways 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatianata	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.												
Currently Covered by Health Insurance														
Yes														
Not current drinker	15.98	0.50	15.08	0.69	16.78	0.61	14.79	1.57	14.57	0.68	14.51	0.76	21.95	1.03
Did not exceed drinking limits	63.02	0.61	61.74	0.84	64.16	0.76	37.99	2.12	59.23	0.92	68.53	0.87	69.72	1.23
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	16.32 4.52	0.48 0.26	18.32 4.63	0.74 0.39	14.56 4.43	0.54 0.34	38.98 8.24	2.10 1.13	22.26 3.78	0.88 0.34	12.47 4.44	0.65 0.42	3.25 4.69	0.41 0.52
No														
Not current drinker	21.86	1.30	18.19	1.65	25.35	1.82	15.62	2.02	23.86	1.88	23.42	2.26	*15.30	7.53
Did not exceed drinking limits	48.68	1.40	47.21	2.21	50.08	1.79	37.55	3.41	47.63	2.04	59.18	2.48	45.50	12.19
Exceeded daily but not weekly drinking limits	23.09	1.32	27.26	2.02	19.13	1.60	36.39	3.23	24.47	2.07	11.17	1.54	*7.65	6.21
Exceeded weekly or both daily and weekly drinking limits	6.22	0.83	7.03	1.21	5.44	1.08	10.24	2.17	4.04	0.81	5.85	1.18	*31.55	13.39
Tobacco Use Status														
Current user														
Not current drinker	18.03	0.93	17.12	1.33	19.17	1.31	16.70	2.35	16.61	1.30	18.78	1.52	23.08	3.29
Did not exceed drinking limits	52.66	1.08	51.84	1.58	53.69	1.57	31.79	2.99	48.80	1.76	60.53	1.78	65.42	3.29
Exceeded daily but not weekly drinking limits	22.90	1.03	23.93	1.30	21.61	1.40	40.74	3.25	28.92	1.62	15.09	1.34	4.13	1.36
Exceeded weekly or both daily and weekly drinking limits	6.13	0.53	6.65	0.83	5.47	0.65	10.77	2.11	5.33	0.66	5.41	0.80	6.59	1.70
Ex-user							*							
Not current drinker		0.75	13.80	1.12	15.27	0.97	*16.19	5.99	12.34	1.57	12.37	1.06	18.40	1.28
Did not exceed drinking limits	67.41	1.08	69.04	1.35	65.57	1.51	43.82	7.42	61.54	2.55	68.04	1.54	71.29	1.57
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	12.29 5.64	0.73 0.57	11.93 5.01	1.00 0.67	12.69 6.34	1.00 0.94	33.63 *6.36	7.18 4.55	21.68 4.44	2.17 0.93	13.87 5.67	1.07 0.78	3.58 6.28	0.61 0.84
Lifetime nonsmoker														
Not current drinker	17.36	0.70	15.65	0.94	18.57	0.87	14.33	1.48	16.92	0.86	15.93	1.05	25.61	1.71
Did not exceed drinking limits	61.53	0.77	58.59	1.09	63.59	0.97	39.98	2.08	59.31	1.09	70.43	1.09	68.59	2.05
Exceeded daily but not weekly drinking limits	17.16	0.56	21.53	0.98	14.09	0.59	37.29	2.22	20.53	0.96	10.00	0.82	2.68	0.59
Exceeded weekly or both daily and weekly drinking limits	3.86	0.31	4.08	0.47	3.71	0.37	8.30	1.25	3.16	0.38	3.57	0.53	2.92	0.78
Drug Use Status														
Current user														
Not current drinker	13.83	2.02	12.76	2.97	14.91	2.74	10.66	3.50	10.77	2.27	18.56	5.19	24.50	7.18
Did not exceed drinking limits		2.99	48.87	4.67	56.17	3.60	34.12	4.76	50.47	4.42	68.71	5.47	58.34	9.81
Exceeded daily but not weekly drinking limits	25.22	2.47	28.75	3.89	21.63	3.09	38.87	6.25	30.14	4.10	11.27	2.94	*6.28	4.93
Exceeded weekly or both daily and weekly drinking limits	8.10	1.74	8.89	2.23	7.29	2.30	16.35	5.24	7.77	2.28	*1.47	1.08	*10.88	6.23
Ex-user	10.00	0.00	10.47	4.04	11.07	1.00	4447	2.00	44.04	1.00	10.47	1.50	10.40	E 40
Not current drinker	12.23 57.39	0.90 1.20	12.47 56.66	1.34 1.95	11.97 58.15	1.08 1.63	14.47 25.91	3.03 3.81	11.31 57.96	1.20 1.66	12.47 62.78	1.58 2.06	19.19 61.21	5.48 6.41
Did not exceed drinking limits Exceeded daily but not weekly drinking limits	24.23	1.20	24.94	1.95 1.81	23.49	1.63	49.67	3.81 4.83	57.96 26.12	1.58	62.78 17.67	2.06 1.59	61.21 *8.13	6.41 3.70
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	6.14	0.63	5.93	0.92	6.37	0.91	9.95	4.63 2.86	4.59	0.70	7.09	1.05	*11.47	5.26
Exceeded weekly of both daily and weekly diffiking lifting	0.14	0.03	3.33	0.32	0.57	0.31	3.33	2.00	4.55	0.70	1.03	1.03	11.47	5.20

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

December the secretarity of West 4	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatimet:	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Drug Use Status														
Lifetime nondrug user	47.05	0.57	40.40	0.70	40.00	0.70	45.00	4.50	40.05	0.00	10.10	0.00	04.00	4.00
Not current drinker		0.57	16.40	0.73	19.28	0.73	15.62	1.52	18.05	0.83	16.19	0.80	21.92	1.06
Did not exceed drinking limits Exceeded daily but not weekly drinking limits		0.68 0.52	60.65 18.06	0.91 0.75	63.13 13.39	0.84 0.58	40.28 36.03	2.10 2.06	57.14 21.28	1.01 0.95	68.42 11.13	0.92 0.67	69.87 3.10	1.20 0.43
Exceeded daily but not weekly diffiking lifflis Exceeded weekly or both daily and weekly drinking limits	4.35	0.52	4.60	0.75	4.13	0.34	7.99	1.14	3.41	0.95	4.15	0.87	4.69	0.43
Any Major Depressive Disorder in the Past Year														
Yes														
Not current drinker	19.29	2.05	20.88	4.24	18.65	2.20	22.85	5.63	14.38	2.32	23.36	3.81	20.86	6.22
Did not exceed drinking limits	56.82	2.39	50.36	5.01	59.42	2.69	38.33	6.08	58.44	3.75	59.75	4.03	70.27	6.88
Exceeded daily but not weekly drinking limits	18.93	1.91	23.72	4.15	17.00	2.20	27.35	5.67	24.20	3.20	12.54	2.85	*2.24	1.82
Exceeded weekly or both daily and weekly drinking limits	4.96	1.04	5.04	1.84	4.93	1.16	11.47	4.06	2.97	0.95	4.36	1.60	*6.64	4.04
No														
Not current drinker	16.73	0.52	15.40	0.67	17.96	0.65	14.45	1.28	16.40	0.69	15.17	0.75	21.90	1.03
Did not exceed drinking limits		0.61	59.79	0.81	62.33	0.77	37.80	1.94	57.00	0.88	67.81	0.82	69.45	1.22
Exceeded daily but not weekly drinking limits	17.24	0.47	19.56	0.68	15.09	0.53	38.97	1.93	22.59	0.83	12.30	0.60	3.31	0.42
Exceeded weekly or both daily and weekly drinking limits	4.76	0.28	4.99	0.40	4.55	0.35	8.71	1.14	3.88	0.35	4.62	0.41	4.94	0.57
Any Major Depressive Disorder in Life														
Yes														
Not current drinker	17.20	1.14	18.28	2.31	16.74	1.22	18.45	3.76	14.95	1.53	17.38	1.84	24.10	3.28
Did not exceed drinking limits	62.44	1.42	59.43	2.79	63.70	1.69	40.89	4.41	60.34	2.10	67.91	2.21	68.96	3.80
Exceeded daily but not weekly drinking limits	16.80	1.11	18.66	2.11	16.02	1.33	31.74	4.23	21.97	1.79	11.50	1.45	*3.71	1.52
Exceeded weekly or both daily and weekly drinking limits	3.57	0.52	3.63	1.02	3.54	0.56	8.92	2.84	2.74	0.56	3.21	0.69	*3.22	1.28
No														
Not current drinker	16.80	0.53	15.31	0.67	18.29	0.69	14.54	1.34	16.51	0.72	15.25	0.80	21.67	1.06
Did not exceed drinking limits	60.66	0.63	59.52	0.83	61.79	0.82	37.37	1.98	56.56	0.92	67.32	0.85	69.51	1.24
Exceeded daily but not weekly drinking limits	17.41	0.49	19.78	0.70	15.04	0.55	39.10	2.00	22.78	0.88	12.47	0.63	3.25	0.42
Exceeded weekly or both daily and weekly drinking limits	4.96	0.30	5.12	0.42	4.80	0.38	8.91	1.18	4.00	0.38	4.87	0.44	5.13	0.60
Age Started Drinking														
14 years or younger														
Not current drinker	14.72	1.65	15.26	2.40	13.89	2.24	*10.31	4.51	12.97	2.19	18.13	3.84	16.43	4.34
Did not exceed drinking limits	55.12	2.66	51.05	3.49	61.43	3.34	31.92	7.31	50.14	3.50	65.15	4.50	65.88	6.61
Exceeded daily but not weekly drinking limits	23.84	2.38	26.12	3.24	20.31	2.92	52.48	8.16	30.44	3.60	11.61	2.95	*8.35	3.24
Exceeded weekly or both daily and weekly drinking limits	6.06	1.48	7.16	2.06	4.37	1.89	*5.29	3.87	5.95	1.84	5.11	1.81	*9.33	4.75
15 to 17 years														
Not current drinker		0.89	15.75	1.32	15.02	1.17	15.83	2.28	14.25	1.32	16.31	1.87	17.37	2.18
Did not exceed drinking limits	56.54	1.07	55.91	1.49	57.33	1.67	25.60	2.77	56.75	1.75	63.40	2.27	75.23	2.77
Exceeded daily but not weekly drinking limits	23.14	0.91	23.37	1.38	22.85	1.36	46.02	3.37	25.26	1.63	17.14	1.75	2.67	0.93
Exceeded weekly or both daily and weekly drinking limits	4.86	0.53	4.90	0.66	4.80	0.83	12.54	2.32	3.73	0.61	3.15	0.72	4.41	1.45

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 current drinkers² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree de de la constantation et Mana A	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatherate	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Age Started Drinking														
18 to 20 years														
Not current drinker		0.69	13.32	0.87	14.12	0.93	14.39	1.78	12.37	0.98	12.37	0.87	19.95	1.67
Did not exceed drinking limits		0.95	61.41	1.14	62.64	1.33	38.98	2.61	58.57	1.49	69.95	1.19	68.68	2.16
Exceeded daily but not weekly drinking limits		0.69	20.14	0.98	17.94	0.98	38.06	2.84	24.50	1.25	13.43	0.96	4.68	0.95
Exceeded weekly or both daily and weekly drinking limits	5.06	0.41	4.93	0.58	5.19	0.54	8.57	1.52	4.33	0.63	4.12	0.64	6.46	1.16
21 years or older														
Not current drinker	. 20.62	0.82	18.57	1.23	21.85	0.96	16.17	2.94	21.63	1.19	18.12	1.27	24.32	1.61
Did not exceed drinking limits	. 62.97	0.90	61.09	1.45	64.10	1.08	52.55	3.88	57.29	1.38	66.62	1.37	69.63	1.73
Exceeded daily but not weekly drinking limits		0.66	15.29	1.27	10.09	0.61	25.76	3.60	17.94	1.22	9.57	0.87	2.10	0.51
Exceeded weekly or both daily and weekly drinking limits	. 4.27	0.38	4.83	0.64	3.93	0.42	5.52	1.74	3.09	0.51	5.60	0.66	3.74	0.71
Family History of Alcoholism														
None														
Not current drinker	. 17.15	0.67	15.45	0.81	18.98	0.99	15.84	1.92	17.23	0.96	14.06	0.97	22.91	1.39
Did not exceed drinking limits		0.79	60.99	1.02	62.43	1.12	39.86	2.62	57.51	1.22	69.13	1.23	67.98	1.56
Exceeded daily but not weekly drinking limits		0.61	18.33	0.85	13.24	0.81	35.23	2.64	21.30	1.08	11.43	1.00	3.14	0.54
Exceeded weekly or both daily and weekly drinking limits	. 5.04	0.37	4.86	0.48	5.23	0.55	8.94	1.55	3.76	0.50	5.26	0.58	5.35	0.72
2nd-degree relatives only														
Not current drinker	. 15.07	0.98	14.54	1.49	15.51	1.15	12.93	2.06	15.11	1.33	14.88	1.69	18.06	2.61
Did not exceed drinking limits		1.26	56.39	1.95	62.85	1.56	37.26	3.28	57.32	1.83	68.58	2.10	73.00	3.09
Exceeded daily but not weekly drinking limits		1.13	24.00	1.73	17.24	1.26	40.36	3.58	23.45	1.74	13.69	1.64	*2.51	1.04
Exceeded weekly or both daily and weekly drinking limits		0.52	5.04	0.80	4.32	0.65	9.45	2.20	4.09	0.69	2.81	0.65	6.16	1.56
1st-degree relatives only														
Not current drinker	. 19.74	1.21	17.39	1.81	21.83	1.56	18.94	4.78	18.74	2.01	18.67	1.92	23.10	2.24
Did not exceed drinking limits		1.49	60.25	2.27	59.68	1.75	32.34	6.22	53.72	2.65	63.00	2.37	68.85	2.63
Exceeded daily but not weekly drinking limits		1.12	16.36	1.65	13.88	1.33	40.85	6.07	22.81	2.38	12.56	1.50	3.48	1.00
Exceeded weekly or both daily and weekly drinking limits	. 5.25	0.64	5.97	1.01	4.61	0.83	*7.87	3.96	4.72	0.96	5.77	1.22	4.53	1.23
Both 1st- and 2nd-degree relatives														
Not current drinker	. 15.95	0.93	15.63	1.72	16.14	1.06	14.94	2.40	14.10	1.26	17.19	1.53	19.46	2.93
Did not exceed drinking limits	. 60.59	1.17	57.60	2.06	62.36	1.36	35.45	3.78	57.53	1.59	65.92	1.91	73.31	2.95
Exceeded daily but not weekly drinking limits		0.96	21.92	1.94	17.98	1.09	41.21	3.96	24.94	1.52	12.86	1.55	4.52	1.15
Exceeded weekly or both daily and weekly drinking limits		0.50	4.56	1.07	3.52	0.50	8.40	2.30	3.27	0.63	3.91	0.66	*2.71	1.04
Any Parent Alcoholic														
Yes														
Not current drinker	. 16.08	0.94	15.16	1.53	16.66	1.11	14.35	2.37	15.22	1.31	17.35	1.38	16.40	2.57
Did not exceed drinking limits		1.13	57.05	1.90	60.38	1.34	34.61	3.59	56.76	1.59	63.75	1.76	74.85	2.96
Exceeded daily but not weekly drinking limits		0.99	21.96	1.76	18.67	1.19	43.16	3.68	24.14	1.46	13.79	1.34	*3.43	1.37
Exceeded weekly or both daily and weekly drinking limits		0.53	5.55	0.96	4.28	0.57	7.88	2.13	3.73	0.61	4.99	0.85	5.33	1.46

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

December to the second of the	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fairmata	0.5	Ma	ile	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.								
Any Parent Alcoholic														
No														
Not current drinker		0.57	15.64	0.72	18.41	0.74	15.25	1.44	16.58	0.78	15.08	0.87	22.58	1.09
Did not exceed drinking limits		0.66	59.98	0.82	62.66	0.89	38.64	2.06	57.16	0.99	68.46	0.96	68.78	1.26
Exceeded daily but not weekly drinking limits		0.51	19.25	0.70	14.18	0.61	36.85	2.06	22.28	0.94	11.89	0.67	3.28	0.43
Exceeded weekly or both daily and weekly drinking limits	4.77	0.29	4.89	0.40	4.66	0.37	9.17	1.26	3.86	0.40	4.50	0.42	4.93	0.59
Married to Alcoholic/Lived with Alcoholic as if Married														
Yes							4							
Not current drinker	18.14	1.31	16.82	3.02	18.45	1.33	*19.55	7.62	18.38	2.24	16.94	1.80	20.89	3.13
Did not exceed drinking limits		1.42	61.49	3.90	64.42	1.55	46.09	9.51	57.29	2.54	67.93	2.24	71.54	3.48
Exceeded daily but not weekly drinking limits		1.09	13.95	3.19	14.33	1.12	32.37	9.00	21.38	2.29	10.75	1.44	*3.39	1.30
Exceeded weekly or both daily and weekly drinking limits	3.74	0.60	7.73	2.12	2.79	0.53	*1.99	1.46	2.95	0.74	4.37	0.94	*4.18	1.49
No														
Not current drinker	16.72	0.54	15.51	0.69	17.93	0.69	14.95	1.25	16.07	0.72	15.39	0.82	21.97	1.06
Did not exceed drinking limits	60.58	0.62	59.43	0.83	61.74	0.82	37.62	1.82	57.05	0.95	67.33	0.88	69.27	1.28
Exceeded daily but not weekly drinking limits	17.66	0.50	19.92	0.72	15.37	0.59	38.26	1.91	22.81	0.89	12.54	0.66	3.28	0.44
Exceeded weekly or both daily and weekly drinking limits	4.88	0.29	4.88	0.39	4.89	0.37	9.10	1.12	3.92	0.37	4.64	0.41	5.05	0.60
Any Alcohol Treatment in the Past Year														
Yes														
Not current drinker	*11.85	5.97	*9.55	5.77	*17.97	14.34	*17.27	17.92	[*] 7.86	5.91	*6.22	6.49	*100.00	0.00
Did not exceed drinking limits	*26.25	12.18	*31.78	16.22	[*] 11.54	8.89	[*] 25.66	24.46	*3.41	3.60	*65.45	20.47	_	_
Exceeded daily but not weekly drinking limits	[*] 35.72	15.20	[*] 35.94	19.51	[*] 35.14	19.85	*57.06	30.20	[*] 57.97	19.95		_	_	_
Exceeded weekly or both daily and weekly drinking limits	*26.18	11.72	*22.72	13.53	*35.36	20.99	_	_	*30.77	18.03	*28.33	19.66	_	_
No														
Not current drinker		0.52	15.58	0.67	18.01	0.64	15.07	1.24	16.32	0.68	15.60	0.77	21.83	1.02
Did not exceed drinking limits		0.60	59.61	0.80	62.20	0.75	37.86	1.79	57.24	0.86	67.41	0.81	69.51	1.21
Exceeded daily but not weekly drinking limits	17.28	0.47	19.63	0.69	15.19	0.54	38.07	1.87	22.56	0.80	12.34	0.60	3.29	0.41
Exceeded weekly or both daily and weekly drinking limits	4.72	0.27	4.93	0.38	4.54	0.33	8.93	1.09	3.75	0.33	4.55	0.40	4.98	0.56
Any Alcohol Treatment in Life														
Yes														
Not current drinker	20.89	3.48	23.74	4.65	15.65	4.41	*20.32	11.80	18.77	4.95	20.08	6.38	*40.88	15.36
Did not exceed drinking limits		4.02	35.81	4.90	41.28	7.06	[*] 9.99	7.14	29.80	5.08	51.34	7.76	[*] 33.32	13.34
Exceeded daily but not weekly drinking limits	30.24	4.33	28.30	5.76	33.82	6.58	*69.69	13.49	37.33	7.17	18.51	4.80	*18.98	12.06
Exceeded weekly or both daily and weekly drinking limits	11.02	2.88	11.98	3.63	*9.24	4.06	_	_	14.10	4.33	*10.07	4.31	*5.17	5.13
No														
Not current drinker		0.51	15.39	0.66	18.03	0.64	15.02	1.25	16.25	0.68	15.50	0.74	21.76	1.03
Did not exceed drinking limits		0.60	60.01	0.78	62.35	0.75	38.10	1.81	57.57	0.87	67.70	0.80	69.69	1.22
Exceeded daily but not weekly drinking limits	17.13	0.47	19.50	0.70	15.02	0.54	37.81	1.89	22.41	0.80	12.20	0.60	3.19	0.40
Exceeded weekly or both daily and weekly drinking limits	4.68	0.27	4.85	0.38	4.53	0.34	9.00	1.10	3.64	0.33	4.51	0.40	4.97	0.56

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 current drinkers² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Despendent characteristics at Ways 4	Both s	sexes			Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly low-risk drinking limits at Wave 2	Estimate	S.E.	Ма	ıle	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
iow-risk arinking limits at wave 2	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Conduct Disorder														
Yes														
Not current drinker	15.38	3.99	16.60	5.36	*12.67	5.22	*26.32	11.45	*16.75	7.49	*5.18	2.68	*44.01	21.35
Did not exceed drinking limits	61.86	5.91	61.72	7.66	ູ62.18	8.91	*32.63	12.88	62.25	9.04	75.82	8.14	*55.99	21.35
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	17.70 *5.06	4.53 2.36	*16.03 *5.66	5.51 3.11	*21.43 *3.72	7.87 3.10	*27.68 *13.37	12.79 8.20	*18.10 *2.90	7.19 2.44	*14.90 *4.11	6.89 4.04	_	_
No														
Not current drinker	16.87	0.53	15.54	0.68	18.04	0.65	14.86	1.27	16.29	0.68	15.69	0.77	21.81	1.02
Did not exceed drinking limits	60.89	0.60	59.48	0.81	62.14	0.76	37.94	1.79	57.02	0.88	67.32	0.81	69.51	1.21
Exceeded daily but not weekly drinking limits	17.32	0.48	19.74	0.70	15.18	0.55	38.30	1.89	22.72	0.83	12.29	0.60	3.30	0.42
Exceeded weekly or both daily and weekly drinking limits	4.77	0.27	4.99	0.39	4.58	0.33	8.83	1.10	3.84	0.34	4.61	0.40	4.99	0.56
Paranoid Personality Disorder — Lifetime														
Yes														
Not current drinker	25.63	2.56	25.89	4.38	25.48	2.90	24.04	4.79	24.67	3.46	25.29	4.65	42.23	8.64
Did not exceed drinking limits	47.71	2.81	45.22	4.58	49.18	3.38	31.05	5.67	47.17	3.94	58.99	4.59	45.45	10.09
Exceeded daily but not weekly drinking limits	21.73	2.21	23.29	4.22	20.81	2.69	40.13	6.41	23.20	3.51	11.51	2.88	*3.11	2.91
Exceeded weekly or both daily and weekly drinking limits	4.93	1.17	5.60	2.30	4.53	1.35	*4.78	3.01	4.96	1.65	*4.21	2.07	*9.20	5.61
No														
Not current drinker	16.51	0.53	15.24	0.68	17.66	0.64	14.42	1.31	15.87	0.70	15.27	0.77	21.64	1.03
Did not exceed drinking limits	61.42	0.60	59.95	0.81	62.75	0.76	38.33	1.91	57.57	0.89	67.68	0.83	69.75	1.22
Exceeded daily but not weekly drinking limits	17.15	0.48	19.58	0.69	14.95	0.55	37.96	1.92	22.65	0.85	12.34	0.60	3.29	0.42
Exceeded weekly or both daily and weekly drinking limits	4.77	0.28	4.98	0.39	4.58	0.34	9.21	1.15	3.77	0.34	4.62	0.41	4.92	0.56
Schizoid Personality Disorder — Lifetime														
Yes														
Not current drinker	20.28	2.44	17.78	3.79	22.75	3.18	21.62	6.96	18.04	3.36	22.81	4.17	*19.68	6.33
Did not exceed drinking limits	53.46	2.87	53.02	4.85	53.89	3.89	27.76	8.19	51.04	4.36	58.18	4.89	69.58	7.64
Exceeded daily but not weekly drinking limits	20.24	2.79	21.98	4.82	18.52	3.19	40.73	9.56	25.31	4.24	12.78	4.65	*7.10	4.58
Exceeded weekly or both daily and weekly drinking limits	6.02	1.51	7.22	2.61	4.84	1.67	*9.89	7.48	5.60	2.11	*6.24	2.38	*3.65	3.58
No														
Not current drinker	16.75	0.52	15.49	0.68	17.88	0.65	14.89	1.22	16.23	0.68	15.36	0.77	21.91	1.04
Did not exceed drinking limits	61.12	0.60	59.71	0.81	62.37	0.76	38.12	1.85	57.28	0.87	67.70	0.83	69.47	1.23
Exceeded daily but not weekly drinking limits	17.24	0.48	19.62	0.71	15.12	0.53	38.04	1.91	22.58	0.83	12.30	0.62	3.23	0.42
Exceeded weekly or both daily and weekly drinking limits	4.74	0.27	4.93	0.38	4.57	0.34	8.89	1.09	3.77	0.34	4.56	0.41	5.00	0.57
Schizotypal Personality Disorder — Lifetime ³														
Yes														
Not current drinker	16.62	2.07	16.37	3.01	16.85	2.75	*6.90	3.41	14.98	2.72	18.69	3.96	41.56	10.24
Did not exceed drinking limits	50.29	2.58	50.39	3.73	50.20	3.82	39.83	7.02	45.60	3.57	61.23	4.53	51.69	10.32
Exceeded daily but not weekly drinking limits	24.19	2.35	25.76	3.84	22.68	2.96	36.72	7.08	31.41	3.77	12.57	2.96	*1.35	1.30
Exceeded weekly or both daily and weekly drinking limits	8.90	1.69	7.48	1.69	10.27	2.77	16.55	6.44	8.01	2.46	7.51	2.32	*5.41	5.23

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits¹ at Wave 2 among Wave 1 current drinkers² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree de debras de la la constantial de la cons	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly low-risk drinking limits at Wave 2	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at wave 2	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Schizotypal Personality Disorder — Lifetime ³														
No														
Not current drinker	16.86	0.52	15.53	0.68	18.05	0.65	15.51	1.28	16.35	0.69	15.48	0.76	21.63	1.01
Did not exceed drinking limits	61.27	0.60	59.84	0.79	62.54	0.77	37.73	1.86	57.56	0.88	67.62	0.82	69.68	1.23
Exceeded daily but not weekly drinking limits	17.08	0.47	19.46	0.68	14.96	0.55	38.18	1.90	22.30	0.83	12.31	0.61	3.32	0.42
Exceeded weekly or both daily and weekly drinking limits	4.63	0.27	4.90	0.40	4.38	0.33	8.50	1.06	3.65	0.33	4.51	0.41	4.97	0.57
Antisocial Personality Disorder — Lifetime ³														
Yes														
Not current drinker	18.41	2.92	18.91	3.81	17.06	4.08	18.29	5.25	13.61	3.41	22.73	5.79	[*] 28.72	20.53
Did not exceed drinking limits		3.46	46.66	4.47	45.70	5.34	27.41	6.65	40.88	5.14	59.42	6.55	*71.28	20.53
Exceeded daily but not weekly drinking limits	28.10	3.48	25.63	4.34	34.76	5.52	__ 37.11	7.15	40.54	5.94	12.50	4.10	_	_
Exceeded weekly or both daily and weekly drinking limits	6.61	1.55	8.14	2.07	*2.48	1.44	*17.19	6.13	*3.84	1.65	*5.35	2.22	_	_
No														
Not current drinker	16.81	0.52	15.42	0.67	18.02	0.66	14.90	1.29	16.37	0.69	15.39	0.76	21.82	1.01
Did not exceed drinking limits	61.28	0.60	60.04	0.80	62.36	0.76	38.39	1.90	57.53	0.89	67.62	0.81	69.45	1.22
Exceeded daily but not weekly drinking limits	17.04	0.48	19.44	0.71	14.95	0.55	38.16	1.91	22.17	0.84	12.31	0.60	3.32	0.42
Exceeded weekly or both daily and weekly drinking limits	4.72	0.27	4.87	0.38	4.60	0.34	8.48	1.07	3.83	0.34	4.59	0.41	5.01	0.56
Borderline Personality Disorder — Lifetime ³														
Yes														
Not current drinker	19.30	1.66	19.11	2.62	19.42	2.07	11.42	2.88	17.95	2.58	23.13	3.39	35.55	8.39
Did not exceed drinking limits	47.29	2.25	40.98	3.68	51.53	2.85	37.93	5.22	45.53	3.34	55.19	4.15	53.07	7.92
Exceeded daily but not weekly drinking limits	24.55	1.86	30.23	3.35	20.73	2.01	33.10	4.64	30.95	3.04	12.29	2.47	*4.65	2.87
Exceeded weekly or both daily and weekly drinking limits	8.62	1.26	9.07	2.09	8.31	1.44	17.55	4.21	5.07	1.15	9.38	2.31	*6.72	3.86
No														
Not current drinker	16.72	0.54	15.40	0.69	17.92	0.67	15.46	1.30	16.18	0.72	15.26	0.78	21.61	1.05
Did not exceed drinking limits	61.63	0.61	60.35	0.83	62.79	0.77	37.83	1.83	57.85	0.91	67.92	0.83	69.79	1.24
Exceeded daily but not weekly drinking limits	16.94	0.48	19.21	0.70	14.88	0.55	38.65	1.94	22.12	0.85	12.31	0.61	3.27	0.43
Exceeded weekly or both daily and weekly drinking limits	4.57	0.27	4.81	0.39	4.34	0.33	7.98	1.07	3.75	0.36	4.41	0.40	4.94	0.56
<u>Histrionic Personality Disorder — Lifetime</u>														
Yes														
Not current drinker	17.36	2.93	22.73	5.27	13.31	3.74	*18.05	6.40	16.49	4.71	20.31	6.13	*12.50	6.27
Did not exceed drinking limits	51.33	4.23	45.42	6.76	55.78	5.91	21.03	7.09	54.27	6.34	61.21	7.72	79.62	8.89
Exceeded daily but not weekly drinking limits	24.92	3.55	25.01	5.77	24.85	4.98	60.17	8.99	21.24	5.07	*10.51	5.53	_	_
Exceeded weekly or both daily and weekly drinking limits	*6.39	2.43	*6.85	3.97	*6.05	3.13	*0.75	0.75	*8.00	4.43	*7.97	5.41	*7.88	7.49
No														
Not current drinker	16.85	0.52	15.47	0.68	18.08	0.64	14.98	1.25	16.29	0.68	15.54	0.76	21.95	1.03
Did not exceed drinking limits	61.03	0.60	59.68	0.81	62.23	0.75	38.37	1.81	57.12	0.87	67.47	0.81	69.38	1.23
Exceeded daily but not weekly drinking limits	17.22	0.48	19.62	0.70	15.07	0.54	37.41	1.85	22.69	0.83	12.33	0.60	3.32	0.42
Exceeded weekly or both daily and weekly drinking limits	4.75	0.27	4.97	0.38	4.55	0.33	9.17	1.11	3.77	0.32	4.58	0.40	4.95	0.56

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decreased and all acceptances as May 1	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatimata	0.5	Ma	ale	Fem	nale	18–24	years	25–44	years	45–64	years	65 years a	and olde
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Narcissistic Personality Disorder — Lifetime ³														
Yes														
Not current drinker	15.25	1.71	13.35	2.15	17.82	2.48	16.71	5.28	12.98	2.16	14.88	2.90	24.83	6.38
Did not exceed drinking limits	54.51	2.31	54.76	3.20	54.17	3.22	34.74	4.99	53.10	3.34	64.23	4.40	62.57	6.62
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits		1.79 1.00	26.19 5.71	2.75 1.18	21.35 6.58	2.11 1.60	35.81 12.75	5.90 4.17	29.86 4.05	2.82 1.00	15.82 4.97	2.78 1.38	*3.98 *8.62	2.28 3.56
No														
Not current drinker	16.95	0.55	15.72	0.71	18.02	0.67	14.92	1.27	16.52	0.75	15.62	0.79	21.78	1.04
Did not exceed drinking limits		0.62	59.85	0.80	62.50	0.79	38.13	1.88	57.34	0.91	67.56	0.86	69.69	1.25
Exceeded daily but not weekly drinking limits		0.48	19.23	0.68	14.93	0.56	38.33	1.93	22.18	0.83	12.15	0.61	3.27	0.42
Exceeded weekly or both daily and weekly drinking limits	4.70	0.28	4.95	0.40	4.48	0.33	8.55	1.07	3.82	0.35	4.59	0.42	4.85	0.57
Avoidant Personality Disorder — Lifetime														
Yes														
Not current drinker	20.22	3.01	22.96	5.51	18.58	3.54	*13.40	5.42	21.15	4.29	24.16	5.93	*9.70	6.73
Did not exceed drinking limits		3.56	55.62	6.01	56.24	4.40	43.78	8.56	51.98	4.94	65.48	6.33	80.58	10.76
Exceeded daily but not weekly drinking limits		3.30	18.95	4.99	21.98	3.80	36.26	7.57	24.26	5.11	*8.42	3.10	*9.71	9.13
Exceeded weekly or both daily and weekly drinking limits		1.04	*2.47	1.60	*3.20	1.43	*6.57	4.49	*2.62	1.34	*1.94	1.54	_	_
No														
Not current drinker	16.78	0.52	15.43	0.68	18.00	0.64	15.13	1.25	16.16	0.69	15.43	0.76	21.95	1.03
Did not exceed drinking limits		0.60	59.58	0.81	62.29	0.75	37.62	1.84	57.22	0.87	67.44	0.83	69.40	1.22
Exceeded daily but not weekly drinking limits		0.46	19.70	0.69	15.04	0.53	38.18	1.89	22.63	0.83	12.39	0.61	3.25	0.41
Exceeded weekly or both daily and weekly drinking limits	4.81	0.28	5.04	0.40	4.61	0.34	9.00	1.13	3.87	0.34	4.66	0.41	5.01	0.56
Dependent Personality Disorder — Lifetime														
Yes														
Not current drinker	19.41	7.39	*17.17	14.05	*19.79	8.34	*32.73	22.49	*13.74	8.69	*25.17	12.91	_	_
Did not exceed drinking limits		9.47	*65.14	19.08	60.18	10.78	*32.98	20.12	*67.57	13.38	*59.09	16.33	*100.00	0.00
Exceeded daily but not weekly drinking limits		6.01	*17.69	15.94	*13.95	6.94	*12.28	12.01	*17.26	10.12	*15.75	14.05	_	_
Exceeded weekly or both daily and weekly drinking limits		4.49	_	_	*6.08	5.21	*22.01	19.21	*1.44	1.49	_	_	_	_
No														
Not current drinker	16.85	0.52	15.56	0.67	18.00	0.64	14.97	1.23	16.30	0.68	15.56	0.76	21.90	1.02
Did not exceed drinking limits		0.60	59.50	0.80	62.15	0.76	37.87	1.80	57.04	0.87	67.43	0.81	69.43	1.21
Exceeded daily but not weekly drinking limits		0.48	19.69	0.70	15.22	0.55	38.26	1.87	22.69	0.82	12.31	0.60	3.30	0.42
Exceeded weekly or both daily and weekly drinking limits	4.77	0.27	5.00	0.39	4.57	0.33	8.84	1.09	3.84	0.33	4.62	0.40	4.98	0.56
Obsessive-Compulsive Personality Disorder — Lifetime														
Yes														
Not current drinker	18.02	1.44	19.66	2.30	16.56	1.81	23.01	5.45	15.59	2.06	15.16	2.23	29.18	4.44
Did not exceed drinking limits		1.75	55.92	2.79	63.37	2.21	27.12	5.41	57.73	2.60	68.55	3.03	66.53	4.69
Exceeded daily but not weekly drinking limits		1.36	19.94	2.35	16.27	1.66	42.88	6.86	22.83	2.08	11.89	2.28	*2.09	1.24
	4.12	0.80	4.48	1.32	3.79	1.00	*6.99	3.30	3.85	1.03	4.40	1.19	*2.21	2.17

Table 1-5. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits 1 at Wave 2 among Wave 1 current drinkers 2 who did not exceed drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree destates and relative at West 4	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fallmata	0.5	Ма	le	Fen	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Obsessive-Compulsive Personality Disorder — Lifetime														
No Not current drinker Did not exceed drinking limits Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits		0.54 0.62 0.50 0.28	15.19 59.84 19.66 5.04	0.69 0.82 0.73 0.39	18.14 62.02 15.12 4.65	0.66 0.78 0.57 0.36	14.34 38.82 37.67 9.09	1.20 1.88 1.87 1.16	16.36 57.01 22.66 3.83	0.71 0.91 0.89 0.35	15.62 67.30 12.35 4.63	0.80 0.86 0.62 0.42	21.33 69.69 3.38 5.18	1.02 1.24 0.43 0.58

Exceeding daily drinking limit: 5+ drinks for men and 4+ drinks for women on one or more occasions or the usual or largest ethanol intake of any beverage type greater than 4.5 drinks for men and greater than 3.5 drinks for women. Exceeding weekly drinking limit: on average more than 14 drinks per week for men and more than 7 drinks per week for women.

Current drinker: 1 or more drinks in the past year.

Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.

Fewer than 10 observations in the cell.

SOURCE: NIAAA 2001–2002 and 2004–2005 National Epidemiologic Surveys on Alcohol and Related Conditions.

[—] Empty cell.

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1.

5	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly		0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Total</u>														
Not current drinker	7.51	0.45	7.36	0.62	7.73	0.66	7.04	0.86	7.67	0.61	7.04	0.84	11.72	2.80
Did not exceed drinking limits	24.84	0.71	21.40	0.88	29.91	1.01	14.27	1.20	24.20	0.88	33.30	1.77	54.42	4.34
Exceeded daily but not weekly drinking limits	53.18	0.88	56.47	1.04	48.33	1.34	58.76	1.74	55.24	1.15	46.50	1.83	18.80	3.31
Exceeded weekly or both daily and weekly drinking limits	14.21	0.56	14.42	0.79	13.90	0.83	19.88	1.38	12.56	0.71	12.94	1.13	14.62	3.08
Race/Ethnicity														
White, Not Hispanic or Latino														
Not current drinker	6.37	0.49	6.65	0.70	5.98	0.61	5.97	1.03	6.64	0.63	5.50	0.89	10.70	3.19
Did not exceed drinking limits	24.82	0.82	21.31	1.08	29.65	1.13	12.42	1.29	23.85	1.04	34.07	1.99	55.28	4.93
Exceeded daily but not weekly drinking limits	54.70	1.02	57.87	1.32	50.35	1.42	61.46	2.06	57.04	1.31	47.81	2.14	17.54	3.74
Exceeded weekly or both daily and weekly drinking limits	13.86	0.65	13.83	0.93	13.92	0.94	20.15	1.67	12.15	0.83	12.40	1.26	15.95	3.67
Black, Not Hispanic or Latino													de	
Not current drinker	11.96	1.58	9.89	2.26	14.92	2.42	12.94	3.86	9.93	1.96	15.87	3.76	*6.22	6.05
Did not exceed drinking limits	26.26	2.19	22.92	2.48	31.05	3.39	15.04	3.60	26.53	3.27	32.71	4.21	68.95	10.82
Exceeded daily but not weekly drinking limits	40.68	2.90	45.02	4.01	34.45	3.52	49.95	6.41	41.72	3.75	31.16	4.30	*19.86	8.19
Exceeded weekly or both daily and weekly drinking limits	20.41	2.32	21.24	3.40	19.22	3.11	22.07	4.82	20.73	3.45	19.63	4.24	*4.97	4.90
American Indian/Alaska Native, Not Hispanic or Latino			4						4		ı.		4	
Not current drinker	10.80	3.44	*8.70	4.48	*13.48	5.35		_	*10.83	4.13	*15.09	7.74	*29.80	27.36
Did not exceed drinking limits	26.11	5.16	*19.68	6.24	34.32	8.21	*30.37	13.84	24.05	6.77	*26.00	10.10	*57.90	30.70
Exceeded daily but not weekly drinking limits	45.49	6.13	51.47	7.66	37.85	9.01	[*] 59.06	15.55	_48.31	8.54	*33.40	10.73	*12.31	13.44
Exceeded weekly or both daily and weekly drinking limits	17.60	5.27	20.15	6.46	*14.35	9.42	*10.57	7.98	*16.82	6.61	*25.51	10.01	_	_
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino					de								di.	
Not current drinker	10.92	2.88	*9.59	4.05	*12.78	4.97	*5.34	3.13	*12.40	4.81	*16.45	12.15	*100.00	0.00
Did not exceed drinking limits	29.44	5.22	35.18	7.39	21.43	7.54	*27.15	9.27	27.89	6.36	[*] 45.79	21.67	_	_
Exceeded daily but not weekly drinking limits	44.90	5.68	40.65	7.74	_50.81	8.02	47.61	9.56	49.46	7.40	[*] 18.89	12.66	_	_
Exceeded weekly or both daily and weekly drinking limits	14.75	4.31	*14.58	6.18	*14.98	7.27	*19.91	9.09	*10.24	5.73	*18.87	13.71	_	_
Hispanic or Latino													4	
Not current drinker	10.56	1.23	9.06	1.57	14.19	2.88	9.69	2.13	10.92	1.91	10.04	2.54	[*] 15.95	7.49
Did not exceed drinking limits	23.21	1.78	19.47	2.05	32.27	2.95	17.61	3.26	24.50	2.36	26.57	4.68	*35.84	9.16
Exceeded daily but not weekly drinking limits	53.83	2.09	57.88	2.61	44.03	3.31	54.14	3.79	53.76	2.74	55.59	4.98	*34.68	10.59
Exceeded weekly or both daily and weekly drinking limits	12.23	1.53	13.42	2.06	9.37	1.96	18.29	2.98	10.65	1.87	7.80	2.14	*13.53	7.56
Marital Status														
Married													4	
Not current drinker	7.23	0.63	6.83	0.79	7.90	0.99	12.73	3.14	6.94	0.75	6.35	1.12	*10.74	3.60
Did not exceed drinking limits	28.04	1.05	25.13	1.30	32.90	1.69	22.32	4.01	24.99	1.14	32.43	2.26	60.08	5.83
Exceeded daily but not weekly drinking limits	52.04	1.15	55.56	1.49	46.18	1.99	54.60	4.51	55.55	1.31	47.83	2.36	15.07	3.80
Exceeded weekly or both daily and weekly drinking limits	12.51	0.76	12.31	1.01	12.85	1.20	10.35	2.64	12.39	0.93	13.04	1.49	14.10	3.92

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree destables destables et West 4	Both s	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatimete.	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Living with someone as if married														
Not current drinker	8.32	1.91	8.38	2.83	8.23	2.56	*8.53	3.44	9.54	2.72	*2.19	1.57	_	_
Did not exceed drinking limits	20.14	2.48	19.65	3.58	20.83	4.09	*11.21	3.87	20.53	3.64	38.01	7.87	_	_
Exceeded daily but not weekly drinking limits	57.53	3.05	56.89	4.13	58.43	5.09	62.17	6.41	56.34	4.26	52.13	8.34	*100.00	0.00
Exceeded weekly or both daily and weekly drinking limits	13.94	2.54	15.08	3.64	12.34	3.17	18.09	5.42	13.47	2.92	*7.67	4.46	_	_
Widowed														
Not current drinker	16.44	4.03	*19.54	7.23	15.16	4.76	_	_	*14.05	7.18	*18.81	6.71	*14.01	5.82
Did not exceed drinking limits	40.85	5.17	43.83	7.61	39.62	6.22	_	_	*44.22	14.27	28.39	5.90	57.72	9.74
Exceeded daily but not weekly drinking limits	29.74	5.77	31.23	8.40	29.13	7.25	_	_	*20.83	10.16	41.14	7.92	*16.86	9.09
Exceeded weekly or both daily and weekly drinking limits	12.96	3.56	*5.40	3.61	16.10	4.76	_	_	*20.91	9.76	*11.66	5.22	*11.41	5.28
Divorced														
Not current drinker	7.58	1.12	8.11	1.76	7.09	1.27	_	_	9.32	1.66	5.14	1.30	*11.06	6.88
Did not exceed drinking limits		2.03	25.10	2.71	34.90	2.89	*26.52	19.59	24.11	2.65	38.64	2.95	*30.76	11.86
Exceeded daily but not weekly drinking limits	50.17	2.37	52.91	3.36	47.97	3.06	*73.48	19.59	56.96	3.27	40.89	2.96	46.00	11.75
Exceeded weekly or both daily and weekly drinking limits	11.78	1.41	13.65	2.36	10.04	1.79	-	-	9.41	1.62	15.33	2.36	*12.19	7.50
Separated														
Not current drinker	12.12	3.12	18.87	6.09	7.24	2.57	*23.12	14.49	6.43	2.44	22.05	7.74	_	_
	24.12	3.12		3.82	32.65	5.40	*33.12	16.11	23.69	4.50	22.63	7.74	_	_
Did not exceed drinking limits			12.30											
Exceeded daily but not weekly drinking limits	50.43	4.57	57.43	7.39	45.37	5.54	*16.52	8.81	56.91	5.25	45.75	8.88	*100.00	0.00
Exceeded weekly or both daily and weekly drinking limits	13.34	3.23	11.40	4.52	14.74	4.47	*27.24	17.57	12.98	3.36	*9.56	5.76	_	_
Never married													4	
Not current drinker	7.11	0.81	7.11	1.13	7.12	1.09	5.72	0.97	8.54	1.40	9.14	2.82	[*] 25.43	13.54
Did not exceed drinking limits		1.04	14.22	1.27	23.66	1.92	12.79	1.31	22.79	1.68	32.62	4.55	*10.81	10.48
Exceeded daily but not weekly drinking limits	56.41	1.46	59.32	1.87	51.87	2.23	59.68	1.94	53.69	2.38	47.57	4.63	*4.26	4.41
Exceeded weekly or both daily and weekly drinking limits	18.06	1.11	18.59	1.56	17.25	1.67	21.75	1.58	13.91	1.78	10.66	3.22	*48.18	17.74
Ever Had Children (Including Step, Adopted, Foster)														
Yes														
Not current drinker	8.25	0.56	7.63	0.76	9.12	0.89	14.83	2.66	8.03	0.70	7.03	0.92	10.57	2.75
Did not exceed drinking limits	27.43	0.99	24.58	1.17	31.41	1.46	19.82	2.95	23.89	1.08	32.41	1.93	55.98	4.49
Exceeded daily but not weekly drinking limits	51.21	1.08	54.36	1.29	46.81	1.71	48.20	3.94	55.43	1.27	47.43	2.01	19.87	3.50
Exceeded weekly or both daily and weekly drinking limits	13.03	0.66	13.31	0.93	12.63	0.96	17.15	2.97	12.62	0.87	12.92	1.25	13.59	3.07
No														
Not current drinker	6.32	0.68	6.95	0.99	5.30	0.85	5.30	0.92	6.94	0.98	7.10	2.04	*29.16	15.48
Did not exceed drinking limits	20.70	0.96	16.62	1.23	27.30	1.64	13.03	1.32	24.83	1.50	38.98	4.25	*30.85	12.86
	56.34	1.38	59.66		50.97	1.04	61.12	1.99	24.63 54.87	1.92	30.90 40.50	4.25	*2.67	2.73
Exceeded daily but not weekly drinking limits				1.65										
Exceeded weekly or both daily and weekly drinking limits	16.11	0.92	16.10	1.25	16.12	1.59	20.49	1.59	12.43	1.25	13.05	2.74	*30.22	14.99

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree destablements of Const Wood A	Both s	sexes		5	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly low-risk drinking limits at Wave 2	Fatimete.	S.E.	Ма	ıle	Fem	nale	18–24	years	25–44	years	45–64	years	65 years	and older
iow-risk drinking limits at wave 2	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.								
Children Ages Below 13 Living in Household														
Yes													di.	
Not current drinker	8.21	0.65	6.94	0.89	9.90	1.08	10.46	2.04	7.68	0.73	9.51	2.37	__ *5.96	6.25
Did not exceed drinking limits	24.37	1.14	21.32	1.46	28.41	1.57	17.50	2.50	24.95	1.23	29.49	4.28	[*] 34.46	21.19
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	54.18 13.20	1.25 0.88	57.38 14.33	1.62 1.27	49.94 11.71	1.89 1.21	48.07 23.98	3.30 2.94	56.03 11.29	1.40 0.91	47.38 13.63	3.86 2.80	*51.70 *7.89	23.15 8.13
No														
Not current drinker	7.07	0.54	7.60	0.76	6.24	0.74	5.92	1.00	7.65	0.87	6.57	0.89	11.99	2.90
Did not exceed drinking limits	25.13	0.87	21.45	1.04	30.94	1.35	13.21	1.44	23.35	1.21	34.01	1.95	55.33	4.56
Exceeded daily but not weekly drinking limits	52.57	1.13	55.95	1.40	47.23	1.64	62.29	2.05	54.34	1.62	46.33	1.97	17.29	3.29
Exceeded weekly or both daily and weekly drinking limits	14.84	0.74	14.48	1.00	15.40	1.18	18.53	1.55	14.00	1.13	12.81	1.27	14.93	3.18
Education														
11 years or less														
Not current drinker	13.84	1.60	12.38	2.11	17.20	2.53	12.03	2.95	14.38	2.48	13.78	3.11	*19.54	7.17
Did not exceed drinking limits	20.81	1.92	15.39	1.95	33.35	3.89	14.24	3.16	18.82	2.69	30.57	4.65	36.67	10.00
Exceeded daily but not weekly drinking limits	48.78	2.55	53.23	3.21	38.51	3.90	49.10	4.58	54.38	3.76	39.36	5.06	22.66	7.61
Exceeded weekly or both daily and weekly drinking limits	16.52	1.83	19.01	2.33	10.78	2.36	24.64	3.98	12.32	2.45	16.29	3.44	*21.13	9.87
12 years	0.07	0.04	0.00	4.04	0.04	4.40	40.00	4.00	40.47	4.00	7.00	4.04	*40.40	F 00
Not current drinker	9.67	0.94	9.69	1.31	9.64	1.42	10.09	1.99	10.47	1.39	7.30	1.61	*10.49	5.03
Did not exceed drinking limits	23.26	1.30	19.39	1.62	29.12	2.15	15.01	2.20	21.21	1.73	29.24	3.01	64.99	7.33
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	51.55 15.25	1.68 1.05	53.36 17.18	2.00 1.53	48.82 12.32	2.50 1.37	54.87 20.04	3.12 2.38	54.38 13.78	2.32 1.62	48.64 13.97	3.52 2.35	13.39 *11.13	4.91 4.50
13–15 years														
Not current drinker	6.62	0.63	6.90	0.93	6.27	0.90	4.38	1.26	7.00	0.85	8.47	1.79	*9.97	4.94
Did not exceed drinking limits	24.15	1.17	20.67	1.55	28.59	1.67	13.99	1.92	25.20	1.60	33.74	3.01	45.16	8.53
Exceeded daily but not weekly drinking limits	54.14	1.33	57.95	1.78	49.28	1.89	60.48	2.58	54.13	1.94	47.68	3.04	27.73	8.12
Exceeded weekly or both daily and weekly drinking limits	14.67	0.88	13.74	1.23	15.86	1.48	21.05	2.22	12.99	1.25	10.12	1.83	*15.41	5.78
16 or more years													4	
Not current drinker	4.10	0.66	3.37	0.80	5.18	1.03	*3.56	1.67	4.43	0.80	2.80	1.04	*10.97	5.97
Did not exceed drinking limits	28.79	1.36	26.98	1.99	31.44	1.84	13.37	3.22	26.85	1.58	37.51	3.33	57.05	10.76
Exceeded daily but not weekly drinking limits	55.24	1.56	59.16	2.00	49.49	2.25	74.67	4.21	57.18	1.88	46.01	3.34	[*] 15.71	7.05
Exceeded weekly or both daily and weekly drinking limits	11.75	1.02	10.49	1.26	13.60	1.58	8.40	2.82	11.37	1.25	13.67	1.92	*16.27	7.27
Currently Employed Full Time														
Yes					0 ==									
Not current drinker	6.67	0.52	6.65	0.66	6.70	0.83	5.60	1.00	7.23	0.66	5.89	0.91	*	. — .
Did not exceed drinking limits		0.81	21.30	1.03	30.49	1.29	15.45	1.66	23.44	1.01	32.83	2.03	*61.87	15.64
Exceeded daily but not weekly drinking limits	55.54	1.04	58.56	1.20	49.69	1.75	62.13	2.37	56.37	1.29	49.21	2.23	*20.65	11.39
Exceeded weekly or both daily and weekly drinking limits	13.08	0.67	13.09	0.87	13.06	1.07	16.72	1.68	12.59	0.83	11.90	1.36	[*] 17.48	11.69

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Description of Ways 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatimata	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.										
Currently Employed Full Time														
No														
Not current drinker	9.43	0.87	9.71	1.42	9.20	1.03	8.49	1.44	9.32	1.28	9.88	1.88	13.07	3.08
Did not exceed drinking limits	25.76	1.26	21.73	1.76	29.09	1.68	13.08	1.71	27.05	1.88	34.45	3.07	53.56	4.41
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	47.80 16.81	1.40 1.08	49.51 18.87	2.10 1.70	46.39 15.11	1.81 1.34	55.38 23.04	2.53 2.20	50.99 12.43	2.30 1.37	39.78 15.51	2.77 2.06	18.59 14.29	3.44 3.16
Family Annual Income														
\$0 to \$19,999														
Not current drinker	9.57	1.01	9.58	1.61	9.57	1.26	6.39	1.32	12.49	2.07	11.64	2.47	*14.46	5.06
Did not exceed drinking limits	18.78	1.46	14.81	1.71	23.63	2.15	12.35	1.81	22.25	2.27	24.02	3.42	52.11	8.62
Exceeded daily but not weekly drinking limits	53.39	1.83	57.55	2.55	48.30	2.50	59.74	2.72	51.47	3.19	44.52	4.30	18.17	4.97
Exceeded weekly or both daily and weekly drinking limits	18.15	1.48	17.96	2.12	18.37	2.01	21.40	2.34	13.79	2.26	19.36	3.77	*15.25	5.76
\$20,000 to \$34,999													4	
Not current drinker	11.26	1.07	12.59	1.57	9.25	1.48	8.06	1.99	11.82	1.48	11.28	2.63	*23.65	7.88
Did not exceed drinking limits	25.60	1.55	21.21	1.94	32.19	2.44	17.27	2.77	24.43	2.21	34.48	3.71	52.20	8.40
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	49.03 13.99	1.80 1.18	49.92 16.12	2.32 1.73	47.70 10.79	2.58 1.49	56.43 18.25	3.45 2.64	50.96 12.56	2.63 1.63	41.18 13.06	3.72 2.61	*12.04 *12.12	4.59 6.15
\$35,000 to \$69,999														
Not current drinker	6.85	0.60	6.47	0.86	7.42	0.92	7.51	1.87	6.71	0.76	6.97	1.37	*5.67	3.63
Did not exceed drinking limits	25.62	1.20	22.86	1.56	29.69	1.76	15.05	2.64	23.66	1.38	35.01	3.03	56.73	7.71
Exceeded daily but not weekly drinking limits	54.32	1.37	56.86	1.69	50.58	2.12	58.52	3.68	57.23	1.66	45.90	3.16	27.96	7.71
Exceeded weekly or both daily and weekly drinking limits	12.72	0.89	13.01	1.25	12.29	1.35	18.92	2.92	11.79	1.07	11.56	1.67	*9.64	4.09
\$70,000 or more														
Not current drinker		0.66	3.74	0.74	5.68	1.21	*6.56	2.59	4.47	0.81	3.98	1.15	_	_
Did not exceed drinking limits		1.45	23.54	1.83	33.22	2.27	13.81	3.06	25.44	1.76	33.99	2.89	56.66	11.20
Exceeded daily but not weekly drinking limits	54.54	1.73	59.68	2.21	46.05	2.39	60.02	4.45	56.89	1.97	49.83	3.08	[*] 12.14	6.88
Exceeded weekly or both daily and weekly drinking limits	13.64	1.11	12.94	1.42	14.79	1.76	19.61	3.83	12.99	1.37	12.21	2.03	*28.45	10.55
Born in the United States														
Yes														
Not current drinker	7.16	0.46	7.10	0.64	7.23	0.64	6.59	0.91	7.32	0.61	6.98	0.89	9.70	2.79
Did not exceed drinking limits		0.77	20.65	0.94	29.86	1.05	13.67	1.18	23.80	0.93	32.95	1.82	57.43	4.59
Exceeded daily but not weekly drinking limits	53.71	0.96	56.96	1.16	49.27	1.37	58.79	1.80	56.32	1.20	46.73	1.99	17.31	3.32
Exceeded weekly or both daily and weekly drinking limits	14.30	0.61	14.89	0.85	13.50	0.86	20.90	1.47	12.18	0.75	13.09	1.21	15.09	3.17
No.	40.00	4 45	0.00	4.00	44.07	0.44	44.57	0.00	40.00	4.00	7.05	0.00	*44.44	40.00
Not current drinker	10.39	1.45	8.98	1.82	14.67	2.41	11.57	2.90	10.06	1.98	7.65	2.62	*41.14	16.39
Did not exceed drinking limits		2.32	26.14	2.70	30.62	3.96	20.19	5.60	27.00	2.77	37.00	7.17	*10.66	6.21
Exceeded daily but not weekly drinking limits	48.89 13.47	2.77 2.10	53.40 11.48	3.20 2.41	35.21	3.90	58.46 9.78	5.44	47.76	3.46 2.64	44.02	6.42 3.29	*40.45 *7.74	17.61 7.61
Exceeded weekly or both daily and weekly drinking limits	13.47	2.10	11.40	∠.41	19.50	4.34	9.70	3.57	15.18	2.04	11.33	3.29	1.14	1.01

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Described the state of the state of Many	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fallerate	0.5	Ма	le	Fem	ale	18–24	years	25-44	years	45–64	years	65 years	and olde
low-risk drinking limits at Wave 2	Estimate	S.E.												
Family Structure Before Age 18														
Both biological/adoptive parents in the household													*	
Not current drinker	7.83	0.88	6.83	1.13	9.08	1.39	7.16	1.67	8.56	1.22	6.17	1.87	*6.63	6.50
Did not exceed drinking limits	23.04	1.39	16.11	1.75	31.79	2.23	13.97	2.14	24.02	1.97	34.26	4.54	*77.96	10.91
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	54.24 14.74	1.73 1.12	59.94 16.84	2.32 1.71	47.04 12.10	2.45 1.50	56.75 22.13	3.19 2.69	55.61 11.63	2.56 1.37	46.06 13.50	4.53 3.15	*9.47 —	7.09 —
Only biological mother ever in the household (father never present)														
Not current drinker	6.99	0.54	7.20	0.70	6.67	0.75	5.43	1.03	7.03	0.71	7.37	1.01	12.44	3.16
Did not exceed drinking limits	25.80	0.90	23.03	1.12	30.19	1.24	14.51	1.64	24.30	1.12	34.06	1.97	53.64	4.60
Exceeded daily but not weekly drinking limits	53.08	1.09	55.61	1.31	49.09	1.63	60.28	2.14	55.68	1.37	46.50	2.07	17.68	3.43
Exceeded weekly or both daily and weekly drinking limits	13.81	0.68	13.77	0.91	13.86	1.02	19.71	1.83	12.56	0.88	11.77	1.23	16.25	3.49
Biological/adoptive parents divorced or no longer living together Not current drinker	10.76	1.60	9.65	2.30	12.19	2.46	16.91	4.08	9.84	2.29	*6.16	2.39	*6.20	5.98
Did not exceed drinking limits	22.09	2.03	20.48	2.60	24.17	3.06	13.31	3.35	23.88	2.63	25.53	4.70	*53.99	26.04
Exceeded daily but not weekly drinking limits	51.18	2.54	55.51	3.24	45.60	3.64	54.56	5.16	52.00	3.55	45.39	5.45	*26.65	24.07
Exceeded daily but not weekly diffiking limits Exceeded weekly or both daily and weekly drinking limits	15.89	1.79	14.24	2.44	18.03	2.75	15.22	3.55	14.15	2.21	22.92	4.62	*13.16	11.71
Raised by relatives, by foster parents, or in an institution	*0.45	0.00	*0.55	4.04	*0.40	0.04			*0.00	4.75			*0.04	40.00
Not current drinker	*6.15	3.06	*8.55	4.94	*2.48	2.04	*04.50		*9.00	4.75	*00.05		*9.84	10.36
Did not exceed drinking limits	22.08	6.18	*19.59	8.92	25.88	8.85	*21.52	19.24	24.42	8.34	*20.25	9.75	*00.40	_
Exceeded daily but not weekly drinking limits	56.40	7.46	57.48	10.17	54.75	11.07	*72.66	19.92	50.61	10.00	58.69	13.73	*90.16	10.36
Exceeded weekly or both daily and weekly drinking limits	*15.37	5.36	*14.38	6.88	*16.88	9.21	*5.83	6.15	*15.97	6.95	*21.07	13.59	_	_
Before Age 18, Family Received Government Assistance														
Yes														
Not current drinker	10.28	1.29	9.68	1.91	11.02	1.73	10.13	2.32	10.22	1.70	11.40	3.65	_	_
Did not exceed drinking limits	21.76	1.60	18.44	2.21	25.90	2.25	13.92	2.48	21.96	2.05	35.45	5.27	*66.16	16.53
Exceeded daily but not weekly drinking limits	52.39	1.83	55.63	2.72	48.37	2.50	54.74	3.71	54.96	2.28	36.42	4.80	*22.03	14.14
Exceeded weekly or both daily and weekly drinking limits	15.39	1.29	15.94	1.84	14.71	1.95	21.22	3.05	12.70	1.62	16.73	4.26	_	_
No.	0.00	0.40	6.00	0.00	7.00	0.00	6.00	0.00	744	0.00	0.50	0.00	40.40	0.00
Not current drinker	6.99	0.46	6.96	0.62	7.03	0.66	6.26	0.90	7.14	0.62	6.59	0.86	12.18	2.89
Did not exceed drinking limits	25.42	0.79	21.92	0.99	30.76	1.11	14.36	1.34	24.67	0.99	33.08	1.88	53.96	4.53
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	53.33 13.99	0.95 0.61	56.62 14.16	1.16 0.84	48.32 13.73	1.43 0.91	59.79 19.54	1.91 1.63	55.30 12.53	1.25 0.82	47.52 12.55	1.96 1.12	18.68 15.18	3.44 3.21
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes														
Not current drinker	9.14	1.99	7.82	2.19	14.60	4.78	*10.18	4.26	8.29	2.80	*9.85	3.77	*6.69	7.75
Did not exceed drinking limits	18.52	2.75	16.71	2.92	26.07	6.44	15.83	5.06	19.92	3.68	19.02	6.28	_	_
Exceeded daily but not weekly drinking limits	53.62	3.48	56.99	4.00	39.65	6.50	49.09	6.91	57.07	5.15	50.23	6.79	*93.31	7.75
Exceeded weekly or both daily and weekly drinking limits	18.71	2.64	18.48	3.00	19.69	5.68	24.90	5.43	14.72	3.31	20.91	5.64	_	_

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree de de la constación de est. Massa 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly low-risk drinking limits at Wave 2	Fatimete	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
iow-risk drinking limits at vvave 2	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Ever in Jail or Juvenile Detention Center														
No														
Not current drinker	7.42	0.45	7.32	0.63	7.55	0.65	6.82	0.87	7.64	0.61	6.86	0.88	11.80	2.84
Did not exceed drinking limits	25.20	0.73	21.77	0.91	30.02	1.03	14.16	1.22	24.42	0.89	34.22	1.83	55.19	4.32
Exceeded daily but not weekly drinking limits	53.16	0.92	56.43	1.10	48.56	1.35	59.44	1.81	55.15	1.19	46.25	1.94	17.74	3.22
Exceeded weekly or both daily and weekly drinking limits	13.96	0.56	14.11	0.80	13.75	0.85	19.53	1.43	12.45	0.72	12.42	1.11	14.83	3.12
Before Age 18, Physically Abused by Parent/Caretaker														
Yes											ale.		4.	
Not current drinker	14.39	2.92	14.91	4.54	13.90	3.92	[*] 11.39	5.48	16.98	4.17	*9.11	4.67	__ *11.61	12.13
Did not exceed drinking limits		2.60	12.53	3.14	29.71	3.95	*10.24	4.50	23.06	3.65	26.24	6.25	[*] 58.57	27.08
Exceeded daily but not weekly drinking limits	45.71	3.98	53.63	5.36	38.20	4.99	53.94	8.35	44.69	5.08	40.53	7.86	*29.82	25.46
Exceeded weekly or both daily and weekly drinking limits	18.55	2.98	18.93	4.15	18.19	4.34	24.43	7.31	15.27	3.42	24.12	8.38	_	_
No														
Not current drinker	7.22	0.45	7.10	0.60	7.40	0.64	6.86	0.89	7.24	0.60	6.97	0.86	11.73	2.83
Did not exceed drinking limits	24.99	0.74	21.70	0.90	29.92	1.03	14.44	1.22	24.25	0.89	33.54	1.80	54.35	4.44
Exceeded daily but not weekly drinking limits	53.50	0.89	56.57	1.05	48.87	1.35	58.96	1.75	55.73	1.16	46.70	1.85	18.62	3.39
Exceeded weekly or both daily and weekly drinking limits	14.03	0.56	14.27	0.78	13.67	0.84	19.69	1.38	12.43	0.72	12.56	1.10	14.86	3.12
Before Age 18, Seriously Neglected by Parent/Caretaker														
Yes														
Not current drinker	11.48	2.60	*6.40	2.94	16.06	4.26	*13.42	7.39	12.10	3.29	*8.37	4.44	_	_
Did not exceed drinking limits	28.52	3.97	22.56	5.11	33.89	5.27	*17.23	7.63	29.96	4.98	32.00	8.74	*100.00	0.00
Exceeded daily but not weekly drinking limits	46.63	4.32	54.78	6.35	39.27	6.03	57.42	8.95	47.85	5.72	35.25	9.32	_	_
Exceeded weekly or both daily and weekly drinking limits	13.38	3.01	16.26	4.67	10.78	3.44	*11.93	7.63	10.09	3.02	*24.38	7.98	_	_
No														
Not current drinker	7.37	0.48	7.38	0.64	7.35	0.67	6.86	0.90	7.50	0.63	6.99	0.87	11.81	2.81
Did not exceed drinking limits	24.71	0.71	21.37	0.89	29.73	1.03	14.18	1.23	23.98	0.88	33.34	1.81	54.08	4.40
Exceeded daily but not weekly drinking limits	53.41	0.91	56.52	1.07	48.74	1.38	58.80	1.77	55.52	1.17	46.88	1.85	18.94	3.39
Exceeded weekly or both daily and weekly drinking limits	14.24	0.58	14.37	0.81	14.05	0.87	20.12	1.41	12.65	0.73	12.54	1.14	14.73	3.09
Before Age 18, Saw Serious Fights at Home														
Yes														
Not current drinker	8.34	1.31	7.50	1.89	9.15	1.70	6.72	2.56	8.63	1.73	8.37	2.27	*18.84	16.25
Did not exceed drinking limits		1.94	17.74	2.73	31.47	2.66	10.74	2.95	24.88	2.55	34.56	4.58	*48.46	17.35
Exceeded daily but not weekly drinking limits	50.33	2.33	55.11	3.37	45.70	2.96	55.22	5.28	52.49	3.19	42.68	4.59	*9.05	8.77
Exceeded weekly or both daily and weekly drinking limits	16.57	1.70	19.64	2.71	13.60	1.94	27.32	5.04	13.92	2.06	14.39	3.33	*23.65	12.95
No														
Not current drinker	7.39	0.48	7.34	0.65	7.47	0.71	7.08	0.94	7.53	0.65	6.84	0.91	11.32	2.85
Did not exceed drinking limits		0.78	21.81	0.95	29.63	1.13	14.69	1.31	24.10	0.93	33.11	1.92	54.76	4.51
Exceeded daily but not weekly drinking limits	53.58	0.91	56.63	1.08	48.81	1.46	59.19	1.78	55.65	1.16	47.05	1.92	19.35	3.58
Exceeded weekly or both daily and weekly drinking limits	13.88	0.60	13.84	0.80	13.96	0.89	18.99	1.45	12.35	0.74	12.73	1.19	14.10	3.19

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decreased and allower stations of Ways 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly		0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
Yes														
Not current drinker	7.56	0.77	7.40	1.15	7.73	1.08	7.92	1.99	7.53	1.04	6.55	1.54	*17.12	7.57
Did not exceed drinking limits	25.61	1.37	18.61	1.76	32.95	1.83	13.80	2.69	24.09	1.69	36.75	3.13	41.63	8.38
Exceeded daily but not weekly drinking limits	50.07	1.68	56.44	2.24	43.41	2.22	54.05	3.69	53.33	2.15	40.59	3.27	33.19	8.55
Exceeded weekly or both daily and weekly drinking limits	16.69	1.19	17.55	1.83	15.78	1.67	24.24	3.36	15.01	1.54	15.93	2.34	*8.06	4.93
No														
Not current drinker	7.49	0.51	7.34	0.68	7.73	0.80	6.81	1.01	7.72	0.71	7.23	1.01	10.32	3.00
Did not exceed drinking limits		0.81	22.19	1.00	28.56	1.17	14.40	1.34	24.24	1.04	31.95	1.91	57.74	4.86
Exceeded daily but not weekly drinking limits	54.25	0.99	56.48	1.19	50.53	1.51	60.04	1.92	55.93	1.33	48.80	2.03	15.06	3.48
Exceeded weekly or both daily and weekly drinking limits	13.36	0.63	13.54	0.86	13.06	0.91	18.70	1.44	11.67	0.85	11.77	1.21	16.32	3.65
Ever Had No Regular Place to Live Lasting 1+ Months														
Yes														
Not current drinker	9.29	2.53	9.74	3.48	*8.39	3.42	*15.41	6.49	8.02	2.85	*4.92	3.58	*80.32	22.35
Did not exceed drinking limits	22.90	3.62	18.81	4.57	31.14	6.04	*16.17	6.71	22.24	5.17	29.44	7.75	*19.68	22.35
Exceeded daily but not weekly drinking limits	47.97	4.12	49.62	5.02	44.66	7.05	46.78	9.80	50.77	5.92	44.84	8.16	_	_
Exceeded weekly or both daily and weekly drinking limits	19.84	3.48	21.83	4.49	15.81	5.35	*21.64	8.23	18.97	4.26	20.81	7.01	_	_
No														
Not current drinker	7.45	0.46	7.27	0.64	7.71	0.67	6.77	0.91	7.66	0.62	7.13	0.86	10.99	2.72
Did not exceed drinking limits	24.91	0.73	21.50	0.90	29.88	1.04	14.21	1.22	24.26	0.90	33.46	1.79	54.79	4.37
Exceeded daily but not weekly drinking limits	53.36	0.90	56.73	1.07	48.43	1.36	59.15	1.78	55.38	1.18	46.56	1.85	19.00	3.34
Exceeded weekly or both daily and weekly drinking limits	14.02	0.56	14.14	0.78	13.85	0.84	19.82	1.39	12.35	0.73	12.61	1.14	14.77	3.12
Self-Perceived Current Health														
Excellent/Very good														
Not current drinker		0.47	6.11	0.63	6.70	0.74	6.99	1.02	6.24	0.64	5.73	0.96	*8.30	4.09
Did not exceed drinking limits	24.94	0.88	21.83	1.06	29.54	1.26	14.52	1.40	24.74	1.06	35.28	2.29	57.30	6.86
Exceeded daily but not weekly drinking limits		1.04	58.32	1.26	49.66	1.53	59.57	2.03	57.00	1.33	45.49	2.38	19.70	4.92
Exceeded weekly or both daily and weekly drinking limits	13.61	0.65	13.36	0.85	13.98	1.02	18.86	1.62	11.60	0.79	13.41	1.52	14.69	4.54
Good														
Not current drinker	7.91	0.89	7.40	1.21	8.68	1.22	6.29	1.68	9.35	1.27	5.88	1.37	*10.00	4.30
Did not exceed drinking limits		1.31	20.52	1.65	30.10	2.07	12.79	2.69	23.61	1.83	29.19	2.87	55.36	7.93
Exceeded daily but not weekly drinking limits		1.56	55.83	2.13	48.83	2.35	59.50	3.45	53.87	2.28	52.65	3.14	16.27	5.26
Exceeded weekly or both daily and weekly drinking limits	14.49	1.15	15.91	1.73	12.33	1.49	21.42	2.93	13.06	1.68	11.80	2.03	17.10	5.27
Fair/Poor														
Not current drinker		2.22	18.97	3.29	14.08	2.84	*11.40	5.31	18.61	3.62	15.14	3.35	25.19	8.86
Did not exceed drinking limits		2.67	20.15	3.24	32.51	3.85	*16.39	5.99	20.16	3.13	32.22	4.68	44.12	9.69
Exceeded daily but not weekly drinking limits		2.88	40.97	3.86	35.86	3.93	41.01	7.90	39.86	4.40	39.28	4.56	*21.45	8.30
Exceeded weekly or both daily and weekly drinking limits	18.77	2.56	19.91	3.61	17.23	3.25	31.20	8.60	21.37	4.25	12.99	2.94	*9.24	6.46

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Description of Marie 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatinata	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Covered by Health Insurance														
Yes														
Not current drinker		0.43	5.88	0.59	6.43	0.62	4.69	0.90	6.55	0.57	5.28	0.83	11.78	2.81
Did not exceed drinking limits		0.80	22.76	1.01	30.44	1.13	15.51	1.50	24.37	0.98	34.12	1.91	54.22	4.36
Exceeded daily but not weekly drinking limits	54.23	0.98	58.20	1.21	48.66	1.39	60.76	2.04	56.73	1.27	47.80	1.99	18.88	3.33
Exceeded weekly or both daily and weekly drinking limits	13.55	0.65	12.99	0.84	14.33	0.93	19.04	1.69	12.16	0.78	12.59	1.29	14.68	3.09
No														
Not current drinker	13.10	1.30	12.71	1.74	13.83	1.92	11.94	2.15	12.74	1.86	16.68	3.03	_	_
Did not exceed drinking limits	20.39	1.52	16.51	1.81	27.45	2.34	11.69	2.14	23.43	2.22	28.79	4.22	*100.00	0.00
Exceeded daily but not weekly drinking limits	49.02	1.97	50.24	2.48	46.81	2.78	54.60	3.12	48.49	2.87	39.31	4.13	_	_
Exceeded weekly or both daily and weekly drinking limits	16.87	1.46	19.60	1.99	11.92	1.80	21.63	2.60	14.34	2.23	14.83	2.71	_	_
Tobacco Use Status														
Current user														
Not current drinker	7.91	0.66	7.96	0.90	7.83	0.94	6.12	1.16	8.67	0.86	7.42	1.34	*12.07	4.81
Did not exceed drinking limits		0.97	17.53	1.26	25.23	1.47	12.25	1.61	19.66	1.29	28.25	2.45	49.07	8.32
Exceeded daily but not weekly drinking limits	54.52	1.26	56.68	1.60	50.88	1.85	56.42	2.58	57.00	1.74	49.35	2.58	18.42	5.91
Exceeded weekly or both daily and weekly drinking limits	16.74	0.82	17.32	1.21	15.77	1.31	25.11	2.29	14.09	1.12	14.57	1.83	*20.44	6.42
Ex-user														
Not current drinker	6.59	1.01	7.04	1.49	5.88	1.38	*1.22	1.23	7.04	1.40	5.27	1.32	*13.51	4.81
Did not exceed drinking limits		1.82	28.95	2.31	33.31	2.71	*19.00	7.26	22.87	2.33	36.37	3.20	54.55	6.12
Exceeded daily but not weekly drinking limits		2.13	49.95	2.68	44.71	3.37	58.17	9.68	55.44	2.74	43.27	3.29	21.04	4.88
Exceeded weekly or both daily and weekly drinking limits	14.83	1.49	14.06	1.89	16.04	2.40	*21.61	8.14	14.59	2.13	15.09	2.17	*10.89	3.88
Lifetime nonsmoker														
Not current drinker	7.43	0.75	6.80	0.95	8.23	1.11	8.26	1.39	6.90	0.97	8.19	1.77	*6.35	3.25
Did not exceed drinking limits		1.11	22.80	1.45	32.81	1.54	15.72	1.92	28.86	1.38	37.51	3.11	63.30	9.21
Exceeded daily but not weekly drinking limits		1.31	58.81	1.70	47.31	1.80	60.86	2.41	53.53	1.74	45.53	3.51	*13.47	6.88
Exceeded weekly or both daily and weekly drinking limits	11.45	0.85	11.29	1.10	11.64	1.17	15.16	1.86	10.52	1.08	8.57	1.51	*14.50	6.92
Drug Use Status														
Current user														
Not current drinker	5.76	1.06	5.60	1.52	5.99	1.45	6.35	1.58	5.95	1.72	*2.40	1.24	*11.44	11.88
Did not exceed drinking limits		1.70	11.96	2.01	20.32	2.72	10.35	2.24	16.96	2.53	24.58	6.57	*88.56	11.88
Exceeded daily but not weekly drinking limits		2.38	56.56	3.15	53.50	3.59	56.09	3.42	57.28	3.53	46.61	7.13	_	_
Exceeded weekly or both daily and weekly drinking limits	23.63	1.96	25.87	2.85	20.19	3.11	27.20	3.13	19.80	2.72	26.41	6.10	_	_
Ex-user														
Not current drinker	6.25	0.75	6.66	1.03	5.65	0.87	4.53	1.57	6.95	0.92	4.69	1.33	*19.92	11.34
Did not exceed drinking limits		1.19	21.80	1.62	30.80	1.77	12.50	2.59	24.45	1.47	35.52	3.11	*47.14	14.04
Exceeded daily but not weekly drinking limits		1.46	58.02	1.99	48.99	2.14	62.78	4.01	55.55	1.83	46.39	3.26	*32.94	13.80
Exceeded weekly or both daily and weekly drinking limits	13.37	1.05	12.74	1.53	14.27	1.48	20.19	3.40	12.15	1.10	13.40	2.41	_	_

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree de la lacatatica de l'actività de la Marca de	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatire	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Drug Use Status														
Lifetime nondrug user	0.40	0.50	0.05	0.00	0.40	0.00	0.40	4.04	0.40	0.00	0.50		40.04	0.05
Not current drinker	8.48 26.48	0.59	8.05	0.80	9.10	0.92	8.13	1.21	8.40	0.82	8.56	1.14	10.91 54.38	2.95
Did not exceed drinking limits Exceeded daily but not weekly drinking limits	52.19	0.99 1.18	23.17 55.71	1.21 1.38	31.40 46.97	1.50 1.77	16.54 58.68	1.78 2.30	25.33 54.70	1.28 1.59	33.13 46.53	2.23 2.30	54.38 17.81	4.59 3.47
Exceeded daily but not weekly diffiking limits	12.70	0.71	12.86	0.96	12.46	1.02	16.58	1.74	11.52	0.91	11.42	1.29	16.41	3.44
Any Major Depressive Disorder in the Past Year														
Yes							_				4		4	
Not current drinker	7.79	1.55	6.05	2.35	8.88	1.95	*3.99	2.25	9.48	2.19	*6.87	3.27	*10.44	10.33
Did not exceed drinking limits		2.62	20.73	3.90	29.55	3.41	19.84	5.02	24.40	3.27	40.19	6.79	*54.67	21.35
Exceeded daily but not weekly drinking limits		2.81	52.70	4.50	47.40	3.63	54.10	5.76	51.03	3.74	39.62	6.69	*11.87	11.56
Exceeded weekly or both daily and weekly drinking limits	16.46	2.34	20.52	3.83	13.92	3.15	22.07	4.87	15.09	2.99	12.26	4.39	*23.02	19.61
No														
Not current drinker	7.49	0.47	7.42	0.63	7.60	0.71	7.30	0.91	7.53	0.63	7.05	0.87	11.78	2.88
Did not exceed drinking limits	24.74	0.73	21.43	0.89	29.96	1.05	13.80	1.23	24.19	0.90	32.95	1.82	54.41	4.43
Exceeded daily but not weekly drinking limits	53.46	0.91	56.65	1.07	48.44	1.44	59.16	1.86	55.57	1.19	46.84	1.87	19.10	3.41
Exceeded weekly or both daily and weekly drinking limits	14.05	0.59	14.14	0.81	13.90	0.88	19.69	1.42	12.36	0.75	12.97	1.17	14.26	3.09
Any Major Depressive Disorder in Life														
Yes														
Not current drinker	6.65	1.02	4.44	1.35	8.07	1.36	*4.64	2.03	8.51	1.50	3.06	1.11	*4.82	4.76
Did not exceed drinking limits	27.09	1.79	21.38	2.71	30.78	2.28	16.34	3.64	25.36	2.27	37.81	3.68	*57.49	13.16
Exceeded daily but not weekly drinking limits	52.67	2.00	57.41	3.03	49.61	2.55	56.31	4.71	54.93	2.55	46.16	3.56	[*] 15.81	8.23
Exceeded weekly or both daily and weekly drinking limits	13.52	1.41	16.76	2.38	11.43	1.73	22.72	3.84	11.20	1.61	12.66	2.30	*21.88	11.58
No														
Not current drinker	7.67	0.49	7.69	0.67	7.63	0.68	7.37	0.92	7.49	0.67	7.80	0.97	12.40	3.02
Did not exceed drinking limits	24.42	0.77	21.41	0.94	29.65	1.17	13.98	1.28	23.96	0.95	32.43	1.95	54.12	4.55
Exceeded daily but not weekly drinking limits	53.28	0.97	56.37	1.11	47.93	1.54	59.10	1.92	55.30	1.25	46.56	2.03	19.09	3.57
Exceeded weekly or both daily and weekly drinking limits	14.34	0.64	14.15	0.82	14.67	1.02	19.49	1.47	12.84	0.83	12.99	1.27	13.91	3.15
Age Started Drinking														
14 years or younger														
Not current drinker	9.69	1.67	10.97	2.28	7.58	2.31	*5.17	2.40	11.80	2.38	*6.91	3.14	*28.22	17.72
Did not exceed drinking limits	22.75	2.11	19.65	2.81	27.86	3.42	13.42	3.82	23.52	2.61	33.17	6.87	*37.92	19.22
Exceeded daily but not weekly drinking limits	50.55	2.61	51.64	3.54	48.75	4.02	55.16	5.36	51.75	3.48	39.57	5.88	*33.86	17.17
Exceeded weekly or both daily and weekly drinking limits	16.95	2.17	17.74	2.73	15.65	2.79	26.25	4.35	12.83	2.53	20.35	5.26	_	_
15 to 17 years														
Not current drinker	7.16	0.71	7.21	0.97	7.08	1.03	6.76	1.42	7.03	0.89	7.32	1.57	*16.42	7.94
Did not exceed drinking limits		1.00	18.27	1.27	27.07	1.77	11.65	1.68	22.17	1.46	32.49	3.17	53.42	9.28
Exceeded daily but not weekly drinking limits	55.73	1.31	58.49	1.73	51.28	2.09	56.92	2.63	57.53	1.79	51.33	3.34	[*] 15.66	6.52
Exceeded weekly or both daily and weekly drinking limits	15.43	0.92	16.02	1.34	14.48	1.38	24.66	2.27	13.22	1.23	8.86	1.84	*14.51	6.36

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree de de la constación de esta Marco d	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	F	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Age Started Drinking														
18 to 20 years													4	
Not current drinker		0.67	7.13	0.91	6.46	0.91	6.27	1.39	6.93	1.05	6.97	1.40	*10.24	4.58
Did not exceed drinking limits		1.29	21.93	1.50	29.34	1.85	14.38	1.93	23.74	1.65	32.24	2.75	56.23	7.33
Exceeded daily but not weekly drinking limits		1.46	57.21	1.82	50.57	2.04	63.22	2.92	56.32	1.93	47.92	2.94	18.15	5.08
Exceeded weekly or both daily and weekly drinking limits	. 13.17	1.00	13.00	1.30	13.47	1.46	16.01	2.34	12.26	1.30	12.43	1.60	*15.38	4.96
21 years or older														
Not current drinker	8.37	0.85	6.37	1.11	10.23	1.31	11.94	3.55	8.33	1.17	7.08	1.47	*7.95	3.52
Did not exceed drinking limits	31.60	1.58	28.18	2.38	34.78	2.25	24.88	4.76	29.10	2.08	35.36	3.40	54.27	7.74
Exceeded daily but not weekly drinking limits	47.22	1.99	53.14	2.95	41.72	2.48	55.09	5.11	50.75	2.58	41.67	3.61	20.76	6.31
Exceeded weekly or both daily and weekly drinking limits	12.56	1.30	11.91	2.04	13.16	1.73	8.10	3.02	11.58	1.88	15.69	2.40	*15.80	5.86
Family History of Alcoholism														
None														
Not current drinker	7.80	0.67	7.69	0.87	8.04	1.11	7.46	1.54	8.13	0.97	7.47	1.34	*7.00	2.93
Did not exceed drinking limits		1.14	22.30	1.42	28.62	1.74	14.58	1.84	24.71	1.51	29.83	2.73	49.82	6.23
Exceeded daily but not weekly drinking limits	54.34	1.41	56.52	1.69	49.90	2.31	60.36	2.83	55.65	1.98	49.88	2.83	20.86	4.83
Exceeded weekly or both daily and weekly drinking limits	13.28	0.85	13.27	1.15	13.29	1.48	17.49	2.20	11.30	1.23	12.68	1.72	21.38	5.46
2nd-degree relatives only														
Not current drinker	5.98	0.74	6.46	1.05	5.21	0.90	3.97	1.31	6.85	0.99	5.20	1.50	*15.95	12.09
Did not exceed drinking limits		1.35	18.65	1.67	27.46	2.03	13.42	2.06	22.15	1.65	32.17	3.87	*58.20	16.26
Exceeded daily but not weekly drinking limits		1.61	60.78	2.16	54.20	2.47	60.39	3.17	59.78	2.02	52.96	4.05	*13.48	12.37
Exceeded weekly or both daily and weekly drinking limits		1.17	14.03	1.59	13.13	1.68	22.21	2.76	11.13	1.35	9.66	2.41	*12.37	8.64
1st-degree relatives only														
Not current drinker	7.53	1.27	7.17	1.94	8.00	1.71	*7.17	3.14	7.19	1.84	6.21	2.48	*21.51	8.57
Did not exceed drinking limits		2.25	25.73	2.90	32.27	3.30	21.42	5.20	25.75	2.72	31.44	3.93	66.69	9.20
Exceeded daily but not weekly drinking limits	45.82	2.49	48.57	3.45	42.32	3.77	49.77	6.05	49.16	3.25	43.47	4.47	*9.44	5.07
Exceeded weekly or both daily and weekly drinking limits	17.51	1.91	17.93	2.48	16.97	3.00	21.64	4.62	17.53	2.63	17.73	3.74	*2.36	2.36
Both 1st- and 2nd-degree relatives														
Not current drinker	8.46	0.88	7.82	1.29	9.06	1.28	10.19	2.29	7.97	1.11	8.11	1.72	*11.03	5.30
Did not exceed drinking limits	. 26.51	1.44	20.73	1.93	31.96	1.87	12.40	2.38	24.80	1.69	40.26	3.37	51.61	10.38
Exceeded daily but not weekly drinking limits		1.54	55.15	2.15	44.99	2.08	56.81	3.62	52.86	2.03	38.75	3.34	*25.20	7.47
Exceeded weekly or both daily and weekly drinking limits	14.69	1.13	15.51	1.87	13.92	1.50	20.60	3.05	13.66	1.39	12.88	2.13	*12.16	5.92
Any Parent Alcoholic														
Yes														
Not current drinker	8.11	0.81	6.28	1.05	9.89	1.26	9.01	2.04	7.78	0.99	7.50	1.73	*14.75	6.15
Did not exceed drinking limits	26.35	1.31	20.51	1.81	31.99	1.79	13.84	2.28	25.43	1.65	37.55	3.17	53.89	9.47
Exceeded daily but not weekly drinking limits		1.59	56.00	2.20	43.49	2.15	56.14	3.28	52.91	2.10	37.81	3.12	*23.04	7.08
Exceeded weekly or both daily and weekly drinking limits	15.71	1.08	17.01	1.66	14.44	1.45	21.01	3.05	13.78	1.35	16.51	2.37	*8.32	4.97

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decreeded there is 1.5° and 1.5°	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fations	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Parent Alcoholic														
No														
Not current drinker		0.51	7.66	0.70	6.63	0.66	6.36	1.03	7.63	0.70	6.86	0.95	10.86	3.10
Did not exceed drinking limits		0.81	21.66	1.03	28.85	1.14	14.42	1.33	23.74	1.03	31.69	2.00	54.57	4.86
Exceeded daily but not weekly drinking limits		1.00	56.61	1.20	50.80	1.51	59.68	2.10	56.11	1.31	49.78	2.12	17.58	3.71
Exceeded weekly or both daily and weekly drinking limits	13.66	0.63	13.68	0.88	13.63	1.00	19.49	1.63	12.10	0.83	11.59	1.22	16.43	3.72
Married to Alcoholic/Lived with Alcoholic as if Married														
Yes							di.							
Not current drinker	9.53	1.35	9.71	3.05	9.47	1.52	[*] 6.87	3.68	10.36	1.90	8.34	2.20	__ *9.63	6.69
Did not exceed drinking limits		1.81	18.45	3.58	30.18	2.05	*17.15	6.00	25.10	2.35	32.55	3.56	[*] 43.04	13.81
Exceeded daily but not weekly drinking limits		2.29	48.66	5.07	46.71	2.72	59.19	8.24	48.18	2.93	44.03	3.93	[*] 34.44	13.81
Exceeded weekly or both daily and weekly drinking limits	15.86	1.54	23.18	3.97	13.58	1.60	*16.78	6.76	16.30	2.09	15.07	2.84	*12.89	8.88
No														
Not current drinker	7.27	0.46	7.26	0.62	7.31	0.68	7.05	0.88	7.32	0.62	6.81	0.91	11.97	3.00
Did not exceed drinking limits		0.73	21.53	0.89	29.85	1.12	14.19	1.20	24.08	0.94	33.43	1.91	55.75	4.71
Exceeded daily but not weekly drinking limits	53.88	0.93	56.81	1.07	48.72	1.51	58.75	1.78	56.16	1.24	46.93	1.98	16.96	3.34
Exceeded weekly or both daily and weekly drinking limits	14.02	0.60	14.04	0.78	13.98	0.95	19.97	1.40	12.07	0.77	12.56	1.24	14.82	3.28
Any Alcohol Treatment in the Past Year														
Yes														
Not current drinker	19.44	5.01	*20.00	5.84	*18.26	9.84	*22.39	11.81	*23.32	7.61	_	_	*41.91	30.29
Did not exceed drinking limits		4.80	*13.97	5.44	[*] 22.41	9.76	*5.93	4.64	* 17.57	6.84	*19.38	11.01	*38.01	29.45
Exceeded daily but not weekly drinking limits	34.53	5.94	40.54	8.00	[*] 21.97	8.83	*41.83	15.56	30.73	8.03	*41.59	13.37	*20.08	19.66
Exceeded weekly or both daily and weekly drinking limits	29.33	6.33	25.49	7.30	*37.36	12.17	*29.84	14.75	28.38	9.07	*39.02	14.22	_	_
No														
Not current drinker	7.36	0.45	7.18	0.61	7.63	0.65	6.87	0.85	7.48	0.61	7.12	0.85	10.98	2.77
Did not exceed drinking limits		0.71	21.51	0.88	29.99	1.01	14.36	1.20	24.28	0.88	33.45	1.77	54.82	4.34
Exceeded daily but not weekly drinking limits	53.41	0.90	56.69	1.07	48.58	1.34	58.95	1.73	55.54	1.17	46.55	1.83	18.77	3.40
Exceeded weekly or both daily and weekly drinking limits	14.03	0.56	14.27	0.80	13.68	0.83	19.77	1.37	12.36	0.71	12.64	1.12	14.98	3.14
Any Alcohol Treatment in Life														
Yes														
Not current drinker	11.16	2.03	9.95	2.12	14.64	4.31	*8.54	5.03	12.31	2.76	*7.26	3.15	*41.59	18.75
Did not exceed drinking limits		2.29	11.49	2.44	21.20	4.78	*12.45	6.43	11.46	2.74	17.77	4.70	*38.67	18.79
Exceeded daily but not weekly drinking limits	50.35	3.27	54.06	4.00	39.66	6.00	47.10	9.58	53.87	4.18	47.10	6.37	*19.74	13.18
Exceeded weekly or both daily and weekly drinking limits	24.50	2.99	24.50	3.64	24.50	5.65	*31.91	9.69	22.35	3.70	27.87	5.96	_	_
No														
Not current drinker	7.31	0.45	7.18	0.61	7.50	0.67	7.00	0.86	7.41	0.62	7.02	0.89	10.21	2.78
Did not exceed drinking limits		0.74	22.08	0.94	30.21	1.03	14.33	1.21	24.92	0.91	34.41	1.83	55.22	4.49
Exceeded daily but not weekly drinking limits	53.34	0.93	56.64	1.14	48.62	1.35	59.12	1.75	55.32	1.22	46.45	1.90	18.75	3.51
Exceeded weekly or both daily and weekly drinking limits	13.66	0.56	13.74	0.82	13.55	0.83	19.51	1.36	12.00	0.75	11.87	1.11	15.36	3.20

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Dependent observatoristics at Ways 4	Both s	sexes			Sex					Age grou	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly low-risk drinking limits at Wave 2	Estimate	S.E.	Ма	ıle	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
iow-risk drinking limits at vvave 2	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Conduct Disorder														
Yes														
Not current drinker	*4.72	3.47	*3.09	2.82	*8.09	5.36	*6.86	4.61	*4.29	3.74	. —	_	_	_
Did not exceed drinking limits	21.75	5.71	*14.06	6.09	37.60	10.83	*20.15	8.57	15.03	5.92	[*] 55.19	12.11		_
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	56.11 17.07	5.80 4.99	66.81 *16.04	7.81 6.08	34.03 *19.19	10.26 7.93	44.66 *28.33	10.78 8.67	67.25 *12.69	6.64 5.63	*44.81 —	12.11 —	*100.00 —	0.00
No														
Not current drinker	7.55	0.45	7.43	0.63	7.73	0.63	7.05	0.86	7.71	0.62	7.10	0.85	11.78	2.81
Did not exceed drinking limits	24.89	0.72	21.53	0.90	29.82	1.01	14.11	1.21	24.32	0.89	33.11	1.75	54.68	4.35
Exceeded daily but not weekly drinking limits	53.14	0.91	56.30	1.08	48.50	1.36	59.15	1.80	55.08	1.17	46.51	1.84	18.40	3.30
Exceeded weekly or both daily and weekly drinking limits	14.17	0.58	14.39	0.81	13.84	0.84	19.65	1.40	12.55	0.73	13.05	1.13	14.69	3.09
Paranoid Personality Disorder — Lifetime														
Yes														
Not current drinker	16.41	2.47	17.68	4.29	15.37	3.21	16.55	4.38	15.57	3.31	20.72	7.80	_	_
Did not exceed drinking limits	22.19	2.75	17.69	4.42	25.87	3.46	16.66	4.70	23.76	3.67	26.06	8.41	*100.00	0.00
Exceeded daily but not weekly drinking limits	42.33	3.61	40.79	5.39	43.58	3.98	37.58	5.66	45.00	4.99	40.68	8.46	_	_
Exceeded weekly or both daily and weekly drinking limits	18.91	3.03	23.84	5.82	14.89	2.93	29.21	5.21	15.40	4.51	*12.54	4.68	_	_
No														
Not current drinker	6.98	0.45	6.90	0.62	7.09	0.62	6.26	0.84	7.15	0.63	6.60	0.85	11.78	2.80
Did not exceed drinking limits	25.00	0.73	21.57	0.90	30.25	1.06	14.07	1.25	24.23	0.92	33.53	1.79	54.21	4.39
Exceeded daily but not weekly drinking limits	53.83	0.91	57.17	1.08	48.73	1.39	60.51	1.82	55.91	1.19	46.68	1.86	18.89	3.34
Exceeded weekly or both daily and weekly drinking limits	13.93	0.59	14.00	0.78	13.82	0.88	19.11	1.47	12.37	0.71	12.95	1.15	14.68	3.10
Schizoid Personality Disorder — Lifetime														
Yes														
Not current drinker	9.18	2.20	*9.36	3.37	8.95	2.69	*9.64	4.41	9.88	3.07	*6.93	4.69	_	_
Did not exceed drinking limits	25.73	3.59	21.46	4.48	31.28	5.58	*12.73	5.66	29.91	5.28	29.85	8.63	*44.39	26.89
Exceeded daily but not weekly drinking limits	52.65	4.02	55.42	5.03	49.04	6.20	56.56	7.82	55.00	5.64	43.63	8.72	. —	_
Exceeded weekly or both daily and weekly drinking limits	12.44	2.50	13.76	3.45	10.73	3.47	21.07	6.37	5.21	1.97	*19.59	8.28	*55.61	26.89
No														
Not current drinker	7.45	0.46	7.29	0.62	7.68	0.66	6.93	0.86	7.59	0.62	7.04	0.86	12.02	2.87
Did not exceed drinking limits	24.81	0.72	21.40	0.90	29.86	0.99	14.34	1.19	24.00	0.91	33.38	1.78	54.67	4.46
Exceeded daily but not weekly drinking limits	53.20	0.90	56.51	1.08	48.30	1.36	58.86	1.76	55.25	1.18	46.57	1.84	19.27	3.37
Exceeded weekly or both daily and weekly drinking limits	14.27	0.57	14.44	0.80	14.02	0.85	19.83	1.39	12.82	0.73	12.77	1.14	13.59	3.04
Schizotypal Personality Disorder — Lifetime ³														
Yes														
Not current drinker	12.23	2.19	9.79	2.54	16.05	3.90	16.39	5.68	10.21	2.28	*11.39	5.14	*100.00	0.00
Did not exceed drinking limits	16.40	2.64	10.19	2.84	26.12	4.59	*6.40	3.27	19.18	3.59	22.12	7.24	_	_
Exceeded daily but not weekly drinking limits	47.41	3.67	52.78	5.14	39.01	5.27	43.04	7.33	47.42	5.39	53.79	7.38	_	_
Exceeded weekly or both daily and weekly drinking limits	21.62	2.97	23.59	4.13	18.53	3.90	34.17	6.87	18.90	4.20	12.70	4.88	_	_

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree de tabance de la companya de	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatimet:	0.5	Ма	ile	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Schizotypal Personality Disorder — Lifetime ³														
No														
Not current drinker	7.29	0.46	7.24	0.63	7.35	0.66	6.49	0.85	7.55	0.64	6.85	0.85	11.39	2.79
Did not exceed drinking limits	25.24	0.73	21.94	0.91	30.09	1.01	14.74	1.24	24.43	0.91	33.77	1.79	54.62	4.35
Exceeded daily but not weekly drinking limits	53.46	0.91	56.65	1.08	48.75	1.36	59.69	1.86	55.60	1.19	46.19	1.86	18.87	3.33
Exceeded weekly or both daily and weekly drinking limits	13.86	0.57	13.98	0.80	13.69	0.85	19.03	1.43	12.26	0.73	12.95	1.13	14.67	3.09
Antisocial Personality Disorder — Lifetime ³														
Yes							_				_			
Not current drinker	6.58	1.71	6.53	2.07	6.73	2.64	*5.54	2.51	6.12	2.06	*11.01	4.85	*	
Did not exceed drinking limits	23.01	2.74	20.65	3.11	29.65	5.44	9.74	3.16	25.58	3.80	35.92	8.02	[*] 42.25	30.53
Exceeded daily but not weekly drinking limits	49.32	3.20	51.78	3.76	42.41	5.63	47.47	5.56	52.53	4.85	39.04	7.33	*39.34	29.97
Exceeded weekly or both daily and weekly drinking limits	21.08	2.52	21.04	3.16	21.22	4.69	37.25	5.33	15.77	3.74	*14.04	5.30	*18.41	18.40
No														
Not current drinker	7.57	0.47	7.43	0.65	7.78	0.68	7.18	0.95	7.79	0.64	6.87	0.85	11.95	2.85
Did not exceed drinking limits	24.97	0.75	21.47	0.91	29.93	1.03	14.67	1.25	24.10	0.92	33.18	1.79	54.65	4.43
Exceeded daily but not weekly drinking limits	53.46	0.94	56.89	1.11	48.59	1.35	59.76	1.83	55.45	1.25	46.82	1.88	18.41	3.37
Exceeded weekly or both daily and weekly drinking limits	13.73	0.58	13.83	0.79	13.58	0.82	18.34	1.36	12.31	0.74	12.89	1.14	14.54	3.13
Borderline Personality Disorder — Lifetime ³														
Yes														
Not current drinker	12.17	1.68	12.56	2.53	11.75	2.40	13.89	3.76	10.09	1.93	16.28	5.38	*21.98	21.06
Did not exceed drinking limits	18.95	2.21	14.16	2.85	24.08	3.44	9.58	3.41	23.65	3.13	22.77	6.20	_	_
Exceeded daily but not weekly drinking limits	45.59	2.78	43.05	4.16	48.30	4.06	40.91	5.07	48.41	3.91	44.26	6.70	*78.02	21.06
Exceeded weekly or both daily and weekly drinking limits	21.35	2.24	26.62	3.76	15.71	2.53	35.63	4.91	14.29	2.55	16.69	5.02	_	_
No														
Not current drinker	7.15	0.46	7.01	0.62	7.36	0.70	6.21	0.83	7.49	0.65	6.61	0.84	11.61	2.82
Did not exceed drinking limits	25.29	0.74	21.88	0.91	30.46	1.08	14.84	1.31	24.24	0.93	33.78	1.80	55.03	4.38
Exceeded daily but not weekly drinking limits	53.77	0.92	57.36	1.06	48.33	1.44	60.95	1.89	55.75	1.19	46.60	1.86	18.14	3.33
Exceeded weekly or both daily and weekly drinking limits	13.67	0.59	13.62	0.80	13.74	0.89	17.95	1.43	12.42	0.75	12.76	1.15	14.78	3.12
Histrionic Personality Disorder — Lifetime														
Yes														
Not current drinker	8.64	2.55	*7.92	3.77	*9.50	3.36	*8.04	3.62	*10.41	4.13	*2.89	2.94	_	_
Did not exceed drinking limits	23.60	4.00	21.19	5.52	26.47	5.30	16.44	4.89	26.50	5.46	*33.28	16.41	*100.00	0.00
Exceeded daily but not weekly drinking limits	51.40	4.26	54.04	5.91	48.27	6.24	45.32	6.55	55.78	6.66	58.96	16.43	_	_
Exceeded weekly or both daily and weekly drinking limits	16.36	3.46	16.86	5.16	15.76	4.42	30.21	7.22	*7.31	3.16	*4.86	3.73	_	_
No														
Not current drinker	7.47	0.46	7.34	0.63	7.67	0.65	6.98	0.92	7.59	0.62	7.10	0.85	11.83	2.82
Did not exceed drinking limits	24.88	0.71	21.41	0.88	30.04	1.02	14.13	1.23	24.14	0.87	33.30	1.77	53.99	4.36
Exceeded daily but not weekly drinking limits	53.24	0.89	56.54	1.07	48.33	1.36	59.63	1.78	55.23	1.16	46.32	1.82	18.98	3.34
Exceeded weekly or both daily and weekly drinking limits	14.14	0.56	14.35	0.79	13.84	0.84	19.21	1.36	12.70	0.73	13.05	1.14	14.75	3.10

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree de la la constanti d'accet Marce 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	E. C	0.5	Ma	ile	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.										
Narcissistic Personality Disorder — Lifetime ³														
Yes														
Not current drinker	6.59	1.42	5.06	1.52	10.05	2.92	10.86	3.86	3.78	1.18	*6.34	2.99	*21.77	15.60
Did not exceed drinking limits		2.23	17.72	2.77	21.13	3.49	8.35	2.80	20.39	3.04	30.06	6.12	*22.35	14.68
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	55.77 17.31	2.84 1.93	56.49 18.54	3.66 2.59	54.14 14.53	4.24 2.71	53.75 26.64	5.38 4.82	59.32 13.69	4.34 2.54	50.66 12.94	6.16 3.94	*38.33 *17.56	16.27 15.45
No														
Not current drinker	7.59	0.49	7.59	0.69	7.58	0.69	6.57	0.88	7.98	0.66	7.09	0.88	11.11	2.85
Did not exceed drinking limits	25.37	0.73	21.78	0.92	30.49	1.04	15.00	1.30	24.51	0.90	33.54	1.81	56.38	4.41
Exceeded daily but not weekly drinking limits		0.89	56.47	1.06	47.95	1.35	59.38	1.89	54.91	1.16	46.19	1.90	17.60	3.44
Exceeded weekly or both daily and weekly drinking limits	13.94	0.56	14.00	0.80	13.86	0.87	19.04	1.45	12.46	0.73	12.94	1.16	14.44	3.12
Avoidant Personality Disorder — Lifetime														
Yes														
Not current drinker	11.94	3.38	*13.65	5.64	10.54	3.91	*16.94	7.07	11.91	4.27	_	_	_	_
Did not exceed drinking limits	19.76	3.57	*11.36	4.05	26.61	5.16	22.89	7.83	17.57	4.39	*22.90	9.41	_	_
Exceeded daily but not weekly drinking limits		4.95	51.16	8.37	51.31	5.84	39.13	8.25	54.45	6.58	64.77	11.28	_	_
Exceeded weekly or both daily and weekly drinking limits	16.87	3.97	23.82	7.30	11.18	3.71	*21.03	6.94	15.73	5.62	*12.34	7.84	_	_
No														
Not current drinker	7.39	0.45	7.23	0.62	7.63	0.67	6.67	0.85	7.55	0.62	7.14	0.86	11.72	2.80
Did not exceed drinking limits		0.71	21.61	0.89	30.04	1.03	13.94	1.22	24.39	0.89	33.45	1.81	54.42	4.34
Exceeded daily but not weekly drinking limits		0.90	56.58	1.07	48.22	1.38	59.51	1.80	55.26	1.16	46.22	1.87	18.80	3.31
Exceeded weekly or both daily and weekly drinking limits	14.14	0.56	14.23	0.79	14.01	0.85	19.84	1.43	12.46	0.71	12.95	1.14	14.62	3.08
Dependent Personality Disorder — Lifetime														
Yes														
Not current drinker	*10.02	6.67	*12.55	12.23	*7.37	5.05	*14.21	12.94	*7.43	5.69	_	_	_	
Did not exceed drinking limits		8.23	*6.02	6.25	*32.92	13.07	*11.02	8.55	*25.28	15.18	*30.49	24.82	_	_
Exceeded daily but not weekly drinking limits	57.98	12.22	*66.66	18.42	48.90	13.18	*53.64	16.77	*63.27	18.09	*48.29	26.11	_	_
Exceeded weekly or both daily and weekly drinking limits	*11.72	7.00	*14.77	12.36	*8.52	6.70	*21.12	13.82	*1.72	1.84	*21.22	19.54	_	_
No														
Not current drinker	7.50	0.45	7.34	0.62	7.73	0.66	6.97	0.86	7.67	0.61	7.05	0.85	11.72	2.80
Did not exceed drinking limits		0.45	21.46	0.62	29.90	1.02	14.30	1.19	24.20	0.89	33.30	1.77	54.42	2.80 4.34
Exceeded daily but not weekly drinking limits		0.71	56.43	1.05	29.90 48.33	1.02	58.81	1.19	24.20 55.21	1.15	33.30 46.49	1.77	54.42 18.80	3.31
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	14.22	0.69	14.42	0.79	46.33 13.93	0.84	19.87	1.75	12.60	0.72	12.93	1.04	14.62	3.08
Obsessive-Compulsive Personality Disorder — Lifetime														
•														
Yes Not current drinker	7.44	1.20	4.89	1.37	10.55	2.04	*8.42	2.96	8.64	1.67	*1.78	0.95	*9.81	9.24
Did not exceed drinking limits		2.14	25.56	2.99	28.40	3.21	14.43	4.39	25.38	2.89	40.46	6.57	*54.44	14.47
Exceeded daily but not weekly drinking limits	53.87	2.14	57.76	3.35	49.12	3.75	54.85	5.40	25.36 55.86	3.20	52.92	6.63	*8.55	8.16
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	11.80	1.90	11.79	2.65	11.81	2.67	22.30	4.72	10.03	2.64	*4.83	2.14	*27.21	13.21
Endeduce woodly or both daily and woodly diffiding littles	11.00	1.50	1,5	2.00	11.01	2.01	22.00	1.12	10.00	2.07	7.00	4.17	21.21	10.21

Table 1-6. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits 1 at Wave 2 among Wave 1 current drinkers 2 who exceeded daily but not weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Daniel de la descripción de la Marca de	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatherste	0.5	Ма	le	Fen	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Obsessive-Compulsive Personality Disorder — Lifetime														
No Not current drinker Did not exceed drinking limits Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits		0.48 0.72 0.94 0.61	7.60 21.00 56.35 14.68	0.67 0.92 1.13 0.82	7.39 30.10 48.23 14.16	0.66 1.06 1.40 0.90	6.92 14.26 59.12 19.66	0.89 1.26 1.83 1.45	7.55 24.06 55.17 12.86	0.67 0.92 1.21 0.77	7.49 32.68 45.94 13.63	0.91 1.76 1.90 1.21	11.95 54.42 19.98 13.17	2.99 4.58 3.65 3.04

Exceeding daily drinking limit: 5+ drinks for men and 4+ drinks for women on one or more occasions or the usual or largest ethanol intake of any beverage type greater than 4.5 drinks for men and greater than 3.5 drinks for women. Exceeding weekly drinking limit: on average more than 14 drinks per week for men and more than 7 drinks per week for women.

Current drinker: 1 or more drinks in the past year.

Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.

Fewer than 10 observations in the cell.

SOURCE: NIAAA 2001–2002 and 2004–2005 National Epidemiologic Surveys on Alcohol and Related Conditions.

[—] Empty cell.

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1.

Description of the secretaristics of West 4	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly		0.5	Ma	ıle	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Total</u>														
Not current drinker	4.48	0.48	5.16	0.65	3.47	0.55	5.55	1.25	4.67	0.73	3.46	0.61	4.87	1.20
Did not exceed drinking limits	13.66	0.73	11.63	0.88	16.65	1.16	5.15	1.07	10.80	0.98	16.97	1.35	29.18	2.84
Exceeded daily but not weekly drinking limits	30.50	0.97	31.88	1.33	28.47	1.50	47.44	2.70	37.06	1.60	20.01	1.45	7.37	1.62
Exceeded weekly or both daily and weekly drinking limits	50.64	0.98	50.46	1.32	50.90	1.60	41.04	2.45	47.00	1.64	58.65	1.94	57.57	3.14
Race/Ethnicity														
White, Not Hispanic or Latino							_							
Not current drinker	3.41	0.47	4.08	0.70	2.48	0.56	*3.20	1.26	3.76	0.80	2.73	0.58	4.31	1.27
Did not exceed drinking limits	12.92	0.81	10.47	0.92	16.30	1.32	4.58	1.36	9.55	1.14	14.81	1.53	29.76	3.03
Exceeded daily but not weekly drinking limits	29.64	1.17	31.41	1.57	27.18	1.71	49.80	3.23	37.04	1.89	18.83	1.66	6.83	1.70
Exceeded weekly or both daily and weekly drinking limits	53.18	1.17	53.01	1.57	53.41	1.81	41.30	3.04	49.20	1.97	62.51	2.12	57.97	3.40
Black, Not Hispanic or Latino													4	
Not current drinker	10.01	1.86	10.16	2.37	9.73	2.20	20.29	5.86	8.55	2.17	8.43	2.79	*7.09	4.84
Did not exceed drinking limits	20.08	2.26	21.49	2.86	17.59	3.16	*11.60	3.84	17.04	2.45	27.50	5.00	[*] 27.23	10.90
Exceeded daily but not weekly drinking limits	25.99	2.04	23.80	2.53	29.86	4.12	28.13	6.19	27.90	3.03	21.90	4.06	*28.13	12.63
Exceeded weekly or both daily and weekly drinking limits	43.84	2.76	44.41	3.42	42.82	4.07	39.98	7.64	46.33	3.74	42.16	5.14	37.55	11.75
American Indian/Alaska Native, Not Hispanic or Latino														
Not current drinker	*4.45	2.50	[*] 1.31	1.32	[*] 7.70	4.83	*11.82	8.33		_	[*] 2.47	2.47	__ *7.07	7.51
Did not exceed drinking limits	14.98	5.18	*21.37	8.86	*8.38	4.48	.		*18.81	8.98	[*] 23.36	12.13	*19.09	18.00
Exceeded daily but not weekly drinking limits	27.31	6.21	29.22	8.36	25.33	8.33	*29.13	12.53	30.62	9.79	*29.39	13.08	*	. —
Exceeded weekly or both daily and weekly drinking limits	52.44	6.91	46.50	9.65	58.59	9.35	*59.05	13.65	48.40	11.06	44.78	14.81	*73.84	19.57
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino	.		.		ψ.				4					
Not current drinker	*5.34	3.83	*4.39	4.36	*7.97	7.72	<u> </u>		*14.52	9.59	*	. —	*	
Did not exceed drinking limits	15.88	6.36	*12.81	7.83	*24.47	10.93	*9.61	7.01	*10.57 *23.63	5.06	*27.51	18.83	*53.44	35.19
Exceeded daily but not weekly drinking limits	34.30 44.48	7.95 8.21	35.52	9.77	*30.88 *36.68	15.10 15.49	*39.39 *51.00	17.06 16.70	23.63 51.28	10.48 12.83	*45.89 *26.59	15.91 11.59	*46.56	— 35.19
Exceeded weekly or both daily and weekly drinking limits	44.48	8.21	47.28	10.30	30.08	15.49	51.00	16.70	51.28	12.83	26.59	11.59	46.56	35.19
Hispanic or Latino					4		.				4		4	
Not current drinker	8.12	1.90	9.64	2.51	*4.79	1.61	*11.78	4.84	6.19	2.22	*6.79	2.72	*17.72	8.76
Did not exceed drinking limits	12.41	1.92	7.85	1.91	22.44	4.70	5.31	2.02	10.83	2.74	23.31	5.73	*17.46	9.52
Exceeded daily but not weekly drinking limits	43.76	3.22	43.67	4.36	43.96	4.58	53.33	6.29	51.37	4.77	21.24	5.89	*8.91	5.41
Exceeded weekly or both daily and weekly drinking limits	35.44	3.17	38.45	4.35	28.81	3.85	29.59	5.27	31.08	4.54	48.65	8.15	55.91	12.41
Marital Status														
Married							_							
Not current drinker		0.55	4.15	0.72	3.04	0.74	[*] 1.83	1.76	3.98	0.87	2.73	0.67	5.98	1.72
Did not exceed drinking limits		1.20	14.98	1.51	20.54	1.91	*10.16	5.02	12.72	1.50	17.64	1.84	30.30	3.81
Exceeded daily but not weekly drinking limits	26.25	1.29	28.84	1.77	22.43	1.97	56.94	9.80	36.52	2.05	20.28	1.90	8.59	2.24
Exceeded weekly or both daily and weekly drinking limits	52.35	1.58	51.37	2.05	53.80	2.40	31.08	9.12	46.51	2.22	58.50	2.55	55.12	4.25

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree destables destables et West 4	Both s	sexes		5	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatherste	0.5	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Living with someone as if married														
Not current drinker	*2.90	1.41	*3.50	2.08	*2.00	1.59	*9.81	6.87	*1.67	1.06	*0.87	0.86	_	_
Did not exceed drinking limits	10.84	2.59	10.91	3.27	*10.74	4.56	*4.86	4.14	10.93	3.53	*12.94	5.66	*39.21	30.05
Exceeded daily but not weekly drinking limits	37.73	4.68	40.65	6.58	33.29	5.92	50.13	11.05	41.55	6.31	*19.77	6.78	_	_
Exceeded weekly or both daily and weekly drinking limits	48.52	4.70	44.94	6.13	53.97	7.11	*35.20	10.61	45.85	6.29	66.43	8.31	*60.79	30.05
Widowed														
Not current drinker	*1.31	0.65	*1.32	1.33	*1.31	0.70	_	_	_	_	*1.72	1.09	*1.24	0.91
Did not exceed drinking limits	26.33	3.77	25.72	6.41	26.66	4.60	_	_	*28.66	15.94	22.89	7.12	28.01	4.89
Exceeded daily but not weekly drinking limits	5.97	2.69	*8.36	4.80	*4.67	2.71	_	_	*36.84	18.35	*5.70	2.71	*2.34	1.84
Exceeded weekly or both daily and weekly drinking limits	63.45	4.16	60.10	7.64	65.27	5.04	_	_	*34.51	16.29	68.11	7.20	64.34	5.19
Divorced														
Not current drinker	6.22	1.64	8.87	2.39	*2.00	0.96	_	_	6.91	2.88	6.07	1.80	*4.60	2.30
Did not exceed drinking limits		1.72	10.42	2.00	17.82	3.05	*18.83	17.19	9.64	2.48	15.02	2.70	20.91	5.63
Exceeded daily but not weekly drinking limits	25.17	2.31	27.19	3.08	21.96	3.29	*47.31	23.10	32.24	4.23	20.52	3.05	*12.03	4.29
Exceeded weekly or both daily and weekly drinking limits	55.13	2.64	53.18	3.65	58.23	4.03	*33.86	20.66	50.73	4.25	58.40	3.69	62.47	7.02
Separated														
Not current drinker	6.61	2.17	*7.82	3.36	*5.57	2.72	_	_	*7.17	2.91	*6.85	3.60	_	_
Did not exceed drinking limits	9.52	3.18	*13.11	5.74	*6.44	2.40	*3.09	3.39	*9.69	4.54	*10.46	4.04	_	_
Exceeded daily but not weekly drinking limits	29.98	4.66	28.15	5.90	31.55	6.83	*38.78	24.68	31.81	6.04	26.07	6.47	_	_
Exceeded weekly or both daily and weekly drinking limits	48.37	4.92	47.88	6.92	48.79	6.96	*58.12	24.86	46.24	6.60	49.36	7.52	*100.00	0.00
Never married														
Not current drinker	5.73	1.01	5.89	1.31	5.46	1.19	5.65	1.36	5.77	1.54	*5.89	2.41	*7.80	7.57
Did not exceed drinking limits		0.80	5.51	1.02	8.86	1.36	4.70	1.18	7.14	1.27	16.37	4.15	*39.25	15.49
Exceeded daily but not weekly drinking limits	41.92	2.14	39.00	2.77	46.93	3.33	46.63	3.02	39.67	3.36	22.38	5.03		- 10.43
Exceeded weekly or both daily and weekly drinking limits	44.81	1.94	48.44	2.62	38.58	2.99	42.07	2.77	47.06	3.18	54.46	5.58	*44.41	15.64
Exceeded weekly of both daily and weekly diffiking liftlits	44.01	1.94	40.44	2.02	36.36	2.99	42.07	2.11	47.00	3.10	54.40	5.56	44.41	15.04
Ever Had Children (Including Step, Adopted, Foster)														
Yes														
Not current drinker	4.46	0.58	5.18	0.80	3.44	0.64	10.32	3.53	4.91	0.95	3.52	0.69	4.30	1.21
Did not exceed drinking limits	16.55	0.95	14.70	1.21	19.16	1.53	8.66	3.13	11.50	1.28	17.56	1.44	29.09	3.02
Exceeded daily but not weekly drinking limits	25.52	1.14	27.28	1.59	23.04	1.68	52.32	6.40	34.67	1.99	20.65	1.61	7.66	1.74
Exceeded weekly or both daily and weekly drinking limits	52.80	1.34	52.20	1.80	53.65	1.96	28.69	5.72	48.26	2.04	57.60	2.13	58.05	3.30
No														
Not current drinker	4.52	0.76	5.14	1.04	3.53	0.88	4.80	1.32	4.27	1.08	*3.18	1.22	*10.95	5.89
Did not exceed drinking limits		0.93	6.45	1.08	11.85	1.52	4.60	1.16	9.60	1.46	13.77	3.15	*30.09	7.90
Exceeded daily but not weekly drinking limits	39.36	1.90	39.68	2.39	38.85	2.92	46.67	2.98	41.19	2.73	16.55	3.48	*4.20	3.68
Exceeded weekly or both daily and weekly drinking limits	46.80	1.72	47.52	2.22	45.64	2.73	42.98	2.78	44.82	2.68	64.39	3.97	52.33	8.22
2.000000 Wooldy of both daily and wooldy alliffeling lifting	10.00	1	17.02		10.01	2.75	12.00	2.75	11.02	2.00	0 1.00	0.07	02.00	0.22

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decreased and all acceptantiation at Manage	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatherate	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.										
Children Ages Below 13 Living in Household														
Yes														
Not current drinker	5.53	0.98	5.86	1.41	5.14	1.18	13.06	3.78	4.88	1.12	*2.74	1.43	_	_
Did not exceed drinking limits	12.72	1.29	11.57	1.83	14.11	1.85	12.24	3.54	12.41	1.49	14.93	3.45		_
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	37.62 43.49	1.98 2.11	37.88 44.28	2.89 2.88	37.31 42.54	2.82 3.06	44.10 30.61	5.78 5.44	39.46 42.72	2.43 2.40	24.44 56.26	4.29 5.44	*19.66 *80.34	17.25 17.25
No														
Not current drinker	4.13	0.49	4.96	0.67	2.83	0.58	3.99	1.25	4.51	0.83	3.57	0.66	4.91	1.21
Did not exceed drinking limits		0.43	11.65	0.07	17.63	1.45	3.69	0.91	9.56	1.26	17.27	1.52	29.46	2.86
Exceeded daily but not weekly drinking limits		1.15	30.11	1.49	25.03	1.78	48.13	3.03	35.20	2.17	19.38	1.51	7.25	1.62
Exceeded weekly or both daily and weekly drinking limits	53.01	1.15	52.29	1.50	54.15	1.88	43.20	2.85	50.33	2.20	59.00	2.01	57.35	3.17
Education														
11 years or less														
Not current drinker	7.12	1.81	7.79	2.30	*5.21	1.93	*6.32	2.54	*6.21	3.87	7.92	2.88	*10.47	4.64
Did not exceed drinking limits	14.34	2.34	13.57	2.63	16.55	4.12	*7.67	4.55	10.42	2.96	21.29	4.90	26.66	7.91
Exceeded daily but not weekly drinking limits		3.06	24.70	3.53	29.29	5.35	40.59	7.04	23.58	5.42	21.43	3.90	*9.53	4.82
Exceeded weekly or both daily and weekly drinking limits	52.65	3.45	53.94	4.03	48.95	6.15	45.42	6.66	59.80	6.10	49.36	6.23	53.35	8.80
12 years													4	
Not current drinker		0.93	6.43	1.29	5.16	1.21	10.32	3.10	6.15	1.37	3.10	1.02	*5.49	2.84
Did not exceed drinking limits	13.74	1.36	11.92	1.56	17.43	2.64	5.45	1.55	9.38	1.73	19.94	2.84	32.23	5.67
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	29.95 49.24	1.89 1.96	31.68 48.50	2.40 2.58	26.46 50.74	3.07 3.23	43.04 39.03	4.97 4.62	34.61 49.35	2.90 3.03	21.08 55.10	3.19 3.85	*8.70 51.23	3.38 6.05
13–15 years														
Not current drinker	4.03	0.72	4.77	1.02	3.16	0.89	*3.61	1.51	4.09	1.09	4.03	1.09	*4.78	2.10
Did not exceed drinking limits		1.17	11.77	1.49	14.66	1.68	4.70	1.44	12.70	1.75	13.31	2.15	33.85	4.71
Exceeded daily but not weekly drinking limits	33.35	1.65	32.60	2.22	34.23	2.43	50.19	4.00	38.98	2.42	20.80	2.58	*6.66	2.54
Exceeded weekly or both daily and weekly drinking limits	48.53	1.69	49.62	2.26	47.25	2.64	41.03	4.00	43.33	2.63	60.18	3.20	53.96	5.09
16 or more years														
Not current drinker	2.45	0.57	2.61	0.80	2.28	0.83	_	_	3.18	0.92	*1.93	0.82	*2.92	1.77
Did not exceed drinking limits	14.01	1.21	10.03	1.63	18.53	1.98	*2.69	2.04	10.34	1.83	16.88	2.27	23.11	4.42
Exceeded daily but not weekly drinking limits	29.32	1.66	35.14	2.49	22.69	2.08	57.12	7.64	42.29	2.80	18.11	2.62	*6.46	2.59
Exceeded weekly or both daily and weekly drinking limits	53.91	1.85	52.16	2.81	55.91	2.35	40.19	7.37	44.12	2.97	62.56	3.21	66.92	5.09
Currently Employed Full Time														
Yes													Ψ.	
Not current drinker	4.11	0.60	4.61	0.77	3.18	0.78	5.83	1.89	4.48	0.87	2.65	0.62	*9.57	4.94
Did not exceed drinking limits		0.89	10.22	1.05	15.42	1.47	7.24	1.83	10.45	1.19	16.59	1.78	*11.97	6.83
Exceeded daily but not weekly drinking limits	34.10	1.29	35.37	1.62	31.75	2.06	46.82	3.58	38.15	1.88	22.72	1.92	*16.70	9.82
Exceeded weekly or both daily and weekly drinking limits	49.07	1.30	48.76	1.68	49.65	2.04	38.37	3.58	46.46	1.83	57.44	2.44	61.77	11.50

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree dest characteristics of Ways 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatianata	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Employed Full Time														
No														
Not current drinker	5.02	0.73	6.17	1.10	3.78	0.78	5.29	1.58	5.26	1.31	4.91	1.13	4.63	1.24
Did not exceed drinking limits	16.02	1.25	14.22	1.58	17.93	1.81	3.27	1.16	11.86	1.89	17.65	2.36	30.02	2.92
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	25.28 52.92	1.47 1.63	25.50 53.59	2.16 2.28	25.03 52.21	2.02 2.27	47.99 43.45	3.96 3.64	33.79 48.63	3.12 3.60	15.22 60.79	2.13 2.96	6.91 57.36	1.63 3.24
Family Annual Income														
\$0 to \$19,999														
Not current drinker	5.91	1.13	7.38	1.73	4.01	0.90	6.35	2.16	6.61	2.08	5.84	1.89	*2.83	1.25
Did not exceed drinking limits	12.00	1.30	9.91	1.70	14.71	2.02	4.11	1.18	10.10	2.17	19.80	3.17	28.22	5.27
Exceeded daily but not weekly drinking limits	33.94	2.28	31.66	3.15	36.90	3.36	47.55	4.11	33.76	4.73	23.09	3.51	9.94	3.34
Exceeded weekly or both daily and weekly drinking limits	47.08	2.23	49.33	3.35	44.18	3.23	41.16	3.83	48.88	4.98	50.01	4.04	56.55	5.67
\$20,000 to \$34,999							.						.	
Not current drinker	5.44	0.98	5.19	1.24	5.89	1.52	*4.20	2.09	4.81	1.28	7.14	2.02	*6.24	2.97
Did not exceed drinking limits	15.01	1.67	12.07	1.88	20.43	3.07	*5.37	2.28	11.08	2.01	17.90	3.43	35.19	6.00
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	30.72 47.87	2.25 2.28	32.18 50.30	2.94 2.69	28.02 43.39	3.40 4.04	47.34 43.08	6.02 5.81	39.25 44.29	3.70 3.64	18.12 54.93	3.45 4.49	*2.42 54.27	1.89 6.34
\$35,000 to \$69,999														
Not current drinker	4.24	0.85	5.38	1.24	*2.36	0.87	*7.06	2.78	4.64	1.42	*1.60	0.60	*6.38	2.51
Did not exceed drinking limits	14.16	1.21	11.57	1.41	18.43	2.07	*2.72	1.17	10.59	1.61	18.49	2.33	29.98	4.75
Exceeded daily but not weekly drinking limits	30.22	1.86	31.65	2.37	27.85	2.61	50.20	6.01	37.72	2.80	18.90	2.37	7.27	2.88
Exceeded weekly or both daily and weekly drinking limits	50.77	1.80	50.42	2.40	51.36	2.62	39.09	5.62	46.47	2.91	60.25	2.96	56.37	5.09
\$70,000 or more													di.	
Not current drinker		0.70	3.02	0.82	2.89	1.05	[*] 1.88	1.19	3.45	1.04	2.75	0.91	*2.94	2.25
Did not exceed drinking limits		1.39	12.79	1.92	14.34	2.21	*12.45	5.78	11.30	1.95	14.32	2.16	21.38	5.27
Exceeded daily but not weekly drinking limits	27.91	1.76	32.14	2.60	22.67	2.39	42.59	6.89	36.26	3.12	20.36	2.57	*10.49	4.52
Exceeded weekly or both daily and weekly drinking limits	55.25	2.04	51.59	2.76	59.79	2.85	41.51	7.06	48.92	3.06	62.06	3.12	65.19	6.43
Born in the United States														
Yes														
Not current drinker		0.48	4.85	0.65	3.49	0.57	5.65	1.29	4.25	0.72	3.35	0.64	4.80	1.26
Did not exceed drinking limits		0.71	11.31	0.87	15.65	1.17	4.74	1.06	10.66	1.02	15.92	1.40	28.69	2.76
Exceeded daily but not weekly drinking limits	30.92	1.00	32.17	1.38	29.11	1.54	47.82	2.74	37.22	1.67	20.35	1.54	7.64	1.73
Exceeded weekly or both daily and weekly drinking limits	50.95	0.98	50.78	1.36	51.22	1.56	40.93	2.46	47.40	1.77	59.42	1.93	57.75	3.14
No Not ourroat drinker	7.07	0.40	0.50	2.00	*2.00	2.00	*4.00	1.00	*10.00	2.00	*F 00	2.52	* = 0 =	2.00
Not current drinker Did not exceed drinking limits	7.27 22.35	2.10 3.52	9.53 16.05	3.03 3.99	*3.23 33.62	2.08 6.03	*1.98 *19.58	1.96 10.09	*10.30 12.66	3.96 3.20	*5.03 31.15	2.53 7.04	*5.65 *35.16	3.89 14.05
Exceeded daily but not weekly drinking limits	24.26	3.52	27.96	3.99 4.34	33.62 17.62	4.34	33.72	12.77	34.92	3.20 4.95	15.44	7.04 4.40	*3.96	3.01
Exceeded weekly or both daily and weekly drinking limits	45.92	4.23	46.14	5.20	45.52	7.28	*44.72	16.17	34.92 41.67	4.95 5.72	48.38	8.12	55.23	13.93
Encoded woonly or boar daily and woonly allinning limits	10.02	1.20	10.11	0.20	10.02	7.20	11.72	10.17	-11.07	0.12	10.00	0.12	00.20	10.00

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree de de la lace de la Constitución de la Const	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatterate	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Family Structure Before Age 18														
Both biological/adoptive parents in the household							*				*		*	
Not current drinker		0.72	3.36	0.96	3.35	1.04	*3.76	1.46	2.92	1.00	*3.64	1.42	*3.93	3.86
Did not exceed drinking limits	13.03	1.61	12.99	2.15	13.07	2.19	8.64	2.36	13.55	2.40	14.04	2.88	*27.88	8.35
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	32.91 49.94	2.33 2.39	33.85 49.20	3.26 3.30	31.51 51.04	3.30 3.48	42.66 43.64	4.95 4.45	34.67 48.86	3.45 3.57	22.93 57.48	3.86 4.67	*6.21 61.98	3.69 8.43
Only biological mother ever in the household (father never present)														
Not current drinker	4.40	0.58	5.24	0.81	3.17	0.69	5.17	1.86	5.11	0.99	2.90	0.62	5.32	1.37
Did not exceed drinking limits	14.19	0.92	11.77	1.13	17.72	1.47	4.28	1.48	9.51	1.12	17.89	1.63	29.74	3.19
Exceeded daily but not weekly drinking limits		1.18	31.54	1.57	26.69	1.80	47.91	3.71	38.80	1.98	19.48	1.73	7.67	1.86
Exceeded weekly or both daily and weekly drinking limits	51.12	1.26	50.53	1.63	51.97	1.98	41.87	3.65	46.00	1.98	58.99	2.33	56.26	3.46
Biological/adoptive parents divorced or no longer living together							*				*		*	
Not current drinker	6.73	1.38	7.22	1.93	6.01	1.86	*12.04	4.08	4.57	1.55	*7.43	2.72	*1.16	1.18
Did not exceed drinking limits	10.27	1.77	6.42	1.84	15.97	3.60	*0.42	0.30	10.64	2.59	13.14	3.97	*29.37	10.40
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	33.71 48.60	2.86 2.95	32.10 53.10	3.94 3.92	36.09 41.93	4.78 4.55	56.25 31.29	7.15 6.64	34.24 49.87	4.06 4.27	20.13 58.51	4.43 6.35	*6.54 60.20	5.64 11.19
Raised by relatives, by foster parents, or in an institution	_				4				4		_			
Not current drinker	[*] 9.17	4.90	[*] 12.12	7.03	[*] 2.85	2.91		_	[*] 12.52	7.97	[*] 10.78	10.17	_	_
Did not exceed drinking limits	*20.52	8.54	*22.18	11.63	[*] 16.96	8.13	*7.88	8.48	*30.67	15.77	[*] 17.45	9.88	_	_
Exceeded daily but not weekly drinking limits	19.48	7.05	*19.44	9.60	[*] 19.58	8.15	*59.11	24.85	[*] 14.02	7.26	[*] 20.29	11.45	. .	
Exceeded weekly or both daily and weekly drinking limits	50.82	9.86	46.26	12.83	*60.61	12.88	*33.01	22.11	*42.80	16.01	*51.49	15.48	*100.00	0.00
Before Age 18, Family Received Government Assistance														
Yes	4.50	4.00		4.00			0.40			4.00	** **	4.00	*. =0	4.00
Not current drinker	4.59	1.03	3.80	1.33	5.89	1.61	8.40	2.98	3.41	1.32	*3.90	1.90	*1.78	1.80
Did not exceed drinking limits	10.60	1.61	9.35	2.13	12.63	2.43	*4.62	1.95	8.95	2.05	14.67	3.80	36.93	11.03
Exceeded daily but not weekly drinking limits	36.53 47.49	2.85 2.79	35.88 49.71	3.97 3.82	37.60 43.88	3.95	49.07 35.82	5.90	39.08 48.26	4.14 3.98	25.43 55.33	5.34 6.12	— 61.29	 11 10
Exceeded weekly or both daily and weekly drinking limits	47.49	2.79	49.71	3.82	43.88	3.91	35.82	5.50	48.26	3.98	55.33	0.12	61.29	11.18
No														
Not current drinker	4.46	0.52	5.40	0.71	3.10	0.58	4.89	1.37	4.94	0.84	3.42	0.64	5.10	1.29
Did not exceed drinking limits	14.17	0.77	12.03	0.92	17.27	1.29	5.27	1.22	11.20	1.08	17.22	1.44	28.59	2.89
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	29.50 51.16	1.00 1.05	31.19 50.59	1.37 1.37	27.06 51.98	1.57 1.75	47.06 42.24	2.92 2.74	36.63 46.73	1.76 1.84	19.44 59.00	1.46 2.02	7.93 57.28	1.74 3.24
, , ,	51.16	1.05	50.59	1.37	51.96	1.75	42.24	2.74	40.73	1.04	59.00	2.02	57.20	3.24
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes	5.61	1.67	5.02	1.04	*3.79	2.69	*6.09	2 56	*4.54	2.75	*7.95	2 12		
Not current drinker Did not exceed drinking limits	5.61 5.11	1.67 1.49	5.93 4.55	1.94 1.63	*8.30	2.68 3.61	*1.16	3.56 0.92	*3.71	2.75 1.48	*10.73	3.12 4.54	*9.45	9.08
Exceeded daily but not weekly drinking limits	28.76	3.81	29.38	4.21	8.30 25.15	7.57	38.19	0.92 6.91	28.41	6.86	22.54	4.54 5.20	*12.54	10.07
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	60.25	3.88	59.82	4.45	62.75	8.32	54.55	6.95	63.33	6.80	58.78	6.33	*72.14	13.81
Encoded Hookly of both daily and Hookly allinking littles	00.20	0.00	00.02	1.10	02.70	0.02	0 1.00	0.00	00.00	0.00	00.70	0.00	72.17	10.01

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

		exes		0	ex				4	Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatimete.	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Ever in Jail or Juvenile Detention Center														
No														
Not current drinker		0.50	5.08	0.67	3.47	0.57	5.49	1.32	4.68	0.76	3.20	0.62	5.01	1.24
Did not exceed drinking limits		0.78	12.38	0.95	16.86	1.18	5.59	1.17	11.34	1.04	17.35	1.39	29.76	2.90
Exceeded daily but not weekly drinking limits		0.98	32.15	1.37	28.55	1.52	48.45	2.93	37.72	1.55	19.86	1.48	7.22	1.64
Exceeded weekly or both daily and weekly drinking limits	. 49.95	1.01	49.47	1.41	50.60	1.63	39.55	2.68	45.75	1.60	58.64	2.02	57.14	3.19
Before Age 18, Physically Abused by Parent/Caretaker														
Yes					4.		di		di.		ale.			
Not current drinker		2.80	*10.25	4.42	*3.79	2.89	*5.88	5.70	*11.87	5.37	*3.43	2.43	—	_
Did not exceed drinking limits		2.80	*12.85	3.99	*9.75	3.80	_	_	*4.74	2.86	*23.02	7.26	[*] 52.99	21.14
Exceeded daily but not weekly drinking limits		4.56	22.83	4.96	42.43	7.57	59.39	11.46	20.55	6.05	27.95	7.20	*26.45	19.39
Exceeded weekly or both daily and weekly drinking limits	. 49.91	4.66	54.07	6.36	44.03	7.33	*34.72	11.03	62.85	7.08	45.61	8.42	*20.55	17.98
No														
Not current drinker	4.36	0.49	4.97	0.64	3.46	0.57	5.53	1.28	4.36	0.72	3.47	0.64	4.95	1.22
Did not exceed drinking limits		0.75	11.59	0.90	16.93	1.20	5.39	1.10	11.07	1.00	16.74	1.38	28.75	2.86
Exceeded daily but not weekly drinking limits	. 30.48	0.99	32.23	1.37	27.90	1.51	46.89	2.76	37.79	1.61	19.71	1.47	7.03	1.51
Exceeded weekly or both daily and weekly drinking limits	50.67	1.01	50.32	1.36	51.18	1.61	41.33	2.52	46.31	1.66	59.15	2.01	58.23	3.15
Before Age 18, Seriously Neglected by Parent/Caretaker														
Yes														
Not current drinker	. *2.37	1.52	*3.02	2.32	*1.30	1.30	*9.97	9.39	_	_	*3.52	2.52	_	_
Did not exceed drinking limits		3.36	*12.82	4.76	17.92	5.90	_	_	19.79	6.30	*15.71	6.35	_	_
Exceeded daily but not weekly drinking limits	. 31.14	5.33	32.46	7.56	28.95	7.09	*35.72	12.87	33.03	8.80	25.36	7.67	*32.61	19.37
Exceeded weekly or both daily and weekly drinking limits	51.21	5.52	50.84	7.88	51.83	8.14	*54.32	14.32	47.18	8.71	55.41	9.35	*58.48	19.79
No														
Not current drinker	4.55	0.49	5.24	0.66	3.55	0.58	5.43	1.26	4.88	0.75	3.46	0.63	4.96	1.22
Did not exceed drinking limits		0.74	11.59	0.89	16.60	1.18	5.29	1.09	10.40	0.97	17.02	1.37	29.74	2.88
Exceeded daily but not weekly drinking limits		0.99	31.86	1.34	28.45	1.51	47.75	2.76	37.24	1.62	19.83	1.49	6.88	1.51
Exceeded weekly or both daily and weekly drinking limits	50.62	1.00	50.45	1.33	50.87	1.63	40.69	2.48	46.99	1.66	58.76	2.00	57.55	3.15
Before Age 18, Saw Serious Fights at Home														
Yes														
Not current drinker	3.71	0.94	4.82	1.46	*2.53	1.22	*2.95	2.91	*3.22	1.10	*5.41	2.18	_	_
Did not exceed drinking limits		2.16	16.06	3.03	14.32	3.05	*5.24	3.04	14.02	3.12	17.79	3.92	*37.68	12.44
Exceeded daily but not weekly drinking limits		2.99	27.99	4.52	32.31	4.12	56.13	7.95	31.62	4.50	20.50	4.26	*3.04	3.04
Exceeded weekly or both daily and weekly drinking limits		3.18	50.99	4.72	50.84	4.26	35.69	7.69	50.99	4.79	56.30	5.66	59.28	12.49
No														
Not current drinker	. 4.57	0.52	5.20	0.68	3.62	0.63	5.80	1.33	4.89	0.82	3.22	0.65	5.14	1.27
Did not exceed drinking limits		0.78	11.18	0.90	17.00	1.29	5.14	1.11	10.33	1.04	16.87	1.43	28.69	2.90
Exceeded daily but not weekly drinking limits		1.03	32.28	1.39	27.89	1.64	46.60	2.82	37.87	1.68	19.95	1.57	7.61	1.70
Exceeded weekly or both daily and weekly drinking limits		1.06	50.41	1.41	50.91	1.79	41.55	2.61	46.41	1.69	58.95	2.05	57.47	3.18

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Depres deut about tricking at May 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	F	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
Yes														
Not current drinker	5.02	0.78	6.03	1.21	3.87	0.96	*4.24	1.74	4.57	1.20	4.14	1.23	*13.83	4.92
Did not exceed drinking limits	13.34	1.31	11.80	1.67	15.11	2.13	*3.73	1.55	12.39	2.18	17.64	2.58	25.13	6.33
Exceeded daily but not weekly drinking limits	31.05	1.99	32.47	2.88	29.41	2.72	54.54	5.27	35.77	3.60	16.66	2.44	*5.96	3.55
Exceeded weekly or both daily and weekly drinking limits	49.92	2.02	48.58	2.95	51.47	2.80	36.05	4.82	46.67	3.76	61.11	3.07	55.08	6.87
No														
Not current drinker	4.30	0.53	4.91	0.71	3.32	0.68	6.04	1.58	4.71	0.88	3.22	0.68	3.08	1.00
Did not exceed drinking limits		0.80	11.58	0.97	17.27	1.36	5.68	1.38	10.26	1.09	16.73	1.50	29.98	3.02
Exceeded daily but not weekly drinking limits	30.32	1.08	31.71	1.47	28.08	1.85	44.79	3.03	37.51	1.84	21.24	1.74	7.65	1.69
Exceeded weekly or both daily and weekly drinking limits	50.88	1.12	51.02	1.51	50.67	1.98	42.90	2.99	47.12	1.73	57.75	2.31	58.06	3.34
Ever Had No Regular Place to Live Lasting 1+ Months														
Yes														
Not current drinker	*4.79	1.75	*5.67	2.27	*2.17	1.60	*4.41	4.32	*3.61	1.98	*7.41	4.02	_	_
Did not exceed drinking limits		2.73	8.75	2.73	*18.26	6.85	*2.89	2.88	14.28	4.53	*12.13	5.11	_	_
Exceeded daily but not weekly drinking limits		4.12	26.94	4.99	28.26	7.33	44.68	10.75	27.02	5.60	15.17	5.33	_	_
Exceeded weekly or both daily and weekly drinking limits		4.58	58.42	5.49	51.31	8.42	48.02	10.77	54.76	6.10	65.29	7.37	*100.00	0.00
No														
Not current drinker	4.46	0.50	5.13	0.66	3.52	0.58	5.62	1.29	4.74	0.76	3.28	0.61	4.89	1.20
Did not exceed drinking limits		0.73	11.82	0.91	16.60	1.17	5.29	1.12	10.58	0.96	17.20	1.36	29.30	2.85
Exceeded daily but not weekly drinking limits		1.00	32.21	1.35	28.48	1.54	47.61	2.80	37.70	1.65	20.23	1.49	7.40	1.63
Exceeded weekly or both daily and weekly drinking limits	50.33	1.02	49.94	1.37	50.89	1.64	40.61	2.57	46.51	1.68	58.35	2.00	57.39	3.14
Self-Perceived Current Health														
Excellent/Very good														
Not current drinker	3.95	0.56	4.81	0.79	2.81	0.62	4.67	1.50	4.54	0.82	2.92	0.73	*3.05	1.29
Did not exceed drinking limits		0.76	11.02	1.00	16.21	1.27	5.23	1.35	11.63	1.16	16.47	1.68	27.28	3.53
Exceeded daily but not weekly drinking limits		1.23	34.16	1.70	28.93	1.69	48.75	3.18	37.95	1.93	20.25	1.86	6.47	1.89
Exceeded weekly or both daily and weekly drinking limits	50.37	1.29	49.26	1.76	51.84	1.82	40.72	3.03	45.58	2.02	59.68	2.31	62.51	3.87
Good														
Not current drinker	4.89	0.91	5.05	1.18	4.62	1.24	*5.60	1.98	4.65	1.18	3.84	1.37	*6.67	2.64
Did not exceed drinking limits		1.29	10.36	1.42	19.23	2.46	5.64	1.91	7.48	1.64	16.01	2.48	36.03	5.25
Exceeded daily but not weekly drinking limits		2.03	29.86	2.61	25.40	3.00	43.00	5.27	34.61	3.71	21.28	3.28	*4.83	2.29
Exceeded weekly or both daily and weekly drinking limits		2.14	53.40	2.71	49.23	3.59	44.23	5.16	52.07	3.54	57.62	4.23	50.32	5.35
Fair/Poor														
Not current drinker	6.77	1.60	7.16	2.03	5.98	2.00	*16.35	7.71	*5.67	2.90	5.34	1.64	*7.50	3.67
Did not exceed drinking limits		2.54	17.22	3.23	14.14	3.39	*2.31	2.29	12.23	3.61	20.67	4.56	22.40	5.95
Exceeded daily but not weekly drinking limits		2.78	24.03	3.61	31.58	4.37	48.45	9.96	35.97	5.56	17.05	3.29	*15.26	5.32
Exceeded weekly or both daily and weekly drinking limits	50.00	3.37	51.06	3.95	47.83	5.01	32.89	9.21	46.13	6.07	55.62	5.13	54.85	7.06

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Description of the second of the set Message	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fathereste	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Covered by Health Insurance														
Yes														
Not current drinker		0.46	4.08	0.58	3.03	0.60	3.96	1.25	3.67	0.70	2.91	0.57	4.87	1.22
Did not exceed drinking limits		0.88	12.36	1.05	17.50	1.33	5.12	1.33	11.06	1.12	17.43	1.60	28.81	2.84
Exceeded daily but not weekly drinking limits		1.11	31.90	1.58	27.87	1.60	52.12	3.21	37.55	1.83	20.07	1.67	7.49	1.65
Exceeded weekly or both daily and weekly drinking limits	. 50.88	1.13	50.72	1.48	51.10	1.68	37.89	3.01	47.20	1.84	58.74	2.20	57.79	3.15
No														
Not current drinker	. 7.70	1.32	8.60	1.75	5.75	1.44	8.79	2.83	8.04	1.89	6.05	1.79	*4.34	4.65
Did not exceed drinking limits	. 10.23	1.29	9.32	1.60	12.22	2.19	5.22	1.84	9.94	2.25	14.85	2.65	*51.60	24.07
Exceeded daily but not weekly drinking limits	. 31.75	2.21	31.84	2.87	31.55	3.28	37.89	4.32	35.44	3.63	19.74	3.30	_	_
Exceeded weekly or both daily and weekly drinking limits	. 49.73	2.36	49.66	3.05	49.89	3.73	47.45	4.25	46.34	3.68	58.25	4.28	*44.06	23.88
Tobacco Use Status														
Current user														
Not current drinker	. 4.88	0.68	5.43	0.93	3.81	0.79	4.75	1.53	5.17	1.09	4.88	0.99	*2.89	1.76
Did not exceed drinking limits		0.87	8.85	1.00	12.97	1.45	3.57	1.14	9.70	1.31	13.33	1.80	25.98	5.20
Exceeded daily but not weekly drinking limits		1.40	30.33	1.83	30.37	2.25	46.15	3.46	31.50	2.05	20.30	2.10	8.56	3.26
Exceeded weekly or both daily and weekly drinking limits	. 53.73	1.37	54.39	1.80	52.45	2.34	44.52	3.39	53.01	2.25	60.93	2.57	59.90	6.03
Ex-user														
Not current drinker	. 3.10	0.79	3.97	1.07	*1.92	1.06	*2.96	2.04	*2.66	1.36	*2.05	0.93	4.89	1.64
Did not exceed drinking limits		1.69	19.93	2.29	21.03	2.78	*17.47	9.02	14.84	3.57	16.81	2.52	30.06	3.59
Exceeded daily but not weekly drinking limits		2.02	25.54	2.66	20.87	2.61	56.26	10.62	43.38	4.84	20.42	2.84	7.68	2.12
Exceeded weekly or both daily and weekly drinking limits		2.19	50.23	3.00	55.73	3.14	*23.31	9.15	39.12	4.45	60.26	3.08	56.72	3.98
Lifetime nonsmoker														
Not current drinker	. 4.72	0.86	5.46	1.24	3.96	1.15	7.32	2.40	4.50	1.02	*2.58	1.04	*7.32	3.47
Did not exceed drinking limits		1.42	11.50	1.74	18.38	2.09	6.05	1.67	11.32	1.68	22.89	3.23	30.73	5.54
Exceeded daily but not weekly drinking limits		1.85	39.90	2.73	30.57	2.57	48.35	4.83	44.48	2.83	19.17	2.92	*4.96	2.56
Exceeded weekly or both daily and weekly drinking limits		1.83	42.19	2.64	46.41	2.81	37.65	4.35	39.34	2.60	53.53	3.84	56.99	6.48
Drug Use Status														
Current user														
Not current drinker	. 4.31	0.96	4.41	1.28	4.11	1.31	*3.37	1.24	5.31	1.70	*4.14	2.09	_	_
Did not exceed drinking limits		1.10	6.65	1.32	9.18	2.03	3.61	1.11	7.92	1.67	14.49	4.19	*54.18	21.49
Exceeded daily but not weekly drinking limits		2.29	34.23	2.84	41.60	3.84	47.37	4.05	29.28	3.73	30.06	5.42	*16.18	14.99
Exceeded weekly or both daily and weekly drinking limits		2.39	54.43	3.07	44.51	3.67	45.64	3.96	56.65	3.89	51.31	5.99	*29.63	21.08
Ex-user														
Not current drinker	. 3.26	0.65	3.22	0.79	3.33	0.91	*4.17	1.72	3.07	0.82	3.08	1.06	*4.98	4.84
Did not exceed drinking limits		1.19	9.75	1.58	12.30	1.88	12.13	3.76	9.36	1.66	11.82	2.13	*18.96	7.29
Exceeded daily but not weekly drinking limits		1.97	36.01	2.63	29.24	2.84	43.53	5.79	38.97	2.71	22.26	2.72	*13.70	7.75
Exceeded weekly or both daily and weekly drinking limits		1.93	49.91	2.48	54.96	3.13	40.17	6.08	47.78	2.62	61.93	3.13	62.36	9.79

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Department of an arteriation of Maria 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly low-risk drinking limits at Wave 2	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
low-risk drinking limits at wave 2	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Drug Use Status														
Lifetime nondrug user											0.54		4.00	4.00
Not current drinker	5.12	0.70	6.47	0.97	3.36	0.81	8.91	2.76	5.55	1.16	3.54	0.74	4.96	1.26
Did not exceed drinking limits Exceeded daily but not weekly drinking limits	17.33 26.90	1.15 1.20	14.77 28.77	1.42 1.60	20.68 24.46	1.69 1.89	3.82 49.34	1.61 4.53	13.31 39.51	1.58 2.60	19.54 17.69	1.81 1.73	29.50 6.67	3.00 1.63
Exceeded daily but not weekly drinking liftins Exceeded weekly or both daily and weekly drinking limits	49.80	1.49	48.99	1.94	50.86	2.15	35.69	3.92	41.63	2.52	58.21	2.45	57.74	3.30
Any Major Depressive Disorder in the Past Year														
Yes														
Not current drinker	4.09	1.25	*4.17	2.06	*4.04	1.55	*3.18	2.06	*5.77	2.24	*3.04	2.31	*3.84	3.37
Did not exceed drinking limits		2.70	*12.57	4.37	14.07	3.44	*11.79	5.83	*6.95	2.64	20.66	5.65	*26.75	17.78
Exceeded daily but not weekly drinking limits	36.63	4.21	31.93	6.06	40.19	5.40	58.00	8.03	38.51	6.03	17.96	4.77	*20.29	17.54
Exceeded weekly or both daily and weekly drinking limits	45.85	4.12	51.33	6.40	41.70	4.90	27.03	7.34	48.77	6.25	58.34	6.99	*49.12	22.58
No														
Not current drinker	4.50	0.51	5.21	0.67	3.42	0.59	5.78	1.35	4.62	0.76	3.49	0.64	4.88	1.22
Did not exceed drinking limits	13.67	0.76	11.59	0.90	16.87	1.22	4.49	1.06	11.01	1.01	16.73	1.40	29.22	2.82
Exceeded daily but not weekly drinking limits	30.13	0.99	31.88	1.36	27.43	1.56	46.38	2.80	36.98	1.65	20.15	1.49	7.13	1.62
Exceeded weekly or both daily and weekly drinking limits	50.93	0.99	50.43	1.36	51.71	1.66	42.43	2.56	46.91	1.68	58.67	1.98	57.72	3.13
Any Major Depressive Disorder in Life														
Yes														
Not current drinker	3.52	0.85	*4.31	1.59	2.97	0.97	*5.19	3.15	3.54	1.16	*3.35	1.40	*0.72	0.69
Did not exceed drinking limits	13.32	1.62	12.22	2.74	14.07	1.92	*11.20	4.55	11.43	2.34	15.57	2.87	[*] 15.76	5.82
Exceeded daily but not weekly drinking limits	28.73	2.48	30.14	3.87	27.77	3.20	56.06	6.87	32.66	3.99	16.28	2.70	*16.58	7.10
Exceeded weekly or both daily and weekly drinking limits	54.43	2.82	53.33	4.31	55.19	3.28	27.55	6.34	52.37	4.17	64.80	3.81	66.95	8.53
No														
Not current drinker	4.64	0.54	5.25	0.70	3.61	0.66	5.60	1.35	4.85	0.82	3.49	0.70	5.30	1.32
Did not exceed drinking limits	13.72	0.80	11.57	0.94	17.32	1.31	4.30	1.08	10.71	1.04	17.29	1.51	30.60	2.95
Exceeded daily but not weekly drinking limits	30.80	1.09	32.07	1.45	28.66	1.71	46.22	2.89	37.74	1.76	20.84	1.68	6.40	1.61
Exceeded weekly or both daily and weekly drinking limits	50.01	1.05	50.16	1.40	49.77	1.84	42.94	2.60	46.18	1.80	57.29	2.18	56.57	3.27
Age Started Drinking														
14 years or younger														
Not current drinker	5.49	1.28	6.29	1.83	*3.94	1.48	*3.60	1.86	7.06	2.15	*5.24	2.52		_
Did not exceed drinking limits	10.72	1.73	7.76	1.82	16.45	3.68	*7.59	3.29	8.87	2.13	13.97	4.08	*32.89	11.89
Exceeded daily but not weekly drinking limits	32.05	3.01	28.74	3.85	38.47	4.51	46.83	5.97	30.89	4.45	20.65	4.69	*15.65	8.55
Exceeded weekly or both daily and weekly drinking limits	51.29	3.06	56.75	3.98	40.72	4.63	41.98	5.78	52.58	4.19	59.45	6.76	51.46	12.74
15 to 17 years														
Not current drinker	3.75	0.72	4.44	0.99	2.39	0.77	6.06	1.88	2.61	0.93	*2.85	1.08	*4.35	2.20
Did not exceed drinking limits	10.19	1.01	9.49	1.26	11.58	1.60	3.67	1.38	8.78	1.51	16.29	2.58	28.53	5.72
Exceeded daily but not weekly drinking limits	35.71	1.73	34.48	2.14	38.14	2.87	46.42	3.80	38.25	2.47	23.85	3.04	10.36	3.72
Exceeded weekly or both daily and weekly drinking limits	49.71	1.70	50.80	2.06	47.57	3.00	42.77	3.55	49.85	2.77	56.51	3.51	56.76	6.34

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree and and also are also designed as a College of A	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly		0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Age Started Drinking														
18 to 20 years							_							
Not current drinker		0.70	5.04	0.90	4.06	0.93	*5.91	2.48	5.51	1.16	2.27	0.71	7.16	2.28
Did not exceed drinking limits		1.33	13.22	1.71	14.74	1.72	6.90	2.34	12.08	1.91	15.10	2.27	23.29	4.51
Exceeded daily but not weekly drinking limits		1.54	33.00	2.18	25.56	2.44	47.92	5.07	39.81	2.83	20.24	2.31	*6.33	2.43
Exceeded weekly or both daily and weekly drinking limits	. 50.73	1.60	47.97	2.04	55.12	2.82	39.27	5.04	42.07	2.50	61.67	2.97	61.47	4.74
21 years or older														
Not current drinker	. 4.97	1.15	6.70	1.84	3.85	1.37	*4.31	4.33	5.85	2.23	5.07	1.42	*3.58	1.91
Did not exceed drinking limits	. 21.58	1.90	17.57	2.72	24.21	2.63	*4.74	4.48	15.78	2.67	20.51	2.88	34.68	4.43
Exceeded daily but not weekly drinking limits	. 20.85	1.95	24.59	3.27	18.39	2.49	67.62	10.73	34.03	4.32	16.66	2.57	*5.73	2.27
Exceeded weekly or both daily and weekly drinking limits	. 51.55	2.43	49.36	3.94	52.99	2.97	*15.39	8.81	44.35	4.31	56.23	3.34	55.53	4.96
Family History of Alcoholism														
None														
Not current drinker	. 4.05	0.64	4.42	0.87	3.42	0.86	5.71	2.26	4.00	0.89	3.20	0.89	*3.82	1.55
Did not exceed drinking limits		1.17	11.94	1.32	19.92	2.13	4.34	1.43	11.56	1.61	15.98	2.06	34.44	4.23
Exceeded daily but not weekly drinking limits		1.61	30.83	2.01	29.94	2.69	47.68	4.51	40.04	2.84	19.12	2.40	6.85	2.04
Exceeded weekly or both daily and weekly drinking limits	. 49.45	1.52	51.42	1.96	46.08	2.68	40.65	4.20	44.40	2.64	59.89	2.80	52.86	4.36
2nd-degree relatives only														
Not current drinker	. 4.12	0.85	4.87	1.23	*3.02	1.02	*2.34	1.25	5.43	1.50	*2.81	1.18	*6.91	4.24
Did not exceed drinking limits		1.30	7.71	1.61	14.33	2.31	*2.96	1.09	9.72	1.79	14.81	3.09	*21.13	7.11
Exceeded daily but not weekly drinking limits		2.31	36.15	3.22	25.36	3.10	44.45	5.51	38.00	3.18	16.76	3.00	*10.44	5.72
Exceeded weekly or both daily and weekly drinking limits		2.52	50.89	3.33	57.30	3.54	49.38	5.51	46.76	3.30	65.62	4.06	61.52	8.60
1st-degree relatives only														
Not current drinker	. 4.15	1.11	5.17	1.79	*2.84	1.14	*2.41	1.67	*5.09	2.52	*3.97	1.47	*3.63	2.26
Did not exceed drinking limits		2.23	18.83	3.24	15.32	2.75	*15.05	7.56	15.48	3.06	16.39	3.62	25.31	5.70
Exceeded daily but not weekly drinking limits	. 26.08	2.31	27.53	3.50	24.22	3.55	42.81	9.47	32.01	4.64	22.86	3.90	*8.95	3.76
Exceeded weekly or both daily and weekly drinking limits	. 51.44	2.82	47.93	3.61	55.92	4.19	39.72	9.25	45.76	4.97	55.59	4.96	62.11	7.05
Both 1st- and 2nd-degree relatives														
Not current drinker	. 5.47	0.90	6.48	1.36	4.16	0.97	8.90	2.78	4.70	1.23	3.95	1.31	*7.62	3.59
Did not exceed drinking limits	. 12.78	1.26	10.86	1.62	15.28	1.96	5.32	1.58	8.95	1.76	20.10	2.66	24.00	5.47
Exceeded daily but not weekly drinking limits		1.89	32.11	2.63	31.07	2.55	50.90	4.61	34.85	3.14	21.66	2.67	*5.41	2.82
Exceeded weekly or both daily and weekly drinking limits		1.91	49.93	2.75	49.34	2.61	34.88	4.60	50.69	3.26	54.09	3.23	62.96	6.13
Any Parent Alcoholic														
Yes														
Not current drinker	. 5.56	0.86	6.57	1.39	4.31	0.97	8.19	2.41	5.04	1.18	4.21	1.10	*6.57	3.58
Did not exceed drinking limits		1.21	11.22	1.60	15.17	1.92	5.23	1.49	11.38	1.85	18.08	2.55	26.28	5.95
Exceeded daily but not weekly drinking limits		1.83	31.85	2.73	29.19	2.42	48.70	4.46	33.98	3.08	18.14	2.73	*5.99	3.37
Exceeded weekly or both daily and weekly drinking limits		1.91	49.61	2.77	50.71	2.61	37.88	4.34	48.64	3.24	58.63	3.25	61.17	7.26

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree dest showesteristics at Way 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly low-risk drinking limits at Wave 2	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
iow-risk drinking limits at wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Parent Alcoholic														
No														
Not current drinker		0.52	4.64	0.71	3.07	0.60	4.15	1.37	4.51	0.89	3.17	0.69	4.51	1.28
Did not exceed drinking limits	13.93	0.91	11.79	1.08	17.36	1.46	5.11	1.46	10.54	1.08	16.54	1.56	29.78	3.05
Exceeded daily but not weekly drinking limits	30.44	1.15	31.89	1.47	28.12	1.92	46.77	3.45	38.45	1.88	20.74	1.80	7.66	1.71
Exceeded weekly or both daily and weekly drinking limits	50.86	1.14	50.78	1.46	50.99	1.94	42.71	3.14	46.26	1.79	58.66	2.21	56.82	3.31
Married to Alcoholic/Lived with Alcoholic as if Married														
Yes							_						4	
Not current drinker	5.15	1.26	8.25	2.50	3.46	1.15	*12.38	7.74	4.76	1.68	4.77	1.92	*4.30	3.59
Did not exceed drinking limits		1.83	7.31	2.44	17.70	2.49	*4.91	3.83	10.63	2.47	16.74	3.23	25.29	6.88
Exceeded daily but not weekly drinking limits	21.97	2.21	21.94	3.64	21.99	2.57	55.29	10.73	27.24	3.24	13.02	2.54	*12.62	4.93
Exceeded weekly or both daily and weekly drinking limits	58.28	2.83	62.10	4.60	56.20	3.18	*27.42	9.38	56.44	4.21	65.12	3.97	57.79	7.81
No														
Not current drinker	4.38	0.50	4.90	0.65	3.48	0.58	5.25	1.26	4.66	0.79	3.20	0.61	4.94	1.27
Did not exceed drinking limits	13.60	0.77	12.00	0.93	16.36	1.28	5.16	1.11	10.83	1.01	17.02	1.54	29.69	3.01
Exceeded daily but not weekly drinking limits	31.82	1.08	32.73	1.39	30.23	1.81	47.09	2.74	38.82	1.75	21.42	1.65	6.67	1.69
Exceeded weekly or both daily and weekly drinking limits	49.46	1.10	49.47	1.37	49.46	1.93	41.64	2.50	45.31	1.76	57.35	2.19	57.54	3.37
Any Alcohol Treatment in the Past Year														
Yes														
Not current drinker	10.70	2.78	*7.97	3.07	19.43	6.43	*5.52	5.33	14.57	4.44	*8.39	4.44	_	_
Did not exceed drinking limits	7.89	2.49	8.40	3.03	*6.24	3.95	*9.04	6.83	*2.37	1.52	*19.40	7.13	*17.57	17.05
Exceeded daily but not weekly drinking limits	27.46	4.30	27.43	5.18	27.54	7.54	32.04	8.67	27.21	6.41	25.33	7.28	_	_
Exceeded weekly or both daily and weekly drinking limits	52.21	4.83	55.56	5.70	41.52	9.02	53.40	9.71	53.25	7.28	44.98	9.06	*82.43	17.05
No														
Not current drinker	4.19	0.49	4.99	0.66	3.04	0.54	5.55	1.28	4.07	0.74	3.31	0.61	4.91	1.22
Did not exceed drinking limits	13.93	0.76	11.83	0.92	16.93	1.20	4.89	0.94	11.31	1.03	16.90	1.38	29.28	2.86
Exceeded daily but not weekly drinking limits	30.65	0.99	32.15	1.34	28.49	1.54	48.48	2.80	37.66	1.61	19.85	1.47	7.44	1.63
Exceeded weekly or both daily and weekly drinking limits	50.57	0.99	50.15	1.33	51.15	1.63	40.20	2.51	46.62	1.65	59.08	1.99	57.34	3.17
Any Alcohol Treatment in Life														
Yes														
Not current drinker	7.89	1.42	7.68	1.67	8.55	2.64	*8.31	4.21	8.53	2.24	6.38	2.15	*9.24	8.75
Did not exceed drinking limits	8.08	1.46	8.09	1.68	8.06	2.62	*6.80	4.30	*3.80	1.36	14.84	3.51	*19.65	7.86
Exceeded daily but not weekly drinking limits	27.41	2.71	28.30	3.29	24.62	4.32	33.34	6.91	30.41	4.38	21.32	3.85	*7.83	7.53
Exceeded weekly or both daily and weekly drinking limits	55.45	2.98	55.01	3.53	56.83	5.44	51.55	7.24	55.91	4.45	55.83	5.08	63.27	11.68
No														
Not current drinker	4.01	0.51	4.70	0.68	3.08	0.57	5.21	1.30	3.99	0.78	3.08	0.64	4.68	1.20
Did not exceed drinking limits	14.43	0.81	12.28	0.99	17.31	1.24	4.95	0.97	12.05	1.13	17.25	1.44	29.57	2.94
Exceeded daily but not weekly drinking limits	30.93	1.02	32.54	1.41	28.77	1.59	49.17	2.88	38.25	1.68	19.84	1.55	7.35	1.66
Exceeded weekly or both daily and weekly drinking limits	49.98	1.04	49.63	1.42	50.44	1.65	39.75	2.56	45.41	1.71	59.02	2.08	57.33	3.21

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Despendent characteristics of West 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly low-risk drinking limits at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
low-risk drinking limits at wave 2	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Conduct Disorder														
Yes														
Not current drinker	*4.70	2.74	*4.15	2.97	*6.05	5.97	*6.15	6.15	*6.99	4.96	—	_		_
Did not exceed drinking limits	*20.76	7.86	[*] 18.04	9.07	[*] 27.37	15.13	*28.81	17.72	[*] 14.04	8.14	*8.22	6.49	*46.69	25.11
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	35.93 38.61	7.94 8.19	*32.86 44.94	9.72 10.34	*43.41 *23.17	15.41 12.25	*55.49 *9.55	17.62 7.86	*35.59 *43.38	12.81 13.55	*27.55 *64.23	16.60 17.16	*53.31	 25.11
No														
Not current drinker	4.48	0.49	5.18	0.66	3.45	0.56	5.54	1.28	4.64	0.74	3.49	0.62	4.93	1.22
Did not exceed drinking limits	13.56	0.75	11.53	0.90	16.54	1.18	4.64	1.00	10.76	0.99	17.05	1.36	28.94	2.84
Exceeded daily but not weekly drinking limits	30.43	0.99	31.87	1.35	28.33	1.51	47.26	2.69	37.08	1.61	19.95	1.47	7.47	1.65
Exceeded weekly or both daily and weekly drinking limits	50.80	0.98	50.55	1.33	51.17	1.61	41.73	2.46	47.05	1.67	58.61	1.93	57.62	3.13
Paranoid Personality Disorder — Lifetime														
Yes														
Not current drinker	5.50	1.78	*5.00	1.95	*6.12	2.40	*4.50	2.38	*6.32	2.31	*5.96	4.04	_	_
Did not exceed drinking limits	11.19	2.50	8.97	2.62	13.94	4.24	*4.61	2.18	11.07	3.34	*18.58	6.68	*29.28	19.03
Exceeded daily but not weekly drinking limits	35.61	3.97	32.75	5.34	39.13	5.77	51.50	7.20	30.65	5.75	27.39	7.01	_	_
Exceeded weekly or both daily and weekly drinking limits	46.72	4.12	52.00	5.69	40.19	6.23	39.40	7.20	50.36	6.08	46.79	9.03	*70.72	19.03
No														
Not current drinker	4.41	0.50	5.17	0.67	3.28	0.58	5.68	1.38	4.55	0.76	3.35	0.62	4.95	1.22
Did not exceed drinking limits	13.82	0.75	11.80	0.91	16.85	1.21	5.22	1.19	10.78	1.01	16.90	1.37	29.17	2.83
Exceeded daily but not weekly drinking limits	30.16	0.98	31.83	1.35	27.67	1.56	46.93	2.81	37.53	1.64	19.67	1.48	7.49	1.65
Exceeded weekly or both daily and weekly drinking limits	50.90	1.01	50.37	1.37	51.70	1.68	41.24	2.58	46.76	1.68	59.21	1.99	57.35	3.16
Schizoid Personality Disorder — Lifetime														
Yes														
Not current drinker	4.97	1.72	*4.80	1.96	*5.29	2.95	*5.16	3.32	*5.17	2.26	*5.07	4.96	_	_
Did not exceed drinking limits	15.40	4.02	14.90	5.26	16.28	6.17	*8.77	6.93	13.95	4.62	*30.97	12.03	*24.81	22.15
Exceeded daily but not weekly drinking limits	36.53	5.15	33.12	7.20	42.50	7.63	60.83	11.19	29.64	5.78	*17.26	7.08	. —	_
Exceeded weekly or both daily and weekly drinking limits	43.10	5.22	47.19	7.17	35.93	8.07	*25.24	10.00	51.24	6.67	46.69	12.22	*75.19	22.15
No														
Not current drinker	4.46	0.50	5.18	0.67	3.42	0.58	5.57	1.32	4.65	0.76	3.43	0.62	4.92	1.21
Did not exceed drinking limits	13.60	0.73	11.51	0.89	16.66	1.17	4.91	1.06	10.67	1.00	16.71	1.34	29.22	2.83
Exceeded daily but not weekly drinking limits	30.28	0.96	31.83	1.34	28.01	1.50	46.55	2.73	37.39	1.64	20.06	1.46	7.45	1.64
Exceeded weekly or both daily and weekly drinking limits	50.91	0.99	50.59	1.35	51.38	1.61	42.09	2.54	46.82	1.69	58.87	1.97	57.37	3.15
Schizotypal Personality Disorder — Lifetime ³														
Yes														
Not current drinker	*4.38	1.56	*3.90	1.85	*5.42	2.98	*8.20	4.56	*2.83	1.58	*3.09	2.12	_	_
Did not exceed drinking limits	9.93	2.24	9.12	2.98	11.68	3.96	*5.03	3.28	9.65	3.53	*15.45	5.64	_	_
Exceeded daily but not weekly drinking limits	27.52	4.02	25.19	5.49	32.51	6.14	54.93	10.20	20.65	4.58	*10.80	4.43	*100.00	0.00
Exceeded weekly or both daily and weekly drinking limits	57.35	4.25	61.79	5.38	47.84	6.39	31.84	9.27	65.08	5.66	70.66	6.77	_	_

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree destablement of the at Many 4	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly low-risk drinking limits at Wave 2	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
iow-risk drinking limits at wave 2	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Schizotypal Personality Disorder — Lifetime ³														
No														
Not current drinker	4.49	0.49	5.24	0.66	3.40	0.57	5.34	1.28	4.78	0.76	3.48	0.64	4.87	1.20
Did not exceed drinking limits	13.85	0.75	11.78	0.90	16.84	1.19	5.16	1.12	10.87	1.02	17.04	1.36	29.19	2.85
Exceeded daily but not weekly drinking limits	30.65	1.01	32.27	1.36	28.31	1.57	46.84	2.86	37.98	1.68	20.42	1.50	7.32	1.62
Exceeded weekly or both daily and weekly drinking limits	50.30	1.03	49.81	1.39	51.02	1.66	41.78	2.68	45.99	1.72	58.12	2.00	57.60	3.14
Antisocial Personality Disorder — Lifetime ³														
Yes					_		_		4		_			
Not current drinker	7.09	1.94	8.00	2.42	*3.73	2.16	*13.33	4.74	*2.76	1.31	*6.41	3.78		_
Did not exceed drinking limits		1.85	7.47	2.24	*6.90	2.94	*2.76	1.76	*4.62	1.55	[*] 23.46	8.81	*42.64	29.96
Exceeded daily but not weekly drinking limits	33.10	3.60	30.54	4.31	42.56	7.35	37.69	5.71	36.88	5.71	*13.85	5.08		_
Exceeded weekly or both daily and weekly drinking limits	52.24	3.91	53.70	4.61	46.81	7.86	46.22	6.04	55.27	5.60	56.29	9.39	*57.36	29.96
No														
Not current drinker	4.24	0.49	4.80	0.66	3.46	0.58	3.95	1.14	4.88	0.80	3.32	0.61	4.90	1.21
Did not exceed drinking limits	14.25	0.76	12.16	0.93	17.10	1.22	5.65	1.24	11.48	1.08	16.66	1.33	29.09	2.86
Exceeded daily but not weekly drinking limits	30.26	1.00	32.05	1.37	27.81	1.56	49.44	2.89	37.08	1.70	20.31	1.49	7.42	1.63
Exceeded weekly or both daily and weekly drinking limits	50.49	1.03	50.05	1.41	51.09	1.65	39.97	2.68	46.10	1.70	58.76	1.99	57.57	3.16
Borderline Personality Disorder — Lifetime ³														
Yes														
Not current drinker	3.63	0.98	*2.93	1.18	*4.64	1.71	*4.44	2.44	*3.65	1.45	*2.98	1.57	. —	_
Did not exceed drinking limits	8.94	1.98	6.02	2.18	13.14	3.36	*6.89	3.54	6.00	2.18	15.51	4.68	*18.83	14.02
Exceeded daily but not weekly drinking limits	26.70	3.06	25.02	3.57	29.11	5.54	35.89	6.33	28.75	5.09	14.96	3.86	*3.73	4.03
Exceeded weekly or both daily and weekly drinking limits	60.33	3.46	65.68	3.91	52.65	5.87	52.78	6.53	61.60	5.23	65.03	5.32	*77.43	15.10
No														
Not current drinker	4.57	0.51	5.39	0.69	3.35	0.60	5.73	1.41	4.79	0.80	3.51	0.65	4.93	1.22
Did not exceed drinking limits	14.14	0.75	12.20	0.94	17.01	1.22	4.86	1.14	11.35	1.00	17.10	1.37	29.32	2.89
Exceeded daily but not weekly drinking limits	30.89	1.04	32.58	1.39	28.40	1.65	49.36	3.04	38.01	1.69	20.45	1.56	7.42	1.64
Exceeded weekly or both daily and weekly drinking limits	49.65	1.02	48.92	1.37	50.72	1.71	39.08	2.78	45.34	1.69	58.10	2.06	57.29	3.16
<u>Histrionic Personality Disorder — Lifetime</u>														
Yes														
Not current drinker	*6.59	2.46	*7.20	3.81	*5.94	3.20	*12.58	6.83	*5.84	2.90	_	_	_	_
Did not exceed drinking limits	8.46	2.42	*4.61	2.95	12.67	4.03	*1.72	1.29	12.58	4.40	*8.06	4.36	_	_
Exceeded daily but not weekly drinking limits	36.18	5.06	29.18	6.61	43.81	7.77	51.27	10.08	30.99	7.00	*27.80	10.27	_	_
Exceeded weekly or both daily and weekly drinking limits	47.22	5.04	57.95	7.57	35.55	7.58	34.43	9.95	47.53	7.15	64.14	10.94	*100.00	0.00
No														
Not current drinker	4.39	0.49	5.09	0.66	3.35	0.57	5.06	1.26	4.61	0.75	3.56	0.63	4.87	1.20
Did not exceed drinking limits	13.87	0.75	11.89	0.90	16.84	1.21	5.39	1.15	10.71	1.01	17.22	1.38	29.20	2.84
Exceeded daily but not weekly drinking limits	30.27	0.98	31.98	1.34	27.71	1.52	47.17	2.76	37.37	1.61	19.80	1.46	7.37	1.62
Exceeded weekly or both daily and weekly drinking limits	50.78	1.00	50.19	1.35	51.66	1.62	41.50	2.53	46.97	1.68	58.50	1.96	57.54	3.14

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits ¹ at Wave 2 among Wave 1 current drinkers ² who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decreeded description of Ways 4	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly low-risk drinking limits at Wave 2	F-4:4-	S.E.	Ma	ale	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
iow-risk drinking limits at vvave 2	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Narcissistic Personality Disorder — Lifetime ³														
Yes														
Not current drinker	6.34	1.77	6.52	2.19	*5.94	2.74	*10.40	4.58	*6.14	2.49	*3.21	2.26	_	_
Did not exceed drinking limits	8.45	1.93	8.07	2.17	9.29	3.10	*4.79	2.34	5.43	2.15	13.90	4.52	*35.81	16.71
Exceeded daily but not weekly drinking limits		3.50	28.49	3.52	41.92	6.62	47.09	8.15	32.53	5.12	20.63	4.68	*8.78	5.96
Exceeded weekly or both daily and weekly drinking limits	52.29	3.66	56.51	4.08	42.85	6.23	37.72	7.43	55.25	5.68	62.26	6.18	*55.40	15.61
No														
Not current drinker	4.32	0.49	5.03	0.67	3.32	0.57	4.89	1.27	4.54	0.77	3.48	0.65	4.98	1.23
Did not exceed drinking limits	14.10	0.75	11.98	0.91	17.11	1.21	5.20	1.18	11.28	1.03	17.19	1.36	29.02	2.85
Exceeded daily but not weekly drinking limits	30.32	1.04	32.22	1.43	27.62	1.55	47.48	2.85	37.47	1.69	19.97	1.53	7.33	1.67
Exceeded weekly or both daily and weekly drinking limits	50.50	1.03	49.87	1.41	51.41	1.64	41.49	2.63	46.26	1.72	58.40	2.00	57.62	3.14
Avoidant Personality Disorder — Lifetime														
Yes														
Not current drinker	*5.30	2.38	*3.10	1.92	*7.51	4.30	*4.25	4.22	*6.90	3.91	*3.07	3.11	_	_
Did not exceed drinking limits	12.99	3.99	*8.89	4.60	*17.13	7.02	*15.30	9.01	*6.94	3.77	*27.36	13.77	_	_
Exceeded daily but not weekly drinking limits	37.68	6.86	46.34	10.69	28.93	7.98	59.32	12.54	41.20	9.58	*9.83	4.95	_	_
Exceeded weekly or both daily and weekly drinking limits	44.03	6.98	41.66	10.36	46.43	9.46	*21.12	9.97	44.96	9.76	59.75	14.40	*100.00	0.00
No														
Not current drinker	4.46	0.49	5.21	0.66	3.33	0.56	5.60	1.29	4.59	0.74	3.47	0.62	4.90	1.21
Did not exceed drinking limits	13.68	0.76	11.70	0.91	16.63	1.19	4.77	1.05	10.95	1.01	16.77	1.35	29.38	2.86
Exceeded daily but not weekly drinking limits	30.29	0.97	31.53	1.33	28.45	1.50	46.98	2.73	36.90	1.61	20.21	1.49	7.42	1.63
Exceeded weekly or both daily and weekly drinking limits	50.83	1.00	50.68	1.36	51.06	1.64	41.80	2.50	47.08	1.66	58.63	1.98	57.27	3.16
Dependent Personality Disorder — Lifetime														
Yes														
Not current drinker	*8.64	5.67	*14.16	9.60	_		*15.66	14.14	*7.60	6.06	_	_	_	_
Did not exceed drinking limits	*11.89	7.45	*11.12	6.98	*13.09	12.02	*7.92	7.80	*16.67	11.92	*8.27	9.49	_	_
Exceeded daily but not weekly drinking limits	*18.08	8.23	*14.38	10.06	*23.88	13.52	*22.29	14.21	*21.61	13.94	*4.50	5.31		
Exceeded weekly or both daily and weekly drinking limits	61.38	11.75	*60.34	15.78	*63.02	15.78	*54.13	17.82	*54.12	17.61	*87.23	12.02	_	_
No														
1.17	4.44	0.49	5.00	0.65	2.50	0.56	E 20	1.24	165	0.73	3.49	0.62	1 07	1.20
Not current drinker		0.49	5.08 11.64	0.89	3.50 16.68	1.17	5.38 5.11	1.24	4.65 10.75	0.73	3.49 17.03	0.62 1.35	4.87 29.18	2.84
Did not exceed drinking limits Exceeded daily but not weekly drinking limits	30.61	0.74	32.04	1.33	28.51	1.17	47.86	2.72	37.21	1.60	20.11	1.35	7.37	1.62
Exceeded daily but not weekly drinking limits Exceeded weekly or both daily and weekly drinking limits	50.55	0.98	50.37	1.33	28.51 50.80	1.62	47.86	2.72	46.93	1.64	20.11 58.47	1.46	7.37 57.57	3.14
Exceeded weekly of both daily and weekly diffiking limits	30.33	0.99	50.57	1.33	50.60	1.02	40.02	2.40	40.33	1.04	36.47	1.95	37.37	3.14
Obsessive-Compulsive Personality Disorder — Lifetime														
Yes														
Not current drinker		1.07	*3.46	1.44	*3.48	1.67	*2.99	2.95	5.72	1.94	*0.39	0.38	. —	_
Did not exceed drinking limits		1.77	*5.11	1.81	16.10	3.41	*5.93	3.30	5.81	1.84	18.97	4.59	*10.64	7.61
Exceeded daily but not weekly drinking limits	34.86	3.51	33.95	4.83	36.11	4.91	58.25	8.75	37.62	4.80	23.68	5.43	_	_
Exceeded weekly or both daily and weekly drinking limits	51.60	3.48	56.90	4.91	44.32	5.33	32.83	8.10	50.18	4.85	56.96	6.21	89.36	7.61

Table 1-7. Percent distribution of past-year status of exceeding daily and weekly low-risk drinking limits 1 at Wave 2 among Wave 1 current drinkers 2 who exceeded weekly or both daily and weekly drinking limits in the past year, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Decree de de la constantina de West A	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year status of exceeding daily and weekly	Fatherste	0.5	Ма	le	Fem	nale	18–24	years	25–44	years	45–64	years	65 years a	and older
low-risk drinking limits at Wave 2	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Obsessive-Compulsive Personality Disorder — Lifetime														
No														
Not current drinker	4.59	0.51	5.33	0.68	3.47	0.59	5.79	1.33	4.54	0.74	3.75	0.66	5.14	1.27
Did not exceed drinking limits		0.80	12.29	0.94	16.71	1.28	5.08	1.12	11.45	1.08	16.79	1.44	30.22	2.97
Exceeded daily but not weekly drinking limits		1.02	31.67	1.39	27.64	1.62	46.42	2.84	36.99	1.68	19.67	1.44	7.78	1.71
Exceeded weekly or both daily and weekly drinking limits	50.54	1.05	49.81	1.43	51.62	1.73	41.81	2.62	46.59	1.74	58.81	2.02	55.78	3.25

Exceeding daily drinking limit: 5+ drinks for men and 4+ drinks for women on one or more occasions or the usual or largest ethanol intake of any beverage type greater than 4.5 drinks for men and greater than 3.5 drinks for women. Exceeding weekly drinking limit: on average more than 14 drinks per week for men and more than 7 drinks per week for women.

Current drinker: 1 or more drinks in the past year.

Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.

Fewer than 10 observations in the cell.

SOURCE: NIAAA 2001–2002 and 2004–2005 National Epidemiologic Surveys on Alcohol and Related Conditions.

⁻ Empty cell.

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1.

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fatherate	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45-64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Total</u>														
Remained without AUD and continued drinking	77.54	0.43	75.20	0.60	79.87	0.56	69.58	1.32	77.60	0.58	80.39	0.68	77.52	0.93
Remained without AUD and stopped drinking	13.55	0.41	12.59	0.51	14.51	0.52	11.45	0.80	12.76	0.50	12.94	0.61	19.51	0.91
Developed alcohol abuse only	5.36	0.21	7.63	0.33	3.08	0.21	9.84	0.85	6.00	0.34	4.09	0.29	2.32	0.36
Developed alcohol dependence	3.55	0.17	4.57	0.28	2.54	0.19	9.14	0.66	3.64	0.29	2.57	0.24	0.64	0.17
Race/Ethnicity														
White, Not Hispanic or Latino														
Remained without AUD and continued drinking	79.28	0.46	76.05	0.67	82.35	0.54	70.98	1.68	79.35	0.67	81.73	0.72	79.36	0.90
Remained without AUD and stopped drinking	11.70	0.39	11.27	0.56	12.11	0.46	8.91	0.92	10.45	0.53	11.30	0.63	17.73	0.87
Developed alcohol abuse only	5.84	0.25	8.61	0.39	3.21	0.25	11.58	1.16	6.74	0.40	4.57	0.35	2.41	0.39
Developed alcohol dependence	3.18	0.19	4.07	0.33	2.33	0.21	8.54	0.78	3.46	0.35	2.40	0.28	0.50	0.15
Black, Not Hispanic or Latino														
Remained without AUD and continued drinking	70.75	1.03	71.97	1.76	69.58	1.39	62.38	3.15	73.21	1.58	72.42	1.71	65.71	3.20
Remained without AUD and stopped drinking	18.97	0.82	14.78	1.13	23.00	1.45	19.03	2.79	16.67	1.16	20.48	1.51	30.33	3.09
Developed alcohol abuse only	4.85	0.52	6.23	0.87	3.51	0.59	7.96	1.63	5.43	0.80	2.70	0.64	*1.69	0.85
Developed alcohol dependence	5.43	0.66	7.02	1.16	3.91	0.53	10.62	2.15	4.69	0.82	4.40	0.90	*2.27	1.11
American Indian/Alaska Native, Not Hispanic or Latino														
Remained without AUD and continued drinking	77.40	2.98	73.67	4.59	81.06	3.44	78.31	8.63	78.75	4.46	79.17	4.60	64.61	7.17
Remained without AOD and continued drinking	14.58	2.55	14.87	3.94	14.28	3.20	*7.16	5.99	12.14	3.94	13.78	3.84	33.42	7.17
Developed alcohol abuse only	5.29	1.33	7.27	2.19	*3.35	1.53	*3.04	3.06	6.68	2.25	*4.89	2.10	*1.97	1.95
Developed alcohol dependence	*2.73	1.09	*4.19	1.98	*1.31	0.90	*11.48	6.51	*2.42	1.61	*2.15	1.56	-	
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino														
Remained without AUD and continued drinking	74.33	2.24	76.07	2.49	71.51	3.82	75.49	5.86	75.50	2.85	76.75	4.37	53.57	10.01
Remained without AUD and stopped drinking	20.71	1.83	18.78	2.33	23.85	3.06	11.09	3.42	20.04	2.37	20.97	4.51	46.43	10.01
Developed alcohol abuse only	2.09	0.65	2.77	0.97	*0.98	0.68	*2.90	1.73	*2.02	0.89	*2.28	1.51	_	_
Developed alcohol dependence	2.86	0.99	*2.38	0.85	*3.66	2.35	*10.53	5.13	*2.44	1.30	_	_	_	_
Hispanic or Latino														
Remained without AUD and continued drinking	71.77	1.34	72.20	1.67	71.22	1.81	66.86	2.79	72.33	1.41	75.91	2.64	64.36	5.12
Remained without AUD and stopped drinking	19.85	1.36	16.73	1.58	23.84	1.80	17.04	2.17	19.70	1.43	19.73	2.11	30.97	5.16
Developed alcohol abuse only	3.34	0.41	4.32	0.64	2.09	0.41	6.05	1.39	3.66	0.58	0.74	0.21	*2.13	1.34
Developed alcohol dependence	5.04	0.55	6.75	0.79	2.84	0.73	10.05	1.76	4.31	0.77	3.62	0.92	*2.54	1.09
Marital Status														
Married														
Remained without AUD and continued drinking	80.00	0.55	78.17	0.80	82.02	0.67	69.86	2.90	79.61	0.73	81.64	0.79	79.23	1.08
Remained without AUD and stopped drinking		0.50	12.46	0.66	13.73	0.60	18.28	2.35	12.04	0.61	12.16	0.73	17.57	1.07
Developed alcohol abuse only	4.55	0.23	6.49	0.38	2.40	0.23	7.45	1.59	5.51	0.39	3.88	0.34	2.55	0.48
Developed alcohol dependence	2.39	0.17	2.88	0.26	1.85	0.20	4.41	1.24	2.84	0.29	2.32	0.27	0.65	0.20
Developed alconol dependence	2.39	0.17	2.88	0.26	7.85	0.20	4.41	1.24	2.84	0.29	2.32	0.27	0.65	

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Living with someone as if married Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only	11.55	1.88 1.55 1.08	71.56 12.05 9.16	3.07 2.73 1.84	79.75 11.09 5.57	2.10 1.69 1.26	71.96 8.07 11.05	4.35 2.45 2.71	75.05 14.65 5.55	2.65 2.31 1.24	84.14 *5.99 *6.79	4.07 2.37 2.99	*67.63 *7.77 *20.36	14.01 7.57 11.96
Developed alcohol dependence	5.34	1.00	7.24	1.79	3.59	1.01	*8.91	3.17	4.74	1.26	*3.09	1.58	*4.24	4.28
Widowed Remained without AUD and continued drinkingRemained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	24.55	1.63 1.58 0.35 0.18	76.02 19.55 *3.05 *1.37	3.09 2.94 1.20 0.62	73.17 25.95 *0.68 *0.20	1.82 1.83 0.24 0.14	_ _ _ _	_ _ _ _	76.37 19.90 *3.73	7.24 6.94 2.34	73.32 24.40 *1.29 *0.99	3.27 3.19 0.58 0.52	73.82 24.85 *1.03 *0.30	1.82 1.78 0.37 0.17
Divorced Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	5.41	1.10 0.88 0.51 0.57	72.53 12.61 9.39 5.46	1.83 1.34 1.02 0.87	79.78 15.51 2.53 2.18	1.41 1.17 0.43 0.69	50.83 *34.77 *9.64 *4.76	12.74 12.63 6.45 4.68	75.94 13.93 5.75 4.38	1.89 1.41 0.88 1.19	77.65 13.53 5.46 3.35	1.37 1.15 0.68 0.62	77.87 17.34 *3.47 *1.32	2.87 2.52 1.44 0.69
Separated Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	17.94 5.94	2.21 1.79 1.24 1.07	70.81 17.14 6.93 5.12	4.02 3.29 2.00 1.73	70.94 18.44 5.33 5.30	2.62 2.00 1.59 1.43	59.89 *11.99 *19.13 *8.98	13.34 6.99 12.13 8.39	73.33 13.03 6.69 6.95	2.89 2.29 1.53 1.77	66.82 26.87 3.58 *2.74	3.76 3.69 1.28 1.11	80.04 19.96 —	7.42 7.42 —
Never married Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	12.44 8.42	0.95 0.69 0.59 0.52	67.45 12.19 10.88 9.48	1.47 0.95 0.88 0.82	76.38 12.72 5.65 5.25	1.34 1.03 0.68 0.66	69.60 9.92 10.18 10.30	1.46 0.90 0.98 0.77	72.57 14.09 7.86 5.49	1.38 1.17 0.83 0.80	77.81 13.19 4.39 4.61	2.30 1.69 1.23 1.18	68.65 29.10 *1.28 *0.97	5.03 4.93 0.93 0.97
Ever Had Children (Including Step, Adopted, Foster)														
Yes Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	14.12 4.55	0.49 0.46 0.21 0.17	76.95 12.88 6.85 3.33	0.70 0.61 0.37 0.27	80.24 15.28 2.39 2.08	0.60 0.57 0.20 0.19	66.10 17.36 8.51 8.02	2.50 1.91 1.43 1.48	78.55 12.77 5.52 3.16	0.67 0.55 0.36 0.29	80.34 13.13 4.02 2.51	0.74 0.68 0.32 0.24	77.76 19.12 2.44 0.68	0.96 0.93 0.39 0.18
No Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	12.00 7.56	0.69 0.60 0.48 0.39	70.95 11.88 9.55 7.61	1.07 0.81 0.70 0.60	78.74 12.14 5.19 3.93	0.97 0.88 0.54 0.50	70.61 9.69 10.23 9.47	1.42 0.91 0.98 0.75	75.29 12.74 7.16 4.81	1.04 0.88 0.68 0.57	80.76 11.64 4.61 2.99	1.37 1.13 0.84 0.63	75.02 23.61 *1.07 *0.31	2.90 2.88 0.68 0.31

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2 Estimate S.E. Estimate Estimate S.E. Estimate S.E. Estimate S.E. Estimate Estimate	73.15 7.48 25.92 7.41 *0.93 0.94
Petididren Ages Below 13 Living in Household Petididren Ages Below 14 Living in Household Petididren Ages Below 1	73.15 7.48 25.92 7.41 *0.93 0.94 — — — — — — — — — — — — — — — — — — —
Yes Remained without AUD and continued drinking 77.62 0.67 75.40 1.13 79.56 0.78 65.83 2.21 78.89 0.73 80.12 1.65 Remained without AUD and stopped drinking 13.46 0.58 12.32 0.90 14.45 0.73 16.80 1.67 12.96 0.64 12.76 1.33 0.90	77.62 0.93 19.37 0.90 2.35 0.37 0.66 0.17
Remained without AUD and continued drinking	77.62 0.93 19.37 0.90 2.35 0.37 0.66 0.17
Remained without AUD and stopped drinking 13.46 0.58 1.232 0.90 14.45 0.73 16.80 1.67 12.96 0.64 12.76 1.33	77.62 0.93 19.37 0.90 2.35 0.37 0.66 0.17
Developed alcohol abuse only 5.44 0.34 7.81 0.61 3.38 0.32 8.43 1.24 5.33 0.40 4.09 0.79	*0.93
Developed alcohol dependence 3.48 0.28 4.48 0.49 2.61 0.28 8.95 1.32 2.82 0.28 3.03 0.72	77.62 0.93 19.37 0.90 2.35 0.37 0.66 0.17
Remained without AUD and continued drinking 77.50 0.50 75.12 0.67 80.04 0.67 71.14 1.54 75.95 0.86 80.44 0.69 Remained without AUD and stopped drinking 13.60 0.46 12.71 0.58 14.54 0.62 9.22 0.91 12.50 0.69 12.97 0.64 Developed alcohol abuse only 53.2 0.24 7.56 0.37 2.92 0.26 10.43 1.02 6.86 0.55 4.09 0.30 Developed alcohol dependence 3.59 0.21 4.62 0.33 2.50 0.25 9.22 0.81 4.69 0.49 2.50 0.25 Education 111 years or less Remained without AUD and continued drinking 64.63 1.44 64.31 1.93 65.06 2.09 62.69 3.27 65.18 2.26 65.13 2.61 Remained without AUD and stopped drinking 26.42 1.30 23.30 1.79 30.54 2.02 17.39 2.39 25.51 2.07 27.58 2.38 Developed alcohol abuse only 3.86 0.47 5.55 0.76 1.63 0.39 10.19 2.08 4.22 0.81 2.54 0.65 Developed alcohol dependence 5.09 0.61 6.84 0.91 2.77 0.68 9.74 1.88 5.09 1.03 4.75 1.00 12 years Remained without AUD and continued drinking 15.80 0.68 14.09 0.90 17.44 0.90 14.85 1.68 15.09 0.96 15.27 1.06 Developed alcohol abuse only 5.47 0.39 8.27 0.67 2.78 0.35 8.53 1.32 7.21 0.72 3.70 0.53 Developed alcohol dependence 4.18 0.39 5.31 0.65 3.08 0.41 9.72 1.35 4.38 0.60 3.25 0.55 13-15 years Remained without AUD and continued drinking 77.94 0.60 74.07 0.95 81.29 0.75 70.89 1.91 78.91 0.91 79.92 1.14 Remained without AUD and stopped drinking 12.23 0.52 12.05 0.83 12.38 0.67 8.21 1.02 12.00 0.80 12.89 0.94 Developed alcohol abuse only 5.91 0.43 8.48 0.66 3.68 0.42 11.32 1.47 5.39 0.57 4.84 0.63	19.37 0.90 2.35 0.37 0.66 0.17
Remained without AUD and continued drinking 77.50 0.50 75.12 0.67 80.04 0.67 71.14 1.54 75.95 0.86 80.44 0.69 Remained without AUD and stopped drinking 13.60 0.46 12.71 0.58 14.54 0.62 9.22 0.91 12.50 0.69 12.97 0.64 Developed alcohol abuse only 5.32 0.24 7.56 0.37 2.92 0.26 10.43 1.02 6.86 0.55 4.09 0.30 Developed alcohol dependence 3.59 0.21 4.62 0.33 2.50 0.25 9.22 0.81 4.69 0.49 2.50 0.25 Education 11 years or less Remained without AUD and continued drinking 64.63 1.44 64.31 1.93 65.06 2.09 62.69 3.27 65.18 2.26 65.13 2.61 Remained without AUD and stopped drinking 26.42 1.30 23.30 1.79 30.54 2.02 17.39 2.39 25.51 2.07 27.58 2.38 Developed alcohol abuse only 3.86 0.47 5.55 0.76 1.63 0.39 10.19 2.08 4.22 0.81 2.54 0.65 Developed alcohol dependence 5.09 0.61 6.84 0.91 2.77 0.68 9.74 1.88 5.09 1.03 4.75 1.00 12 years Remained without AUD and continued drinking 15.80 0.68 14.09 0.90 17.44 0.90 14.85 1.68 15.09 0.96 15.27 1.06 Developed alcohol abuse only 5.47 0.39 8.27 0.67 2.78 0.35 8.53 1.32 7.21 0.72 3.70 0.53 Developed alcohol dependence 4.18 0.39 5.31 0.65 3.08 0.41 9.72 1.35 4.38 0.60 3.25 0.55 13-15 years Remained without AUD and continued drinking 77.94 0.60 74.07 0.95 81.29 0.75 70.89 1.91 78.91 0.91 79.92 1.14 Remained without AUD and stopped drinking 72.93 0.52 12.05 0.83 12.38 0.67 8.21 1.02 12.00 0.80 12.89 0.94 Developed alcohol abuse only 5.91 0.43 8.48 0.66 3.68 0.42 11.32 1.47 5.39 0.57 4.84 0.63	19.37 0.90 2.35 0.37 0.66 0.17
Remained without AUD and stopped drinking	2.35 0.37 0.66 0.17
Developed alcohol dependence 3.59 0.21 4.62 0.33 2.50 0.25 9.22 0.81 4.69 0.49 2.50 0.25	0.66 0.17
Education 11 years or less Remained without AUD and continued drinking	
11 years or less Remained without AUD and continued drinking	34 44 2 52
Remained without AUD and continued drinking 64.63 1.44 64.31 1.93 65.06 2.09 62.69 3.27 65.18 2.26 65.13 2.61 Remained without AUD and stopped drinking 26.42 1.30 23.30 1.79 30.54 2.02 17.39 2.39 25.51 2.07 27.58 2.38 Developed alcohol abuse only 3.86 0.47 5.55 0.76 1.63 0.39 10.19 2.08 4.22 0.81 2.54 0.65 Developed alcohol dependence 5.09 0.61 6.84 0.91 2.77 0.68 9.74 1.88 5.09 1.03 4.75 1.00 12 years Remained without AUD and continued drinking 74.55 0.79 72.32 1.09 76.71 1.02 66.91 2.31 73.32 1.19 77.78 1.19 Remained without AUD and stopped drinking 15.80 0.68 14.09 0.90 17.44 0.90 14.85 1.68 15.09 0.96 15.27<	34 44 2 52
Remained without AUD and stopped drinking 26.42 1.30 23.30 1.79 30.54 2.02 17.39 2.39 25.51 2.07 27.58 2.38 Developed alcohol abuse only 3.86 0.47 5.55 0.76 1.63 0.39 10.19 2.08 4.22 0.81 2.54 0.65 Developed alcohol dependence 5.09 0.61 6.84 0.91 2.77 0.68 9.74 1.88 5.09 1.03 4.75 1.00 12 years Remained without AUD and continued drinking 74.55 0.79 72.32 1.09 76.71 1.02 66.91 2.31 73.32 1.19 77.78 1.19 Remained without AUD and stopped drinking 15.80 0.68 14.09 0.90 17.44 0.90 14.85 1.68 15.09 0.96 15.27 1.06 Developed alcohol abuse only 5.47 0.39 8.27 0.67 2.78 0.35 8.53 1.32 7.21 0.72 3.70 0.53 Developed alcohol dependence 4.18 0.39 5.31 0.65 3.08 0.41 9.72 1.35 4.38 0.60 3.25 0.55 13–15 years Remained without AUD and continued drinking 77.94 0.60 74.07 0.95 81.29 0.75 70.89 1.91 78.91 0.91 79.92 1.14 Remained without AUD and stopped drinking 12.23 0.52 12.05 0.83 12.38 0.67 8.21 1.02 12.00 0.80 12.89 0.94 Developed alcohol abuse only 5.91 0.43 8.48 0.66 3.68 0.42 11.32 1.47 5.39 0.57 4.84 0.63	34 44 2 52
Developed alcohol abuse only	
Developed alcohol dependence	33.68 2.55
12 years Remained without AUD and continued drinking	*0.03 0.03 1.85 0.73
Remained without AUD and continued drinking 74.55 0.79 72.32 1.09 76.71 1.02 66.91 2.31 73.32 1.19 77.78 1.19 Remained without AUD and stopped drinking 15.80 0.68 14.09 0.90 17.44 0.90 14.85 1.68 15.09 0.96 15.27 1.06 Developed alcohol abuse only 5.47 0.39 8.27 0.67 2.78 0.35 8.53 1.32 7.21 0.72 3.70 0.53 Developed alcohol dependence 4.18 0.39 5.31 0.65 3.08 0.41 9.72 1.35 4.38 0.60 3.25 0.55 13-15 years Remained without AUD and continued drinking 77.94 0.60 74.07 0.95 81.29 0.75 70.89 1.91 78.91 0.91 79.92 1.14 Remained without AUD and stopped drinking 12.23 0.52 12.05 0.83 12.38 0.67 8.21 1.02 12.00 0.80 12.89 0.94 Developed alcohol abuse only 5.91 0.43 8.48 <td>1.65 0.73</td>	1.65 0.73
Remained without AUD and stopped drinking 15.80 0.68 14.09 0.90 17.44 0.90 14.85 1.68 15.09 0.96 15.27 1.06 Developed alcohol abuse only 5.47 0.39 8.27 0.67 2.78 0.35 8.53 1.32 7.21 0.72 3.70 0.53 Developed alcohol dependence 4.18 0.39 5.31 0.65 3.08 0.41 9.72 1.35 4.38 0.60 3.25 0.55 13-15 years Remained without AUD and continued drinking 77.94 0.60 74.07 0.95 81.29 0.75 70.89 1.91 78.91 0.91 79.92 1.14 Remained without AUD and stopped drinking 12.23 0.52 12.05 0.83 12.38 0.67 8.21 1.02 12.00 0.80 12.89 0.94 Developed alcohol abuse only 5.91 0.43 8.48 0.66 3.68 0.42 11.32 1.47 5.39 0.57 4.84 0.63	
Developed alcohol abuse only	78.26 1.53 19.33 1.48
Developed alcohol dependence	1.89 0.59
Remained without AUD and continued drinking	*0.53 0.23
Remained without AUD and continued drinking	
Developed alcohol abuse only	79.07 1.73
	17.28 1.63
Developed alcohol dependence	2.93 0.68
	*0.72 0.34
16 or more years	
Remained without AUD and continued drinking 83.84 0.59 82.40 0.92 85.42 0.78 80.74 3.71 82.46 0.82 86.30 0.95	82.65 1.69
Remained without AUD and stopped drinking	13.78 1.44
Developed alcohol abuse only	3.57 0.92
Currently Employed Full Time	
Yes	
Yes Remained without AUD and continued drinking	84.14 3.15
Remained without AUD and stopped drinking	
Developed alcohol abuse only	14.04 2.91
Developed alcohol dependence	

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	exes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fatimeta.	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Employed Full Time														
No Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	16.68	0.68 0.59 0.30 0.30	71.15 16.53 6.54 5.79	1.06 0.88 0.59 0.58	78.50 16.78 2.39 2.34	0.76 0.70 0.25 0.29	68.85 11.55 10.02 9.58	1.88 1.08 1.27 1.02	77.07 15.19 3.41 4.33	1.16 0.98 0.45 0.71	76.62 17.38 2.97 3.03	1.21 1.10 0.42 0.46	76.98 19.96 2.40 0.66	0.93 0.91 0.38 0.18
Family Annual Income														
\$0 to \$19,999 Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	4.64	1.06 0.93 0.47 0.53	66.78 17.17 7.01 9.04	1.61 1.38 0.90 0.99	73.14 20.47 2.86 3.52	1.24 1.10 0.46 0.57	69.99 11.04 9.07 9.90	2.13 1.24 1.33 1.13	70.25 18.99 4.19 6.58	1.59 1.45 0.67 1.03	69.85 22.15 3.36 4.65	2.07 1.99 0.66 0.87	71.85 26.22 *0.97 0.96	1.86 1.81 0.42 0.29
\$20,000 to \$34,999 Remained without AUD and continued drinking	4.90	0.95 0.80 0.40 0.43	70.14 17.32 7.11 5.43	1.45 1.20 0.71 0.73	77.60 16.93 2.68 2.79	1.16 0.96 0.40 0.47	67.70 13.70 9.35 9.25	2.60 2.04 1.46 1.54	73.50 16.41 5.21 4.88	1.44 1.19 0.63 0.71	75.34 17.84 4.09 2.73	1.65 1.47 0.74 0.66	77.17 20.20 2.09 *0.54	1.84 1.70 0.64 0.30
\$35,000 to \$69,999 Remained without AUD and continued drinking		0.59 0.49 0.36 0.25	75.17 12.47 8.20 4.17	0.94 0.71 0.60 0.39	80.93 13.63 3.27 2.16	0.71 0.68 0.35 0.27	70.13 11.87 11.42 6.58	2.27 1.47 1.70 1.09	77.78 12.06 6.87 3.28	0.86 0.68 0.60 0.37	80.26 13.22 3.55 2.97	1.05 0.96 0.45 0.40	78.85 17.25 3.14 *0.77	1.61 1.49 0.81 0.34
\$70,000 or more Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	8.91 5.57	0.61 0.52 0.36 0.25	81.87 8.02 7.60 2.51	0.90 0.72 0.57 0.35	84.67 9.93 3.25 2.14	0.79 0.66 0.41 0.34	70.32 8.27 9.69 11.73	3.33 2.00 2.14 2.42	82.39 9.23 6.11 2.26	0.87 0.63 0.57 0.35	85.37 8.29 4.78 1.56	0.86 0.80 0.50 0.28	85.43 11.19 3.38 —	2.30 2.17 1.04
Born in the United States														
Yes Remained without AUD and continued drinking	12.48	0.44 0.37 0.22 0.19	75.21 11.81 8.35 4.63	0.63 0.52 0.37 0.30	80.87 13.11 3.34 2.67	0.51 0.45 0.23 0.20	69.70 10.33 10.52 9.45	1.46 0.79 0.93 0.70	78.30 11.43 6.63 3.64	0.63 0.48 0.36 0.31	80.85 12.03 4.41 2.70	0.67 0.59 0.31 0.26	78.37 18.65 2.31 0.68	0.92 0.88 0.38 0.18
No Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence		1.23 1.21 0.41 0.44	75.16 17.34 3.25 4.25	1.50 1.28 0.61 0.65	70.50 27.59 0.68 1.23	1.95 1.95 0.25 0.52	68.58 20.61 4.23 6.57	3.53 3.44 1.51 1.74	73.38 20.77 2.20 3.65	1.46 1.36 0.59 0.74	76.46 20.70 1.37 1.48	2.04 1.84 0.50 0.63	68.55 28.72 *2.46 *0.27	3.80 3.94 1.05 0.18

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Mai	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Latimate	J.L.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Family Structure Before Age 18														
Both biological/adoptive parents in the household														
Remained without AUD and continued drinking		0.96	73.37	1.62	77.85	1.23	66.36	2.40	78.81	1.15	77.63	1.91	71.92	3.62
Remained without AUD and stopped drinking		0.76	10.95	1.03	14.27	1.02	11.46	1.46	11.12	0.94	14.37	1.62	22.88	3.16
Developed alcohol abuse only Developed alcohol dependence		0.62 0.49	9.40 6.28	1.02 0.96	4.67 3.21	0.62 0.46	12.38 9.81	1.78 1.46	6.43 3.64	0.72 0.65	4.58 3.43	0.96 0.90	*2.90 *2.30	1.25 1.28
Only biological mother ever in the household (father never present)														
Remained without AUD and continued drinking	78.66	0.47	76.26	0.66	81.15	0.62	72.04	1.78	78.00	0.71	81.28	0.70	78.59	0.97
Remained without AUD and stopped drinking		0.43	12.60	0.54	14.15	0.57	10.09	1.07	12.89	0.57	12.53	0.63	18.73	0.94
Developed alcohol abuse only		0.22	7.16	0.36	2.56	0.21	8.77	1.07	5.75	0.38	3.99	0.33	2.22	0.38
Developed alcohol dependence	3.08	0.19	3.98	0.29	2.14	0.22	9.10	0.92	3.35	0.35	2.20	0.23	0.46	0.15
Biological/adoptive parents divorced or no longer living together														
Remained without AUD and continued drinking	73.37	1.26	71.49	1.87	75.12	1.52	64.59	3.36	73.94	1.87	76.11	2.31	78.22	3.56
Remained without AUD and stopped drinking		1.16	13.75	1.69	16.38	1.28	17.76	2.80	14.05	1.66	14.69	1.81	17.89	3.13
Developed alcohol abuse only		0.65	8.39	1.06	4.18	0.72	9.37	2.27	6.55	0.94	4.65	1.24	*2.87	1.70
Developed alcohol dependence	. 5.31	0.60	6.37	0.94	4.33	0.79	8.29	1.87	5.46	0.84	4.55	1.22	*1.02	0.72
Raised by relatives, by foster parents, or in an institution														
Remained without AUD and continued drinking		3.80	57.95	5.93	67.52	4.25	59.28	11.35	64.25	5.71	68.17	6.30	55.10	10.10
Remained without AUD and stopped drinking		3.37	27.04	5.96	25.84	3.90	*28.05	9.97	23.29	4.38	18.38	5.52	42.29	10.25
Developed alcohol abuse only Developed alcohol dependence	5.76 4.83	1.56 2.12	8.40 *6.61	2.83 3.48	*3.39 *3.25	1.64 1.84	*12.66 —	10.19 —	7.84 *4.62	2.90 3.24	*3.34 *10.11	1.76 5.04	*2.60 —	2.59 —
Before Age 18, Family Received Government Assistance														
Yes														
Remained without AUD and continued drinking	74.07	1.01	70.69	1.69	77.04	1.29	65.99	2.85	75.20	1.39	76.47	2.20	80.44	3.15
Remained without AUD and stopped drinking		0.84	12.32	1.30	14.37	1.06	13.23	1.93	12.95	1.04	13.48	1.62	17.28	3.04
Developed alcohol abuse only		0.54	9.08	1.05	4.19	0.52	9.63	1.62	7.25	0.79	3.23	1.16	*0.92	0.55
Developed alcohol dependence	6.04	0.56	7.91	0.98	4.39	0.61	11.15	1.66	4.60	0.71	6.82	1.38	*1.36	0.94
No														
Remained without AUD and continued drinking		0.49	75.82	0.65	80.32	0.60	70.51	1.49	78.07	0.65	80.72	0.72	77.30	1.00
Remained without AUD and stopped drinking		0.44	12.63	0.55	14.53	0.55	10.98	0.90	12.72	0.54	12.90	0.66	19.68	0.98
Developed alcohol abuse only		0.23 0.18	7.44 4.12	0.36 0.27	2.90 2.24	0.22 0.20	9.89 8.62	0.99 0.72	5.75 3.45	0.37 0.33	4.16 2.22	0.30 0.22	2.42 0.59	0.38 0.16
Developed alcohol dependence	3.19	0.16	4.12	0.27	2.24	0.20	0.02	0.72	3.43	0.33	2.22	0.22	0.59	0.16
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes														
Remained without AUD and continued drinking	67.88	2.21	68.80	2.67	64.55	4.51	55.38	5.39	73.15	3.40	67.50	3.77	66.89	8.44
Remained without AUD and stopped drinking	15.55	1.98	13.64	2.19	22.45	4.18	17.30	4.58	13.02	2.85	16.75	3.34	*21.55	8.05
Developed alcohol abuse only		1.30	9.12	1.57	5.59	1.86	9.73	3.52	7.83	1.82	8.61	2.58	*7.11	4.34
Developed alcohol dependence	. 8.21	1.47	8.44	1.86	7.41	2.49	17.58	4.45	6.00	1.74	7.15	1.96	*4.46	2.61

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Ever in Jail or Juvenile Detention Center														
No														
Remained without AUD and continued drinking	77.85	0.44	75.53	0.61	80.09	0.56	70.24	1.35	77.75	0.59	80.83	0.67	77.70	0.95
Remained without AUD and stopped drinking	13.49	0.41	12.54	0.51	14.40	0.52	11.17	0.81	12.75	0.52	12.81	0.60	19.48	0.92
Developed alcohol abuse only	5.26	0.21	7.56	0.34	3.05	0.21	9.84	0.87	5.94	0.35	3.94	0.29	2.24	0.36
Developed alcohol dependence	3.40	0.16	4.37	0.26	2.47	0.19	8.75	0.66	3.56	0.29	2.42	0.23	0.58	0.15
Before Age 18, Physically Abused by Parent/Caretaker														
Yes														
Remained without AUD and continued drinking	67.32	2.35	64.72	3.88	68.91	3.04	64.73	5.87	67.56	3.41	67.57	3.92	70.02	7.67
Remained without AUD and stopped drinking	17.97	2.18	14.71	3.09	19.96	2.91	*7.98	3.19	19.04	3.15	19.48	3.39	24.64	7.14
Developed alcohol abuse only	5.08	0.92	6.35	1.67	4.31	1.13	*8.11	3.21	5.04	1.32	4.06	1.39	*3.47	3.41
Developed alcohol dependence	9.63	1.45	14.22	2.68	6.82	1.67	19.18	5.00	8.36	2.04	8.88	2.63	*1.87	1.87
No														
Remained without AUD and continued drinking	77.89	0.43	75.47	0.60	80.34	0.56	69.78	1.36	78.01	0.58	80.79	0.67	77.64	0.94
Remained without AUD and stopped drinking	13.40	0.41	12.54	0.51	14.28	0.52	11.59	0.82	12.51	0.51	12.74	0.61	19.43	0.91
Developed alcohol abuse only	5.37	0.21	7.67	0.34	3.03	0.21	9.91	0.86	6.04	0.34	4.09	0.30	2.30	0.36
Developed alcohol dependence	3.35	0.17	4.32	0.27	2.35	0.18	8.73	0.68	3.45	0.30	2.38	0.23	0.62	0.17
Before Age 18, Seriously Neglected by Parent/Caretaker														
Yes														
Remained without AUD and continued drinking	71.85	2.00	67.69	3.43	74.33	2.42	60.75	7.42	71.96	3.35	74.59	3.84	76.36	6.72
Remained without AUD and stopped drinking	16.50	1.86	16.29	3.41	16.62	2.24	*14.32	6.09	15.76	2.89	17.52	3.62	19.99	6.39
Developed alcohol abuse only	5.18	0.97	7.25	1.85	3.95	1.08	*11.96	4.20	5.74	1.51	*3.18	1.43	_	_
Developed alcohol dependence	6.47	1.27	8.77	2.31	5.10	1.55	*12.96	4.24	6.54	2.00	*4.70	1.95	*3.64	3.11
No														
Remained without AUD and continued drinking	77.71	0.44	75.37	0.60	80.08	0.58	69.84	1.35	77.80	0.60	80.56	0.67	77.55	0.95
Remained without AUD and stopped drinking	13.46	0.42	12.51	0.51	14.43	0.54	11.36	0.79	12.65	0.53	12.81	0.60	19.51	0.92
Developed alcohol abuse only	5.36	0.21	7.64	0.34	3.05	0.21	9.78	0.88	6.01	0.34	4.12	0.29	2.36	0.37
Developed alcohol dependence	3.47	0.17	4.48	0.28	2.44	0.19	9.03	0.67	3.54	0.30	2.51	0.24	0.58	0.16
Before Age 18, Saw Serious Fights at Home														
Yes														
Remained without AUD and continued drinking	73.48	1.20	69.81	2.06	75.97	1.33	66.02	3.59	75.08	1.73	74.76	2.00	67.36	4.58
Remained without AUD and stopped drinking	14.41	0.98	14.47	1.73	14.37	1.11	9.49	2.31	12.28	1.26	16.85	1.71	26.79	4.37
Developed alcohol abuse only	5.90	0.67	7.93	1.18	4.52	0.69	9.48	2.33	6.69	0.91	4.12	0.93	*2.96	1.78
Developed alcohol dependence	6.21	0.66	7.79	1.13	5.14	0.82	15.01	3.06	5.95	0.89	4.28	1.01	*2.89	1.63
No														
Remained without AUD and continued drinking	77.98	0.44	75.67	0.60	80.40	0.60	69.95	1.38	77.92	0.58	81.06	0.70	78.01	0.94
Remained without AUD and stopped drinking	13.46	0.43	12.43	0.53	14.53	0.55	11.65	0.84	12.82	0.54	12.48	0.62	19.17	0.91
Developed alcohol abuse only	5.30	0.22	7.61	0.35	2.89	0.22	9.88	0.90	5.91	0.35	4.09	0.31	2.29	0.37
Developed alcohol dependence	3.26	0.17	4.29	0.28	2.19	0.18	8.53	0.69	3.35	0.30	2.37	0.24	0.54	0.14

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
Yes														
Remained without AUD and continued drinking		0.83	72.54	1.24	78.65	1.00	64.58	2.92	76.60	1.15	78.00	1.41	79.62	2.86
Remained without AUD and stopped drinking		0.67	11.45	0.96	13.11	0.84	9.89	1.46	11.33	0.83	13.40	1.15	17.41	2.74
Developed alcohol abuse only Developed alcohol dependence	6.08 5.53	0.40 0.49	8.62 7.39	0.74 0.90	4.13 4.11	0.44 0.51	12.81 12.72	2.13 1.80	6.63 5.44	0.60 0.67	4.35 4.26	0.62 0.66	*1.27 *1.70	0.58 0.74
No														
Remained without AUD and continued drinking	77.97	0.47	75.84	0.65	80.28	0.64	70.89	1.38	77.91	0.64	81.17	0.75	77.20	0.95
Remained without AUD and stopped drinking	13.88	0.44	12.86	0.55	14.98	0.60	11.85	0.88	13.20	0.58	12.80	0.65	19.84	0.95
Developed alcohol abuse only		0.23	7.40	0.37	2.73	0.22	9.06	0.88	5.81	0.39	4.01	0.33	2.48	0.41
Developed alcohol dependence	2.99	0.17	3.90	0.24	2.01	0.21	8.20	0.77	3.09	0.28	2.03	0.24	0.48	0.15
Ever Had No Regular Place to Live Lasting 1+ Months														
Yes														
Remained without AUD and continued drinking	63.86	2.56	59.68	3.45	70.18	4.31	50.43	7.25	66.82	3.47	66.91	4.98	48.68	14.94
Remained without AUD and stopped drinking		2.37	16.71	3.37	20.05	3.79	21.87	6.09	17.23	3.19	13.33	3.36	*48.53	15.27
Developed alcohol abuse only		1.47	11.91	2.23	*2.86	1.33	*14.71	5.88	5.59	1.58	10.82	3.10	*2.79	2.84
Developed alcohol dependence	9.79	1.72	11.70	2.34	6.90	2.64	*12.98	5.32	10.35	2.57	8.94	2.77	_	_
No														
Remained without AUD and continued drinking		0.44	75.64	0.60	80.05	0.56	70.08	1.32	77.90	0.57	80.70	0.68	77.75	0.91
Remained without AUD and stopped drinking		0.41	12.47	0.51	14.41	0.52	11.17	0.82	12.63	0.51	12.93	0.62	19.28	0.89
Developed alcohol abuse only		0.22	7.51	0.34	3.08	0.21	9.71	0.87	6.01	0.35	3.94	0.29	2.32	0.36
Developed alcohol dependence	3.41	0.16	4.37	0.26	2.45	0.18	9.04	0.67	3.45	0.28	2.43	0.22	0.65	0.17
Self-Perceived Current Health														
Excellent/Very good														
Remained without AUD and continued drinking	79.75	0.43	77.04	0.68	82.50	0.58	70.80	1.46	79.23	0.63	84.07	0.69	81.19	1.16
Remained without AUD and stopped drinking	11.00	0.40	10.42	0.55	11.59	0.50	10.28	0.88	11.10	0.53	9.71	0.61	15.62	1.11
Developed alcohol abuse only		0.26	8.34	0.43	3.43	0.26	10.02	1.00	6.36	0.38	4.34	0.37	2.80	0.57
Developed alcohol dependence	3.35	0.19	4.20	0.32	2.49	0.23	8.89	0.72	3.32	0.31	1.87	0.28	*0.39	0.19
Good														
Remained without AUD and continued drinking	74.73	0.79	73.85	1.11	75.58	1.04	65.28	2.87	74.35	1.16	76.43	1.41	77.41	1.69
Remained without AUD and stopped drinking		0.73	14.94	1.00	19.20	0.96	13.84	2.00	17.16	1.10	16.35	1.24	20.14	1.65
Developed alcohol abuse only		0.38	6.74	0.66	2.73	0.38	10.77	1.86	5.01	0.66	4.22	0.65	1.78	0.51
Developed alcohol dependence	3.45	0.36	4.46	0.56	2.49	0.39	10.11	1.90	3.49	0.58	3.01	0.47	*0.67	0.26
Fair/Poor														
Remained without AUD and continued drinking		1.45	65.30	2.13	71.91	1.73	68.69	5.26	68.13	2.42	69.43	1.97	67.77	2.45
Remained without AUD and stopped drinking		1.23 0.42	22.56 4.65	1.72 0.74	23.79 1.29	1.73 0.36	18.31 *3.38	4.15 1.82	19.92 4.27	2.06 0.88	22.68 2.57	1.70 0.60	28.92 *2.03	2.48 0.75
Developed alcohol abuse only Developed alcohol dependence	_	0.42 0.57	7.48	0.74 0.97	3.01	0.36	*9.62	1.82 3.77	4.27 7.69	0.88 1.35	5.32	0.60	*1.28	0.75 0.47
Developed alcohol dependence	3.23	0.57	/ .40	0.31	3.01	0.07	3.02	3.11	1.00	1.00	3.32	0.00	1.20	0.47

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Covered by Health Insurance														
Yes Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence		0.45 0.41 0.23 0.16	76.64 11.87 7.62 3.88	0.66 0.54 0.37 0.26	81.18 13.43 3.00 2.39	0.53 0.50 0.23 0.19	70.60 9.93 10.36 9.10	1.63 0.92 1.03 0.84	79.23 11.31 6.27 3.19	0.61 0.50 0.39 0.28	81.70 11.91 3.93 2.46	0.69 0.63 0.32 0.24	77.46 19.59 2.30 0.65	0.94 0.92 0.36 0.17
No Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence		1.11 0.93 0.50 0.61	68.42 16.02 7.72 7.84	1.62 1.23 0.81 0.94	72.37 20.75 3.53 3.36	1.44 1.34 0.50 0.63	67.38 14.70 8.71 9.22	2.07 1.54 1.41 1.22	70.53 19.08 4.80 5.58	1.56 1.30 0.59 0.90	71.76 19.78 5.15 3.31	2.01 1.85 0.84 0.71	83.14 *12.89 *3.96 —	7.13 6.10 3.91
Tobacco Use Status														
Current user Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	7.45	0.72 0.59 0.40 0.40	71.21 12.72 9.34 6.73	0.93 0.79 0.60 0.51	76.73 13.37 4.87 5.04	1.01 0.79 0.49 0.55	62.72 11.15 13.83 12.30	2.27 1.35 1.46 1.48	75.23 11.94 7.54 5.29	1.05 0.74 0.60 0.57	75.67 14.11 5.09 5.13	1.25 1.09 0.61 0.69	74.93 18.75 4.44 *1.88	2.60 2.52 1.15 0.79
Ex-user Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	11.99 4.30	0.71 0.60 0.39 0.24	80.16 11.84 5.92 2.08	1.13 0.88 0.66 0.34	84.18 12.16 2.43 1.23	0.86 0.72 0.38 0.30	76.41 *9.24 *9.85 *4.50	5.68 3.49 4.41 2.74	80.45 9.92 6.66 2.97	1.40 1.06 0.82 0.67	84.36 10.22 3.81 1.61	1.09 0.81 0.57 0.32	80.42 16.50 2.60 *0.48	1.12 1.14 0.51 0.21
Lifetime nonsmoker Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	14.54 4.61	0.64 0.59 0.30 0.23	75.62 12.89 7.24 4.25	0.98 0.75 0.56 0.45	79.71 15.84 2.53 1.91	0.80 0.77 0.26 0.21	73.06 11.75 7.55 7.63	1.59 1.02 1.01 0.79	78.28 13.84 5.00 2.88	0.78 0.72 0.43 0.38	80.90 13.98 3.61 1.51	1.00 0.91 0.46 0.28	74.78 23.81 1.07 *0.34	1.67 1.61 0.39 0.20
Drug Use Status														
Current user Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence		1.86 1.08 1.18 1.56	62.61 9.10 14.80 13.49	2.63 1.66 1.87 2.43	76.06 9.01 7.29 7.64	2.23 1.29 1.33 1.56	61.55 7.50 15.46 15.50	3.71 1.52 2.65 2.65	71.23 7.85 11.19 9.73	2.67 1.48 1.58 2.27	74.35 12.37 6.49 6.79	4.02 3.06 2.12 2.56	79.22 19.12 — *1.66	5.47 5.50 — 1.62
Ex-user Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	7.32	0.83 0.61 0.50 0.39	75.28 9.70 9.77 5.26	1.30 0.88 0.87 0.62	83.23 8.96 4.57 3.25	0.89 0.74 0.48 0.44	68.34 8.07 14.01 9.59	3.09 1.52 2.36 1.89	79.95 9.06 7.23 3.76	1.15 0.81 0.65 0.51	80.43 9.62 6.00 3.95	1.43 1.10 0.79 0.69	77.99 17.18 *2.40 *2.43	4.82 4.13 1.69 1.81

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	ınd older
	Estimate	3.⊑.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Drug Use Status														
Lifetime nondrug user Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	77.74 15.00 4.41 2.84	0.51 0.46 0.23 0.17	76.13 13.69 6.47 3.70	0.70 0.56 0.38 0.28	79.30 16.26 2.43 2.01	0.66 0.61 0.22 0.19	71.48 12.97 7.80 7.75	1.62 1.03 0.98 0.75	77.22 14.58 5.11 3.10	0.69 0.63 0.39 0.29	80.65 13.85 3.48 2.02	0.74 0.64 0.31 0.22	77.48 19.61 2.35 0.56	0.95 0.93 0.38 0.16
Any Major Depressive Disorder in the Past Year														
Yes Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence		1.76 1.44 0.77 0.94	71.23 13.63 5.98 9.16	3.38 2.76 1.55 2.04	76.39 15.06 4.43 4.12	1.97 1.64 0.83 1.02	64.53 14.37 10.15 10.94	4.79 3.38 2.75 2.83	78.24 11.99 4.08 5.69	2.27 1.67 0.89 1.39	75.45 17.98 *3.30 3.27	3.10 2.92 1.13 1.10	74.60 19.02 *4.33 *2.05	6.10 5.44 3.19 1.55
No Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	77.68 13.49 5.38 3.44	0.43 0.41 0.22 0.17	75.33 12.56 7.69 4.43	0.60 0.51 0.34 0.27	80.13 14.47 2.98 2.42	0.56 0.53 0.21 0.19	69.98 11.21 9.81 8.99	1.36 0.82 0.88 0.71	77.57 12.80 6.11 3.52	0.59 0.52 0.35 0.29	80.64 12.69 4.13 2.54	0.68 0.61 0.31 0.24	77.58 19.52 2.28 0.61	0.93 0.92 0.36 0.17
Any Major Depressive Disorder in Life														
Yes Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	78.02 12.88 4.36 4.73	0.97 0.80 0.43 0.49	73.94 12.58 6.49 7.00	1.77 1.55 0.96 1.00	79.87 13.02 3.40 3.71	1.10 0.86 0.44 0.55	67.69 12.37 7.93 12.01	3.54 2.39 1.98 2.27	80.00 11.41 4.19 4.40	1.29 1.00 0.59 0.80	78.95 13.24 3.93 3.87	1.58 1.37 0.71 0.68	76.74 20.02 *2.51 *0.73	3.02 2.79 1.04 0.41
No Remained without AUD and continued drinking Remained without AUD and stopped drinking Developed alcohol abuse only Developed alcohol dependence	77.46 13.66 5.52 3.37	0.45 0.43 0.23 0.18	75.32 12.59 7.74 4.35	0.63 0.53 0.36 0.28	79.87 14.86 3.01 2.26	0.61 0.57 0.23 0.19	69.85 11.31 10.11 8.73	1.42 0.86 0.93 0.72	77.21 12.98 6.30 3.51	0.61 0.54 0.38 0.29	80.66 12.89 4.12 2.33	0.73 0.64 0.33 0.24	77.59 19.47 2.30 0.64	0.97 0.95 0.38 0.18
Age Started Drinking														
14 years or younger Remained without AUD and continued drinking	11.33 7.14 8.00 75.94	1.49 1.08 0.92 0.95	69.99 12.32 8.66 9.03 73.08 11.89	2.18 1.58 1.36 1.31 1.10 0.84	78.83 9.85 4.87 6.45 79.66 10.89	2.12 1.38 1.10 1.42 1.03 0.80	61.28 6.56 13.22 18.94 66.30 10.95	4.72 2.29 3.52 3.69 2.13 1.33	74.26 11.23 7.43 7.09 77.80 10.34	2.06 1.42 1.22 1.35	75.61 12.83 5.48 6.08 77.76 12.69	3.16 2.53 1.69 1.51 1.65 1.28	81.41 14.78 *0.99 *2.81 79.17 15.55	3.88 3.66 0.82 1.42 2.14 1.88
Developed alcohol abuse only Developed alcohol dependence	7.76	0.46 0.40	9.72 5.32	0.68 0.59	5.21 4.24	0.56 0.55	12.20 10.55	1.58 1.32	7.73 4.13	0.61 0.50	6.04 3.51	0.84 0.65	3.89 *1.39	1.05 0.68

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Age Started Drinking														
18 to 20 years														
Remained without AUD and continued drinking	79.86	0.62	76.96	0.86	83.24	0.79	72.09	1.70	80.31	0.93	83.08	0.96	77.69	1.53
Remained without AUD and stopped drinking	11.42	0.54	11.29	0.66	11.58	0.73	11.24	1.24	10.31	0.72	10.49	0.78	18.08	1.41
Developed alcohol abuse only	5.57	0.36	7.85	0.58	2.93	0.34	9.19	1.25	6.24	0.55	4.00	0.48	_3.89	0.78
Developed alcohol dependence	3.14	0.25	3.90	0.35	2.25	0.32	7.48	0.92	3.14	0.47	2.43	0.36	*0.34	0.19
21 years or older														
Remained without AUD and continued drinking	77.21	0.72	76.17	1.11	77.89	0.85	74.79	3.08	75.39	1.02	79.73	1.09	77.07	1.43
Remained without AUD and stopped drinking	17.53	0.68	15.49	0.98	18.84	0.82	14.27	2.26	18.07	0.98	15.44	1.00	21.60	1.41
Developed alcohol abuse only	2.97	0.29	4.73	0.56	1.85	0.26	4.84	1.39	3.59	0.47	3.04	0.47	*0.88	0.36
Developed alcohol dependence	2.28	0.24	3.61	0.50	1.43	0.21	6.10	1.60	2.95	0.46	1.79	0.28	*0.46	0.19
Family History of Alcoholism														
None														
Remained without AUD and continued drinking	78.12	0.55	76.97	0.75	79.52	0.86	71.84	1.78	77.27	0.81	82.27	0.83	77.02	1.26
Remained without AUD and stopped drinking	14.24	0.54	12.87	0.65	15.92	0.83	12.48	1.26	14.05	0.74	12.15	0.78	20.13	1.24
Developed alcohol abuse only	4.97	0.30	6.74	0.46	2.81	0.28	8.00	1.07	5.90	0.51	3.88	0.41	2.38	0.48
Developed alcohol dependence	2.67	0.20	3.42	0.32	1.75	0.22	7.69	0.97	2.79	0.36	1.70	0.26	*0.47	0.17
2nd-degree relatives only														
Remained without AUD and continued drinking	79.04	0.80	75.49	1.22	82.55	1.01	71.83	2.25	79.06	1.08	82.36	1.41	80.99	2.39
Remained without AUD and stopped drinking	11.51	0.69	11.14	0.99	11.88	0.86	8.45	1.22	11.55	0.89	11.66	1.28	16.58	2.36
Developed alcohol abuse only	5.69	0.03	8.34	0.81	3.07	0.43	10.22	1.54	6.18	0.69	3.53	0.69	*1.83	0.82
Developed alcohol dependence	3.76	0.40	5.03	0.61	2.50	0.45	9.51	1.59	3.22	0.56	2.45	0.59	*0.60	0.34
1 at degree relatives only														
1st-degree relatives only Remained without AUD and continued drinking	75.25	1.07	73.52	1.56	76.86	1.34	60.86	4.55	76.08	1.75	76.77	1.78	75.77	2.14
Remained without AOD and stopped drinking	15.43	0.95	14.00	1.33	16.77	1.23	12.88	3.03	13.38	1.75	14.99	1.78	21.08	1.98
Developed alcohol abuse only	5.63	0.54	7.98	0.86	3.42	0.61	19.06	4.00	6.45	0.95	4.08	0.69	2.36	0.77
Developed alcohol dependence	3.70	0.48	4.50	0.71	2.95	0.60	7.20	2.23	4.08	0.33	4.16	0.86	*0.79	0.77
Developed alcohol dependence	3.70	0.40	7.50	0.71	2.55	0.00	7.20	2.20	4.00	0.74	4.10	0.00	0.75	0.57
Both 1st- and 2nd-degree relatives														
Remained without AUD and continued drinking	76.20	0.79	70.83	1.45	79.84	0.93	64.51	2.87	77.53	1.15	77.58	1.38	78.68	2.80
Remained without AUD and stopped drinking	12.88	0.64	12.47	1.15	13.16	0.76	12.55	1.76	11.15	0.85	14.14	1.18	17.66	2.57
Developed alcohol abuse only	5.72	0.43	9.19	0.83	3.37	0.40	10.18	1.71	5.80	0.60	4.97	0.75	*2.49	0.88
Developed alcohol dependence	5.20	0.49	7.51	1.02	3.63	0.40	12.75	1.98	5.52	0.74	3.31	0.58	*1.18	0.55
Any Parent Alcoholic														
Yes														
Remained without AUD and continued drinking	76.61	0.79	73.23	1.26	78.97	0.96	65.39	2.49	78.04	1.08	77.78	1.32	81.39	2.55
Remained without AUD and stopped drinking	12.88	0.65	11.89	0.98	13.56	0.79	11.62	1.67	11.87	0.86	14.10	1.06	15.51	2.32
Developed alcohol abuse only	5.71	0.43	8.27	0.80	3.92	0.42	12.05	1.89	5.60	0.57	4.49	0.66	*1.32	0.59
Developed alcohol dependence	4.81	0.42	6.61	0.78	3.55	0.41	10.94	1.71	4.50	0.53	3.63	0.58	*1.79	0.81
речеторей аксологиерепценсе	4.01	0.42	0.01	0.76	ა.აა	0.41	10.94	1./1	4.50	0.53	3.03	0.56	1.79	0.81

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Parent Alcoholic														
No														
Remained without AUD and continued drinking	77.79	0.47	75.63	0.61	80.18	0.66	70.83	1.44	77.48	0.65	81.19	0.77	76.98	0.99
Remained without AUD and stopped drinking	13.74	0.45	12.74	0.55	14.84	0.61	11.39	0.91	13.03	0.58	12.59	0.69	20.07	0.97
Developed alcohol abuse only	5.26	0.23	7.49	0.37	2.79	0.22	9.18	0.92	6.12	0.41	3.97	0.31	2.46	0.40
Developed alcohol dependence	3.21	0.18	4.13	0.27	2.19	0.23	8.60	0.82	3.38	0.32	2.25	0.26	0.48	0.13
Married to Alcoholic/Lived with Alcoholic as if Married														
Yes														
Remained without AUD and continued drinking	76.46	1.07	67.22	2.65	78.82	1.09	61.72	6.74	74.98	1.71	78.11	1.66	80.26	2.62
Remained without AUD and stopped drinking	14.31	0.94	13.72	1.89	14.46	1.03	16.93	4.79	13.43	1.44	13.90	1.35	18.21	2.58
Developed alcohol abuse only	4.92	0.57	9.33	1.86	3.79	0.56	*9.46	4.60	6.49	0.95	4.23	0.84	*0.32	0.32
Developed alcohol dependence	4.31	0.49	9.73	1.82	2.92	0.44	*11.90	4.12	5.10	0.88	3.76	0.66	*1.21	0.61
No														
Remained without AUD and continued drinking	77.65	0.46	75.54	0.61	80.07	0.61	69.81	1.34	77.89	0.61	80.73	0.74	77.25	0.97
Remained without AUD and stopped drinking	13.47	0.43	12.54	0.53	14.52	0.56	11.29	0.80	12.68	0.52	12.80	0.66	19.64	0.94
Developed alcohol abuse only	5.41	0.23	7.56	0.34	2.95	0.22	9.85	0.87	5.94	0.37	4.07	0.31	2.51	0.39
Developed alcohol dependence	3.47	0.18	4.36	0.27	2.46	0.21	9.06	0.67	3.48	0.29	2.40	0.26	0.59	0.17
Any Alcohol Treatment in the Past Year														
Yes														
Remained without AUD and continued drinking	57.68	7.16	58.63	8.55	54.75	12.61	*46.43	19.31	57.29	10.67	70.71	10.51	*12.08	12.02
Remained without AUD and stopped drinking	16.25	5.07	*16.26	6.10	*16.23	8.67	*22.50	13.36	*12.60	7.13	*10.83	6.39	*58.35	22.36
Developed alcohol abuse only	*6.98	3.33	*5.88	3.00	*10.35	9.59	*31.07	19.63	*5.66	4.11	*3.18	2.78	_	_
Developed alcohol dependence	19.09	4.89	19.23	5.79	*18.67	9.58	_	_	*24.46	7.87	*15.27	7.98	*29.57	19.55
No														
Remained without AUD and continued drinking	77.60	0.44	75.29	0.60	79.91	0.55	69.65	1.33	77.68	0.58	80.43	0.68	77.64	0.92
Remained without AUD and stopped drinking	13.54	0.41	12.57	0.52	14.51	0.52	11.41	0.80	12.76	0.50	12.95	0.62	19.44	0.90
Developed alcohol abuse only	5.35	0.21	7.64	0.34	3.07	0.21	9.78	0.85	6.00	0.34	4.09	0.29	2.32	0.36
Developed alcohol dependence	3.50	0.17	4.50	0.28	2.51	0.19	9.16	0.67	3.56	0.29	2.53	0.24	0.59	0.16
Any Alcohol Treatment in Life														
Yes														
Remained without AUD and continued drinking	62.66	2.37	60.57	2.90	67.62	4.36	50.14	9.22	62.77	3.73	65.72	3.91	56.71	9.68
Remained without AUD and stopped drinking	14.96	1.80	15.43	2.16	13.84	2.78	*14.16	6.05	13.18	2.31	14.25	3.33	*37.95	9.62
Developed alcohol abuse only	8.36	1.39	9.76	1.75	5.03	2.02	*20.03	7.50	10.44	2.28	4.55	1.54		_
Developed alcohol dependence	14.02	1.78	14.24	2.06	13.51	3.32	*15.67	7.51	13.62	2.39	15.47	3.16	*5.34	3.80
No														
Remained without AUD and continued drinking	77.92	0.43	75.74	0.59	80.06	0.56	69.88	1.33	78.05	0.57	80.84	0.67	77.74	0.93
Remained without AUD and stopped drinking	13.51	0.41	12.49	0.51	14.52	0.52	11.40	0.81	12.75	0.51	12.90	0.60	19.33	0.91
Developed alcohol abuse only	5.28	0.21	7.56	0.35	3.05	0.21	9.68	0.85	5.86	0.34	4.08	0.30	2.34	0.36
Developed alcohol dependence	3.29	0.16	4.22	0.26	2.37	0.18	9.04	0.66	3.34	0.27	2.18	0.22	0.60	0.16

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Conduct Disorder														
Yes														
Remained without AUD and continued drinking	73.58	4.06	68.76	5.48	83.95	4.39	59.77	8.64	75.86	5.28	84.25	6.08	*61.09	15.02
Remained without AUD and stopped drinking		2.47	10.96	3.39	9.38	3.25	*14.30	5.50	*11.37	4.43	[*] 3.35	1.94	[*] 22.76	12.76
Developed alcohol abuse only		2.27	11.00	3.25	*2.33	1.65	*9.60	4.89	*7.66	3.48	*6.50	4.62	*16.15	10.86
Developed alcohol dependence	7.71	2.08	9.28	2.75	*4.34	2.61	*16.33	6.67	*5.12	2.08	*5.90	3.57	_	_
No														
Remained without AUD and continued drinking	77.58	0.43	75.30	0.60	79.84	0.55	69.80	1.30	77.62	0.58	80.35	0.68	77.60	0.94
Remained without AUD and stopped drinking		0.41	12.62	0.52	14.55	0.52	11.38	0.82	12.77	0.50	13.04	0.62	19.50	0.91
Developed alcohol abuse only		0.21	7.58	0.33	3.09	0.21	9.84	0.86	5.98	0.34	4.07	0.29	2.26	0.36
Developed alcohol dependence	3.51	0.17	4.50	0.28	2.52	0.19	8.97	0.67	3.62	0.30	2.54	0.23	0.65	0.17
Paranoid Personality Disorder — Lifetime														
Yes														
Remained without AUD and continued drinking	65.57	2.06	59.11	3.51	69.33	2.36	57.21	4.77	69.21	2.75	63.99	4.31	62.36	7.95
Remained without AUD and stopped drinking		1.93	25.01	3.56	21.14	2.08	22.30	3.86	20.99	2.52	24.39	4.00	34.90	7.78
Developed alcohol abuse only		0.86	6.02	1.49	4.25	1.12	8.67	3.08	3.89	0.92	4.88	1.61	*1.91	1.91
Developed alcohol dependence		1.06	9.86	2.35	5.28	1.12	11.82	3.25	5.91	1.56	6.73	1.85	*0.84	0.83
No														
Remained without AUD and continued drinking	78.02	0.44	75.67	0.61	80.41	0.55	70.35	1.35	78.04	0.59	80.87	0.68	77.70	0.95
Remained without AUD and stopped drinking		0.42	12.23	0.52	14.17	0.52	10.77	0.83	12.33	0.52	12.61	0.61	19.33	0.93
Developed alcohol abuse only		0.21	7.68	0.34	3.02	0.21	9.91	0.89	6.11	0.35	4.07	0.30	2.32	0.36
Developed alcohol dependence		0.17	4.42	0.26	2.39	0.19	8.97	0.69	3.52	0.28	2.45	0.24	0.64	0.17
Schizoid Personality Disorder — Lifetime														
Yes	70.55	0.00	70.00	2.20	74.44	0.70	50.07	0.04	77.00	0.00	74.74	2.00	70.55	0.00
Remained without AUD and continued drinking Remained without AUD and stopped drinking		2.08 1.82	72.98 13.50	3.20 2.57	74.14 18.61	2.78 2.49	59.67 15.59	6.34 4.00	77.69 13.84	2.99 2.47	71.74 19.54	3.82 3.53	78.55 *16.61	6.28 5.47
Developed alcohol abuse only		0.94	4.88	1.40	3.48	1.23	*8.70	3.84	3.49	1.06	*3.15	3.53 1.54	*4.84	3.73
Developed alcohol dependence		1.16	8.64	1.93	3.76	1.43	*16.05	5.85	4.98	1.54	5.57	2.00	-	J.75
'														
No	77.05	0.44	75.07	0.04	00.00	0.50	00.00	4.00	77.00	0.50	00.00	0.00	77.54	0.05
Remained without AUD and continued drinking		0.44	75.27	0.61	80.03	0.56	69.90	1.32	77.60	0.58	80.62	0.69	77.51	0.95
Remained without AUD and stopped drinking Developed alcohol abuse only		0.41 0.21	12.56 7.71	0.52 0.34	14.40 3.07	0.52 0.21	11.31 9.87	0.80 0.87	12.72 6.08	0.51 0.35	12.76 4.12	0.61 0.29	19.56 2.28	0.92 0.36
Developed alcohol abuse only Developed alcohol dependence		0.21	4.45	0.34	2.50	0.21	8.91	0.67	3.59	0.33	2.49	0.29	0.65	0.36
·	0.40	0.17	7.40	0.27	2.50	0.10	0.51	0.07	0.00	0.23	2.40	0.24	0.00	0.17
Schizotypal Personality Disorder — Lifetime ²														
Yes														
Remained without AUD and continued drinking	64.79	2.16	61.32	3.00	68.58	2.80	53.38	5.68	67.30	3.00	68.54	3.74	51.07	9.95
Remained without AUD and stopped drinking		1.67	14.35	2.22	15.73	2.31	14.61	4.58	11.92	1.78	17.12	3.30	41.68	9.85
Developed alcohol abuse only		1.15	9.12	2.01	2.12	0.76	8.56	3.17	6.16	1.68	4.05	1.76	[*] 2.11	2.11
Developed alcohol dependence	14.43	1.60	15.22	2.20	13.57	2.29	23.46	4.07	14.63	2.59	10.29	2.35	*5.14	4.98

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Schizotypal Personality Disorder — Lifetime ²														
No														
Remained without AUD and continued drinking		0.44	75.74	0.60	80.27	0.56	70.40	1.35	78.06	0.58	80.78	0.68	77.80	0.93
Remained without AUD and stopped drinking		0.41	12.52	0.52	14.47	0.52	11.28	0.80	12.80	0.52	12.80	0.61	19.28	0.90
Developed alcohol abuse only		0.22	7.58	0.34	3.11	0.21	9.90	0.89	5.99	0.34	4.09	0.30	2.32	0.36
Developed alcohol dependence	3.15	0.16	4.16	0.26	2.15	0.17	8.41	0.67	3.16	0.26	2.32	0.23	0.60	0.16
Antisocial Personality Disorder — Lifetime ²														
Yes														
Remained without AUD and continued drinking		2.31	67.44	3.03	75.73	3.74	51.17	5.44	77.23	2.85	68.71	5.12	74.28	17.20
Remained without AUD and stopped drinking		1.90	13.58	2.48	10.48	2.26	12.50	3.06	8.97	2.06	19.06	4.42	*23.20	17.42
Developed alcohol abuse only		1.42	9.53	1.83	7.78	2.18	16.67	3.88	7.96	1.86	6.07	2.43	*2.52	2.58
Developed alcohol dependence	8.49	1.32	9.46	1.71	6.01	1.98	19.66	4.03	5.84	1.39	*6.16	2.42	_	_
No														
Remained without AUD and continued drinking	77.81	0.44	75.59	0.60	79.95	0.56	70.68	1.35	77.62	0.60	80.71	0.68	77.55	0.93
Remained without AUD and stopped drinking	13.58	0.42	12.54	0.52	14.59	0.53	11.38	0.83	12.92	0.52	12.78	0.61	19.48	0.90
Developed alcohol abuse only		0.22	7.54	0.35	2.99	0.21	9.43	0.88	5.92	0.35	4.04	0.30	2.32	0.36
Developed alcohol dependence	3.38	0.17	4.33	0.27	2.47	0.19	8.51	0.69	3.55	0.29	2.48	0.23	0.65	0.17
Borderline Personality Disorder — Lifetime ²														
Yes														
Remained without AUD and continued drinking	63.70	1.65	55.69	2.52	69.79	2.05	54.04	4.18	67.56	2.37	65.17	3.09	57.64	7.75
Remained without AUD and stopped drinking		1.29	16.60	2.04	16.38	1.65	14.23	3.00	14.25	1.61	20.10	2.84	31.51	7.63
Developed alcohol abuse only		0.72	8.00	1.34	3.13	0.71	6.29	1.76	5.44	1.16	4.15	1.25	*4.10	2.25
Developed alcohol dependence	14.58	1.27	19.71	2.14	10.70	1.48	25.45	3.21	12.75	1.73	10.58	1.92	*6.74	3.51
No														
Remained without AUD and continued drinking		0.45	76.16	0.60	80.54	0.58	71.22	1.39	78.28	0.58	81.07	0.69	77.89	0.97
Remained without AUD and stopped drinking		0.42	12.39	0.52	14.39	0.55	11.15	0.81	12.66	0.53	12.62	0.62	19.29	0.93
Developed alcohol abuse only		0.22	7.62	0.34	3.08	0.22	10.21	0.93	6.04	0.35	4.09	0.30	2.29	0.36
Developed alcohol dependence	2.92	0.15	3.83	0.25	2.00	0.17	7.41	0.69	3.03	0.26	2.22	0.23	0.53	0.16
<u>Histrionic Personality Disorder — Lifetime</u>														
Yes														
Remained without AUD and continued drinking		2.75	65.66	4.53	70.32	4.10	48.80	6.37	77.21	3.80	67.62	5.70	74.34	9.98
Remained without AUD and stopped drinking		1.95	16.39	3.60	9.89	2.55	11.71	3.46	12.57	3.23	14.33	4.16	*12.82	6.75
Developed alcohol abuse only		1.62	7.52	2.36	7.28	2.30	*14.69	4.79	*4.39	1.79	*7.26	3.41	*3.31	3.30
Developed alcohol dependence	11.60	1.89	10.43	2.63	12.50	2.91	24.80	5.18	*5.83	2.12	*10.79	3.71	*9.53	7.71
No														
Remained without AUD and continued drinking		0.45	75.34	0.61	80.05	0.56	70.28	1.35	77.61	0.59	80.52	0.68	77.54	0.95
Remained without AUD and stopped drinking		0.41	12.54	0.51	14.60	0.52	11.44	0.82	12.76	0.51	12.93	0.62	19.56	0.91
Developed alcohol abuse only		0.21	7.63	0.34	3.00	0.21	9.67	0.85	6.03	0.34	4.06	0.29	2.31	0.36
Developed alcohol dependence	3.42	0.17	4.49	0.28	2.35	0.18	8.61	0.68	3.60	0.30	2.49	0.23	0.58	0.16

Table 1-8. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	p at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	ind older
	Louinate	J.L.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Narcissistic Personality Disorder — Lifetime ²														
Yes														
Remained without AUD and continued drinking	69.18	1.68	65.98	2.33	73.80	2.23	56.87	4.39	74.19	2.18	70.61	3.20	59.84	6.03
Remained without AUD and stopped drinking		1.25	10.81	1.60	15.37	2.00	16.95	3.96	9.89	1.41	12.15	2.16	23.05	6.05
Developed alcohol abuse only		0.98	10.39	1.50	3.98	0.80	6.45	2.04	7.45	1.39	8.48	2.03	*10.48	3.82
Developed alcohol dependence	10.37	0.99	12.81	1.50	6.84	1.12	19.73	3.09	8.47	1.17	8.76	1.88	*6.63	3.07
No														
Remained without AUD and continued drinking	78.05	0.44	75.88	0.61	80.17	0.59	70.75	1.32	77.84	0.61	80.90	0.67	78.10	0.94
Remained without AUD and stopped drinking	13.60	0.43	12.72	0.54	14.47	0.54	10.94	0.80	12.96	0.55	12.98	0.63	19.40	0.92
Developed alcohol abuse only	5.21	0.22	7.43	0.35	3.04	0.21	10.15	0.92	5.90	0.35	3.87	0.29	2.05	0.34
Developed alcohol dependence	3.14	0.17	3.97	0.27	2.32	0.19	8.16	0.66	3.30	0.29	2.26	0.23	0.45	0.14
Avoidant Personality Disorder — Lifetime														
Yes														
Remained without AUD and continued drinking	70.35	2.54	64.70	4.71	73.66	3.09	66.84	6.56	71.29	3.38	67.92	5.52	90.87	6.37
Remained without AUD and stopped drinking		2.40	21.96	4.69	15.80	2.73	16.38	5.17	18.49	3.33	19.74	4.93	*9.13	6.37
Developed alcohol abuse only		1.25	*5.25	1.96	*3.28	1.29	*6.07	3.05	*4.09	1.45	*2.93	2.02	_	_
Developed alcohol dependence	7.56	1.38	8.08	2.13	7.25	1.84	*10.70	4.26	6.13	1.88	9.42	2.93	_	_
No														
Remained without AUD and continued drinking	77.68	0.44	75.36	0.61	80.04	0.55	69.67	1.33	77.77	0.59	80.59	0.68	77.45	0.94
Remained without AUD and stopped drinking		0.41	12.45	0.51	14.48	0.51	11.29	0.80	12.61	0.51	12.83	0.60	19.57	0.91
Developed alcohol abuse only	5.39	0.21	7.67	0.34	3.07	0.21	9.96	0.86	6.05	0.34	4.11	0.29	2.33	0.36
Developed alcohol dependence	3.47	0.17	4.52	0.28	2.41	0.18	9.09	0.67	3.57	0.29	2.47	0.23	0.65	0.17
Dependent Personality Disorder — Lifetime														
Yes														
Remained without AUD and continued drinking	69.77	6.85	*66.41	17.12	70.90	7.27	*27.34	12.27	88.95	5.28	64.55	13.13	*100.00	0.00
Remained without AUD and stopped drinking	18.44	5.77	*27.80	15.90	15.29	5.78	*38.58	15.68	*10.29	5.17	*19.22	9.89	_	_
Developed alcohol abuse only	*4.30	3.07	l .—	_	[*] 5.74	4.01	*17.50	11.85	. —	_	. —	_	_	_
Developed alcohol dependence	*7.50	3.72	*5.79	5.94	*8.07	4.51	*16.57	11.20	*0.75	0.77	*16.24	10.95	_	_
No														
Remained without AUD and continued drinking	77.56	0.44	75.22	0.60	79.91	0.55	69.85	1.32	77.56	0.58	80.42	0.68	77.50	0.93
Remained without AUD and stopped drinking	13.54	0.41	12.57	0.51	14.51	0.52	11.27	0.80	12.77	0.50	12.93	0.61	19.54	0.91
Developed alcohol abuse only		0.21	7.64	0.34	3.07	0.21	9.79	0.85	6.02	0.34	4.10	0.29	2.32	0.36
Developed alcohol dependence	3.54	0.17	4.57	0.28	2.51	0.18	9.09	0.67	3.65	0.29	2.55	0.24	0.64	0.17
Obsessive-Compulsive Personality Disorder — Lifetime														
Yes														
Remained without AUD and continued drinking	75.64	1.27	71.27	1.93	79.73	1.58	60.20	4.70	77.18	1.59	80.45	2.15	71.43	4.18
Remained without AUD and stopped drinking		1.08	14.11	1.67	13.85	1.33	15.53	3.41	12.61	1.38	11.52	1.75	25.22	4.06
Developed alcohol abuse only	5.18	0.67	7.89	1.15	2.65	0.68	9.39	2.70	5.69	0.93	3.49	0.89	*3.35	1.47
Developed alcohol dependence	5.20	0.84	6.73	1.35	3.77	0.88	14.88	3.33	4.52	0.99	4.54	1.24	_	_
			L				L							

Table 1-8. Percent distribution of past-year DSM-IV alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers with no past-year AUD, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fatherste	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Obsessive-Compulsive Personality Disorder — Lifetime														
No Remained without AUD and continued drinking Remained without AUD and stopped drinking	13.51	0.45 0.43 0.22	75.55 12.46 7.61	0.61 0.53 0.35	79.89 14.57 3.12	0.58 0.54 0.22	70.38 11.10 9.88	1.30 0.81 0.89	77.65 12.77 6.03	0.61 0.54 0.35	80.39 13.06 4.14	0.70 0.64 0.31	77.97 19.09 2.24	0.94 0.91 0.37
Developed alcohol abuse only Developed alcohol dependence		0.22	4.39	0.35	2.42	0.22	8.65	0.69	3.55	0.35	2.41	0.23	0.69	0.37

SOURCE: NIAAA 2001–2002 and 2004–2005 National Epidemiologic Surveys on Alcohol and Related Conditions.

Current drinker: 1 or more drinks in the past year.
 Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1.

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fatimata	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Total</u>														
Nonabstinent remission to no AUD	52.43	1.56	48.93	1.84	61.37	2.47	48.90	3.40	51.58	2.12	52.43	3.00	76.95	5.64
Abstinent remission to no AUD		0.66	3.78	0.74	6.74	1.41	4.75	1.36	5.16	0.98	3.55	1.19	*3.03	2.26
Remained alcohol abuse only		1.43	32.42	1.80	20.08	2.12	23.75	2.78	30.57	1.97	30.98	2.71	20.03	5.37
Developed alcohol dependence	. 14.01	1.23	14.87	1.60	11.82	1.76	22.59	3.16	12.69	1.46	13.03	2.43	_	_
Race/Ethnicity														
White, Not Hispanic or Latino														
Nonabstinent remission to no AUD		1.83	49.72	2.13	62.30	2.86	49.60	4.12	51.88	2.45	54.54	3.50	76.28	6.25
Abstinent remission to no AUD		0.69	3.15	0.84	3.96	1.28	*2.90	1.43	4.36	1.15	*1.77	0.87	*2.68	2.64
Remained alcohol abuse only		1.65	35.15	2.04	21.33	2.42	30.99	3.61	32.21	2.30	30.89	3.15	21.05	5.90
Developed alcohol dependence	. 12.10	1.24	11.98	1.59	12.40	1.94	16.50	3.17	11.55	1.56	12.80	2.79	_	_
Black, Not Hispanic or Latino														
Nonabstinent remission to no AUD		4.27	42.21	5.10	50.58	6.98	35.16	10.38	44.69	6.15	45.17	7.70	*85.74	10.32
Abstinent remission to no AUD		2.87	*7.40	2.95	24.58	6.32	*17.74	8.29	10.26	3.57	*10.79	5.19	*9.68	9.32
Remained alcohol abuse only		3.79	32.23	4.89	19.48	6.37	*14.42	7.50	32.63	6.08	36.24	6.87	*4.58	4.64
Developed alcohol dependence	. 14.84	3.80	18.16	4.83	*5.37	2.90	*32.67	12.44	12.42	4.57	*7.80	3.50	_	_
American Indian/Alaska Native, Not Hispanic or Latino			1.											
Nonabstinent remission to no AUD	42.38	10.44	*38.44	11.99	*48.83	19.25	*63.12	17.96	*31.50	13.16	*22.80	19.90	*81.47	19.54
Abstinent remission to no AUD		7.01	*13.81	8.53	*18.95	12.36	*10.29	10.00	*15.77	9.05	*34.91	22.24	. —	_
Remained alcohol abuse only		8.06	*25.25	10.89	[*] 10.70	10.14	*9.39	7.24	*24.26	13.33	*19.53	17.76	*18.53	19.54
Developed alcohol dependence	. *22.13	9.21	*22.50	10.17	*21.52	17.77	*17.20	15.45	*28.48	14.54	*22.76	19.88	_	_
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino														
Nonabstinent remission to no AUD	. 54.25	12.02	*39.81	15.48	*84.96	11.54	*41.33	19.65	*68.26	14.79	*26.24	27.37	_	_
Abstinent remission to no AUD	. *14.69	7.68	*14.53	10.58	*15.04	11.54	*15.13	11.26	*16.16	13.21	_	_	_	_
Remained alcohol abuse only		5.61	*11.81	8.46	_	_	_	_	*15.58	10.39	_	_	_	_
Developed alcohol dependence	. *23.03	13.07	*33.86	17.31	_	_	*43.54	23.39	_	_	*73.76	27.37	_	_
Hispanic or Latino														
Nonabstinent remission to no AUD	. 54.01	5.07	52.23	5.77	61.46	7.41	52.12	8.30	56.86	7.42	44.14	10.99	*68.73	23.71
Abstinent remission to no AUD	*3.15	1.55	*1.42	0.73	*10.37	5.48	*1.64	1.21	*2.50	1.23	*9.16	8.33	*5.47	6.17
Remained alcohol abuse only	. 19.11	3.63	19.32	4.09	18.21	5.85	*8.74	4.97	21.58	4.38	31.50	11.46	*25.80	22.74
Developed alcohol dependence	23.73	4.32	27.03	5.07	*9.96	5.03	37.49	8.04	19.06	5.78	*15.20	8.55	_	_
Marital Status														
Married														
Nonabstinent remission to no AUD	51.49	2.42	48.64	2.70	62.27	4.62	53.65	10.86	47.11	3.13	54.21	4.34	78.08	6.56
Abstinent remission to no AUD		0.95	4.02	1.07	*5.56	2.34	*5.29	5.15	5.39	1.36	*2.26	1.22	*4.08	3.23
Remained alcohol abuse only	. 31.57	2.35	35.10	2.70	18.19	3.86	*24.86	10.25	33.86	3.11	30.81	3.90	*17.84	5.99
Developed alcohol dependence		1.73	12.23	2.08	13.98	3.92	*16.20	7.39	13.64	2.26	12.72	3.52	_	_

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Living with someone as if married							l .							
Nonabstinent remission to no AUD		7.39	49.56	9.45	56.23	10.29	*47.65	14.86	56.40	9.06	*34.66	15.74	_	_
Abstinent remission to no AUD		2.26	-	_	*10.02	6.82	l . —	_	*4.81	3.39	. —	_	_	_
Remained alcohol abuse only		6.38	31.93	8.24	*27.77	8.99	*23.73	13.32	29.14	7.85	*47.58	16.42	_	_
Developed alcohol dependence	14.51	4.60	*18.51	6.25	*5.98	5.21	*28.61	13.59	*9.65	4.94	*17.76	12.28	_	_
Widowed														
Nonabstinent remission to no AUD	74.22	7.83	*63.34	13.91	79.35	7.91	_	_	*55.17	25.08	68.93	12.17	81.15	9.21
Abstinent remission to no AUD		2.80		_	*4.44	4.23	_	_	_	_	*8.25	7.85	_	_
Remained alcohol abuse only	ata.	5.52	*28.42	13.11	*8.66	5.43	_	_	*17.10	16.37	*8.73	6.74	*18.85	9.21
Developed alcohol dependence		4.35	*8.24	7.89	*7.56	5.12	_	_	*27.73	23.26	*14.09	9.22	_	_
Divorced														
Nonabstinent remission to no AUD	54.79	3.71	47.56	4.88	68.03	5.53	*5.72	6.10	61.93	5.21	45.59	5.18	*69.08	15.24
Abstinent remission to no AUD		2.48	*7.74	3.60	*4.12	2.25	5.72	O. 10	*6.90	3.84	*6.45	3.24	*2.47	2.54
Remained alcohol abuse only		3.24	31.05	4.43	21.88	5.03	*94.28	6.10	20.74	4.22	34.88	5.12	*28.45	15.16
Developed alcohol dependence	_	2.40	13.66	3.53	*5.97	2.35	94.20	-	10.42	2.64	13.08	4.65	20.45	- 15.16
Ownerstad														
Separated	5044	7.05	F4 04	40.00	40.70	40.00	*02.00	07.70	40.70	40.40	E0 07	40.04	*400.00	0.00
Nonabstinent remission to no AUD		7.85	51.21	12.00	48.78	10.69	*63.99	27.70	40.78	10.16	58.37	13.01	*100.00	0.00
Abstinent remission to no AUD	_	4.24	*1.79	1.40	*13.98	8.88	_	_	*4.38	3.53	*11.49 *21.87	8.78	_	_
Remained alcohol abuse only		7.51	*39.56	12.08	*17.16	9.08	*	_	*40.43	10.63		11.20	_	_
Developed alcohol dependence	*13.00	4.97	*7.45	4.91	*20.07	9.08	*36.01	27.70	*14.41	6.67	*8.27	7.24	_	_
Never married														
Nonabstinent remission to no AUD		2.61	49.39	3.33	57.88	3.84	48.86	3.82	55.94	3.76	53.53	9.15	*45.70	25.49
Abstinent remission to no AUD	4.46	0.94	*2.71	0.99	7.99	2.15	5.13	1.51	4.00	1.42	*2.43	2.41	_	_
Remained alcohol abuse only	25.48	2.25	27.45	2.90	21.51	3.45	22.86	2.94	27.86	3.33	*27.78	8.98	*54.30	25.49
Developed alcohol dependence	17.85	2.21	20.46	2.92	12.61	2.63	23.15	3.57	12.20	2.76	*16.27	7.49	_	_
Ever Had Children (Including Step, Adopted, Foster)														
Yes														
Nonabstinent remission to no AUD	51.19	2.14	47.71	2.42	61.19	3.46	46.52	7.87	47.63	2.94	51.85	3.41	80.54	5.03
Abstinent remission to no AUD		0.95	4.63	1.09	8.80	2.14	*7.46	4.10	7.21	1.48	3.91	1.38	*0.88	0.67
Remained alcohol abuse only		1.89	33.87	2.30	19.18	2.60	*18.83	5.99	31.56	2.67	31.39	3.01	18.58	4.94
Developed alcohol dependence		1.44	13.80	1.86	10.82	2.53	27.19	7.59	13.59	1.94	12.86	2.73	_	_
No														
Nonabstinent remission to no AUD	54.38	2.22	51.02	2.88	61.60	3.61	49.31	3.65	58.47	3.09	55.96	6.20	*39.15	19.15
Abstinent remission to no AUD		0.68	2.33	0.82	4.10	1.32	49.31	1.38	*1.58	0.60	*1.39	1.16	*25.62	20.96
		2.12	29.94		4.10 21.22		24.59	3.13	28.84			5.97	*35.24	
Remained alcohol abuse only	1		1	2.67		3.31				2.92	28.55		35.24	21.20
Developed alcohol dependence	15.55	1.82	16.70	2.37	13.08	2.51	21.80	3.41	11.12	2.14	14.10	4.83	_	_

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Children Ages Below 13 Living in Household														
Yes														
Nonabstinent remission to no AUD		2.92	41.73	3.47	56.96	4.27	46.04	6.62	46.58	3.26	41.28	7.32	_	_
Abstinent remission to no AUD Remained alcohol abuse only		1.42 2.54	6.84 34.12	1.80 3.08	8.12 22.33	2.33 3.51	*10.31 19.38	4.12 4.70	6.75 32.53	1.68 2.93	*6.52 33.14	4.06 7.48	_	_
Developed alcohol dependence	16.00	2.09	17.31	2.58	12.59	3.47	24.27	6.17	14.15	2.29	19.06	6.29	_	_
No														
Nonabstinent remission to no AUD		1.83	52.79	2.23	63.65	3.00	49.86	3.93	56.44	2.70	54.50	3.15	76.95	5.64
Abstinent remission to no AUD		0.62	2.14	0.60	6.02	1.59	*2.90	1.25	3.62	1.04	3.00	1.07	*3.03	2.26
Remained alcohol abuse only Developed alcohol dependence		1.65 1.37	31.50 13.56	2.05 1.74	18.92 11.41	2.55 1.92	25.21 22.03	3.40 3.61	28.67 11.27	2.61 1.74	30.59 11.92	2.85 2.27	20.03	5.37 —
Education														
11 years or less														
Nonabstinent remission to no AUD		5.23	48.36	5.59	51.09	10.46	51.67	8.88	45.44	9.95	52.22	9.46	*44.03	13.18
Abstinent remission to no AUD		3.06	*8.83	3.31	*30.18	10.85	[*] 11.45	5.42	*12.41	6.06	*14.13	6.89		
Remained alcohol abuse only		3.49	19.46	3.89	*10.67	6.09	*17.61 *19.27	6.61	*12.19	4.71	*18.90 *44.70	7.43	*55.97	13.18
Developed alcohol dependence	21.35	4.62	23.35	5.13	*8.06	6.90	19.27	6.51	29.95	8.53	*14.76	6.85	_	_
12 years	45.75	0.70	44.77	0.05	50.57	4.70	00.70	0.75	40.04	4.4.4	40.00	4.00	07.00	7.44
Nonabstinent remission to no AUDAbstinent remission to no AUD		2.76 1.44	41.77 5.10	3.35 1.54	58.57 11.36	4.76 3.53	38.76 *6.58	6.75 2.83	43.64 6.98	4.14 2.27	43.93 *5.72	4.96 2.35	87.92 *6.76	7.14 5.28
Remained alcohol abuse only		2.61	37.09	3.26	20.55	3.86	21.34	5.67	39.17	4.00	36.30	4.76	*5.32	5.26
Developed alcohol dependence		2.22	16.05	2.71	9.52	2.58	33.32	7.28	10.21	2.35	14.05	3.96	_	_
13–15 years														
Nonabstinent remission to no AUD		2.66	50.55	3.34	64.77	3.90	52.64	4.89	56.72	3.48	50.78	6.37	88.00	8.23
Abstinent remission to no AUD		0.92	3.28	1.15	*3.86	1.59	*2.18	1.33	5.54	1.63	_		*1.11	1.18
Remained alcohol abuse only Developed alcohol dependence		2.23 2.14	30.27 15.90	2.98 2.90	19.03 12.34	3.21 3.21	27.82 17.37	4.45 3.97	24.19 13.55	2.93 2.46	32.91 16.31	5.48 5.25	*10.89 —	8.02
Developed alconol dependence	14.73	2.14	15.90	2.90	12.34	3.21	17.37	3.97	13.55	2.40	10.31	5.25	_	_
16 or more years														
Nonabstinent remission to no AUD		2.81 0.56	56.15 *0.22	3.53	60.35 *3.35	4.29	55.18	11.39	54.39 *1.07	3.41	63.06 *2.07	4.69	70.27	14.65
Abstinent remission to no AUD Remained alcohol abuse only		2.58	36.08	0.14 3.45	3.35 22.72	1.68 4.05	*20.85	— 8.91	35.03	0.51 3.27	2.07	1.75 4.28	*29.73	— 14.65
Developed alcohol dependence		1.62	7.56	1.77	13.58	3.39	*23.97	9.83	9.51	1.95	*7.80	2.95	_	—
Currently Employed Full Time														
Yes														
Nonabstinent remission to no AUD		1.84	48.82	2.21	61.15	3.07	53.27	5.18	51.75	2.34	51.11	3.62	*72.00	22.99
Abstinent remission to no AUD		0.73	3.15	0.80	6.39	1.73	*2.86	1.58	4.24	0.97	3.89	1.56	*****	_
Remained alcohol abuse only Developed alcohol dependence		1.72 1.53	33.69 14.34	2.13 1.92	21.37 11.09	2.75 2.22	21.61 22.25	3.74 4.45	31.99 12.03	2.17 1.62	32.03 12.97	3.28 3.12	*28.00	22.99
Developed alcohol dependence	13.33	1.53	14.34	1.92	11.09	2.22	22.25	4.40	12.03	1.02	12.97	3.12	_	_

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fatimete.	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Employed Full Time														
No														
Nonabstinent remission to no AUD	53.91	2.70	49.29	3.31	61.76	3.95	44.22	4.75	50.63	5.11	56.21	5.83	77.30	5.81
Abstinent remission to no AUD	6.36	1.31	5.77	1.74	7.36	2.02	6.78	2.30	10.36	3.41	*2.57	1.25	*3.24	2.43
Remained alcohol abuse only		2.57	28.37	3.36	17.77	3.44	26.04	4.26	22.61	4.50	27.99	5.88	19.45	5.50
Developed alcohol dependence	15.29	2.17	16.58	2.89	13.11	2.83	22.95	4.58	16.40	3.42	13.23	3.96	_	_
Family Annual Income														
\$0 to \$19,999														
Nonabstinent remission to no AUD		3.93	48.17	5.28	60.56	5.33	49.16	5.27	54.87	7.27	48.49	8.61	83.99	9.62
Abstinent remission to no AUD	5.94	1.47	*2.43	0.98	11.22	3.35	*2.84	1.36	8.55	3.25	*10.07	4.88	*2.97	3.02
Remained alcohol abuse only	23.88	3.23	25.76	4.32	21.06	4.86	29.52	4.91	22.53	5.59	*15.17	6.23	*13.04	9.00
Developed alcohol dependence	17.04	3.08	23.63	4.64	*7.16	2.68	18.49	4.84	14.05	4.79	*26.26	8.73	_	_
\$20,000 to \$34,999														
Nonabstinent remission to no AUD	51.82	3.38	47.59	4.13	62.73	4.91	49.60	6.67	52.81	4.84	45.37	6.36	71.36	10.71
Abstinent remission to no AUD		1.50	*4.30	1.60	*8.26	3.56	*5.15	3.18	*6.40	2.32	*4.55	3.02	*0.66	0.68
Remained alcohol abuse only		2.98	33.42	3.88	17.79	3.40	22.88	5.08	26.89	3.86	41.18	6.52	*27.98	10.72
Developed alcohol dependence	13.72	2.37	14.69	3.10	11.22	3.15	22.37	5.40	13.90	3.57	*8.90	3.64	_	_
\$35,000 to \$69,999														
Nonabstinent remission to no AUD	53.40	2.45	49.17	2.95	65.77	4.39	40.65	7.14	52.72	3.22	58.88	5.03	73.00	9.26
Abstinent remission to no AUD		1.29	5.83	1.66	*4.34	1.64	*7.16	3.59	5.74	1.83	*3.40	1.94	*6.65	6.39
Remained alcohol abuse only		2.37	30.43	2.84	14.36	3.24	19.64	6.07	27.32	3.09	28.56	4.25	*20.35	8.05
Developed alcohol dependence		2.00	14.57	2.36	15.54	3.61	32.56	7.66	14.21	2.39	9.16	2.70	_	_
\$70,000 or more														
Nonabstinent remission to no AUD	51.27	3.30	50.01	3.85	55.03	5.19	60.50	8.99	47.74	4.37	51.46	5.52	*87.69	11.50
Abstinent remission to no AUD		0.97	*1.29	0.75	*4.61	3.15	*4.80	3.66	*2.12	1.07	*1.49	1.33	_	_
Remained alcohol abuse only		2.89	37.17	3.58	28.85	5.13	*18.03	7.07	41.16	4.09	32.05	5.05	*12.31	11.50
Developed alcohol dependence		2.18	11.53	2.58	11.51	4.09	*16.67	7.74	8.97	2.13	15.00	4.74	_	_
Born in the United States														
Yes														
Nonabstinent remission to no AUD	51.62	1.55	48.05	1.81	60.33	2.46	47.57	3.41	51.04	2.16	51.26	2.97	76.18	5.79
Abstinent remission to no AUD		0.68	3.74	0.78	7.02	1.47	4.90	1.43	5.17	1.03	3.76	1.26	*3.13	2.34
Remained alcohol abuse only		1.43	34.09	1.81	20.34	2.11	24.70	2.89	31.93	2.04	32.08	2.75	20.69	5.52
Developed alcohol dependence		1.22	14.12	1.57	12.31	1.81	22.83	3.16	11.86	1.43	12.89	2.52	_	_
No														
Nonabstinent remission to no AUD	63.13	6.93	58.74	8.32	86.08	8.43	*72.59	13.68	57.42	9.18	71.82	15.07	*100.00	0.00
Abstinent remission to no AUD		2.17	*4.25	2.59	_	_	*2.14	2.21	*5.03	3.30		_	_	_
Remained alcohol abuse only		3.48	13.82	4.08	*13.92	8.43	*6.89	5.23	16.04	4.38	*12.81	9.91	_	_
Developed alcohol dependence		5.54	23.19	6.46	_	_	*18.38	12.24	21.51	7.50	*15.37	10.78	_	_
11 														

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	p at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Mal	е	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Family Structure Before Age 18														
Both biological/adoptive parents in the household													di.	
Nonabstinent remission to no AUD		3.45	49.13	4.10	55.40	5.36	50.60	6.62	50.64	4.46	50.05	7.46	*70.50	14.73
Abstinent remission to no AUD		1.62	*4.11	1.70	9.96	3.67	*1.23	0.88	8.57	2.85	*5.48	2.39	. —	_
Remained alcohol abuse only		2.62	27.17	3.23	23.51	4.08	20.97	4.99	28.73	3.67	24.42	5.28	*29.50	14.73
Developed alcohol dependence	16.95	2.74	19.59	3.60	11.14	3.52	27.21	6.66	12.05	2.72	*20.05	7.37	_	_
Only biological mother ever in the household (father never present)														
Nonabstinent remission to no AUD	52.95	1.85	48.93	2.22	63.92	3.26	49.50	4.64	51.11	2.66	53.34	3.34	79.75	6.26
Abstinent remission to no AUD		0.83	3.64	0.92	5.61	1.61	*4.71	1.77	4.51	1.12	*3.35	1.49	*3.08	2.80
Remained alcohol abuse only		1.85	34.14	2.26	18.31	2.81	26.06	3.92	31.36	2.60	31.72	3.27	*17.17	5.87
Developed alcohol dependence		1.44	13.28	1.81	12.17	2.30	19.73	4.35	13.02	1.89	11.59	2.10		_
Biological/adoptive parents divorced or no longer living together														
Nonabstinent remission to no AUD	51.54	4.95	46.73	6.07	62.40	7.40	40.73	9.18	55.39	6.45	50.89	11.32	*100.00	0.00
Abstinent remission to no AUD		1.85	*4.36	2.48	*5.25	2.57	*12.97	6.22	*2.01	1.23	30.03	11.52	100.00	0.00
Remained alcohol abuse only		4.39	31.98	5.62	23.14	6.66	*20.80	7.11	31.42	6.04	39.82	11.18	_	_
Developed alcohol dependence		3.31	16.93	4.27	*9.21	4.55	*25.50	7.97	11.19	3.48	*9.29	6.09	_	_
Raised by relatives, by foster parents, or in an institution														
Nonabstinent remission to no AUD	*57.81	18.00	*67.85	18.51	*23.43	21.59	*83.72	17.34	*77.57	22.59	*31.33	30.43		
Abstinent remission to no AUD		3.57	07.00	-	*16.12	16.09	05.72	-	- T		51.55		*21.56	11.99
Remained alcohol abuse only	*27.98	14.08	*32.15	18.51	*13.71	14.01	*16.28	17.34	_		*68.67	30.43	*78.44	11.99
Developed alcohol dependence	*10.57	10.23	- 32.13 	-	*46.74	28.94	-	— —	*22.43	22.59	-		-	-
Before Age 18, Family Received Government Assistance														
Yes														
Nonabstinent remission to no AUD	41.67	4.06	38.61	5.44	47.70	6.24	33.71	7.18	49.42	5.83	26.43	7.48	*66.46	19.82
Abstinent remission to no AUD		2.23	*5.22	2.47	*10.77	4.50	*10.48	5.11	*6.66	3.22	*5.28	3.18	_	_
Remained alcohol abuse only		3.48	28.96	4.70	21.97	4.92	*20.19	6.47	26.79	4.79	32.35	7.94	*33.54	19.82
Developed alcohol dependence		3.97	27.21	5.45	19.56	4.52	35.61	9.42	17.13	3.67	35.93	10.76	_	_
No														
Nonabstinent remission to no AUD	54.20	1.64	50.48	1.91	64.15	2.63	51.98	3.74	51.96	2.27	56.04	3.01	77.62	6.10
Abstinent remission to no AUD		0.70	3.56	0.78	5.92	1.43	3.59	1.31	4.90	1.04	3.31	1.29	*3.22	2.41
Remained alcohol abuse only		1.49	32.94	1.88	19.69	2.28	24.47	3.14	31.23	2.12	30.79	2.80	19.15	5.87
Developed alcohol dependence		1.13	13.02	1.43	10.24	1.84	19.95	3.11	11.92	1.56	9.86	1.76	_	_
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes							*						*	
Nonabstinent remission to no AUD	ata .	6.04	38.39	6.69	66.41	11.52	*23.85	10.97	49.18	8.67	38.12	10.16	*93.64	7.35
Abstinent remission to no AUD		2.65	*6.71	3.07	*3.76	3.74	*21.43	11.50			*8.97	5.60	*6.36	7.35
Remained alcohol abuse only		5.46	29.13	6.27	*11.41	7.92	*8.61	5.79	26.97	7.68	*36.36	11.20	_	_
Developed alcohol dependence	24.64	4.81	25.76	5.52	*18.43	9.44	*46.11	13.62	23.85	6.43	[*] 16.54	6.96	_	_

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Ever in Jail or Juvenile Detention Center														
No														
Nonabstinent remission to no AUD		1.58	49.93	1.88	61.16	2.54	50.59	3.48	51.76	2.14	53.94	3.20	76.39	5.82
Abstinent remission to no AUD		0.67	3.50	0.76	6.86	1.46	3.63	1.23	5.55	1.04	2.98	1.08	*2.91	2.33
Remained alcohol abuse only		1.51	32.73	1.87	20.44	2.18	24.77	2.93	30.84	2.03	30.42	2.73	20.70	5.54
Developed alcohol dependence	13.17	1.31	13.84	1.71	11.54	1.77	21.01	3.16	11.84	1.55	12.66	2.60	_	_
Before Age 18, Physically Abused by Parent/Caretaker														
Yes														
Nonabstinent remission to no AUD		6.71	32.21	8.93	73.63	8.29	*62.19	15.79	47.56	8.77	50.24	13.69	*42.26	34.51
Abstinent remission to no AUD		5.18	*19.94	8.89	[*] 6.53	4.89	[*] 11.80	11.11	[*] 20.61	8.15		_		_
Remained alcohol abuse only		5.22	23.89	8.40	*12.05	6.36	*10.34	8.14	*17.53	7.01	*23.51	11.29	*57.74	34.51
Developed alcohol dependence	16.73	4.78	23.96	7.51	*7.78	4.60	*15.66	10.08	*14.31	5.71	*26.25	13.55	_	_
No														
Nonabstinent remission to no AUD	52.51	1.58	49.53	1.86	60.43	2.55	48.27	3.56	51.78	2.16	52.53	3.02	77.95	5.77
Abstinent remission to no AUD		0.64	3.20	0.70	6.75	1.46	4.42	1.32	4.39	0.92	3.70	1.23	*3.11	2.33
Remained alcohol abuse only	29.43	1.49	32.72	1.85	20.69	2.18	24.39	2.92	31.22	2.04	31.30	2.79	18.94	5.46
Developed alcohol dependence	13.89	1.25	14.55	1.62	12.12	1.87	22.92	3.31	12.61	1.50	12.47	2.26	_	_
Before Age 18, Seriously Neglected by Parent/Caretaker														
Yes														
Nonabstinent remission to no AUD		9.32	44.36	13.09	77.09	9.65	*43.42	14.71	60.08	11.65	*62.00	15.66	_	_
Abstinent remission to no AUD		5.07	*8.51	5.95	*17.33	8.94	*12.69	11.84	*15.50	7.89	_	_	*26.98	27.86
Remained alcohol abuse only		5.29	*23.67	7.75	*2.87	2.88	*22.71	12.61	*10.25	6.45	*19.49	11.53	*73.02	27.86
Developed alcohol dependence	16.20	6.02	23.46	8.77	*2.71	2.73	*21.18	13.97	*14.17	7.20	*18.51	12.19	_	_
No														
Nonabstinent remission to no AUD	52.29	1.55	49.10	1.80	60.54	2.50	49.15	3.44	51.22	2.11	52.03	3.03	78.69	5.68
Abstinent remission to no AUD		0.67	3.60	0.75	6.18	1.41	4.40	1.31	4.72	0.97	3.70	1.24	*2.48	2.26
Remained alcohol abuse only		1.46	32.75	1.85	20.98	2.19	23.80	2.86	31.44	2.02	31.46	2.76	18.83	5.42
Developed alcohol dependence	13.92	1.25	14.55	1.63	12.29	1.84	22.65	3.23	12.62	1.50	12.81	2.51	_	_
Before Age 18, Saw Serious Fights at Home														
Yes														
Nonabstinent remission to no AUD	47.73	4.62	44.70	6.63	52.63	6.32	35.22	10.08	47.93	6.39	53.10	8.44	*65.71	19.14
Abstinent remission to no AUD		1.92	*3.21	1.83	*9.09	4.27	*5.45	4.63	*7.13	3.14	*2.12	1.54		_
Remained alcohol abuse only		3.59	30.98	5.24	21.58	4.40	*24.40	8.02	27.06	4.98	29.24	8.14	*34.29	19.14
Developed alcohol dependence	19.42	3.38	21.11	4.55	16.70	4.37	*34.94	11.12	17.87	3.93	*15.54	5.18	_	_
No														
Nonabstinent remission to no AUD	53.17	1.60	49.49	1.84	63.34	2.72	50.69	3.74	52.20	2.23	52.33	3.32	78.09	6.09
Abstinent remission to no AUD	4.48	0.72	3.85	0.81	6.21	1.44	4.66	1.41	4.82	1.04	3.78	1.37	*3.33	2.49
Remained alcohol abuse only	29.19	1.58	32.61	1.91	19.74	2.39	23.67	3.10	31.17	2.18	31.26	2.99	18.58	5.75
Developed alcohol dependence	13.16	1.34	14.05	1.73	10.71	1.87	20.98	3.29	11.80	1.59	12.63	2.77	_	_

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Falleria	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
Yes														
Nonabstinent remission to no AUD		3.39	46.33	4.14	56.90	4.61	44.76	8.12	46.97	4.60	57.64	4.83	*49.59	13.22
Abstinent remission to no AUD	6.04	1.45	5.77	1.91	6.58	2.68	*9.23	4.41	7.22	2.39	*3.02	1.76	_	_
Remained alcohol abuse only		2.41	28.23	3.10	20.00	3.72	14.80	4.73	29.99	3.84	19.30	3.91	*50.41	13.22
Developed alcohol dependence	18.62	2.34	19.66	3.03	16.52	3.88	31.20	7.53	15.82	2.74	20.04	4.05	_	_
No														
Nonabstinent remission to no AUD	53.33	1.81	49.75	2.15	63.31	3.01	49.90	4.00	53.19	2.54	50.04	3.66	83.48	5.69
Abstinent remission to no AUD		0.70	3.15	0.78	6.80	1.49	3.68	1.35	4.44	1.03	3.79	1.41	*3.75	2.80
Remained alcohol abuse only	30.14	1.67	33.73	2.04	20.11	2.70	25.89	3.35	30.77	2.29	36.35	3.69	*12.78	5.27
Developed alcohol dependence		1.39	13.37	1.78	9.77	1.94	20.53	3.40	11.60	1.74	9.81	2.76	_	_
Ever Had No Regular Place to Live Lasting 1+ Months														
Yes														
Nonabstinent remission to no AUD	49.67	7.67	41.08	8.80	73.46	11.50	*55.47	26.13	43.08	9.25	69.60	12.57	_	_
Abstinent remission to no AUD	di.	4.33	*8.90	5.67	*3.93	3.94	*29.88	24.74	*6.91	4.94			_	_
Remained alcohol abuse only		6.94	27.74	8.61	*13.97	9.61	*14.65	14.58	*26.78	9.05	*19.06	10.86	_	_
Developed alcohol dependence		5.46	22.28	7.00	*8.64	6.08	_	_	23.23	7.23	*11.34	7.85	_	_
No														
Nonabstinent remission to no AUD	52.53	1.60	49.23	1.90	60.94	2.52	48.78	3.42	52.00	2.20	51.87	3.09	76.95	5.64
Abstinent remission to no AUD		0.67	3.58	0.75	6.84	1.44	4.29	1.29	5.07	1.00	3.66	1.24	*3.03	2.26
Remained alcohol abuse only		1.47	32.60	1.87	20.29	2.14	23.92	2.83	30.76	2.07	31.37	2.79	20.03	5.37
Developed alcohol dependence		1.29	14.59	1.66	11.93	1.82	23.01	3.22	12.16	1.53	13.09	2.48	_	-
Self-Perceived Current Health														
Excellent/Very good														
Nonabstinent remission to no AUD	52.65	1.88	49.13	2.25	61.51	2.97	48.08	4.26	51.94	2.48	54.10	3.90	80.97	7.15
Abstinent remission to no AUD		0.74	3.18	0.83	5.15	1.56	*4.14	1.51	3.80	1.01	*3.80	1.71	-	7.13 —
Remained alcohol abuse only		1.73	33.87	2.20	20.85	2.59	26.35	3.45	32.87	2.22	28.39	3.51	*19.03	7.15
Developed alcohol dependence		1.46	13.83	1.91	12.49	2.39	21.43	3.47	11.38	1.61	13.71	3.73	_	_
Good														
Nonabstinent remission to no AUD	52.67	3.21	50.76	4.02	58.08	4.92	50.08	7.87	52.30	5.09	50.53	5.17	70.31	9.92
Abstinent remission to no AUD		1.26	*3.61	1.32	10.21	2.93	*7.52	3.58	6.17	1.98	*1.71	1.06	*7.99	6.14
Remained alcohol abuse only		2.76	28.83	3.36	20.77	4.46	18.62	5.26	25.67	4.50	35.05	4.93	*21.71	8.67
Developed alcohol dependence		2.35	16.81	2.98	10.95	3.03	23.77	8.30	15.86	3.33	12.71	3.59	_	-
Fair/Poor														
Nonabstinent remission to no AUD	49.92	5.91	41.42	6.84	68.20	8.83	*55.81	16.96	45.41	9.15	48.51	8.32	*78.76	11.29
Abstinent remission to no AUD		3.92	*9.63	6.84 4.77	*10.40	6.92	*1.79	1.86	*16.13	9.15 7.71	*6.21	8.32 4.06	*1.76	1.83
Remained alcohol abuse only		3.92 4.76	30.95	6.22	*12.59	5.43	*8.02	6.12	22.32	7.71	34.79	8.68	*19.48	11.12
Developed alcohol dependence		4.76	18.00	6.32	*8.81	5.43	*34.37	17.39	*16.14	8.32	*10.49	5.13	19.46	11.12
Dovolopou alconol dependence	13.03	4.70	10.00	0.52	0.01	3.11	34.37	17.53	10.14	0.52	10.43	3.13	_	_

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fatimete.	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Covered by Health Insurance														
Yes														
Nonabstinent remission to no AUD	52.81	1.72	49.13	2.01	61.94	2.82	47.28	4.35	51.56	2.21	53.66	3.34	76.73	5.67
Abstinent remission to no AUD	3.40	0.65	2.83	0.76	4.79	1.19	*1.85	0.95	4.09	0.98	2.94	1.24	*3.05	2.28
Remained alcohol abuse only		1.60	34.91	1.99	21.31	2.30	28.53	3.63	32.56	2.20	31.56	3.05	20.22	5.40
Developed alcohol dependence	12.79	1.35	13.12	1.74	11.96	2.02	22.34	3.97	11.79	1.53	11.84	2.71	_	_
No														
Nonabstinent remission to no AUD	50.85	3.74	48.15	4.60	58.71	5.92	52.40	5.92	51.65	5.69	45.25	7.88	*100.00	0.00
Abstinent remission to no AUD		2.02	7.51	2.25	15.75	4.93	*11.00	3.55	9.72	3.20	*7.09	3.94	_	_
Remained alcohol abuse only	20.46	2.66	22.56	3.44	14.38	4.09	13.46	4.24	22.12	4.14	27.62	6.07	_	_
Developed alcohol dependence	19.07	2.88	21.79	3.82	*11.17	3.93	23.13	5.11	16.51	4.28	*20.04	5.92	_	_
Tobacco Use Status														
Current user														
Nonabstinent remission to no AUD	47.28	2.41	43.15	2.86	58.31	3.77	46.71	4.65	47.24	3.21	44.63	5.43	77.01	10.63
Abstinent remission to no AUD		1.15	5.40	1.32	8.92	2.28	*5.07	2.02	7.13	1.71	6.28	2.14		_
Remained alcohol abuse only		1.95	33.37	2.53	19.44	3.04	24.28	3.65	30.61	2.79	32.64	4.39	*22.99	10.63
Developed alcohol dependence	16.79	1.85	18.08	2.36	13.33	2.42	23.93	4.60	15.03	2.13	16.44	4.06	_	_
Ex-user														
Nonabstinent remission to no AUD	61.96	3.50	61.48	3.96	63.81	6.76	*56.86	15.61	54.58	6.54	62.63	5.20	80.72	6.05
Abstinent remission to no AUD		0.68	*1.12	0.84	*1.18	0.78	30.00	-	*0.75	0.75	*0.20	0.20	*5.08	3.98
Remained alcohol abuse only		3.30	30.09	3.99	20.02	5.82	*26.63	13.79	36.10	6.20	25.81	5.04	*14.20	4.90
Developed alcohol dependence		1.99	7.31	2.11	*14.99	5.00	*16.51	12.37	8.57	3.22	11.36	3.37	_	_
Lifetime nonsmoker														
Nonabstinent remission to no AUD	55.49	2.17	51.09	2.85	64.40	3.67	50.90	5.76	56.79	2.87	55.39	5.52	*64.97	14.57
Abstinent remission to no AUD		0.84	2.67	0.98	5.76	1.67	*5.00	2.17	3.76	1.08	*2.26	2.01	*1.17	1.21
Remained alcohol abuse only		2.06	32.21	2.71	20.88	3.30	22.55	4.89	28.77	2.67	33.74	5.50	*33.86	14.57
Developed alcohol dependence		1.87	14.03	2.48	8.96	2.78	21.55	4.58	10.68	2.44	*8.61	3.35	_	_
Drug Use Status														
Comment														
Current user Nonabstinent remission to no AUD	45.44	3.47	42.69	4.30	52.08	5.49	38.76	6.12	50.25	4.94	40.55	8.96	*100.00	0.00
Abstinent remission to no AUD		3.47 1.72	*3.47	2.10	52.08 *8.88	2.98	*3.54	1.91	*6.92	2.89	*0.65	0.66	100.00	0.00
Remained alcohol abuse only		3.27	33.26	3.98	25.23	5.13	29.61	5.87	30.73	4.30	35.25	9.17	_	
Developed alcohol dependence		2.79	20.59	3.67	13.82	3.67	28.09	5.69	12.10	3.22	*23.55	7.80	_	_
Ex-user	E2.06	2.00	E1 20	2 45	E7 71	4.50	E4.04	7.00	E2 15	2.50	E0.0E	E E0	*72.26	17.04
Nonabstinent remission to no AUD		2.80 0.80	51.20 *2.83	3.45 1.03	57.71 *3.10	4.59 1.24	54.94 *6.18	7.80 3.95	53.15 2.89	3.59 1.06	50.95 *1.65	5.53 0.88	12.20	17.81
Remained alcohol abuse only		2.49	32.22	3.21	25.45	4.43	23.88	7.03	2.89 33.13	3.38	26.40	0.88 4.92	*27.74	— 17.81
Developed alcohol dependence		1.91	13.75	2.43	13.73	2.98	*14.99	5.60	10.83	1.83	21.00	5.18	27.74	
= 1700p00 0.00101 00p011001100 1			.5., 6	0				0.00	. 0.00		00	5.10		

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Drug Use Status														
Lifetime nondrug user														
Nonabstinent remission to no AUD		2.24	49.90	2.69	67.93	3.61	53.76	5.65	50.85	3.25	55.63	4.03	77.35	5.63
Abstinent remission to no AUD		1.04 2.05	4.53 32.22	1.14 2.58	8.34 14.11	2.30 2.44	*5.03 19.39	2.07 4.32	6.30 28.27	1.67 3.07	5.31 33.11	1.96 3.72	*3.38 19.27	2.52 5.25
Developed alcohol dependence	12.33	1.71	13.36	2.15	9.61	2.49	21.82	4.83	14.58	2.67	5.95	1.67	-	— —
Any Major Depressive Disorder in the Past Year														
Yes														
Nonabstinent remission to no AUD		5.72	54.44	7.65	66.12	7.63	54.34	10.35	59.68	7.81	67.49	12.94	*100.00	0.00
Abstinent remission to no AUD	7.49	2.80	*6.50	4.24	*8.44	3.38	*4.42	3.59	*8.33	3.40	*9.81	9.66	_	_
Remained alcohol abuse only	17.28	4.23	25.06	6.89	*9.79	5.29	*16.35	8.60	21.87	6.99	*8.08	4.29	_	_
Developed alcohol dependence	14.84	3.70	*14.00	5.39	*15.65	5.10	*24.89	9.02	*10.12	4.19	*14.62	8.11	_	_
No														
Nonabstinent remission to no AUD	51.83	1.63	48.65	1.88	60.68	2.76	48.29	3.63	51.00	2.23	51.45	3.07	76.47	5.74
Abstinent remission to no AUD		0.68	3.64	0.75	6.49	1.55	4.79	1.46	4.93	1.02	3.14	1.13	*3.09	2.31
Remained alcohol abuse only	29.83	1.50	32.79	1.84	21.58	2.31	24.59	2.98	31.20	2.05	32.48	2.88	20.44	5.46
Developed alcohol dependence	13.95	1.32	14.92	1.66	11.26	1.98	22.33	3.40	12.87	1.56	12.93	2.54	_	_
Any Major Depressive Disorder in Life														
Yes														
Nonabstinent remission to no AUD		3.65	46.52	5.15	60.16	5.05	51.20	8.20	51.42	5.05	56.24	7.76	*100.00	0.00
Abstinent remission to no AUD	7.29	2.14	*4.41	2.43	9.94	3.45	*6.09	3.89	10.05	3.46	*3.40	3.22	_	_
Remained alcohol abuse only		2.93	33.21	5.12	15.98	3.52	*18.83	6.91	25.40	4.60	27.50	5.74	_	_
Developed alcohol dependence	14.85	2.60	15.85	4.32	13.92	3.05	23.88	6.95	13.13	3.78	12.87	4.46	_	_
No														
Nonabstinent remission to no AUD		1.72	49.21	1.96	61.85	2.94	48.47	3.91	51.61	2.35	51.61	3.27	75.34	6.11
Abstinent remission to no AUD		0.66	3.71	0.78	5.47	1.25	4.50	1.49	4.31	1.00	3.58	1.28	*3.24	2.42
Remained alcohol abuse only		1.58	32.33	1.92	21.70	2.53	24.68	3.13	31.47	2.16	31.74	3.02	21.43	5.82
Developed alcohol dependence	13.86	1.37	14.76	1.67	10.98	2.14	22.35	3.58	12.61	1.63	13.07	2.54	_	_
Age Started Drinking														
14 years or younger														
Nonabstinent remission to no AUD		4.90	39.07	5.57	71.66	8.32	46.64	9.40	50.71	6.30	*31.98	11.13	*49.64	23.39
Abstinent remission to no AUD	11.20	3.48	*10.74	3.97	*12.62	7.69	[*] 5.76	4.47	*14.01	5.05	[*] 9.00	7.18		_
Remained alcohol abuse only		3.74	29.21	4.75	*5.71	2.78	*16.16	6.44	25.82	5.16	[*] 20.57	9.55	*50.36	23.39
Developed alcohol dependence	18.32	3.63	20.98	4.59	*10.01	4.23	31.45	9.15	9.46	2.87	*38.45	14.53	_	_
15 to 17 years														
Nonabstinent remission to no AUD		2.61	46.99	3.14	55.79	4.27	45.71	4.78	47.98	3.51	53.20	5.24	87.26	8.59
Abstinent remission to no AUD		0.97	3.39	1.10	5.56	2.19	*6.21	2.08	3.24	1.29	*3.50	1.92	*0.91	0.93
Remained alcohol abuse only		2.36	34.24	2.84	26.96	4.15	24.23	3.75	36.19	3.37	34.29	4.77	*11.83	8.54
Developed alcohol dependence	14.41	1.83	15.38	2.21	11.68	2.51	23.85	4.72	12.59	2.09	9.01	2.74	_	_

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fatherite	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45-64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Age Started Drinking														
18 to 20 years														
Nonabstinent remission to no AUD		2.53	54.23	3.13	63.11	3.87	56.60	6.03	56.11	3.50	53.18	4.60	77.33	8.21
Abstinent remission to no AUD		0.85	2.53	0.97	6.14	1.74	*1.86	1.04	3.71	1.12	*3.57	1.86	*5.38	5.21
Remained alcohol abuse only		2.30	30.11	2.87	20.12	3.31	24.78	5.31	28.04	3.25	30.04	4.31	*17.29	7.06
Developed alcohol dependence	12.47	1.95	13.13	2.50	10.62	2.41	16.77	4.35	12.14	2.68	13.21	3.38	_	_
21 years or older														
Nonabstinent remission to no AUD	55.77	4.28	49.37	5.71	64.54	6.97	*44.91	21.55	52.84	6.27	56.14	6.70	71.37	13.95
Abstinent remission to no AUD		1.64	*2.19	1.08	*7.42	3.55		_	*7.48	3.29	*2.00	1.27	*2.08	2.13
Remained alcohol abuse only		3.43	36.73	5.15	12.96	3.97	*37.86	21.54	21.21	4.47	31.73	5.81	*26.55	13.91
Developed alcohol dependence		3.17	11.71	3.98	15.08	5.25	*17.23	12.58	18.47	5.69	*10.14	4.10	_	_
Family History of Alcoholism														
None														
Nonabstinent remission to no AUD	53.63	2.67	50.33	3.14	66.60	4.98	48.06	6.08	54.49	3.88	50.60	5.26	79.26	8.09
Abstinent remission to no AUD		0.87	*2.20	0.86	*7.31	2.71	*4.15	2.49	*2.87	1.12	*3.68	1.97	*1.55	1.51
Remained alcohol abuse only		2.23	33.95	2.79	12.99	3.34	25.13	5.35	30.60	3.32	33.10	4.78	*19.20	7.63
Developed alcohol dependence		1.91	13.53	2.20	13.09	3.26	22.67	5.65	12.04	2.61	12.62	3.32	_	_
2nd-degree relatives only														
Nonabstinent remission to no AUD	52.47	3.04	47.77	3.80	64.50	4.54	51.12	5.72	53.17	4.27	49.23	8.25	*74.29	17.31
Abstinent remission to no AUD		1.14	4.29	1.42	*3.38	1.48	*2.48	1.51	*4.33	1.61	*3.67	1.83	*18.84	16.65
Remained alcohol abuse only		2.82	33.05	3.44	22.81	4.40	24.75	5.51	32.54	3.88	34.53	7.32	*6.87	6.94
Developed alcohol dependence		2.43	14.88	3.17	9.31	2.79	21.65	5.16	9.96	2.88	*12.56	7.87	_	-
1st-degree relatives only														
Nonabstinent remission to no AUD	50.11	4.09	47.21	5.05	56.89	6.97	*48.20	13.02	46.40	5.80	49.54	7.37	72.92	9.74
Abstinent remission to no AUD		2.27	*5.10	2.92	*7.20	3.47	*1.92	1.95	9.81	4.24	*2.16	2.15		
Remained alcohol abuse only		3.61	29.50	4.23	31.21	6.45	*29.39	10.39	30.30	5.32	30.80	6.48	*27.08	9.74
Developed alcohol dependence		3.23	18.19	4.35	*4.69	3.25	*20.49	10.96	13.49	4.17	*17.50	6.94	_	_
Both 1st- and 2nd-degree relatives	F4.00	0.00	40.00	0.70	F7 40	4.00	40.00	7.40	40.00	4.04	F7.00	4.00	70.40	40.00
Nonabstinent remission to no AUD		2.98	48.80	3.70	57.40	4.36	46.69	7.13	48.93	4.04	57.38	4.99	79.19	10.93
Abstinent remission to no AUD		1.54	5.03	1.87	8.43	2.87	*10.58	4.32	6.66	2.25	*3.96	2.20	*0.91	0.95
Remained alcohol abuse only		2.52	30.87	3.30	19.03	3.56	17.87	4.94	28.91	3.54	26.94	4.64	*19.90	10.88
Developed alcohol dependence	15.24	1.99	15.30	2.82	15.14	3.46	24.86	6.67	15.50	2.60	11.71	2.80	_	_
Any Parent Alcoholic														
Yes														
Nonabstinent remission to no AUD		2.89	46.55	3.57	55.48	3.96	43.62	6.74	47.55	3.64	57.41	5.06	59.08	12.20
Abstinent remission to no AUD		1.37	4.15	1.52	8.78	2.97	*9.62	3.63	5.87	1.80	*3.83	2.49	. —	_
Remained alcohol abuse only		2.28	28.86	3.06	22.88	3.52	21.90	4.90	29.32	3.27	21.27	4.26	*40.92	12.20
Developed alcohol dependence	17.80	1.99	20.44	3.08	12.86	2.95	24.86	5.56	17.26	2.52	17.49	4.03	_	_

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Parent Alcoholic														
No														
Nonabstinent remission to no AUD		1.82	49.77	2.18	64.60	3.14	50.73	4.08	53.31	2.56	50.52	3.72	83.94	5.53
Abstinent remission to no AUD		0.72	3.65	0.87	5.62	1.40	*3.07	1.30	4.85	1.16	3.44	1.21	*4.21	3.15
Remained alcohol abuse only Developed alcohol dependence		1.65 1.43	33.67 12.92	2.05 1.77	18.54 11.24	2.81 2.08	24.39 21.81	3.55 3.70	31.11 10.72	2.31 1.79	34.71 11.32	3.53 2.80	*11.85 —	4.56 —
Married to Alcoholic/Lived with Alcoholic as if Married														
Yes Nonabstinent remission to no AUD	56.47	4.03	50.56	7.19	60.42	5.18	*56.07	17.61	53.00	5.73	59.92	6.71	*73.61	14.02
Abstinent remission to no AUD		2.89	*8.66	4.53	12.45	3.96	*3.77	3.88	15.79	4.54	*4.90	3.23	75.01	
Remained alcohol abuse only		3.08	27.40	5.39	18.25	4.05	*20.32	14.22	19.23	4.43	26.13	5.73	*26.39	14.02
Developed alcohol dependence	10.68	2.87	13.38	4.80	8.88	2.97	*19.84	13.18	11.97	3.81	*9.06	3.66	_	_
No														
Nonabstinent remission to no AUD	51.89	1.63	48.82	1.88	61.69	2.70	48.73	3.48	51.37	2.30	50.96	3.30	77.47	5.76
Abstinent remission to no AUD		0.61	3.43	0.73	4.82	1.07	4.78	1.39	3.60	0.88	3.28	1.16	*3.50	2.61
Remained alcohol abuse only		1.51	32.77	1.89	20.69	2.30	23.84	2.86	32.23	2.12	31.94	3.09	19.02	5.36
Developed alcohol dependence	14.46	1.33	14.98	1.62	12.80	2.05	22.66	3.21	12.79	1.60	13.82	2.89	_	_
Any Alcohol Treatment in the Past Year														
Yes														
Nonabstinent remission to no AUD		8.09	56.56	8.87	[*] 31.08	12.91	[*] 45.93	15.35	[*] 53.08	11.97	*39.15	14.21	*100.00	0.00
Abstinent remission to no AUD		5.86	*9.12	5.19	*29.53	14.12	*10.92	8.44	*27.57	11.86	*	. —	_	_
Remained alcohol abuse only		6.04	*8.90	5.66	*29.31	14.25	*26.06	13.38	*3.25	3.25	*18.25	12.10	_	_
Developed alcohol dependence	21.17	6.18	25.42	7.91	*10.08	6.49	*17.09	10.15	*16.10	8.55	*42.60	16.04	_	_
No														
Nonabstinent remission to no AUD		1.57	48.67	1.86	62.38	2.51	49.11	3.46	51.54	2.14	52.82	3.06	76.26	5.76
Abstinent remission to no AUD		0.66 1.46	3.60 33.22	0.75 1.83	5.98 19.77	1.35 2.16	4.32 23.59	1.33 2.89	4.61 31.24	0.98 2.00	3.65 31.35	1.23 2.79	*3.12 20.62	2.33 5.49
Developed alcohol dependence		1.46	14.51	1.64	11.87	1.81	22.98	3.31	12.60	1.47	12.18	2.79		5.49 —
Any Alcohol Treatment in Life														
Yes														
Nonabstinent remission to no AUD	54.56	5.07	58.14	5.47	41.15	9.65	56.22	11.13	58.98	7.02	41.65	8.05	*96.41	3.91
Abstinent remission to no AUD		2.54	*5.89	2.58	*12.97	7.04	*7.00	5.46	*10.60	4.50	*2.24	1.76	*3.59	3.91
Remained alcohol abuse only		4.04	18.80	4.29	*33.29	9.60	*23.73	8.57	16.31	5.55	32.48	7.88	_	_
Developed alcohol dependence		2.99	17.17	3.58	*12.58	4.83	*13.05	6.77	14.10	3.70	23.63	7.14	_	_
No														
Nonabstinent remission to no AUD	52.20	1.60	47.82	1.93	62.97	2.51	48.06	3.47	50.83	2.23	53.86	3.17	75.76	5.86
Abstinent remission to no AUD	4.31	0.67	3.52	0.77	6.24	1.40	4.50	1.38	4.61	1.00	3.72	1.24	*2.99	2.39
Remained alcohol abuse only		1.50	34.07	1.93	19.03	2.07	23.75	2.94	32.01	2.10	30.79	2.95	21.25	5.58
Developed alcohol dependence	13.77	1.32	14.59	1.74	11.75	1.88	23.69	3.42	12.55	1.56	11.63	2.40	_	_

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Conduct Disorder Yes Nonabstinent remission to no AUD Abstinent remission to no AUD Remained alcohol abuse only Developed alcohol dependence No Nonabstinent remission to no AUD Abstinent remission to no AUD Solution AUD Abstinent remission to no AUD	53.09 *7.11 32.44 *7.36	14.19 6.32 12.30 6.55	Estimate *44.39	S.E.	Fem Estimate	s.E.	18–24 Estimate	years S.E.	25–44 Estimate	years S.E.	45–64 Estimate	years S.E.	65 years a	
Conduct Disorder Yes Nonabstinent remission to no AUD Abstinent remission to no AUD Remained alcohol abuse only Developed alcohol dependence No Nonabstinent remission to no AUD Abstinent remission to no AUD Solution AUD Abstinent remission to no AUD	53.09 *7.11 32.44 *7.36	14.19 6.32 12.30			Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	`
Yes Nonabstinent remission to no AUD	*7.11 32.44 *7.36	6.32 12.30	*44.39 —											S.E.
Nonabstinent remission to no AUD	*7.11 32.44 *7.36	6.32 12.30	*44.39											
Abstinent remission to no AUD	*7.11 32.44 *7.36	6.32 12.30	*44.39 —											
Remained alcohol abuse only	32.44 *7.36	12.30	_	15.44	*72.82	21.01	*51.22	22.48	*42.28	19.45	*74.37	23.38	_	_
No Nonabstinent remission to no AUD Abstinent remission to no AUD ** ** ** ** ** ** ** ** **	*7.36			_	*23.22	20.64	*22.88	19.74	. —	_	. —	_	_	_
No Nonabstinent remission to no AUD		6.55	*44.99	15.24	*3.96	4.29	*25.90	19.46	*40.95	18.69	*25.63	23.38	_	_
Nonabstinent remission to no AUD	E2 42		*10.61	9.98	_	_	_	_	*16.78	15.15	_	_	_	_
Abstinent remission to no AUD	E2 42													
	JZ.4Z	1.59	48.99	1.88	61.20	2.50	48.85	3.44	51.68	2.15	52.12	3.02	76.95	5.64
	4.58	0.64	3.83	0.75	6.50	1.31	4.34	1.34	5.22	0.98	3.60	1.21	*3.03	2.26
Remained alcohol abuse only 2	28.90	1.42	32.26	1.78	20.31	2.14	23.70	2.77	30.46	1.98	31.06	2.72	20.03	5.37
Developed alcohol dependence	14.10	1.25	14.93	1.62	11.99	1.79	23.11	3.23	12.64	1.48	13.22	2.46	_	_
Paranoid Personality Disorder — Lifetime														
Yes														
·	51.53	6.43	50.40	10.02	53.24	8.96	49.24	10.51	50.17	11.59	57.56	13.49	*100.00	0.00
Abstinent remission to no AUD*	*9.89	3.87	*3.79	3.49	*19.18	8.28	*4.88	3.69	*17.10	8.07	57.50 —	10.40	100.00	0.00
	18.32	4.62	22.18	6.89	*12.44	6.03	*16.41	7.20	*16.90	7.32	*26.62	12.16	_	_
	20.26	5.49	23.62	7.85	*15.13	6.57	*29.47	9.82	*15.83	7.57	*15.82	10.78	_	_
No														
	52.49	1.60	48.86	1.81	62.09	2.60	48.86	3.65	51.66	2.17	52.20	3.13	76.72	5.69
	4.28	0.67	3.78	0.77	5.63	1.30	4.74	1.47	4.50	0.95	3.71	1.25	*3.05	2.29
	29.60	1.48	32.94	1.84	20.76	2.22	24.62	2.99	31.33	2.05	31.18	2.81	20.22	5.41
	13.63	1.20	14.42	1.55	11.52	1.87	21.78	3.38	12.51	1.49	12.91	2.52	_	_
Schizoid Personality Disorder — Lifetime														
Yes														
	39.07	8.80	27.47	8.64	58.79	13.79	*38.94	17.75	40.36	10.00	*34.27	15.70	*100.00	0.00
	*9.81	5.36	*13.32	7.70	*3.83	3.84	30.94		*18.61	10.00	54.27	15.70	100.00	0.00
	31.76	7.87	*37.87	9.75	*21.38	11.55	*28.37	15.56	*35.11	11.30	*28.70	18.21	_	_
	19.37	6.28	*21.34	8.37	*16.00	9.20	*32.69	15.84	*5.92	4.14	*37.04	16.07	_	_
No														
	52.80	1.57	49.44	1.86	61.46	2.50	49.24	3.52	51.88	2.18	52.94	3.07	76.83	5.66
	4.47	0.66	3.55	0.73	6.84	1.45	4.91	1.40	4.80	0.96	3.65	1.23	*3.04	2.28
	28.87	1.45	32.29	1.82	20.03	2.13	23.60	2.82	30.45	2.03	31.05	2.80	20.13	5.39
	13.87	1.26	14.72	1.63	11.66	1.82	22.25	3.26	12.87	1.50	12.36	2.49	_	_
Schizotypal Personality Disorder — Lifetime ²														
Yes														
	36.36	5.97	32.62	7.37	44.22	10.06	*31.28	14.02	44.07	8.66	*27.99	10.23	*100.00	0.00
	*3.72	2.12	*1.14	1.14	*9.15	6.00	*1.21	1.25	*7.64	4.57				
	36.30	6.43	38.99	8.03	*30.63	10.47	*28.76	12.37	*35.35	9.56	*44.31	12.70	_	_
	23.62	5.47	27.25	7.42	*16.00	6.70	*38.75	15.06	*12.94	4.62	*27.70	11.54	_	_

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	p at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Mal	е	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Schizotypal Personality Disorder — Lifetime ²														
No														
Nonabstinent remission to no AUD		1.59	49.64	1.89	62.29	2.53	50.01	3.54	51.87	2.18	53.92	3.11	76.83	5.66
Abstinent remission to no AUD Remained alcohol abuse only		0.69 1.43	3.89 32.13	0.77 1.81	6.61 19.51	1.44 2.06	4.98 23.44	1.44 2.89	5.06 30.39	1.01 2.01	3.76 30.18	1.27 2.80	*3.04 20.13	2.28 5.39
Developed alcohol dependence		1.43	14.33	1.65	11.59	1.85	21.58	3.22	12.68	1.50	12.14	2.51	20.13 —	- -
Antisocial Personality Disorder — Lifetime ²														
Yes														
Nonabstinent remission to no AUD		5.53	51.62	6.22	49.57	11.06	34.06	10.26	56.42	7.45	55.93	11.73	*100.00	0.00
Abstinent remission to no AUD		2.84	*6.42	2.97	[*] 16.60	8.14	*12.14	6.96	*7.76	3.71	[*] 2.33	2.34	_	_
Remained alcohol abuse only		4.36	22.00	4.72	*24.20	10.17	*20.48	7.84	23.60	6.26	*21.51	9.59	_	_
Developed alcohol dependence	18.40	3.98	19.96	4.62	*9.64	5.44	*33.32	10.07	12.22	3.41	*20.23	9.60	_	_
No														
Nonabstinent remission to no AUD		1.59	48.64	1.88	61.92	2.53	50.74	3.61	51.08	2.27	52.24	3.05	76.57	5.72
Abstinent remission to no AUD Remained alcohol abuse only		0.69 1.47	3.49 33.55	0.78 1.87	6.28 19.89	1.44 2.16	3.84 24.16	1.30 2.96	4.89 31.29	1.02 2.12	3.61 31.50	1.25 2.82	*3.07 20.36	2.30 5.44
Developed alcohol dependence		1.30	14.32	1.69	11.92	1.83	21.27	3.32	12.74	1.62	12.64	2.52		
Borderline Personality Disorder — Lifetime ²														
Yes														
Nonabstinent remission to no AUD	37.04	5.08	31.50	6.20	45.68	8.34	30.25	9.19	41.48	7.06	32.66	10.48	_	_
Abstinent remission to no AUD		1.51	*1.28	0.94	*6.04	3.51	*0.94	0.95	*5.12	2.61	_	_	_	_
Remained alcohol abuse only		5.04	33.25	6.63	*20.44	6.87	*32.34	9.59	25.57	6.82	*30.88	10.85	_	_
Developed alcohol dependence	31.57	4.77	33.97	6.28	27.84	7.09	36.48	9.28	27.83	6.57	*36.46	11.16	_	_
No														
Nonabstinent remission to no AUD		1.58	50.02	1.87	63.04	2.63	50.90	3.67	52.38	2.20	53.52	3.10	76.95	5.64
Abstinent remission to no AUD Remained alcohol abuse only		0.71 1.48	3.93 32.37	0.79 1.84	6.81 20.04	1.50 2.12	5.16 22.83	1.50 3.02	5.16 30.96	1.05 2.05	3.74 30.99	1.26 2.82	*3.03 20.03	2.26 5.37
Developed alcohol dependence		1.46	13.68	1.59	10.11	1.79	21.11	3.45	11.49	1.50	11.75	2.49		-
Histrionic Personality Disorder — Lifetime														
Yes														
Nonabstinent remission to no AUD	46.65	8.56	34.93	10.42	75.19	13.33	*38.40	14.73	43.44	10.62	*74.09	17.52	*100.00	0.00
Abstinent remission to no AUD		5.35	*9.31	6.29	*10.89	10.18	*16.72	10.86	*7.21	6.91		_	_	_
Remained alcohol abuse only		6.78	*25.62	8.55	*12.54	10.24	[*] 13.56	9.28	[*] 31.17	10.77	*16.49	13.08	_	_
Developed alcohol dependence	21.77	7.02	30.14	9.63	*1.38	1.42	*31.32	13.85	*18.18	8.56	*9.42	9.91	_	_
No														
Nonabstinent remission to no AUD		1.56	49.36	1.82	60.93	2.54	49.61	3.47	51.79	2.13	52.04	3.01	76.72	5.69
Abstinent remission to no AUD		0.64 1.46	3.61 32.62	0.74 1.84	6.61 20.32	1.34 2.17	3.95 24.44	1.28 2.88	5.11 30.56	0.98 2.01	3.61 31.25	1.22 2.74	*3.05 20.22	2.29 5.41
Developed alcohol dependence		1.46	14.41	1.60	20.32 12.15	2.17 1.81	24.44	2.88 3.14	12.55	1.49	13.10	2.74	20.22	5.41
7.5.000 \$ \$100.10. \$000.1100 \$1.11111111111					0			J. 1 -1		10				

Table 1-9. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ma	lle	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Narcissistic Personality Disorder — Lifetime ²														
Yes														
Nonabstinent remission to no AUD	. 39.42	5.24	37.94	6.09	44.77	9.26	35.11	9.42	46.24	7.84	23.62	8.42	*82.69	16.11
Abstinent remission to no AUD	. *2.14	0.98	*0.51	0.52	*7.99	4.20	*1.26	1.27	*2.55	1.62	*2.59	2.60	_	_
Remained alcohol abuse only		5.34	36.82	5.96	33.33	8.87	31.50	8.87	36.33	7.00	43.66	11.95	*17.31	16.11
Developed alcohol dependence	. 22.39	4.26	24.74	5.30	*13.91	6.46	32.13	9.29	14.88	5.02	*30.13	10.17	_	_
No														
Nonabstinent remission to no AUD	. 53.64	1.65	50.06	1.98	62.54	2.59	50.88	3.73	52.03	2.25	54.89	3.19	76.61	6.02
Abstinent remission to no AUD		0.72	4.11	0.81	6.65	1.49	5.25	1.50	5.38	1.07	3.63	1.28	*3.21	2.41
Remained alcohol abuse only		1.55	31.97	1.92	19.14	2.22	22.64	2.99	30.09	2.15	29.90	2.90	20.19	5.79
Developed alcohol dependence		1.35	13.86	1.76	11.67	1.86	21.22	3.53	12.51	1.59	11.58	2.51	_	_
Avoidant Personality Disorder — Lifetime														
Yes														
Nonabstinent remission to no AUD	. 58.28	11.84	54.86	17.25	63.11	12.04	*75.84	13.31	56.33	19.46	*22.33	19.54	*100.00	0.00
Abstinent remission to no AUD		_	0 1.00		_		70.01		_	_		_		_
Remained alcohol abuse only		4.83	*4.42	4.47	*13.47	9.42	*11.01	10.44	*5.49	5.56	*10.87	10.84	_	_
Developed alcohol dependence		12.12	*40.72	17.67	*23.42	10.17	*13.15	9.19	*38.18	20.36	*66.80	21.01	_	_
No														
Nonabstinent remission to no AUD	. 52.30	1.57	48.82	1.86	61.31	2.52	47.72	3.53	51.49	2.15	52.92	3.06	76.72	5.69
Abstinent remission to no AUD		0.67	3.85	0.76	6.97	1.45	4.96	1.43	5.26	1.00	3.60	1.21	*3.05	2.29
Remained alcohol abuse only		1.44	32.94	1.81	20.30	2.17	24.31	2.82	31.08	2.02	31.31	2.72	20.22	5.41
Developed alcohol dependence		1.22	14.39	1.57	11.42	1.81	23.01	3.30	12.17	1.40	12.17	2.45	_	_
Dependent Personality Disorder — Lifetime														
Yes														
Nonabstinent remission to no AUD	. *84.39	13.82	*66.50	31.50	*100.00	0.00	*82.03	17.14	*100.00	0.00	_	_	_	_
Abstinent remission to no AUD		15.02	00.50	31.50	100.00	_	02.00		100.00		_	_	_	_
Remained alcohol abuse only		13.82	*33.50	31.50	_	_	*17.97	17.14	_	_	_	_	_	_
Developed alcohol dependence		—	_	_	_	_		_	_	_	_	_	_	_
No														
Nonabstinent remission to no AUD	. 52.33	1.56	48.90	1.83	61.13	2.47	48.39	3.43	51.54	2.13	52.43	3.00	76.95	5.64
Abstinent remission to no AUD		0.66	3.79	0.74	6.78	1.41	46.39	1.38	5.16	0.98	3.55	1.19	*3.03	2.26
Remained alcohol abuse only		1.43	32.42	1.79	20.20	2.13	23.84	2.81	30.59	1.97	30.98	2.71	20.03	5.37
		1.43	14.90	1.79	11.89	1.77	23.04	3.20	12.70	1.46	13.03	2.71	20.03	5.37
Developed alcohol dependence	. 14.06	1.23	14.90	1.60	11.09	1.77	22.94	3.20	12.70	1.40	13.03	2.43	_	_
Obsessive-Compulsive Personality Disorder — Lifetime														
Yes														
Nonabstinent remission to no AUD	. 42.39	5.40	39.04	6.59	52.87	9.00	*39.01	12.24	43.15	7.74	39.49	11.21	*64.89	20.29
Abstinent remission to no AUD		2.70	*4.88	2.59	*11.53	7.86	*6.76	6.52	*7.23	3.93	*5.47	5.44	_	_
Remained alcohol abuse only		4.95	38.39	6.04	*25.25	8.34	*25.37	9.70	38.58	7.00	32.94	8.53	*35.11	20.29

Table 1-9. Percent distribution of past-year DSM-IV alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers with past-year alcohol abuse only, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fatimete.	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.								
Obsessive-Compulsive Personality Disorder — Lifetime														
No Nonabstinent remission to no AUD		1.63	50.09	1.91	62.16	2.59	49.72	3.61	52.59	2.20	53.94	3.23	77.91	6.12
Abstinent remission to no AUD	28.26	0.65 1.52	3.65 31.72	0.78 1.86	6.29 19.59	1.22 2.24	4.59 23.62	1.41 2.96	4.91 29.61	1.00 2.04	3.32 30.76	1.18 2.97	*3.27 18.83	2.44 5.79
Developed alcohol dependence	13.80	1.33	14.54	1.74	11.95	1.81	22.07	3.34	12.88	1.55	11.98	2.68	_	_

SOURCE: NIAAA 2001–2002 and 2004–2005 National Epidemiologic Surveys on Alcohol and Related Conditions.

Current drinker: 1 or more drinks in the past year.
 Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1.

	Dount	sexes		٥	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fallmata	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.								
<u>Total</u>														
Nonabstinent remission to no AUD	18.45	1.45	16.88	1.80	21.78	2.51	20.36	2.39	17.54	2.08	14.23	2.70	*44.28	13.93
Abstinent remission to no AUD		0.75	5.84	1.00	4.50	1.05	5.56	1.34	5.48	0.99	5.18	1.65	_	_
Partial remission ²	39.80	1.71	38.59	2.20	42.39	2.91	42.30	2.77	38.64	2.59	36.49	4.34	*40.27	14.00
Remained alcohol dependent	36.34	1.70	38.69	2.21	31.33	2.46	31.78	2.62	38.34	2.68	44.10	4.51	*15.45	9.49
Race/Ethnicity														
White, Not Hispanic or Latino														
Nonabstinent remission to no AUD	17.34	1.67	15.27	2.01	21.60	3.02	19.55	2.86	15.56	2.35	15.53	3.28	*36.05	17.17
Abstinent remission to no AUD		0.83	5.28	1.15	*2.42	0.90	*3.41	1.37	5.21	1.18	*4.59	1.91	_	_
Partial remission ²		2.13	37.24	2.68	45.92	3.63	41.68	3.24	38.80	3.19	39.46	5.20	*40.73	17.78
Remained alcohol dependent		2.20	42.21	2.83	30.06	3.12	35.35	3.27	40.43	3.30	40.41	5.16	*23.22	14.82
Black, Not Hispanic or Latino														
Nonabstinent remission to no AUD	19.84	3.78	18.76	4.50	21.57	6.58	31.05	8.43	14.77	4.96	*7.54	4.05	*79.16	16.19
Abstinent remission to no AUD		2.19	8.17	3.01	*7.06	2.66	*12.72	4.88	*4.92	2.02	*7.35	4.72	_	_
Partial remission ²		4.40	35.03	5.93	33.96	5.43	35.66	9.36	40.42	6.38	24.05	5.85	*15.55	15.00
Remained alcohol dependent		4.42	38.04	6.19	37.41	6.37	*20.58	7.80	39.89	6.43	61.06	8.27	*5.29	5.64
American Indian/Alaska Native, Not Hispanic or Latino														
Nonabstinent remission to no AUD	*13.51	6.52	*2.91	2.96	*32.60	14.89	*19.47	12.72	*14.20	9.16	_	_	_	_
Abstinent remission to no AUD		4.66		_	*13.31	12.18	*11.83	11.08	_	_	_	_	_	_
Partial remission ²		11.16	*57.13	15.31	*20.14	11.62	*57.40	16.29	*26.72	14.80	*51.38	25.32	_	_
Remained alcohol dependent		11.27	*39.96	15.34	*33.95	15.46	*11.31	8.08	*59.08	16.49	*48.62	25.32	_	_
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino														
Nonabstinent remission to no AUD	*21.71	10.67	*27.39	12.76	_	_	*13.49	8.76	*21.15	18.13	*100.00	0.00	_	_
Abstinent remission to no AUD	*5.07	5.03	l —	_	*24.44	23.64	_	_	*10.26	10.01	_	_	_	_
Partial remission ²	*44.24	14.32	*54.42	16.01	*5.39	6.18	*73.32	19.32	*22.10	14.46	_	_	_	_
Remained alcohol dependent		12.16	*18.19	9.47	*70.17	25.10	*13.19	11.51	*46.48	19.89	_	_	_	_
Hispanic or Latino														
Nonabstinent remission to no AUD	23.63	3.60	23.93	4.80	22.67	5.89	19.59	5.04	28.29	5.25	*16.28	8.30	_	_
Abstinent remission to no AUD	9.23	2.81	9.10	3.36	*9.65	4.33	*11.26	4.82	*7.32	3.42	*12.04	7.01	_	_
Partial remission ²		4.53	40.43	5.93	41.82	6.66	40.16	6.99	41.73	6.15	*27.25	10.77	*100.00	0.00
Remained alcohol dependent	26.38	3.64	26.54	4.49	25.86	6.39	28.99	5.98	22.66	4.54	44.43	11.35	_	_
Marital Status														
Married														
Nonabstinent remission to no AUD	19.81	2.48	20.38	3.24	18.78	3.72	29.76	10.00	20.00	3.12	15.08	4.58	*43.61	23.03
Abstinent remission to no AUD		1.19	4.67	1.54	*4.28	1.91	*5.56	3.97	5.50	1.66	*2.03	1.63	_	_
Partial remission ²		3.23	34.22	4.04	47.95	5.50	*24.48	9.99	37.84	4.23	46.55	6.69	*37.14	22.57
Remained alcohol dependent		2.96	40.72	3.99	28.99	4.86	*40.21	12.04	36.66	3.95	36.34	6.26	*19.25	17.54

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Farinata	0.5	Ма	ıle	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Living with someone as if married														
Nonabstinent remission to no AUD		5.61	27.55	7.13	*18.48	8.28	*25.34	10.28	28.21	7.29	_	_	_	_
Abstinent remission to no AUD		3.27	*8.96	4.42	*1.38	1.38	*12.59	8.52	*4.26	2.90	*4.75	4.94	_	_
Partial remission ²		6.46	27.25	7.01	58.49	10.47	*35.13	11.70	34.71	8.19	*46.43	21.24	_	_
Remained alcohol dependent	32.26	6.14	36.24	7.62	*21.65	8.75	*26.94	9.88	32.82	8.77	*48.82	20.86	_	_
Widowed														
Nonabstinent remission to no AUD	*16.06	7.42	*21.94	12.18	*9.72	9.30	l _	_	_	_	*12.53	9.26	*43.84	21.63
Abstinent remission to no AUD		0.69		_	*1.39	1.45	_	_	_	_	*1.25	1.34	_	
Partial remission ²	38.67	12.67	*33.75	18.32	*43.98	16.53	_	_	*35.54	27.19	*38.72	18.39	*42.25	22.41
Remained alcohol dependent	*44.60	14.45	*44.32	23.22	*44.91	16.66	-	_	*64.46	27.19	*47.50	21.20	*13.91	13.31
Divorced														
Nonabstinent remission to no AUD	16.56	3.17	15.71	4.35	18.04	5.34	*62.65	24.04	12.28	3.57	19.24	5.33	*40.41	29.00
Abstinent remission to no AUD		2.25	*8.25	3.29	*3.95	2.27	- 02.03	24.04 —	*3.97	2.32	*11.76	4.78	40.41	29.00
Partial remission ²	28.30	4.64	24.03	5.47	35.72	7.08	*37.35	24.04	29.91	5.87	24.25	7.96	*49.23	28.40
Remained alcohol dependent		5.11	52.01	6.86	42.30	7.06	37.35	24.04 —	53.84	6.47	24.25 44.74	7.96	*10.36	10.94
Consisted														
Separated	*17.29	F 70	*40.74	7.54	*44.74	0.00	* 47 40	00.04	*11.87	F 00	*8.82	0.00	*400.00	0.00
Nonabstinent remission to no AUD		5.72	*19.71	7.51	*14.74	8.90	*47.13	23.64		5.09	8.82	8.39	*100.00	0.00
Abstinent remission to no AUD		4.68	*24.73	8.18	*0.48	0.49	*22.25	19.61	*13.83	4.94	*00.00	40.70	_	_
Partial remission ²		6.97	38.05	8.63	37.36	11.18	*28.44	20.35	41.10	7.99	*33.20	13.72	_	_
Remained alcohol dependent	32.05	6.37	*17.50	6.30	47.42	10.91	*2.18	2.36	33.20	7.41	*57.98	14.22	_	
Never married														
Nonabstinent remission to no AUD		2.09	13.42	2.28	27.21	4.37	18.69	2.45	14.65	3.54	*6.56	4.73	_	_
Abstinent remission to no AUD	5.00	1.10	4.60	1.32	6.04	1.94	4.84	1.37	5.02	1.78	*8.39	7.20	_	_
Partial remission ²		2.55	45.32	3.22	38.47	4.52	44.09	3.09	44.85	4.89	* 15.74	7.41	_	_
Remained alcohol dependent	34.33	2.43	36.66	2.97	28.28	4.15	32.38	2.97	35.48	4.68	69.32	11.27		_
Ever Had Children (Including Step, Adopted, Foster)														
Yes														
Nonabstinent remission to no AUD	17.91	1.98	18.70	2.67	16.48	2.77	23.79	6.54	17.37	2.63	15.46	3.21	*38.54	14.05
Abstinent remission to no AUD		0.93	6.05	1.34	4.16	1.20	*4.53	2.49	6.36	1.42	3.93	1.49	-	
Partial remission ²	36.04	2.41	31.63	3.07	44.13	3.97	37.57	7.73	34.84	3.07	37.54	4.82	*44.42	14.70
Remained alcohol dependent		2.54	43.62	3.45	35.22	3.63	34.11	8.00	41.43	3.27	43.07	5.04	*17.04	10.37
No														
Nonabstinent remission to no AUD	18.87	1.98	15.54	2.33	26.90	3.74	19.93	2.46	17.79	3.23	*7.89	3.74	*100.00	0.00
Abstinent remission to no AUD		1.08	5.68	1.33	4.83	1.73	5.68	1.47	4.12	1.40	*11.63	6.55	100.00	0.00
Partial remission ²		2.43	43.70	2.94	4.63 40.70	4.40	42.90	2.93	44.48	4.50	31.04	9.16	_	_
Remained alcohol dependent		2.43	35.07	2.78	27.57	3.58	31.49	2.93	33.60	4.16	49.44	8.99	_	_
rremained alconol dependent	32.01	2.23	33.07	2.10	21.31	3.56	31.48	2.01	33.00	4.10	45.44	0.55	_	_

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	.	0.5	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.										
Children Ages Below 13 Living in Household														
Yes														
Nonabstinent remission to no AUD	20.09	2.63	20.00	3.77	20.20	3.84	19.33	5.22	21.08	3.23	* 15.15	7.78	_	_
Abstinent remission to no AUD		1.34	5.18	1.80	*4.57	2.05	*5.36	3.23	5.18	1.69	*2.10	1.63	_	_
Partial remission ²	44.24	3.26	43.94	4.54	44.64	5.00	52.38	7.34	43.39	4.12	*30.28	10.84	*100.00	0.00
Remained alcohol dependent	30.75	3.16	30.88	4.55	30.59	4.36	22.93	6.50	30.35	3.79	52.46	11.73	_	_
No														
Nonabstinent remission to no AUD	17.93	1.56	16.08	1.88	22.52	3.04	20.53	2.56	15.53	2.45	14.06	2.84	*45.13	14.17
Abstinent remission to no AUD		0.87	6.01	1.13	4.47	1.22	5.59	1.46	5.65	1.27	5.77	1.94	_	_
Partial remission ²	38.40	2.03	37.22	2.46	41.33	3.79	40.67	2.92	35.95	3.51	37.67	4.75	*39.13	14.25
Remained alcohol dependent	38.11	1.93	40.68	2.40	31.68	3.31	33.21	2.87	42.88	3.47	42.50	4.76	*15.74	9.68
Education														
11 years or less														
Nonabstinent remission to no AUD	18.93	3.75	18.16	4.48	21.43	6.19	17.04	4.25	21.94	7.22	*11.91	6.94	*46.86	20.48
Abstinent remission to no AUD		1.20	*2.66	1.19	*7.69	3.26	*3.24	1.62	*3.41	1.60	*7.02	4.49	-0.00	20.40
Partial remission ²	34.73	4.44	32.83	5.03	40.88	7.73	40.68	7.37	33.40	7.40	23.56	7.32	*32.75	20.06
Remained alcohol dependent	42.48	4.75	46.35	5.48	30.00	7.73	39.04	7.23	41.25	7.56	57.52	9.83	*20.40	15.90
12 years														
Nonabstinent remission to no AUD	17.63	2.36	13.26	2.71	29.23	5.12	19.41	4.01	16.53	3.52	13.24	4.43	*62.63	24.73
Abstinent remission to no AUD		2.36 1.45	7.63	1.98	*3.51	1.66	6.84	2.48	5.42	2.07	*9.25	4.43	02.03	24.73
Partial remission ²	38.23	2.99	36.40	3.61	43.07	5.62	39.38	2.40 4.78	36.44	4.83	40.34	7.99	*37.37	 24.73
Remained alcohol dependent	37.64	3.35	42.72	4.09	24.19	5.62 4.77	34.37	4.76	41.61	4.03 5.14	40.34 37.17	7.99	- -	24.73 —
•														
13–15 years	40.77	0.00	40.04	0.00	40.07	2.05	22.42	2 77	44.57	2.00	45.70	4.00		
Nonabstinent remission to no AUD	18.77	2.29	18.04	2.86	19.97	3.65	23.13	3.77	14.57	3.22	15.76	4.93	_	_
Abstinent remission to no AUD		1.35	7.31	1.99	*2.71	1.27	*5.65	2.30	6.34	1.80	*3.15	2.33	*07.04	
Partial remission ² Remained alcohol dependent	39.72 35.95	3.09 2.77	38.72 35.94	4.01 3.66	41.35 35.96	4.71 4.40	42.23 28.99	4.67 4.03	37.23 41.86	4.77 4.43	36.79 44.30	8.06 7.92	*67.61 *32.39	30.97 30.97
Remained alcohol dependent	33.93	2.11	35.94	3.00	33.90	4.40	20.99	4.03	41.00	4.43	44.30	1.92	32.39	30.97
16 or more years														
Nonabstinent remission to no AUD	18.60	3.10	19.59	3.80	16.74	4.57	*15.02	7.59	19.85	3.87	*15.14	6.11	*63.14	32.91
Abstinent remission to no AUD	4.81	1.48	*3.18	1.41	*7.87	3.38	*5.06	4.17	*5.62	2.01	*1.72	1.74	_	_
Partial remission ²	47.28	4.39	48.54	5.70	44.90	7.22	58.81	10.73	45.64	5.44	43.07	8.67	*36.86	32.91
Remained alcohol dependent	29.31	3.91	28.69	5.17	30.49	6.26	*21.12	9.40	28.89	5.13	40.06	7.98	_	_
Currently Employed Full Time														
Yes														
Nonabstinent remission to no AUD	17.57	1.59	16.85	2.06	19.39	3.03	19.47	3.28	18.10	2.26	12.08	3.14	_	_
Abstinent remission to no AUD		0.89	5.32	1.10	4.23	1.49	6.86	2.06	4.49	1.08	*3.31	1.64	_	_
Partial remission ²	40.48	2.39	38.97	2.87	44.28	4.10	42.62	4.20	38.52	3.20	42.68	5.73	*100.00	0.00
	36.93												_	_
Remained alcohol dependent	36.93	2.40	38.85	2.93	32.10	3.76	31.04	4.00	38.89	3.30	41.94	5.45	_	

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fatimeta	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Employed Full Time														
No														
Nonabstinent remission to no AUD		2.23	16.92	2.61	24.26	4.16	21.02	3.28	16.20	3.71	17.29	4.73	*49.97	14.51
Abstinent remission to no AUD		1.28	6.62	1.80	4.78	1.51	4.58	1.78	7.86	2.30	*7.83	3.33		_
Partial remission ²		2.75	38.01	3.49	40.43	4.45	42.07	3.49	38.92	5.11	27.70	5.80	[*] 32.60	13.65
Remained alcohol dependent	35.55	2.75	38.45	3.53	30.53	3.81	32.33	3.74	37.02	4.91	47.18	7.12	*17.43	10.54
Family Annual Income														
\$0 to \$19,999														
Nonabstinent remission to no AUD		2.55	15.97	2.95	24.08	4.29	17.83	3.30	21.22	5.18	* 11.51	5.07	*69.86	17.07
Abstinent remission to no AUD		1.54	8.06	2.16	3.51	1.23	6.11	2.12	8.03	2.72	*6.21	3.47	_	_
Partial remission ²	35.19	2.92	34.79	3.91	35.99	4.78	41.13	3.93	31.93	5.97	13.91	4.02	*12.93	12.29
Remained alcohol dependent	39.60	2.96	41.18	3.91	36.41	4.76	34.92	3.76	38.81	5.85	68.37	6.92	*17.21	13.30
\$20,000 to \$34,999														
Nonabstinent remission to no AUD	13.05	2.55	11.39	3.02	17.34	4.75	15.09	4.84	13.14	3.45	*6.47	3.18	*25.83	23.92
Abstinent remission to no AUD	6.67	1.68	6.22	2.03	*7.83	3.07	*3.43	2.34	7.35	2.33	*12.22	6.32	_	_
Partial remission ²		4.04	42.91	4.92	42.75	6.20	56.02	7.13	38.07	5.36	29.31	6.42	*74.17	23.92
Remained alcohol dependent	37.41	3.60	39.48	4.57	32.08	5.27	25.46	5.85	41.44	5.10	52.00	7.03	_	_
\$35,000 to \$69,999														
Nonabstinent remission to no AUD	20.48	2.65	18.97	3.15	23.91	4.44	25.63	5.31	17.56	3.50	21.45	6.22	_	_
Abstinent remission to no AUD	4.03	1.22	3.53	1.28	*5.16	2.66	*8.13	3.43	*2.49	1.07	*1.63	1.31	_	_
Partial remission ²	39.76	3.15	39.07	3.99	41.31	5.18	38.06	5.81	40.71	4.17	39.62	8.59	*43.09	30.86
Remained alcohol dependent	35.73	3.21	38.42	4.40	29.63	5.07	28.18	5.72	39.25	4.65	37.30	7.94	*56.91	30.86
\$70,000 or more														
Nonabstinent remission to no AUD	20.96	2.82	21.95	3.67	19.23	4.72	27.70	6.61	19.44	4.36	*14.06	5.23	*45.08	35.01
Abstinent remission to no AUD	4.07	1.24	*4.97	1.81	*2.49	1.58	*2.02	1.26	*5.59	2.12	*3.49	2.87	_	_
Partial remission ²	44.58	3.75	39.48	4.07	53.49	6.96	37.25	7.49	42.33	5.90	59.39	8.32	*54.92	35.01
Remained alcohol dependent	30.39	3.57	33.60	4.34	24.79	5.92	33.03	7.42	32.65	5.67	23.05	7.35	_	_
Born in the United States														
Yes														
Nonabstinent remission to no AUD	17.88	1.50	15.85	1.84	22.09	2.59	20.51	2.49	16.07	2.06	13.96	2.73	*49.97	14.51
Abstinent remission to no AUD	5.21	0.78	5.99	1.05	3.59	0.97	5.46	1.38	5.12	0.98	5.12	1.69	_	_
Partial remission ²	39.73	1.67	37.94	2.17	43.43	2.95	40.88	2.73	39.72	2.66	37.12	4.38	*32.60	13.65
Remained alcohol dependent	37.19	1.81	40.22	2.36	30.89	2.51	33.15	2.73	39.09	2.91	43.80	4.51	*17.43	10.54
No														
Nonabstinent remission to no AUD	24.89	6.17	27.51	7.62	*17.38	8.51	*18.04	7.64	28.54	7.86	*24.90	15.52	_	_
Abstinent remission to no AUD	*7.69	3.13	*4.28	3.13	*17.46	7.65	*7.01	5.36	*8.17	4.37	*7.63	7.03	_	_
Partial remission ²		7.69	45.29	9.65	*27.51	9.96	64.53	11.23	30.56	7.94	*11.35	8.23	*100.00	0.00
Remained alcohol dependent	26.73	5.25	22.92	5.31	*37.65	12.09	*10.42	7.21	32.73	7.06	*56.13	16.38		_

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		5	Sex					Age group	p at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fatimata	0.5	Ма	le	Fen	nale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.								
Family Structure Before Age 18														
Both biological/adoptive parents in the household														
Nonabstinent remission to no AUD		3.00	19.57	4.03	16.59	4.13	19.54	4.44	20.38	4.21	*8.19	3.90		_
Abstinent remission to no AUD	4.59	1.13	5.30	1.52	*3.13	1.54	*4.08	1.59	5.73	1.92	*2.29	1.92	_	_
Partial remission ²	38.97	3.39	39.49	3.97	37.92	5.59	44.76	4.81	33.02	4.81	39.48	9.68	*25.07	26.57
Remained alcohol dependent		3.28	35.65	4.04	42.36	5.23	31.63	4.76	40.87	5.28	50.05	10.37	*74.93	26.57
Only biological mother ever in the household (father never present)														
Nonabstinent remission to no AUD	18.11	1.65	15.55	1.87	23.59	3.08	20.06	2.92	16.13	2.49	16.15	3.60	*48.65	15.05
Abstinent remission to no AUD		1.08	6.31	1.45	3.94	1.36	6.29	2.05	5.17	1.28	*5.40	2.18	_	_
Partial remission ²		2.26	38.52	2.85	45.93	3.90	40.68	3.72	41.89	3.41	38.36	5.14	*42.18	15.06
Remained alcohol dependent		2.05	39.62	2.74	26.54	3.32	32.98	3.55	36.81	3.19	40.10	4.90	*9.17	8.74
Biological/adoptive parents divorced or no longer living together														
Nonabstinent remission to no AUD	19.97	4.17	18.58	4.94	22.77	7.82	26.21	7.87	16.75	5.72	*13.77	8.46	_	_
Abstinent remission to no AUD		1.95	*4.18	1.97	*11.08	4.42	*6.03	2.86	*6.18	2.81	*8.49	6.68	_	_
Partial remission ²		4.90	39.75	6.18	33.89	6.94	42.83	8.22	38.21	7.46	*23.91	9.70	_	_
Remained alcohol dependent		5.18	37.49	6.75	32.27	6.90	24.92	7.08	38.85	7.40	53.83	13.37	*100.00	0.00
Deired by veletines by feature reveals as in an institution														
Raised by relatives, by foster parents, or in an institution	*	40.00	****	40.00	* 40.00	00.50			*		* 40.0=	40.05		
Nonabstinent remission to no AUD		12.00	*14.65	13.28	*43.02	23.52	_	_	*34.48	25.66	*13.85	12.85	_	_
Abstinent remission to no AUD	. *5.97	4.47	*6.97	5.29				_	*9.15	9.71	__ *6.72	6.73		_
Partial remission ²	*24.26	12.50	*22.30	14.04	*35.86	22.59	*62.07	25.14	_	_	*24.66	16.01	_	_
Remained alcohol dependent	51.02	14.88	*56.07	16.80	*21.12	14.69	*37.93	25.14	*56.36	26.80	*54.77	18.35	_	_
Before Age 18, Family Received Government Assistance														
Yes														
Nonabstinent remission to no AUD		3.01	15.09	3.76	19.21	5.03	26.69	5.87	11.68	3.73	*7.89	5.71	*12.64	12.86
Abstinent remission to no AUD	3.00	0.87	*1.75	0.81	5.44	2.00	*2.35	1.40	*2.79	1.10	*6.39	3.71	_	_
Partial remission ²	39.82	3.88	39.61	5.29	40.24	6.19	43.15	6.92	40.18	5.57	29.32	8.52	*21.15	19.68
Remained alcohol dependent		3.86	43.55	5.38	35.11	5.75	27.81	6.27	45.35	5.40	56.41	9.63	*66.21	22.94
No														
Nonabstinent remission to no AUD	18.92	1.56	17.29	1.87	22.44	2.80	19.08	2.63	19.30	2.35	15.32	3.05	*52.72	16.33
Abstinent remission to no AUD		0.89	6.79	1.20	4.26	1.21	6.20	1.57	6.29	1.23	4.97	1.83	_	_
Partial remission ²		1.97	38.35	2.49	42.94	3.37	42.13	3.15	38.17	2.92	37.71	4.92	*45.36	16.36
Remained alcohol dependent	35.29	1.88	37.57	2.39	30.36	2.93	32.58	2.97	36.24	3.01	42.00	5.03	*1.92	1.98
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes														
Nonabstinent remission to no AUD	10.25	2.87	*7.66	2.70	*24.84	10.16	*11.81	4.42	*8.83	4.29	*9.46	5.75	_	_
Abstinent remission to no AUD		1.77	*3.27	2.00	*5.27	3.75	*0.98	0.96	*6.46	3.85	*3.13	3.17	_	_
Partial remission ²		4.98	35.56	5.41	40.14	11.45	40.16	6.75	36.12	8.00	*19.95	8.78	*100.00	0.00
Remained alcohol dependent		5.26	53.52	5.77	*29.75	10.10	47.06	7.10	48.59	8.25	67.45	11.46	_	_

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Ever in Jail or Juvenile Detention Center														
No														
Nonabstinent remission to no AUD		1.58	18.66	1.98	21.58	2.54	21.85	2.63	18.78	2.25	14.76	2.95	*45.13	14.17
Abstinent remission to no AUD	5.69	0.83	6.34	1.12	4.45	1.10	6.35	1.55	5.34	1.00	5.40	1.81	_	_
Partial remission ²	40.33	1.77	39.17	2.36	42.53	3.00	42.68	3.04	39.00	2.77	38.31	4.61	*39.13	14.25
Remained alcohol dependent	34.31	1.75	35.83	2.29	31.43	2.58	29.12	2.94	36.88	2.77	41.52	4.62	*15.74	9.68
Before Age 18, Physically Abused by Parent/Caretaker														
Yes														
Nonabstinent remission to no AUD		4.05	*15.61	5.40	*13.32	6.06	*9.74	7.95	*13.25	5.29	*19.79	8.95	*58.04	34.44
Abstinent remission to no AUD		3.30	*9.22	4.31	*9.54	5.42	*3.15	3.17	*12.62	5.49	*7.33	4.51	. —	_
Partial remission ²		6.01	35.46	7.79	28.47	8.38	79.92	9.48	24.70	7.44	*10.94	6.07	*41.96	34.44
Remained alcohol dependent	43.11	5.94	39.71	7.61	48.67	9.52	*7.19	4.50	49.44	8.72	61.93	10.27	_	_
No														
Nonabstinent remission to no AUD	18.71	1.53	16.96	1.90	22.50	2.65	20.72	2.49	17.93	2.16	13.59	2.79	*42.65	14.91
Abstinent remission to no AUD		0.77	5.62	1.02	4.07	1.06	5.64	1.38	4.83	0.97	4.93	1.77	_	_
Partial remission ²		1.79	38.79	2.35	43.57	3.10	41.02	2.85	39.90	2.70	39.42	4.56	*40.07	15.13
Remained alcohol dependent	35.86	1.78	38.63	2.32	29.85	2.54	32.62	2.69	37.34	2.78	42.05	4.69	*17.28	10.58
Before Age 18, Seriously Neglected by Parent/Caretaker														
Yes														
Nonabstinent remission to no AUD	15.09	5.38	*11.47	6.16	*21.15	9.98	*20.17	14.49	*14.53	7.22	*11.60	5.39	_	_
Abstinent remission to no AUD	*1.76	1.23	_	_	*4.71	3.38	_	_	_	_	*8.90	6.51	_	_
Partial remission ²	29.01	7.61	*20.23	7.69	43.68	12.32	*51.24	16.67	*23.14	8.43	*24.03	17.77	_	_
Remained alcohol dependent	54.14	8.78	68.30	9.36	30.46	10.55	*28.58	15.45	62.33	10.41	55.47	18.51	_	_
No														
Nonabstinent remission to no AUD	18.64	1.51	17.16	1.89	21.82	2.52	20.37	2.38	17.77	2.22	14.44	2.88	*44.28	13.93
Abstinent remission to no AUD		0.79	6.14	1.04	4.49	1.11	5.71	1.37	5.90	1.06	4.89	1.71	_	_
Partial remission ²	40.41	1.77	39.54	2.36	42.30	2.97	42.05	2.79	39.84	2.74	37.46	4.54	*40.27	14.00
Remained alcohol dependent	35.33	1.73	37.16	2.29	31.39	2.51	31.87	2.67	36.49	2.72	43.21	4.69	*15.45	9.49
Before Age 18, Saw Serious Fights at Home														
Yes														
Nonabstinent remission to no AUD	10.37	2.39	7.87	2.71	13.84	4.29	*18.85	6.62	*4.85	2.05	*13.50	5.86	*100.00	0.00
Abstinent remission to no AUD		1.01	*2.09	1.24	*3.40	1.71	*1.36	1.38	*2.84	1.41	*4.00	2.83	_	_
Partial remission ²		4.52	38.34	6.20	44.69	6.71	48.63	8.91	42.36	6.41	25.83	8.58	_	_
Remained alcohol dependent		4.33	51.69	6.10	38.06	6.31	31.16	8.69	49.96	6.41	56.67	9.57	_	_
No														
Nonabstinent remission to no AUD	19.67	1.63	18.02	1.98	23.43	2.88	20.51	2.62	19.98	2.33	14.38	3.08	*42.76	14.21
Abstinent remission to no AUD		0.85	6.31	1.11	4.73	1.24	5.97	1.46	5.99	1.16	5.40	1.90		
Partial remission ²	39.62	1.86	38.62	2.36	41.91	3.35	41.69	2.88	37.92	2.75	38.55	4.94	*41.37	14.32
Remained alcohol dependent	34.88	1.89	37.05	2.37	29.93	2.91	31.84	2.76	36.11	2.98	41.67	4.95	*15.87	9.75

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.								
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
Yes														
Nonabstinent remission to no AUD	15.13	2.51	13.40	3.08	17.95	3.97	22.21	5.20	8.50	2.32	20.29	5.72	_	_
Abstinent remission to no AUD	5.59	1.29	5.14	1.54	6.32	2.11	*3.14	1.33	7.31	2.06	*5.92	2.83	_	_
Partial remission ²	34.64	3.06	34.14	4.28	35.46	4.83	36.83	5.49	37.26	4.31	22.50	5.71	*45.55	30.57
Remained alcohol dependent	44.64	3.23	47.32	4.69	40.27	4.72	37.81	5.64	46.93	4.45	51.29	6.96	*54.45	30.57
No														
Nonabstinent remission to no AUD	19.77	1.79	18.10	2.18	23.75	3.07	19.76	2.71	21.53	2.62	11.12	2.87	*59.51	15.42
Abstinent remission to no AUD	5.34	0.95	6.09	1.25	3.56	1.21	6.34	1.71	4.67	1.14	*4.80	2.08	_	-
Partial remission ²	41.87	2.22	40.16	2.74	45.96	3.72	44.07	3.31	39.25	3.29	43.69	5.56	*38.45	15.38
Remained alcohol dependent	33.01	1.98	35.65	2.46	26.72	3.10	29.83	2.86	34.55	3.21	40.40	5.30	*2.04	2.10
Ever Had No Regular Place to Live Lasting 1+ Months														
Yes														
Nonabstinent remission to no AUD	17.78	4.22	18.75	5.14	*14.03	6.64	*16.34	7.44	*18.97	7.40	*17.09	7.21	*100.00	0.00
Abstinent remission to no AUD		1.94	*4.40	2.17	*7.02	4.16	*1.74	1.75	*4.13	2.40	*10.77	5.99	100.00	
Partial remission ²		4.90	19.09	5.63	42.30	10.54	33.13	9.01	22.83	8.23	*12.31	7.85	_	_
Remained alcohol dependent		6.01	57.76	7.04	36.65	11.55	48.78	10.06	54.08	10.00	59.82	10.96	_	_
No														
Nonabstinent remission to no AUD	18.51	1.54	16.67	1.90	22.23	2.64	20.70	2.51	17.43	2.16	13.74	3.02	*42.76	14.21
Abstinent remission to no AUD		0.81	6.00	1.09	4.36	1.10	5.88	1.44	5.58	1.06	*4.20	1.67	72.70	17.21
Partial remission ²		1.78	40.74	2.34	42.39	3.03	43.07	2.91	39.86	2.69	40.70	4.78	*41.37	14.32
Remained alcohol dependent	34.75	1.70	36.59	2.25	31.03	2.57	30.35	2.63	37.13	2.66	41.36	4.76	*15.87	9.75
Self-Perceived Current Health														
Excellent/Very good														
Nonabstinent remission to no AUD	19.24	1.91	17.31	2.37	23.17	3.33	19.95	2.81	19.45	2.71	15.34	3.94	*51.42	35.33
Abstinent remission to no AUD	6.19	1.09	7.30	1.53	3.93	1.31	5.85	1.71	6.70	1.55	*5.78	2.74	J1.42	33.33
Partial remission ²	43.01	2.24	43.21	2.96	42.60	4.16	43.05	3.47	42.20	3.35	45.59	6.60	*48.58	35.33
Remained alcohol dependent		2.06	32.18	2.61	30.31	3.61	31.15	3.27	31.65	3.07	33.29	5.72		_
Cood														
Good	17.64	0.50	45.00	2.00	04.75	4.40	20.75	4.50	44.00	2.20	47.04	C 74	*24.97	22.00
Nonabstinent remission to no AUD		2.52 0.99	15.83 *2.93	3.20 1.04	21.75 *4.74	4.19 2.27	20.75 *3.37	4.50 1.81	14.86	3.36 1.44	17.91 *3.32	5.74 2.08	24.97	22.08
Partial remission 2		0.99 3.34			4.74 45.04	5.45			*3.73			7.27	*70.73	22.52
Remained alcohol dependent		3.34	35.11 46.14	3.92 3.94	45.04 28.47	5.45 4.95	41.85 34.04	5.68 5.40	35.78 45.63	4.81 5.18	32.95 45.82	7.27 7.19	70.73 *4.30	4.70
Remained alconor dependent	40.72	3.20	40.14	3.94	20.41	4.90	34.04	5.40	45.65	5.16	40.02	7.19	4.30	4.70
Fair/Poor							*				*		*	
Nonabstinent remission to no AUD		3.53	17.13	4.40	15.66	5.86	*22.64	8.57	15.46	5.20	*8.46	4.84	*55.51	17.89
Abstinent remission to no AUD		1.78	*5.46	2.32	6.58	2.39	*10.20	6.00	*4.24	1.58	*5.85	3.33	<u> </u>	
Partial remission ²		4.23	26.58	5.42	36.48	8.26	37.37	9.72	30.88	5.64	22.34	7.84	[*] 18.35	12.33
Remained alcohol dependent	47.91	4.59	50.83	6.16	41.27	7.65	*29.79	8.92	49.43	5.94	63.36	8.80	*26.14	16.12

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	p at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Covered by Health Insurance														
Yes														
Nonabstinent remission to no AUD	19.27	1.70	18.02	2.11	21.71	2.67	21.19	2.94	18.42	2.46	15.51	3.35	*44.28	13.93
Abstinent remission to no AUD		0.86	5.46	1.21	3.81	1.05	5.38	1.82	4.89	1.02	*4.32	1.74	. —	_
Partial remission ²		2.11	36.84	2.66	46.47	3.50	43.56	3.77	38.34	3.00	38.14	5.10	*40.27	14.00
Remained alcohol dependent	35.72	2.15	39.68	2.80	28.01	2.86	29.87	3.61	38.35	3.13	42.02	5.41	*15.45	9.49
No														
Nonabstinent remission to no AUD	16.59	2.50	14.55	2.84	21.97	4.96	19.18	3.58	14.74	4.20	*10.54	4.22	_	_
Abstinent remission to no AUD		1.44	6.61	1.73	6.42	2.53	5.81	1.95	7.34	2.51	*7.65	4.15	_	_
Partial remission ²	39.12	3.30	42.16	4.16	31.11	4.99	40.50	4.95	39.58	5.43	31.71	7.02	_	_
Remained alcohol dependent	37.73	3.16	36.67	3.89	40.50	5.49	34.51	4.14	38.33	5.78	50.10	7.50	_	_
Tobacco Use Status														
Current user														
Nonabstinent remission to no AUD	16.38	1.67	15.35	2.12	18.86	3.23	17.15	2.75	16.40	2.52	13.09	3.13	*41.96	21.48
Abstinent remission to no AUD	4.53	0.82	4.78	1.00	3.95	1.32	3.18	1.06	6.01	1.34	*3.84	1.97	_	
Partial remission ²	38.91	2.05	37.74	2.47	41.75	3.77	43.26	3.29	35.43	3.38	37.02	6.05	*53.73	22.01
Remained alcohol dependent	40.17	2.21	42.13	2.61	35.44	3.42	36.41	3.61	42.16	3.29	46.05	5.89	*4.32	4.56
Ex-user														
Nonabstinent remission to no AUD	19.17	4.26	20.17	5.86	*16.33	7.33	*15.31	9.30	21.13	6.62	*16.71	8.19	*31.10	22.34
Abstinent remission to no AUD		2.49	*6.96	2.81	*5.61	4.04	*5.39	3.49	*7.46	4.00	*6.86	4.35	_	
Partial remission ²		4.85	41.34	6.11	39.62	9.66	*44.41	13.38	45.09	7.43	34.41	8.08	*30.98	24.42
Remained alcohol dependent		4.67	31.53	5.79	38.44	9.21	*34.89	13.47	26.32	7.23	42.03	8.07	*37.92	22.96
Lifetime nonsmoker														
Nonabstinent remission to no AUD	22.82	2.57	19.65	3.15	27.64	4.19	27.20	4.42	19.06	3.34	*15.28	5.37	*64.38	23.01
Abstinent remission to no AUD		1.76	8.21	2.64	5.20	1.85	10.24	3.41	3.59	1.28	*7.48	4.05	O-1.50	25.01
Partial remission ²		3.23	39.81	4.22	43.98	4.70	40.21	5.11	44.12	4.57	36.83	9.34	*35.62	23.01
Remained alcohol dependent		2.91	32.33	4.29	23.19	4.01	22.35	4.10	33.24	4.90	40.41	8.85	—	_
Drug Use Status														
Current user														
Nonabstinent remission to no AUD	16.58	2.29	14.54	2.74	22.18	4.69	17.83	3.10	15.20	3.52	*15.02	6.06	_	_
Abstinent remission to no AUD		1.06	4.25	1.25	*4.38	1.77	4.17	1.60	3.91	1.29	*6.94	4.08	_	_
Partial remission ²		2.74	38.22	3.41	34.03	4.94	41.84	3.85	31.88	4.35	31.12	8.53	_	_
Remained alcohol dependent		3.04	42.98	3.55	39.41	4.88	36.17	4.07	49.00	4.84	46.92	9.77	_	_
Ex-user														
Nonabstinent remission to no AUD	17.74	2.33	17.33	3.04	18.46	3.70	25.58	5.62	14.29	2.82	15.17	4.82	*49.44	30.66
Abstinent remission to no AUD		1.24	5.05	1.52	6.01	2.12	*7.28	2.90	*4.52	1.62	*5.35	2.35		JU.00
Partial remission ²		3.12	37.30	3.90	49.18	5.29	41.59	6.63	43.13	4.83	38.03	6.47	*50.56	30.66
Remained alcohol dependent		3.39	40.32	4.45	26.36	4.47	25.55	5.80	38.06	4.87	41.45	6.76	J0.30	
Romanoa alconor acponacht	55.17	0.00	40.02	т.т.	20.00	7.71	20.00	0.00	30.00	7.07	71.75	0.70		

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	F. C	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Drug Use Status</u>														
Lifetime nondrug user													4	
Nonabstinent remission to no AUD		2.40	19.79	2.90	24.30	3.94	21.93	4.05	22.93	3.89	12.81	4.04	*43.05	15.44
Abstinent remission to no AUD		1.57	8.68	2.26	*3.29	1.56	*7.13	3.14	7.99	2.18	*3.98	2.72	<u> </u>	
Partial remission ²		3.06	40.11	3.82	44.53	4.61	43.66	5.19	41.68	4.46	38.01	6.98	[*] 37.80	15.99
Remained alcohol dependent	30.20	2.66	31.43	3.50	27.88	4.41	27.28	4.53	27.40	3.73	45.20	6.85	*19.15	11.60
Any Major Depressive Disorder in the Past Year														
Yes													4.	
Nonabstinent remission to no AUD	23.80	4.77	20.38	7.09	27.11	5.74	*27.71	8.95	19.24	6.32	*27.00	8.90	*40.74	30.95
Abstinent remission to no AUD		2.01	*9.28	3.60	*3.30	1.65	*0.94	0.70	*8.55	3.39	*10.18	5.96	. —	_
Partial remission ²		4.90	32.18	7.53	36.89	5.84	39.85	10.09	30.52	6.18	33.36	11.63	*59.26	30.95
Remained alcohol dependent	35.39	5.11	38.16	8.03	32.70	6.28	31.50	9.90	41.69	7.21	*29.46	10.29	_	_
No														
Nonabstinent remission to no AUD	17.78	1.51	16.57	1.86	20.64	2.63	19.64	2.44	17.31	2.13	12.13	2.73	*45.15	15.45
Abstinent remission to no AUD	5.31	0.80	5.54	1.04	4.76	1.22	6.01	1.46	5.07	1.06	4.35	1.69		_
Partial remission ²	40.46	1.85	39.15	2.31	43.56	3.28	42.55	3.00	39.72	2.84	37.00	4.47	*35.62	14.67
Remained alcohol dependent	36.46	1.79	38.74	2.32	31.04	2.61	31.81	2.77	37.90	2.82	46.52	4.76	*19.23	11.56
Any Major Depressive Disorder in Life														
Yes														
Nonabstinent remission to no AUD	17.60	3.28	15.92	4.76	19.66	4.13	24.63	7.47	14.49	4.13	17.84	5.55	*18.00	13.74
Abstinent remission to no AUD		1.69	*6.95	2.51	5.23	2.18	*4.50	3.72	7.36	2.31	*5.59	3.38	_	_
Partial remission ²	35.23	3.66	31.46	5.15	39.84	5.02	38.00	8.83	32.96	4.55	36.46	9.16	*50.70	20.60
Remained alcohol dependent	40.99	3.81	45.67	5.71	35.27	4.94	32.87	8.88	45.19	5.25	40.11	8.23	*31.30	18.90
No														
Nonabstinent remission to no AUD		1.63	17.06	1.99	22.57	2.87	19.81	2.46	18.48	2.44	12.98	3.07	*65.37	18.21
Abstinent remission to no AUD	5.23	0.83	5.64	1.08	4.23	1.24	5.69	1.42	4.90	1.14	5.04	1.96	_	_
Partial remission ²	40.90	2.05	39.91	2.44	43.34	3.60	42.86	3.10	40.40	3.17	36.49	4.77	*31.90	18.15
Remained alcohol dependent	35.23	1.91	37.40	2.48	29.86	2.88	31.64	2.85	36.22	3.10	45.49	5.00	*2.73	2.85
Age Started Drinking														
14 years or younger														
Nonabstinent remission to no AUD	19.85	3.32	17.34	3.86	24.92	6.23	26.21	6.00	15.57	4.26	*11.84	5.67	*74.41	23.49
Abstinent remission to no AUD		1.72	6.73	2.29	*5.18	2.40	*3.52	1.87	*7.82	2.91	*8.88	5.67	_	_
Partial remission ²		3.95	28.23	4.69	43.56	6.74	39.73	6.74	29.13	5.29	*30.71	8.92	*25.59	23.49
Remained alcohol dependent	40.62	4.32	47.70	5.37	26.34	5.81	30.53	6.38	47.47	6.15	48.57	9.13	_	_
15 to 17 years														
Nonabstinent remission to no AUD	18.50	1.96	17.09	2.37	22.48	3.53	16.83	2.58	18.92	3.24	25.20	6.69	*25.34	22.52
Abstinent remission to no AUD		1.17	5.25	1.41	*4.41	1.95	4.98	1.89	5.41	1.53	*3.80	2.74		
Partial remission ²		2.53	38.45	3.07	40.60	4.50	39.82	3.87	38.37	4.14	37.05	8.24	*60.22	25.36
Remained alcohol dependent	37.45	2.54	39.21	3.00	32.51	4.06	38.36	3.81	37.30	3.85	33.95	6.83	*14.44	14.50
		1												

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fallerate	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Age Started Drinking														
18 to 20 years														
Nonabstinent remission to no AUD	14.41	2.45	13.47	2.58	16.39	5.01	21.41	5.11	9.49	2.55	*11.11	3.94	*19.84	15.71
Abstinent remission to no AUD		1.32	5.12	1.72	*4.60	2.04	*6.71	2.84	*4.88	1.77	*1.74	1.20	. —	_
Partial remission ²		3.65	46.45	4.42	52.75	6.22	50.25	6.32	49.54	5.09	41.27	7.06	[*] 58.84	23.18
Remained alcohol dependent	32.15	3.34	34.96	4.47	26.27	5.29	21.63	4.77	36.09	5.41	45.88	7.28	*21.32	19.27
21 years or older														
Nonabstinent remission to no AUD	25.36	4.87	26.51	7.69	24.37	5.45	*47.80	15.13	32.12	7.12	*7.10	3.44	*46.14	30.44
Abstinent remission to no AUD		2.29	*10.66	4.59	*3.82	1.59	*23.10	14.91	*3.21	1.31	*9.68	5.02	_	_
Partial remission ²		4.79	37.32	8.07	28.35	5.27	*29.10	12.17	32.65	6.04	33.41	9.14	*26.93	24.38
Remained alcohol dependent	35.17	5.30	25.51	7.68	43.46	6.73	_	_	32.02	6.42	49.81	10.08	*26.93	24.38
Family History of Alcoholism														
None														
Nonabstinent remission to no AUD	23.04	2.92	22.39	3.42	24.78	5.32	24.23	4.19	24.88	4.55	*7.21	4.37	*76.68	21.91
Abstinent remission to no AUD		1.26	5.33	1.72	*1.92	1.57	*3.98	1.83	*4.62	1.60	*5.86	4.05	_	
Partial remission ²	45.13	3.38	42.43	4.31	52.35	6.54	40.18	5.20	51.61	4.91	48.36	9.65	_	_
Remained alcohol dependent		2.77	29.86	3.53	20.94	4.77	31.61	4.71	18.89	3.37	38.57	8.29	*23.32	21.91
2nd-degree relatives only														
Nonabstinent remission to no AUD	16.83	2.55	14.70	3.01	22.44	5.32	18.47	3.81	16.68	4.16	*6.05	3.53	*100.00	0.00
Abstinent remission to no AUD		1.78	6.57	2.24	*5.66	2.73	*5.14	2.66	*7.53	2.73	*6.79	4.94		_
Partial remission ²		3.54	43.91	4.36	44.54	6.49	45.77	5.40	40.55	5.11	53.81	10.16	_	_
Remained alcohol dependent	32.76	3.63	34.82	4.39	27.35	5.64	30.62	5.12	35.24	5.54	33.35	8.92	_	_
1st-degree relatives only														
Nonabstinent remission to no AUD	16.52	3.64	17.91	5.21	*13.97	5.74	*3.82	3.04	21.95	6.76	*16.83	6.41	*52.50	24.94
Abstinent remission to no AUD		1.59	*2.39	1.24	*7.14	3.98	*3.42	2.44	*6.13	3.00	*1.45	1.45	52.50	<u> </u>
Partial remission ²		4.67	46.89	6.84	33.83	7.61	73.82	9.46	25.38	6.55	38.39	10.14	*47.50	24.94
Remained alcohol dependent		5.17	32.81	6.48	45.06	9.00	*18.94	8.02	46.55	8.36	43.33	10.73	-	_
Both 1st- and 2nd-degree relatives														
Nonabstinent remission to no AUD	16.75	2.10	13.81	2.68	21.70	3.11	04.40	4.40	10.11	2.40	40.00	4.05	*6.35	6.61
Abstinent remission to no AUD		1.25	6.55	2.00 1.78	4.67	1.52	21.19 7.99	4.16 2.87	13.14 4.67	1.41	19.36 *5.57	4.85 2.53	6.35	0.01
Partial remission to no AUD		1.25 2.47	29.71	3.39	4.67 38.29	4.02	35.32	2.87 4.58	33.50	3.65	5.57 24.44	2.53 5.70	*70.10	19.20
Remained alcohol dependent		2.47	49.92	3.39	35.33	3.78	35.50	5.13	48.69	3.76	50.63	6.62	*23.55	18.26
Remained alcohol dependent	44.49	2.02	49.92	3.91	33.33	3.70	35.50	5.13	40.09	3.76	50.65	0.02	23.55	10.20
Any Parent Alcoholic														
Yes													4	
Nonabstinent remission to no AUD		2.06	13.67	2.75	19.19	3.09	18.79	3.87	12.66	2.67	17.41	4.59	*25.60	19.10
Abstinent remission to no AUD		1.14	5.29	1.55	4.67	1.53	7.05	2.54	4.65	1.40	*2.23	1.09		_
Partial remission ²		2.64	34.96	3.66	39.64	3.82	42.12	4.67	34.63	3.90	29.02	6.23	*74.40	19.10
Remained alcohol dependent	42.53	2.95	46.08	4.12	36.51	3.57	32.05	4.75	48.05	4.14	51.34	6.52	_	_

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Parent Alcoholic														
No														
Nonabstinent remission to no AUD		1.94	18.67	2.32	23.90	3.25	21.18	2.89	20.94	3.02	11.75	3.39	*53.69	16.22
Abstinent remission to no AUD		0.98	6.15	1.30	4.36	1.40	4.78	1.55	6.06	1.38	*7.48	2.76	. —	_
Partial remission ²		2.26	40.62	2.80	44.63	3.90	42.40	3.51	41.44	3.29	42.32	5.47	[*] 23.10	12.43
Remained alcohol dependent	32.42	2.07	34.57	2.56	27.11	3.31	31.64	3.22	31.56	3.22	38.45	5.46	*23.22	13.54
Married to Alcoholic/Lived with Alcoholic as if Married														
Yes														
Nonabstinent remission to no AUD		3.10	12.97	4.15	18.42	4.49	*41.83	17.26	13.55	3.50	13.20	4.23	*14.70	11.30
Abstinent remission to no AUD		1.82	*10.97	3.84	4.12	1.59	*2.02	1.58	6.85	2.40	*9.30	3.94	. —	_
Partial remission ²	32.69	3.91	19.54	5.52	41.69	5.17	*34.06	13.75	33.95	4.60	27.16	8.14	*62.19	20.94
Remained alcohol dependent	44.20	4.03	56.52	7.30	35.77	5.00	*22.10	13.08	45.65	5.16	50.34	8.42	*23.11	17.67
No														
Nonabstinent remission to no AUD	18.91	1.57	17.33	1.89	23.36	2.98	19.43	2.37	18.81	2.41	14.69	3.49	*57.40	17.15
Abstinent remission to no AUD		0.83	5.25	1.01	4.68	1.39	5.71	1.39	5.04	1.10	*3.34	1.67	_	_
Partial remission ²	41.28	1.98	40.77	2.37	42.72	3.63	42.66	2.92	40.13	3.08	40.64	5.19	*30.55	16.01
Remained alcohol dependent	34.70	1.81	36.65	2.21	29.25	3.13	32.20	2.69	36.02	2.95	41.33	4.79	*12.05	11.30
Any Alcohol Treatment in the Past Year														
Yes														
Nonabstinent remission to no AUD	17.66	3.87	17.34	4.67	*18.57	6.84	*9.27	5.07	19.37	5.50	*23.11	9.32	_	_
Abstinent remission to no AUD		3.20	11.15	3.84	*15.90	6.27	*7.00	6.67	16.93	4.77	*3.04	2.49	_	_
Partial remission ²		3.60	14.17	4.29	*15.35	5.85	*28.01	10.37	10.90	3.80	*5.28	3.19	*100.00	0.00
Remained alcohol dependent	55.48	4.97	57.34	6.16	50.18	8.94	55.72	11.02	52.81	6.92	68.56	9.70	_	_
No														
Nonabstinent remission to no AUD	18.55	1.53	16.81	1.87	22.11	2.71	21.08	2.54	17.19	2.11	12.90	2.73	*50.13	14.48
Abstinent remission to no AUD	4.50	0.72	5.08	0.97	3.32	0.93	5.46	1.35	3.31	0.76	5.50	1.86	_	_
Partial remission ²		1.82	42.10	2.32	45.19	3.11	43.24	2.87	43.89	2.97	41.16	4.72	*32.39	13.56
Remained alcohol dependent	33.84	1.78	36.01	2.26	29.38	2.66	30.22	2.75	35.61	2.87	40.44	4.77	*17.48	10.56
Any Alcohol Treatment in Life														
Yes														
Nonabstinent remission to no AUD	14.52	2.50	14.53	3.06	14.50	4.30	*13.35	7.15	14.12	3.39	14.20	4.76	*42.62	21.57
Abstinent remission to no AUD		1.90	8.98	2.26	9.44	3.44	*7.62	4.61	11.22	2.75	*5.42	2.70	_	_
Partial remission ²	22.98	3.00	20.40	3.34	30.66	6.46	30.24	7.20	22.65	3.80	16.42	5.72	*37.79	22.15
Remained alcohol dependent	53.40	3.73	56.09	4.66	45.40	6.83	48.79	10.11	52.00	4.98	63.96	6.99	*19.59	17.58
No														
Nonabstinent remission to no AUD	19.59	1.69	17.66	2.07	23.36	2.98	21.18	2.61	18.97	2.36	14.25	3.19	*45.52	18.14
Abstinent remission to no AUD		0.79	4.80	1.05	3.43	1.02	5.31	1.39	3.07	0.80	*5.06	2.13	_	_
Partial remission ²	44.73	1.95	44.63	2.55	44.93	3.31	43.71	2.97	45.34	3.35	46.70	5.56	*42.11	18.04
Remained alcohol dependent	31.34	1.78	32.91	2.29	28.29	2.87	29.80	2.75	32.62	3.15	33.99	5.05	*12.37	9.83

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Conduct Disorder														
Yes														
Nonabstinent remission to no AUD		12.90	*34.37	15.59	*29.24	22.78	*29.27	14.69	*45.11	23.55	_	_	_	_
Abstinent remission to no AUD	*4.91	3.59	*6.49	4.79	_	_	-	_	*7.54	7.84	*24.73	22.81	_	_
Partial remission ²	*39.11	12.08	*33.50	13.79	*56.55	22.19	*50.54	16.11	*23.50	16.80	*39.48	29.42	_	_
Remained alcohol dependent	*22.86	10.40	*25.64	13.25	*14.21	11.89	*20.19	12.87	*23.85	19.15	*35.79	28.39	_	_
No														
Nonabstinent remission to no AUD	18.19	1.44	16.54	1.76	21.68	2.52	20.15	2.38	17.12	2.03	14.37	2.73	*44.28	13.93
Abstinent remission to no AUD		0.76	5.83	1.01	4.56	1.07	5.68	1.37	5.45	1.00	4.99	1.66		_
Partial remission ²	39.82	1.71	38.69	2.20	42.20	2.92	42.11	2.80	38.87	2.60	36.46	4.36	*40.27	14.00
Remained alcohol dependent	36.57	1.72	38.94	2.25	31.55	2.46	32.05	2.66	38.56	2.70	44.18	4.52	*15.45	9.49
Paranoid Personality Disorder — Lifetime														
Yes														
Nonabstinent remission to no AUD	19.03	3.68	19.65	5.00	18.04	4.96	17.73	5.31	20.60	6.50	*18.67	6.50	_	_
Abstinent remission to no AUD		1.95	*7.05	2.53	*6.87	3.02	*8.35	3.43	*4.40	2.17	*10.34	5.87	_	_
Partial remission ²		4.30	24.62	5.05	34.46	6.87	37.53	7.07	27.82	7.01	*7.63	3.96	_	
Remained alcohol dependent	45.59	4.66	48.68	6.03	40.64	6.55	36.39	6.76	47.18	7.17	63.36	9.79	*100.00	0.00
No														
Nonabstinent remission to no AUD	18.33	1.53	16.41	1.89	22.67	2.75	20.88	2.59	16.99	2.16	13.25	2.96	*46.90	14.53
Abstinent remission to no AUD		0.82	5.64	1.03	3.94	1.10	5.01	1.48	5.67	1.11	4.04	1.58	40.30	T4.55
Partial remission ²	41.97	1.87	40.95	2.37	44.27	3.31	43.24	2.99	40.57	2.86	42.85	5.06	*42.65	 14.58
Remained alcohol dependent	34.58	1.85	37.00	2.39	29.12	2.73	30.87	2.89	36.77	2.95	39.86	4.72	*10.45	8.55
Schizoid Personality Disorder — Lifetime														
•														
Yes	18.37	4.79	19.49	0.50	*15.95	E 0.4	*16.67	0.07	*17.08	6.97	*24.22	40.00		
Nonabstinent remission to no AUD		4.79 2.49	*8.15	6.52 3.33	*4.64	5.84 3.11	*6.34	6.97 4.14	*5.90	2.60	*31.23 *14.94	16.02 11.35	_	_
Partial remission ²	25.81	5.38	20.32	6.30	37.60	9.21	37.23	9.97	19.69	6.28	*13.19	8.26	_	_
Remained alcohol dependent	48.79	6.30	52.04	7.61	41.81	9.21	39.76	9.97	57.33	8.60	*40.64	15.98	*100.00	0.00
Na														
No	40.45	4.57	40.04	4.05	00.04	0.00	20.70	0.57	47.50	0.00	40.07	0.50	* 40.00	44.50
Nonabstinent remission to no AUD		1.57	16.64	1.95	22.31	2.66	20.70	2.57	17.58	2.20	13.07	2.58	*46.90	14.53
Abstinent remission to no AUD	5.26	0.79	5.63	1.03	4.49	1.15	5.48	1.42	5.44	1.07	4.51	1.59	* 40.05	
Partial remission ²		1.79	40.27	2.32	42.82	3.10	42.77	2.88	40.55	2.76	38.08	4.56	*42.65	14.58
Remained alcohol dependent	35.20	1.77	37.46	2.35	30.38	2.62	31.05	2.70	36.43	2.82	44.34	4.58	*10.45	8.55
Schizotypal Personality Disorder — Lifetime ³														
Yes														
Nonabstinent remission to no AUD	*6.61	2.82	*1.96	1.40	*18.75	8.55	*11.20	5.82	*2.54	1.80	*3.87	3.88	_	_
Abstinent remission to no AUD		2.13	*3.47	1.62	*13.11	6.25	*5.52	3.34	*7.38	3.70	*5.00	3.63	_	_
Partial remission ²	18.96	4.76	18.42	5.72	20.35	8.11	26.74	8.41	13.85	6.19	*10.32	5.65	_	_
Partial remission=							56.54							

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Fatimete.	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Schizotypal Personality Disorder — Lifetime ³														
No														
Nonabstinent remission to no AUD		1.55	18.51	1.96	22.04	2.57	21.42	2.55	18.84	2.24	15.49	2.99	*44.97	14.13
Abstinent remission to no AUD		0.81	6.10	1.09	3.75	0.99	5.56	1.44	5.31	1.03	5.20	1.80		_
Partial remission ²		1.78	40.79	2.33	44.31	3.03	44.09	2.91	40.79	2.76	39.67	4.54	*40.89	14.19
Remained alcohol dependent	33.07	1.67	34.60	2.20	29.90	2.59	28.93	2.60	35.06	2.71	39.64	4.50	*14.14	9.53
Antisocial Personality Disorder — Lifetime ³														
Yes														
Nonabstinent remission to no AUD		3.29	17.77	3.87	14.89	5.21	15.76	4.30	20.65	5.58	[*] 9.51	4.28	_	_
Abstinent remission to no AUD		1.95	*6.35	2.44	*3.84	2.23	*9.84	4.07	*0.95	0.71	*8.43	5.08	_	_
Partial remission ²		3.88	28.41	4.35	48.58	7.90	32.34	5.37	33.42	6.31	*34.22	11.34	_	_
Remained alcohol dependent	44.07	4.17	47.47	5.23	32.69	7.28	42.07	6.18	44.97	6.19	47.85	11.94	_	_
No														
Nonabstinent remission to no AUD		1.54	16.63	1.87	22.89	2.86	21.59	2.73	16.81	2.23	15.19	3.23	*44.28	13.93
Abstinent remission to no AUD		0.81	5.70	1.09	4.61	1.19	4.41	1.28	6.53	1.21	4.52	1.73	. —	_
Partial remission ²		1.91	41.43	2.51	41.39	3.19	44.96	3.21	39.86	2.94	36.94	4.79	*40.27	14.00
Remained alcohol dependent	34.49	1.84	36.24	2.32	31.11	2.85	29.04	2.79	36.80	3.08	43.35	4.81	*15.45	9.49
Borderline Personality Disorder — Lifetime ³														
Yes														
Nonabstinent remission to no AUD	10.50	2.69	*4.39	1.67	21.37	6.23	*13.73	5.37	*7.53	2.58	*10.25	5.03	_	_
Abstinent remission to no AUD		1.45	*4.01	1.64	*6.48	2.78	*4.45	2.25	*6.30	2.40	*2.10	1.67	_	_
Partial remission ²		3.41	27.12	4.18	28.65	5.78	34.00	5.78	26.11	5.15	*14.83	5.35		_
Remained alcohol dependent	56.94	4.14	64.48	5.10	43.50	5.97	47.82	6.51	60.05	5.72	72.82	7.44	*100.00	0.00
No														
Nonabstinent remission to no AUD		1.66	19.65	2.09	21.89	2.72	22.02	2.67	19.86	2.36	15.22	3.12	*44.97	14.13
Abstinent remission to no AUD	5.53	0.86	6.25	1.15	3.95	1.09	5.83	1.56	5.29	1.09	5.94	2.01	. —	_
Partial remission ²		1.85	41.14	2.39	46.20	3.34	44.38	3.03	41.55	2.90	41.87	4.97	[*] 40.89	14.19
Remained alcohol dependent	31.41	1.79	32.96	2.18	27.95	2.97	27.76	2.81	33.30	2.88	36.97	4.71	*14.14	9.53
Histrionic Personality Disorder — Lifetime														
Yes														
Nonabstinent remission to no AUD	14.51	3.40	*8.21	3.28	23.32	6.63	17.33	5.73	*11.26	4.74	*15.77	9.12	_	_
Abstinent remission to no AUD	7.37	2.58	*5.18	3.02	*10.43	4.43	*9.84	4.63	*7.46	3.69	_	_	_	_
Partial remission ²		5.34	39.11	7.63	22.62	6.49	34.49	7.85	34.61	8.35	*13.71	8.44	*100.00	0.00
Remained alcohol dependent	45.89	5.35	47.50	7.58	43.63	7.93	38.34	8.26	46.67	7.55	70.52	12.39	_	_
No														
Nonabstinent remission to no AUD	18.92	1.50	17.76	1.89	21.53	2.66	20.78	2.48	18.20	2.20	14.05	2.75	*50.13	14.48
Abstinent remission to no AUD	5.18	0.81	5.91	1.06	3.54	0.99	4.97	1.39	5.27	1.03	5.80	1.84	_	_
Partial remission ²		1.83	38.54	2.38	45.61	3.19	43.37	2.97	39.07	2.71	39.20	4.48	*32.39	13.56
Remained alcohol dependent	35.19	1.80	37.80	2.35	29.33	2.66	30.88	2.93	37.46	2.78	40.95	4.47	*17.48	10.56

Table 1-10. Percent distribution of past-year *DSM-IV* alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Narcissistic Personality Disorder — Lifetime 3 Yes Nonabstinent remission to no AUD 13.40 2.84 8.86 2.71 2.87 2.87 2.87 3.89 4.28 5.81 5.90 4.40 5.90 5.90 5.90 6.10 6.13 6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.		Both s	sexes		5	Sex					Age group	at Wave 1			
Estimate S.E. Estimate		Fatimata	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
Ves Nonabstinent remission to no AUD		Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Nonabstinent remission to no AUD	Narcissistic Personality Disorder — Lifetime ³														
Abstinent remission to no AUD	Yes														
Abstinent remission to no AUD	Nonabstinent remission to no AUD	13.40	2.84	9.86	2.71	*26.76	7.89	14.19	4.66	*11.69	4.07	*16.46	7.26	_	_
Partial termission 2	Abstinent remission to no AUD	5.67	2.31	*6.91	2.90	*1.00	0.73	*6.97	4.14	*6.11	3.20		_		_
No Nonabstinent remission to no AUD			4.07	28.05	4.78	25.75	6.72	37.00	6.71	21.13	4.75	*14.23	6.23	*74.60	26.79
Nonabstinent remission to no AUD	Remained alcohol dependent	53.36	4.28	55.18	5.04	46.49	8.06	41.84	6.30	61.07	6.13	69.32	9.56	*25.40	26.79
Nonabstinent remission to no AUD	No														
Abstinent remission to no AUD		19 41	1 60	18 48	2 03	21 20	2 54	21 72	2 70	18 56	2 24	13.86	2 87	*47 09	14.67
Partial remission?															-
Remained alcohol dependent														*38.09	14.65
Yes															9.97
Nonabstinent remission to no AUD	Avoidant Personality Disorder — Lifetime														
Nonabstinent remission to no AUD	Yes														
Abstinent remission to no AUD		14.80	4.45	*11.64	5.63	*10 11	7 18	*23.17	8 96	*12.18	6 20	*8 27	5.43	_	_
Partial remission? Remained alcohol dependent 41.81 6.80 45.69 9.39 36.55 8.88 9.90 42.88 9.99 38.13 10.20 *12.58 9.23 — Remained alcohol dependent 41.81 6.80 45.69 9.39 36.55 8.88 *24.61 10.50 41.05 9.93 75.20 11.70 *100.00 10.														_	_
No	Partial remission 2	35.32													
Nonabstinent remission to no AUD															0.00
Nonabstinent remission to no AUD 18.77 1.51 17.27 1.92 22.11 2.57 20.17 2.47 18.12 2.14 14.79 2.86 *48.32 1. Abstinent remission to no AUD 2.86 *48.32 1. Abstinent remission to no AUD 2.86 *48.32 1. Abstinent remission to no AUD 38.57 38.64 2.27 43.67 3.21 42.26 2.87 38.69 2.73 38.72 44.5 *43.94 1. Abstinent remission to no AUD 40.20 1.79 38.64 2.27 43.67 3.21 42.26 2.87 38.69 2.73 38.72 44.5 *43.94 1. Abstinent remission to no AUD 40.20 1.79 38.17 2.28 30.69 2.64 32.26 2.72 38.05 2.88 41.20 4.37 *7.75 4. Abstinent remission to no AUD 50.89 4.66 *3.43 3.50 *13.13 12.25 *10.73 10.30 *5.51 5.59	No														
Abstinent remission to no AUD		19.77	1.51	17 27	1 02	22 11	2.57	20.17	2.47	19 12	2 1/	14 70	2.86	* 48 32	14.63
Partial remission 2														40.32	14.03
Remained alcohol dependent														* 42.04	14.70
Dependent Personality Disorder — Lifetime Yes Nonabstinent remission to no AUD *6.39 4.66 *3.43 3.50 *13.13 12.25 *10.73 10.30 *5.51 5.59 — <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6.23</td></th<>															6.23
Yes Nonabstinent remission to no AUD *6.39 4.66 *3.43 3.50 *13.13 12.25 *10.73 10.30 *5.51 5.59	·	00.00	0	00.1.	2.20	00.00	2.0 .	02.20		00.00	2.00	20			0.20
Nonabstinent remission to no AUD	Dependent Personality Disorder — Lifetime														
Abstinent remission to no AUD *3.48 2.75 *5.01 4.04 *57.20 17.84 *12.04 11.40 *9.58 11.37 Remained alcohol dependent 61.73 11.92 70.73 13.44 *41.19 17.24 *32.07 16.43 *74.39 13.95 *90.42 11.37 No Nonabstinent remission to no AUD 18.73 1.47 17.20 1.83 21.98 2.55 20.57 2.42 17.81 2.11 14.69 2.77 *44.28 17.4 Abstinent remission to no AUD 5.46 0.77 5.86 1.02 4.60 1.08 5.68 1.36 5.42 1.01 5.34 1.70 Partial remission 2 40.07 1.75 39.02 2.24 42.31 2.94 41.97 2.81 39.25 2.65 37.35 4.37 *40.27 1.4 Remained alcohol dependent 35.74 1.68 37.92 2.20 31.11 2.46 31.77 2.67 37.52 2.70 42.62 4.43 *15.45 1.4 Obsessive-Compulsive Personality Disorder — Lifetime Yes						ate .									
Partial remission 2						^13.13	12.25	^10.73	10.30			_	_	_	_
Remained alcohol dependent	Abstinent remission to no AUD	^3.48				_							_	_	_
No Nonabstinent remission to no AUD														_	_
Nonabstinent remission to no AUD 18.73 1.47 17.20 1.83 21.98 2.55 20.57 2.42 17.81 2.11 14.69 2.77 *44.28 17.81 *1.81	Remained alcohol dependent	61.73	11.92	70.73	13.44	^41.19	17.24	^32.07	16.43	^74.39	13.95	^90.42	11.37	_	_
Abstinent remission to no AUD	No														
Partial remission ²	Nonabstinent remission to no AUD	18.73	1.47	17.20	1.83	21.98	2.55	20.57	2.42	17.81	2.11	14.69	2.77	*44.28	13.93
Remained alcohol dependent 35.74 1.68 37.92 2.20 31.11 2.46 31.77 2.67 37.52 2.70 42.62 4.43 *15.45 *15.45 Obsessive-Compulsive Personality Disorder — Lifetime Yes Nonabstinent remission to no AUD 16.23 3.38 14.24 4.62 18.90 4.81 *18.03 7.06 16.90 4.86 *12.34 5.71 — Abstinent remission to no AUD 4.79 1.61 *3.89 1.76 *6.00 2.90 *7.26 3.88 *4.93 2.20 *0.94 0.93 — Partial remission ² 34.40 4.48 31.01 5.53 38.96 6.80 29.90 7.53 36.18 6.31 33.51 10.91 *100.00			0.77	5.86	1.02	4.60	1.08	5.68	1.36	5.42	1.01	5.34	1.70	_	_
Obsessive-Compulsive Personality Disorder — Lifetime Yes Nonabstinent remission to no AUD	Partial remission ²	40.07	1.75	39.02	2.24	42.31	2.94	41.97	2.81	39.25	2.65	37.35	4.37	*40.27	14.00
Yes Nonabstinent remission to no AUD	Remained alcohol dependent	35.74	1.68	37.92	2.20	31.11	2.46	31.77	2.67	37.52	2.70	42.62	4.43	*15.45	9.49
Nonabstinent remission to no AUD	Obsessive-Compulsive Personality Disorder — Lifetime														
Nonabstinent remission to no AUD	Yes														
Abstinent remission to no AUD		16.23	3.38	14.24	4.62	18.90	4.81	*18.03	7.06	16.90	4.86	*12.34	5.71	_	_
Partial remission ²														_	_
														*100.00	0.00
Remained alcohol dependent															_

 Table 1-10.
 Percent distribution of past-year DSM-IV alcohol use disorder (AUD) transition status by Wave 2 among Wave 1 current drinkers¹ with past-year alcohol dependence,
 by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year AUD transition status by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.										
Obsessive-Compulsive Personality Disorder — Lifetime														
No Nonabstinent remission to no AUD Abstinent remission to no AUD Partial remission ² Remained alcohol dependent	18.86 5.53 40.80 34.82	1.55 0.85 1.90 1.82	17.28 6.13 39.74 36.85	1.86 1.12 2.34 2.28	22.53 4.11 43.29 30.07	2.74 1.09 3.35 2.79	20.65 5.35 43.82 30.19	2.44 1.42 2.93 2.79	17.68 5.60 39.19 37.52	2.28 1.11 2.90 3.00	14.71 6.25 37.24 41.79	3.13 2.04 4.72 4.81	*50.13 — *32.39 *17.48	14.48 — 13.56 10.56

SOURCE: NIAAA 2001–2002 and 2004–2005 National Epidemiologic Surveys on Alcohol and Related Conditions.

Current drinker: 1 or more drinks in the past year.

Partial remission: did not meet the diagnosis of alcohol dependence, but reported 1+ symptoms of either alcohol abuse or dependence.

Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.

Fewer than 10 observations in the cell.

Empty cell.

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1.

	Both :	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Fatimata	S.E.	Ma	ıle	Fem	nale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Total														
Asymptomatic risk drinker		0.99	14.52	1.29	16.50	1.75	23.37	4.96	17.93	1.58	12.26	1.69	7.26	2.73
Low-risk drinker		1.30	24.94	1.63	32.07	2.05	15.52	4.74	30.56	1.82	25.73	2.03	22.32	4.02
Abstainer		1.35	38.29	1.87	32.50	2.05	17.72	4.80	26.63	1.64	46.34	2.15	60.00	5.06
Partial remission		1.00	18.53	1.29	15.93	1.68	37.34	6.10	20.94	1.62	12.46	1.32	10.02	2.77
Recurrence of alcohol dependence	. 3.48	0.41	3.72	0.53	3.01	0.73	*6.05	2.88	3.94	0.68	3.20	0.62	*0.40	0.40
Race/Ethnicity														
White, Not Hispanic or Latino														
Asymptomatic risk drinker	. 16.44	1.19	15.87	1.48	17.49	2.02	25.43	5.49	19.19	1.92	13.51	1.92	*8.55	3.22
Low-risk drinker		1.46	25.56	1.87	33.47	2.29	16.04	5.20	31.58	2.06	26.56	2.28	25.36	4.58
Abstainer		1.55	37.03	2.16	29.72	2.22	17.48	5.18	24.28	1.86	44.89	2.44	55.47	5.48
Partial remission		1.17	18.14	1.50	16.17	1.90	34.26	6.30	21.20	1.93	12.02	1.46	10.62	3.19
Recurrence of alcohol dependence		0.47	3.40	0.60	3.14	0.85	*6.80	3.22	3.74	0.76	3.03	0.67	_	_
Black, Not Hispanic or Latino														
Asymptomatic risk drinker	. 10.51	2.59	12.39	3.12	*6.46	2.99	_	_	15.06	4.41	*7.64	2.65	_	_
Low-risk drinker		2.44	11.91	2.74	21.90	5.66	*20.24	22.83	17.95	4.11	13.22	3.89	*7.23	5.83
Abstainer		4.79	52.09	5.68	62.80	6.47	_	_	48.13	6.83	60.25	5.80	80.03	7.44
Partial remission		2.75	18.85	3.85	*7.32	2.97	*79.76	22.83	17.48	4.54	12.21	4.51	*7.83	5.07
Recurrence of alcohol dependence		1.57	*4.76	2.22	*1.53	1.10	_	_	*1.37	1.07	*6.68	3.90	*4.91	4.81
American Indian/Alaska Native, Not Hispanic or Latino														
Asymptomatic risk drinker	. *15.70	5.48	*12.25	7.07	*21.52	8.71	_	_	*23.82	8.73	*7.35	5.68	_	_
Low-risk drinker	. 27.26	6.27	*21.77	7.85	*36.51	11.64	_	_	*30.14	9.37	*26.41	9.35	_	_
Abstainer	. 41.91	7.94	44.55	10.54	*37.46	13.36	_	_	*28.25	11.63	55.00	11.30	*78.41	21.36
Partial remission	. *7.91	3.55	*9.93	4.76	*4.51	4.46	_	_	*4.08	3.70	*11.24	6.68	*21.59	21.36
Recurrence of alcohol dependence		3.71	*11.50	6.04	_	_	-	_	*13.71	6.66	_	_	_	_
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino														
	. *5.31	3.23	*5.04	2.50	*7.67	E 01			*4.33	2.52	*13.94	8.39		
Asymptomatic risk drinker			*39.72	3.50	*6.78	5.91 6.97		_	*41.26	3.52	*40.47	20.82	_	_
Low-risk drinker		12.79 9.41	*32.90	14.25 10.28	*42.98	21.11	_	_	*32.30	16.13 12.62	*27.84	24.95	*100.00	0.00
Abstainer							* 400.00						100.00	0.00
Partial remission		7.88	*22.34	8.42	*24.46	16.93	*100.00	0.00	*19.51	8.74	*17.75	17.79	_	_
Recurrence of alcohol dependence	. *1.89	1.73	_	_	*18.11	16.50	_	_	*2.60	2.44	_	_	_	_
Hispanic or Latino														
Asymptomatic risk drinker	. 7.13	2.04	*5.91	2.44	9.97	3.53	*10.11	7.33	9.68	3.17	*2.34	1.15	*1.61	1.76
Low-risk drinker		4.41	26.75	5.70	21.96	4.70	*12.65	11.81	27.69	6.42	25.43	5.51	*8.60	6.87
Abstainer		5.78	38.21	7.19	36.66	6.40	*29.36	15.42	29.38	6.66	47.47	9.00	*89.79	7.41
Partial remission	. 26.32	4.63	25.55	5.54	28.10	6.81	*47.87	17.78	29.79	5.74	19.98	8.02	_	_
Recurrence of alcohol dependence		1.25	*3.57	1.64	*3.31	2.07	_	_	*3.45	1.74	*4.78	2.66	_	_
Marital Status														
Married														
Asymptomatic risk drinker		1.38	15.58	1.69	17.70	2.57	*17.25	8.68	19.43	2.02	13.85	2.34	*7.27	3.68
Low-risk drinker		1.70	27.06	2.05	36.87	2.87	32.25	9.76	32.60	2.26	26.93	2.64	27.30	5.55
Abstainer		1.85	37.95	2.35	28.37	2.87	*14.14	6.43	26.07	2.21	44.30	3.05	54.82	6.68
Partial remission		1.24	16.52	1.54	14.23	2.24	*24.05	8.99	19.34	1.80	11.80	1.80	*10.02	3.73
Recurrence of alcohol dependence		0.50	2.89	0.60	2.84	0.95	*12.32	6.75	2.56	0.71	3.11	0.80	*0.59	0.59
,														

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Estimate	S.E.	Mal	e	Fema	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Living with someone as if married					di .				di.					
Asymptomatic risk drinker		5.22	*10.74	4.77	*27.77	10.10	*14.51	13.67	*15.24	5.74	*20.06	10.67	_	_
Low-risk drinker		5.00	22.55	6.50	*20.70	7.66	*19.47	17.28	23.84	6.72	*20.06	8.22	_	_
Abstainer		4.89	19.54	5.87	*20.99	8.08	*6.63	4.44	*12.89	5.35	40.21	10.48		_
Partial remission		6.73	35.58	8.29	*27.27	9.10	*59.39	18.96	34.76	8.42	*17.00	8.68	*100.00	0.00
Recurrence of alcohol dependence	*8.87	3.64	*11.58	5.22	*3.28	2.51	_	_	*13.28	5.68	*2.68	2.68	_	_
Widowed														
Asymptomatic risk drinker	*5.38	2.57	*7.49	5.12	*4.11	2.67	_	_	_	_	*7.45	4.23	*3.92	3.41
Low-risk drinker	17.37	5.46	*20.13	7.61	*15.72	6.85	_	_	*39.16	20.54	*20.59	8.90	*10.21	5.34
Abstainer	61.98	7.02	61.96	9.84	61.99	9.33	_	_	*9.19	9.11	58.08	11.17	74.94	7.79
Partial remission	14.11	4.17	*10.43	5.62	*16.33	5.70	_	_	*51.65	20.41	*11.54	6.06	*10.93	5.48
Recurrence of alcohol dependence	*1.15	1.15	_	_	[*] 1.85	1.84	_	_	_	_	*2.34	2.33	_	_
Divorced														
Asymptomatic risk drinker	10.54	1.87	10.45	2.46	10.64	2.80	_	_	16.39	4.41	7.35	1.91	*8.32	5.65
Low-risk drinker		3.13	19.14	4.03	28.78	4.95	_	_	23.95	5.76	24.13	4.07	*20.77	8.32
Abstainer		3.44	46.35	4.42	40.99	5.31	_	_	31.61	5.73	49.07	4.46	66.13	9.83
Partial remission		2.81	19.86	4.20	17.77	3.54	*100.00	0.00	26.08	5.46	15.31	3.23	*4.78	4.65
Recurrence of alcohol dependence		1.18	*4.20	1.80	*1.83	1.55	-	_	*1.98	1.15	*4.14	1.93	_	_
Separated														
Asymptomatic risk drinker	15.26	5.10	*12.36	6.07	*19.03	8.34	_	_	*24.96	8.90	*5.56	3.94	_	_
Low-risk drinker		5.40	*11.22	6.42	*13.57	8.72	_	_	*10.51	7.04	*15.12	8.95	_	_
Abstainer		7.18	62.31	10.16	46.57	9.77	*100.00	0.00	35.43	9.30	74.52	9.93	*100.00	0.00
Partial remission		4.43	*11.61	6.69	*10.96	5.55	-	— —	*20.71	7.95	*1.69	1.71	100.00	0.00
Recurrence of alcohol dependence		3.33	*2.50	2.50	*9.86	6.81		_	*8.40	5.73	*3.11	3.11	_	_
·	3.70	0.00	2.50	2.50	3.00	0.01			0.40	5.75	5.11	5.11		
Never married											4		4	
Asymptomatic risk drinker		2.41	14.74	3.21	18.95	3.79	30.63	7.03	13.27	3.21	*12.16	4.62	*16.38	15.20
Low-risk drinker		3.97	22.05	4.90	30.08	5.95	*2.86	2.02	31.10	5.41	29.01	6.35	. —	_
Abstainer		3.07	34.82	4.34	29.34	4.98	*21.66	7.48	30.29	4.00	43.73	6.32	*83.62	15.20
Partial remission		2.98	23.17	4.02	17.58	4.11	42.23	9.64	18.85	4.49	12.90	3.86	_	_
Recurrence of alcohol dependence	4.81	1.25	5.21	1.58	*4.06	2.10	*2.62	2.61	6.49	1.87	*2.20	1.65	_	_
Ever Had Children (Including Step, Adopted, Foster)														
Yes														
Asymptomatic risk drinker	15.13	1.19	15.20	1.57	15.00	2.01	*18.57	7.50	18.84	1.87	12.67	1.93	*6.46	2.83
Low-risk drinker		1.50	24.28	1.88	32.01	2.25	*30.30	9.69	29.19	2.11	24.97	2.19	23.55	4.28
Abstainer		1.54	41.50	2.12	35.30	2.34	*22.75	7.76	28.80	2.11	47.72	2.38	59.79	5.20
Partial remission		1.07	15.91	1.37	14.24	1.73	20.36	6.31	19.65	1.69	11.38	1.43	9.76	2.89
Recurrence of alcohol dependence		0.46	3.11	0.55	3.45	0.86	*8.03	5.49	3.52	0.76	3.26	0.67	*0.44	0.44
No														
Asymptomatic risk drinker	15.42	1.99	12.24	2.31	22.01	3.78	26.20	6.30	15.35	2.85	10.03	2.62	*15.42	10.18
Low-risk drinker		2.86	27.16	3.45	32.30	4.58	*6.81	3.97	34.43	3.89	29.95	4.66	*9.82	6.92
		2.23	27.16	3.43	22.18	3.72	*14.75	6.08	20.50	2.72	29.95 38.71	4.66	62.16	14.21
Abstainer Partial remission		2.23	27.32	3.13	22.18	3.72	47.35	8.24	20.50 24.61	3.94	18.42	3.75	*12.60	9.85
Recurrence of alcohol dependence		1.06	5.76	3.39 1.52	*1.38	0.96	*4.89	8.24 3.24	24.61 5.11	3.94 1.52	*2.89	1.69	12.60	9.85
Recurrence of alcohol dependence	4.54	1.00	5.76	1.52	1.30	0.90	4.09	3.24	5.11	1.52	2.09	1.09	_	_

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Fatimata	S.E.	Mal	е	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Children Ages Below 13 Living in Household														
Yes														
Asymptomatic risk drinker	16.70	1.71	16.78	2.19	16.58	2.75	*13.39	6.14	18.13	2.06	11.96	3.59	_	_
Low-risk drinker		2.00	24.82	2.50	36.16	3.01	32.90	9.51	31.34	2.35	18.71	4.05	*16.98	16.35
Abstainer		2.19	34.22	2.91	28.31	3.16	*20.72	7.33	27.46	2.41	53.50	5.40	*83.02	16.35
Partial remission		1.71	20.75	2.33	14.60	2.42	25.68	8.15	19.23	1.91	13.22	4.08	05.02	10.55
Recurrence of alcohol dependence		0.78	3.43	0.97	4.35	1.41	*7.31	5.05	3.84	0.89	*2.60	1.48	_	_
No														
Asymptomatic risk drinker	14.33	1.13	13.35	1.60	16.44	2.13	30.23	6.61	17.67	2.20	12.33	1.76	7.49	2.80
Low-risk drinker		1.60	25.00	2.00	29.24	2.73	*3.58	2.26	29.54	2.75	27.14	2.27	22.48	4.04
Abstainer		1.77	40.41	2.40	35.41	2.62	*15.65	6.37	25.54	2.73	44.90	2.31	59.28	5.05
Partial remission		1.77	17.37	1.67	16.85	2.30	45.35	8.21	23.18	2.44	12.31	1.37	10.33	2.84
Recurrence of alcohol dependence		0.48	3.87	0.66	2.07	0.76	*5.19	3.42	4.07	1.04	3.32	0.66	*0.42	0.42
Education														
11 years or less														
Asymptomatic risk drinker	12.69	2.99	13.38	3.82	*10.89	3.84	*27.52	22.48	16.03	4.97	*9.98	4.57	*8.42	4.87
														5.97
Low-risk drinker		3.45	21.39	4.18	21.57	6.47	*4.95	5.23	33.02	6.04	14.08	4.13	*12.61	
Abstainer		4.06	46.73	5.03	55.81	6.99	*11.93	11.04	33.05	6.34	59.63	5.64	71.38	9.06
Partial remission		2.52	11.86	3.23	*8.89	3.46	*55.60	21.62	12.40	3.60	*8.09	3.58	*7.58	7.15
Recurrence of alcohol dependence	5.58	1.51	6.64	1.93	*2.84	1.68	_	_	*5.50	2.99	*8.22	2.04	_	_
12 years							l .							
Asymptomatic risk drinker		1.83	12.55	2.44	14.82	3.61	*15.98	9.88	16.14	2.96	12.02	3.19	*2.69	2.66
Low-risk drinker	. 23.51	2.37	20.84	2.85	29.19	4.16	*13.60	7.61	25.09	3.90	22.77	3.55	23.87	7.39
Abstainer	. 43.92	2.59	48.06	3.48	35.09	4.45	*22.44	9.44	34.20	3.71	53.50	4.44	64.92	8.70
Partial remission	. 14.85	1.89	14.37	2.24	15.87	3.58	*33.45	12.73	18.82	3.08	9.40	2.23	*7.28	3.88
Recurrence of alcohol dependence		0.98	4.18	1.13	*5.04	1.81	*14.52	8.02	5.76	1.57	*2.32	1.12	*1.23	1.23
13–15 years														
Asymptomatic risk drinker	. 15.29	1.60	12.52	1.87	19.91	3.04	24.54	6.20	18.29	2.83	10.43	2.17	*7.42	5.08
Low-risk drinker		1.98	25.91	2.69	30.91	3.15	*19.74	7.34	30.41	2.95	26.85	3.44	*20.38	7.02
Abstainer		2.19	39.10	3.01	29.45	3.29	*18.10	6.91	27.86	2.76	46.96	4.00	52.42	9.57
Partial remission		1.79	18.96	2.36	18.46	2.70	34.48	7.76	20.34	2.59	13.40	2.42	*19.78	7.26
Recurrence of alcohol dependence		0.62	3.52	1.00	*1.28	0.75	*3.15	3.01	3.10	1.02	*2.36	1.06	_	_
16 or more years														
Asymptomatic risk drinker	. 18.21	2.06	19.78	2.79	15.24	2.80	*38.62	15.94	19.75	2.95	16.19	3.00	*12.30	6.60
Low-risk drinker		2.64	29.95	3.15	40.23	4.11	*2.30	2.37	34.89	3.50	33.22	4.07	30.94	8.35
	1	2.04	29.95	2.90	40.23 26.15	3.83	*2.85	2.92		2.66	30.89	4.07	49.09	8.73
Abstainer						2.73	*56.23		16.21			3.01	*7.66	
Partial remission		2.25	25.79 *2.06	3.19	14.84			16.16	26.38 *2.76	3.35	16.77 *2.92		00.1	4.05
Recurrence of alcohol dependence	. 2.57	0.79	2.06	0.83	*3.54	1.68	_	_	2.76	1.15	2.92	1.40	_	_
Currently Employed Full Time														
Yes														
Asymptomatic risk drinker		1.26	17.78	1.64	16.72	2.40	22.83	6.86	19.62	1.89	14.06	2.11		_
Low-risk drinker		1.53	24.82	1.85	35.96	3.06	19.09	6.45	29.05	2.18	27.26	2.65	*1.94	1.98
Abstainer		1.66	33.75	2.08	27.65	2.72	*9.98	3.97	25.74	1.91	43.46	2.82	78.70	12.53
Partial remission		1.27	20.31	1.60	15.04	2.27	43.23	7.59	21.69	1.91	11.96	1.66	*19.36	12.30
Recurrence of alcohol dependence	3.67	0.57	3.33	0.66	4.63	1.32	*4.87	3.39	3.90	0.82	3.26	0.86		_

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Estimate	S.E.	Mal	е	Fema	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Employed Full Time														
No														
Asymptomatic risk drinker	. 11.18	1.59	6.46	1.70	16.28	2.56	*24.25	7.64	13.55	2.92	8.98	2.40	7.67	2.88
Low-risk drinker		2.11	25.23	2.98	28.41	2.72	*9.67	5.75	34.47	3.88	22.93	2.92	23.46	4.19
Abstainer		2.33	49.51	3.73	37.07	2.79	*30.40	9.98	28.93	3.25	51.61	3.46	58.95	5.29
Partial remission		1.78	14.13	2.54	16.76	2.41	*27.68	9.85	19.00	3.36	13.39	2.32	9.49	2.87
Recurrence of alcohol dependence		0.69	4.67	1.19	*1.47	0.64	*8.00	5.40	4.04	1.20	*3.10	1.18	*0.43	0.43
Family Annual Income														
\$0 to \$40,000														
\$0 to \$19,999	. 11.95	1.93	11.00	2.94	13.15	3.07	*27.62	9.31	17.76	3.76	*4.69	1.78	*8.31	4.13
Asymptomatic risk drinker		2.38	16.76	2.94 3.17	22.67	3.69	*20.60	9.31	20.53	4.20	21.13	3.78	*10.21	4.13
Low-risk drinker														
Abstainer		3.23 2.40	51.73 15.13	4.88 3.78	50.35 12.33	4.60 2.77	*12.87 38.92	6.19 10.64	37.25 19.05	5.14 5.20	63.07 7.46	4.39 2.08	76.34 *3.73	6.27 2.21
Partial remission Recurrence of alcohol dependence		2.40 1.16	*5.39	3.78 1.91	*1.50	0.97	38.92	10.64	*5.41	5.20 2.55	*3.65	2.08 1.60	*1.42	1.42
Recurrence of alcohol dependence	. 3.00	1.10	3.39	1.91	1.50	0.97	_	_	5.41	2.55	3.03	1.00	1.42	1.42
\$20,000 to \$34,999														
Asymptomatic risk drinker	. 13.37	2.19	11.35	2.64	17.25	3.91	*25.25	10.01	14.28	3.00	13.52	4.01	*0.25	0.25
Low-risk drinker	. 26.86	2.91	23.67	3.28	32.98	4.92	*21.19	8.82	30.33	4.55	23.72	4.40	25.98	7.83
Abstainer	. 40.70	2.98	47.12	3.85	28.39	4.75	*9.61	4.84	33.16	4.55	51.01	5.20	65.65	8.32
Partial remission		2.09	13.61	2.35	19.59	4.01	*34.42	9.11	17.87	3.41	10.16	2.66	*8.12	4.12
Recurrence of alcohol dependence		1.02	4.24	1.44	*1.79	1.28	*9.53	6.24	4.36	1.56	*1.58	1.57	_	_
\$35,000 to \$69,999														
Asymptomatic risk drinker	. 12.73	1.43	13.08	1.81	11.95	2.41	*17.45	9.48	15.51	2.31	9.17	2.19	*9.48	5.26
Low-risk drinker		2.15	26.04	2.65	33.36	4.00	*1.66	1.24	33.46	3.03	22.77	3.25	31.81	7.74
		2.13	37.12	3.23	32.10	3.66	*31.16	14.22	25.36	2.73	47.20	3.23	50.19	8.34
Abstainer														
Partial remission Recurrence of alcohol dependence		2.05 0.72	20.31 3.45	2.58 0.83	18.40 *4.20	3.21 1.51	*38.69 *11.04	13.34 7.55	22.08 3.58	3.07 1.07	17.00 3.86	2.86 1.03	*8.51 —	4.76 —
·	. 0.00	0.12	0.10	0.00	1.20	1.01	11.01	7.00	0.00	1.07	0.00	1.00		
\$70,000 or more	04.70	0.00	00.40	0.00	04.00	4.40	*47.00	45.70	00.40	0.44	00.00	0.00	*44.50	40.00
Asymptomatic risk drinker		2.30	20.48	2.82	24.29	4.16	*17.62	15.73	23.12	3.44	20.60	3.66	*14.58	12.92
Low-risk drinker		2.59	28.44	3.10	37.50	4.11	*12.24	11.64	31.12	3.74	33.95	4.08	*19.18	10.00
Abstainer		2.32	26.96	2.81	21.48	3.70	*30.17	18.23	20.09	2.72	31.35	4.29	*35.94	12.24
Partial remission		2.13	21.24	2.83	13.07	3.16	*39.98	18.64	22.14	3.03	11.08	2.51	*30.30	13.18
Recurrence of alcohol dependence	. 3.14	0.83	2.88	0.94	*3.67	1.60	-	_	3.53	1.17	*3.03	1.23	_	_
Born in the United States														
Yes	15.00	1.00	15.00	4.05	16.50	1 70	25.44	E 00	10.50	1.00	10.00	1 74	*7.62	0.00
Asymptomatic risk drinker		1.02	15.09	1.35	16.59	1.78	25.44	5.28	18.50	1.63	12.38	1.74		2.88
Low-risk drinker		1.34	24.86	1.70	32.25	2.09	16.89	5.14	30.36	1.91	25.74	2.09	23.65	4.09
Abstainer		1.34	38.16	1.88	32.43	2.10	17.87	5.09	26.40	1.68	46.39	2.17	58.14	4.96
Partial remission		1.01	18.20	1.35	15.97	1.71	33.21	6.09	20.95	1.66	12.46	1.33	10.16	2.86
Recurrence of alcohol dependence	. 3.36	0.41	3.69	0.56	2.76	0.72	*6.59	3.12	3.80	0.69	3.03	0.61	*0.43	0.43
No														
Asymptomatic risk drinker	. *6.15	2.30	*5.43	2.43	*11.15	7.57	_	_	*6.59	3.32	*9.00	6.06	*1.22	1.22
Low-risk drinker		4.85	26.14	5.30	*21.20	12.17	_	_	34.63	7.30	25.43	8.56	_	
Abstainer		6.16	40.34	6.80	*36.48	13.44	*15.93	13.06	31.22	7.26	44.75	13.15	*91.21	8.80
Partial remission		5.91	23.89	6.78	*13.52	7.91	*84.07	13.06	*20.83	7.32	*12.55	10.12	*7.56	7.58
		2.49	*4.21	2.24	*17.65	11.47	_		*6.74	4.07	*8.27	4.95	_	_

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Fationata	S.E.	Ма	lle	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Family Structure Before Age 18														
Both biological/adoptive parents in the household														
Asymptomatic risk drinker	15.53	2.11	14.70	2.89	16.80	3.15	24.03	7.55	15.47	2.91	14.85	4.64		_
Low-risk drinker	25.30	2.52	21.46	3.21	31.24	4.15	*13.71	6.01	29.14	3.48	22.68	4.82	*7.12	6.86
Abstainer	33.74	2.82	33.99	3.77	33.35	4.33	*19.06	7.22	28.07	3.41	44.21	5.67	92.88	6.86
Partial remission	20.62	2.27	23.61	3.25	16.00	3.32	35.62	9.32	23.37	3.18	11.73	3.93	_	_
Recurrence of alcohol dependence	4.81	1.25	6.23	1.83	*2.61	1.44	*7.58	5.21	*3.96	1.47	*6.54	2.82	_	_
Only biological mother ever in the household (father never present)														
Asymptomatic risk drinker	15.31	1.20	14.96	1.59	16.07	2.13	*25.68	8.26	18.60	2.11	12.33	1.94	8.78	3.25
Low-risk drinker		1.63	26.28	2.00	33.90	2.72	*12.36	5.99	31.80	2.42	27.51	2.40	24.07	4.25
Abstainer		1.68	38.01	2.28	31.48	2.60	*21.68	8.10	25.12	2.08	44.56	2.69	56.14	5.34
Partial remission		1.28	17.59	1.61	15.69	2.01	36.52	9.31	20.66	2.09	12.86	1.55	10.52	3.16
Recurrence of alcohol dependence	3.05	0.50	3.15	0.58	2.85	0.92	*3.76	3.69	3.81	0.85	2.74	0.66	*0.49	0.49
Biological/adoptive parents divorced or no longer living together														
Asymptomatic risk drinker	14.21	3.70	10.70	3.61	19.27	7.75	*14.71	11.82	20.56	6.14	*7.72	3.81	_	_
Low-risk drinker		3.93	21.52	5.11	20.92	5.41	*34.89	18.75	27.42	7.08	13.46	4.08	_	_
Abstainer		4.63	48.73	6.20	35.05	6.35	_	_	29.39	6.50	65.32	6.81	*71.69	14.04
Partial remission		3.03	15.74	3.97	19.32	5.33	*40.01	17.78	17.35	4.38	*11.38	4.21	*28.31	14.04
Recurrence of alcohol dependence	ata .	1.74	*3.31	1.87	*5.45	2.97	*10.39	10.02	*5.28	2.79	*2.12	1.28	_	_
Raised by relatives, by foster parents, or in an institution		4.00	*= 40		* 4 0 00	0.50			* 4 7 4 4 0	40.00	*0.44			
Asymptomatic risk drinker		4.63	*7.10	5.51	*12.03	8.59	-	_	*17.46	10.99	*8.41	6.34	*=4.00	_
Low-risk drinker		10.35	*19.60	12.46	*37.84	17.16	_	_	*5.75	4.41	*32.82	17.17	*51.28	27.09
Abstainer		11.02	*64.16	14.17	*48.23	17.72	*		*76.79	11.77	*54.68	17.53	*48.72	27.09
Partial remission		4.77	*9.13	7.62	*1.90	1.98	*100.00	0.00	_	_	*4.10	3.14	_	_
Recurrence of alcohol dependence	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Before Age 18, Family Received Government Assistance														
Yes														
Asymptomatic risk drinker	18.71	2.88	15.35	3.23	24.17	4.91	*39.70	10.74	19.76	4.19	13.75	4.77	_	_
Low-risk drinker		2.74	20.71	3.57	25.39	4.05	*15.26	7.90	25.91	4.03	19.23	4.43	*9.26	8.13
Abstainer		3.37	40.78	4.51	30.13	4.79	*20.60	8.87	28.90	4.45	51.77	6.30	76.73	12.07
Partial remission	16.42	2.33	16.91	3.13	15.64	3.03	*19.63	7.68	20.21	3.54	*7.39	2.67	*14.01	10.06
Recurrence of alcohol dependence		1.30	6.24	1.83	*4.67	1.95	*4.80	4.70	5.22	1.63	*7.87	3.15	_	_
No					44-0	4 =0			4= 40	4 =0	40.07			
Asymptomatic risk drinker		1.08	14.37	1.43	14.78	1.76	17.45	5.29	17.48	1.70	12.07	1.82	8.06	3.01
Low-risk drinker		1.42	25.71	1.80	33.56	2.38	15.61	5.59	31.72	1.98	26.59	2.16	23.75	4.27
Abstainer		1.46	37.83	1.99	33.03	2.35	16.67	5.85	26.06	1.85	45.62	2.40	58.16	5.21
Partial remission		1.08	18.82	1.39	15.99	1.94	43.75	7.29	21.13	1.76	13.13	1.45	9.58	2.82
Recurrence of alcohol dependence	3.05	0.43	3.26	0.56	2.63	0.76	^6.51	3.64	3.62	0.76	2.59	0.59	*0.45	0.45
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes														
Asymptomatic risk drinker	17.58	3.43	18.15	4.13	*15.85	5.20	*35.18	13.00	18.85	5.37	*12.92	4.86	*5.05	4.57
Low-risk drinker		2.84	13.86	3.42	*9.68	4.24	*11.02	10.20	13.51	4.13	11.83	4.31	*15.45	10.22
Abstainer		4.85	47.46	5.79	57.18	7.39	*21.32	10.81	51.21	7.03	58.14	7.20	*43.02	15.58
Partial remission		2.66	11.54	3.19	*10.94	4.72	*24.48	11.12	*7.64	2.76	*7.63	3.30	*36.48	17.75
Recurrence of alcohol dependence		2.33	8.99	2.85	*6.35	4.38	*8.01	7.67	*8.79	3.23	*9.48	4.41	_	_

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Ever in Jail or Juvenile Detention Center														
No														
Asymptomatic risk drinker	14.94	1.10	14.08	1.40	16.55	1.87	20.18	5.31	17.84	1.71	12.20	1.76	*7.46	2.97
Low-risk drinker		1.32	26.31	1.69	33.77	2.13	16.73	5.27	32.34	1.88	27.05	2.17	22.94	4.18
Abstainer		1.43	37.16	2.02	30.63	2.09	16.75	5.58	24.06	1.66	45.22	2.27	61.54	5.28
Partial remission		1.09	19.39	1.43	16.30	1.74	40.81	7.07	22.34	1.78	12.92	1.42	7.62	2.33
Recurrence of alcohol dependence	2.96	0.42	3.07	0.51	2.75	0.73	*5.53	3.01	3.43	0.68	2.61	0.57	*0.44	0.44
Before Age 18, Physically Abused by Parent/Caretaker														
Yes														
Asymptomatic risk drinker	13.42	4.54	*9.20	5.07	18.25	7.47	*32.97	21.41	*17.13	7.06	*4.37	2.26	_	_
Low-risk drinker	17.74	3.61	9.43	3.65	27.21	6.09			19.00	5.00	19.71	6.27	*4.27	4.61
Abstainer		6.19	56.13	8.75	45.89	7.54	*52.51	24.48	44.88	7.57	59.20	8.08	*95.73	4.61
Partial remission		2.75	*13.23	4.72	*6.87	2.82		_	13.12	4.15	*7.73	3.83	_	_
Recurrence of alcohol dependence		2.59	*12.01	4.57	*1.79	1.78	*14.52	14.22	*5.88	2.90	*8.99	4.77	_	_
,														
No	45.00	4.04	44.05	4.00	40.00	4.00	00.45	F 40	40.04	4.57	40.70	4 77	7 44	0.70
Asymptomatic risk drinker		1.01 1.37	14.85 25.90	1.36 1.72	16.30 32.60	1.82 2.21	22.45 17.01	5.42 5.10	18.01 31.64	1.57 1.95	12.79 26.13	1.77 2.13	7.44 22.76	2.79 4.12
Low-risk drinker			37.19	1.72	31.03	2.19	14.36					2.13	59.12	5.17
Abstainer		1.37 1.03	18.86	1.35	16.92	1.86	40.94	4.36 6.14	24.92 21.68	1.64 1.65	45.48 12.78	1.39	10.26	2.83
Partial remission Recurrence of alcohol dependence		0.40	3.21	0.50	3.14	0.79	*5.24	2.86	3.75	0.69	2.82	0.59	*0.41	2.63 0.41
Before Age 18, Seriously Neglected by Parent/Caretaker														
V														
Yes	10.74	4.15	*5.70	3.06	*16.02	7.51	*30.54	17.62	*14.50	7.41	*4.24	2.26		
Asymptomatic risk drinker		4.15	22.02	6.02	26.95	6.80	30.54	17.02	22.65	6.18	32.15	7.91	 *17.55	 15.49
Low-risk drinkerAbstainer		5.16	56.24	7.31	45.25	7.10	*8.79	— 8.61	48.09	7.62	56.16	8.38	*82.45	15.49
Partial remission		2.95	*11.99	4.78	*9.19	3.35	*47.21	18.30	*12.51	4.83	*3.77	2.83	- 02.43 	15.49
Recurrence of alcohol dependence		1.74	*4.05	2.87	*2.59	1.93	*13.46	12.52	*2.25	2.23	*3.67	2.72	_	
Trocurrence of alcohol acpoind for	0.01		1.00	2.07	2.00	1.00	10.10	12.02	2.20	2.20	0.01	2.72		
No														
Asymptomatic risk drinker		1.03	15.04	1.35	16.55	1.82	22.62	5.10	18.20	1.60	12.87	1.78	7.71	2.88
Low-risk drinker		1.34	25.11	1.67	32.65	2.22	17.15	5.20	31.17	1.89	25.24	2.11	22.61	4.15
Abstainer		1.37	37.24	1.91	31.05	2.16	18.65	5.17	24.97	1.66	45.59	2.25	58.63	5.23
Partial remission Recurrence of alcohol dependence		1.07 0.42	18.91 3.70	1.35 0.54	16.69 3.05	1.82 0.79	36.30 *5.28	6.13 2.89	21.59 4.07	1.69 0.70	13.12 3.17	1.42 0.64	10.63 *0.43	2.91 0.43
Before Age 18, Saw Serious Fights at Home	3.49	0.42	3.70	0.54	3.05	0.79	5.26	2.09	4.07	0.70	3.17	0.04	0.43	0.43
before Age 16, Saw Serious Fights at Home														
Yes											4			
Asymptomatic risk drinker		2.60	9.15	3.11	15.44	3.77	*22.27	12.82	18.54	4.43	*2.82	1.11		_
Low-risk drinker		2.80	16.16	3.45	33.33	4.39		_	23.91	3.70	27.31	4.71	*14.13	8.11
Abstainer		3.56	50.44	5.00	32.18	3.99	[*] 29.89	14.04	33.07	4.55	53.37	5.20	71.23	11.74
Partial remission		2.34	16.92	3.18	14.70	3.30	*27.12	13.42	16.52	3.23	14.11	3.39	*14.64	9.94
Recurrence of alcohol dependence	5.99	1.53	7.32	2.34	*4.35	1.85	*20.72	13.00	7.96	2.43	*2.39	1.39	_	_
No														
Asymptomatic risk drinker	15.92	1.05	15.49	1.44	16.83	1.96	23.56	5.37	17.78	1.67	14.34	1.95	8.11	3.04
Low-risk drinker		1.48	26.52	1.85	31.68	2.39	18.12	5.47	32.22	2.18	25.38	2.16	23.26	4.36
Abstainer		1.47	36.10	2.04	32.60	2.40	15.67	5.03	25.02	1.84	44.79	2.45	58.70	5.40
Partial remission		1.10	18.82	1.43	16.31	1.89	39.05	6.76	22.05	1.81	12.10	1.49	9.48	2.85
Recurrence of alcohol dependence		0.40	3.07	0.50	2.58	0.78	*3.59	2.48	2.93	0.61	3.38	0.73	*0.45	0.45
,														

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Fatiments.	0.5	Mal	e	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and old
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
Yes														
Asymptomatic risk drinker	14.60	1.75	13.27	2.21	16.59	2.66	*18.97	7.06	18.80	2.71	10.30	2.35	*1.84	1.84
	25.04	2.09	20.98	2.21	31.11	2.00	*22.03	9.06	24.39	2.71	26.53	2.35 3.47	*23.29	7.92
Low-risk drinker														
Abstainer	41.02	2.37	44.83	3.31	35.33	3.43	*19.53	7.89	32.67	2.85	51.15	3.95	66.43	8.74
Partial remission Recurrence of alcohol dependence	15.07 4.27	1.50 0.87	15.93 4.99	2.01 1.26	13.78 3.19	2.26 1.15	*26.56 *12.90	8.97 6.49	19.88 4.26	2.51 1.24	8.19 3.83	1.75 1.27	*8.44 —	6.38
No														
Asymptomatic risk drinker	15.54	1.25	15.15	1.68	16.43	2.31	25.92	6.32	17.40	1.94	13.44	2.10	*9.10	3.5
Low-risk drinker	28.72	1.66	26.92	2.07	32.80	2.60	*11.75	5.00	34.33	2.48	25.25	2.39	21.99	4.5
Abstainer	33.59	1.61	35.02	2.23	30.36	2.65	16.67	6.04	22.94	1.91	43.46	2.75	57.83	5.9
Partial remission	19.13	1.33	19.83	1.66	17.55	2.45	43.58	7.86	21.59	2.13	15.02	1.82	10.55	3.0
Recurrence of alcohol dependence	3.02	0.48	3.09	0.56	2.86	0.98	*2.09	2.08	3.74	0.84	2.83	0.70	*0.54	0.5
Ever Had No Regular Place to Live Lasting 1+ Months														
Yes														
Asymptomatic risk drinker	14.10	3.39	12.86	3.77	*16.64	6.98	*28.18	14.36	15.20	4.65	*10.94	4.73	*8.79	8.5
Low-risk drinker	15.13	2.95	15.86	4.23	13.63	4.51	*6.60	6.96	19.92	5.19	*11.38	3.93	*24.71	15.6
Abstainer	49.06	4.15	48.20	5.77	50.82	7.65	*23.09	11.83	45.12	7.02	56.71	6.14	*58.62	17.4
	13.17	2.80					*34.62		10.36	3.43	12.27		*7.89	
Partial remission Recurrence of alcohol dependence	8.54	2.32	13.40 9.68	3.74 3.00	12.70 *6.21	4.48 3.57	*7.50	13.38 7.20	*9.39	3.43	*8.70	4.41 3.70	7.69 —	7.7
No														
	15.31	1.04	14.70	1.32	16.48	1.78	22.38	5.17	18.17	1.68	12.44	1.80	*7.19	2.8
Asymptomatic risk drinker														
Low-risk drinker	28.66	1.38	25.91	1.71	33.94	2.22	17.35	5.47	31.50	1.91	27.59	2.29	22.20	4.0
Abstainer	34.97	1.48	37.22	2.00	30.64	2.19	16.61	5.22	25.00	1.68	44.99	2.44	60.07	5.2
Partial remission	18.11	1.09	19.08	1.44	16.25	1.78	37.89	6.57	21.88	1.73	12.49	1.44	10.12	2.8
Recurrence of alcohol dependence	2.94	0.41	3.08	0.51	2.68	0.74	*5.76	3.14	3.45	0.66	2.49	0.56	*0.42	0.4
Self-Perceived Current Health														
Excellent/Very good														
Asymptomatic risk drinker	18.34	1.44	17.45	1.82	20.12	2.51	25.86	6.24	19.75	2.11	15.68	2.63	*8.58	6.1
Low-risk drinker	29.54	1.85	26.93	2.30	34.71	2.82	16.98	5.85	30.70	2.43	30.45	3.24	25.86	6.6
Abstainer	27.30	1.66	28.80	2.11	24.32	2.73	*12.88	4.59	22.10	2.02	36.66	3.16	49.35	8.1
Partial remission	21.68	1.51	23.53	2.09	18.00	2.52	39.61	7.10	24.02	2.28	14.46	2.04	*16.20	5.4
Recurrence of alcohol dependence	3.14	0.55	3.28	0.74	2.85	0.96	*4.67	3.16	3.44	0.76	*2.75	1.03	_	_
Good														
Asymptomatic risk drinker	12.22	1.95	12.59	2.70	11.60	2.71	*15.82	10.55	14.40	3.00	12.10	2.96	*3.71	2.7
Low-risk drinker	28.62	2.47	26.34	3.08	32.45	4.06	*15.28	8.89	34.06	4.13	24.74	3.58	27.18	7.8
Abstainer	43.39	2.65	46.20	3.71	38.69	4.05	*36.04	15.95	33.77	3.91	47.97	4.39	63.24	8.3
Partial remission	12.34	1.84	11.70	2.62	13.41	2.38	*17.84	10.30	14.49	2.94	11.56	2.72	*5.88	4.5
Recurrence of alcohol dependence	3.43	0.89	3.18	1.03	*3.86	1.65	*15.02	9.99	*3.28	1.33	*3.63	1.33	_	_
Fair/Poor							[
Asymptomatic risk drinker	9.82	1.89	8.44	2.22	12.84	3.51	*19.96	17.87	14.55	3.98	6.18	1.90	*10.09	4.8
Low-risk drinker	19.07	2.29	17.44	2.72	22.66	4.12	*4.19	4.43	23.67	4.35	18.25	3.04	*12.65	5.3
Abstainer	54.17	3.00	56.51	3.84	49.02	5.37	*25.80	21.35	38.09	5.13	62.48	3.78	67.72	7.3
Partial remission	12.35	1.82	11.89	2.44	13.37	2.77	*50.05	22.42	16.00	3.42	9.56	2.15	*8.22	4.4
Recurrence of alcohol dependence	4.59	1.24	5.72	1.70	*2.10	1.07	30.03		*7.70	2.92	*3.54	1.30	*1.32	1.3
reconnence of alcohol dependence	4.55	1.24	J.72	1.70	2.10	1.07			1.10	2.52	3.54	1.50	1.52	1.0

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Estimata	0.5	Mal	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Covered by Health Insurance														
Yes														
Asymptomatic risk drinker	. 15.66	1.14	14.92	1.42	17.12	1.93	25.57	6.06	18.76	1.85	12.80	1.81	7.26	2.73
Low-risk drinker		1.43	25.25	1.75	33.78	2.26	*14.52	5.46	31.08	1.96	27.21	2.26	22.32	4.02
Abstainer		1.44	38.04	1.98	29.85	2.08	*15.77	5.68	24.97	1.69	44.22	2.21	60.00	5.06
Partial remission		1.07	18.69	1.42	15.80	1.76	38.15	7.51	21.34	1.74	12.94	1.48	10.02	2.77
Recurrence of alcohol dependence		0.45	3.10	0.53	3.45	0.87	*5.99	3.43	3.85	0.76	2.83	0.63	*0.40	0.40
No							l .							
Asymptomatic risk drinker		2.24	12.10	3.36	13.28	4.55	*17.75	8.13	13.94	3.22	*8.76	3.97	_	_
Low-risk drinker		3.26	23.03	4.38	23.22	4.58	*18.07	9.08	28.04	4.69	15.98	4.19	_	_
Abstainer		3.37	39.79	4.11	46.21	6.06	*22.70	8.89	34.66	4.40	60.30	6.07	_	_
Partial remission		2.56	17.57	3.39	16.60	4.53	*35.26	11.64	19.00	3.60	*9.30	3.54	_	_
Recurrence of alcohol dependence	. 4.96	1.40	7.51	2.13	*0.69	0.69	*6.23	5.82	*4.35	1.73	*5.66	2.30	_	_
Tobacco Use Status														
Current user														
Asymptomatic risk drinker	. 14.74	1.41	14.80	1.86	14.61	2.32	28.34	7.89	17.79	2.32	10.78	2.12	*1.67	1.66
Low-risk drinker	. 22.89	1.84	19.67	2.24	29.64	3.03	*12.89	5.91	27.43	3.06	19.17	2.49	*22.33	7.52
Abstainer	. 38.82	2.00	41.18	2.56	33.88	3.14	*12.55	4.88	25.88	2.75	53.85	3.11	70.00	8.02
Partial remission		1.44	18.48	1.85	18.17	2.79	40.10	7.77	22.75	2.50	11.74	1.87	*6.00	3.92
Recurrence of alcohol dependence		0.70	5.87	0.95	3.70	1.16	*6.12	4.02	6.15	1.25	4.47	1.00	_	_
Ex-user														
Asymptomatic risk drinker	. 12.43	1.61	10.42	2.01	16.79	2.94	*2.21	2.27	16.09	3.05	11.93	2.45	*7.80	3.20
Low-risk drinker	. 29.48	2.53	29.65	3.13	29.11	3.48	*24.06	11.54	31.44	3.90	31.73	3.55	20.70	4.70
Abstainer	. 43.56	2.71	46.58	3.55	37.03	4.13	*36.95	16.05	38.10	4.42	42.51	3.74	58.75	6.20
Partial remission		1.84	12.30	2.04	14.52	3.10	*29.57	13.81	13.84	3.14	11.24	2.36	12.75	4.02
Recurrence of alcohol dependence	. *1.53	0.58	*1.05	0.48	*2.56	1.38	*7.21	7.05	*0.52	0.41	*2.59	1.22	_	_
Lifetime nonsmoker							l .							
Asymptomatic risk drinker		2.29	19.36	2.94	19.05	3.75	*27.67	10.42	19.26	3.08	18.03	4.46	*15.86	13.86
Low-risk drinker		2.56	29.73	3.33	38.41	3.86	*15.19	9.35	34.07	3.31	34.89	5.46	*30.33	12.28
Abstainer		2.35	21.31	3.08	26.31	3.96	*15.27	8.77	20.52	2.69	29.23	5.22	46.13	14.08
Partial remission		2.29	26.85	3.38	13.86	2.55	*36.80	12.39	22.99	2.97	17.58	3.90	*4.47	3.63
Recurrence of alcohol dependence	. 2.60	0.86	*2.75	1.18	*2.37	1.10	*5.07	4.97	3.17	1.15	*0.27	0.27	*3.22	3.24
<u>Drug Use Status</u>														
Current user													4	
Asymptomatic risk drinker		4.12	26.00	6.16	22.34	5.22	*51.02	15.47	22.59	6.13	19.97	6.26	[*] 30.18	23.48
Low-risk drinker		2.83	11.66	3.45	19.32	5.32	[*] 6.54	5.53	13.67	3.70	17.61	5.92	[*] 25.18	21.14
Abstainer		4.71	38.15	6.81	19.46	5.59	*6.11	6.03	29.35	5.96	_41.69	8.61	[*] 29.86	17.79
Partial remission		3.81	13.55	3.67	36.88	7.57	*36.32	14.87	25.96	5.27	*12.46	4.73	*14.79	14.13
Recurrence of alcohol dependence	. 7.37	2.47	*10.64	3.78	*2.00	1.98	_	_	*8.42	3.57	*8.28	4.17	_	_
Ex-user													4	
Asymptomatic risk drinker		1.53	14.18	1.98	14.99	2.31	*11.76	6.23	16.18	2.05	12.70	2.40	*4.08	3.63
Low-risk drinker		1.80	27.26	2.31	37.45	2.80	*18.97	7.00	33.83	2.43	28.26	2.84	*18.97	9.77
Abstainer		1.91	37.14	2.52	29.94	2.96	23.01	8.13	28.23	2.39	44.62	3.09	66.94	12.92
Partial remission		1.48	17.54	1.97	14.50	2.22	34.38	9.08	17.87	2.17	12.17	2.10	*10.02	5.72
Recurrence of alcohol dependence	. 3.62	0.62	3.88	0.85	3.12	1.04	*11.89	5.51	3.89	0.91	2.25	0.82	_	_

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Fatimata	0.5	Mal	е	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Drug Use Status														
Lifetime nondrug user														
Asymptomatic risk drinker	14.10	1.68	12.73	1.82	16.93	2.87	*26.96	9.12	19.46	3.27	10.64	2.27	*6.96	3.02
Low-risk drinker		1.88	24.90	2.33	28.58	2.94	*14.87	8.37	30.11	3.34	24.52	2.93	22.74	4.19
Abstainer		2.13	39.58	2.89	38.71	3.38	*15.53	7.78	23.18	2.55	48.74	3.35	59.97	5.28
Partial remission	17.99	1.60	20.56	2.12	12.66	2.09	42.64	10.75	24.57	2.87	12.76	2.12	9.85	3.19
Recurrence of alcohol dependence	2.52	0.51	2.23	0.54	3.11	1.08	-	_	2.69	0.92	3.35	0.86	*0.48	0.48
Any Major Depressive Disorder in the Past Year														
Yes														
Asymptomatic risk drinker	9.12	2.19	*7.59	2.89	10.29	3.34	*11.53	9.09	14.50	4.30	*4.26	2.30	_	_
Low-risk drinker		4.18	24.10	6.21	35.81	5.46	*32.74	19.06	30.66	5.95	31.22	7.27	*25.28	15.01
Abstainer		4.84	48.06	8.02	32.50	5.57	*2.37	2.49	25.37	5.33	54.47	8.08	*74.72	15.01
Partial remission		3.41	*12.63	4.74	18.30	4.41	*53.35	19.24	21.05	5.30	*7.16	3.32	_	_
Recurrence of alcohol dependence		1.91	*7.63	3.58	*3.11	1.98	-	_	*8.42	3.55	*2.87	2.16	_	_
No														
Asymptomatic risk drinker	15.72	1.07	14.91	1.37	17.44	1.93	24.69	5.31	18.20	1.68	13.06	1.83	7.69	2.87
Low-risk drinker		1.37	24.99	1.68	31.50	2.25	13.60	4.60	30.55	1.94	25.19	2.11	22.14	4.15
Abstainer	36.06	1.40	37.75	1.88	32.50	2.13	19.43	5.36	26.73	1.70	45.53	2.23	59.13	5.28
Partial remission	17.80	1.07	18.86	1.34	15.57	1.85	35.55	6.44	20.93	1.72	12.99	1.43	10.61	2.94
Recurrence of alcohol dependence	3.34	0.42	3.50	0.53	2.99	0.79	*6.73	3.18	3.58	0.68	3.24	0.65	*0.43	0.43
Any Major Depressive Disorder in Life														
Yes														
Asymptomatic risk drinker	14.84	1.90	13.53	3.02	15.93	2.58	*21.06	8.82	18.17	3.45	10.49	2.51	*17.39	9.25
Low-risk drinker		2.74	26.88	3.97	34.63	3.69	*28.21	12.81	33.15	4.07	29.63	4.01	*28.16	10.00
Abstainer		2.81	42.26	4.48	29.59	3.46	*20.41	11.21	25.54	3.43	45.02	4.32	54.44	11.42
Partial remission		1.68	13.25	2.46	15.99	2.21	*24.73	11.94	19.14	2.85	10.72	2.08	_	_
Recurrence of alcohol dependence	3.96	0.95	*4.08	1.49	3.85	1.32	*5.59	5.58	*4.01	1.48	*4.15	1.53	_	_
No													di.	
Asymptomatic risk drinker		1.27	14.72	1.51	16.84	2.29	24.09	5.94	17.87	1.90	12.95	2.04	*5.67	2.36
Low-risk drinker		1.51	24.57	1.82	30.53	2.56	*11.58	4.72	29.84	2.06	24.23	2.37	21.39	4.28
Abstainer		1.57	37.52	1.99	34.25	2.71	16.88	5.12	26.93	1.97	46.84	2.60	60.88	5.45
Partial remission		1.23	19.55	1.49	15.89	2.19	41.25	6.88	21.44	1.96	13.14	1.62	11.59	3.17
Recurrence of alcohol dependence	3.33	0.47	3.65	0.59	2.50	0.85	*6.20	3.35	3.92	0.77	2.84	0.69	*0.47	0.47
Age Started Drinking														
14 years or younger					40 :-		****		40				*.= :-	
Asymptomatic risk drinker		2.31	14.73	3.00	16.47	3.69	*34.11	11.88	16.95	3.38	8.99	3.40	*15.42	9.90
Low-risk drinker		2.58	17.62	3.05	28.02	4.83	*17.26	9.78	25.60	3.96	16.32	3.96	*1.12	1.16
Abstainer		3.44	48.93	4.40	41.38	5.23	*7.76	5.37	39.97	4.49	60.73	5.50	79.06	10.30
Partial remission		2.14	12.43	2.90	11.27	3.15	*28.59	10.42	13.39	3.11	8.16	2.86	* 4	
Recurrence of alcohol dependence	5.18	1.41	6.29	1.88	*2.86	1.68	*12.27	8.11	*4.09	1.66	*5.79	2.34	*4.40	4.41
15 to 17 years	45.00	4 - 4	44.07	4.00	45.40	0.05	*04.00	001	40.00	001	40.00	0.05	*= .0	c ==
Asymptomatic risk drinker		1.54	14.97	1.92	15.13	2.35	*21.83	6.84	16.96	2.34	12.66	3.05	*5.48	3.37
Low-risk drinker		1.95	23.90	2.29	33.51	3.36	*14.85	6.32	30.12	2.75	23.41	3.09	26.92	6.81
Abstainer		1.99	38.05	2.46	29.09	3.31	20.02	6.75	25.78	2.69	50.71	3.81	51.69	7.44
Partial remission		1.69	19.70	2.03	19.01	3.21	40.75	7.65	22.72	2.47	10.77	2.30	*15.91	5.74
Recurrence of alcohol dependence	3.34	0.70	3.37	0.86	*3.26	1.25	*2.55	2.53	4.42	1.13	*2.44	1.05	_	_

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Fatimata	٥.	Mal	e	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Age Started Drinking														
18 to 20 years														
Asymptomatic risk drinker	15.27	1.80	13.36	2.21	18.81	3.40	*17.41	9.09	18.34	3.11	13.40	2.58	*8.44	4.61
Low-risk drinker		2.55	29.47	3.26	32.90	3.99	*15.86	10.38	35.72	4.24	28.42	3.42	22.29	6.64
Abstainer		2.53	33.28	3.24	31.51	4.09	*25.17	14.32	19.89	3.46	39.90	3.54	63.39	8.93
Partial remission		1.89	20.78	2.45	14.52	2.79	*33.46	12.79	23.04	3.17	15.52	2.59	*5.88	3.71
Recurrence of alcohol dependence		0.73	3.11	0.94	*2.25	1.07	*8.11	7.77	3.01	1.10	*2.77	1.13	_	_
21 years or older														
Asymptomatic risk drinker	. 15.79	3.04	16.35	4.98	15.19	4.86	_	_	24.96	7.14	12.44	4.51	*5.10	4.94
Low-risk drinker		3.76	30.90	5.69	32.03	5.19	*18.71	21.51	29.14	6.60	35.31	5.80	*24.19	8.17
Abstainer		3.59	33.94	5.69	31.56	4.50	–	_	19.21	5.74	35.00	4.77	59.95	10.15
Partial remission		2.67	16.80	4.22	17.10	3.56	*81.29	21.51	22.62	5.81	14.08	3.21	*10.76	5.39
Recurrence of alcohol dependence	*3.02	1.22	*2.01	1.17	*4.11	2.21	_	_	*4.06	2.19	*3.17	1.94	_	_
Family History of Alcoholism														
None														
Asymptomatic risk drinker	. 19.53	2.35	17.96	3.10	23.19	4.59	*26.89	9.25	19.73	4.00	21.90	4.69	*8.15	4.47
Low-risk drinker	28.72	2.87	26.35	3.59	34.22	4.82	*10.17	6.79	34.27	4.58	25.08	4.13	22.34	6.56
Abstainer	. 26.83	2.61	28.47	3.38	23.02	4.09	*17.73	8.85	20.76	3.42	32.09	4.49	46.42	8.70
Partial remission	. 21.78	2.62	24.02	3.24	16.58	3.44	45.22	10.99	21.06	3.78	17.81	3.61	*23.10	7.38
Recurrence of alcohol dependence		0.93	3.21	1.09	*3.00	1.77	-	_	4.18	1.43	*3.12	1.84	_	_
2nd-degree relatives only														
Asymptomatic risk drinker	. 17.27	2.47	18.24	3.02	14.63	3.53	*25.16	11.89	21.79	3.42	9.76	3.22	*13.34	8.61
Low-risk drinker	. 31.25	2.84	27.38	3.28	41.93	5.52	*16.43	9.78	32.93	3.53	31.62	4.83	*23.14	10.30
Abstainer	. 27.93	2.92	31.27	3.46	18.73	4.13	*7.54	6.00	18.84	3.24	40.29	5.20	56.67	11.78
Partial remission	. 19.47	2.39	18.95	2.82	20.90	4.65	*43.48	13.70	23.13	3.43	13.25	3.62	*3.99	3.17
Recurrence of alcohol dependence	4.07	1.06	4.17	1.25	*3.81	1.96	*7.39	7.11	*3.31	1.31	*5.09	2.11	*2.86	2.85
1st-degree relatives only														
Asymptomatic risk drinker		3.06	11.26	2.89	23.12	6.83	l —	_	21.26	5.89	13.21	3.81	*7.00	5.16
Low-risk drinker	. 28.97	3.50	31.57	4.42	23.73	5.28	_	_	26.84	6.03	32.17	5.09	*26.89	9.28
Abstainer	. 37.73	3.59	37.28	4.54	38.65	6.44	l. —	_	24.21	5.06	43.55	4.84	60.42	10.32
Partial remission	. 15.41	2.94	16.17	3.62	13.87	4.69	*100.00	0.00	25.44	6.58	7.24	2.28	*5.69	4.25
Recurrence of alcohol dependence	. *2.70	1.14	*3.72	1.68	*0.63	0.63	-	_	*2.24	1.66	*3.84	2.00	_	_
Both 1st- and 2nd-degree relatives	1												ш.	
Asymptomatic risk drinker		1.27	11.65	1.74	12.81	1.93	23.24	7.09	14.15	2.00	9.31	1.84	*4.16	3.04
Low-risk drinker	. 24.37	1.98	20.34	2.56	30.48	2.85	*19.86	7.82	28.29	2.63	20.91	2.92	18.93	5.75
Abstainer	. 44.40	2.02	48.22	2.89	38.62	2.90	*23.31	8.02	34.38	2.56	55.34	3.48	72.89	6.29
Partial remission	. 15.50	1.26	16.04	1.90	14.70	1.90	23.97	7.67	18.62	2.16	12.26	1.96	*4.02	2.34
Recurrence of alcohol dependence	3.61	0.74	3.75	0.95	3.40	1.10	*9.62	5.02	4.56	1.16	2.19	0.84	_	_
Any Parent Alcoholic														
Yes														
Asymptomatic risk drinker	. 12.81	1.51	10.78	1.85	15.78	2.54	24.63	7.92	15.01	2.17	10.41	2.25	*1.52	1.52
Low-risk drinker		1.83	22.24	2.64	28.14	2.70	*16.86	7.27	25.31	2.48	24.85	3.02	24.81	7.13
Abstainer		2.09	46.55	3.22	37.99	3.02	*17.07	6.54	35.35	2.77	51.63	3.54	67.93	7.67
Partial remission		1.48	15.65	2.03	15.25	2.25	31.23	8.01	19.52	2.52	10.26	1.92	*5.74	3.49
	3.99	0.80	4.78	1.15	2.84	1.05	*10.20	5.20	4.80	1.29	2.85	1.00	_	_

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Parent Alcoholic														
No														
Asymptomatic risk drinker	16.80	1.33	16.65	1.82	17.15	2.44	22.28	6.28	19.73	2.09	13.72	2.21	*9.80	3.77
Low-risk drinker		1.82	26.47	2.15	35.66	2.97	*14.36	5.86	33.79	2.55	26.42	2.59	21.21	4.49
Abstainer		1.80	33.60	2.38	27.48	2.78	*18.27	7.37	21.25	2.02	42.18	3.03	56.50	6.01
Partial remission		1.38	20.16	1.71	16.55	2.45	42.62	8.56	21.82	2.13	14.20	1.90	11.90	3.73
Recurrence of alcohol dependence	3.13	0.50	3.12	0.55	3.15	1.09	*2.47	2.45	3.41	0.80	3.48	0.80	*0.58	0.58
Married to Alcoholic/Lived with Alcoholic as if Married														
Yes														
Asymptomatic risk drinker	10.71	1.87	8.08	2.93	12.47	2.23	*5.63	5.79	11.64	2.54	10.96	2.75	*2.48	2.46
Low-risk drinker	20.18	2.08	10.02	2.53	26.97	2.97		_	22.03	3.42	19.98	3.05	*12.67	5.29
Abstainer	48.26	2.47	56.89	4.48	42.50	3.27	*25.11	15.42	40.02	4.23	52.43	3.48	79.32	7.10
Partial remission		1.78	15.22	3.23	14.64	2.17	*27.23	15.14	19.05	3.29	12.04	2.24	*5.52	3.59
Recurrence of alcohol dependence	5.97	1.14	9.79	2.59	3.42	1.13	*42.03	20.97	7.25	2.02	4.58	1.56	_	_
No														
Asymptomatic risk drinker	16.68	1.19	15.67	1.46	19.62	2.48	24.75	5.23	19.63	1.86	12.92	1.98	*8.24	3.27
Low-risk drinker	29.74	1.57	27.59	1.84	36.02	2.70	16.72	5.05	32.86	2.12	28.61	2.51	24.28	4.64
Abstainer	32.37	1.64	34.99	2.05	24.76	2.67	17.14	4.98	23.01	1.77	43.28	2.90	56.06	5.79
Partial remission	18.56	1.18	19.12	1.41	16.92	2.22	38.12	6.38	21.45	1.84	12.68	1.73	10.93	3.22
Recurrence of alcohol dependence	2.65	0.43	2.64	0.49	2.68	0.88	*3.26	2.30	3.04	0.64	2.52	0.73	*0.49	0.49
Any Alcohol Treatment in the Past Year														
Yes														
Asymptomatic risk drinker	*3.53	1.43	*4.19	1.96	*1.95	1.43	_	_	*5.61	2.56	*0.32	0.33	*9.86	9.27
Low-risk drinker		1.66	5.79	1.99	*4.27	3.12	_	_	*5.43	2.40	*2.93	1.41	*18.97	11.52
Abstainer		3.58	79.00	4.38	83.97	5.78	*4.01	4.72	76.90	5.45	89.55	4.13	71.16	13.36
Partial remission		2.34	*4.48	2.60	*9.81	4.92	*95.99	4.72	*5.28	2.82	*3.77	3.26	_	_
Recurrence of alcohol dependence	*4.62	1.83	*6.54	2.57	_	_	_	_	*6.78	3.20	*3.42	2.41	_	_
No														
Asymptomatic risk drinker	16.28	1.07	15.56	1.41	17.65	1.88	24.27	5.14	18.98	1.70	13.57	1.88	*7.02	2.86
Low-risk drinker		1.40	26.85	1.77	34.27	2.15	16.12	4.93	32.70	1.95	28.22	2.23	22.63	4.33
Abstainer		1.39	34.22	1.92	28.43	2.08	18.24	5.00	22.34	1.62	41.61	2.29	58.94	5.51
Partial remission	-	1.06	19.93	1.37	16.41	1.75	35.08	6.33	22.28	1.72	13.42	1.40	10.97	3.05
Recurrence of alcohol dependence		0.42	3.44	0.54	3.24	0.80	*6.29	2.99	3.69	0.69	3.18	0.64	*0.44	0.44
Any Alcohol Treatment in Life														
Yes														
Asymptomatic risk drinker	9.27	1.61	10.24	2.11	6.87	2.09	*1.63	1.67	10.87	2.79	7.34	2.25	*14.94	5.74
Low-risk drinker		1.81	9.66	1.75	20.62	4.21	*12.36	7.29	9.66	2.10	16.13	3.16	*10.05	4.16
Abstainer		2.53	61.72	2.94	55.13	4.71	*31.79	14.77	54.53	4.08	64.56	3.39	70.32	6.90
Partial remission		1.63	10.71	1.86	13.60	3.10	*48.25	14.17	15.63	2.87	6.43	1.69	*4.70	2.30
Recurrence of alcohol dependence		1.23	7.67	1.58	*3.78	1.53	*5.96	5.85	9.31	2.32	5.55	1.61	_	_
No														
No Asymptomatic risk drinker	17.37	1.26	16.28	1.72	19.30	2.22	29.29	6.24	19.90	1.90	14.70	2.14	*3.72	2.13
Low-risk drinker		1.61	31.19	2.06	35.41	2.38	16.38	5.51	36.38	2.15	30.49	2.64	27.99	5.44
Abstainer		1.60	28.70	2.23	25.91	2.32	13.88	4.49	18.86	1.69	37.32	2.77	55.23	6.54
Partial remission		1.25	21.73	1.72	16.60	1.93	34.37	6.53	22.42	1.89	15.45	1.77	12.47	3.89
Recurrence of alcohol dependence		0.41	2.10	0.43	2.78	0.83	*6.08	3.36	2.44	0.61	2.04	0.53	*0.59	0.59
·														

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		S	ex		<u> </u>			Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Cotice etc	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Conduct Disorder														
Yes														
Asymptomatic risk drinker	*23.35	12.19	*41.05	20.51	*6.69	6.82	l –	_	*6.06	6.18	*87.67	13.03	_	_
Low-risk drinker		14.55	*35.54	19.89	*64.97	18.40	*34.46	25.82	*71.82	15.44	*12.33	13.03	_	_
Abstainer	[*] 5.60	4.58	[*] 9.01	8.95	[*] 2.40	2.54		_	[*] 9.85	8.18	_	_	_	_
Partial remission		7.95	*14.41	13.52	*8.40	8.41	*21.22	20.19	*12.28	11.76	_	_	_	_
Recurrence of alcohol dependence	*9.04	8.59	_	_	*17.54	15.89	*44.32	29.52	_	_	_	_	_	_
No														
Asymptomatic risk drinker	15.12	0.99	14.35	1.28	16.63	1.76	24.30	5.06	18.05	1.59	11.86	1.69	7.26	2.73
Low-risk drinker		1.30	24.87	1.64	31.62	2.01	14.76	4.75	30.13	1.81	25.80	2.04	22.32	4.02
Abstainer		1.36	38.48	1.88	32.91	2.07	18.42	4.99	26.80	1.65	46.59	2.16	60.00	5.06
Partial remission		1.01	18.56	1.30	16.03	1.69	37.98	6.31	21.03	1.63	12.53	1.33	10.02	2.77
Recurrence of alcohol dependence	3.43	0.41	3.74	0.54	2.81	0.71	*4.53	2.50	3.98	0.68	3.22	0.62	*0.40	0.40
Paranoid Personality Disorder — Lifetime														
Yes														
Asymptomatic risk drinker	13.90	3.15	*10.12	4.48	17.74	4.55	*39.26	18.86	18.82	5.05	*4.93	2.81	_	_
Low-risk drinker		3.61	15.47	4.95	25.60	5.31	*12.88	12.13	20.08	4.49	22.62	7.17	[*] 13.05	12.30
Abstainer		4.96	56.47	7.28	35.70	6.28	*9.40	9.19	39.45	6.39	56.90	8.42	*86.95	12.30
Partial remission		3.17	*10.12	4.02	17.80	4.83	[*] 19.26	13.02	17.09	4.69	*9.91	4.63	_	_
Recurrence of alcohol dependence	5.51	1.72	*7.82	2.88	*3.16	1.97	*19.19	16.73	*4.56	2.11	*5.64	2.64	_	_
No														
Asymptomatic risk drinker		1.06	14.85	1.38	16.31	1.86	21.83	5.02	17.84	1.68	13.00	1.80	7.52	2.82
Low-risk drinker		1.40	25.64	1.71	33.05	2.23	15.78	4.95	31.70	1.98	26.04	2.12	22.65	4.17
Abstainer		1.42	36.95	1.91	32.02	2.23	18.53	5.36	25.23	1.68	45.28	2.30	59.04	5.26
Partial remission		1.06	19.15	1.38	15.65	1.76	39.10	6.15	21.36	1.74	12.72	1.39	10.37	2.86
Recurrence of alcohol dependence	3.27	0.43	3.42	0.55	2.98	0.79	*4.78	2.62	3.87	0.72	2.96	0.61	*0.42	0.42
Schizoid Personality Disorder — Lifetime														
Yes													de	
Asymptomatic risk drinker		4.17	*11.40	5.57	*15.60	6.16	*6.86	7.27	24.35	7.65			*13.49	12.93
Low-risk drinker		4.03	26.76	5.69	18.00	5.31	*5.33	5.73	25.87	6.14	22.06	6.46	*28.64	18.15
Abstainer Partial remission		5.97 3.82	47.78 *9.41	7.90 3.63	41.88 21.45	8.07 7.09	*64.88 *22.92	21.51 18.87	24.09 18.06	7.15 5.94	68.17 *9.17	7.45 4.16	*57.87	20.65
Recurrence of alcohol dependence		1.83	*4.65	2.52	*3.07	2.45	22.92		*7.62	3.65	*0.59	0.60	_	_
·														
No	1				40.55	4.00		= 40			40.00		*= 00	
Asymptomatic risk drinker		1.05	14.75	1.36	16.57	1.82	24.41	5.19	17.45	1.65	13.30	1.81	*7.06	2.83
Low-risk drinker		1.36	24.81 37.61	1.70 1.92	33.21 31.74	2.17 2.13	16.16 14.75	5.04	30.91	1.89	26.04 44.49	2.12 2.20	22.11 60.07	4.10 5.27
Abstainer Partial remission		1.36 1.06	19.18	1.92	15.48	1.68	38.24	4.51 6.37	26.82 21.16	1.66 1.72	12.74	1.41	10.34	2.84
Recurrence of alcohol dependence		0.42	3.65	0.55	3.00	0.76	*6.44	3.06	3.66	0.68	3.43	0.67	*0.42	0.42
·	0.40	0.42	0.00	0.55	5.00	0.70	0.44	3.00	3.00	0.00	0.40	0.01	0.42	0.42
Schizotypal Personality Disorder — Lifetime ³														
Yes			_		4				_					
Asymptomatic risk drinker		2.88	*7.76	4.11	*8.78	3.95			*12.96	4.88	*2.32	1.40	*	
Low-risk drinker		4.52	24.64	7.10	19.26	4.63	*30.50	21.94	20.93	6.78	22.78	6.20	*31.04	23.72
Abstainer		4.81 3.71	41.29 17.60	6.85 4.96	47.18 17.18	6.44 5.69	*10.01 *23.74	9.93 15.97	37.78 20.38	6.48 5.33	56.86 *12.31	7.26 5.43	*57.40 *11.56	23.11 11.41
Partial remission Recurrence of alcohol dependence		2.42	*8.71	3.43	*7.60	3.49	*35.75	20.51	20.38 *7.95	5.33 3.15	*5.73	5.43 3.58	11.56	11.41
recourtence of alcohol depondence	0.27	2.72	0.7 '	J. - J	7.00	0.70	33.73	20.01	7.55	0.10	5.75	0.00		

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2		0.5	Mai	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Schizotypal Personality Disorder — Lifetime ³														
No														
Asymptomatic risk drinker	. 15.82	1.08	15.05	1.39	17.38	1.87	25.49	5.26	18.45	1.72	13.09	1.83	7.51	2.81
Low-risk drinker		1.36	24.96	1.62	33.53	2.20	14.16	4.62	31.56	1.92	25.98	2.12	22.02	4.05
Abstainer		1.43	38.05	1.91	30.82	2.12	18.42	5.11	25.47	1.71	45.46	2.26	60.09	5.15
Partial remission		1.06	18.60	1.36	15.78	1.68	38.57	6.23	21.00	1.75	12.48	1.37	9.96	2.84
Recurrence of alcohol dependence		0.42	3.33	0.55	2.48	0.69	*3.36	2.27	3.52	0.67	2.99	0.63	*0.42	0.42
Antisocial Personality Disorder — Lifetime ³														
Yes														
Asymptomatic risk drinker	. 11.86	2.82	12.63	3.20	*9.31	4.14	*14.12	8.39	12.87	4.10	*10.29	4.39	*7.69	7.57
Low-risk drinker		2.82 3.58	21.90	3.20 4.40	22.42	4.14 5.79	*17.13	8.39 10.97	23.68	5.36	18.62	4.39 5.37	*44.99	17.83
Abstainer		3.58 4.34	44.82	5.16	47.58	5.79 7.52	*23.27	10.97	23.68 37.71	6.10	61.26	5.37 6.75	*44.99 *47.32	17.83
Partial remission		2.80	13.60	3.43	47.58 16.09	4.63	*32.15	11.62	17.54	4.42	*6.74	2.81	47.32	17.38
Recurrence of alcohol dependence		1.87	7.04	2.22	*4.60	3.22	*13.32	8.83	8.20	2.94	*3.08	2.02	_	=
No														
Asymptomatic risk drinker	. 15.70	1.08	14.86	1.39	17.20	1.93	26.03	5.73	18.73	1.75	12.55	1.82	*7.24	2.89
Low-risk drinker		1.39	25.48	1.79	33.02	2.19	15.06	5.73	31.64	1.75	26.76	2.18	21.01	4.05
Abstainer		1.44	37.13	2.00	31.02	2.19	16.12	5.40	24.88	1.76	44.18	2.18	60.73	5.33
		1.11	19.41	1.39	15.91	1.80	38.83	6.74	24.66	1.70	13.29	1.50	10.59	2.91
Partial remission Recurrence of alcohol dependence		0.41	3.13	0.52	2.85	0.75	*3.96	2.66	3.26	0.66	3.22	0.65	*0.43	0.43
Borderline Personality Disorder — Lifetime ³														
Yes														
Asymptomatic risk drinker	5.31	1.66	*5.83	2.47	*4.69	2.35	*2.29	2.38	*6.79	2.56	*2.24	1.94	*15.24	13.64
Low-risk drinker		3.53	24.15	5.38	27.49	4.72	*14.95	11.14	24.10	5.01	28.97	5.84	*31.87	15.55
		3.72	49.18	5.57	45.83	5.04	*43.68	18.10	41.46	5.05	59.51	6.04	*34.63	14.46
Abstainer		2.65	12.00	3.05	45.65 16.25	5.04 4.14	*8.03	6.21	20.58	4.24	*3.99	1.90	*18.25	12.43
Partial remission					*5.74		*31.04	15.59		2.37	*5.29	2.64	10.23	12.43
Recurrence of alcohol dependence	. 7.42	1.78	8.83	2.71	5.74	2.34	31.04	15.59	7.07	2.31	5.29	2.04	_	_
No													4	
Asymptomatic risk drinker		1.08	15.60	1.36	19.05	2.00	27.16	5.99	19.85	1.78	13.69	1.91	*6.64	2.72
Low-risk drinker		1.40	25.04	1.69	33.06	2.29	15.62	5.12	31.67	2.00	25.27	2.21	21.57	4.20
Abstainer		1.46	36.94	2.00	29.62	2.24	13.05	4.20	24.07	1.74	44.46	2.34	61.99	5.24
Partial remission		1.09	19.34	1.45	15.86	1.76	42.61	6.57	21.01	1.76	13.67	1.47	9.37	2.85
Recurrence of alcohol dependence	. 2.87	0.40	3.09	0.52	2.41	0.71	*1.56	1.56	3.40	0.69	2.91	0.63	*0.43	0.44
<u>Histrionic Personality Disorder — Lifetime</u>														
Yes					de				de .					
Asymptomatic risk drinker		6.16	*4.98	3.13	*32.14	11.53	*26.87	11.18	*14.39	8.62	*17.92	12.20	_	_
Low-risk drinker	. 28.13	7.49	*31.68	11.31	*23.97	9.09	*21.72	20.32	*25.58	8.79	*35.84	14.34	. —	_
Abstainer		6.87	*29.48	10.92	*26.86	9.16	*43.81	17.46	*32.45	9.95	*12.09	7.31	*100.00	0.00
Partial remission		6.03	*27.90	10.10	*11.07	5.14	*7.60	8.18	*19.58	8.00	*27.79	12.83	_	_
Recurrence of alcohol dependence	. *5.96	2.92	*5.96	3.60	*5.97	4.81	_	_	*8.00	5.60	*6.36	3.98	_	_
No														
Asymptomatic risk drinker	. 15.12	1.02	14.77	1.32	15.83	1.68	22.95	5.31	18.04	1.60	12.10	1.68	7.31	2.74
Low-risk drinker		1.30	24.77	1.64	32.42	2.08	14.77	4.68	30.71	1.84	25.43	2.03	22.45	4.05
Abstainer		1.38	38.51	1.90	32.74	2.13	14.56	4.36	26.46	1.68	47.34	2.19	59.76	5.09
Partial remission		1.03	18.29	1.31	16.14	1.74	40.93	6.05	20.98	1.69	12.02	1.32	10.08	2.78
Recurrence of alcohol dependence		0.42	3.66	0.55	2.88	0.74	*6.79	3.19	3.82	0.68	3.11	0.63	*0.41	0.41

Table 1-11. Percent distribution of past-year recovery status ¹ at Wave 2 among individuals in full remission ² from *DSM-IV* alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	Fatimete.	0.5	Ма	le	Fem	nale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Narcissistic Personality Disorder — Lifetime ³														
Yes														
Asymptomatic risk drinker	8.99	2.70	*8.81	3.34	*9.36	4.81	_	_	*8.63	3.50	*12.45	5.85	_	_
Low-risk drinker	25.93	4.10	26.02	5.37	25.73	6.11	*32.58	21.37	25.52	6.05	27.76	6.52	*15.88	10.80
Abstainer		3.94	39.11	4.93	39.40	7.35	*13.46	12.92	31.71	5.69	51.70	7.64	54.25	14.74
Partial remission		3.35	16.14	3.53	19.93	6.06	*14.55	13.80	24.21	5.40	*4.06	1.98	*29.87	13.31
Recurrence of alcohol dependence	8.50	2.17	9.92	2.97	*5.57	3.29	*39.41	21.44	9.93	3.19	*4.03	2.83	_	_
No														
Asymptomatic risk drinker	15.88	1.06	15.17	1.35	17.25	1.84	25.62	5.31	19.10	1.75	12.25	1.73	7.91	2.95
Low-risk drinker	27.53	1.35	24.82	1.65	32.74	2.22	13.88	4.62	31.19	1.88	25.53	2.15	22.89	4.28
Abstainer		1.45	38.19	2.01	31.77	2.21	18.13	5.06	25.99	1.77	45.81	2.31	60.51	5.30
Partial remission		1.04	18.80	1.37	15.51	1.74	39.53	6.63	20.53	1.69	13.29	1.41	8.24	2.77
Recurrence of alcohol dependence	2.92	0.41	3.02	0.51	2.73	0.71	*2.85	2.00	3.19	0.65	3.12	0.64	*0.44	0.44
Avoidant Personality Disorder — Lifetime														
Yes														
Asymptomatic risk drinker	*8.69	3.71	*8.29	6.41	*9.04	4.14	_	_	*18.19	7.92	*1.26	1.27	_	_
Low-risk drinker		5.54	41.61	8.99	19.15	5.62	*26.29	17.16	20.25	6.65	41.17	9.23	_	_
Abstainer	43.35	5.65	40.75	8.80	45.64	7.31	*40.94	22.44	35.38	8.42	49.75	9.25	*100.00	0.00
Partial remission		3.39	_	_	14.78	6.00	*5.83	4.68	*14.39	6.89	*1.99	1.56	_	_
Recurrence of alcohol dependence	10.43	3.37	*9.35	5.13	*11.39	4.52	*26.94	17.42	*11.79	5.20	*5.83	3.58	_	_
No														
Asymptomatic risk drinker	15.57	1.04	14.77	1.33	17.18	1.91	26.28	5.76	17.92	1.65	13.00	1.78	7.35	2.76
Low-risk drinker		1.35	24.28	1.65	33.26	2.21	14.18	4.79	31.08	1.87	24.70	2.08	22.58	4.06
Abstainer		1.40	38.19	1.88	31.29	2.22	14.83	4.50	26.18	1.68	46.11	2.29	59.52	5.09
Partial remission	18.20	1.06	19.27	1.37	16.03	1.76	41.25	6.21	21.28	1.69	13.17	1.41	10.13	2.79
Recurrence of alcohol dependence	3.08	0.40	3.50	0.53	2.24	0.65	*3.46	2.33	3.54	0.65	3.03	0.62	*0.41	0.41
Dependent Personality Disorder — Lifetime														
Yes														
Asymptomatic risk drinker	*4.67	4.71	*9.13	9.44	_	_	_	_	*8.41	8.30	_	_	_	_
Low-risk drinker	*30.87	13.79	*23.31	15.37	*38.80	20.81	_	_	*41.00	18.80	*44.73	24.98	_	_
Abstainer	*55.01	15.88	*67.56	18.97	*41.84	20.23	*100.00	0.00	*33.60	17.48	*55.27	24.98	*100.00	0.00
Partial remission	*9.45	9.06	l –	_	*19.36	17.19	_	_	*16.99	15.23	_	_	_	_
Recurrence of alcohol dependence	-	_	-	_	_	_	-	_	_	_	_	_	_	_
No														
Asymptomatic risk drinker	15.27	1.00	14.55	1.29	16.67	1.78	24.23	5.39	18.01	1.59	12.31	1.70	7.28	2.73
Low-risk drinker		1.31	24.95	1.64	32.00	2.08	16.09	4.84	30.47	1.84	25.66	2.03	22.38	4.03
Abstainer		1.35	38.12	1.87	32.40	2.07	14.69	4.21	26.57	1.66	46.31	2.16	59.89	5.08
Partial remission	17.70	1.01	18.63	1.30	15.89	1.71	38.71	5.93	20.97	1.64	12.51	1.33	10.04	2.77
Recurrence of alcohol dependence	3.50	0.42	3.74	0.54	3.04	0.74	*6.28	2.97	3.97	0.68	3.21	0.62	*0.40	0.41
Obsessive-Compulsive Personality Disorder — Lifetime														
Yes														
Asymptomatic risk drinker	15.72	2.50	13.63	2.94	18.76	4.82	*17.85	10.99	21.78	4.37	9.73	3.39	*0.76	0.79
Low-risk drinker		3.16	24.72	4.26	29.93	4.63	*11.63	8.45	31.12	4.35	25.11	5.07	*17.23	11.76
Abstainer		3.25	42.01	4.58	35.42	4.80	*30.01	12.79	26.71	4.14	51.13	5.45	82.00	11.76
Partial remission		2.28	15.23	3.23	13.07	3.21	*31.52	13.06	16.39	3.41	10.91	3.19		
Recurrence of alcohol dependence		1.15	*4.41	1.67	*2.82	1.51	*8.99	8.49	*4.00	1.75	*3.13	1.44	_	_
•														

Table 1-11. Percent distribution of past-year recovery status¹ at Wave 2 among individuals in full remission² from DSM-IV alcohol dependence at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and past-year recovery status at Wave 2	E-S		Ma	ıle	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.												
Obsessive-Compulsive Personality Disorder — Lifetime No														
Asymptomatic risk drinker Low-risk drinker Abstainer	15.11 27.46 35.80	1.09 1.43 1.52	14.66 24.97 37.72	1.39 1.75 2.05	16.01 32.53 31.88	1.92 2.32 2.30	24.71 16.46 14.74	5.49 5.45 4.93	17.27 30.46 26.62	1.69 2.06 1.81	12.73 25.84 45.45	1.88 2.25 2.45	*7.91 22.82 57.82	2.98 4.14 5.37
Partial remission Recurrence of alcohol dependence	18.21 3.43	1.18 0.46	19.04 3.61	1.46 0.57	16.54 3.04	1.96 0.82	38.75 *5.34	6.94 3.07	21.72 3.93	1.82 0.75	12.75 3.22	1.57 0.70	11.01 *0.44	3.02 0.44

Asymptomatic risk drinker: did not experience any symptoms of alcohol abuse or dependence but met the criteria for risk drinking as defined by 14+ drinks per week or 5+ drinks on any day for men and 7+ drinks per week or 4+ drinks on any day for women. Low-risk drinker: consumed alcohol but did not experience any symptoms of alcohol abuse or dependence and did not meet the criteria for risk drinking specified above.

Abstainer: did not consume any alcohol. Partial remission: did not meet the diagnosis of alcohol dependence, but reported 1+ symptoms of either alcohol abuse or dependence.

Full remission: did not experience any symptoms of alcohol abuse or dependence.

Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.

SOURCE: NIAAA 2001–2002 and 2004–2005 National Epidemiologic Surveys on Alcohol and Related Conditions.

Fewer than 10 observations in the cell.

Empty cell.

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1.

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2		0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Total</u>														
Never sought treatment	84.83	0.45	83.10	0.59	88.26	0.63	84.58	1.32	84.88	0.65	83.42	0.80	90.02	1.24
No longer sought treatment after the Wave 1 interview		0.43	13.35	0.55	9.57	0.57	9.38	1.11	11.72	0.59	14.34	0.80	9.42	1.21
Began treatment after the Wave 1 interview		0.15	1.86	0.19	1.11	0.22	5.08	0.87	1.41	0.20	1.03	0.20	*0.18	0.12
Continued treatment after the Wave 1 interview	1.48	0.16	1.69	0.21	1.05	0.19	0.96	0.35	1.99	0.25	1.21	0.26	*0.37	0.22
Race/Ethnicity														
White, Not Hispanic or Latino														
Never sought treatment		0.49	83.80	0.63	88.89	0.70	85.25	1.52	85.66	0.71	84.12	0.87	90.49	1.23
No longer sought treatment after the Wave 1 interview		0.45	12.87	0.59	9.14	0.63	10.22	1.35	10.90	0.64	13.68	0.85	9.07	1.19
Began treatment after the Wave 1 interview	1.41	0.15	1.63	0.20	1.01	0.24	_3.66	0.79	1.42	0.23	1.06	0.23	_	_
Continued treatment after the Wave 1 interview	1.45	0.18	1.71	0.24	0.97	0.22	*0.87	0.42	2.02	0.29	1.13	0.28	*0.44	0.26
Black, Not Hispanic or Latino														
Never sought treatment	82.24	1.33	80.43	1.70	86.24	2.21	93.08	2.98	82.90	1.91	76.45	2.43	87.06	2.77
No longer sought treatment after the Wave 1 interview	14.30	1.20	16.06	1.52	10.39	2.00	*1.54	1.07	13.66	1.65	20.08	2.28	11.77	2.66
Began treatment after the Wave 1 interview	2.21	0.58	2.48	0.73	*1.62	0.77	*5.38	2.84	*1.99	0.83	*1.73	0.67	*1.16	0.94
Continued treatment after the Wave 1 interview	1.26	0.42	*1.03	0.43	*1.75	0.91	-	_	*1.45	0.64	*1.74	0.89	_	_
American Indian/Alaska Native, Not Hispanic or Latino														
Never sought treatment	77.94	3.35	77.51	4.05	78.58	5.22	87.33	7.24	71.03	4.97	81.68	4.71	90.69	6.73
No longer sought treatment after the Wave 1 interview		2.91	17.99	3.75	17.54	4.12	*5.31	3.93	22.19	4.49	17.56	4.64	*9.31	6.73
Began treatment after the Wave 1 interview	*1.43	0.83	*1.21	0.81	[*] 1.75	1.69	*7.37	6.19	*0.98	0.98	*0.46	0.45	_	_
Continued treatment after the Wave 1 interview	*2.82	1.11	*3.29	1.58	*2.13	1.45	_	_	*5.80	2.37	*0.30	0.30	_	_
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or														
Latino													.	
Never sought treatment	86.79	4.10	89.03	4.43	79.11	8.03	62.09	12.72	94.42	2.77	89.96	6.33	*100.00	0.00
No longer sought treatment after the Wave 1 interview		2.50	*4.78	2.48	*13.80 *7.00	6.85	*16.14	8.99	*3.88	2.14	*6.16	4.99	_	_
Began treatment after the Wave 1 interview	*4.65 *1.75	3.06 1.28	*3.93 *2.26	3.43 1.65	*7.09 —	6.28	*21.78	12.03	 *1.70	— 1.71	*3.88	3.93	_	_
Continued treatment after the wave i interview	1.75	1.20	2.20	1.00	_	_		_	1.70	1.71	3.00	3.93	_	_
Hispanic or Latino														
Never sought treatment	82.46	1.69	80.03	2.22	89.60	1.49	80.48	3.63	82.87	2.33	82.51	2.73	84.59	6.24
No longer sought treatment after the Wave 1 interview		1.49	15.40	1.96	8.88	1.36	8.45	2.46	14.76	2.11	15.84	2.72	*13.61	6.13
Began treatment after the Wave 1 interview		0.68	3.06	0.88	[*] 0.57	0.44	*8.64	3.11	1.31	0.49		_	*1.81	1.78
Continued treatment after the Wave 1 interview	1.37	0.33	1.51	0.41	*0.95	0.41	*2.43	1.19	1.06	0.37	*1.65	0.76	_	_
Marital Status														
Married														
Never sought treatment	88.36	0.55	87.02	0.70	91.45	0.78	89.82	2.90	88.61	0.78	87.14	0.87	91.06	1.44
No longer sought treatment after the Wave 1 interview		0.52	10.80	0.64	6.92	0.73	*5.82	2.24	9.02	0.67	11.09	0.87	8.33	1.38
Began treatment after the Wave 1 interview	1.12	0.18	1.21	0.22	0.90	0.29	*3.40	1.70	1.41	0.28	0.88	0.25	*0.09	0.09
Continued treatment after the Wave 1 interview	0.89	0.16	0.96	0.21	0.73	0.23	*0.96	0.96	0.97	0.22	0.89	0.28	*0.51	0.30

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2	Fatherate	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45-64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Living with someone as if married Never sought treatment No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview Continued treatment after the Wave 1 interview	78.48 18.33 *1.39 *1.80	2.56 2.49 0.65 0.66	74.67 21.81 *1.67 *1.85	3.56 3.49 0.97 0.82	85.16 12.23 *0.90 *1.71	2.98 2.74 0.62 1.13	79.60 16.16 *4.24 —	5.57 5.17 2.80	79.74 16.69 *0.99 *2.58	3.39 3.25 0.70 1.06	73.28 25.40 *0.18 *1.14	4.94 4.90 0.18 0.84	*88.97 *11.03 — —	11.13 11.13 —
Widowed Never sought treatment No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview Continued treatment after the Wave 1 interview	83.23 13.33 *0.51 *2.92	2.69 2.22 0.33 1.82	77.64 16.21 *1.12 *5.03	4.60 3.42 0.72 3.81	87.95 10.90 — *1.15	2.54 2.49 — 0.70	_ _ _ _	_ _ _	80.97 *13.09 *2.26 *3.67	7.75 6.59 2.28 3.64	73.67 18.62 *0.88 *6.83	5.51 4.44 0.73 4.47	90.46 9.54 — —	2.42 2.42 —
Divorced Never sought treatment	74.69 20.87 1.68 2.75	1.47 1.40 0.39 0.63	69.38 24.59 2.58 3.46	1.98 1.89 0.64 0.98	82.08 15.71 *0.43 1.78	1.98 1.89 0.24 0.68	84.27 *15.73 — —	9.34 9.34 —	73.15 20.15 1.88 4.82	2.36 2.07 0.67 1.39	74.72 22.12 1.75 1.41	2.00 2.03 0.54 0.43	82.42 17.35 *0.23 —	3.28 3.28 0.23
Separated Never sought treatment No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview Continued treatment after the Wave 1 interview	76.86 18.87 *2.32 1.95	2.35 2.30 0.74 0.67	74.66 21.51 *1.75 *2.08	3.53 3.61 1.01 0.98	79.48 15.72 *3.00 *1.80	3.68 3.45 1.35 0.90	84.50 *14.14 — *1.36	12.84 12.83 — 1.41	74.88 19.50 *2.72 *2.90	3.55 3.42 1.23 1.09	77.85 19.02 *2.35 *0.79	4.14 3.90 1.35 0.79	84.49 *15.51 — —	10.60 10.60 —
Never married Never sought treatment No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview Continued treatment after the Wave 1 interview	82.69 12.08 3.05 2.18	0.98 0.81 0.51 0.38	80.78 12.93 3.57 2.72	1.27 1.03 0.65 0.53	86.41 10.43 2.04 1.12	1.44 1.28 0.72 0.39	84.16 9.23 5.55 1.05	1.55 1.24 1.03 0.42	82.23 13.25 1.12 3.40	1.44 1.27 0.31 0.71	77.57 19.90 *0.66 *1.87	2.81 2.75 0.41 0.94	88.00 *8.79 *3.21 —	6.27 5.59 3.17
Yes Never sought treatment No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview Continued treatment after the Wave 1 interview	84.83 12.43 1.24 1.50	0.54 0.52 0.16 0.19	83.28 13.67 1.35 1.69	0.70 0.67 0.20 0.25	87.93 9.95 1.02 1.10	0.74 0.69 0.25 0.24	84.12 10.82 *3.90 *1.16	2.92 2.49 1.62 0.72	84.26 12.08 1.59 2.07	0.80 0.74 0.27 0.32	84.00 13.90 0.93 1.17	0.82 0.83 0.21 0.27	90.06 9.35 *0.19 *0.40	1.28 1.25 0.12 0.24
No Never sought treatment No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview Continued treatment after the Wave 1 interview	84.83 11.25 2.50 1.42	0.73 0.65 0.36 0.27	82.67 12.56 3.09 1.67	1.07 0.90 0.50 0.35	89.06 8.67 1.33 0.94	1.06 0.96 0.48 0.30	84.69 9.05 5.35 *0.91	1.52 1.27 0.99 0.39	86.27 10.92 1.00 1.80	1.04 0.98 0.27 0.41	79.83 17.04 *1.65 *1.47	1.87 1.77 0.60 0.58	89.49 *10.51 — —	3.84 3.84 —

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2	Fatimata	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Children Ages Below 13 Living in Household														
Yes														
Never sought treatment		0.74	83.17	1.09	89.89	0.89	82.16	2.92	86.38	0.84	84.55	1.80	93.84	5.06
No longer sought treatment after the Wave 1 interview		0.68	13.58	1.01	7.89	0.80	11.58	2.28	10.90	0.79	13.70	1.69	*6.16	5.06
Began treatment after the Wave 1 interview		0.23	1.53	0.32	1.31	0.35	[*] 4.69	1.76	1.31	0.22	*0.40	0.27	_	_
Continued treatment after the Wave 1 interview	1.41	0.27	1.72	0.40	0.92	0.28	*1.57	1.05	1.41	0.29	*1.35	0.60	_	_
No														
Never sought treatment	84.36	0.53	83.07	0.68	87.24	0.86	85.35	1.51	83.19	0.92	83.19	0.88	89.96	1.25
No longer sought treatment after the Wave 1 interview		0.49	13.25	0.62	10.62	0.80	8.69	1.31	12.65	0.79	14.47	0.86	9.48	1.22
Began treatment after the Wave 1 interview		0.18	2.01	0.24	0.99	0.30	5.20	0.99	1.53	0.34	1.15	0.24	*0.18	0.12
Continued treatment after the Wave 1 interview	1.51	0.19	1.67	0.25	1.14	0.26	*0.77	0.31	2.64	0.43	1.18	0.29	*0.38	0.22
Education														
11 years or less														
Never sought treatment	76.90	1.62	76.29	1.87	78.94	2.83	75.70	3.98	71.49	2.77	77.03	2.63	88.70	2.50
No longer sought treatment after the Wave 1 interview		1.50	18.80	1.73	17.74	2.65	16.02	3.13	23.22	2.65	18.82	2.39	10.83	2.49
Began treatment after the Wave 1 interview		0.42	2.05	0.46	*1.60	0.94	*5.36	2.00	*1.44	0.64	1.69	0.62	*0.47	0.40
Continued treatment after the Wave 1 interview	2.60	0.59	2.86	0.74	1.73	0.78	*2.92	1.72	3.85	1.08	2.47	1.22	_	_
12 years														
Never sought treatment	81.75	0.84	79.89	1.12	86.16	1.33	79.91	2.79	80.51	1.39	81.51	1.44	90.37	1.88
No longer sought treatment after the Wave 1 interview		0.76	16.15	0.99	11.34	1.25	11.43	2.23	15.79	1.19	16.44	1.39	8.91	1.83
Began treatment after the Wave 1 interview		0.39	2.41	0.51	*1.34	0.52	_8.13	2.13	1.68	0.51	*0.78	0.31	*0.22	0.22
Continued treatment after the Wave 1 interview	1.43	0.28	1.55	0.35	1.16	0.44	*0.53	0.42	2.01	0.55	1.28	0.42	*0.49	0.49
13–15 years														
Never sought treatment	84.87	0.73	82.64	1.02	88.41	1.00	89.55	1.68	84.13	1.11	82.28	1.41	91.21	1.91
No longer sought treatment after the Wave 1 interview		0.64	12.92	0.91	9.36	0.90	6.58	1.31	11.48	0.93	14.88	1.34	8.48	1.89
Began treatment after the Wave 1 interview		0.24	2.26	0.37	0.89	0.28	_3.16	0.95	1.54	0.30	1.63	0.50	_	_
Continued treatment after the Wave 1 interview	1.85	0.31	2.17	0.44	1.34	0.37	*0.71	0.40	2.85	0.52	1.22	0.51	*0.31	0.31
16 or more years														
Never sought treatment	91.07	0.63	90.39	0.81	92.31	0.88	90.01	3.50	92.95	0.79	88.55	1.18	89.70	2.15
No longer sought treatment after the Wave 1 interview	7.48	0.59	8.18	0.79	6.20	0.79	*5.50	2.47	5.46	0.69	10.36	1.16	9.64	2.08
Began treatment after the Wave 1 interview		0.24	0.73	0.27	*1.09	0.47	*4.15	2.98	1.05	0.35	*0.39	0.20	—	_
Continued treatment after the Wave 1 interview	0.60	0.15	0.70	0.22	*0.40	0.16	*0.34	0.34	0.54	0.21	*0.70	0.27	*0.66	0.66
Currently Employed Full Time														
Yes														
Never sought treatment	86.02	0.60	84.51	0.73	89.93	0.84	83.76	1.95	86.32	0.77	86.16	0.87	85.71	4.77
No longer sought treatment after the Wave 1 interview		0.52	12.35	0.65	8.01	0.70	9.63	1.46	10.84	0.68	11.97	0.83	14.29	4.77
Began treatment after the Wave 1 interview		0.20	1.77	0.23	1.10	0.32	5.95	1.36	1.31	0.23	0.88	0.24	_	_
Continued treatment after the Wave 1 interview	1.25	0.18	1.37	0.23	0.96	0.26	*0.67	0.46	1.53	0.26	0.99	0.29	_	_

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Employed Full Time														
No														
Never sought treatment	82.76	0.68	80.01	0.96	86.38	0.96	85.43	1.81	80.50	1.28	78.11	1.56	90.42	1.19
No longer sought treatment after the Wave 1 interview		0.67	15.55	0.97	11.33	0.91	9.13	1.58	14.41	1.11	18.93	1.53	_8.98	1.19
Began treatment after the Wave 1 interview	1.65	0.24	2.05	0.36	1.13	0.32	4.17	1.07	1.73	0.46	1.32	0.34	*0.20	0.13
Continued treatment after the Wave 1 interview	1.86	0.28	2.40	0.40	1.16	0.28	*1.27	0.52	3.37	0.64	1.64	0.49	*0.40	0.24
Family Annual Income														
\$0 to \$19,999														
Never sought treatment	76.73	1.17	74.23	1.56	80.71	1.77	83.88	2.03	70.99	2.07	69.75	2.70	88.80	2.26
No longer sought treatment after the Wave 1 interview		1.02	18.91	1.33	15.06	1.53	8.70	1.66	22.01	1.79	25.26	2.62	9.75	2.20
Began treatment after the Wave 1 interview	2.86	0.50	3.33	0.64	2.12	0.71	6.38	1.46	1.72	0.54	1.67	0.52	*0.65	0.42
Continued treatment after the Wave 1 interview	2.98	0.49	3.53	0.69	2.11	0.59	*1.04	0.44	5.28	1.07	3.32	1.10	*0.80	0.60
\$20,000 to \$34,999														
Never sought treatment	82.59	0.89	80.32	1.16	87.30	1.39	87.68	2.54	81.23	1.43	77.77	1.98	91.68	1.74
No longer sought treatment after the Wave 1 interview		0.84	16.37	1.07	11.18	1.31	7.80	2.00	15.22	1.36	20.58	1.90	8.32	1.74
Began treatment after the Wave 1 interview	1.43	0.38	1.82	0.52	*0.64	0.27	*3.92	1.63	1.49	0.63	*0.78	0.40	_	_
Continued treatment after the Wave 1 interview	1.29	0.27	1.49	0.37	*0.88	0.33	*0.60	0.59	2.06	0.48	*0.87	0.40	_	_
\$35,000 to \$69,999														
Never sought treatment		0.74	84.18	0.97	90.16	1.02	85.27	2.60	86.59	1.05	84.97	1.18	88.16	2.34
No longer sought treatment after the Wave 1 interview		0.69	12.54	0.90	7.82	0.87	9.40	2.06	10.02	0.96	13.00	1.19	11.34	2.30
Began treatment after the Wave 1 interview	1.50	0.24	1.72	0.32	1.02	0.33	5.22	1.93	1.49	0.27	0.94	0.30	₊ —	
Continued treatment after the Wave 1 interview	1.39	0.26	1.56	0.35	1.01	0.35	*0.11	0.11	1.90	0.45	1.08	0.33	*0.50	0.50
\$70,000 or more														
Never sought treatment	89.86	0.70	88.71	0.86	92.22	1.11	80.28	4.63	90.72	0.95	89.67	1.05	92.99	2.83
No longer sought treatment after the Wave 1 interview		0.65	9.14	0.78	_6.53	1.03	14.45	4.05	7.43	0.88	_8.71	1.03	*7.01	2.83
Began treatment after the Wave 1 interview	1.08	0.25	1.22	0.31	*0.80	0.45	*2.34	1.30	1.14	0.37	*0.97	0.39	_	_
Continued treatment after the Wave 1 interview	0.77	0.22	0.92	0.31	*0.46	0.24	*2.94	2.07	0.71	0.25	*0.65	0.33	_	_
Born in the United States														
Yes														
Never sought treatment	84.85	0.45	83.11	0.60	88.18	0.64	84.74	1.32	85.02	0.64	83.19	0.82	90.03	1.18
No longer sought treatment after the Wave 1 interview		0.42	13.30	0.54	9.65	0.57	9.08	1.11	11.60	0.58	14.51	0.81	9.40	1.14
Began treatment after the Wave 1 interview	1.61	0.16	1.84	0.21	1.15	0.23	5.22	0.90	1.34	0.21	1.08	0.21	*0.19	0.12
Continued treatment after the Wave 1 interview	1.49	0.17	1.74	0.22	1.01	0.20	*0.95	0.37	2.03	0.27	1.22	0.26	*0.38	0.23
No														
Never sought treatment	84.48	1.68	83.00	1.97	90.54	2.67	81.90	6.26	83.01	2.34	88.23	2.40	89.80	6.98
No longer sought treatment after the Wave 1 interview	12.62	1.49	13.94	1.71	7.22	2.48	*14.34	6.01	13.22	2.05	10.83	2.37	*10.20	6.98
Began treatment after the Wave 1 interview	*1.69	0.64	[*] 2.10	0.79		_	[*] 2.65	1.94	[*] 2.33	1.00		_	_	_
Continued treatment after the Wave 1 interview	1.21	0.41	*0.96	0.38	*2.24	1.22	*1.12	0.69	*1.44	0.62	*0.93	0.67	_	_

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Family Structure Before Age 18														
Both biological/adoptive parents in the household														
Never sought treatment	82.41	0.93	79.76	1.27	86.90	1.33	82.34	2.46	82.70	1.33	79.91	2.08	90.14	3.03
No longer sought treatment after the Wave 1 interview		0.88	15.84	1.20	10.33	1.17	12.00	2.25	13.43	1.23	17.22	1.94	9.10	2.96
Began treatment after the Wave 1 interview	2.03	0.36	2.25	0.48	1.64	0.57	4.59	1.43	1.48	0.42	*1.65	0.60	*0.76	0.76
Continued treatment after the Wave 1 interview	1.77	0.33	2.14	0.47	1.14	0.42	*1.07	0.55	2.38	0.52	*1.22	0.60	_	_
Only biological mother ever in the household (father never present)														
Never sought treatment	86.41	0.52	84.93	0.68	89.54	0.73	85.91	1.93	86.54	0.77	85.55	0.80	89.34	1.39
No longer sought treatment after the Wave 1 interview	10.87	0.47	11.92	0.62	8.66	0.67	7.53	1.41	10.40	0.69	12.59	0.82	10.10	1.34
Began treatment after the Wave 1 interview	1.41	0.17	1.65	0.21	0.92	0.27	5.75	1.27	1.26	0.25	0.82	0.21	*0.09	0.09
Continued treatment after the Wave 1 interview	1.31	0.17	1.51	0.23	0.88	0.23	*0.81	0.48	1.80	0.30	1.05	0.23	*0.47	0.28
Biological/adoptive parents divorced or no longer living together														
Never sought treatment	78.50	1.64	75.62	2.25	83.58	2.00	84.24	3.63	79.50	2.02	69.63	3.65	95.11	2.13
No longer sought treatment after the Wave 1 interview	17.21	1.47	19.34	1.96	13.47	1.88	10.99	2.89	15.86	1.83	26.04	3.48	*4.59	2.07
Began treatment after the Wave 1 interview	2.25	0.59	3.00	0.91	*0.94	0.38	*3.55	2.18	2.18	0.77	*2.13	1.15	*0.30	0.32
Continued treatment after the Wave 1 interview	2.03	0.68	2.04	0.96	2.01	0.78	*1.22	1.06	2.47	0.89	*2.20	1.66	_	_
Raised by relatives, by foster parents, or in an institution														
Never sought treatment	81.67	3.80	82.90	4.93	78.37	7.30	*81.92	10.41	74.46	9.80	79.31	5.36	97.11	2.97
No longer sought treatment after the Wave 1 interview	15.18	3.58	14.78	4.68	*16.25	6.44	*15.06	10.47	*22.22	9.49	15.92	4.63	*2.89	2.97
Began treatment after the Wave 1 interview	*1.05	1.04	_	_	*3.86	3.79	_	_	*3.32	3.30	_	_	_	
Continued treatment after the Wave 1 interview	*2.10	1.31	*2.33	1.75	*1.51	1.23	*3.02	2.76	_	_	*4.77	3.33	_	_
Before Age 18, Family Received Government Assistance														
Yes														
Never sought treatment	80.07	1.26	77.09	1.73	85.11	1.53	82.53	3.24	78.83	1.69	79.76	2.24	88.63	3.55
No longer sought treatment after the Wave 1 interview	14.70	1.15	16.25	1.51	12.07	1.40	10.89	2.47	14.84	1.55	17.48	2.19	11.37	3.55
Began treatment after the Wave 1 interview	2.27	0.41	2.70	0.58	1.55	0.51	*5.46	2.35	2.01	0.56	*1.26	0.42	_	_
Continued treatment after the Wave 1 interview	2.96	0.55	3.96	0.84	1.26	0.40	*1.12	0.58	4.32	0.90	*1.50	0.64	_	_
No														
Never sought treatment	85.67	0.50	84.09	0.65	88.89	0.69	85.08	1.45	86.18	0.70	83.87	0.85	90.14	1.36
No longer sought treatment after the Wave 1 interview	11.62	0.46	12.87	0.60	9.07	0.63	9.01	1.24	11.05	0.64	13.95	0.86	9.26	1.32
Began treatment after the Wave 1 interview	1.49	0.16	1.72	0.19	1.03	0.25	4.98	0.89	1.28	0.23	1.00	0.22	*0.20	0.13
Continued treatment after the Wave 1 interview	1.22	0.15	1.31	0.19	1.01	0.22	*0.92	0.40	1.49	0.23	1.18	0.26	*0.40	0.24
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes														
Never sought treatment	64.94	2.22	64.80	2.48	65.50	4.19	71.24	5.10	60.83	3.58	64.05	3.78	85.11	6.53
No longer sought treatment after the Wave 1 interview	27.23	2.33	26.94	2.57	28.44	4.12	21.39	4.93	30.91	3.62	27.55	3.76	*12.71	6.28
Began treatment after the Wave 1 interview	3.50	0.83	3.54	0.97	*3.30	1.53	*4.55	2.34	3.16	1.11	*3.60	1.52	*2.17	2.16
Continued treatment after the Wave 1 interview	4.34	1.07	4.71	1.22	*2.76	1.30	*2.82	1.65	5.10	1.66	4.80	2.02	_	_

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2	Estimate	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Ever in Jail or Juvenile Detention Center														
No														
Never sought treatment	86.40	0.45	84.88	0.59	89.26	0.62	86.25	1.37	86.70	0.63	84.91	0.79	90.24	1.19
No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview		0.41 0.15	12.03 1.70	0.54 0.19	8.74 1.02	0.54 0.23	7.88 5.14	1.06 0.93	10.27 1.28	0.56 0.20	13.33 0.83	0.78 0.18	9.28 *0.09	1.15 0.07
Continued treatment after the Wave 1 interview	1.25	0.13	1.39	0.13	0.98	0.19	*0.73	0.33	1.75	0.24	0.94	0.10	*0.39	0.23
Before Age 18, Physically Abused by Parent/Caretaker														
Yes														
Never sought treatment	67.07	2.28	59.64	3.59	75.59	3.10	64.89	7.09	63.75	3.45	71.22	3.72	80.75	8.59
No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview		2.18 0.96	31.19 3.54	3.55 1.24	18.76 *3.39	2.50 1.53	*20.64 *14.07	6.37 6.08	26.52 3.23	3.08 1.21	26.08 *0.63	3.57 0.45	*19.25 —	8.59
Continued treatment after the Wave 1 interview	4.06	1.07	5.62	1.67	*2.26	1.13	*0.40	0.40	5.23 6.51	1.88	*2.07	0.45	_	_
Continued treatment after the wave 1 interview	4.00	1.07	0.02	1.07	2.20	1.10	0.40	0.40	0.51	1.00	2.07	0.55		
No														
Never sought treatment	85.78	0.46	84.11	0.60	89.23	0.63	85.61	1.30	86.10	0.64	84.10	0.79	90.25	1.26
No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview	11.37 1.51	0.42 0.15	12.59 1.79	0.54 0.20	8.87 0.94	0.57 0.21	8.79 4.60	1.02 0.87	10.86 1.31	0.58 0.20	13.68 1.05	0.78 0.21	9.19 *0.18	1.22 0.12
Continued treatment after the Wave 1 interview	1.34	0.15	1.52	0.21	0.96	0.18	0.99	0.36	1.73	0.24	1.16	0.27	*0.38	0.12
Before Age 18, Seriously Neglected by Parent/Caretaker														
Yes														
Never sought treatment	71.91	2.49	67.89	3.45	76.96	3.15	65.66	7.33	70.29	3.70	73.27	4.40	87.08	6.44
No longer sought treatment after the Wave 1 interview	21.36	2.37	22.79	3.28	19.57	3.04	25.00	6.90	20.99	3.52	22.61	4.38	*12.92	6.44
Began treatment after the Wave 1 interview	3.21	0.97	*4.31	1.58	*1.82	0.88	*9.02	5.35	*3.84	1.46	*0.85	0.60	_	_
Continued treatment after the Wave 1 interview	3.52	1.01	5.01	1.61	*1.64	0.62	*0.32	0.32	4.88	1.67	*3.26	1.28	_	_
No														
Never sought treatment		0.48	83.70	0.61	88.98	0.65	85.42	1.34	85.62	0.69	83.88	0.79	90.14	1.24
No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview	11.64 1.54	0.43 0.16	12.98 1.76	0.56 0.20	8.93 1.07	0.57 0.23	8.69 4.90	1.09 0.88	11.25 1.29	0.60 0.20	13.96 1.04	0.78 0.21	9.29 *0.19	1.20 0.12
Continued treatment after the Wave 1 interview	1.38	0.16	1.56	0.20	1.02	0.20	0.99	0.36	1.84	0.25	1.12	0.26	*0.38	0.12
Before Age 18, Saw Serious Fights at Home														
Yes														
Never sought treatment	75.57	1.41	70.18	2.06	82.73	1.74	75.92	4.86	75.11	2.02	74.81	2.35	84.85	4.59
No longer sought treatment after the Wave 1 interview	19.09	1.33	23.28	1.92	13.53	1.41	12.71	3.57	18.41	1.88	22.82	2.33	11.98	4.09
Began treatment after the Wave 1 interview	2.64	0.50	3.18	0.75	1.93	0.70	*10.52	3.70	2.58	0.71	*0.87	0.43	[*] 1.19	1.18
Continued treatment after the Wave 1 interview	2.70	0.52	3.37	0.79	1.81	0.58	*0.85	0.44	3.90	0.93	1.50	0.54	*1.98	1.96
No														
Never sought treatment		0.48	84.80	0.61	89.43	0.64	85.60	1.37	86.55	0.67	84.89	0.82	90.46	1.28
No longer sought treatment after the Wave 1 interview		0.44	12.04	0.56	8.74	0.59	8.99	1.11	10.58	0.61	12.89	0.82	9.21	1.27
Began treatment after the Wave 1 interview	1.45 1.28	0.16 0.16	1.69 1.47	0.20 0.22	0.94 0.90	0.23 0.20	4.44 *0.97	0.86 0.38	1.21 1.66	0.21 0.24	1.06 1.16	0.22 0.29	*0.10 *0.24	0.08 0.18
Continued treatment after the wave i interview	1.20	0.16	1.47	0.22	0.90	0.20	0.97	0.36	1.00	0.24	1.10	0.29	0.24	0.18

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

1.25 1.14 0.42 0.43	76.05 15.35 7.97	s.E.	25–44 Estimate	years S.E.	45–64 Estimate	years S.E.	65 years a	and older
1.25 1.14 0.42 0.43	76.05 15.35		Estimate	S.E.	Estimate	S.E.	Estimate	
1.14 0.42 0.43	15.35	3.08						S.E.
1.14 0.42 0.43	15.35	3.08						
1.14 0.42 0.43	15.35	3.08						
0.42 0.43			78.01	1.29	74.97	1.64	84.02	3.02
0.43	7 97	2.66	16.24	1.19	21.72	1.61	15.25	2.95
		2.11	2.15	0.42	1.09	0.31	. —	_
0.66	*0.64	0.34	3.60	0.66	2.22	0.64	*0.73	0.73
0.66								
0.00	87.50	1.41	87.79	0.73	87.09	0.82	91.54	1.30
0.58	7.34	1.13	9.81	0.64	11.14	0.83	7.96	1.25
0.27	4.08	0.91	1.10	0.24	1.01	0.25	*0.23	0.14
0.19	*1.07	0.45	1.31	0.21	0.77	0.24	*0.28	0.21
4.14	65.15	6.50	62.56	3.32	57.91	4.10	76.32	9.54
4.24	26.51	5.86	30.65	3.47	33.83	3.58	*23.68	9.54
0.72	*8.14	4.28	*1.59	0.66	*2.15	1.16	_	_
0.97	*0.20	0.20	5.19	1.51	6.11	2.34	_	_
0.60	85.98	1.33	86.11	0.64	85.20	0.76	90.32	1.21
0.54	8.15	1.09	10.68	0.57	12.98	0.77	9.12	1.18
0.23	4.86	0.89	1.40	0.21	0.95	0.19	*0.18	0.12
0.20	1.01	0.37	1.81	0.25	0.87	0.22	*0.38	0.23
0.71	89.35	1.36	88.32	0.69	87.88	0.94	92.69	1.32
0.65	6.83	1.13	9.18	0.65	10.50	0.92	6.54	1.24
0.19	2.97	0.73	0.97	0.19	0.87	0.27	_	
0.21	*0.85	0.43	1.53	0.25	0.75	0.28	*0.77	0.54
1.49	76.86	3.35	79.55	1.63	81.40	1.40	90.03	2.15
1.49	12.23	2.65	15.66	1.49	15.86	1.35	9.70	2.13
0.66	10.35	2.59	2.10	0.52	1.59	0.46	*0.06	0.06
0.35	*0.56	0.34	2.69	0.64	1.16	0.38	*0.21	0.21
2 28	62.64	6 70	72 52	2 47	73 36	2 20	86 15	2.49
2.20								2.49
2 00								0.43
2.09							U.59 —	
	0.35 2.28	0.35 *0.56 2.28 62.64 2.09 25.44 0.92 *8.24	0.35 *0.56 0.34 2.28 62.64 6.79 2.09 25.44 6.13 0.92 *8.24 4.28	0.35	0.35	0.35	0.35 *0.56 0.34 2.69 0.64 1.16 0.38 2.28 62.64 6.79 72.52 2.47 73.36 2.20 2.09 25.44 6.13 20.90 2.18 23.38 2.00 0.92 *8.24 4.28 *2.94 1.28 *0.73 0.32	0.35 *0.56 0.34 2.69 0.64 1.16 0.38 *0.21 2.28 62.64 6.79 72.52 2.47 73.36 2.20 86.15 2.09 25.44 6.13 20.90 2.18 23.38 2.00 13.25 0.92 *8.24 4.28 *2.94 1.28 *0.73 0.32 *0.59

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Currently Covered by Health Insurance														
Yes														
Never sought treatment	85.74	0.47	83.97	0.63	89.19	0.63	85.36	1.60	86.18	0.69	83.90	0.84	89.93	1.25
No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview	11.47 1.43	0.44 0.16	12.86 1.67	0.59 0.21	8.77 0.97	0.56 0.23	8.47 5.23	1.28 1.15	10.65 1.43	0.62 0.23	14.10 0.78	0.84 0.19	9.51 *0.18	1.22 0.12
Continued treatment after the Wave 1 interview	1.35	0.16	1.49	0.21	1.07	0.23	*0.94	0.46	1.74	0.23	1.23	0.19	*0.16	0.12
No														
Never sought treatment	80.40	1.16	79.04	1.42	83.38	1.83	83.04	2.28	79.05	1.73	80.34	2.04	100.00	0.00
No longer sought treatment after the Wave 1 interview	15.05	1.07	15.63	1.29	13.77	1.70	11.18	1.84	16.52	1.58	15.90	1.88	_	_
Began treatment after the Wave 1 interview	2.47	0.44	2.73	0.52	[*] 1.90	0.72	4.78	1.37	1.35	0.43	2.65	0.81	_	_
Continued treatment after the Wave 1 interview	2.08	0.42	2.59	0.58	*0.96	0.39	*0.99	0.51	3.08	0.70	*1.11	0.42	_	_
Tobacco Use Status														
Current user														
Never sought treatment	78.73	0.81	77.59	0.95	81.27	1.29	81.31	1.90	78.46	1.13	76.09	1.52	89.00	2.11
No longer sought treatment after the Wave 1 interview	16.25	0.70	16.75	0.84	15.13	1.12	11.41	1.52	16.20	1.03	19.91	1.40	10.26	2.08
Began treatment after the Wave 1 interview	2.54 2.48	0.27 0.30	2.88 2.77	0.34 0.40	1.77 1.84	0.43 0.38	6.51 *0.76	1.30 0.41	1.97 3.37	0.30 0.49	1.67 2.33	0.42 0.56	*0.45 *0.29	0.37 0.29
Continued treatment after the wave i interview	2.40	0.30	2.77	0.40	1.04	0.36	0.76	0.41	3.37	0.49	2.33	0.56	0.29	0.29
Ex-user														
Never sought treatment	86.87	0.79	85.68	1.00	89.64	1.14	75.61	6.20	86.53	1.51	86.43	1.20	89.78	1.65
No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview	11.55 0.81	0.76 0.24	12.77 0.67	0.93 0.24	8.72 *1.12	1.05 0.59	15.67 *4.43	5.28 3.20	11.02 *1.23	1.41 0.57	12.58 *0.65	1.21 0.26	9.73	1.59
Continued treatment after the Wave 1 interview	0.81	0.24	0.88	0.24	*0.52	0.30	*4.29	2.97	*1.23	0.47	*0.33	0.20	*0.48	0.34
Lifetime nonsmoker														
Never sought treatment	91.86	0.64	89.69	0.98	95.12	0.67	92.23	1.65	91.82	0.83	91.59	1.07	93.00	2.34
No longer sought treatment after the Wave 1 interview	6.59	0.58	8.32	0.87	3.97	0.59	4.50	1.29	6.69	0.78	7.40	1.04	*6.49	2.30
Began treatment after the Wave 1 interview	0.94	0.22	1.31	0.35	*0.39	0.17	*2.58	0.99	0.82	0.29	*0.47	0.22	*0.51	0.51
Continued treatment after the Wave 1 interview	0.62	0.16	0.68	0.20	*0.52	0.24	*0.69	0.46	0.68	0.22	*0.54	0.31	_	_
<u>Drug Use Status</u>														
Current user														
Never sought treatment	72.74	1.50	69.19	2.07	80.00	2.31	77.22	2.44	70.89	2.26	67.15	3.76	87.13	7.22
No longer sought treatment after the Wave 1 interview	17.58	1.31	19.08	1.65	14.51	2.10	11.93	2.02	19.63	1.91	24.14	3.49	*12.87	7.22
Began treatment after the Wave 1 interview	5.20	0.79	6.28	1.03	2.99	1.01	8.99	1.74	3.24	0.99	*3.50	1.24	_	_
Continued treatment after the Wave 1 interview	4.48	0.77	5.45	1.10	2.49	0.69	1.86	0.69	6.24	1.20	5.22	2.18	_	_
Ex-user														
Never sought treatment	81.85	0.84	78.93	1.14	86.65	1.07	84.81	2.62	83.71	0.97	77.69	1.53	83.38	4.37
No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview	15.22 1.44	0.77 0.22	17.51 1.75	1.07	11.47 0.94	0.97 0.30	12.60 *2.54	2.44 1.23	13.09 1.44	0.91 0.29	19.70 1.29	1.48 0.43	15.04	4.19 —
Continued treatment after the Wave 1 interview	1.44	0.22	1.75	0.31 0.36	0.94	0.30	*0.06	0.06	1.76	0.29	1.29	0.43	*1.58	— 1.57
Sommed troublest and the trave i interview	1.40	0.20	1.01	0.00	0.0-1	0.20	0.00	0.00	1.70	0.02	1.02	0.17	1.00	1.07

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2	Estimate	S.E.	Mal	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	J.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Drug Use Status														
Lifetime nondrug user	00.40	0.54	00.07	0.70	92.06	0.77	00.05	1.84	00.07	0.04	00.00	0.00	00.00	4.00
Never sought treatment	90.19 8.36	0.54 0.51	89.37 9.20	0.70	92.06 6.46	0.77 0.66	92.35 4.48	1.84	90.67 7.71	0.84 0.72	88.90 9.83	0.83 0.84	90.80 8.74	1.32 1.28
Began treatment after the Wave 1 interview	0.77	0.17	0.79	0.20	0.73	0.29	*2.57	1.22	0.79	0.26	0.59	0.17	*0.20	0.13
Continued treatment after the Wave 1 interview	0.67	0.15	0.64	0.18	0.74	0.27	*0.60	0.60	0.84	0.28	0.69	0.21	*0.25	0.19
Any Major Depressive Disorder in the Past Year														
Yes														
Never sought treatment	78.34	1.96	72.97	3.16	82.81	2.10	86.10	4.04	75.60	2.97	79.91	3.37	70.21	9.37
No longer sought treatment after the Wave 1 interview	16.40	1.65	19.58	2.80	13.75	1.78	*5.93	2.05	18.68	2.67	16.19	3.01	29.79	9.37
Began treatment after the Wave 1 interview Continued treatment after the Wave 1 interview	2.68 2.58	0.94 0.58	*3.49 3.96	1.53 1.13	*2.02 1.42	1.14 0.49	*7.35 *0.62	3.78 0.44	*2.49 3.23	1.27 0.90	*1.09 *2.80	0.56 1.13	_	_
Continued treatment after the wave i interview	2.36	0.56	3.90	1.13	1.42	0.49	0.62	0.44	3.23	0.90	2.00	1.13	_	_
No														
Never sought treatment	85.32	0.48	83.62	0.61	88.97	0.67	84.43	1.39	85.61	0.67	83.68	0.83	90.66	1.22
No longer sought treatment after the Wave 1 interview	11.76	0.45	13.03	0.57	9.02	0.61	9.73	1.20	11.17	0.61	14.20	0.84	8.78	1.18
Began treatment after the Wave 1 interview Continued treatment after the Wave 1 interview	1.53 1.39	0.15 0.16	1.78 1.57	0.20 0.21	1.00 1.01	0.21 0.19	4.85 0.99	0.88 0.38	1.33 1.89	0.20 0.26	1.03 1.09	0.21 0.26	*0.19 *0.38	0.12 0.23
Any Major Depressive Disorder in Life														
Yes														
Never sought treatment	80.57	1.14	75.05	1.90	85.36	1.26	86.12	3.35	80.53	1.71	78.78	1.98	83.91	4.18
No longer sought treatment after the Wave 1 interview	15.90	1.06	20.26	1.81	12.11	1.15	8.71	2.64	14.65	1.48	19.34	1.92	16.09	4.18
Began treatment after the Wave 1 interview	1.69	0.42	2.45	0.72	1.03	0.47	*4.77	2.51	1.98	0.60	*0.76	0.30	_	_
Continued treatment after the Wave 1 interview	1.84	0.34	2.24	0.54	1.50	0.42	*0.40	0.29	2.84	0.60	1.13	0.41	_	_
No														
Never sought treatment	85.74	0.51	84.23	0.64	89.39	0.73	84.33	1.44	85.84	0.74	84.59	0.92	90.69	1.24
No longer sought treatment after the Wave 1 interview		0.48	12.38	0.59	8.58	0.68	9.49	1.21	11.08	0.67	13.08	0.92	8.70	1.20
Began treatment after the Wave 1 interview	1.59 1.40	0.16 0.17	1.78 1.61	0.21 0.23	1.15 0.88	0.25 0.20	5.13 1.05	0.93 0.40	1.29 1.80	0.21 0.27	1.10 1.23	0.24 0.30	*0.20 *0.41	0.13 0.24
Age Started Drinking														
14 years or younger														
Never sought treatment	69.23	1.41	66.21	1.85	75.25	2.27	76.06	4.08	68.28	2.06	65.15	2.70	80.79	5.55
No longer sought treatment after the Wave 1 interview	24.49	1.42	26.28	1.87	20.91	2.13	18.06	3.70	24.53	2.04	29.36	2.61	18.17	5.51
Began treatment after the Wave 1 interview	2.35	0.47	2.79	0.64	*1.45	0.72	*4.11	1.84	2.36	0.63	*1.49	0.63	*1.04	1.04
Continued treatment after the Wave 1 interview	3.94	0.70	4.71	0.98	2.39	0.66	*1.77	1.05	4.83	1.06	4.00	1.05	_	_
15 to 17 years														
Never sought treatment	85.31	0.75	83.38	0.95	89.52	1.00	85.54	1.89	86.55	1.01	81.41	1.47	89.72	2.06
No longer sought treatment after the Wave 1 interview	11.91	0.67	13.63	0.85	8.16	0.90	9.24	1.44	10.65	0.93	16.84	1.41	9.95	2.04
Began treatment after the Wave 1 interview	1.54 1.24	0.26 0.20	1.56 1.43	0.31 0.26	1.50 0.83	0.48 0.29	4.06 *1.16	1.13 0.54	1.21 1.59	0.28 0.29	*0.96 *0.80	0.39 0.36	*0.07 *0.25	0.07 0.25
Continued treatment after the Wave 1 interview	1.24	0.20	1.43	0.20	0.03	0.29	1.10	0.54	1.59	0.29	0.00	0.30	0.25	0.23

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		8	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2	Fatimeta	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Age Started Drinking														
18 to 20 years														
Never sought treatment	88.97	0.65	87.47	0.87	92.13	0.87	87.12	2.49	89.06	0.98	88.63	1.05	91.30	1.55
No longer sought treatment after the Wave 1 interview	8.45	0.59	9.36	0.77	6.54	0.80	4.42	1.58	8.11	0.85	9.83	1.06	8.33	1.50
Began treatment after the Wave 1 interview	1.75	0.27	2.14	0.38	0.93	0.31	8.38	2.09	1.58	0.40	0.89	0.30	*	_
Continued treatment after the Wave 1 interview	0.83	0.18	1.03	0.25	*0.40	0.17	*0.08	0.08	1.24	0.34	0.65	0.21	*0.37	0.36
21 years or older														
Never sought treatment	88.19	0.97	88.33	1.36	88.01	1.61	100.00	0.00	89.50	1.49	85.69	1.63	90.73	2.07
No longer sought treatment after the Wave 1 interview	9.76	0.84	9.76	1.16	9.76	1.41	_	_	8.43	1.34	11.81	1.41	8.24	1.96
Began treatment after the Wave 1 interview	0.59	0.21	*0.73	0.35	*0.40	0.19	_	_	*0.31	0.18	*0.90	0.43	*0.40	0.39
Continued treatment after the Wave 1 interview	1.46	0.47	*1.18	0.63	1.83	0.69	_	_	*1.76	0.70	*1.59	0.83	*0.63	0.63
Family History of Alcoholism														
None														
Never sought treatment	90.91	0.64	90.05	0.81	93.48	1.00	91.68	1.94	90.12	0.96	90.03	1.08	95.70	1.14
No longer sought treatment after the Wave 1 interview	6.87	0.57	7.33	0.70	5.50	0.92	4.17	1.29	7.74	0.88	7.75	1.01	3.92	1.04
Began treatment after the Wave 1 interview	1.38	0.30	1.74	0.39	*0.31	0.20	*3.31	1.37	1.15	0.32	1.48	0.49	_	_
Continued treatment after the Wave 1 interview	0.83	0.20	0.87	0.23	*0.71	0.37	*0.85	0.60	0.99	0.30	*0.74	0.32	*0.38	0.38
2nd-degree relatives only														
Never sought treatment	88.35	0.86	85.95	1.15	93.53	1.02	88.07	2.22	88.58	1.18	88.21	1.77	87.40	3.11
No longer sought treatment after the Wave 1 interview	9.35	0.77	11.26	1.04	5.23	0.89	5.58	1.56	9.29	1.03	11.11	1.73	12.06	3.08
Began treatment after the Wave 1 interview	1.63	0.38	1.98	0.50	*0.89	0.40	6.07	1.75	1.02	0.45	*0.53	0.29	*0.55	0.55
Continued treatment after the Wave 1 interview	0.67	0.18	0.81	0.24	*0.35	0.22	*0.28	0.28	1.11	0.33	*0.15	0.11	_	_
1st-degree relatives only														
Never sought treatment	84.43	1.17	83.17	1.42	86.92	1.94	71.93	5.74	84.62	1.87	84.21	1.76	90.32	2.33
No longer sought treatment after the Wave 1 interview	13.22	1.09	14.49	1.34	10.72	1.71	19.02	4.98	12.31	1.59	14.51	1.73	9.29	2.32
Began treatment after the Wave 1 interview	1.37	0.40	1.40	0.44	*1.30	0.85	*4.76	2.76	*2.02	0.90	*0.57	0.33	*0.39	0.39
Continued treatment after the Wave 1 interview	0.97	0.32	0.93	0.38	*1.06	0.58	*4.28	3.06	*1.05	0.54	*0.71	0.30	_	_
Both 1st- and 2nd-degree relatives														
Never sought treatment	76.78	0.86	72.13	1.29	83.08	1.03	77.05	2.68	77.71	1.32	74.26	1.54	81.80	2.87
No longer sought treatment after the Wave 1 interview	18.44	0.80	21.95	1.17	13.69	0.94	16.01	2.36	16.77	1.23	22.07	1.40	17.22	2.85
Began treatment after the Wave 1 interview	1.91	0.28	2.13	0.40	1.62	0.40	6.08	1.70	1.73	0.35	1.16	0.36	*0.08	0.08
Continued treatment after the Wave 1 interview	2.86	0.37	3.79	0.59	1.61	0.36	*0.86	0.39	3.79	0.60	2.52	0.64	*0.90	0.67
Any Parent Alcoholic														
Yes														
Never sought treatment	76.77	0.87	72.80	1.27	82.24	1.15	75.69	2.53	76.77	1.29	75.20	1.69	86.60	2.59
No longer sought treatment after the Wave 1 interview	18.34	0.81	21.56	1.20	13.91	1.02	16.74	2.27	17.50	1.22	21.33	1.54	12.77	2.53
Began treatment after the Wave 1 interview	2.20	0.32	2.33	0.44	2.01	0.50	6.41	1.73	2.17	0.44	1.09	0.33	_	_
Continued treatment after the Wave 1 interview	2.70	0.38	3.31	0.55	1.85	0.42	*1.16	0.51	3.57	0.62	2.39	0.64	*0.63	0.63

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Parent Alcoholic														
No														
Never sought treatment		0.46	87.05	0.60	92.28	0.65	89.02	1.49	88.82	0.67	87.32	0.84	91.07	1.41
No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview	9.17 1.34	0.44 0.18	10.20 1.68	0.56 0.24	6.68 0.52	0.62 0.17	5.71 4.41	1.11 1.01	8.92 1.04	0.58 0.23	11.02 1.00	0.86 0.25	8.40 *0.24	1.36 0.15
Continued treatment after the Wave 1 interview	0.91	0.14	1.07	0.19	0.53	0.17	*0.86	0.45	1.22	0.22	0.65	0.24	*0.29	0.13
Married to Alcoholic/Lived with Alcoholic as if Married														
Yes Never sought treatment	72.41	1.23	59.78	2.44	79.43	1.38	74.83	6.87	72.62	1.87	69.93	2.05	83.79	3.53
No longer sought treatment after the Wave 1 interview		1.23	32.31	2.44	79.43 17.09	1.38	17.90	5.97	20.04	1.87	26.88	2.05 1.92	16.06	3.53
Began treatment after the Wave 1 interview	1.14	0.28	*0.98	0.43	1.23	0.37	*6.65	4.25	1.56	0.46	*0.38	0.18	*0.15	0.15
Continued treatment after the Wave 1 interview	3.92	0.63	6.93	1.46	2.25	0.51	*0.62	0.63	5.78	1.09	2.80	0.82	_	_
No														
Never sought treatment	87.21	0.47	85.31	0.60	92.22	0.65	85.08	1.35	87.22	0.66	87.00	0.80	91.01	1.27
No longer sought treatment after the Wave 1 interview		0.44	11.55	0.55	6.20	0.57	8.95 5.00	1.14 0.89	10.13	0.59	11.01	0.80	8.37 *0.19	1.23 0.13
Began treatment after the Wave 1 interview	1.70 1.01	0.16 0.14	1.94 1.19	0.21 0.18	1.06 0.52	0.28 0.15	0.98	0.89	1.38 1.26	0.22 0.20	1.20 0.79	0.25 0.22	*0.43	0.13
Any Alcohol Treatment in the Past Year														
Yes														
Never sought treatment	_	_	_	_	_	_	_	_	_	_	_	_	_	_
No longer sought treatment after the Wave 1 interview	82.54	2.23	82.16	2.68	83.53	3.77	84.75	6.30	78.31	3.48	86.85	3.13	91.10	6.41
Began treatment after the Wave 1 interview		_		_		_	*	_	_	_		_	*-	_
Continued treatment after the Wave 1 interview	17.46	2.23	17.84	2.68	16.47	3.77	*15.25	6.30	21.69	3.48	13.15	3.13	*8.90	6.41
No														
Never sought treatment	88.67	0.44	87.24	0.57	91.50	0.58	88.82	1.23	88.94	0.62	87.20	0.76	92.35	1.14
No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview		0.40 0.16	9.93 1.95	0.53 0.20	6.86 1.16	0.51 0.23	5.61 5.33	0.96 0.91	8.54 1.48	0.54 0.21	11.05 1.08	0.74 0.21	7.32 *0.18	1.13 0.12
Continued treatment after the Wave 1 interview	0.75	0.10	0.88	0.16	0.49	0.12	*0.24	0.14	1.05	0.19	0.67	0.22	*0.15	0.12
Any Alcohol Treatment in Life														
Yes														
Never sought treatment	_	_	_	_	_	_	_	_	_	_	_	_	_	_
No longer sought treatment after the Wave 1 interview	89.12	1.14	88.78	1.35	90.07	1.71	90.72	3.27	85.50	1.74	92.21	1.61	96.22	2.19
Began treatment after the Wave 1 interview				_				_	- -	_	-			
Continued treatment after the Wave 1 interview	10.88	1.14	11.22	1.35	9.93	1.71	9.28	3.27	14.50	1.74	7.79	1.61	*3.78	2.19
No														
Never sought treatment	98.14	0.17	97.81	0.23	98.75	0.25	94.34	0.96	98.36	0.24	98.78	0.24	99.80	0.13
No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview		— 0.17	2.19	0.23	 1.25	— 0.25	5.66	— 0.96	 1.64	0.24	 1.22	0.24	*0.20	 0.13
Continued treatment after the Wave 1 interview	- 1.00	— —		— —	—	— —	J.00	—	—	-	-	-	— —	— —

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2	Estimate	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Conduct Disorder														
Yes														
Never sought treatment		3.26	90.25	3.48	78.70	7.18	94.23	4.12	84.06	5.19	82.14	7.65	100.00	0.00
No longer sought treatment after the Wave 1 interview		3.00	*7.38	2.99	*19.25	7.04	*5.77	4.12	*11.36	4.53	*17.86	7.65	_	_
Began treatment after the Wave 1 interview		1.44	*2.37	1.86	*2.05	2.04	_	_	*4.57	2.86	_	_	_	_
Continued treatment after the Wave 1 interview	_	_	_	_	_	_	_	_	_	_	_	_	_	_
No														
Never sought treatment	84.80	0.46	82.99	0.60	88.39	0.64	84.34	1.34	84.89	0.66	83.43	0.81	89.91	1.26
No longer sought treatment after the Wave 1 interview	12.10	0.44	13.44	0.56	9.44	0.58	9.47	1.13	11.73	0.60	14.30	0.81	9.53	1.22
Began treatment after the Wave 1 interview	1.60	0.15	1.85	0.19	1.10	0.23	5.20	0.89	1.36	0.20	1.04	0.20	*0.18	0.12
Continued treatment after the Wave 1 interview	1.50	0.16	1.71	0.21	1.07	0.19	0.98	0.36	2.02	0.26	1.22	0.26	*0.37	0.22
Paranoid Personality Disorder — Lifetime														
Yes														
Never sought treatment	74.47	2.07	67.33	3.20	83.08	2.32	72.79	4.35	74.79	3.01	74.85	4.67	77.98	7.85
No longer sought treatment after the Wave 1 interview		1.87	24.49	2.85	12.78	2.02	17.64	3.66	20.31	2.70	17.85	3.73	*22.02	7.85
Began treatment after the Wave 1 interview		0.80	*3.54	1.29	*1.10	0.73	*8.12	3.09	*1.23	0.70	*0.19	0.19		
Continued treatment after the Wave 1 interview	3.92	0.94	4.65	1.42	3.05	1.05	*1.45	1.00	3.66	1.05	7.11	2.78	_	_
No														
Never sought treatment	85.61	0.48	84.07	0.62	88.81	0.69	86.34	1.40	85.70	0.66	83.91	0.78	90.31	1.27
No longer sought treatment after the Wave 1 interview		0.44	12.66	0.58	9.23	0.61	8.15	1.12	11.02	0.59	14.14	0.79	9.12	1.24
Began treatment after the Wave 1 interview		0.16	1.76	0.20	1.12	0.24	4.62	0.90	1.43	0.22	1.08	0.21	*0.18	0.12
Continued treatment after the Wave 1 interview	1.29	0.15	1.51	0.20	0.84	0.18	*0.89	0.37	1.85	0.26	0.87	0.21	*0.38	0.23
Schizoid Personality Disorder — Lifetime														
Yes														
Never sought treatment	75.77	2.32	74.06	3.20	78.65	3.27	74.61	6.57	75.47	3.59	75.67	4.20	83.72	7.91
No longer sought treatment after the Wave 1 interview		2.15	19.97	2.98	17.03	2.97	14.37	5.07	19.29	3.33	20.64	4.00	*16.28	7.91
Began treatment after the Wave 1 interview	*2.29	0.95	*2.82	1.28	*1.41	1.23	*10.70	5.29	*0.72	0.45	*1.01	0.83	_	_
Continued treatment after the Wave 1 interview	3.06	0.90	3.15	1.01	*2.92	1.45	*0.32	0.32	4.51	1.49	*2.68	1.39	_	_
No														
Never sought treatment	85.29	0.47	83.54	0.62	88.81	0.61	85.24	1.32	85.35	0.67	83.83	0.79	90.18	1.23
No longer sought treatment after the Wave 1 interview		0.44	13.03	0.58	9.14	0.54	9.05	1.11	11.34	0.60	14.00	0.80	9.25	1.20
Began treatment after the Wave 1 interview		0.15	1.81	0.19	1.10	0.23	4.70	0.86	1.45	0.21	1.03	0.21	*0.18	0.12
Continued treatment after the Wave 1 interview	1.40	0.16	1.62	0.21	0.95	0.18	1.00	0.37	1.86	0.25	1.13	0.26	*0.38	0.23
Schizotypal Personality Disorder — Lifetime ²														
Yes Never sought treatment	70.58	2.06	68.59	2.78	73.97	3.02	75.16	5.35	70.33	2.91	66.45	4.23	87.94	5.71
No longer sought treatment after the Wave 1 interview		1.75	22.01	2.76	18.50	2.59	19.48	4.83	20.02	2.68	23.65	2.94	*10.99	5.71
Began treatment after the Wave 1 interview		0.82	3.05	1.10	2.84	1.06	*4.10	2.72	2.95	1.00	*2.51	1.25	*1.06	1.08
Continued treatment after the Wave 1 interview		1.22	6.34	1.69	4.69	1.45	*1.26	0.95	6.71	1.67	7.39	2.76	_	_
22	5.75		0.01			10	0	0.00	J., ,		00	2.70		

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	J.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Schizotypal Personality Disorder — Lifetime ²														
No														
Never sought treatment		0.47	83.95	0.61	89.24	0.63	85.50	1.31	85.83	0.68	84.36	0.77	90.06	1.27
No longer sought treatment after the Wave 1 interview		0.45	12.84	0.57	8.96	0.58	8.39	1.06	11.18	0.62	13.82	0.80	9.39	1.24
Began treatment after the Wave 1 interview	1.53 1.21	0.15 0.15	1.79 1.42	0.19 0.20	1.00 0.80	0.23 0.18	5.17 *0.93	0.92 0.37	1.31 1.68	0.20 0.25	0.95 0.87	0.20 0.20	*0.16 *0.38	0.12 0.23
Continued treatment after the wave i interview	1.21	0.15	1.42	0.20	0.60	0.16	0.93	0.37	1.00	0.25	0.07	0.20	0.36	0.23
Antisocial Personality Disorder — Lifetime ²														
Yes														
Never sought treatment	67.64	1.68	67.81	2.00	67.09	3.63	71.81	3.95	65.38	2.50	66.46	3.89	86.14	6.90
No longer sought treatment after the Wave 1 interview		1.61	24.36	1.81	27.04	3.55	20.31	3.79	27.18	2.37	25.84	3.15	*13.86	6.90
Began treatment after the Wave 1 interview	2.72 4.65	0.69 0.89	3.26	0.89	*0.96	0.51 1.59	6.25 *1.63	2.15 0.92	*1.75 5.69	0.64 1.22	*2.07 5.63	0.99 2.19	_	_
Continued treatment after the wave 1 interview	4.65	0.89	4.57	1.02	4.91	1.59	1.63	0.92	5.69	1.22	5.03	2.19	_	_
No														
Never sought treatment		0.46	84.97	0.59	89.76	0.60	87.17	1.39	87.04	0.62	84.82	0.78	90.15	1.25
No longer sought treatment after the Wave 1 interview		0.44	12.01	0.57	8.34	0.53	7.17	0.99	10.01	0.55	13.39	0.80	9.28	1.22
Began treatment after the Wave 1 interview		0.16	1.69	0.21	1.13	0.24	4.84	0.99	1.37	0.21	0.94	0.20	*0.19	0.12
Continued treatment after the Wave 1 interview	1.15	0.14	1.34	0.19	0.78	0.18	*0.82	0.37	1.58	0.23	0.85	0.18	*0.38	0.23
Borderline Personality Disorder — Lifetime ²														
Yes														
Never sought treatment	67.77	1.60	62.22	2.29	75.19	2.34	73.17	4.30	68.46	2.33	61.67	3.39	74.24	8.27
No longer sought treatment after the Wave 1 interview		1.40	24.95	2.01	17.38	1.93	17.32	3.93	19.33	1.86	29.26	2.91	*25.08	8.26
Began treatment after the Wave 1 interview		0.89	6.95	1.44	2.04	0.63	8.17	2.74	4.55	1.29	3.35	1.18	*0.68	0.69
Continued treatment after the Wave 1 interview	5.67	0.92	5.88	1.28	5.40	1.18	*1.35	0.84	7.67	1.37	5.72	2.08	_	_
No														
Never sought treatment		0.48	84.93	0.62	90.04	0.63	86.74	1.36	86.71	0.67	85.23	0.78	90.51	1.27
No longer sought treatment after the Wave 1 interview		0.45	12.33	0.58	8.51	0.59	7.88	0.99	10.88	0.63	13.10	0.79	8.94	1.24
Began treatment after the Wave 1 interview		0.15	1.42	0.18	0.99	0.24	4.49	0.93	1.06	0.18	0.84	0.19	*0.16	0.12
Continued treatment after the Wave 1 interview	1.04	0.14	1.32	0.20	0.46	0.14	*0.89	0.38	1.36	0.23	0.84	0.22	*0.38	0.23
<u>Histrionic Personality Disorder — Lifetime</u>														
Yes														
Never sought treatment	71.60	3.13	69.87	4.24	73.88	4.51	69.85	5.28	72.89	4.05	71.37	7.42	*71.49	17.97
No longer sought treatment after the Wave 1 interview		2.69	19.77	3.35	16.98	3.78	19.76	4.98	18.87	3.76	15.24	4.08	*28.51	17.97
Began treatment after the Wave 1 interview	3.50	1.30	*4.40	1.80	*2.31	1.67	*8.88	3.61	*1.38	0.87	*0.43	0.44	_	_
Continued treatment after the Wave 1 interview	6.34	1.75	5.96	2.39	*6.84	2.56	*1.51	1.32	6.86	2.26	*12.96	5.94	_	_
No														
Never sought treatment		0.46	83.52	0.59	88.96	0.60	86.14	1.36	85.31	0.66	83.70	0.78	90.16	1.22
No longer sought treatment after the Wave 1 interview		0.43	13.15	0.55	9.21	0.55	8.29	1.07	11.46	0.59	14.32	0.80	9.28	1.19
Began treatment after the Wave 1 interview		0.15	1.78	0.19	1.06	0.22	4.67	0.90	1.41	0.21	1.04	0.20	*0.18	0.12
Continued treatment after the Wave 1 interview	1.29	0.15	1.55	0.20	0.77	0.15	0.90	0.36	1.81	0.25	0.93	0.21	*0.37	0.22

Table 1-12. Percent distribution of pattern of treatment-seeking behavior for drinking problems by Wave 2 among individuals who ever had had a *DSM-IV* alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Narcissistic Personality Disorder — Lifetime ²														
Yes														
Never sought treatment		1.55	74.48	1.98	82.62	2.71	77.90	4.05	76.10	2.50	74.25	3.23	87.09	4.79
No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview		1.22 0.88	16.38 4.71	1.47 1.08	13.03 *1.04	2.48 0.52	12.19 9.29	3.53 2.96	14.86 3.29	1.87 1.29	19.98 *1.32	2.86 0.94	*10.88 *2.03	4.68 1.64
Continued treatment after the Wave 1 interview	4.15	0.00	4.71	1.06	3.31	1.14	*0.62	0.33	5.75	1.59	4.44	1.99	2.03	
Continuou troutinon artor trie viave i interview	1.10	0.01	1.10	1.21	0.01		0.02	0.00	0.70	1.00		1.00		
No														
Never sought treatment	85.62	0.47	84.04	0.61	88.66	0.64	85.62	1.40	85.75	0.68	84.14	0.80	90.20	1.27
No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview		0.46 0.14	13.02 1.55	0.59 0.18	9.33 1.12	0.57 0.23	8.95 4.42	1.15 0.90	11.41 1.22	0.63 0.18	13.90 1.01	0.82 0.20	9.34 *0.07	1.23 0.07
Continued treatment after the Wave 1 interview	1.22	0.14	1.39	0.18	0.90	0.23	*1.01	0.40	1.61	0.18	0.96	0.20	*0.39	0.07
Avoidant Personality Disorder — Lifetime				*****		*****								
Avoidant Personality Disorder — Elletime														
Yes														
Never sought treatment		3.08	58.78	4.84	75.80	3.69	70.69	7.47	71.03	4.15	57.19	6.71	*80.15	12.21
No longer sought treatment after the Wave 1 interview	24.10 3.70	2.86	29.11 *5.60	4.73 2.32	19.12	3.30	18.19 *10.48	6.23	21.85	3.92	32.42 *0.59	6.17 0.59	*19.85	12.21
Began treatment after the Wave 1 interview Continued treatment after the Wave 1 interview	4.89	1.51 1.56	6.51	2.32	*1.81 *3.27	1.34 1.42	*0.63	5.51 0.46	*3.17 *3.94	1.55 1.54	*9.79	4.58	_	_
	1.00	1.00	0.01	2.70	0.27	1.12	0.00	0.10	0.01	1.01	0.70	1.00		
No														
Never sought treatment	85.45	0.45	83.74	0.59	88.93	0.62	85.36	1.34	85.41	0.66	84.23	0.75	90.12	1.25
No longer sought treatment after the Wave 1 interview Began treatment after the Wave 1 interview	11.66 1.54	0.42 0.15	12.93 1.76	0.54 0.20	9.05 1.08	0.55 0.23	8.89 4.77	1.12 0.86	11.34 1.34	0.59 0.21	13.78 1.04	0.76 0.21	9.32 *0.18	1.22 0.12
Continued treatment after the Wave 1 interview	1.34	0.15	1.76	0.20	0.94	0.23	0.98	0.86	1.34	0.21	0.95	0.21	*0.37	0.12
	1.00	0.10	1.00	0.20	0.01	0.17	0.55	0.00	1.01	0.20	0.00	0.21	0.07	0.22
Dependent Personality Disorder — Lifetime														
Yes														
Never sought treatment	53.85	8.23	35.32	10.22	73.78	9.00	52.72	12.61	57.00	11.81	[*] 45.16	21.63	*100.00	0.00
No longer sought treatment after the Wave 1 interview		7.81	47.76	11.73	*24.36	8.51	*45.81	12.67	37.53	11.58	*11.45	9.21	_	_
Began treatment after the Wave 1 interview	*0.55 *9.11	0.55 6.13	*16.92	— 11.07	*1.15 *0.71	1.12 0.72	*1.47	1.49 —	 *5.47	— 4.68	*43.39	 24.45	_	_
Continued treatment after the wave i interview	3.11	0.13	10.32	11.07	0.71	0.72		_	3.47	4.00	45.55	24.43		_
No														
Never sought treatment	85.04	0.45	83.35	0.59	88.40	0.64	85.28	1.33	85.06	0.64	83.54	0.79	90.02	1.24
No longer sought treatment after the Wave 1 interview		0.42	13.17	0.55	9.43	0.57	8.58	1.08	11.55	0.58	14.35	0.80	9.43	1.21
Began treatment after the Wave 1 interview	1.62 1.42	0.15 0.15	1.87 1.61	0.19 0.20	1.11 1.06	0.23 0.19	5.16 0.98	0.88 0.35	1.42 1.97	0.20 0.25	1.03 1.08	0.20 0.22	*0.18 *0.37	0.12 0.22
Continued treatment after the wave I interview	1.42	0.13	1.01	0.20	1.00	0.13	0.90	0.55	1.37	0.23	1.00	0.22	0.57	0.22
Obsessive-Compulsive Personality Disorder — Lifetime														
Yes														
Never sought treatment		1.40	78.86	1.97	83.79	1.83	77.02	4.36	80.45	1.96	81.99	2.58	83.20	4.67
No longer sought treatment after the Wave 1 interview		1.17	16.07	1.60	12.25	1.59	16.02	3.69	14.22	1.59	14.26	2.14	16.80	4.67
Began treatment after the Wave 1 interview		0.63	2.65	0.82	*1.47	0.82	*5.47 *4.50	2.77	2.95	1.09	*0.39	0.23	_	_
Continued treatment after the Wave 1 interview	2.45	0.59	2.42	0.75	2.49	0.85	*1.50	1.16	2.38	0.69	3.35	1.32	_	_

Table 1-12. Percent distribution of pattern of treatment-seeking behavior 1 for drinking problems by Wave 2 among individuals who ever had had a DSM-IV alcohol use disorder at Wave 1, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and pattern of alcohol treatment by Wave 2	Fatina ata	0.5	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Obsessive-Compulsive Personality Disorder — Lifetime														
No														
Never sought treatment	85.40	0.50	83.65	0.66	89.01	0.67	85.52	1.40	85.55	0.68	83.62	0.85	90.71	1.26
No longer sought treatment after the Wave 1 interview	11.73	0.47	13.00	0.61	9.12	0.62	8.56	1.13	11.34	0.62	14.35	0.85	_8.69	1.25
Began treatment after the Wave 1 interview	1.53	0.15	1.76	0.19	1.06	0.22	5.03	0.92	1.18	0.18	1.12	0.23	*0.20	0.13
Continued treatment after the Wave 1 interview	1.34	0.16	1.59	0.22	0.82	0.18	*0.89	0.36	1.93	0.27	0.90	0.23	*0.41	0.24

Defined by the lifetime treatment-seeking status (yes/no) as of the Wave 1 interview and the treatment-seeking status (yes/no) since the Wave 1 interview. Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.

* Fewer than 10 observations in the cell.

SOURCE: NIAAA 2001–2002 and 2004–2005 National Epidemiologic Surveys on Alcohol and Related Conditions.

Empty cell.

Table 1-13. Rate (%) of 1-year (i.e., Wave 2 past year) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1.

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 1-year first AUD incidence at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Total</u>														
Alcohol use disorder	1.65	0.10	2.61	0.22	1.04	0.09	5.82	0.59	1.77	0.17	0.82	0.12	*0.15	0.08
Alcohol abuse		0.10	1.62	0.19	0.64	0.07	3.62	0.48	1.11	0.14	0.43	0.09	*0.08	0.07
Alcohol dependence	1.70	0.09	2.47	0.16	1.08	0.09	5.26	0.47	1.80	0.17	1.11	0.13	0.20	0.06
Race/Ethnicity														
White, Not Hispanic or Latino														
Alcohol use disorder	1.57	0.13	2.51	0.28	0.99	0.11	6.17	0.85	1.89	0.24	0.87	0.15	*0.15	0.10
Alcohol abuse		0.12	1.82	0.26	0.70	0.09	4.29	0.72	1.43	0.21	0.54	0.12	*0.10	0.09
Alcohol dependence	1.43	0.10	2.03	0.18	0.94	0.10	4.74	0.60	1.53	0.17	1.14	0.16	*0.20	0.07
Black, Not Hispanic or Latino														
Alcohol use disorder	2.16	0.28	3.23	0.66	1.56	0.26	6.23	1.34	1.84	0.39	1.27	0.42	_	_
Alcohol abuse		0.16	1.09	0.27	0.68	0.20	2.80	0.74	0.74	0.22	*0.16	0.11	. —	_
Alcohol dependence	2.65	0.31	3.90	0.68	1.77	0.26	7.01	1.38	2.53	0.54	1.53	0.37	*0.17	0.17
American Indian/Alaska Native, Not Hispanic or Latino														
Alcohol use disorder		0.90	*0.94	0.93	*1.47	1.26	*3.32	3.20	*2.70	2.34	_	_	_	_
Alcohol abuse		0.30	*0.90	0.89	. —	_	*3.05	2.95	—	_		_	_	_
Alcohol dependence	. *2.34	0.99	*2.36	1.22	*2.32	1.45	*3.09	2.41	*4.60	2.35	*0.76	0.78	_	_
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino														
Alcohol use disorder	*1.02	0.33	*1.83	0.68	*0.37	0.34	*3.11	1.59	*1.28	0.65	_	_	_	_
Alcohol abuse		0.20	*0.57	0.44		_	*0.54	0.54	*0.41	0.41	_	_	_	_
Alcohol dependence		0.43	*2.07	0.82	*0.70	0.45	*5.75	2.73	*0.86	0.48	*0.35	0.34	_	_
Hispanic or Latino														
Alcohol use disorder		0.27	3.10	0.62	0.99	0.18	5.52	0.94	1.39	0.34	0.47	0.20	*0.41	0.31
Alcohol abuse	. 1.11	0.19	1.65	0.38	0.69	0.15	3.36	0.71	0.78	0.21	*0.31	0.15	_	_
Alcohol dependence	. 2.41	0.32	3.88	0.57	1.07	0.29	5.51	0.92	2.30	0.52	0.84	0.28	*0.44	0.28
Marital Status														
Married														
Alcohol use disorder	0.99	0.10	1.32	0.20	0.75	0.11	2.68	0.84	1.52	0.20	0.65	0.14	*0.21	0.14
Alcohol abuse		0.09	0.90	0.16	0.47	0.09	2.36	0.80	0.98	0.18	0.36	0.11	*0.12	0.12
Alcohol dependence		0.10	1.50	0.17	0.80	0.11	2.63	0.78	1.59	0.19	0.92	0.12	*0.24	0.10
Living with someone as if married														
Alcohol use disorder	1.56	0.56	*2.04	1.20	*1.25	0.55	*2.59	1.38	*1.57	0.83	_	_	*3.25	3.30
		0.56	*2.04	0.98	*1.41	0.58	*3.99	1.68	*1.18	0.63	_	_	*3.09	3.13
Alcohol abuse		0.62	*3.63	1.32	*0.53	0.33	*3.62	2.05	*1.61	0.57	*1.20	0.87	3.09 —	J. 13 —
·														
Widowed	*0.07	0.05	*0.00	0.00	*0.04	0.04					*0.47	0.4=	*0.05	0.05
Alcohol use disorder		0.05	*0.22	0.22	*0.04	0.04	_	_	_	_	*0.17	0.17	*0.05	0.05
Alcohol abuse		0.03	*0.22	0.22	*0.01	_	_	_	_	_	*0.16	0.16	*0.00	_
Alcohol dependence	. *0.18	0.07	*0.87	0.39	*0.04	0.04	ı –	_	_	_	*0.56	0.29	*0.09	0.06

Table 1-13. Rate (%) of 1-year (i.e., Wave 2 past year) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 1-year first AUD incidence at Wave 2	Estimate	S.E.	Ма	le	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Divorced														
Alcohol use disorder	1.35	0.28	2.27	0.73	0.97	0.26	_	_	1.79	0.64	1.50	0.36	*0.10	0.09
Alcohol abuse		0.16	*0.74	0.31	0.60	0.19		_	*0.71	0.28	0.82	0.28	—	_
Alcohol dependence	1.54	0.30	2.34	0.55	1.06	0.35	*3.36	3.31	1.96	0.61	1.50	0.40	*0.50	0.31
Separated														
Alcohol use disorder	2.21	0.63	*4.47	2.09	1.52	0.51	*8.65	7.63	3.09	0.97	*0.64	0.40	_	_
Alcohol abuse		0.39	*1.65	0.99	*0.91	0.40	0.00	7.03 —	*1.83	0.74	*0.51	0.40	_	
Alcohol dependence		0.56	*3.23	1.37	1.75	0.56	*9.21	6.25	2.94	0.74	*0.76	0.35		_
Alconor dependence	2.21	0.50	3.23	1.37	1.75	0.50	9.21	0.23	2.94	0.91	0.70	0.43	_	_
Never married														
Alcohol use disorder	4.51	0.39	6.49	0.68	2.72	0.36	6.86	0.68	2.54	0.45	2.25	0.83	_	_
Alcohol abuse	2.64	0.34	3.82	0.58	1.55	0.27	3.98	0.58	1.61	0.39	*0.80	0.48	_	_
Alcohol dependence	4.09	0.31	5.44	0.51	2.69	0.36	5.99	0.57	2.44	0.39	2.97	0.88	_	_
Ever Had Children (Including Step, Adopted, Foster)														
Yes														
Alcohol use disorder	0.93	0.09	1.26	0.18	0.75	0.09	4.35	0.89	1.38	0.18	0.65	0.12	*0.14	0.09
Alcohol abuse		0.09	0.77	0.18	0.75	0.09	3.12	0.89	0.90	0.18	0.03	0.12	*0.08	0.09
		0.07	1.68	0.13	0.49	0.07	4.86	0.75	1.57	0.13	1.08	0.08	0.08	0.06
Alcohol dependence	1.20	0.09	1.68	0.16	0.85	0.09	4.86	0.89	1.57	0.19	1.08	0.13	0.21	0.07
No														
Alcohol use disorder	3.77	0.30	5.48	0.56	2.14	0.27	6.26	0.65	2.81	0.41	1.94	0.48	*0.25	0.18
Alcohol abuse		0.28	3.36	0.50	1.22	0.20	3.76	0.56	1.69	0.34	1.05	0.34	*0.09	0.09
Alcohol dependence		0.22	4.32	0.38	1.88	0.26	5.38	0.54	2.42	0.33	1.35	0.34	*0.14	0.14
		0.22	1.02	0.00	1.00	0.20	0.00	0.01	2.12	0.00	1.00	0.01	0.11	0.14
Children Ages Below 13 Living in Household														
Yes														
Alcohol use disorder	1.84	0.20	2.41	0.38	1.51	0.20	5.46	0.94	1.46	0.19	*0.52	0.24	_	_
Alcohol abuse	1.30	0.16	1.76	0.30	1.03	0.17	3.58	0.76	1.08	0.16	*0.35	0.20	_	_
Alcohol dependence	1.90	0.18	2.60	0.34	1.40	0.18	5.51	0.88	1.50	0.20	1.09	0.34	_	_
No														
Alcohol use disorder	1.57	0.12	2.69	0.27	0.83	0.10	5.99	0.72	2.19	0.30	0.87	0.13	*0.15	0.08
Alcohol abuse		0.12	1.56	0.27	0.83	0.10	3.63	0.72	1.16	0.30	0.87	0.13	*0.15	0.08
Alcohol dependence		0.11	2.41	0.22	0.47	0.08	5.15	0.59	2.21	0.23	1.11	0.10	0.08	0.07
Education		00		00	0.02	0	00	0.00		0.20		0.10	0.2.	0.00
<u>= 44341131.</u>														
11 years or less	1													
Alcohol use disorder	1.62	0.26	3.06	0.57	0.75	0.17	7.77	1.61	1.16	0.33	0.95	0.31	*0.14	0.09
Alcohol abuse	0.94	0.19	1.83	0.42	0.39	0.12	4.85	1.26	0.67	0.24	*0.41	0.20	_	_
Alcohol dependence	1.99	0.28	3.17	0.53	1.03	0.24	6.35	1.19	2.55	0.64	1.14	0.30	*0.36	0.17
10 years														
12 years	4.00	0.40	0.00	0.00	0.00	0.45	4.70	0.00	4 40	0.00	0.70	0.00	*0.00	0.00
Alcohol use disorder		0.18	2.28	0.38	0.83	0.15	4.79	0.88	1.46	0.29	0.70	0.22	*0.03	0.03
Alcohol abuse		0.13	1.40	0.31	0.41	0.10	3.14	0.70	0.73	0.20	*0.25	0.13	*0.03	0.03
Alcohol dependence	1.78	0.18	2.87	0.34	0.94	0.16	5.06	0.81	1.93	0.31	1.38	0.26	*0.07	0.05

Table 1-13. Rate (%) of 1-year (i.e., Wave 2 past year) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 1-year first AUD incidence at Wave 2	Estimate	S.E.	Ма	le	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Education														
13–15 years														
Alcohol use disorder	2.28	0.24	3.75	0.54	1.41	0.21	6.52	0.97	2.13	0.36	1.07	0.25	*0.14	0.14
Alcohol abuse		0.18	2.04	0.36	1.02	0.18	3.96	0.73	1.26	0.27	0.73	0.22	_	_
Alcohol dependence		0.19	3.30	0.36	1.35	0.19	5.66	0.80	2.06	0.35	1.28	0.28	*0.38	0.19
16 or more years														
16 or more years	4.00	0.47	4.55	0.00	4.07	0.00	*2.96	4.50	4.00	0.00	0.04	0.04	*0.41	0.44
Alcohol use disorder		0.17	1.55	0.32	1.07	0.20		1.56	1.93	0.29	0.64	0.21	ata T	0.41
Alcohol abuse		0.16	1.29	0.31	0.64	0.16	*1.66	1.10	1.49	0.28	0.35	0.14	*0.41	0.40
Alcohol dependence	0.89	0.13	0.86	0.19	0.92	0.18	*2.28	1.12	1.17	0.22	0.70	0.20	_	_
Currently Employed Full Time														
Yes														
Alcohol use disorder	1.94	0.14	2.45	0.25	1.45	0.15	5.98	0.88	1.94	0.21	0.93	0.15	_	_
Alcohol abuse		0.14	1.73	0.24	0.92	0.12	4.30	0.68	1.25	0.18	0.61	0.14	_	_
Alcohol dependence		0.13	2.36	0.20	1.27	0.12	5.20	0.70	1.83	0.20	1.17	0.14	_	_
·														
No													*	
Alcohol use disorder		0.15	2.90	0.43	0.75	0.11	5.70	0.77	1.41	0.27	0.66	0.18	*0.16	0.09
Alcohol abuse		0.10	1.42	0.26	0.45	0.08	3.12	0.58	0.82	0.18	*0.17	0.07	*0.09	0.08
Alcohol dependence	1.51	0.13	2.65	0.31	0.93	0.12	5.31	0.65	1.74	0.29	1.02	0.21	0.21	0.07
Family Annual Income														
\$0 to \$19,999														
Alcohol use disorder	1.84	0.23	4.04	0.65	0.87	0.14	5.66	0.87	1.95	0.40	0.86	0.26	*0.05	0.04
Alcohol abuse		0.18	2.00	0.48	0.46	0.10	3.09	0.65	0.98	0.33	*0.15	0.10	_	_
Alcohol dependence		0.19	3.85	0.48	0.98	0.16	4.76	0.70	2.27	0.40	1.67	0.36	*0.12	0.06
\$20,000 to \$34,999 Alcohol use disorder	1.36	0.19	1.95	0.37	0.99	0.18	4.60	0.98	1.59	0.34	0.68	0.25	*0.12	0.12
													0.12	0.12
Alcohol abuse		0.13	0.87	0.21	0.61	0.14	2.78	0.70	0.77	0.21	*0.29	0.13	*0.16	_
Alcohol dependence	1.78	0.21	2.70	0.42	1.01	0.19	4.76	0.96	2.34	0.45	1.02	0.30	0.16	0.11
\$35,000 to \$69,999														
Alcohol use disorder	1.59	0.18	2.35	0.36	1.08	0.18	4.81	0.91	1.85	0.32	0.82	0.19	*0.40	0.30
Alcohol abuse	1.22	0.17	1.91	0.35	0.75	0.15	4.36	0.90	1.15	0.23	0.70	0.22	*0.33	0.29
Alcohol dependence		0.16	2.35	0.26	1.23	0.18	5.06	0.92	1.91	0.28	1.14	0.21	*0.45	0.21
\$70,000 or more														
Alcohol use disorder	1.79	0.22	2.44	0.43	1.27	0.24	10.17	2.17	1.69	0.31	0.86	0.24		_
		0.22	1.55	0.43	0.77	0.24	5.02	1.53	1.69	0.33	*0.38	0.24	_	_
Alcohol abuseAlcohol dependence		0.18	1.55	0.35	1.03	0.19	7.87	1.65	1.40	0.33	0.38	0.13		_
·	1.33	0.10	1.01	0.20	1.03	0.20	7.07	1.00	1.00	0.19	0.00	0.20	_	_
Born in the United States	1													
Yes														
Alcohol use disorder	1.80	0.12	2.84	0.25	1.18	0.10	6.36	0.67	2.06	0.20	0.89	0.13	*0.16	0.09
Alcohol abuse		0.11	1.86	0.23	0.70	0.08	3.96	0.55	1.35	0.17	0.46	0.10	*0.09	0.08
	1.77	0.10	2.49	0.18	1.20	0.10	5.57	0.52	1.90	0.18	1.19	0.14	0.22	0.07

Table 1-13. Rate (%) of 1-year (i.e., Wave 2 past year) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 1-year first AUD incidence at Wave 2	Fatimata	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Born in the United States														
No														
Alcohol use disorder	0.95	0.17	1.73	0.36	0.33	0.13	3.39	0.83	0.82	0.25	*0.45	0.19	*0.05	0.05
Alcohol abuse	0.50	0.13	0.67	0.22	0.35	0.14	2.06	0.71	*0.32	0.15	*0.28	0.16	. —	_
Alcohol dependence	1.30	0.23	2.33	0.46	0.38	0.14	3.67	0.89	1.39	0.35	*0.59	0.23	*0.05	0.05
Family Structure Before Age 18														
Both biological/adoptive parents in the household														
Alcohol use disorder	2.96	0.38	5.19	0.87	1.64	0.30	9.04	1.44	1.93	0.44	*0.74	0.40	_	_
Alcohol abuse	2.21	0.37	4.14	0.88	1.05	0.23	7.02	1.31	1.28	0.34	*0.40	0.27		_
Alcohol dependence	2.44	0.25	3.54	0.50	1.57	0.25	6.33	1.00	1.78	0.31	1.32	0.41	*0.58	0.40
Only biological mother ever in the household (father never present)														
Alcohol use disorder	1.37	0.11	2.15	0.23	0.87	0.10	5.12	0.71	1.60	0.20	0.78	0.13	*0.18	0.10
Alcohol abuse	0.82	0.10	1.22	0.19	0.56	0.10	2.80	0.53	1.03	0.17	0.74	0.10	*0.10	0.09
Alcohol dependence	1.48	0.10	2.14	0.18	0.92	0.10	5.06	0.63	1.70	0.21	1.01	0.13	*0.15	0.06
Biological/adoptive parents divorced or no longer living														
together											*			
Alcohol use disorder		0.31	2.31	0.65	1.69	0.38	3.99	1.01	2.39	0.57	*0.80	0.51	_	_
Alcohol abuse	1.06	0.22	1.39	0.42	0.87	0.25	1.73	0.57	1.53	0.43	*0.38	0.26	*	
Alcohol dependence	2.17	0.31	3.01	0.53	1.55	0.38	4.49	1.05	2.31	0.51	*1.38	0.55	*0.41	0.29
Raised by relatives, by foster parents, or in an institution Alcohol use disorder	*1.92	0.91	*4.69	2.26	*0.37	0.29	_	_	*2.80	1.76	*3.07	2.28	_	_
Alcohol abuse		0.22	*0.92	0.59	*0.08	0.08	_	_	*0.44	0.35	*0.79	0.68	_	_
Alcohol dependence	2.50	0.93	*5.11	2.05	*0.76	0.49	*2.94	2.90	*3.27	1.70	*3.37	2.08	_	_
Before Age 18, Family Received Government Assistance														
Yes														
Alcohol use disorder	3.30	0.40	5.18	0.92	2.26	0.34	8.41	1.47	2.64	0.43	*1.25	0.65	*0.14	0.14
Alcohol abuse		0.33	3.28	0.77	1.30	0.25	5.27	1.18	1.70	0.35	*0.25	0.15	*0.14	0.14
Alcohol dependence	3.15	0.35	4.85	0.68	1.89	0.31	6.73	1.25	2.29	0.36	3.08	0.80	*0.51	0.44
No														
Alcohol use disorder	1.42	0.10	2.29	0.22	0.87	0.09	5.16	0.62	1.60	0.18	0.78	0.12	*0.15	0.09
Alcohol abuse		0.09	1.40	0.18	0.55	0.07	3.20	0.49	1.00	0.15	0.45	0.10	*0.08	0.08
Alcohol dependence	1	0.09	2.15	0.17	0.96	0.09	4.89	0.52	1.71	0.18	0.94	0.12	0.18	0.06
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes														
Alcohol use disorder	3.32	0.90	3.52	1.16	*2.80	1.23	*8.40	3.07	*3.38	1.43	*0.93	0.93	_	_
Alcohol abuse		0.87	*3.44	1.17	*1.82	1.03	*7.06	2.79	*2.84	1.33	*0.92	0.92	_	_
Alcohol dependence		0.79	4.45	0.95	3.37	1.37	10.37	2.85	4.10	1.25	2.02	0.85	*1.17	1.16
·														

Table 1-13. Rate (%) of 1-year (i.e., Wave 2 past year) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Before Age 18, Ever in Jail or Juvenile Detention Center No Alcohol ause disorder 1.62 0.11 2.58 0.22 1.03 0.09 5.74 0.61 1.74 0.17 0.82 0.12 0.15 0.83 0.76 0.89 0.10 1.58 0.19 0.83 0.07 3.59 0.30 1.08 0.14 0.42 0.09 0.08 0.08 0.07 0.82 0.15 0.09 0.08 0.07 0.80 0.19 0.08 0.07 0.80 0.19 0.08 0.07 0.80 0.19 0.08 0.07 0.80 0.19 0.08 0.07 0.80 0.19 0.08 0.07 0.80 0.19 0.08 0.07 0.80 0.19 0.08 0.07 0.80 0.19 0.08 0.09 0.09 0.08 0.09 0.09 0.08 0.09 0.09 0.08 0.09 0.0		Both :	sexes		S	Sex					Age group	at Wave 1			
Estimate S.E. Estimate		Fatimata	٥.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
No Alcohol use disorder		Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Alcohol use disorder	Before Age 18, Ever in Jail or Juvenile Detention Center														
Alcohol abuse	No														
Refore Age 18. Prysically Abused by Parent/Caretaker 1.64 0.09 2.38 0.16 1.05 0.09 5.07 0.48 1.74 0.16 1.08 0.13 0.19 0.18															0.08
Peter Age 18. Physically Abused by Parent/Caretaker Yes Alcohol use disorder 3.21															0.07
Yes Alcohol use disorder 3.21 0.71 5.97 1.93 2.01 0.71 *8.16 3.49 *3.50 1.29 *1.93 0.86 *1.07 1.81 1.81 1.82 1	Alconol dependence	1.64	0.09	2.38	0.16	1.05	0.09	5.07	0.48	1.74	0.16	1.08	0.13	0.19	0.06
Alcohol use disorder	Before Age 18, Physically Abused by Parent/Caretaker														
Alcohol abuse	Yes														
Alcohol dependence	Alcohol use disorder		0.71	5.97	1.93	2.01	0.71	*8.16	3.49		1.29	*1.93	0.86	*1.07	1.07
No Alcohol use disorder													_	. —	_
Alcohol use disorder	Alcohol dependence	3.44	0.64	5.57	1.40	2.24	0.60	*7.59	2.97	2.82	0.87	3.67	1.11	*0.87	0.87
Alcohol use disorder	No														
Alcohol abuse		1.61	0.10	2.54	0.21	1.01	0.09	5.76	0.59	1.71	0.17	0.78	0.12	*0.13	0.08
Alcohol dependence			0.10												0.07
Yes Alcohol abuse disorder Alcohol abuse disorder Alcohol abuse 171 0.58 *2.34 1.19 *1.45 0.64 *4.93 2.53 *2.69 1.19 —————————————————————————————————			0.09												0.06
Alcohol use disorder	Before Age 18, Seriously Neglected by Parent/Caretaker														
Alcohol abuse	Yes														
Alcohol dependence 2.90 0.66 4.68 1.47 1.87 0.66 *8.76 3.46 2.69 0.94 *1.58 0.83 *1.77 1 No Alcohol use disorder	Alcohol use disorder	2.83	0.75	*5.20	1.91	*1.83	0.73	*9.45	3.62	*4.18	1.54	_	_	_	_
No Alcohol use disorder	Alcohol abuse	1.71	0.58	*2.34	1.19	*1.45	0.64	*4.93	2.53	*2.69	1.19	_	_	_	_
Alcohol use disorder	Alcohol dependence	2.90	0.66	4.68	1.47	1.87	0.66	*8.76	3.46	2.69	0.94	*1.58	0.83	*1.77	1.53
Alcohol abuse	No														
Alcohol dependence	Alcohol use disorder	1.62	0.10	2.56	0.22	1.02	0.09	5.72	0.60	1.70	0.17	0.84	0.12	*0.15	0.08
Before Age 18. Saw Serious Fights at Home Yes Alcohol use disorder 2.12 0.35 3.30 0.91 1.61 0.36 5.31 1.58 2.61 0.69 *0.99 0.42 *0.39 0.70 0.70 Alcohol abuse 1.61 0.25 1.58 0.51 0.98 0.29 3.69 1.23 1.67 0.48 *0.02 0.02 — - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - </td <td>Alcohol abuse</td> <td>1.00</td> <td>0.10</td> <td>1.60</td> <td>0.19</td> <td>0.62</td> <td>0.07</td> <td>3.58</td> <td>0.49</td> <td>1.07</td> <td>0.14</td> <td>0.45</td> <td>0.09</td> <td>*0.08</td> <td>0.07</td>	Alcohol abuse	1.00	0.10	1.60	0.19	0.62	0.07	3.58	0.49	1.07	0.14	0.45	0.09	*0.08	0.07
Yes Alcohol use disorder 2.12 0.35 3.30 0.91 1.61 0.36 5.31 1.58 2.61 0.69 *0.99 0.42 *0.39 0.42 *0.41 *0.42 0.51 *1.05 0.48 0.51 *1.05 0.48 0.10 *0.48 0.10 *0.48 0.10 *0.48 0.10 *0.48 0.10 *0.48 <	Alcohol dependence	1.67	0.09	2.42	0.16	1.05	0.09	5.17	0.48	1.78	0.17	1.10	0.13	0.17	0.06
Alcohol use disorder	Before Age 18, Saw Serious Fights at Home														
Alcohol use disorder	Yes														
Alcohol abuse		2.12	0.35	3.30	0.91	1.61	0.36	5.31	1.58	2.61	0.69	*0.99	0.42	*0.39	0.39
No Alcohol use disorder	Alcohol abuse	1.16	0.25	1.58	0.51	0.98	0.29	3.69	1.23	1.67	0.48	*0.02	0.02	_	_
Alcohol use disorder	Alcohol dependence	2.62	0.35	3.90	0.71	1.81	0.38	6.10	1.72	2.79	0.54	1.78	0.51	*1.05	0.72
Alcohol abuse	No														
Alcohol dependence	Alcohol use disorder	1.61	0.11	2.57	0.22	0.98	0.09	5.86	0.62	1.68	0.18	0.80	0.12	*0.14	0.08
Before Age 18, Parent/Other Adult in Home Was Alcoholic Yes Alcohol use disorder															0.07
Yes Alcohol use disorder	Alcohol dependence	1.61	0.09	2.35	0.17	0.99	0.09	5.19	0.50	1.69	0.17	1.03	0.13	*0.16	0.06
Alcohol use disorder	Before Age 18, Parent/Other Adult in Home Was Alcoholic														
Alcohol use disorder	Yes														
Alcohol abuse		2.13	0.29	2.91	0.62	1.75	0.27	7.56	1.62	2.40	0.43	0.93	0.25	*0.14	0.14
											0.28				_
Alcohol dependence	Alcohol dependence	2.56	0.24	3.66	0.45	1.83	0.24	6.84	1.15	2.52	0.37	1.98	0.37	*0.61	0.31

Table 1-13. Rate (%) of 1-year (i.e., Wave 2 past year) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 1-year first AUD incidence at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
No														
Alcohol use disorder		0.11	2.56	0.23	0.86	0.09	5.48	0.57	1.61	0.19	0.79	0.13	[*] 0.15	0.09
Alcohol abuse Alcohol dependence		0.10 0.09	1.58 2.21	0.20 0.16	0.51 0.87	0.07 0.09	3.28 4.92	0.48 0.50	1.04 1.60	0.17 0.17	0.40 0.85	0.09 0.12	*0.09 *0.14	0.08 0.06
Ever Had No Regular Place to Live Lasting 1+ Months														
Yes														
Alcohol use disorder	*2.46	1.00	*5.02	2.17	*0.31	0.31	*3.89	2.82	*2.10	1.34	*3.29	2.35	_	_
Alcohol abuse		0.44	*1.68	0.97	_	_	_	_	*0.86	0.62	*1.14	1.12	_	_
Alcohol dependence	4.17	1.19	*3.81	1.30	*4.63	2.18	*8.97	4.81	*4.59	1.97	*2.80	1.49	_	_
No														
Alcohol use disorder		0.10	2.58	0.22	1.05	0.09	5.84	0.59	1.76	0.17	0.79	0.11	*0.15	0.08
Alcohol abuse		0.10	1.62	0.19	0.65	0.07	3.66	0.49	1.12	0.14	0.43	0.09	*0.08	0.07
Alcohol dependence	1.66	0.09	2.44	0.16	1.03	0.08	5.20	0.47	1.75	0.17	1.08	0.12	0.20	0.06
Self-Perceived Current Health														
Excellent/Very good													4	
Alcohol use disorder		0.14	3.05	0.29	1.34	0.13	6.34	0.68	1.77	0.18	0.94	0.16	*0.22	0.19
Alcohol abuse		0.13 0.11	1.97 2.44	0.27 0.20	0.77	0.10 0.13	3.77 5.44	0.57 0.55	1.15 1.63	0.16 0.17	0.52	0.11 0.17	*0.18 *0.14	0.18 0.09
Alcohol dependence	1.85	0.11	2.44	0.20	1.33	0.13	5.44	0.55	1.63	0.17	1.08	0.17	0.14	0.09
Good													4	
Alcohol use disorder		0.18	1.89	0.41	0.72	0.15	4.28	1.14	1.62	0.43	0.70	0.25	*0.14	0.10
Alcohol dapandance		0.14 0.16	0.91 2.40	0.29 0.32	0.68 0.63	0.14 0.14	3.54 4.66	1.03 1.20	1.00 1.62	0.30 0.34	*0.39 1.18	0.19 0.27	*0.28	0.13
Alcohol dependence	1.40	0.16	2.40	0.32	0.63	0.14	4.00	1.20	1.62	0.34	1.18	0.27	0.28	0.13
Fair/Poor	0.00	0.40	4.53	0.44	0.40	0.00	*0.00	4.70	0.40	0.00	0.57	0.00	*0.05	0.04
Alcohol use disorder		0.19 0.11	1.57 1.03	0.41 0.31	0.49 *0.16	0.20 0.08	*3.83 *2.04	1.76 1.05	2.19 *1.20	0.82 0.49	0.57 *0.22	0.20 0.10	*0.05 *0.03	0.04
Alcohol abuse Alcohol dependence		0.11	2.59	0.59	0.77	0.08	*4.34	1.78	3.90	1.11	1.07	0.10	*0.19	0.03
Currently Covered by Health Insurance														
Yes														
Alcohol use disorder	1.38	0.10	2.09	0.21	0.95	0.09	5.41	0.63	1.70	0.18	0.73	0.12	*0.15	0.08
Alcohol abuse		0.10	1.37	0.19	0.59	0.08	3.42	0.55	1.15	0.16	0.39	0.10	*0.08	0.07
Alcohol dependence	1.48	0.09	2.05	0.17	1.02	0.09	5.23	0.60	1.67	0.16	1.02	0.13	0.20	0.06
No														
Alcohol use disorder		0.33	4.76	0.66	1.50	0.28	6.56	0.96	2.01	0.43	1.25	0.34	_	_
Alcohol abuse		0.25	2.62	0.51	0.91	0.22	3.98	0.80	1.00	0.30	0.65	0.22	_	_
Alcohol dependence	2.77	0.28	4.36	0.52	1.37	0.27	5.32	0.76	2.32	0.45	1.57	0.35	_	_

Table 1-13. Rate (%) of 1-year (i.e., Wave 2 past year) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

-	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 1-year first AUD incidence at Wave 2	Estimate	S.E.	Mal	e	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	ınd older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Tobacco Use Status														
Current user	0.74	0.04	0.50	0.50	0.00	0.00	0.04	4.40	0.07	0.45	4.57	0.44	*0.45	0.45
Alcohol use disorder	2.74 1.71	0.31 0.22	3.58 1.96	0.53 0.39	2.02 1.49	0.32 0.26	9.01 6.40	1.49 1.19	2.37 1.35	0.45 0.29	1.57 0.64	0.41 0.23	*0.15	0.15
Alcohol dependence	3.02	0.22	3.66	0.39	2.25	0.26	8.06	1.19	2.42	0.29	2.57	0.23	*0.46	0.28
										• • • • • • • • • • • • • • • • • • • •		• • • • •	• • • • • • • • • • • • • • • • • • • •	
Ex-user											4			
Alcohol use disorder	0.70	0.17	0.94	0.29	0.50	0.17		_	_2.05	0.64	[*] 0.49	0.17	*0.34	0.22
Alcohol abuse	0.55	0.16	0.72	0.28	*0.40	0.14	[*] 1.56	1.56	*1.42	0.55	*0.41	0.16	*0.23	0.20
Alcohol dependence	0.88	0.16	1.15	0.24	0.58	0.16	*3.98	2.76	1.87	0.49	0.77	0.19	*0.26	0.11
Lifetime nonsmoker														
Alcohol use disorder	1.59	0.12	2.83	0.30	0.93	0.10	5.17	0.59	1.55	0.18	0.68	0.15	*0.03	0.03
Alcohol abuse	0.94	0.12	1.80	0.30	0.49	0.10	2.88	0.53	1.00	0.16	0.37	0.10	0.03	0.03
Alcohol dependence	1.46	0.12	2.41	0.23	0.43	0.10	4.32	0.48	1.54	0.18	0.59	0.10	*0.09	0.07
·		0.10		0.20	0.00	00		0.10		00	0.00	0	0.00	0.01
<u>Drug Use Status</u>														
Current user														
Alcohol use disorder	7.49	1.47	11.92	2.80	4.36	1.40	15.29	3.36	*3.52	1.67	*5.18	2.70	_	_
Alcohol abuse	4.35	0.96	6.13	1.85	3.02	0.95	8.18	2.07	*2.72	1.47	*1.67	1.17	_	_
Alcohol dependence	5.40	0.83	7.14	1.28	3.59	1.03	11.71	2.19	2.40	0.69	*3.54	1.69	_	_
Ex-user														
Alcohol use disorder	2.87	0.45	4.28	0.90	1.81	0.43	7.17	2.07	2.72	0.62	1.68	0.57	_	_
Alcohol abuse	1.84	0.43	2.72	0.90	1.18	0.43	4.30	1.40	1.95	0.56	*0.77	0.37	_	
Alcohol dependence	2.84	0.32	3.60	0.50	2.02	0.36	6.88	1.59	2.31	0.42	2.55	0.56	*1.89	1.38
7 llooner dependence	2.01	0.02	0.00	0.00	2.02	0.00	0.00	1.00	2.01	0.12	2.00	0.00	1.00	1.00
Lifetime nondrug user														
Alcohol use disorder	1.36	0.10	2.14	0.22	0.88	0.08	4.90	0.60	1.58	0.16	0.64	0.11	*0.15	0.08
Alcohol abuse	0.83	0.09	1.33	0.18	0.52	0.07	3.08	0.51	0.94	0.13	0.37	0.09	*0.08	0.07
Alcohol dependence	1.35	0.09	1.99	0.17	0.85	0.09	4.22	0.47	1.65	0.18	0.79	0.12	0.16	0.05
Any Major Depressive Disorder in the Past Year														
Yes														
Alcohol use disorder	2.22	0.55	*3.84	1.60	1.73	0.51	*6.75	2.51	*1.92	0.75	*1.08	0.63	_	_
Alcohol abuse	1.28	0.45	*1.78	1.13	*1.13	0.44	*4.78	2.20	*1.08	0.59	*0.16	0.16	_	_
Alcohol dependence	2.23	0.46	2.50	0.83	2.13	0.56	7.74	2.01	1.61	0.70	*0.89	0.47	*0.62	0.62
No														
Alcohol use disorder	1.62	0.10	2.58	0.22	1.00	0.09	5.76	0.59	1.76	0.17	0.80	0.12	*0.15	0.08
Alcohol abuse	1.02	0.10	1.61	0.19	0.62	0.03	3.55	0.39	1.12	0.17	0.45	0.12	*0.08	0.00
Alcohol dependence	1.68	0.09	2.47	0.19	1.01	0.07	5.10	0.48	1.12	0.14	1.12	0.09	0.08	0.07
Alcohol dependence	1.00	0.03	2.47	0.10	1.01	0.03	3.10	0.47	1.02	0.17	1.12	0.10	0.13	0.00
Any Major Depressive Disorder in Life														
Yes														
Alcohol use disorder	1.57	0.31	2.73	0.94	1.23	0.27	5.37	1.93	1.83	0.54	*0.72	0.27	*0.07	0.07
Alcohol abuse	0.97	0.24	*1.24	0.65	0.89	0.24	*3.11	1.29	1.14	0.44	*0.48	0.28	_	_
Alcohol dependence	1.86	0.27	2.61	0.61	1.57	0.29	7.37	1.81	1.44	0.39	1.25	0.35	*0.30	0.20
•														

Table 1-13. Rate (%) of 1-year (i.e., Wave 2 past year) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

2.60 1.64 2.45	Male Estimate	e S.E.	Fem Estimate		18–24	years	25–44	years	45–64	years	65 years a	
2.60 1.64	Estimate	S.E.	Estimate							,	oo youro t	and older
1.64				S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
1.64												
1.64	1											
	2.60	0.22	1.01	0.10	5.87	0.61	1.76	0.17	0.83	0.13	*0.16	0.09
2.45	1.64	0.20	0.60	0.07	3.68	0.51	1.11	0.14	0.43	0.08	*0.09	0.08
	2.45	0.17	0.99	0.09	5.01	0.48	1.86	0.18	1.09	0.13	*0.19	0.07
6.27	6.27	1.48	*1.75	0.79	11.67	3.81	*3.41	1.33	*3.09	1.45	*1.19	0.85
3.98	3.98	1.19	*1.18	0.61	9.93	3.21	*1.52	0.80	*1.19	0.85		_
3.99	3.99	0.86	*1.26	0.51	7.43	2.28	2.60	0.93	2.36	0.84	*0.88	0.63
3.66	3.66	0.61	2.60	0.45	8.35	1.45	2.27	0.43	1.64	0.56	_	_
2.37	2.37	0.53	1.64	0.33	5.58	1.17	1.52	0.37	*0.43	0.25	_	_
3.26	3.26	0.45	2.50	0.37	7.29	1.13	2.54	0.37	1.55	0.37	*0.61	0.39
2.62	2.62	0.36	1.50	0.24	6.93	1.07	1.92	0.33	1.02	0.25	*0.16	0.13
1.84	1.84	0.33	0.95	0.18	4.43	0.94	1.42	0.29	0.63	0.22	_	_
2.26		0.27	1.21	0.21	5.40	0.75	1.59	0.32	1.38	0.25	*0.22	0.12
2.22	2.22	0.42	0.60	0.12	5.33	1.64	1.70	0.33	0.51	0.15	*0.24	0.22
1.05		0.28	0.37	0.10	*1.99	0.95	0.89	0.22	*0.31	0.13	*0.24	0.21
2.15		0.35	0.77	0.14	5.07	1.35	1.88	0.36	0.78	0.18	*0.18	0.11
2.33	2.33	0.28	0.83	0.11	4.65	0.75	1.62	0.23	0.90	0.16	*0.23	0.13
1.42		0.22	0.46	0.08	2.86	0.61	0.90	0.16	0.51	0.12	*0.14	0.12
1.94	1.94	0.18	0.80	0.11	4.26	0.62	1.47	0.20	0.86	0.14	*0.20	0.08
3.81	3.81	0.66	1.56	0.32	6.76	1.20	2.07	0.47	*1.24	0.47	*0.13	0.13
2.48		0.54	1.03	0.24	4.12	0.87	1.70	0.42	*0.51	0.25	_	_
2.77	2.77	0.44	1.30	0.27	5.98	0.99	1.63	0.38	0.86	0.32	*0.11	0.11
1.14	1.14	0.35	0.61	0.18	5.11	1.82	*0.72	0.31	0.76	0.24	_	_
0.90		0.32	0.66	0.21	5.38	1.86	*0.94	0.36	*0.38	0.24	_	_
2.05		0.39	0.59	0.18	3.62	1.18	1.41	0.39	1.39	0.41	*0.14	0.14
3.79	3.79	0.81	1.43	0.25	8.49	1.82	2.51	0.43	*0.25	0.13	_	_
											_	_
2 05											*0.38	0.26
		2.05 3.79 2.05 4.29	3.79 0.81 2.05 0.53	3.79 0.81 1.43 2.05 0.53 0.77	3.79 0.81 1.43 0.25 2.05 0.53 0.77 0.18	3.79 0.81 1.43 0.25 8.49 2.05 0.53 0.77 0.18 4.65	3.79	3.79 0.81 1.43 0.25 8.49 1.82 2.51 2.05 0.53 0.77 0.18 4.65 1.18 1.21	3.79	3.79	3.79 0.81 1.43 0.25 8.49 1.82 2.51 0.43 *0.25 0.13 2.05 0.53 0.77 0.18 4.65 1.18 1.21 0.30 *0.20 0.13	3.79

Table 1-13. Rate (%) of 1-year (i.e., Wave 2 past year) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 1-year first AUD incidence at Wave 2	Fallmata	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45-64	years	65 years	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Parent Alcoholic														
Yes														
Alcohol use disorder	1.96	0.26	3.30	0.64	1.37	0.24	7.52	1.57	2.04	0.37	0.46	0.16	_	_
Alcohol abuse		0.21	2.04	0.48	0.94	0.20	4.61	1.07	1.22	0.28	*0.48	0.22		_
Alcohol dependence		0.24	3.83	0.49	1.45	0.21	6.53	1.23	2.21	0.31	1.69	0.37	*0.51	0.33
No														
Alcohol use disorder	1.59	0.11	2.51	0.24	0.97	0.10	5.44	0.67	1.71	0.18	0.90	0.14	*0.17	0.09
Alcohol abuse		0.10	1.55	0.21	0.57	0.10	3.40	0.52	1.09	0.16	0.42	0.09	*0.09	0.08
Alcohol dependence		0.10	2.20	0.17	0.97	0.10	4.96	0.55	1.70	0.18	0.96	0.13	*0.16	0.06
Married to Alcoholic/Lived with Alcoholic as if Married														
·														
Yes	1 40	0.00	******	4.00	0.00	0.00			0.47	0.00	*0.70	0.00	*0.46	0.40
Alcohol use disorder		0.26	*3.28	1.66	0.88	0.22	_	_	2.17	0.63	*0.78	0.30	*0.18	0.18
Alcohol abuse		0.21	*1.34	1.03	0.71	0.21	*		1.66	0.54	*0.45	0.22	*	_
Alcohol dependence	1.41	0.26	2.98	0.99	1.11	0.25	*6.90	3.74	1.89	0.56	1.08	0.28	*0.43	0.25
No														
Alcohol use disorder	1.70	0.11	2.60	0.22	1.06	0.09	5.90	0.60	1.74	0.17	0.82	0.12	*0.15	0.09
Alcohol abuse		0.10	1.62	0.19	0.64	0.08	3.67	0.49	1.07	0.15	0.43	0.09	*0.09	0.08
Alcohol dependence		0.09	2.45	0.17	1.07	0.09	5.23	0.48	1.80	0.17	1.11	0.14	*0.18	0.06
Any Alcohol Treatment in the Past Year														
Yes														
Alcohol use disorder		_	-	_	_	_	_	_	_	_	_	_	_	_
Alcohol abuse		_	*40.40	_		_	*40.00		* 4.54	_	*0.04		*0.07	
Alcohol dependence	7.33	2.88	*10.19	3.89	_	_	*16.92	13.29	*4.51	3.08	*6.34	4.76	*8.67	8.51
No														
Alcohol use disorder	1.65	0.10	2.61	0.22	1.04	0.09	5.82	0.59	1.77	0.17	0.82	0.12	*0.15	0.08
Alcohol abuse	1.02	0.10	1.62	0.19	0.64	0.07	3.62	0.49	1.11	0.14	0.43	0.09	*0.08	0.07
Alcohol dependence	1.69	0.09	2.43	0.16	1.08	0.09	5.23	0.48	1.80	0.16	1.09	0.13	0.19	0.06
Any Alcohol Treatment in Life														
Yes	*40.00	0.05	*00.57	44.46	*4.50	4.04			*50.00	07.07	*4.04	4.74		
Alcohol use disorder		8.35	*22.57	14.49	*1.56	1.61	-	_	*59.68	27.97	*1.64	1.71	_	_
Alcohol abuse		2.42	*3.76	3.75	*0.97	0.98			*7.25	7.30	*1.02	1.05	<u> </u>	
Alcohol dependence	5.01	1.47	5.06	1.31	*4.83	3.28	*7.59	6.44	3.63	1.39	6.96	3.18	*2.01	2.01
No														
Alcohol use disorder	1.64	0.10	2.59	0.22	1.04	0.09	5.82	0.59	1.74	0.16	0.82	0.12	*0.15	0.08
Alcohol abuse	-	0.10	1.61	0.19	0.64	0.07	3.62	0.49	1.11	0.14	0.43	0.09	*0.08	0.07
Alcohol dependence		0.09	2.40	0.16	1.05	0.09	5.25	0.48	1.77	0.16	1.01	0.12	0.19	0.06

Table 1-13. Rate (%) of 1-year (i.e., Wave 2 past year) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 1-year first AUD incidence at Wave 2	Fatherste	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45-64	years	65 years	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Conduct Disorder														
Yes														
Alcohol use disorder	*7.08	2.88	*10.34	4.30	*0.89	0.66	*14.00	7.56	*6.67	4.60	*2.83	2.83	_	_
Alcohol abuse		1.49	*2.98	2.27		_	*0.44	0.44	*5.25	4.19	_	_	_	_
Alcohol dependence		1.80	6.50	2.37	*3.06	2.42	*18.20	6.85	*1.57	0.81	*1.85	1.85	_	_
No														
Alcohol use disorder	1.61	0.10	2.51	0.21	1.04	0.09	5.67	0.58	1.73	0.16	0.80	0.11	*0.15	0.08
Alcohol abuse		0.10	1.60	0.19	0.65	0.03	3.68	0.49	1.73	0.10	0.44	0.11	*0.08	0.07
Alcohol abase	_	0.10	2.41	0.16	1.07	0.07	5.00	0.46	1.81	0.14	1.10	0.03	0.20	0.06
Alcohol dependence		0.03	2.41	0.10	1.07	0.03	3.01	0.40	1.01	0.17	1.10	0.12	0.20	0.00
Paranoid Personality Disorder — Lifetime														
Yes														
Alcohol use disorder	2.62	0.54	*6.25	1.52	1.32	0.52	*6.27	1.48	*2.05	0.87	*1.74	1.08	_	_
Alcohol abuse		0.58	*4.00	2.09	*0.32	0.20	*3.74	2.50	*0.93	0.54	*0.44	0.43	_	_
Alcohol dependence		0.76	6.86	1.90	2.61	0.69	5.44	2.10	4.87	1.39	*2.65	0.97	*0.33	0.32
No														
1.17	1.62	0.11	2.52	0.22	1.02	0.09	F 70	0.62	1.76	0.17	0.79	0.12	*0.15	0.08
Alcohol use disorder	I	0.11	2.53 1.56	0.22	1.03 0.66		5.79 3.61	0.62 0.49	1.76	0.17		0.12	*0.15	0.08
Alcohol abuse	_					0.07					0.43			
Alcohol dependence	1.62	0.09	2.35	0.16	1.01	0.09	5.25	0.49	1.68	0.16	1.07	0.13	0.20	0.06
Schizoid Personality Disorder — Lifetime														
Yes														
Alcohol use disorder	2.83	0.68	*6.51	1.54	*0.91	0.67	*8.57	1.83	*2.32	1.33	*1.00	0.82	_	_
Alcohol abuse		0.75	*2.69	1.99	*0.41	0.34	*3.55	3.39	*1.20	0.85	*0.19	0.19	_	_
Alcohol dependence	I	0.78	5.62	1.68	*0.95	0.61	*7.90	3.47	*1.84	0.88	*2.64	1.12	_	_
Ne														
No Alcohol use disorder	1.62	0.10	2.53	0.21	1.05	0.09	5.72	0.60	1.76	0.17	0.94	0.12	*0.15	0.08
		0.10	1.59	0.21	0.65	0.09	3.62	0.60		0.17	0.81 0.44	0.12	*0.15	0.08
Alcohol abuse		0.10	2.39	0.19	1.08	0.07	5.17	0.48	1.11 1.80	0.14	1.07	0.09	0.08	0.07
Alcohol dependence	1.67	0.09	2.39	0.16	1.08	0.09	5.17	0.47	1.80	0.17	1.07	0.13	0.20	0.06
Schizotypal Personality Disorder — Lifetime ¹														
Yes														
Alcohol use disorder	4.90	1.20	7.43	2.10	3.15	1.21	10.60	3.96	5.43	1.87	*1.52	0.97	*2.12	2.10
Alcohol abuse		0.91	*3.84	1.64	*1.36	0.72	*6.83	3.99	*2.49	1.07	1.52	0.97	۷.۱۷	2.10
Alcohol dependence		0.91	6.70	1.57	3.93	1.12	10.00	2.95	5.39	1.43	*3.20	1.13	*1.80	1.78
·														
No Alashal yas disardar	1 55	0.10	2.46	0.24	0.00	0.00	F 60	0.56	1.64	0.16	0.00	0.14	*0.42	0.00
Alcohol use disorder		0.10	2.46	0.21	0.98	0.09	5.60	0.56	1.64	0.16	0.80	0.11	*0.12	0.08
Alcohol abuse	I	0.10	1.54	0.19	0.62	0.07	3.46	0.48	1.06	0.14	0.45	0.09	*0.08	0.07
Alcohol dependence	1.59	0.09	2.32	0.16	0.99	0.09	5.04	0.47	1.67	0.17	1.05	0.12	0.18	0.06

Table 1-13. Rate (%) of 1-year (i.e., Wave 2 past year) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 1-year first AUD incidence at Wave 2	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
,	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Antisocial Personality Disorder — Lifetime ¹														
Yes														
Alcohol use disorder	5.31	1.68	6.28	2.30	*3.68	2.16	*6.60	2.78	*5.86	2.88	*2.13	2.10	_	_
Alcohol abuse	3.74	1.32	*4.54	1.86	*2.39	1.69	*1.99	1.26	*5.68	2.78	*3.76	2.62	_	_
Alcohol dependence		0.90	5.48	1.23	*1.25	0.63	8.76	2.45	*2.51	0.82	*3.84	2.04	_	_
No														
Alcohol use disorder	1.60	0.10	2.54	0.22	1.02	0.09	5.79	0.59	1.70	0.16	0.81	0.12	*0.15	0.08
Alcohol abuse		0.09	1.55	0.19	0.63	0.07	3.69	0.50	1.04	0.13	0.41	0.09	*0.08	0.07
Alcohol dependence		0.09	2.36	0.16	1.07	0.09	5.10	0.49	1.78	0.17	1.06	0.12	0.20	0.06
Borderline Personality Disorder — Lifetime ¹														
Yes														
Alcohol use disorder	4.76	0.89	7.46	2.03	3.51	0.90	7.17	2.14	5.56	1.67	*2.61	1.00	*1.88	1.87
Alcohol abuse		0.56	4.33	1.33	1.28	0.47	*4.60	1.72	2.57	0.84	*0.50	0.49	_	_
Alcohol dependence		0.82	9.67	1.64	5.13	0.91	10.78	2.18	7.05	1.38	4.95	1.17	*2.41	1.76
No														
Alcohol use disorder	1.52	0.10	2.45	0.21	0.93	0.08	5.72	0.58	1.58	0.15	0.75	0.11	*0.12	0.08
Alcohol abuse	1	0.10	1.52	0.21	0.93	0.07	3.54	0.49	1.04	0.13	0.73	0.09	*0.08	0.00
Alcohol dependence		0.03	2.19	0.16	0.87	0.08	4.84	0.47	1.52	0.16	0.96	0.03	0.16	0.06
Histrionic Personality Disorder — Lifetime														
Yes	5.07	4.00	*4.88	2.47	*5.19	0.04	*7.71	2.75	*3.98	2.53	*2.12	2.02	*6.46	6.20
Alcohol use disorder		1.66 1.07	*2.13	2.47 1.59	*2.28	2.31 1.43	*5.51	3.75 3.09	*0.88	2.53 0.69	2.12	2.02	6.46	6.20
Alcohol abuse		1.07	*4.42	1.69	6.09	1.43	*9.24	3.09	*3.14	1.66	*4.32	2.29	*6.49	5.37
Alcohol dependence	. 5.39	1.29	4.42	1.09	6.09	1.94	9.24	3.21	3.14	1.00	4.32	2.29	6.49	5.37
No													4	
Alcohol use disorder		0.10	2.59	0.22	1.00	0.09	5.77	0.59	1.74	0.17	0.81	0.12	*0.12	0.08
Alcohol abuse		0.10	1.61	0.19	0.63	0.07	3.57	0.49	1.12	0.14	0.44	0.09	*0.08	0.07
Alcohol dependence	1.66	0.09	2.44	0.17	1.01	80.0	5.15	0.48	1.79	0.17	1.09	0.13	0.17	0.06
Narcissistic Personality Disorder — Lifetime ¹														
Yes														
Alcohol use disorder	3.93	0.77	6.25	1.39	1.92	0.66	7.79	2.88	2.82	0.91	3.75	1.33	*1.45	1.23
Alcohol abuse		0.63	4.13	1.15	*0.90	0.44	5.98	2.32	1.53	0.57	*1.87	0.97	_	_
Alcohol dependence	1	0.62	5.25	0.99	2.23	0.55	8.45	2.23	2.50	0.65	3.84	1.21	*1.59	1.05
No														
Alcohol use disorder	1.54	0.10	2.39	0.21	1.00	0.09	5.65	0.60	1.71	0.16	0.69	0.11	*0.12	0.08
Alcohol abuse		0.10	1.46	0.21	0.63	0.09	3.41	0.46	1.71	0.16	0.09	0.11	*0.08	0.08
Alcohol dependence		0.10	2.28	0.13	1.03	0.00	4.98	0.49	1.76	0.13	0.98	0.00	*0.16	0.06
7.000.0. dopondonoo	1.00	0.00		0.17	1.00	0.00	1.00	0.10	1.70	0.17	0.00	0.12	0.10	0.00

Table 1-13. Rate (%) of 1-year (i.e., Wave 2 past year) first incidence of DSM-IV alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 1-year first AUD incidence at Wave 2	Fatherite	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Avoidant Personality Disorder — Lifetime														
Yes														
Alcohol use disorder	. *1.85	0.72	*3.22	1.81	*1.25	0.63	*2.00	1.46	*1.75	1.19	*2.33	1.48	_	_
Alcohol abuse		0.53	*2.08	1.46	*0.68	0.44	*0.59	0.59	*2.08	1.17	*0.25	0.25	_	_
Alcohol dependence		1.05	*4.53	2.86	*1.49	0.64	*2.17	1.36	*3.00	2.07	*2.56	1.42	_	_
No														
Alcohol use disorder	1.65	0.10	2.60	0.21	1.04	0.09	5.94	0.60	1.77	0.17	0.79	0.12	*0.15	0.08
Alcohol abuse		0.10	1.61	0.19	0.64	0.07	3.72	0.50	1.09	0.14	0.44	0.09	*0.08	0.07
Alcohol dependence		0.09	2.44	0.16	1.07	0.09	5.36	0.49	1.78	0.16	1.09	0.13	0.20	0.06
Dependent Personality Disorder — Lifetime														
Yes														
Alcohol use disorder	*0.36	0.36	*1.75	1.94	_	_	*1.96	2.03	_	_	_	_	_	_
Alcohol abuse		0.34	*1.57	1.71	_	_	*1.61	1.66	_	_	_	_	_	_
Alcohol dependence		0.29	*1.33	1.42	_	_	*1.17	1.20	_	_	_	_	_	_
No														
Alcohol use disorder	1.65	0.10	2.61	0.22	1.05	0.09	5.83	0.59	1.78	0.17	0.82	0.12	*0.15	0.08
Alcohol abuse	1.03	0.10	1.62	0.19	0.65	0.07	3.63	0.49	1.12	0.14	0.44	0.09	*0.08	0.07
Alcohol dependence		0.09	2.47	0.16	1.08	0.09	5.29	0.48	1.81	0.17	1.11	0.13	0.20	0.06
Obsessive-Compulsive Personality Disorder — Lifetime														
Yes														
Alcohol use disorder	2.26	0.48	3.65	1.08	1.48	0.47	6.93	2.29	2.31	0.71	*1.18	0.70	_	_
Alcohol abuse		0.29	*1.36	0.55	*0.69	0.32	*2.21	1.14	*1.52	0.58	_		_	_
Alcohol dependence		0.44	4.06	0.82	1.46	0.43	7.54	2.10	2.10	0.59	2.52	0.74	_	_
No														
Alcohol use disorder	1.61	0.11	2.55	0.22	1.01	0.09	5.73	0.61	1.73	0.17	0.79	0.12	*0.16	0.08
Alcohol abuse		0.10	1.63	0.19	0.64	0.07	3.73	0.52	1.08	0.13	0.46	0.09	*0.08	0.08
Alcohol dependence		0.09	2.35	0.16	1.05	0.09	5.09	0.48	1.78	0.17	1.00	0.12	0.21	0.07

Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 1-14. Rate (%) of 3-year (i.e., Wave 1 to Wave 2) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1.

	Both	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 3-year first AUD incidence at Wave 2	Estimate	S.E.	Mal	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Total</u>														
Alcohol use disorder		0.22	9.47	0.42	3.57	0.19	16.46	1.00	6.50	0.36	3.74	0.29	0.99	0.16
Alcohol abuseAlcohol dependence		0.22 0.14	8.39 4.62	0.40 0.23	3.12 2.18	0.19 0.14	13.84 9.79	0.89 0.71	5.81 3.61	0.37 0.23	3.30 2.03	0.27 0.18	0.93 0.35	0.15 0.08
Race/Ethnicity														
White, Not Hispanic or Latino														
Alcohol use disorder	6.12	0.27	9.81	0.53	3.74	0.23	19.50	1.44	7.17	0.48	4.09	0.35	1.00	0.18
Alcohol abuse	5.69	0.26	9.20	0.52	3.41	0.22	17.06	1.28	6.79	0.46	3.77	0.33	0.98	0.18
Alcohol dependence		0.16	3.87	0.26	2.14	0.17	10.02	0.92	3.25	0.27	2.03	0.22	0.30	0.08
Black, Not Hispanic or Latino											0		*	
Alcohol use disorder		0.54	9.92	1.10	4.43	0.48	14.02	1.90	6.76	0.81	3.86	0.60	[*] 0.91	0.39
Alcohol abuse		0.47	7.38	0.90	3.22	0.42	10.36	1.44	5.18	0.74	2.41	0.46	[*] 0.79	0.37
Alcohol dependence	4.40	0.40	6.53	0.77	2.89	0.34	9.76	1.54	4.70	0.68	2.68	0.43	*0.53	0.26
American Indian/Alaska Native, Not Hispanic or Latino	5.00	4.00	0.50	0.70	*0.00	4.55	*40.50	4.04	7.00	0.00	* 4 00	0.00	*0.05	0.05
Alcohol use disorder		1.39	9.56	2.76	*3.66	1.55	*10.50	4.91	7.69	3.09	*4.96	2.06	*0.85	0.85
Alcohol abuse		1.13	8.78	2.63	*2.19	0.97	*8.32	4.37	*4.90	2.11	*4.96	2.06	*0.85	0.85
Alcohol dependence	4.21	1.32	5.84	2.06	*3.05	1.77	*10.29	4.50	*6.57	2.55	*2.01	1.53	_	_
Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino														
Alcohol use disorder	3.09	0.73	4.34	1.22	*2.07	0.96	*7.55	2.99	3.44	1.06	*1.45	1.17	_	_
Alcohol abuse	2.34	0.79	2.95	1.05	*1.83	1.17	*4.06	2.01	*3.06	1.39	*1.20	1.13		_
Alcohol dependence		0.66	3.32	0.95	*1.75	0.92	8.85	3.47	2.17	0.81	*0.58	0.41	_	_
Hispanic or Latino														
Alcohol use disorder	5.55	0.45	9.70	1.02	2.28	0.29	12.48	1.35	5.06	0.66	2.00	0.46	*1.57	0.71
Alcohol abuse		0.41	7.77	0.85	2.01	0.33	10.18	1.37	4.16	0.51	1.77	0.43	*0.94	0.55
Alcohol dependence		0.42	7.45	0.81	1.63	0.34	9.34	1.28	4.27	0.61	1.97	0.45	*1.14	0.51
Marital Status														
Married														
Alcohol use disorder	3.99	0.23	6.11	0.43	2.49	0.21	6.90	1.28	5.56	0.42	3.48	0.36	1.07	0.24
Alcohol abuse		0.22	5.54	0.42	2.18	0.20	6.73	1.28	4.79	0.39	3.19	0.35	1.01	0.24
Alcohol dependence	2.07	0.14	2.75	0.24	1.46	0.16	4.29	1.01	2.91	0.26	1.76	0.20	0.33	0.11
Living with someone as if married														
Alcohol use disorder	7.93	1.30	10.51	2.51	6.23	1.44	16.47	3.69	5.25	1.52	*1.99	1.28	*21.90	11.07
Alcohol abuse	8.40	1.31	11.82	2.56	6.00	1.40	16.07	3.54	6.48	1.58	*1.91	1.23	*17.76	10.56
Alcohol dependence	5.04	0.91	7.50	1.77	3.00	0.85	11.76	2.97	3.24	0.94	*2.64	1.24	*3.39	3.41
Widowed														
Alcohol use disorder	0.71	0.17	2.54	0.80	0.42	0.12	_	_	*2.78	2.13	*1.33	0.49	0.51	0.14
Alcohol abuse		0.18	2.30	0.73	0.44	0.17	_	_	*7.98	5.09	*0.83	0.37	0.45	0.13
	0.45	0.13	*1.46	0.53	*0.25	0.10	_		_	_	*1.26	0.46	*0.26	0.11

Table 1-14. Rate (%) of 3-year (i.e., Wave 1 to Wave 2) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both	sexes			Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 3-year first AUD incidence at Wave 2	Estimate	S.E.	Ма	le	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Marital Status														
Divorced														
Alcohol use disorder	5.41	0.55	10.26	1.32	3.27	0.55	*6.83	5.43	7.80	1.19	4.81	0.61	*2.06	0.80
Alcohol abuse		0.51	9.27	1.18	3.07	0.53	*8.71	5.62	7.19	1.17	4.26	0.60	*2.18	0.78
Alcohol dependence	2.86	0.42	4.37	0.74	1.95	0.47	*6.38	4.40	4.17	0.87	2.47	0.51	*0.68	0.36
Separated														
	6.26	1.10	11.49	2.72	4.60	1.20	*21.62	10.92	6.84	1.51	4.47	1.32	*0.37	0.36
Alcohol use disorder													at.	
Alcohol abuse		1.06 0.74	8.30	2.24	4.48	1.18	*13.04	9.58	6.49	1.50	3.89	1.24	*0.36	0.36
Alcohol dependence	3.70	0.74	6.19	1.83	2.54	0.72	*9.21	6.25	4.47	1.14	2.81	1.20	_	_
Never married														
Alcohol use disorder	13.54	0.73	18.28	1.12	8.93	0.77	18.75	1.17	9.46	0.77	6.53	1.53	*0.39	0.39
Alcohol abuse	11.34	0.71	15.40	1.01	7.37	0.77	15.41	1.06	8.40	0.85	4.68	1.35	*0.39	0.39
Alcohol dependence	7.97	0.47	10.07	0.69	5.72	0.59	10.98	0.81	5.81	0.63	4.39	1.08	*0.44	0.44
Ever Had Children (Including Step, Adopted, Foster)														
Yes														
Alcohol use disorder	4.06	0.18	6.73	0.38	2.55	0.17	11.70	4 44	5.64	0.37	3.64	0.04	1.03	0.17
		0.18		0.38	2.33	0.17	10.20	1.44 1.36	5.06	0.36	3.04	0.31 0.31	0.97	
Alcohol abuse			6.15											0.17
Alcohol dependence	2.26	0.13	3.22	0.23	1.54	0.13	7.75	1.04	3.11	0.25	1.98	0.18	0.37	0.09
No														
Alcohol use disorder	11.12	0.62	15.01	0.94	7.22	0.61	17.82	1.16	8.78	0.82	4.38	0.71	*0.70	0.39
Alcohol abuse		0.59	12.80	0.87	6.13	0.61	14.87	1.07	7.77	0.81	3.44	0.59	*0.55	0.35
Alcohol dependence		0.36	7.84	0.51	4.38	0.45	10.37	0.80	4.90	0.50	2.41	0.45	*0.14	0.14
Alcohol dependence	0.21	0.50	7.04	0.51	4.50	0.40	10.57	0.00	4.50	0.50	2.71	0.40	0.14	0.14
Children Ages Below 13 Living in Household														
Yes														
Alcohol use disorder	5.88	0.36	8.56	0.70	4.30	0.33	12.85	1.35	5.17	0.39	3.34	0.71	_	_
Alcohol abuse	5.13	0.32	7.59	0.60	3.66	0.32	10.47	1.23	4.66	0.35	2.86	0.65	_	_
Alcohol dependence	3.40	0.25	5.03	0.48	2.19	0.22	8.66	1.09	2.76	0.26	2.46	0.53	_	_
No														
Alcohol use disorder	5.93	0.26	9.83	0.52	3.24	0.23	18.13	1.27	8.28	0.62	3.80	0.29	1.03	0.16
Alcohol abuse		0.26	8.70	0.52	2.87	0.23	15.37	1.13	0.20 7.35	0.62	3.38	0.29	0.97	0.16
Alcohol dependence		0.26	4.45	0.47	2.07	0.23	10.31	0.87	4.73	0.63	1.96	0.27	0.36	0.10
Education		00		0.20		00		0.0.	0	00		0.10	0.00	0.00
<u>= 444041011</u>														
11 years or less														
Alcohol use disorder	4.92	0.44	9.53	0.96	1.95	0.27	18.06	2.09	5.27	0.85	2.73	0.62	0.60	0.20
Alcohol abuse	3.92	0.38	7.84	0.84	1.33	0.21	14.73	1.92	3.99	0.67	2.14	0.56	*0.33	0.16
Alcohol dependence		0.36	5.97	0.70	1.64	0.29	11.09	1.50	4.82	0.80	1.85	0.40	0.66	0.23
40														
12 years		0.00	0.00	0	0.00	0.0=	4424	4 40	7	0 =0	0.00	0 - 1	0.00	
Alcohol use disorder		0.39	9.96	0.75	3.62	0.35	14.84	1.48	7.53	0.76	3.98	0.54	0.66	0.20
Alcohol abuse		0.39	9.19	0.74	3.32	0.35	12.88	1.36	7.08	0.75	3.69	0.52	0.66	0.20
Alcohol dependence	3.49	0.25	5.28	0.45	2.10	0.24	10.10	1.11	3.97	0.46	2.23	0.34	*0.21	0.10

Table 1-14. Rate (%) of 3-year (i.e., Wave 1 to Wave 2) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 3-year first AUD incidence at Wave 2			Ма	le	Fema	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Education														
13–15 years														
Alcohol use disorder	7.48	0.40	11.78	0.77	4.80	0.42	18.11	1.48	6.87	0.62	4.23	0.54	1.79	0.47
Alcohol abuse		0.37	9.74	0.69	4.16	0.41	14.92	1.32	5.81	0.58	3.53	0.54	1.64	0.45
Alcohol dependence	4.16	0.27	5.80	0.47	2.91	0.32	10.23	1.04	4.00	0.42	2.54	0.40	*0.49	0.21
16 or more vegre														
16 or more years	4.57	0.40	0.50	0.70	2.02	0.33	11.99	0.55	5.71	0.56	2.54	0.57	*1.24	0.51
Alcohol use disorder			6.53		3.03			2.55			3.51	0.57		
Alcohol abuse		0.39	6.46	0.70	2.72	0.33	10.96	2.28	5.46	0.62	3.24	0.53	1.47	0.52
Alcohol dependence	1.84	0.19	2.03	0.29	1.66	0.23	4.23	1.39	2.45	0.29	1.46	0.29	_	_
Currently Employed Full Time														
Yes														
Alcohol use disorder	7.00	0.31	9.55	0.51	4.43	0.29	16.30	1.36	7.32	0.44	4.06	0.39	*1.24	0.61
Alcohol abuse		0.32	8.61	0.51	4.01	0.31	13.85	1.18	6.63	0.44	3.82	0.40	*1.46	0.64
Alcohol dependence		0.20	4.59	0.28	2.43	0.22	9.77	0.97	3.63	0.28	2.15	0.22	*0.26	0.20
No														
Alcohol use disorder		0.27	9.33	0.71	2.96	0.24	16.57	1.21	4.65	0.47	3.26	0.36	0.98	0.16
Alcohol abuse		0.26	8.01	0.63	2.48	0.22	13.84	1.19	3.99	0.45	2.53	0.29	0.90	0.16
Alcohol dependence	2.89	0.18	4.66	0.37	1.99	0.19	9.80	0.86	3.56	0.37	1.84	0.28	0.35	0.09
Family Annual Income														
\$0 to \$19,999														
Alcohol use disorder	5.68	0.38	10.75	0.97	3.36	0.34	14.96	1.28	6.41	0.66	3.20	0.53	0.51	0.14
Alcohol abuse		0.37	8.46	0.85	2.91	0.35	12.11	1.21	5.36	0.65	2.30	0.46	0.42	0.13
Alcohol dependence		0.29	7.15	0.62	2.44	0.31	9.40	1.00	5.45	0.65	2.62	0.44	0.37	0.10
\$20,000 to \$24,000														
\$20,000 to \$34,999 Alcohol use disorder	5.31	0.39	8.90	0.79	2.90	0.31	15.04	1.57	6.19	0.72	3.10	0.46	0.95	0.31
		0.39	8.11	0.79	2.51	0.31	13.60	1.48	5.57	0.72	2.59	0.46	*0.95	0.31
Alcohol abuseAlcohol dependence	_	0.37	5.43	0.76	2.00	0.30	9.29	1.46	5.57 4.78	0.58	1.89	0.40	*0.33	0.26
Alcohol dependence	3.30	0.51	3.43	0.50	2.00	0.23	9.29	1.27	4.70	0.50	1.09	0.55	0.33	0.10
\$35,000 to \$69,999														
Alcohol use disorder	6.11	0.34	9.26	0.67	3.89	0.33	15.32	1.50	6.92	0.57	4.03	0.47	1.57	0.47
Alcohol abuse	5.65	0.35	8.72	0.69	3.46	0.32	14.04	1.49	6.17	0.56	3.93	0.48	1.50	0.47
Alcohol dependence	3.04	0.22	3.95	0.34	2.22	0.25	8.80	1.13	3.32	0.35	2.01	0.28	*0.47	0.21
\$70,000 or more														
Alcohol use disorder	6.41	0.42	9.27	0.74	4.01	0.45	24.75	2.92	6.20	0.61	4.04	0.56	*1.61	0.64
Alcohol abuse		0.40	8.14	0.71	3.44	0.43	18.69	2.47	5.79	0.63	3.53	0.55	*1.86	0.68
Alcohol dependence		0.25	3.31	0.41	1.96	0.29	13.57	2.31	2.22	0.32	1.85	0.31	_	_
Born in the United States														
Voo														
Yes Alcohol use disorder	6.44	0.23	10.36	0.47	2.00	0.21	18.08	1.00	7.27	0.40	4.14	0.32	1.08	0.18
	_				3.98			1.08		0.40				
Alcohol abuse		0.22	9.42	0.44	3.44	0.21	15.29	0.95	6.65	0.41	3.66	0.30	1.00	0.17
Alcohol dependence	3.44	0.15	4.71	0.26	2.40	0.16	10.61	0.76	3.71	0.25	2.24	0.21	0.38	0.09

Table 1-14. Rate (%) of 3-year (i.e., Wave 1 to Wave 2) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 3-year first AUD incidence at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Born in the United States														
No														
Alcohol use disorder	3.46	0.40	5.91	0.74	1.45	0.35	8.69	1.53	3.86	0.58	1.69	0.51	*0.24	0.16
Alcohol abuse	2.71	0.39	4.26	0.61	1.42	0.41	6.65	1.35	2.94	0.61	1.44	0.49	*0.38	0.19
Alcohol dependence	2.40	0.34	4.13	0.57	0.84	0.30	5.45	1.18	3.17	0.53	0.70	0.24	*0.05	0.05
Family Structure Before Age 18														
Both biological/adoptive parents in the household														
Alcohol use disorder		0.64	15.03	1.36	5.93	0.55	21.72	1.88	7.79	0.82	3.71	0.87	<u>*</u> 1.61	0.72
Alcohol abuse		0.66	13.96	1.34	5.48	0.57	18.87	1.89	7.67	0.82	3.52	0.88	<u>*</u> 1.70	0.72
Alcohol dependence	4.96	0.40	7.00	0.74	3.30	0.39	11.97	1.36	3.65	0.47	3.08	0.71	*1.12	0.66
Only biological mother ever in the household (father never present)														
Alcohol use disorder	5.09	0.23	8.20	0.42	2.98	0.22	15.29	1.20	5.85	0.41	3.63	0.33	0.89	0.16
Alcohol abuse		0.21	7.07	0.41	2.57	0.20	12.45	1.00	5.08	0.38	3.19	0.31	0.82	0.16
Alcohol dependence		0.15	3.90	0.23	1.84	0.17	9.34	0.85	3.29	0.29	1.79	0.19	0.27	0.08
Biological/adoptive parents divorced or no longer living together														
Alcohol use disorder	7.11	0.60	11.16	1.34	4.66	0.58	12.70	1.95	7.92	0.90	4.57	0.98	*1.99	0.88
Alcohol abuse		0.58	11.03	1.23	3.68	0.56	11.51	1.80	7.24	0.94	3.98	0.95	*1.85	0.87
Alcohol dependence		0.43	6.08	0.84	3.04	0.47	7.76	1.44	5.19	0.67	2.65	0.69	*0.52	0.31
Raised by relatives, by foster parents, or in an institution Alcohol use disorder	6.58	1.25	12.08	2.91	3.36	0.98	*10.96	4.94	9.93	2.33	*5.33	2.42	_	
Alcohol abuse		1.07	7.88	2.21	3.59	1.12	*9.71	4.80	7.45	2.07	*4.30	1.82	_	
Alcohol dependence		1.07	8.19	2.38	*1.84	0.72	*8.78	4.40	6.25	1.95	*3.82	2.07	_	_
Before Age 18, Family Received Government Assistance														
Yes														
Alcohol use disorder	9.32	0.63	14.32	1.28	6.37	0.57	18.88	1.90	8.88	1.06	4.07	0.91	*0.58	0.34
Alcohol abuse		0.57	11.92	1.17	5.46	0.52	14.91	1.73	7.93	0.88	3.36	0.87	*0.36	0.26
Alcohol dependence		0.50	8.72	0.98	3.82	0.44	11.67	1.41	4.98	0.62	5.06	1.05	*0.70	0.48
No														
Alcohol use disorder	5.44	0.23	8.84	0.44	3.16	0.20	15.84	1.13	6.03	0.38	3.71	0.30	1.02	0.17
Alcohol abuse		0.23	7.93	0.43	2.77	0.19	13.57	1.01	5.39	0.38	3.30	0.28	0.97	0.17
Alcohol dependence		0.13	4.07	0.21	1.93	0.15	9.31	0.77	3.34	0.24	1.76	0.17	0.32	0.08
Before Age 18, Ever in Jail or Juvenile Detention Center														
Yes														
Alcohol use disorder	14.33	2.06	16.18	2.61	9.27	2.34	26.57	4.74	13.96	3.06	8.03	3.05	*5.66	3.66
Alcohol abuse		2.04	16.59	2.62	9.98	2.45	26.18	4.43	14.21	3.02	7.94	3.01	*5.66	3.66
Alcohol dependence	7.60	0.95	8.43	1.18	4.83	1.57	16.38	3.25	7.33	1.49	4.51	1.28	*2.99	1.73

Table 1-14. Rate (%) of 3-year (i.e., Wave 1 to Wave 2) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 3-year first AUD incidence at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
·	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Ever in Jail or Juvenile Detention Center														
No														
Alcohol use disorder	5.75	0.22	9.23	0.43	3.52	0.19	16.11	1.02	6.36	0.35	3.65	0.29	0.96	0.16
Alcohol abuse	5.04	0.22	8.10	0.41	3.05	0.19	13.38	0.91	5.65	0.36	3.21	0.27	0.89	0.15
Alcohol dependence	3.17	0.14	4.44	0.23	2.15	0.14	9.53	0.71	3.51	0.24	1.96	0.18	0.31	0.08
Before Age 18, Physically Abused by Parent/Caretaker														
Yes														
Alcohol use disorder	10.28	1.36	16.86	2.72	7.22	1.50	25.00	5.14	11.89	2.60	5.40	1.60	*1.07	1.07
Alcohol abuse	9.38	1.48	14.05	2.72	7.21	1.53	22.41	4.81	11.22	2.73	4.60	1.58	*	
Alcohol dependence	7.11	0.95	10.17	1.67	5.35	1.17	15.78	4.10	7.58	1.63	5.46	1.40	*0.87	0.87
No														
Alcohol use disorder	5.79	0.22	9.30	0.42	3.45	0.19	16.23	1.02	6.31	0.35	3.69	0.30	0.99	0.16
Alcohol abuse	5.10	0.22	8.26	0.40	2.98	0.19	13.61	0.90	5.61	0.35	3.26	0.28	0.95	0.16
Alcohol dependence	3.16	0.14	4.48	0.23	2.06	0.14	9.62	0.72	3.47	0.23	1.91	0.18	0.34	0.09
Before Age 18, Seriously Neglected by Parent/Caretaker														
Yes														
Alcohol use disorder	8.36	1.46	9.51	2.42	7.89	1.76	19.74	5.49	11.48	2.81	*3.40	1.43	_	_
Alcohol abuse	8.22	1.41	8.18	1.97	8.24	1.78	14.10	4.45	12.75	2.80	*3.24	1.36	. —	_
Alcohol dependence	6.35	1.10	8.45	2.17	5.13	1.23	15.35	5.15	7.89	1.82	*2.83	1.11	*1.77	1.53
No														
Alcohol use disorder	5.85	0.22	9.47	0.42	3.44	0.19	16.38	1.02	6.36	0.36	3.75	0.29	1.01	0.16
Alcohol abuse	5.15	0.22	8.39	0.41	2.96	0.19	13.84	0.90	5.60	0.36	3.31	0.27	0.95	0.16
Alcohol dependence	3.20	0.13	4.53	0.23	2.08	0.14	9.64	0.70	3.48	0.23	2.01	0.18	0.32	0.08
Before Age 18, Saw Serious Fights at Home														
Yes														
Alcohol use disorder	8.61	0.75	13.32	1.67	6.42	0.82	19.19	3.05	10.07	1.35	5.15	1.08	*0.39	0.39
Alcohol abuse	7.72	0.72	11.70	1.56	5.86	0.77	17.86	2.95	9.09	1.23	4.19	0.97	_	_
Alcohol dependence	5.35	0.51	7.20	0.96	4.16	0.58	11.76	2.17	6.07	0.84	3.48	0.65	*1.39	0.78
No														
Alcohol use disorder	5.67	0.23	9.19	0.44	3.27	0.18	16.21	1.05	6.11	0.36	3.59	0.30	1.02	0.16
Alcohol abuse	4.99	0.22	8.15	0.41	2.82	0.18	13.48	0.93	5.45	0.36	3.21	0.28	0.97	0.16
Alcohol dependence	3.08	0.14	4.40	0.24	1.95	0.13	9.61	0.73	3.33	0.23	1.86	0.18	0.30	0.07
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
Yes														
Alcohol use disorder	8.49	0.53	12.99	1.08	6.10	0.52	25.14	2.40	8.37	0.70	5.20	0.73	*1.32	0.54
Alcohol abuse	7.66	0.46	11.86	1.06	5.40	0.49	22.35	2.33	7.36	0.63	4.62	0.67	*1.30	0.53
Alcohol dependence	5.08	0.36	7.16	0.58	3.66	0.40	15.30	1.78	4.90	0.50	3.41	0.50	*0.89	0.38

Table 1-14. Rate (%) of 3-year (i.e., Wave 1 to Wave 2) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

Respondent characteristics at Wave 1 and 3-year first AUD incidence at Wave 2														
•	F-17	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Before Age 18, Parent/Other Adult in Home Was Alcoholic														
No														
Alcohol use disorder	5.31	0.22	8.77	0.43	2.91	0.20	14.60	0.98	6.00	0.39	3.32	0.31	0.95	0.17
Alcohol abuse		0.22	7.69	0.40	2.51	0.20	11.96	0.87	5.40	0.40	2.93	0.30	0.88	0.16
Alcohol dependence	2.82	0.13	4.05	0.22	1.76	0.15	8.54	0.70	3.24	0.24	1.61	0.17	0.27	0.07
Ever Had No Regular Place to Live Lasting 1+ Months														
Yes														
Alcohol use disorder	9.60	1.90	13.62	3.08	6.10	2.22	29.12	8.65	7.79	2.24	*5.63	3.01	_	_
Alcohol abuse	7.77	1.66	10.67	2.62	*5.27	2.07	*22.88	7.84	6.74	1.92	*3.48	2.24	_	_
Alcohol dependence	8.01	1.57	7.80	1.91	8.27	2.69	*13.53	5.27	10.82	2.59	*3.52	1.65	_	_
No														
Alcohol use disorder	5.87	0.23	9.41	0.43	3.54	0.19	16.29	1.01	6.48	0.36	3.72	0.29	1.00	0.16
Alcohol abuse		0.22	8.36	0.41	3.09	0.20	13.72	0.90	5.80	0.37	3.30	0.28	0.94	0.16
Alcohol dependence	3.20	0.14	4.55	0.23	2.09	0.14	9.73	0.71	3.46	0.23	2.01	0.18	0.35	0.08
Self-Perceived Current Health														
Excellent/Very good														
Alcohol use disorder	6.83	0.28	10.23	0.53	4.32	0.26	16.48	1.14	6.62	0.38	3.95	0.39	1.20	0.31
Alcohol abuse	5.99	0.28	9.08	0.51	3.69	0.27	13.56	1.03	5.86	0.40	3.65	0.39	1.26	0.31
Alcohol dependence	3.41	0.17	4.56	0.29	2.37	0.20	9.35	0.76	3.25	0.24	1.84	0.23	*0.23	0.11
Good														
Alcohol use disorder	5.01	0.41	8.64	0.85	2.86	0.34	16.92	1.96	5.79	0.81	3.89	0.54	1.14	0.31
Alcohol abuse		0.38	7.81	0.74	2.79	0.34	15.77	1.81	5.59	0.72	3.27	0.50	1.02	0.30
Alcohol dependence		0.25	4.63	0.43	1.65	0.25	10.88	1.63	3.42	0.47	2.23	0.36	*0.35	0.14
Fair/Poor														
Alcohol use disorder	3.13	0.35	6.26	0.82	1.70	0.32	13.06	3.39	6.51	1.14	2.76	0.51	0.55	0.15
Alcohol abuse		0.29	5.09	0.73	1.34	0.27	9.78	2.82	5.34	0.97	2.22	0.47	0.38	0.13
Alcohol dependence		0.35	4.51	0.69	2.05	0.35	10.46	2.88	6.97	1.29	2.30	0.40	0.51	0.17
Currently Covered by Health Insurance														
Yes														
Alcohol use disorder	5.30	0.22	8.36	0.41	3.35	0.21	16.77	1.09	6.17	0.41	3.62	0.32	1.01	0.16
Alcohol abuse		0.22	7.53	0.40	2.97	0.21	13.90	0.97	5.68	0.41	3.28	0.30	0.95	0.16
Alcohol dependence		0.14	3.71	0.23	2.06	0.15	9.94	0.88	3.12	0.24	1.89	0.18	0.35	0.09
No														
Alcohol use disorder	8.65	0.59	13.89	1.03	4.63	0.50	15.89	1.51	7.64	0.74	4.29	0.62	_	_
Alcohol abuse		0.57	11.78	0.99	3.82	0.48	13.73	1.52	6.29	0.67	3.42	0.54	_	_
Alcohol dependence		0.44	8.64	0.74	2.77	0.41	9.51	1.01	5.48	0.64	2.78	0.54	_	_

Table 1-14. Rate (%) of 3-year (i.e., Wave 1 to Wave 2) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 3-year first AUD incidence at Wave 2			Mal	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Tobacco Use Status														
Current user														
Alcohol use disorder	. 11.12	0.57	15.06	0.96	7.45	0.59	26.78	2.18	10.56	0.87	7.13	0.83	3.13	0.83
Alcohol abuse		0.53	13.32	0.90	6.99	0.57	23.74	1.91	9.51	0.82	5.97	0.73	2.98	0.80
Alcohol dependence	. 6.53	0.40	7.85	0.57	4.90	0.46	15.63	1.62	6.09	0.59	4.79	0.58	1.29	0.49
Ex-user														
Alcohol use disorder	3.06	0.34	4.08	0.58	2.21	0.39	17.88	5.35	5.57	0.93	2.90	0.52	1.26	0.33
Alcohol abuse		0.34	3.89	0.58	2.04	0.38	18.02	5.32	4.83	0.86	2.88	0.52	1.11	0.33
Alcohol dependence		0.21	1.66	0.25	1.38	0.29	*9.21	3.55	3.08	0.59	1.38	0.29	*0.33	0.14
Alcohol dependence	1.55	0.21	1.00	0.23	1.50	0.25	3.21	0.00	3.00	0.55	1.50	0.23	0.55	0.14
Lifetime nonsmoker														
Alcohol use disorder		0.25	8.99	0.59	2.91	0.21	13.36	0.98	5.30	0.37	2.82	0.35	0.41	0.12
Alcohol abuse		0.25	7.80	0.55	2.37	0.21	10.44	0.88	4.71	0.38	2.47	0.34	0.41	0.12
Alcohol dependence	. 2.55	0.16	4.12	0.32	1.57	0.16	7.63	0.68	2.63	0.25	1.03	0.18	*0.11	0.07
Drug Use Status														
Current user														
Alcohol use disorder	. 20.00	2.10	30.19	3.57	11.62	2.21	35.87	3.99	13.38	2.47	*8.42	3.48	*1.55	1.56
Alcohol abuse		1.69	24.63	2.84	9.37	1.60	27.50	3.16	12.08	2.17	*4.98	2.65	*1.53	1.53
Alcohol dependence		1.21	14.47	1.88	7.45	1.46	21.09	2.82	7.87	1.45	4.17	1.73	*1.12	1.10
Ex-user														
Alcohol use disorder	. 10.17	0.81	13.47	1.52	7.57	0.85	22.92	3.36	9.46	1.03	6.28	1.18	*1.09	1.05
Alcohol abuse		0.73	12.91	1.36	7.56	0.80	20.49	2.59	9.34	1.00	6.29	1.20	*2.03	1.35
Alcohol dependence		0.73	6.05	0.65	3.69	0.49	11.61	2.19	4.10	0.47	4.41	0.77	*1.89	1.38
Alcohol dependence	4.55	0.42	0.00	0.00	0.00	0.43	11.01	2.10	4.10	0.47	7.71	0.77	1.00	1.50
Lifetime nondrug user														
Alcohol use disorder		0.21	8.24	0.45	2.97	0.17	13.82	0.99	5.84	0.35	3.38	0.30	0.99	0.16
Alcohol abuse		0.21	7.16	0.42	2.48	0.18	11.40	0.91	5.05	0.37	2.95	0.27	0.91	0.16
Alcohol dependence	. 2.64	0.13	3.78	0.24	1.75	0.14	8.02	0.66	3.24	0.26	1.56	0.17	0.30	0.08
Any Major Depressive Disorder in the Past Year														
Yes														
Alcohol use disorder	. 7.23	1.06	9.73	2.56	6.46	1.09	22.29	3.95	5.38	1.28	2.83	0.95	*0.69	0.69
Alcohol abuse		1.01	8.25	2.38	6.19	1.06	20.23	3.75	5.44	1.28	*1.95	0.73	*0.98	0.73
Alcohol dependence		0.71	6.58	1.28	4.51	0.87	16.98	3.04	3.60	1.01	2.12	0.69	*0.62	0.62
Ne														
No Alcohol use disorder	. 5.85	0.22	9.46	0.43	3.40	0.19	16.08	1.02	6.55	0.37	3.78	0.30	1.00	0.16
Alcohol abuse		0.22	8.39	0.43	2.93	0.19	13.43	0.90	5.83	0.37	3.78	0.30	0.93	0.16
Alcohol dependence		0.22	4.56	0.41	2.93	0.19	9.30	0.90	5.83 3.61	0.37	2.03	0.29	0.93	0.16
Any Major Depressive Disorder in Life														
Yes	F 00	0.60	0.71	1 55	4.00	0.50	10.07	2.00	F 66	0.05	2.40	0.70	*0.68	0.40
Alcohol use disorder		0.60	9.71	1.55	4.83 4.42	0.59	19.87	3.02 2.54	5.66 5.37	0.85	3.40	0.73	0.68 *1.06	0.42 0.48
Alcohol abuse		0.55 0.40	8.15 5.65	1.38 0.84	4.42 3.43	0.57 0.46	16.34 14.90	2.54	5.37 3.43	0.82 0.61	2.83 2.61	0.67 0.53	*0.30	0.48
Alcohol dependence	4.00	0.40	5.05	0.04	3.43	0.40	14.90	2.51	3.43	0.01	2.01	0.53	0.30	0.20

Table 1-14. Rate (%) of 3-year (i.e., Wave 1 to Wave 2) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both :	sexes		5	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 3-year first AUD incidence at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Major Depressive Disorder in Life														
No														
Alcohol use disorder		0.24	9.45	0.45	3.36	0.20	16.05	1.03	6.61	0.38	3.79	0.32	1.02	0.17
Alcohol abuse		0.23	8.41	0.42	2.89	0.20	13.54	0.92	5.87	0.38	3.38	0.30	0.92	0.16
Alcohol dependence	. 3.18	0.15	4.54	0.24	1.94	0.15	9.16	0.71	3.63	0.26	1.94	0.19	0.35	0.09
Age Started Drinking														
14 years or younger														
Alcohol use disorder	. 12.20	1.78	16.42	2.82	7.28	1.78	26.09	5.41	13.87	2.62	7.80	2.45	*1.84	0.99
Alcohol abuse		1.52	14.49	2.43	7.70	1.69	24.64	4.67	12.28	2.23	6.32	2.29	*0.66	0.52
Alcohol dependence		0.88	8.11	1.32	4.61	1.13	17.32	3.48	6.54	1.32	4.43	1.54	*1.25	0.73
45 to 47														
15 to 17 years	1		40.4-	4.00								4.00	*	
Alcohol use disorder		0.73	13.47	1.08	8.97	0.83	24.72	2.16	8.71	0.87	6.40	1.03	*2.34	0.86
Alcohol abuse		0.68	12.72	1.03	7.72	0.75	21.31	1.90	8.16	0.86	5.67	0.99	*2.31	0.85
Alcohol dependence	. 5.43	0.40	5.72	0.52	5.05	0.60	13.38	1.53	4.71	0.47	2.67	0.51	*1.02	0.50
18 to 20 years														
Alcohol use disorder	. 7.07	0.43	10.50	0.79	4.11	0.41	19.04	1.62	6.82	0.66	4.53	0.64	1.83	0.45
Alcohol abuse		0.42	9.53	0.76	3.48	0.41	15.89	1.56	6.36	0.68	3.96	0.59	1.66	0.43
Alcohol dependence		0.25	4.24	0.39	2.22	0.27	10.23	1.02	3.25	0.41	2.20	0.29	*0.22	0.12
21 years or older														
Alcohol use disorder	. 4.47	0.31	7.58	0.73	2.84	0.28	14.42	2.53	6.04	0.61	3.45	0.45	0.83	0.29
		0.31		0.73	2.49	0.28	10.05	1.93						0.29
Alcohol abuse			6.13						5.02	0.55	3.13	0.43	0.91	
Alcohol dependence	. 2.51	0.22	4.12	0.49	1.55	0.21	8.76	1.82	3.44	0.47	1.89	0.30	*0.40	0.14
Family History of Alcoholism														
None														
Alcohol use disorder	. 5.50	0.30	8.49	0.57	3.16	0.26	14.46	1.31	6.39	0.51	3.63	0.34	1.05	0.22
Alcohol abuse		0.30	7.31	0.55	2.58	0.25	11.51	1.14	5.52	0.49	3.13	0.33	0.95	0.21
Alcohol dependence		0.18	3.92	0.28	1.78	0.20	8.82	0.93	3.24	0.33	1.58	0.20	0.29	0.09
2nd-degree relatives only														
Alcohol use disorder	7.43	0.56	12.01	1.11	4.48	0.55	18.29	1.86	6.90	0.84	3.69	0.66	*0.79	0.36
Alcohol abuse		0.49	10.60	1.01	3.67	0.48	15.72	1.66	6.06	0.77	2.88	0.54	*0.54	0.32
Alcohol dependence		0.37	5.20	0.59	2.62	0.40	9.86	1.32	3.47	0.54	2.05	0.50	*0.22	0.15
Anti-discovery colorisation and a														
1st-degree relatives only	1 454	0.46	7.44	0.00	0.07	0.47	00.50	0.00	F 40	0.00	0.55	071	*0.05	0.00
Alcohol use disorder		0.43	7.14	0.89	3.07	0.47	20.59	3.36	5.42	0.89	3.55	0.74	*0.85	0.36
Alcohol abuse		0.42	7.25	0.91	3.25	0.48	20.89	3.41	5.91	0.92	3.39	0.71	*0.93	0.37
Alcohol dependence	. 2.54	0.30	3.72	0.50	1.65	0.33	9.42	1.97	3.33	0.62	2.16	0.47	*0.37	0.27
Both 1st- and 2nd-degree relatives														
Alcohol use disorder		0.52	12.83	1.39	4.16	0.40	18.38	2.35	7.03	0.68	4.23	0.72	*1.13	0.46
Alcohol abuse	. 6.17	0.49	11.43	1.29	3.88	0.41	15.50	2.06	6.35	0.69	4.08	0.73	*1.27	0.44
Alcohol dependence		0.37	7.10	0.75	3.02	0.35	12.72	1.81	4.81	0.53	2.96	0.46	*0.70	0.31

Table 1-14. Rate (%) of 3-year (i.e., Wave 1 to Wave 2) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 3-year first AUD incidence at Wave 2	Fatimete	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Any Parent Alcoholic														
Yes														
Alcohol use disorder	7.30	0.49	12.69	1.17	4.75	0.45	19.36	2.12	7.29	0.77	4.42	0.70	*1.02	0.48
Alcohol abuse	6.95	0.45	12.04	1.12	4.51	0.44	17.25	1.90	6.99	0.75	4.32	0.70	[*] 1.21	0.50
Alcohol dependence	4.36	0.34	6.73	0.65	2.86	0.31	11.88	1.49	4.36	0.45	2.73	0.47	*0.85	0.41
No														
Alcohol use disorder	5.63	0.25	8.95	0.46	3.28	0.21	15.81	1.10	6.32	0.40	3.57	0.31	0.99	0.17
Alcohol abuse	4.86	0.24	7.79	0.44	2.77	0.20	13.05	0.94	5.54	0.39	3.06	0.29	0.90	0.17
Alcohol dependence	3.03	0.15	4.20	0.24	1.99	0.17	9.28	0.78	3.41	0.26	1.85	0.19	0.28	0.07
Married to Alcoholic/Lived with Alcoholic as if Married														
Yes														
Alcohol use disorder	4.04	0.61	11.34	2.98	3.17	0.48	*15.08	6.91	5.95	1.06	3.53	0.78	*0.51	0.29
Alcohol abuse	4.16	0.58	12.42	3.08	3.14	0.47	*19.94	7.37	6.39	1.06	3.03	0.73	*0.34	0.24
Alcohol dependence	2.60	0.41	5.44	1.43	2.04	0.35	*9.82	4.11	3.44	0.72	2.30	0.54	*0.57	0.28
No														
Alcohol use disorder	6.08	0.23	9.43	0.43	3.62	0.20	16.48	1.02	6.54	0.36	3.76	0.31	1.04	0.17
Alcohol abuse	5.32	0.23	8.30	0.40	3.11	0.20	13.74	0.90	5.76	0.38	3.34	0.29	0.99	0.17
Alcohol dependence		0.15	4.59	0.23	2.20	0.16	9.79	0.71	3.63	0.24	2.00	0.19	0.32	0.09
Any Alcohol Treatment in the Past Year														
Yes														
Alcohol use disorder	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Alcohol abuse	*10.37	9.93	*28.19	23.09	_	_	_	_	_	_	*42.72	31.02	_	_
Alcohol dependence	15.79	4.17	16.97	4.90	*12.96	8.25	*18.11	13.13	*20.52	8.24	*10.34	5.41	*15.05	10.38
No														
Alcohol use disorder	5.92	0.22	9.47	0.42	3.57	0.19	16.46	1.00	6.50	0.36	3.74	0.29	0.99	0.16
Alcohol abuse		0.22	8.39	0.42	3.12	0.19	13.85	0.89	5.81	0.37	3.30	0.23	0.93	0.15
Alcohol dependence		0.14	4.56	0.23	2.16	0.14	9.77	0.71	3.56	0.23	2.00	0.18	0.32	0.08
Any Alcohol Treatment in Life														
Yes														
Alcohol use disorder	*25.26	8.84	*32.47	13.65	*18.08	10.22	*28.72	25.24	*76.50	17.71	*6.23	5.06	_	_
Alcohol abuse	18.64	6.06	*24.01	9.10	*11.93	6.99	*47.60	25.24 25.27	*28.83	17.71	*8.18	5.06	*8.30	6.85
Alcohol dependence	10.04	1.86	9.70	1.87	14.13	4.28	*16.01	7.81	20.03 11.58	2.49	10.59	3.57	*3.69	2.62
No														
No Alcohol use disorder	5.90	0.22	9.44	0.42	3.56	0.19	16.45	1.00	6.44	0.35	3.73	0.29	1.00	0.16
Alcohol abuse	5.20	0.22	8.35	0.42	3.11	0.19	13.80	0.89	5.78	0.36	3.29	0.23	0.92	0.15
Alcohol dependence	3.17	0.22	4.49	0.40	2.10	0.13	9.75	0.03	3.47	0.30	1.88	0.27	0.32	0.13
. accord dopondonoo	U	U.1-7	1.10	0.20	2.10	U.1-7	0.70	0.7 1	0.11	0.20	1.00	0.10	0.02	0.00

Table 1-14. Rate (%) of 3-year (i.e., Wave 1 to Wave 2) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 3-year first AUD incidence at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Conduct Disorder														
Yes														
Alcohol use disorder	17.72	3.83	21.97	5.22	*9.25	3.84	31.72	8.28	16.24	5.31	*8.06	4.75	_	_
Alcohol abuse	11.73	2.99	14.64	4.15	[*] 5.93	3.30	*16.93	5.74	13.78	4.97	[*] 5.29	3.83	_	_
Alcohol dependence	7.68	1.99	9.11	2.66	*4.54	2.63	23.31	7.08	*3.19	1.48	*2.64	2.02	_	_
No														
Alcohol use disorder	5.81	0.22	9.29	0.42	3.54	0.19	16.15	0.99	6.42	0.36	3.70	0.28	1.00	0.16
Alcohol abuse	5.17	0.22	8.29	0.39	3.10	0.20	13.78	0.89	5.74	0.37	3.29	0.27	0.93	0.16
Alcohol dependence	3.24	0.14	4.55	0.23	2.16	0.15	9.52	0.69	3.61	0.24	2.03	0.18	0.35	0.08
Paranoid Personality Disorder — Lifetime														
Yes														
Alcohol use disorder	6.54	0.90	13.60	2.17	3.89	1.00	14.77	3.31	6.48	1.20	*2.20	1.15	_	_
Alcohol abuse	6.45	1.11	13.22	2.86	3.84	1.09	13.56	3.97	7.15	1.53	*1.23	0.86	_	_
Alcohol dependence	6.58	0.93	11.16	2.28	4.19	0.79	11.58	2.73	6.50	1.51	4.59	1.25	*0.33	0.32
No														
Alcohol use disorder	5.89	0.23	9.38	0.43	3.56	0.19	16.54	1.06	6.50	0.37	3.78	0.30	1.01	0.16
Alcohol abuse	5.18	0.23	8.28	0.43	3.09	0.19	13.86	0.95	5.76	0.36	3.36	0.30	0.95	0.16
Alcohol dependence	3.17	0.14	4.45	0.22	2.09	0.15	9.68	0.73	3.49	0.23	1.96	0.18	0.35	0.10
Schizoid Personality Disorder — Lifetime														
Yes														
	7.17	1.21	14.17	2.67	3.30	1.32	15.92	3.94	7.45	2.03	*3.75	1.81		
Alcohol use disorder							*13.13	5.10			*3.75		_	_
Alcohol abuse Alcohol dependence	5.97 5.80	1.33 1.00	10.14 9.09	2.93 1.94	3.57 3.34	1.27 1.16	12.79	4.20	6.02 4.78	1.72 1.41	5.20	1.64 1.55	_	_
Alconor dependence	5.60	1.00	9.09	1.94	3.34	1.10	12.79	4.20	4.70	1.41	5.20	1.55	_	_
No														
Alcohol use disorder	5.89	0.22	9.37	0.42	3.57	0.19	16.48	1.01	6.47	0.36	3.74	0.29	1.01	0.16
Alcohol abuse	5.21	0.22	8.35	0.41	3.11	0.20	13.87	0.89	5.81	0.37	3.31	0.27	0.95	0.16
Alcohol dependence	3.22	0.14	4.51	0.23	2.15	0.14	9.68	0.71	3.58	0.23	1.95	0.18	0.35	0.09
Schizotypal Personality Disorder — Lifetime ¹														
Yes														
Alcohol use disorder	13.45	1.71	18.45	2.75	9.79	2.07	24.03	4.71	15.45	2.58	6.58	1.92	*2.39	2.12
Alcohol abuse	10.64	1.45	14.72	2.60	7.65	1.65	19.29	3.78	12.65	2.33	4.37	1.69	*0.28	0.28
Alcohol dependence	11.21	1.37	13.48	2.09	9.17	1.75	20.05	4.16	11.92	1.92	7.13	1.52	*1.80	1.78
No														
Alcohol use disorder	5.67	0.22	9.16	0.42	3.38	0.18	16.10	0.99	6.16	0.36	3.65	0.29	0.97	0.16
Alcohol abuse	5.05	0.22	8.17	0.41	2.97	0.19	13.57	0.90	5.54	0.36	3.27	0.27	0.94	0.16
Alcohol dependence	3.01	0.13	4.30	0.22	1.95	0.13	9.26	0.70	3.27	0.23	1.87	0.17	0.32	0.08
•														

Table 1-14. Rate (%) of 3-year (i.e., Wave 1 to Wave 2) first incidence of *DSM-IV* alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 3-year first AUD incidence at Wave 2	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Antisocial Personality Disorder — Lifetime ¹														
Yes														
Alcohol use disorder	18.39	3.06	23.43	4.16	8.64	3.39	22.72	4.92	15.15	3.65	*21.81	8.06	_	_
Alcohol abuse	16.21	2.52	20.58	3.46	7.85	2.77	18.43	3.66	13.55	3.41	*21.36	7.89	_	_
Alcohol dependence	8.88	1.39	11.00	1.88	3.78	1.36	17.10	3.39	5.90	1.36	7.72	2.78	_	_
No														
Alcohol use disorder	5.74	0.22	9.14	0.42	3.53	0.19	16.21	1.03	6.35	0.36	3.61	0.28	1.00	0.16
Alcohol abuse	5.06	0.22	8.09	0.40	3.08	0.19	13.64	0.91	5.68	0.37	3.17	0.27	0.93	0.16
Alcohol dependence	3.15	0.14	4.38	0.23	2.16	0.15	9.43	0.72	3.54	0.24	1.93	0.18	0.35	0.08
Borderline Personality Disorder — Lifetime 1														
Yes														
Alcohol use disorder	17.27	1.45	26.49	2.95	12.41	1.56	29.93	3.47	17.92	2.27	8.38	1.86	*3.78	2.18
Alcohol abuse	13.76	1.16	21.58	2.31	9.66	1.31	23.77	2.96	14.62	1.85	5.53	1.48	*3.20	1.46
Alcohol dependence	15.20	1.22	21.39	2.20	11.04	1.38	27.01	3.16	15.20	1.82	8.30	1.51	*3.21	1.84
7.000.0. dopondonos	10.20		200	2.20				00	.0.20	2	0.00		0.2.	
No														
Alcohol use disorder	5.40	0.21	8.80	0.42	3.13	0.18	15.33	0.96	5.87	0.35	3.56	0.28	0.95	0.16
Alcohol abuse	4.81	0.21	7.85	0.39	2.77	0.19	12.97	0.88	5.30	0.36	3.22	0.27	0.89	0.16
Alcohol dependence	2.70	0.12	3.90	0.22	1.70	0.13	8.23	0.67	2.94	0.22	1.78	0.17	0.30	0.08
Histrionic Personality Disorder — Lifetime														
Yes														
Alcohol use disorder	11.88	2.56	11.19	3.56	12.30	3.66	19.55	5.70	*7.45	3.40	*10.28	4.07	*6.46	6.20
Alcohol abuse	11.34	2.36	11.87	3.62	11.02	3.17	18.51	5.27	8.60	2.70	*8.12	3.85	_	_
Alcohol dependence	8.27	1.62	9.08	2.36	7.68	2.40	13.93	3.80	*4.05	1.68	*9.75	3.24	*6.49	5.37
No Alaskal was disambles	F 0F	0.00	0.45	0.40	2.40	0.40	40.00	4.04	C 40	0.00	0.70	0.00	0.07	0.40
Alcohol use disorder	5.85 5.16	0.22	9.45	0.42 0.40	3.48 3.03	0.18 0.19	16.38	1.01	6.49 5.78	0.36	3.70	0.29	0.97	0.16 0.16
Alcohol abuse Alcohol dependence	3.22	0.22 0.14	8.35 4.57	0.40	2.11	0.19	13.71 9.67	0.90 0.72	3.60	0.37 0.24	3.28 1.98	0.27 0.18	0.94 0.32	0.16
Narcissistic Personality Disorder — Lifetime ¹	0.22	0.14	1.07	0.20	2.11	0.14	0.07	0.72	0.00	0.21	1.00	0.10	0.02	0.00
Narcissistic Personality Disorder — Lifetime														
Yes														
Alcohol use disorder	14.39	1.28	19.69	2.09	9.46	1.50	25.72	3.74	11.87	1.47	11.59	2.44	*6.73	2.28
Alcohol abuse	11.45	1.13	15.49	1.89	7.69	1.28	20.94	3.26	9.07	1.23	9.06	2.27	[*] 5.39	2.13
Alcohol dependence	9.47	0.98	11.90	1.43	6.46	1.24	20.82	3.21	7.20	1.10	6.66	1.55	*3.84	1.79
No														
Alcohol use disorder	5.46	0.23	8.80	0.45	3.30	0.19	15.60	1.02	6.16	0.36	3.39	0.29	0.84	0.15
Alcohol abuse	4.88	0.23	7.92	0.43	2.90	0.19	13.17	0.92	5.61	0.37	3.04	0.27	0.81	0.15
Alcohol dependence	2.93	0.14	4.10	0.23	1.98	0.14	8.72	0.65	3.37	0.25	1.81	0.17	0.24	0.07
											-	-	-	

Table 1-14. Rate (%) of 3-year (i.e., Wave 1 to Wave 2) first incidence of DSM-IV alcohol use disorder (AUD), alcohol abuse, and alcohol dependence, by sex and age group, according to selected respondent characteristics at Wave 1. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Respondent characteristics at Wave 1 and 3-year first AUD incidence at Wave 2	-	0.5	Mal	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Avoidant Personality Disorder — Lifetime														
Yes														
Alcohol use disorder	. 7.58	1.54	10.76	3.16	6.16	1.52	12.90	3.94	8.57	2.15	*3.36	1.75	_	_
Alcohol abuse		1.36	9.48	2.86	5.22	1.32	8.93	3.12	8.95	2.11	*1.87	1.15	_	_
Alcohol dependence		1.26	6.64	2.88	5.10	1.28	*9.03	3.20	5.26	2.15	*4.87	1.80	_	_
No														
Alcohol use disorder	. 5.88	0.22	9.45	0.42	3.51	0.19	16.57	1.03	6.45	0.36	3.74	0.29	1.00	0.16
Alcohol abuse		0.22	8.37	0.40	3.07	0.19	14.01	0.92	5.74	0.36	3.33	0.27	0.94	0.16
Alcohol dependence		0.14	4.59	0.23	2.11	0.14	9.82	0.74	3.57	0.23	1.99	0.18	0.35	0.09
Dependent Personality Disorder — Lifetime														
Yes														
Alcohol use disorder	. *4.06	2.44	*1.75	1.94	*4.63	2.95	*16.95	10.67	*1.44	1.49	_	_	_	_
Alcohol abuse		2.76	*1.57	1.71	*6.32	3.35	*14.33	9.12	*5.64	4.56	_	_	_	_
Alcohol dependence		2.14	*1.33	1.42	*4.57	2.64	*7.64	6.41	*1.72	1.31	*5.08	4.69	_	_
No														
Alcohol use disorder	. 5.92	0.22	9.48	0.42	3.56	0.19	16.46	1.01	6.51	0.36	3.75	0.29	1.00	0.16
Alcohol abuse		0.22	8.40	0.40	3.10	0.19	13.84	0.90	5.81	0.37	3.31	0.27	0.93	0.16
Alcohol dependence		0.14	4.62	0.23	2.17	0.14	9.81	0.71	3.62	0.23	2.02	0.18	0.35	0.08
Obsessive-Compulsive Personality Disorder — Lifetime														
Yes														
Alcohol use disorder	6.22	0.78	9.66	1.54	4.20	0.83	16.45	3.20	5.74	1.01	4.01	1.17	*1.60	0.81
Alcohol abuse		0.72	8.18	1.38	3.62	0.77	11.15	2.69	5.94	0.99	3.25	1.02	*1.59	0.81
Alcohol dependence		0.55	5.50	0.88	3.01	0.66	11.70	2.39	3.92	0.79	3.13	0.80	_	_
No														
Alcohol use disorder	5.90	0.22	9.46	0.42	3.52	0.19	16.46	1.03	6.55	0.38	3.72	0.29	0.96	0.16
Alcohol abuse		0.23	8.40	0.41	3.08	0.19	14.05	0.95	5.80	0.37	3.31	0.27	0.90	0.15
Alcohol dependence		0.14	4.55	0.24	2.11	0.14	9.64	0.73	3.58	0.24	1.95	0.18	0.37	0.09

Schizotypal, antisocial, borderline, and narcissistic personality disorders were assessed in Wave 2.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 2-1. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to Wave 1 past-year drinking status.¹

	Both s	exes		S	ex					Age group	at Wave 1			
Wave 1 past-year drinking status and Wave 2 past-year health conditions	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Total</u>														
Hardening of the arteries or arteriosclerosis	1.43	0.08	1.59	0.13	1.28	0.09	0.24	0.08	0.34	0.06	1.31	0.12	5.49	0.38
High blood pressure or hypertension	11.33	0.29	11.13	0.40	11.52	0.36	3.49	0.38	6.85	0.32	17.36	0.60	25.34	0.98
Cirrhosis of the liver	0.14	0.02	0.21	0.05	0.09	0.02	*0.07	0.04	0.10	0.03	0.26	0.07	0.10	0.04
	0.52	0.04	0.57	0.07	0.47	0.05	*0.07	0.04	0.52	0.07	0.69	0.09	0.53	0.11
Chest pain or angina pectoris	2.83	0.13	2.63	0.17	3.01	0.17	0.93	0.20	1.65	0.14	3.78	0.24	5.62	0.41
	3.37	0.13	2.68	0.15	4.01	0.19	1.19	0.21	2.22	0.19	4.16	0.26	6.67	0.37
	0.75	0.05	0.88	0.08	0.64	0.07	*0.02	0.02	0.21	0.05	0.99	0.11	2.24	0.22
	2.00	0.09	1.96	0.13	2.03	0.12	*0.19	0.08	0.73	0.10	2.29	0.17	6.29	0.37
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.64	0.08	1.43	0.13	1.83	0.11	1.39	0.24	1.48	0.12	1.96	0.17	1.61	0.18
	3.45	0.13	2.68	0.18	4.18	0.18	0.93	0.18	2.39	0.18	4.44	0.26	6.36	0.37
	10.70	0.26	9.33	0.33	12.08	0.34	2.39	0.33	5.85	0.28	16.50	0.56	27.21	0.87
	0.52	0.05	0.53	0.07	0.50	0.07	0.80	0.19	0.61	0.08	0.44	0.09	0.21	0.07
Current drinker														
Hardening of the arteries or arteriosclerosis	1.17	0.09	1.45	0.14	0.86	0.10	*0.21	0.08	0.29	0.06	1.21	0.15	5.68	0.58
High blood pressure or hypertension	9.90	0.29	10.55	0.42	9.18	0.37	3.27	0.42	6.51	0.33	15.71	0.65	23.25	1.17
Cirrhosis of the liver	0.13	0.03	0.17	0.05	0.08	0.03	*0.08	0.06	0.10	0.03	0.23	0.09	*0.02	0.02
	0.51	0.06	0.62	0.09	0.38	0.07	*0.06	0.05	0.63	0.10	0.61	0.11	0.34	0.14
Chest pain or angina pectoris	2.32	0.13	2.19	0.18	2.47	0.18	1.02	0.26	1.59	0.16	3.35	0.28	4.06	0.41
	3.02	0.15	2.45	0.17	3.65	0.25	1.34	0.27	2.32	0.22	3.84	0.31	5.64	0.51
	0.59	0.06	0.78	0.09	0.38	0.07	*0.03	0.03	0.17	0.05	0.88	0.14	2.03	0.33
	1.67	0.09	1.69	0.13	1.65	0.13	*0.17	0.08	0.64	0.09	2.29	0.20	5.90	0.51
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.41	0.09	1.17	0.13	1.67	0.14	1.34	0.25	1.29	0.13	1.64	0.18	1.33	0.24
	2.83	0.14	2.25	0.18	3.48	0.21	0.82	0.21	2.10	0.18	3.90	0.30	5.28	0.43
	9.41	0.27	8.75	0.36	10.19	0.36	2.25	0.37	5.65	0.30	15.21	0.62	25.50	1.23
	0.43	0.06	0.42	0.08	0.45	0.08	0.72	0.21	0.45	0.08	0.40	0.12	*0.09	0.06
Former drinker														
Hardening of the arteries or arteriosclerosis	2.17	0.24	2.34	0.37	2.03	0.29	*1.08	0.62	*0.37	0.15	1.75	0.33	5.44	0.77
High blood pressure or hypertension	15.13	0.72	14.93	1.10	15.30	0.87	3.68	1.30	8.40	0.86	20.22	1.53	25.09	1.70
Cirrhosis of the liver	0.22	0.06	0.38	0.12	*0.09	0.05	*0.07	0.07	*0.12	0.09	0.38	0.14	*0.16	0.08
	0.65	0.11	0.59	0.15	0.71	0.16	*0.22	0.22	*0.33	0.14	0.89	0.21	0.81	0.23
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	4.68	0.36	5.00	0.57	4.42	0.43	*0.99	0.57	2.09	0.40	5.60	0.68	7.70	0.91
	4.47	0.32	4.12	0.48	4.78	0.43	*1.21	0.67	2.46	0.46	4.88	0.58	7.31	0.74
	1.00	0.13	1.35	0.23	0.71	0.13	—	—	*0.29	0.11	1.20	0.24	1.83	0.35
	3.23	0.28	3.56	0.43	2.94	0.34	*0.50	0.50	1.46	0.36	2.53	0.37	7.41	0.83
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	2.19	0.29	2.57	0.51	1.87	0.27	*4.15	1.62	1.38	0.32	2.77	0.52	1.84	0.36
	5.04	0.37	4.36	0.57	5.63	0.45	*2.15	0.99	3.26	0.64	5.22	0.62	7.78	0.78
	15.09	0.72	12.69	0.96	17.38	0.94	*2.26	1.10	7.35	0.91	19.58	1.33	28.60	1.89
	0.81	0.14	0.97	0.27	0.68	0.15	*1.32	0.99	1.49	0.36	0.54	0.15	*0.29	0.18

227 -

Table 2-1. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to Wave 1 past-year drinking status. (Continued)

	Both :	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year drinking status and Wave 2 past-year health conditions	Fattered	0.5	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Lifetime abstainer														
Hardening of the arteries or arteriosclerosis	1.71 13.96	0.20 0.75	1.41 10.07	0.29 1.03	1.85 15.95	0.25 0.99	*0.03 4.14	0.03 0.73	0.60 7.28	0.25 0.86	1.13 21.50	0.27 1.57	5.16 29.99	0.71 2.11
Cirrhosis of the liver	0.14 0.41	0.05 0.09	*0.22 *0.21	0.12 0.12	*0.10 0.50	0.05 0.13	*0.06 *0.06	0.06 0.06	*0.07 *0.13	0.04 0.07	*0.20 0.76	0.13 0.26	*0.20 *0.62	0.12 0.25
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	3.69	0.29 0.30 0.17 0.24	2.18 2.12 0.87 1.42	0.39 0.42 0.24 0.31	3.42 4.43 1.33 2.40	0.38 0.39 0.23 0.32	*0.64 *0.67 — *0.16	0.29 0.28 — 0.16	1.58 1.39 *0.38 0.54	0.34 0.29 0.22 0.19	3.21 4.61 1.17 1.94	0.49 0.70 0.37 0.41	6.61 8.10 3.10 5.88	0.90 0.84 0.51 0.82
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	2.01 4.38 12.12 0.56	0.22 0.35 0.66 0.14	1.52 3.08 8.80 *0.67	0.38 0.64 0.92 0.25	2.24 4.99 13.93 0.51	0.28 0.41 0.88 0.16	*0.54 0.83 2.91 *0.86	0.26 0.26 0.72 0.40	2.60 3.10 5.49 0.62	0.47 0.60 0.65 0.28	2.31 5.85 18.44 0.50	0.46 0.81 1.61 0.19	1.92 7.00 29.60 *0.35	0.42 0.76 2.05 0.18

Current drinker: 1 or more drinks in the past year. Former drinker: at least 1 drink in life, but not in the past year. Lifetime abstainer: never had 1 or more drinks in life.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 2-2. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to Wave 1 past-year average drinking level 1 among Wave 1 current drinkers. 2

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year average drinking level and Wave 2 past-year health conditions	Estimate	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	ınd older
	Louinate	J.L.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Light drinker														
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension	1.20 10.15	0.10 0.38	1.54 11.23	0.19 0.65	0.95 9.31	0.12 0.42	*0.35 3.12	0.14 0.52	0.27 6.82	0.08 0.44	1.25 16.07	0.18 0.83	5.63 22.51	0.63 1.47
Cirrhosis of the liver Any other form of liver disease	0.09 0.37	0.03 0.06	*0.12 0.53	0.05 0.12	*0.07 0.24	0.03 0.06	*0.13 *0.10	0.10 0.09	*0.07 0.51	0.04 0.12	*0.14 0.31	0.07 0.09	*0.01 *0.31	0.01 0.13
Chest pain or angina pectoris	2.56	0.17	2.50	0.25	2.61	0.22	1.18	0.32	1.65	0.20	3.75	0.39	4.53	0.58
Rapid heart beat or tachycardia	3.25	0.19	2.45	0.25	3.88	0.28	1.54	0.36	2.39	0.27	4.10	0.39	6.28	0.70
Heart attack or myocardial infarction	0.73	0.09	1.18	0.16	0.39	0.08		_	0.20	0.08	0.98	0.18	2.81	0.50
Any other form of heart disease	1.89	0.14	2.15	0.22	1.69	0.16	*0.13	0.08	0.78	0.13	2.58	0.27	6.35	0.72
Stomach ulcer	1.54	0.12	1.26	0.19	1.75	0.17	1.19	0.32	1.52	0.19	1.69	0.21	1.57	0.33
Gastritis	3.24	0.19	2.46	0.28	3.85	0.25	1.00	0.32	2.36	0.24	4.33	0.41	6.30	0.64
Arthritis	9.83	0.33	8.77	0.49	10.69	0.42	2.50	0.47	5.77	0.38	15.74	0.76	27.64	1.67
Schizophrenia or psychotic illness or episode	0.55	0.08	0.65	0.14	0.46	0.10	0.94	0.32	0.57	0.12	0.55	0.17	*0.04	0.04
Moderate drinker														
Hardening of the arteries or arteriosclerosis	1.07	0.17	1.28	0.22	*0.50	0.21	_	_	*0.19	0.10	0.92	0.28	6.45	1.25
High blood pressure or hypertension	8.77	0.51	9.28	0.65	7.38	0.77	3.03	0.84	5.82	0.64	13.50	1.15	21.21	2.46
Cirrhosis of the liver	*0.09	0.04	*0.03	0.02	*0.23	0.15	_	_	*0.14	0.09	*0.05	0.04	*0.07	0.07
Any other form of liver disease	0.64	0.15	0.61	0.16	*0.74	0.13	_	_	0.59	0.03	1.07	0.37	*0.53	0.53
Chest pain or angina pectoris	1.63	0.24	1.66	0.27	1.54	0.46	*0.30	0.30	0.92	0.23	2.44	0.55	3.99	0.98
Rapid heart beat or tachycardia	2.40	0.29	2.21	0.34	2.92	0.56	*0.55	0.36	1.78	0.32	3.77	0.76	3.53	0.86
Heart attack or myocardial infarction	0.32	0.08	0.30	0.09	*0.37	0.19		_	*0.10	0.07	0.58	0.19	*0.83	0.39
Any other form of heart disease	0.96	0.16	1.02	0.18	0.82	0.30	*0.30	0.30	*0.32	0.13	1.01	0.28	4.35	1.01
Stomach ulcer	1.09	0.20	0.99	0.21	1.37	0.36	*1.99	0.72	0.86	0.22	0.92	0.30	*1.37	0.57
Gastritis	2.14	0.23	2.05	0.29	2.37	0.46	*0.78	0.45	1.47	0.29	2.95	0.57	4.30	0.91
Arthritis	8.40	0.50	8.37	0.58	8.47	0.93	*1.63	0.75	4.56	0.53	14.79	1.35	21.51	2.47
Schizophrenia or psychotic illness or episode	*0.16	0.07	*0.04	0.04	*0.47	0.22	_	_	*0.16	0.08	*0.18	0.15	*0.28	0.27
Heavier drinker														
Hardening of the arteries or arteriosclerosis	1.17	0.23	1.47	0.34	0.72	0.23	*0.03	0.03	*0.57	0.29	1.31	0.44	5.04	1.34
High blood pressure or hypertension		0.69	11.09	0.88	9.97	1.09	3.87	1.00	6.30	0.85	17.26	1.50	31.96	3.73
	*0.33	0.17	*0.54	0.28	*0.03	0.03	_	_	*0.16	0.12	*0.88	0.53	_	_
Cirrhosis of the liver Any other form of liver disease	0.33	0.17	0.54	0.28	0.03	0.03	_	_	1.26	0.12	1.26	0.33	*0.19	0.19
·	2.44	0.38	2.27	0.48	2.68	0.59	*1.35	0.73	2.45	0.59	3.12	0.63	*2.28	1.27
Chest pain or angina pectoris	3.02	0.38	2.27	0.48	3.13	0.59	*1.51	0.73	2.45 2.99	0.59	2.84	0.63	2.28 6.17	1.67
Heart attack or myocardial infarction	0.36	0.37	*0.37	0.49	*0.34	0.00	*0.16	0.59	*0.15	0.04	*0.78	0.30	*0.28	0.27
Any other form of heart disease	1.81	0.11	1.50	0.10	2.26	0.13	*0.15	0.15	0.15	0.07	2.89	0.66	6.41	1.33
,	1.40	0.26	1.30	0.36	1.54	0.38	*1.12	0.50	1.04	0.33	2.46	0.68	*0.21	0.21
Stomach ulcer	2.21	0.26	2.09	0.36	2.39	0.38	*0.32	0.50	1.04	0.33	2.46 3.61	0.68	*2.40	0.21
Arthritis	9.48	0.31	9.57	0.42	9.33	0.46	*2.27	0.19	7.05	0.43	14.08	1.45	23.62	3.03
Schizophrenia or psychotic illness or episode	0.32	0.72	*0.29	0.30	*0.35	0.30	*0.61	0.45	*0.41	0.38	*0.13	0.07	*0.04	0.04
	0.02	••••	0.20	<u> </u>		····	0.0.						0.0.	

Light drinker: 3 or fewer drinks per week on average. Moderate drinker: on average more than 3 drinks and up to 7 drinks per week for women and more than 3 drinks and up to 14 drinks per week for men.

Heavier drinker: on average more than 1 drink per day for women and more than 2 drinks per day for men.

Current drinker: 1 or more drinks in the past year.

Fewer than 10 observations in the cell.

[—] Empty cell.

Table 2-3. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits 1 among Wave 1 current drinkers.2

Many 4 and a section of a section for	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits	Fatimete.	S.E.	Mai	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
and Wave 2 past-year health conditions	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Did not exceed drinking limits														
Hardening of the arteries or arteriosclerosis	1.49	0.13	1.90	0.23	1.13	0.14	*0.23	0.12	0.28	0.08	1.15	0.17	6.06	0.65
	11.08	0.41	12.05	0.62	10.22	0.48	2.73	0.57	6.89	0.48	15.96	0.77	21.55	1.22
Cirrhosis of the liver	0.08	0.03	*0.09	0.05	*0.08	0.03	*0.06	0.06	*0.09	0.05	*0.12	0.06	*0.01	0.01
	0.38	0.07	0.50	0.12	0.28	0.08	*0.01	0.01	0.43	0.12	0.45	0.13	*0.36	0.17
Chest pain or angina pectoris	2.62	0.18	2.44	0.24	2.79	0.25	*0.81	0.31	1.71	0.22	3.42	0.36	4.30	0.47
	3.16	0.18	2.26	0.23	3.97	0.29	1.54	0.46	1.93	0.22	3.77	0.37	5.88	0.59
	0.79	0.10	1.14	0.16	0.48	0.10	—	—	0.23	0.09	0.91	0.19	2.35	0.40
	2.11	0.15	2.34	0.23	1.92	0.18	*0.19	0.12	0.71	0.14	2.52	0.26	5.97	0.59
Stomach ulcer	1.35	0.11	1.05	0.16	1.63	0.17	1.23	0.42	1.23	0.18	1.45	0.19	1.50	0.30
	3.31	0.19	2.52	0.24	4.03	0.28	1.10	0.40	2.21	0.26	4.09	0.37	5.75	0.52
	10.75	0.38	9.73	0.51	11.72	0.48	2.41	0.55	5.16	0.39	15.78	0.75	26.39	1.45
	0.44	0.08	0.47	0.13	0.41	0.10	*0.83	0.31	0.46	0.13	0.47	0.16	*0.11	0.08
Exceeded daily but not weekly drinking limits														
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension	0.50	0.11	0.69	0.17	*0.23	0.09	*0.28	0.16	*0.20	0.10	1.26	0.36	*2.80	1.45
	7.24	0.45	8.07	0.64	6.02	0.59	3.46	0.64	6.06	0.57	13.42	1.35	31.76	5.37
Cirrhosis of the liver	*0.11	0.04	*0.09	0.05	*0.14	0.09	*0.13	0.13	*0.10	0.05	*0.11	0.11	*0.25	0.25
	0.56	0.11	0.66	0.16	0.41	0.15	*0.13	0.13	0.69	0.17	*0.67	0.25	*0.38	0.38
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	1.67	0.20	1.76	0.29	1.54	0.31	1.09	0.39	1.08	0.22	3.43	0.59	*5.39	2.23
	2.77	0.30	2.54	0.37	3.11	0.48	*1.04	0.36	2.67	0.38	4.90	0.81	*1.90	0.86
	0.26	0.08	0.35	0.12	*0.13	0.07	—	—	*0.09	0.07	0.79	0.27	*1.62	1.24
	0.67	0.10	0.72	0.17	0.59	0.17	*0.16	0.16	0.58	0.16	1.02	0.31	*4.10	1.66
Stomach ulcer	1.57 2.21 6.93 0.46	0.20 0.23 0.41 0.11	1.35 1.96 6.90 0.36	0.24 0.30 0.51 0.12	1.91 2.58 6.98 0.62	0.33 0.39 0.64 0.20	1.58 *0.79 2.14 *0.57	0.44 0.33 0.58 0.35	1.52 2.02 5.90 0.47	0.26 0.30 0.60 0.12	1.67 3.63 14.49 *0.41	0.44 0.69 1.24 0.23	*1.87 6.58 21.13 —	1.13 2.35 4.45
Exceeded weekly or both daily and weekly drinking limits														
Hardening of the arteries or arteriosclerosis	1.17	0.23	1.47	0.34	0.72	0.23	*0.03	0.03	*0.57	0.29	1.31	0.44	5.04	1.34
	10.63	0.69	11.09	0.88	9.97	1.09	3.87	1.00	6.30	0.85	17.26	1.50	31.96	3.73
Cirrhosis of the liver	*0.33 0.92	0.17 0.20	*0.54 0.95	0.28 0.29	*0.03 0.88	0.03 0.28	_	_	*0.16 1.26	0.12 0.42	*0.88 1.26	0.53 0.37	*0.19	— 0.19
Chest pain or angina pectoris	2.44	0.38	2.27	0.48	2.68	0.59	*1.35	0.73	2.45	0.59	3.12	0.63	*2.28	1.27
	3.02	0.37	2.94	0.49	3.13	0.60	*1.51	0.59	2.99	0.64	2.84	0.58	6.17	1.67
	0.36	0.11	*0.37	0.16	*0.34	0.13	*0.16	0.16	*0.15	0.07	*0.78	0.31	*0.28	0.27
	1.81	0.25	1.50	0.29	2.26	0.51	*0.15	0.15	0.56	0.22	2.89	0.66	6.41	1.33
Stomach ulcer	1.40	0.26	1.30	0.36	1.54	0.38	*1.12	0.50	1.04	0.33	2.46	0.68	*0.21	0.21
	2.21	0.31	2.09	0.42	2.39	0.48	*0.32	0.19	1.96	0.43	3.61	0.79	*2.40	0.87
	9.48	0.72	9.57	0.98	9.33	0.96	*2.27	0.95	7.05	0.98	14.08	1.45	23.62	3.03
	0.32	0.11	*0.29	0.14	*0.35	0.17	*0.61	0.45	*0.41	0.18	*0.13	0.07	*0.04	0.04

Exceeding daily drinking limit: 5+ drinks for men and 4+ drinks for women on one or more occasions or the usual or largest ethanol intake of any beverage type greater than 4.5 drinks for men and greater than 3.5 drinks for women. Exceeding weekly drinking limit: on average more than 14 drinks per week for men and more than 7 drinks per week for women.

Current drinker: 1 or more drinks in the past year.

Fewer than 10 observations in the cell.

Empty cell.

Table 2-4. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to Wave 1 past-year *DSM-IV* alcohol use disorder status among Wave 1 current drinkers. 1

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year <i>DSM-IV</i> alcohol use disorder status and Wave 2 past-year health conditions	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No alcohol use disorder														
Hardening of the arteries or arteriosclerosis	1.24 10.30	0.10 0.32	1.60 11.17	0.16 0.48	0.88 9.42	0.11 0.38	*0.20 3.22	0.09 0.45	0.25 6.71	0.06 0.36	1.21 15.54	0.15 0.67	5.73 23.03	0.60 1.18
Cirrhosis of the liver		0.02 0.06	0.12 0.59	0.04 0.09	0.08 0.31	0.03 0.06	*0.03 *0.01	0.03 0.01	*0.09 0.49	0.03 0.09	0.15 0.61	0.05 0.11	*0.02 *0.32	0.02 0.14
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	3.05	0.13 0.15 0.06 0.11	2.26 2.44 0.86 1.95	0.18 0.17 0.11 0.15	2.40 3.67 0.35 1.69	0.18 0.25 0.07 0.14	0.68 1.37 — *0.14	0.21 0.33 — 0.08	1.48 2.28 0.19 0.67	0.16 0.21 0.06 0.11	3.38 3.76 0.79 2.43	0.30 0.31 0.14 0.22	4.19 5.53 2.09 5.86	0.43 0.50 0.34 0.51
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode		0.09 0.14 0.31 0.06	1.09 2.30 9.09 0.42	0.13 0.19 0.41 0.09	1.64 3.54 10.59 0.43	0.14 0.21 0.39 0.09	1.16 1.04 1.86 0.86	0.26 0.28 0.36 0.26	1.27 1.99 5.50 0.41	0.14 0.18 0.32 0.09	1.57 3.91 15.53 0.43	0.17 0.31 0.66 0.12	1.37 5.37 25.70 *0.09	0.24 0.45 1.28 0.07
Alcohol use disorder														
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension		0.19 0.61	0.69 7.52	0.24 0.72	*0.66 6.65	0.29 1.19	*0.23 3.42	0.21 0.85	*0.55 5.25	0.29 0.81	1.17 17.64	0.45 2.25	*4.17 30.64	2.49 8.37
Cirrhosis of the liver	*0.35 0.94	0.20 0.22	*0.42 0.80	0.28 0.27	*0.19 1.27	0.19 0.46	*0.21 *0.21	0.21 0.21	*0.14 1.49	0.12 0.41	*1.17 *0.60	0.94 0.29	 *0.83	— 0.80
Chest pain or angina pectoris	2.79 0.44	0.41 0.47 0.16 0.18	1.83 2.53 *0.35 0.37	0.44 0.54 0.16 0.16	3.34 3.39 *0.65 1.15	0.91 0.92 0.36 0.46	2.04 *1.24 *0.12 *0.25	0.72 0.45 0.12 0.25	2.26 2.56 *0.08 *0.42	0.59 0.68 0.05 0.21	3.02 4.74 *1.89 *0.64	0.91 1.27 0.72 0.34	*0.25 *9.04 — *7.19	0.26 3.61 — 3.72
Stomach ulcer		0.33 0.37 0.68 0.14	1.57 1.99 7.07 *0.38	0.41 0.45 0.91 0.17	2.03 2.75 5.89 *0.61	0.58 0.68 0.87 0.26	1.86 *0.15 3.44 *0.31	0.60 0.10 0.98 0.31	1.46 2.81 6.59 0.71	0.40 0.59 1.00 0.23	2.37 3.72 11.53 *0.05	1.05 1.19 1.65 0.05	*2.35 *19.41	 1.83 5.92
Alcohol abuse only	0.10	0.11	0.00	0.11	0.01	0.20	0.01	0.01	0.7 1	0.20	0.00	0.00		
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension		0.21 0.77	*0.75 7.30	0.28 0.94	*0.33 4.95	0.29 1.34	*0.06 *1.88	0.06 0.83	*0.26 3.38	0.18 0.80	*1.18 16.50	0.62 2.66	*4.95 28.68	2.91 8.88
Cirrhosis of the liver	*0.44 0.81	0.33 0.27	*0.62 *0.60	0.46 0.28	 *1.32	— 0.66	_	_	*0.23 *1.09	0.19 0.47	*1.39 *0.76	1.35 0.42	 *0.97	— 0.93
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	2.37 *0.33	0.32 0.51 0.16 0.28	1.15 2.65 *0.34 *0.34	0.36 0.65 0.20 0.22	*1.37 *1.65 *0.28 *1.48	0.71 0.71 0.27 0.80	*2.03 *0.62 — *0.68	1.08 0.48 — 0.68	*1.14 1.83 — *0.35	0.45 0.57 — 0.29	*0.92 *4.08 *1.40 *0.23	0.39 1.61 0.68 0.18	*0.30 *7.43 — *7.02	0.30 3.55 — 4.21
Stomach ulcer	1.49 1.84 6.93	0.46 0.45 0.97 0.11	1.43 2.00 7.18 *0.06	0.57 0.59 1.25 0.06	*1.64 1.42 6.27 *0.47	0.72 0.48 1.29 0.35	*2.85 — *2.85	1.25 — 1.35 —	*1.05 2.47 6.65 *0.33	0.44 0.77 1.45 0.20	*1.69 *1.70 10.08	1.36 0.64 1.80	*2.66 *17.75	 2.07 6.16

- 231 -

Table 2-4. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to Wave 1 past-year *DSM-IV* alcohol use disorder status among Wave 1 current drinkers. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year <i>DSM-IV</i> alcohol use disorder status and Wave 2 past-year health conditions	E-tit-	0.5	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Alcohol dependence														
Hardening of the arteries or arteriosclerosis High blood pressure or hypertension	0.74 8.07	0.34 1.05	*0.60 7.82	0.43 1.22	*1.03 8.57	0.54 1.94	*0.33 4.36	0.33 1.17	*1.00 8.16	0.68 1.67	*1.14 20.47	0.51 4.36	 *46.68	 23.28
Cirrhosis of the liver Any other form of liver disease		0.17 0.41	*0.14 *1.06	0.15 0.53	*0.41 *1.21	0.41 0.65	*0.33 *0.33	0.33 0.33	 *2.11	 0.88	*0.69 *0.27	0.69 0.19	_	_
Chest pain or angina pectoris	3.34	0.81 0.74 0.27 0.20	2.76 2.37 *0.35 *0.40	0.91 0.77 0.27 0.22	5.55 5.34 *1.06 *0.79	1.70 1.62 0.61 0.42	*2.05 *1.62 *0.20	0.94 0.66 0.19	4.02 3.70 *0.20 *0.54	1.33 1.36 0.13 0.31	7.54 6.27 *2.90 *1.46	2.61 2.14 1.77 0.97	*18.77 *8.17	— 11.41 — 6.38
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.99 2.70 6.47 0.80	0.49 0.65 0.99 0.30	1.77 1.98 6.93 *0.81	0.60 0.71 1.29 0.39	2.47 4.26 5.48 *0.77	0.87 1.36 1.25 0.40	*1.27 *0.23 *3.79 *0.50	0.62 0.17 1.36 0.50	*2.10 3.35 6.52 *1.30	0.82 0.96 1.35 0.49	*3.80 *8.06 14.51 *0.15	1.66 3.36 3.54 0.15	 *31.94 	 19.08

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 2-5. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more drinks for women in a single day among Wave 1 current drinkers.¹

Mana 4 most most form on a finding to a most design.	Both s	sexes		5	Sex					Age group	at Wave 1			
Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more drinks for women in a single day	Estimate	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
and Wave 2 past-year health conditions	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Never in the past year														
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension		0.12 0.38	1.88 11.91	0.21 0.59	1.11 10.23	0.14 0.46	*0.22 2.88	0.11 0.57	0.29 6.81	0.08 0.44	1.14 15.54	0.16 0.69	5.88 21.97	0.62 1.23
Cirrhosis of the liver		0.02 0.06	*0.09 0.49	0.04 0.11	*0.08 0.27	0.03 0.07	*0.06 *0.01	0.06 0.01	*0.09 0.42	0.04 0.11	*0.12 0.45	0.05 0.12	*0.01 *0.32	0.01 0.15
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	3.16 0.73	0.16 0.17 0.09 0.13	2.42 2.37 1.06 2.31	0.23 0.20 0.15 0.20	2.70 3.86 0.44 1.96	0.22 0.28 0.09 0.17	0.99 1.42 — *0.32	0.34 0.42 — 0.19	1.63 1.99 0.22 0.71	0.20 0.22 0.08 0.13	3.38 3.74 0.85 2.49	0.34 0.35 0.17 0.26	4.09 5.78 2.08 5.93	0.44 0.53 0.36 0.54
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	3.27	0.11 0.18 0.37 0.07	1.06 2.62 9.89 0.50	0.16 0.26 0.50 0.13	1.66 3.85 11.80 0.40	0.15 0.25 0.46 0.09	1.45 1.30 2.34 0.85	0.43 0.43 0.51 0.30	1.24 2.14 5.31 0.48	0.17 0.25 0.40 0.12	1.50 4.11 15.72 0.47	0.19 0.36 0.72 0.15	1.42 5.37 26.23 *0.10	0.26 0.46 1.35 0.07
1 to 11 times in the past year														
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension	0.55 7.10	0.14 0.61	0.82 7.89	0.24 0.84	*0.21 6.13	0.11 0.84	*0.12 3.18	0.12 0.91	*0.25 5.85	0.14 0.65	*1.05 12.04	0.41 1.67	*5.31 31.30	2.46 7.15
Cirrhosis of the liver	*0.03 0.54	0.03 0.15	*0.05 *0.64	0.05 0.25	 *0.41	 0.14	_	_	*0.05 *0.68	0.05 0.25	 *0.48	_ 0.21	 *1.33	— 0.94
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	2.81 *0.34	0.28 0.38 0.13 0.17	1.81 2.35 *0.52 0.78	0.44 0.51 0.22 0.27	1.58 3.37 *0.13 0.49	0.36 0.63 0.09 0.19	*0.81 *1.40 —	0.44 0.60 —	1.19 2.67 *0.12 0.54	0.29 0.47 0.12 0.23	3.12 4.41 *0.88 *0.97	0.71 1.07 0.40 0.41	*6.45 *1.32 *2.58 *4.49	3.01 0.81 1.94 2.26
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	_	0.23 0.31 0.59 0.17	1.40 1.94 6.82 *0.35	0.35 0.37 0.82 0.16	1.65 2.42 6.07 0.90	0.38 0.49 0.79 0.33	*0.99 *0.51 *2.02 *1.25	0.51 0.39 0.87 0.76	1.60 2.39 5.35 0.49	0.34 0.44 0.73 0.16	1.67 2.59 12.77 *0.45	0.49 0.69 1.59 0.30	*1.47 *4.01 15.56	1.46 2.16 5.29
12 or more times in the past year	0.00	0	0.00	0.10	0.00	0.00	20	00	0.10	0.10	0.10	0.00		
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension		0.15 0.57	0.80 9.43	0.21 0.73	*0.26 7.16	0.14 0.85	*0.25 3.76	0.17 0.77	*0.33 6.37	0.18 0.73	1.54 19.32	0.51 1.75	*2.25 39.71	1.17 5.86
Cirrhosis of the liver Any other form of liver disease	0.34	0.13 0.17	*0.41 0.91	0.19 0.20	*0.19 0.93	0.14 0.30	*0.13 *0.13	0.13 0.13	*0.16 1.12	0.09 0.29	*1.01 1.54	0.56 0.44	*0.25 —	0.25
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	2.70 0.31	0.28 0.34 0.08 0.15	1.87 2.63 *0.30 0.86	0.35 0.37 0.11 0.19	2.15 2.84 *0.32 1.24	0.53 0.63 0.12 0.32	*1.15 1.17 *0.08 *0.07	0.44 0.38 0.08 0.07	1.80 2.82 *0.08 0.55	0.40 0.51 0.05 0.17	3.49 3.85 1.04 2.26	0.68 0.79 0.36 0.53	*1.10 *5.64 *0.65 *6.46	0.75 2.04 0.64 2.35
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.46	0.23 0.25 0.55 0.09	1.32 1.67 7.61 0.28	0.29 0.29 0.68 0.11	1.76 2.75 7.10 *0.26	0.39 0.49 0.84 0.11	1.38 *0.43 2.17 *0.33	0.40 0.19 0.64 0.24	1.20 1.81 6.81 0.36	0.28 0.32 0.78 0.12	2.37 3.98 14.99 *0.06	0.73 0.81 1.66 0.04	*5.30 23.86 *0.10	2.17 4.24 0.10

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 2-6. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to Wave 1 past-year frequency of drinking enough to feel drunk among Wave 1 current drinkers.¹

	Both s	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year frequency of drinking enough to feel drunk and Wave 2 past-year health conditions	Fatiments.	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Never in the past year														
Hardening of the arteries or arteriosclerosis	1.49 11.70	0.12 0.39	1.93 12.33	0.21 0.60	1.08 11.09	0.14 0.49	*0.24 3.55	0.12 0.66	0.30 7.49	0.07 0.47	1.34 16.07	0.18 0.75	5.49 22.01	0.61 1.16
Cirrhosis of the liver	0.10 0.41	0.03 0.06	*0.12 0.54	0.05 0.11	*0.08 0.28	0.03 0.07	*0.06 *0.01	0.06 0.01	*0.08 0.46	0.04 0.11	*0.17 0.52	0.07 0.12	*0.02 *0.23	0.02 0.10
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	2.59 3.19 0.68 2.04	0.16 0.19 0.08 0.13	2.58 2.58 0.95 2.12	0.23 0.22 0.14 0.20	2.59 3.79 0.43 1.96	0.23 0.30 0.09 0.17	1.18 1.35 — *0.27	0.44 0.45 — 0.15	1.52 2.08 0.26 0.66	0.21 0.27 0.09 0.12	3.51 3.84 0.66 2.40	0.34 0.35 0.14 0.25	3.89 5.47 2.07 5.63	0.41 0.51 0.35 0.50
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.43 3.26 11.22 0.49	0.12 0.18 0.36 0.08	1.12 2.56 10.35 0.51	0.16 0.24 0.52 0.12	1.74 3.95 12.14 0.48	0.17 0.26 0.47 0.11	1.38 1.18 2.13 1.57	0.45 0.42 0.56 0.50	1.30 2.15 5.88 0.49	0.18 0.24 0.41 0.12	1.57 4.19 15.76 0.43	0.18 0.36 0.72 0.14	1.46 5.00 26.07 *0.10	0.27 0.46 1.28 0.07
1 to 11 times in the past year														
Hardening of the arteries or arteriosclerosis	0.48 6.95	0.10 0.42	0.68 8.61	0.16 0.63	*0.24 5.05	0.09 0.51	*0.19 3.16	0.13 0.64	*0.18 4.78	0.08 0.45	*0.76 14.51	0.28 1.39	5.98 36.65	1.96 5.89
Cirrhosis of the liver	*0.16 0.63	0.09 0.12	*0.26 0.83	0.17 0.19	*0.02 0.38	0.02 0.14	_	_	*0.09 0.78	0.05 0.18	*0.48 0.78	0.40 0.22	*0.73	— 0.74
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	1.70 2.59 0.37 1.03	0.21 0.25 0.11 0.14	1.40 2.17 0.51 1.10	0.25 0.31 0.18 0.21	2.07 3.09 *0.21 0.94	0.36 0.43 0.11 0.21	1.14 1.31 *0.08 *0.17	0.38 0.47 0.08 0.17	1.38 2.41 *0.05 0.60	0.26 0.33 0.04 0.16	2.90 3.85 1.27 1.68	0.54 0.72 0.46 0.38	*3.00 5.11 *1.68 9.68	1.51 1.74 1.11 2.54
Stomach ulcer	1.37 2.28 6.67 0.33	0.20 0.23 0.46 0.08	1.11 2.03 6.64 *0.24	0.27 0.31 0.62 0.09	1.68 2.60 6.71 0.44	0.28 0.37 0.61 0.15	1.43 *0.90 3.04 *0.14	0.42 0.37 0.69 0.14	1.32 2.29 4.78 0.43	0.25 0.32 0.50 0.12	1.56 2.87 14.11 *0.30	0.50 0.61 1.40 0.20	*0.50 *7.07 22.53	0.39 2.42 4.29
12 or more times in the past year	0.55	0.00	0.24	0.09	0.44	0.13	0.14	0.14	0.43	0.12	0.30	0.20		
Hardening of the arteries or arteriosclerosis High blood pressure or hypertension	0.87 7.00	0.26 0.72	0.81 7.05	0.30 0.89	*0.99 6.89	0.44 1.26	*0.21 3.06	0.21 0.79	*0.59 6.79	0.37 1.15	*0.94 13.23	0.39 2.44	*8.27 27.41	3.18 5.97
Cirrhosis of the liver	*0.19 0.87	0.10 0.25	*0.10 *0.58	0.08 0.28	*0.39 1.48	0.28 0.50	*0.21 *0.21	0.21 0.21	*0.15 *1.08	0.13 0.49	*0.33 *1.36	0.33 0.55	 *2.00	_ 1.42
Chest pain or angina pectoris	2.26 3.03 0.53 0.99	0.43 0.48 0.19 0.25	1.97 2.37 *0.55 0.91	0.47 0.50 0.23 0.27	2.87 4.47 *0.50 *1.17	0.91 1.02 0.32 0.49	*0.62 *1.39 —	0.35 0.50 —	2.69 3.45 *0.07 *0.69	0.77 0.89 0.07 0.34	3.00 3.64 *2.71 *2.76	1.27 1.24 1.10 0.95	*7.75 9.16 *1.48 *5.28	2.85 3.14 1.47 2.52
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.42 1.66 6.32 *0.31	0.28 0.28 0.67 0.14	1.59 1.41 6.53 *0.36	0.38 0.31 0.88 0.19	*1.04 2.19 5.87 *0.18	0.38 0.55 0.96 0.11	*1.17 *0.18 *1.33 *0.31	0.48 0.13 0.63 0.31	1.24 1.33 7.24 *0.29	0.39 0.37 1.14 0.14	2.86 3.73 12.60 *0.44	0.99 1.04 2.23 0.36	*8.97 22.27 —	 3.17 4.76

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 2-7. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to age of starting to drink among Wave 1 current drinkers. 1

	Both s	exes		S	ex					Age group	at Wave 1			
Age of starting to drink and Wave 2 past-year health conditions	Fatin ata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
14 years or younger														
Hardening of the arteries or arteriosclerosis	1.63 8.78	0.38 0.86	2.02 9.36	0.58 1.20	*1.00 7.88	0.43 1.28	*0.43 *3.50	0.43 1.29	*1.06 6.60	0.52 0.99	*1.42 17.41	0.74 2.76	*10.52 20.55	3.47 5.65
Cirrhosis of the liver	*0.63 1.59	0.35 0.45	*0.97 1.81	0.56 0.65	*0.06 *1.24	0.06 0.60	_	_	*0.36 2.11	0.23 0.71	*1.94 *2.11	1.47 1.18	_	_
Chest pain or angina pectoris	3.19 4.08 *0.59 1.39	0.57 0.62 0.26 0.39	3.55 4.48 *0.76 0.98	0.80 0.85 0.35 0.36	2.57 3.43 *0.30 *2.06	0.78 0.85 0.20 0.73	*3.29 *1.91 *0.35 *0.72	1.70 0.99 0.34 0.72	2.15 4.08 *0.01 *0.98	0.68 0.84 0.01 0.43	5.61 4.50 *1.55 *1.23	1.48 1.37 0.81 0.62	*3.21 *8.52 *2.64 *7.37	1.62 2.93 2.00 3.02
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	2.80 3.28 10.17 0.73	0.56 0.61 1.19 0.23	2.38 3.63 11.94 *0.42	0.73 0.88 1.77 0.22	3.51 2.68 7.13 1.24	0.90 0.73 1.24 0.50	*2.95 *4.20 *1.30	1.33 — 1.76 0.78	3.20 2.51 9.02 *0.72	0.71 0.64 1.66 0.34	*2.56 8.02 16.06 *0.51	1.58 2.26 2.63 0.25	*2.64 24.69	— 1.57 6.10 —
15 to 17 years														
Hardening of the arteries or arteriosclerosis	0.76 8.30	0.14 0.47	0.96 9.91	0.23 0.68	0.48 6.01	0.15 0.53	*0.29 2.80	0.17 0.65	*0.29 6.96	0.12 0.61	1.18 15.91	0.31 1.44	4.56 19.10	1.50 2.80
Cirrhosis of the liver	*0.19 0.42	0.07 0.10	*0.21 0.45	0.10 0.14	*0.16 0.37	0.10 0.13	*0.20 *0.13	0.15 0.13	*0.11 0.52	0.07 0.15	*0.41 *0.60	0.23 0.23	_	_
Chest pain or angina pectoris	1.94 2.75 0.50 1.29	0.22 0.28 0.11 0.17	1.76 2.21 0.75 1.70	0.26 0.33 0.19 0.27	2.21 3.57 *0.11 0.67	0.38 0.49 0.07 0.15	*0.60 1.04 —	0.26 0.36 —	1.61 2.51 *0.25 0.67	0.28 0.40 0.11 0.19	4.04 4.73 1.05 2.13	0.75 0.78 0.35 0.43	1.90 3.47 *1.98 7.29	0.65 1.08 0.84 1.53
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.47 2.31 7.62 0.35	0.19 0.26 0.45 0.10	1.39 1.89 7.24 0.28	0.25 0.30 0.58 0.11	1.59 2.95 8.19 0.44	0.28 0.43 0.72 0.17	1.42 1.11 1.99 *0.53	0.41 0.40 0.58 0.31	1.22 1.88 5.97 0.38	0.28 0.31 0.58 0.12	2.20 3.72 14.66 *0.19	0.45 0.62 1.36 0.13	*1.06 4.71 24.41 *0.04	0.46 1.18 3.25 0.04
18 to 20 years														
Hardening of the arteries or arteriosclerosis High blood pressure or hypertension	1.02 9.86	0.13 0.46	1.14 11.04	0.17 0.72	0.87 8.40	0.18 0.60	*0.13 3.78	0.09 0.68	*0.10 6.75	0.06 0.63	1.07 14.82	0.21 1.00	5.74 22.02	0.87 1.88
Cirrhosis of the liver Any other form of liver disease	*0.06 0.43	0.03 0.09	*0.03 0.55	0.02 0.15	*0.10 0.27	0.05 0.09	*0.01	— 0.01	*0.05 0.35	0.04 0.13	*0.09 0.63	0.06 0.19	*0.04 *0.63	0.04 0.28
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	2.17 2.87 0.52 1.71	0.20 0.23 0.10 0.15	2.15 2.29 0.69 1.73	0.27 0.27 0.16 0.22	2.19 3.60 0.32 1.68	0.32 0.42 0.09 0.22	*0.92 1.48 — *0.08	0.34 0.53 — 0.08	1.44 2.14 *0.05 0.59	0.29 0.35 0.04 0.13	2.63 3.50 0.84 2.36	0.38 0.48 0.24 0.34	5.33 5.76 2.08 6.37	0.86 0.81 0.55 0.87
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.14 2.83 8.88 0.36	0.14 0.22 0.45 0.09	0.99 2.35 9.01 0.40	0.18 0.27 0.63 0.11	1.32 3.44 8.72 0.31	0.20 0.36 0.59 0.12	1.03 *0.67 2.30 *0.60	0.37 0.35 0.57 0.37	0.97 2.04 5.23 0.36	0.19 0.31 0.52 0.11	1.26 3.49 14.15 0.30	0.23 0.41 1.01 0.11	1.53 6.82 23.09 *0.25	0.45 0.87 2.08 0.19

235 -

Table 2-7. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to age of starting to drink among Wave 1 current drinkers. (Continued)

	Both	sexes		S	ex					Age group	at Wave 1			
Age of starting to drink and Wave 2 past-year health conditions		1	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
21 years or older														
Hardening of the arteries or arteriosclerosis	1.51 11.67	0.18 0.58	2.27 11.36	0.39 0.89	1.02 11.89	0.17 0.67	*0.09 3.15	0.09 1.02	*0.31 5.80	0.11 0.56	1.28 16.39	0.25 1.07	5.43 25.75	0.84 1.92
Cirrhosis of the liver		0.02 0.10	*0.07 0.57	0.04 0.18	*0.03 0.38	0.02 0.12	_	_	*0.07 0.66	0.04 0.21	*0.05 0.41	0.04 0.12	 *0.26	— 0.15
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	3.21	0.24 0.27 0.12 0.18	2.25 2.29 0.97 1.79	0.34 0.36 0.23 0.26	2.83 3.84 0.59 2.06	0.31 0.36 0.15 0.27	*0.62 *1.52 — *0.53	0.40 0.60 — 0.35	1.56 1.81 *0.30 0.52	0.28 0.32 0.14 0.15	3.48 3.69 0.75 2.40	0.46 0.47 0.20 0.36	3.97 6.15 1.96 4.95	0.64 0.78 0.48 0.74
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.38 3.20 11.46 0.41	0.15 0.26 0.46 0.11	0.78 1.95 8.97 *0.36	0.20 0.34 0.65 0.15	1.77 4.04 13.28 0.44	0.22 0.37 0.63 0.15	*0.55 *0.84 *1.62 *1.27	0.39 0.39 0.72 0.60	1.22 2.28 4.93 0.52	0.22 0.34 0.45 0.21	1.66 3.98 16.65 *0.35	0.29 0.52 0.93 0.14	1.46 4.66 27.34 —	0.39 0.66 1.82

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 2-8. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to Wave 1 past-year alcoholic beverage preference 1 among Wave 1 current drinkers. 2

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year alcoholic beverage preference and Wave 2 past-year health conditions	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Coolers														
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension	*0.37 7.88	0.18 1.06	— 11.52	 3.46	*0.47 6.82	0.23 0.98	*0.49 3.73	0.49 1.33	*0.23 7.74	0.22 1.40	*0.32 15.49	0.25 3.67	*1.71 *9.05	1.71 8.57
Cirrhosis of the liver Any other form of liver disease	*0.13 *0.18	0.13 0.14	_	_	*0.17 *0.23	0.16 0.18	*0.49 *0.49	0.49 0.49	_	_	 *0.27	 0.27	_	_
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	3.24 3.46 *0.28 1.14	0.67 0.72 0.14 0.35	*3.46 *1.78 *0.74 *1.92	1.62 1.00 0.55 1.10	3.17 3.94 *0.15 0.91	0.74 0.91 0.09 0.32	*1.73 *0.91 —	0.80 0.57 —	2.76 3.19 *0.26 *1.17	0.85 0.99 0.17 0.50	6.15 6.91 *0.16 *2.01	2.41 2.33 0.16 1.03	*5.70 *8.51 *3.72 *4.92	4.07 5.37 3.33 4.43
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.83 2.93 7.56 0.85	0.41 0.51 0.97 0.32	*0.62 *0.50 7.05 *1.89	0.54 0.38 2.39 1.14	2.17 3.61 7.71 *0.56	0.51 0.64 1.01 0.24	*0.62 *1.08 *2.84 *0.50	0.45 0.75 1.21 0.40	2.20 3.37 7.54 *1.07	0.67 0.85 1.38 0.53	2.48 3.21 13.71 *0.28	0.94 1.15 2.64 0.28	*1.87 *10.12 *27.62 *3.99	1.86 5.75 11.00 3.89
Beer														
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension	1.01 9.57	0.14 0.48	1.28 9.45	0.18 0.56	*0.22 9.94	0.09 0.83	*0.21 3.53	0.14 0.65	0.40 6.47	0.12 0.55	1.29 17.98	0.27 1.24	5.99 20.85	1.34 2.41
Cirrhosis of the liver	0.24 0.65	0.08 0.11	0.29 0.72	0.11 0.13	*0.09 0.45	0.05 0.17	*0.01	— 0.01	*0.12 0.76	0.06 0.19	0.64 0.84	0.28 0.20	*0.03 *0.48	0.03 0.33
Chest pain or angina pectoris	2.10 3.03 0.63 1.23	0.23 0.24 0.11 0.14	1.83 2.46 0.75 1.22	0.23 0.24 0.15 0.16	2.92 4.79 0.27 1.29	0.52 0.65 0.09 0.27	*0.52 1.20 — *0.10	0.35 0.38 — 0.10	1.54 2.62 *0.30 0.63	0.26 0.36 0.12 0.15	3.71 4.38 1.30 2.00	0.53 0.58 0.32 0.29	3.26 4.56 *1.65 4.79	0.84 1.01 0.67 0.92
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.30 2.62 8.40 0.45	0.16 0.25 0.47 0.11	1.05 2.26 7.95 0.40	0.18 0.27 0.51 0.13	2.09 3.71 9.83 0.61	0.36 0.54 0.86 0.21	*0.60 *0.40 2.15 *0.22	0.26 0.15 0.59 0.18	1.32 2.05 5.41 0.39	0.21 0.31 0.55 0.11	1.82 4.27 15.34 0.81	0.41 0.60 1.23 0.35	*0.68 4.87 25.37 *0.03	0.31 1.07 2.87 0.03
Wine										• • • • • • • • • • • • • • • • • • • •				
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension	1.86 11.26	0.26 0.71	2.98 12.47	0.69 1.37	1.42 10.79	0.24 0.78	 *2.88	_ 2.10	*0.15 5.39	0.12 0.79	0.90 13.51	0.26 1.14	6.52 21.10	1.09 1.84
Cirrhosis of the liver Any other form of liver disease	*0.08 0.48	0.05 0.15	*0.50	 0.36	*0.11 0.47	0.07 0.16	_	_	*0.12 *0.54	0.12 0.21	*0.09 *0.60	0.09 0.29	 *0.27	 0.20
Chest pain or angina pectoris	3.75 0.70	0.27 0.38 0.15 0.25	2.17 4.50 1.34 2.38	0.55 0.79 0.41 0.51	2.47 3.45 0.45 2.06	0.31 0.45 0.14 0.30	*1.22 *2.86 —	1.20 2.16 —	1.59 2.02 *0.24 *0.46	0.42 0.49 0.15 0.20	2.46 3.39 0.50 2.30	0.44 0.55 0.19 0.40	3.60 7.12 1.84 4.75	0.61 0.97 0.53 0.79
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode		0.20 0.30 0.79 0.03	*0.55 2.61 10.54 *0.08	0.23 0.55 1.21 0.06	1.49 3.79 13.28 *0.03	0.27 0.39 0.88 0.03	*1.90 — *2.84	1.38 — 2.07 —	0.65 1.51 6.36 *0.05	0.31 0.37 0.79 0.05	1.57 4.05 14.93 *0.07	0.34 0.55 1.24 0.05	1.25 5.71 22.73	0.45 0.80 2.12

Table 2-8. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to Wave 1 past-year alcoholic beverage preference among Wave 1 current drinkers. (Continued)

	Both s	exes		S	ex					Age group	at Wave 1			
Wave 1 past-year alcoholic beverage preference and Wave 2 past-year health conditions	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45-64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Liquor														
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension	1.65 12.05	0.30 1.14	2.22 12.12	0.57 1.64	1.23 12.00	0.35 1.43	*0.59 *2.71	0.42 1.20	*0.21 9.08	0.21 1.46	1.65 13.89	0.52 2.22	5.06 27.45	1.27 3.86
Cirrhosis of the liver	*0.18 *0.60	0.10 0.25	*0.25 *1.09	0.20 0.54	*0.12 *0.24	0.09 0.19	*0.29 —	0.29 —	*0.34 *1.54	0.26 0.73	 *0.12	 0.09	*0.10 *0.18	0.10 0.18
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	3.94 3.48 0.72 2.06	0.56 0.52 0.23 0.41	4.61 2.97 *0.76 2.21	0.91 0.75 0.36 0.67	3.43 3.85 *0.68 1.95	0.72 0.71 0.31 0.45	*2.47 *1.58 — *0.43	1.50 1.14 — 0.38	2.02 1.79 — *0.33	0.71 0.71 — 0.26	6.62 4.83 *1.06 2.56	1.34 1.13 0.52 0.72	4.08 5.67 *1.93 5.67	1.16 1.24 0.82 1.38
Stomach ulcer	1.61 4.14 12.43 *0.68	0.31 0.63 1.13 0.27	1.43 3.82 11.36 *0.68	0.46 1.07 1.50 0.34	1.74 4.38 13.28 *0.68	0.43 0.75 1.56 0.41	*1.44 *1.21 *2.87 *2.97	0.96 1.01 1.58 1.69	1.22 2.97 5.49 *0.23	0.45 0.79 1.17 0.16	2.37 5.37 19.60 *0.60	0.65 1.38 2.31 0.40	*1.22 6.43 28.27 —	0.66 1.46 3.48 —
No preference														
Hardening of the arteries or arteriosclerosis	1.00 9.48	0.13 0.43	1.22 11.44	0.21 0.69	0.80 7.69	0.15 0.48	*0.09 3.07	0.06 0.65	0.25 6.23	0.09 0.49	1.31 15.51	0.25 1.04	5.06 25.90	0.94 2.15
Cirrhosis of the liver	*0.03 0.41	0.02 0.08	*0.02 0.45	0.01 0.12	*0.04 0.36	0.03 0.11	_	_	*0.04 0.45	0.04 0.14	*0.03 0.57	0.02 0.17	*0.39	— 0.21
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease		0.18 0.25 0.10 0.20	2.13 1.81 0.66 2.09	0.28 0.30 0.16 0.29	1.83 3.11 0.35 1.64	0.25 0.35 0.11 0.24	*0.94 1.35 *0.08 *0.23	0.36 0.45 0.08 0.17	1.35 2.01 *0.02 0.66	0.24 0.31 0.01 0.17	2.46 3.05 0.78 2.50	0.36 0.51 0.23 0.43	5.05 4.72 2.47 8.09	0.90 0.83 0.69 1.24
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.49 2.42 8.74 0.46	0.17 0.21 0.41 0.09	1.53 1.91 9.10 0.37	0.27 0.28 0.62 0.12	1.45 2.89 8.38 0.55	0.23 0.32 0.56 0.15	2.11 1.14 1.99 *0.84	0.47 0.42 0.54 0.33	1.33 1.97 5.38 0.58	0.26 0.30 0.47 0.17	1.24 3.14 14.35 *0.21	0.28 0.50 1.03 0.09	1.92 4.36 27.15 *0.09	0.53 0.75 2.13 0.09

¹ Alcoholic beverage preference: was assigned to a single type of alcoholic beverage that comprised at least 75 percent of an individual's overall past-year ethanol intake or was considered as "no preference" otherwise.

2 Current drinker: 1 or more drinks in the past year.

* Fewer than 10 observations in the cell.

[—] Empty cell.

Table 2-9. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to family history of alcoholism at Wave 1 among Wave 1 current drinkers.¹

	Both s	sexes		S	Sex					Age group	at Wave 1			
Family history of alcoholism at Wave 1 and Wave 2 past-year health conditions	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
None														
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension	1.33 10.22	0.14 0.44	1.51 10.55	0.20 0.57	1.08 9.78	0.19 0.62	*0.28 2.42	0.17 0.51	0.33 5.89	0.09 0.49	1.22 16.81	0.25 0.91	5.55 24.07	0.69 1.69
Cirrhosis of the liver	*0.10 0.46	0.04 0.08	*0.11 0.49	0.05 0.11	*0.08 0.43	0.05 0.12	*0.12 *0.13	0.12 0.12	*0.10 0.48	0.06 0.13	*0.12 0.65	0.08 0.17	*0.03 *0.33	0.03 0.16
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	2.05 2.74 0.67 1.76	0.16 0.21 0.10 0.16	2.16 2.26 0.86 1.75	0.24 0.26 0.16 0.20	1.90 3.38 0.42 1.77	0.21 0.35 0.11 0.22	*1.00 0.83 — *0.14	0.35 0.29 — 0.10	0.95 1.50 *0.26 0.57	0.16 0.23 0.11 0.15	2.95 3.50 0.88 2.21	0.35 0.43 0.22 0.31	4.44 6.70 2.05 5.97	0.60 0.70 0.40 0.71
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.11 2.82 9.21 0.34	0.13 0.21 0.38 0.09	0.91 2.33 8.28 0.35	0.16 0.26 0.50 0.14	1.38 3.48 10.52 0.33	0.21 0.33 0.59 0.11	1.19 0.86 1.18 *0.87	0.37 0.32 0.34 0.37	0.89 1.80 5.06 0.23	0.17 0.23 0.41 0.08	1.43 3.74 14.17 *0.34	0.26 0.46 0.87 0.23	1.03 5.80 25.67 *0.17	0.26 0.66 1.62 0.12
2nd-degree relatives only														
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension	0.72 8.08	0.15 0.58	0.95 9.27	0.24 0.86	0.46 6.76	0.15 0.69	*0.18 3.58	0.13 0.82	*0.09 6.57	0.07 0.75	1.09 13.03	0.33 1.32	5.18 19.90	1.63 3.10
Cirrhosis of the liver	*0.20 0.49	0.11 0.12	*0.26 0.55	0.21 0.20	*0.13 *0.41	0.08 0.14	*0.09 —	0.09	*0.05 0.66	0.03 0.21	*0.61 *0.60	0.42 0.24	 *0.18	— 0.18
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	1.82 2.76 0.38 1.36	0.25 0.34 0.13 0.20	1.73 2.07 *0.53 1.21	0.30 0.42 0.22 0.26	1.92 3.53 *0.22 1.53	0.40 0.53 0.13 0.31	*0.61 1.96 — *0.15	0.32 0.72 — 0.13	1.58 2.14 — 0.74	0.33 0.51 — 0.22	2.73 4.07 *0.75 2.38	0.59 0.84 0.40 0.53	3.39 4.31 *2.58 5.14	1.15 1.18 1.13 1.46
Stomach ulcer	1.32 2.41 7.25 0.31	0.22 0.27 0.52 0.10	1.36 1.65 6.88 *0.32	0.37 0.31 0.71 0.13	1.26 3.27 7.69 *0.29	0.24 0.45 0.72 0.14	1.16 *0.82 3.03 *0.43	0.41 0.40 0.89 0.30	0.90 2.37 4.18 *0.38	0.29 0.41 0.59 0.15	2.09 3.28 14.58 *0.16	0.54 0.61 1.41 0.12	*1.69 3.87 23.63	0.85 1.33 3.86
1st-degree relatives only	0.01	0.10	0.02	0.10	0.20	0.14	0.10	0.00	0.00	0.10	0.10	0.12		
Hardening of the arteries or arteriosclerosis	1.84 11.25	0.34 0.85	2.18 11.70	0.54 1.29	1.50 10.79	0.35 1.04	*0.30 4.03	0.30 1.40	*0.16 7.24	0.13 0.94	0.94 15.22	0.26 1.75	8.29 19.90	1.74 2.58
Cirrhosis of the liver Any other form of liver disease	*0.06 0.46	0.03 0.16	*0.11 0.79	0.06 0.31	*0.01 *0.13	0.01 0.07	_	_	*0.10 *0.49	0.08 0.34	*0.04 *0.42	0.04 0.19	*0.03 *0.72	0.03 0.43
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	2.75 3.47 0.54 2.70	0.38 0.44 0.15 0.35	2.46 2.79 0.65 2.73	0.52 0.54 0.24 0.55	3.05 4.18 *0.44 2.66	0.54 0.66 0.19 0.46	*1.70 *1.92 — *0.85	1.08 1.11 — 0.85	1.88 3.12 — *0.82	0.49 0.66 — 0.33	3.35 3.68 0.59 2.37	0.71 0.74 0.23 0.49	3.91 4.52 *1.84 8.53	0.91 1.07 0.72 1.46
Stomach ulcer Gastritis Arthritis	1.55 3.20 12.01	0.27 0.41 0.89	1.34 2.94 10.92	0.35 0.63 1.11	1.76 3.47 13.25	0.38 0.53 1.25	*3.40 — *1.05	1.52 — 0.59	1.41 1.79 7.49	0.42 0.52 1.27	1.28 4.30 15.97	0.39 0.82 1.75	*1.52 5.47 25.85	0.50 1.21 2.76
Schizophrenia or psychotic illness or episode	0.43	0.18	*0.22	0.15	*0.65	0.33	_	_	*0.67	0.43	*0.50	0.23	_	_

239 -

Table 2-9. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to family history of alcoholism at Wave 1 among Wave 1 current drinkers. (Continued)

	Both :	sexes		S	ex					Age group	at Wave 1			
Family history of alcoholism at Wave 1 and Wave 2 past-year health conditions		1	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Both 1st- and 2nd-degree relatives														
Hardening of the arteries or arteriosclerosis		0.16 0.60	1.39 11.31	0.31 0.97	0.54 9.51	0.13 0.70	*0.08 4.30	0.06 0.89	0.47 7.22	0.19 0.76	1.45 15.99	0.30 1.29	3.16 27.41	1.09 3.52
Cirrhosis of the liver		0.06 0.15	*0.23 0.95	0.12 0.30	*0.10 0.40	0.05 0.12	_	_	*0.14 0.91	0.09 0.26	*0.27 0.67	0.14 0.27	_	_
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	3.56	0.31 0.34 0.13 0.16	2.59 3.14 0.92 1.39	0.47 0.48 0.24 0.29	3.49 3.90 0.41 1.06	0.41 0.50 0.14 0.20	*1.34 *1.35 *0.14 —	0.64 0.46 0.14	2.58 3.56 *0.26 0.58	0.44 0.55 0.11 0.16	4.57 4.38 1.17 2.30	0.64 0.61 0.32 0.42	3.38 4.16 *1.69 2.90	1.05 1.11 0.79 0.89
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.99 3.03 10.54 0.72	0.22 0.30 0.59 0.15	1.50 2.28 10.76 0.80	0.32 0.42 0.93 0.22	2.39 3.65 10.36 0.65	0.32 0.44 0.71 0.19	*1.17 *1.01 3.73 *1.06	0.52 0.54 0.97 0.51	2.31 2.52 7.32 0.79	0.35 0.40 0.72 0.21	1.89 4.41 17.36 0.63	0.36 0.61 1.27 0.22	*1.87 4.24 26.01 —	0.88 1.08 3.13

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 2-10. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to having had alcoholic parents by Wave 1 among Wave 1 current drinkers.¹

	Both s	sexes		S	ex					Age group	at Wave 1			
Having had alcoholic parents by Wave 1 and Wave 2 past-year health conditions	Fatherste	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Yes</u>														
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension	1.09 9.80	0.17 0.57	1.31 10.75	0.30 0.98	0.91 9.03	0.20 0.65	*0.16 4.30	0.10 0.81	0.43 7.02	0.18 0.66	1.14 15.84	0.26 1.28	8.55 25.58	1.88 3.65
Cirrhosis of the liver	*0.11 0.70	0.05 0.15	*0.18 1.09	0.10 0.30	*0.06 0.38	0.04 0.12	_	_	*0.08 0.84	0.06 0.25	*0.23 0.85	0.13 0.29	— *0.65	— 0.47
Chest pain or angina pectoris	2.85 3.30 0.46 1.39	0.31 0.33 0.11 0.16	2.75 2.88 0.53 1.40	0.49 0.45 0.18 0.27	2.94 3.65 0.41 1.38	0.37 0.48 0.13 0.24	1.64 *1.31 *0.12 *0.25	0.64 0.45 0.12 0.25	2.36 3.26 *0.19 0.50	0.42 0.51 0.09 0.15	4.32 4.57 0.83 2.60	0.61 0.67 0.27 0.40	*2.28 *2.17 *1.41 4.73	0.91 0.84 0.73 1.42
Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.96 2.92 10.49 0.65	0.22 0.28 0.56 0.13	1.50 2.46 10.87 0.61	0.31 0.41 0.91 0.19	2.34 3.31 10.16 0.69	0.31 0.40 0.68 0.19	2.03 *0.88 3.35 *0.76	0.64 0.47 0.88 0.41	2.39 2.25 7.58 0.71	0.37 0.35 0.70 0.20	1.44 4.57 17.42 0.65	0.29 0.62 1.33 0.21	*1.33 4.76 27.34 —	0.81 1.28 3.59
<u>lo</u>														
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension	1.19 9.93	0.10 0.32	1.48 10.50	0.16 0.44	0.84 9.24	0.12 0.44	*0.23 2.93	0.10 0.45	0.25 6.34	0.06 0.39	1.23 15.67	0.18 0.68	5.28 22.93	0.59 1.25
Cirrhosis of the liver	0.13 0.45	0.04 0.06	0.16 0.51	0.06 0.09	*0.10 0.38	0.04 0.08	*0.10 *0.08	0.08 0.07	*0.11 0.56	0.04 0.11	*0.23 0.54	0.11 0.11	*0.02 *0.29	0.02 0.12
Chest pain or angina pectoris	2.16 2.93 0.62 1.75	0.13 0.17 0.07 0.11	2.05 2.35 0.84 1.76	0.18 0.20 0.11 0.16	2.30 3.65 0.37 1.74	0.19 0.28 0.08 0.17	0.81 1.35 — *0.14	0.23 0.33 — 0.08	1.34 2.01 0.16 0.68	0.16 0.25 0.06 0.12	3.05 3.61 0.90 2.19	0.29 0.35 0.16 0.24	4.32 6.14 2.12 6.07	0.46 0.57 0.36 0.54
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.24 2.80 9.09 0.36	0.10 0.15 0.32 0.07	1.09 2.20 8.23 0.37	0.14 0.20 0.37 0.09	1.43 3.54 10.21 0.36	0.15 0.24 0.46 0.09	1.11 0.80 1.88 0.71	0.27 0.23 0.39 0.25	0.94 2.06 5.04 0.36	0.13 0.21 0.32 0.09	1.70 3.69 14.56 0.32	0.22 0.34 0.67 0.14	1.33 5.35 25.24 *0.11	0.26 0.48 1.41 0.07

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 2-11. Rate (%) of selected Wave 2 past-year health conditions among individuals without the respective past-year health conditions at Wave 1, by sex and age group, according to having ever married/lived as if married with an alcoholic at Wave 1 among Wave 1 current drinkers.¹

	Both s	sexes		S	ex					Age group	at Wave 1			
Having ever married/lived as if married with an alcoholic at Wave 1 and Wave 2 past-year health conditions		0.5	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Yes</u>														
Hardening of the arteries or arteriosclerosis High blood pressure or hypertension	1.14 9.56	0.25 0.70	1.80 11.67	0.73 1.69	0.94 8.92	0.23 0.79	*0.41 *5.40	0.41 2.53	*0.53 6.83	0.24 0.91	1.16 12.35	0.38 1.32	4.16 17.40	1.66 3.17
Cirrhosis of the liver	*0.21 0.94	0.11 0.21	*0.37 1.81	0.37 0.63	*0.16 0.68	0.09 0.21	_	_	*0.23 1.31	0.14 0.40	*0.26 *0.74	0.22 0.27	 *0.37	— 0.29
Chest pain or angina pectoris	3.17 4.49 0.60 1.46	0.45 0.59 0.16 0.28	2.99 4.17 *0.64 1.68	0.75 0.93 0.30 0.61	3.23 4.59 0.58 1.39	0.54 0.68 0.20 0.30	*1.18 *1.78 —	1.02 1.28 —	2.86 4.12 *0.07 *0.58	0.70 1.04 0.06 0.26	3.30 4.48 1.04 1.96	0.71 0.76 0.36 0.51	4.91 7.24 *1.48 4.22	1.30 1.62 0.76 1.25
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	2.39 3.93 11.21 0.73	0.35 0.53 0.79 0.18	2.76 4.78 8.60 *0.61	0.80 1.33 1.70 0.39	2.27 3.67 12.06 0.77	0.40 0.50 0.92 0.21	*2.82 *0.80 *0.81 —	1.85 0.80 0.79	2.54 2.89 7.47 0.92	0.54 0.61 0.95 0.29	2.39 5.38 15.71 *0.78	0.53 1.02 1.61 0.32	*1.53 4.44 23.29 —	0.78 1.24 3.96 —
<u>No</u>														
Hardening of the arteries or arteriosclerosisHigh blood pressure or hypertension	1.17 9.94	0.09 0.31	1.43 10.50	0.15 0.44	0.85 9.24	0.11 0.41	*0.21 3.20	0.08 0.42	0.26 6.47	0.06 0.36	1.21 16.22	0.17 0.73	5.84 23.84	0.59 1.23
Cirrhosis of the liver	0.12 0.46	0.03 0.06	0.16 0.57	0.06 0.09	*0.07 0.32	0.03 0.07	*0.08 *0.06	0.06 0.05	*0.08 0.54	0.03 0.10	0.23 0.59	0.10 0.12	*0.02 *0.33	0.02 0.15
Chest pain or angina pectoris Rapid heart beat or tachycardia Heart attack or myocardial infarction Any other form of heart disease	2.23 2.85 0.58 1.69	0.13 0.15 0.06 0.10	2.15 2.37 0.78 1.69	0.18 0.18 0.10 0.14	2.32 3.46 0.34 1.70	0.19 0.25 0.07 0.15	1.01 1.33 *0.03 *0.17	0.26 0.27 0.03 0.09	1.44 2.10 0.18 0.65	0.16 0.19 0.06 0.10	3.36 3.74 0.85 2.34	0.30 0.33 0.15 0.22	3.97 5.47 2.08 6.07	0.42 0.52 0.35 0.53
Stomach ulcer Gastritis Arthritis Schizophrenia or psychotic illness or episode	1.30 2.70 9.22 0.40	0.09 0.14 0.29 0.06	1.10 2.13 8.75 0.41	0.13 0.17 0.37 0.08	1.55 3.44 9.85 0.38	0.14 0.24 0.40 0.09	1.30 0.82 2.30 0.75	0.25 0.22 0.39 0.22	1.14 2.01 5.44 0.39	0.14 0.19 0.32 0.08	1.52 3.67 15.14 0.34	0.19 0.32 0.71 0.13	1.31 5.36 25.71 *0.10	0.25 0.47 1.30 0.07

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 3-1. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year drinking status.¹

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year drinking status and first incidence rates of psychiatric disorders	Catimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>otal</u>														
1-year first incidence														
Alcohol use disorder	1.65	0.10	2.61	0.22	1.04	0.09	5.82	0.59	1.77	0.17	0.82	0.12	*0.15	0.08
	1.02	0.10	1.62	0.19	0.64	0.07	3.62	0.48	1.11	0.14	0.43	0.09	*0.08	0.07
	1.70	0.09	2.47	0.16	1.08	0.09	5.26	0.47	1.80	0.17	1.11	0.13	0.20	0.06
Nicotine dependence	4.41	0.17	5.40	0.27	3.55	0.22	7.15	0.62	4.69	0.28	4.61	0.29	1.62	0.18
Any drug use disorder Any drug abuse	0.31	0.04	0.35	0.06	0.28	0.05	1.37	0.26	0.29	0.07	0.09	0.03	*0.03	0.03
	0.28	0.04	0.30	0.06	0.26	0.05	1.29	0.26	0.27	0.07	*0.07	0.03		—
	0.32	0.04	0.46	0.08	0.18	0.04	1.29	0.24	0.23	0.06	0.18	0.06	*0.03	0.03
Any mood disorder	2.21	0.12	1.58	0.14	2.88	0.19	3.68	0.40	2.33	0.18	1.95	0.23	1.43	0.19
	1.51	0.08	0.98	0.10	2.04	0.14	2.12	0.30	1.51	0.13	1.39	0.15	1.25	0.18
	0.53	0.05	0.47	0.06	0.58	0.06	1.12	0.19	0.59	0.08	0.40	0.07	0.17	0.06
	0.21	0.03	0.11	0.03	0.29	0.05	0.38	0.11	0.21	0.05	0.19	0.07	*0.08	0.04
Any anxiety disorder	1.57	0.09	1.10	0.11	2.07	0.14	1.91	0.28	2.10	0.17	1.33	0.17	0.58	0.12
	0.62	0.05	0.40	0.06	0.84	0.08	0.92	0.16	0.80	0.10	0.50	0.08	0.19	0.06
	0.52	0.05	0.34	0.06	0.68	0.07	0.75	0.15	0.65	0.09	0.42	0.08	0.18	0.06
Panic with agoraphobia Social phobia Specific phobia Generalized anxiety	0.09	0.02	*0.05	0.02	0.13	0.03	*0.15	0.06	0.13	0.04	*0.07	0.02	*0.01	>0
	0.32	0.04	0.27	0.05	0.36	0.05	0.45	0.12	0.40	0.07	0.31	0.06	*0.05	0.02
	0.44	0.05	0.33	0.06	0.55	0.07	0.49	0.15	0.59	0.09	0.43	0.08	*0.09	0.04
	1.12	0.07	0.72	0.08	1.50	0.12	1.00	0.18	1.60	0.14	0.92	0.13	0.47	0.10
3-year first incidence	1.12	0.01	0.72	0.00	1.00	0.12	1.00	0.10	1.00	0.14	0.02	0.10	0.47	0.11
Alcohol use disorder	5.92	0.22	9.47	0.42	3.57	0.19	16.46	1.00	6.50	0.36	3.74	0.29	0.99	0.16
	5.23	0.22	8.39	0.40	3.12	0.19	13.84	0.89	5.81	0.37	3.30	0.27	0.93	0.15
	3.28	0.14	4.62	0.23	2.18	0.14	9.79	0.71	3.61	0.23	2.03	0.18	0.35	0.08
Nicotine dependence	6.85	0.21	8.29	0.34	5.60	0.25	10.93	0.75	7.38	0.35	6.97	0.38	2.67	0.2
Any drug use disorder	1.76	0.12	2.34	0.19	1.27	0.12	6.13	0.52	1.88	0.21	0.84	0.13	0.21	0.06
	1.69	0.12	2.24	0.19	1.22	0.11	6.00	0.52	1.80	0.21	0.79	0.12	*0.13	0.05
	0.85	0.07	1.16	0.13	0.58	0.09	2.79	0.33	0.88	0.12	0.44	0.09	*0.09	0.04
Any mood disorder	6.90	0.21	5.02	0.24	8.82	0.29	9.90	0.59	7.70	0.34	6.38	0.36	3.96	0.30
	4.76	0.15	3.16	0.19	6.38	0.23	5.68	0.44	5.07	0.25	4.65	0.27	3.55	0.29
	1.97	0.10	1.80	0.15	2.12	0.12	3.57	0.34	2.37	0.16	1.66	0.18	0.41	0.09
	0.65	0.05	0.46	0.06	0.82	0.08	1.47	0.21	0.74	0.08	0.47	0.09	0.14	0.05
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	6.75	0.21	4.87	0.22	8.67	0.34	8.57	0.58	7.81	0.32	6.54	0.36	3.36	0.30
	1.88	0.10	1.21	0.12	2.52	0.15	2.76	0.31	2.23	0.18	1.65	0.17	0.82	0.10
	1.47	0.09	0.97	0.10	1.94	0.13	2.16	0.28	1.68	0.15	1.31	0.16	0.71	0.14
	0.38	0.04	0.23	0.05	0.52	0.06	0.56	0.13	0.49	0.08	0.30	0.06	*0.10	0.09
Social phobia	1.58	0.08	1.32	0.10	1.83	0.12	2.38	0.32	1.89	0.14	1.42	0.15	0.55	0.10
Specific phobia	2.48	0.12	1.86	0.13	3.09	0.20	3.38	0.37	2.78	0.18	2.45	0.18	1.15	0.19
Generalized anxiety	3.33	0.13	2.07	0.15	4.52	0.21	2.96	0.37	4.15	0.22	3.32	0.23	1.67	0.2

Table 3-1. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year drinking status. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year drinking status and first incidence rates of psychiatric disorders	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Current drinker														
1-year first incidence														
Alcohol use disorder	2.34 1.46 2.28	0.16 0.14 0.13	3.26 2.02 3.03	0.31 0.27 0.22	1.64 1.04 1.53	0.15 0.12 0.13	7.82 4.79 6.52	0.93 0.69 0.64	2.32 1.49 2.27	0.23 0.19 0.23	1.17 0.62 1.50	0.18 0.14 0.18	*0.33 *0.18 0.42	0.18 0.16 0.13
Nicotine dependence	4.98	0.21	5.76	0.31	4.16	0.30	8.43	0.78	5.02	0.32	4.80	0.35	2.02	0.31
Any drug use disorder	0.37 0.35 0.38	0.06 0.06 0.06	0.39 0.37 0.53	0.09 0.09 0.10	0.35 0.34 0.22	0.08 0.07 0.06	1.74 1.67 1.56	0.38 0.38 0.33	0.30 0.30 0.23	0.08 0.08 0.07	*0.10 *0.07 0.24	0.04 0.03 0.09		_ _ _
Any mood disorder Major depressive disorder Bipolar II	2.27 1.55 0.54 0.20	0.13 0.11 0.06 0.03	1.57 0.99 0.47 0.12	0.15 0.12 0.07 0.04	3.20 2.27 0.63 0.29	0.23 0.19 0.09 0.06	3.59 2.11 1.03 0.41	0.46 0.34 0.22 0.14	2.51 1.60 0.62 0.25	0.22 0.16 0.10 0.06	1.75 1.35 0.35 0.08	0.22 0.19 0.07 0.03	1.45 1.23 *0.23 *0.07	0.26 0.24 0.10 0.05
Any anxiety disorder Any panic disorder Panic without aggraphobia	1.59 0.67 0.56	0.11 0.07 0.06	1.12 0.39 0.33	0.13 0.08 0.07	2.21 0.99 0.82	0.20 0.12 0.11	1.58 0.96 0.78	0.29 0.20 0.18	2.20 0.82 0.66	0.20 0.12 0.10	1.28 0.57 0.51	0.20 0.11 0.10	0.29 *0.06 *0.06	0.11 0.05 0.05
Panic with agoraphobia	0.10 0.27 0.46 1.16	0.03 0.04 0.06 0.08	*0.06 0.24 0.36 0.71	0.03 0.06 0.07 0.09	0.14 0.30 0.59 1.68	0.04 0.06 0.10 0.15	*0.16 *0.24 0.37 0.98	0.07 0.11 0.15 0.22	0.14 0.36 0.63 1.68	0.05 0.08 0.11 0.16	*0.06 0.21 0.45 0.83	0.03 0.08 0.12 0.12	*0.07 *0.02 0.34	0.03 0.02 0.11
Generalized anxiety	1.10	0.06	0.71	0.09	1.00	0.15	0.96	0.22	1.00	0.16	0.63	0.12	0.34	0.11
o year met moderice														
Alcohol use disorder	8.53 7.59 4.48	0.33 0.32 0.20	12.21 10.93 5.73	0.58 0.54 0.31	5.61 4.92 3.23	0.33 0.32 0.23	22.29 18.61 12.59	1.37 1.16 0.89	8.43 7.58 4.52	0.50 0.49 0.31	5.61 5.02 2.84	0.46 0.43 0.26	1.99 1.91 0.67	0.34 0.34 0.17
Nicotine dependence	7.62	0.26	8.74	0.39	6.41	0.33	12.69	0.92	7.73	0.38	7.21	0.46	3.17	0.39
Any drug use disorder Any drug abuse Any drug dependence	2.27 2.21 1.04	0.16 0.16 0.10	2.84 2.74 1.35	0.25 0.24 0.17	1.69 1.65 0.70	0.18 0.17 0.12	7.93 7.79 3.44	0.71 0.71 0.45	2.22 2.13 1.01	0.26 0.25 0.16	0.95 0.91 0.44	0.17 0.17 0.11	*0.20 *0.20 *0.01	0.09 0.09 0.01
Any mood disorder Major depressive disorder Bipolar I Bipolar II	6.96 4.83 1.90 0.70	0.25 0.20 0.11 0.07	4.89 3.05 1.69 0.52	0.28 0.21 0.15 0.08	9.60 7.04 2.14 0.91	0.38 0.33 0.17 0.10	10.31 6.07 3.51 1.63	0.68 0.50 0.40 0.28	7.71 5.07 2.27 0.81	0.42 0.32 0.19 0.10	5.81 4.50 1.25 0.37	0.39 0.35 0.16 0.09	3.76 3.36 0.45 *0.13	0.39 0.37 0.15 0.07
Any anxiety disorder	6.59 1.94 1.58 0.32	0.23 0.13 0.11 0.05	4.87 1.18 0.94 0.23	0.27 0.14 0.12 0.06	8.75 2.80 2.31 0.43	0.42 0.21 0.18 0.08	8.67 3.15 2.57 0.53	0.65 0.40 0.37 0.14	7.65 2.25 1.81 0.39	0.35 0.21 0.18 0.09	6.04 1.53 1.29 0.21	0.39 0.18 0.16 0.07	1.96 0.45 0.32 *0.12	0.28 0.14 0.11 0.09
Social phobia	1.52 2.32 3.31	0.10 0.13 0.15	1.26 1.79 2.15	0.12 0.15 0.18	1.81 2.95 4.65	0.17 0.21 0.26	2.13 3.37 3.39	0.36 0.41 0.45	1.80 2.56 4.11	0.15 0.19 0.24	1.28 2.23 2.91	0.18 0.21 0.25	0.40 0.55 1.35	0.13 0.16 0.25

Table 3-1. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year drinking status. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year drinking status and first incidence rates of psychiatric disorders	Fattanata	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Former drinker														
1-year first incidence														
Alcohol abuse	0.44 0.33	0.14 0.12	0.96 *0.78	0.37 0.34	*0.16 *0.09	0.07 0.05	*4.07 *3.95	1.75 1.66	*0.24 *0.11	0.14 0.09	*0.22 *0.05	0.13 0.05	=	=
Alcohol dependence Nicotine dependence	0.48 4.32	0.11 0.40	0.63 5.05	0.20 0.66	0.37 3.75	0.12 0.50	3.54 4.64	1.25 1.64	0.44 5.53	0.17 0.82	*0.34 5.59	0.14 0.71	— 1.48	0.34
Any drug use disorder Any drug abuse Any drug dependence	0.17 *0.13 0.15	0.06 0.05 0.05	*0.17 *0.16 *0.23	0.09 0.09 0.09	*0.16 *0.11 *0.09	0.08 0.06 0.06	*0.37 *0.29 *0.42	0.30 0.29 0.36	*0.33 *0.23 *0.26	0.16 0.13 0.14	*0.12 *0.12 *0.12	0.08 0.08 0.06	*0.01 — *0.01	0.01 — 0.01
Any mood disorder Major depressive disorder Bipolar I Bipolar II	1.92 1.23 0.56 0.22	0.25 0.19 0.12 0.07	1.76 1.06 0.51 *0.06	0.41 0.29 0.20 0.05	2.08 1.39 0.60 0.36	0.29 0.23 0.16 0.12	5.10 *2.93 *2.26 *0.07	1.94 1.61 1.01 0.07	1.87 1.18 *0.45 *0.16	0.40 0.31 0.17 0.08	2.09 1.21 0.68 *0.32	0.42 0.29 0.24 0.16	1.09 0.92 *0.12 *0.19	0.31 0.28 0.11 0.11
Any anxiety disorder Any panic disorder Panic without agoraphobia	1.72 0.55 0.51 *0.03	0.25 0.12 0.12 0.02	1.10 *0.54 *0.50 *0.03	0.28 0.21 0.20 0.03	2.33 0.57 0.52 *0.03	0.37 0.15 0.14 0.02	3.54 *1.24 *1.23	1.24 0.53 0.52	2.43 1.01 0.96 *0.02	0.53 0.35 0.34 0.02	1.53 *0.34 *0.26 *0.07	0.41 0.12 0.11 0.05	0.79 *0.16 *0.16	0.26 0.12 0.12
Panic with agoraphobia Social phobia Specific phobia Generalized anxiety	0.03 0.56 0.46 1.21	0.02 0.11 0.10 0.19	0.03 0.53 0.38 0.62	0.03 0.15 0.15 0.22	0.58 0.53 1.73	0.02 0.15 0.15 0.29	*2.51 *0.64 *1.11	1.00 0.63 0.54	0.02 0.69 0.57 1.75	0.02 0.23 0.21 0.37	0.07 0.52 0.51 1.28	0.05 0.16 0.16 0.41	*0.23 0.51	— 0.15 0.17
3-year first incidence														
Alcohol use disorder	1.51 1.29 0.81	0.20 0.18 0.13	2.92 2.57 1.12	0.50 0.47 0.25	0.74 0.59 0.59	0.16 0.14 0.14	8.91 8.52 4.82	2.02 1.94 1.37	1.93 1.64 1.07	0.38 0.35 0.28	0.76 0.46 0.50	0.20 0.15 0.16	*0.07 *0.07 —	0.07 0.07 —
Nicotine dependence	7.20	0.49	7.91	0.84	6.63	0.62	9.74	2.26	9.38	0.95	8.72	0.86	2.41	0.45
Any drug use disorderAny drug abuseAny drug dependence	0.81 0.79 0.54	0.15 0.14 0.14	1.02 1.00 0.74	0.28 0.28 0.23	0.65 0.62 0.38	0.20 0.17 0.17	3.32 *3.25 *1.54	1.14 1.14 0.72	1.08 1.01 0.70	0.28 0.27 0.25	0.75 0.77 0.62	0.28 0.29 0.24	*0.08 *0.05 *0.03	0.05 0.05 0.02
Any mood disorder Major depressive disorder Bipolar I Bipolar II	7.19 4.72 2.39 0.59	0.48 0.35 0.29 0.11	5.98 3.71 2.36 0.29	0.64 0.51 0.44 0.12	8.34 5.65 2.42 0.84	0.60 0.48 0.31 0.17	9.49 6.02 *2.86 *0.69	2.35 1.99 1.10 0.43	9.02 5.48 3.05 0.85	0.93 0.70 0.52 0.23	7.89 4.91 3.11 0.62	0.80 0.58 0.57 0.19	3.87 3.32 0.49 *0.21	0.61 0.56 0.15 0.11
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	7.37 2.20 1.62 0.53	0.53 0.28 0.23 0.11	5.19 1.78 1.48 *0.28	0.63 0.34 0.32 0.11	9.41 2.57 1.74 0.74	0.74 0.40 0.33 0.19	8.02 2.94 *1.97 *0.96	1.84 1.02 0.72 0.69	10.12 2.87 2.08 0.69	0.99 0.50 0.45 0.24	7.19 2.41 1.76 0.58	1.00 0.56 0.50 0.16	4.44 0.93 0.78 *0.14	0.62 0.29 0.27 0.09
Social phobia	1.99 2.66 3.80	0.20 0.29 0.35	1.72 2.20 1.90	0.32 0.36 0.36	2.22 3.08 5.45	0.27 0.41 0.55	4.71 *2.80 1.95	1.39 1.15 0.67	2.62 3.90 5.27	0.43 0.64 0.66	1.96 2.40 4.32	0.35 0.36 0.63	0.64 1.57 1.77	0.24 0.38 0.37

Table 3-1. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected DSM-IV psychiatric disorders, by sex and age group, according to Wave 1 past-year drinking status. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year drinking status and first incidence rates of psychiatric disorders	Fatimata	0.5	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
.,	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Lifetime abstainer														
1-year first incidence														
Alcohol use disorder	0.90	0.14	1.83	0.40	0.47	0.14	2.66	0.60	1.12	0.34	*0.43	0.17	_	_
Alcohol abuse	0.45	0.11	0.95	0.27	0.22	0.09	1.14	0.41	*0.60	0.24	*0.27	0.13	_	_
Alcohol dependence	0.89	0.15	1.73	0.41	0.50	0.15	2.78	0.69	0.91	0.30	*0.54	0.26	_	_
Nicotine dependence	2.60	0.27	3.89	0.60	2.01	0.28	4.72	0.97	2.55	0.51	2.79	0.57	1.05	0.30
Any drug use disorder	0.22	0.07	*0.30	0.13	*0.18	0.08	*0.74	0.33	*0.20	0.11	*0.02	0.02	*0.12	0.12
Any drug abuse	0.15	0.06	*0.11	0.06	*0.17	0.08	*0.61	0.31	*0.18	0.10	_	_	_	_
Any drug dependence	0.22	0.06	*0.35	0.13	*0.16	0.07	*0.73	0.28	*0.20	0.10	*0.02	0.02	*0.12	0.12
Any mood disorder	2.26	0.30	1.40	0.37	2.68	0.40	3.41	0.68	1.84	0.33	2.58	0.75	1.74	0.43
Major depressive disorder	1.60	0.20	0.85	0.27	1.96	0.25	1.84	0.43	1.30	0.29	1.78	0.39	1.62	0.41
Bipolar I	0.42	0.09	*0.38	0.16	0.44	0.09	*0.96	0.35	0.57	0.17	*0.22	0.09	*0.10	0.06
Bipolar II	0.22	0.12	*0.18	0.12	*0.24	0.18	*0.40	0.25	*0.05	0.03	*0.51	0.43	_	_
Any anxiety disorder	1.36	0.21	1.01	0.36	1.55	0.28	2.27	0.73	1.29	0.41	1.30	0.38	0.94	0.33
Any panic disorder	0.49	0.09	*0.20	0.10	0.64	0.12	*0.64	0.30	0.52	0.13	*0.39	0.21	*0.47	0.19
Panic without agoraphobia	0.36	0.08	*0.19	0.10	0.44	0.11	*0.47	0.26	0.31	0.09	*0.28	0.20	*0.44	0.18
Panic with agoraphobia	0.13	0.05		_	0.19	0.07	*0.16	0.16	*0.21	0.10	*0.10	0.07	*0.03	0.02
Social phobia		0.07	*0.14	0.11	0.36	0.09	*0.38	0.20	*0.30	0.13	*0.43	0.19	*0.07	0.06
Specific phobia	0.35	0.10	*0.08	0.05	0.48	0.14	*0.79	0.48	*0.41	0.17	*0.25	0.13	*0.08	0.06
Generalized anxiety	0.87	0.16	0.91	0.33	0.85	0.16	1.02	0.44	0.98	0.34	0.82	0.24	0.68	0.28
3-year first incidence														
Alcohol use disorder	2.56	0.26	5.20	0.68	1.34	0.24	6.61	0.96	3.40	0.51	1.23	0.39	*0.26	0.14
Alcohol abuse		0.26	3.92	0.63	1.06	0.22	4.68	0.86	2.76	0.47	1.02	0.37	*0.17	0.12
Alcohol dependence	1.46	0.19	2.94	0.52	0.77	0.17	4.33	0.85	1.69	0.38	0.70	0.34	*0.09	0.07
Nicotine dependence	4.04	0.36	6.36	0.79	2.97	0.34	6.73	1.18	4.15	0.63	4.11	0.68	2.03	0.48
		0.15	1.25	0.35	0.69	0.15	2.13	0.55	0.95	0.29	0.50	0.19	*0.36	0.17
Any drug use disorderAny drug abuse	0.87	0.15	1.25	0.33	0.69	0.15	2.13	0.55	0.95	0.29	*0.36	0.19	*0.07	0.17
Any drug dependence	0.73	0.14	0.51	0.32	0.39	0.14	1.17	0.34	*0.35	0.29	*0.20	0.17	*0.29	0.03
Any mood disorder	6.42	0.43	4.56	0.61	7.31	0.56	8.80	1.10	6.46	0.65	6.86	0.89	4.42	0.74
Major depressive disorder		0.43	3.08	0.53	5.28	0.39	4.30	0.85	4.66	0.57	4.99	0.58	4.14	0.74
Bipolar I	1.81	0.19	1.74	0.41	1.85	0.23	4.01	0.77	2.23	0.38	1.47	0.38	*0.23	0.11
Bipolar II	0.50	0.13	*0.33	0.14	0.58	0.18	1.22	0.37	0.28	0.10	0.72	0.43	*0.08	0.08
Any anxiety disorder	6.78	0.42	4.44	0.65	7.95	0.55	8.44	1.34	6.59	0.74	7.73	1.00	4.89	0.76
Any panic disorder		0.15	0.59	0.18	1.73	0.21	1.40	0.48	1.49	0.27	1.15	0.29	1.40	0.38
Panic without agoraphobia		0.13	0.43	0.16	1.12	0.18	0.86	0.32	0.60	0.13	0.83	0.27	1.37	0.38
Panic with agoraphobia		0.10	*0.15	0.10	0.58	0.14	*0.52	0.36	0.87	0.25	*0.30	0.13	*0.03	0.02
Social phobia	1.44	0.19	1.16	0.31	1.57	0.23	2.31	0.64	1.67	0.36	1.29	0.32	0.73	0.24
Specific phobia	2.93	0.32	1.80	0.37	3.47	0.45	3.64	0.99	2.93	0.43	3.46	0.62	1.88	0.52
Generalized anxiety	2.92	0.30	1.80	0.44	3.45	0.39	1.92	0.56	3.33	0.57	3.72	0.70	2.17	0.57

¹ Current drinker: 1 or more drinks in the past year. Former drinker: at least 1 drink in life, but not in the past year. Lifetime abstainer: never had 1 or more drinks in life.

* Fewer than 10 observations in the cell.

* Value too small to display.

Empty cell.

Table 3-2. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year average drinking level among Wave 1 current drinkers.²

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year average drinking level and first incidence rates of psychiatric disorders	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>.ight drinker</u>														
1-year first incidence														
Alcohol use disorder	1.87	0.17	2.75	0.34	1.32	0.14	6.78	0.87	1.78	0.24	0.66	0.15	*0.15	0.11
Alcohol abuse	1.18	0.14	1.76	0.27	0.82	0.11	4.40	0.70	1.21	0.19	*0.23	0.09	_	
Alcohol dependence	1.55	0.12	2.16	0.25	1.10	0.13	5.35	0.65	1.57	0.23	0.56	0.13	*0.13	0.09
Nicotine dependence	4.28	0.24	4.99	0.40	3.74	0.31	7.46	0.93	4.27	0.35	4.17	0.42	1.55	0.32
Any drug use disorder	0.38	0.07	0.41	0.10	0.37	0.09	1.89	0.42	0.27	0.10	*0.10	0.05	_	_
Any drug abuse	0.36	0.07	0.37	0.10	0.35	0.09	1.78	0.42	0.27	0.10	*0.06	0.04	_	_
Any drug dependence	0.36	0.08	0.56	0.16	0.21	0.08	1.59	0.43	*0.21	0.09	*0.22	0.13	_	_
Any mood disorder	2.57	0.18	1.54	0.20	3.52	0.29	4.16	0.65	2.90	0.29	1.83	0.25	1.78	0.38
Major depressive disorder	1.76	0.15	0.94	0.14	2.50	0.24	2.56	0.49	1.84	0.23	1.43	0.22	1.47	0.34
Bipolar I	0.57	0.07	0.51	0.11	0.61	0.10	1.04	0.30	0.72	0.14	0.29	0.08	*0.25	0.14
Bipolar II	0.23	0.05	*0.12	0.06	0.31	0.08	*0.54	0.21	0.32	0.09	*0.06	0.03	*0.03	0.03
Any anxiety disorder	1.72	0.15	1.16	0.18	2.25	0.23	1.80	0.40	2.38	0.26	1.36	0.26	[*] 0.37	0.15
Any panic disorder	0.77	0.09	0.49	0.12	1.00	0.14	1.17	0.29	0.88	0.16	0.73	0.16	*0.10	0.08
Panic without agoraphobia	0.64	0.08 0.03	0.43 *0.06	0.11 0.04	0.81	0.12	0.96	0.27	0.71 *0.15	0.14	0.63 *0.09	0.14	*0.10	0.08
Panic with agoraphobia	0.12 0.34	0.03	0.06	0.04	0.16 0.34	0.06 0.08	*0.18 *0.31	0.10 0.17	0.15 0.46	0.07 0.11	0.09	0.05 0.11	*0.10	0.05
Social phobiaSpecific phobia	0.34	0.00	0.33	0.10	0.60	0.00	*0.36	0.17	0.40	0.11	0.45	0.11	*0.03	0.03
Generalized anxiety	1.20	0.11	0.75	0.14	1.56	0.17	0.90	0.10	1.75	0.12	0.43	0.17	*0.32	0.14
3-year first incidence														
e year met moteries														
Alcohol use disorder	5.83	0.31	8.56	0.62	4.08	0.32	18.09	1.33	5.24	0.42	3.02	0.39	0.83	0.25
Alcohol abuse	5.00	0.29	7.37	0.54	3.48	0.31	14.94	1.20	4.61	0.42	2.53	0.37	_0.75	0.23
Alcohol dependence	2.76	0.17	3.75	0.31	2.04	0.20	9.58	0.86	2.57	0.28	1.17	0.21	*0.31	0.14
Nicotine dependence	6.61	0.31	7.67	0.51	5.79	0.35	10.64	1.03	6.75	0.43	6.53	0.59	2.40	0.42
Any drug use disorder	1.89	0.19	2.30	0.31	1.58	0.20	6.48	0.82	1.76	0.32	0.84	0.22	*0.31	0.14
Any drug abuse	1.84	0.18	2.19	0.30	1.58	0.20	6.29	0.82	1.72	0.31	0.82	0.23	*0.31	0.14
Any drug dependence	0.75	0.11	0.97	0.18	0.58	0.14	2.59	0.50	0.68	0.18	0.37	0.14	*0.02	0.02
Any mood disorder	7.43	0.32	4.76	0.36	9.80	0.44	10.92	0.86	8.07	0.52	6.43	0.52	4.43	0.5
Major depressive disorder	5.27	0.27	2.93	0.29	7.30	0.39	6.43	0.67	5.42	0.41	5.08	0.48	4.00	0.48
Bipolar I	1.84	0.13	1.63	0.21	2.01	0.18	3.41	0.50	2.30	0.21	1.09	0.17	*0.51	0.2
Bipolar II	0.76	0.09	0.63	0.14	0.85	0.12	2.01	0.41	0.86	0.14	0.37	0.12	*0.04	0.0
Any anxiety disorder	7.01	0.30	5.10	0.41	8.70	0.47	9.46	0.88	8.16	0.45	6.30	0.52	2.32	0.40
Any panic disorder	2.06	0.16	1.20	0.18	2.74	0.24	3.33	0.50	2.45	0.27	1.59	0.24	*0.48	0.18
Panic without agoraphobia	1.67	0.15	0.94	0.16	2.26	0.22	2.66	0.45	1.99	0.24	1.32	0.21	*0.37	0.15
Panic with agoraphobia	0.35	0.06	0.25	0.09	0.42	0.09	0.63	0.21	0.41	0.11	0.24	0.10	*0.10	0.10
Social phobia	1.51	0.14	1.22	0.18	1.75	0.19	2.24	0.44	1.75	0.20	1.33	0.27	0.40	0.14
Specific phobia	2.51	0.18	2.05	0.25	2.89	0.23	3.74	0.59	2.59	0.25	2.59	0.30	0.76	0.24
Generalized anxiety	3.55	0.19	2.16	0.25	4.66	0.29	3.36	0.51	4.55	0.32	3.05	0.35	1.51	0.34

Table 3-2. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year average drinking level¹ among Wave 1 current drinkers.² (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year average drinking level and first incidence rates of psychiatric disorders	Fatimata	c F	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Moderate drinker														
1-year first incidence														
Alcohol use disorder Alcohol abuse Alcohol dependence	3.76 2.36 3.13	0.56 0.45 0.38	4.08 2.49 3.20	0.73 0.58 0.44	3.13 2.10 2.95	0.68 0.54 0.62	14.98 7.56 8.95	3.61 2.52 1.87	3.56 2.19 3.66	0.76 0.59 0.63	1.96 1.48 1.70	0.64 0.50 0.39	*1.17 *0.92 *0.60	0.84 0.81 0.35
Nicotine dependence	5.32	0.43	5.26	0.53	5.45	0.97	10.28	1.95	5.05	0.62	4.90	0.75	3.00	0.85
Any drug use disorder Any drug abuse Any drug dependence	0.35 0.35 0.29	0.11 0.11 0.08	*0.33 *0.33 0.39	0.13 0.13 0.11	*0.41 *0.40 —	0.22 0.21 —	*1.23 *1.23 *1.21	0.60 0.60 0.49	*0.42 *0.42 *0.08	0.19 0.19 0.04	*0.12 *0.10 *0.33	0.07 0.07 0.18	_ _ _	=
Any mood disorder Major depressive disorder Bipolar I Bipolar II	1.67 1.22 0.40 *0.12	0.23 0.17 0.10 0.05	1.32 0.97 0.30 *0.05	0.24 0.19 0.10 0.03	2.84 1.98 *0.69 *0.33	0.62 0.46 0.27 0.16	2.71 *1.72 *0.79	0.87 0.62 0.43	1.87 1.20 *0.44 *0.15	0.37 0.28 0.17 0.06	1.09 0.97 *0.21 *0.09	0.30 0.28 0.12 0.09	*1.42 *1.32 *0.32 *0.24	0.57 0.56 0.25 0.24
Any anxiety disorder Any panic disorder Panic without agoraphobia	1.15 0.42 0.33	0.22 0.11 0.09	1.04 *0.27 *0.15	0.24 0.11 0.07	1.54 0.87 0.84	0.39 0.26 0.26	*0.55 *0.07 *0.07	0.42 0.07 0.07	2.02 0.84 0.63	0.43 0.24 0.20	*0.54 *0.11 *0.11	0.20 0.09 0.09	*0.24 — —	0.24 — —
Panic with agoraphobia Social phobia Specific phobia Generalized anxiety	*0.09 *0.09 0.41 0.96	0.06 0.05 0.12 0.17	*0.11 *0.09 0.39 0.70	0.08 0.06 0.13 0.18	*0.02 *0.08 *0.48 1.73	0.02 0.06 0.27 0.43	*0.60 *1.28	 0.48 0.62	*0.19 *0.13 0.58 1.39	0.13 0.09 0.20 0.31	*0.10 *0.26 *0.37	0.10 0.11 0.15	 *0.48	 0.32
3-year first incidence														
Alcohol use disorder	13.78 11.85 6.35	0.91 0.79 0.55	15.60 13.39 6.45	1.13 0.99 0.59	10.08 8.67 6.10	1.31 1.19 0.97	34.69 25.57 17.20	4.60 3.53 2.66	15.47 13.56 7.58	1.43 1.27 0.87	9.46 8.53 3.35	1.23 1.16 0.56	3.49 3.22 *0.88	1.11 1.08 0.40
Nicotine dependence	8.22	0.55	8.51	0.67	7.45	1.06	16.10	2.42	8.40	0.80	6.40	0.89	4.87	1.08
Any drug use disorder Any drug abuse Any drug dependence	2.64 2.55 1.20	0.32 0.31 0.21	2.82 2.81 1.27	0.40 0.40 0.26	2.15 1.87 1.02	0.50 0.45 0.33	9.89 9.88 4.24	1.69 1.69 1.17	2.81 2.70 0.96	0.46 0.45 0.22	0.82 *0.71 0.75	0.32 0.31 0.31		=
Any mood disorder Major depressive disorder Bipolar I Bipolar II	5.31 3.63 1.66 0.46	0.49 0.34 0.29 0.11	4.05 2.76 1.25 0.28	0.50 0.35 0.31 0.08	9.34 6.31 2.77 0.97	1.22 0.86 0.60 0.36	9.51 5.91 2.56 *1.09	1.57 1.11 0.77 0.45	5.94 3.85 1.89 0.51	0.71 0.51 0.43 0.14	3.85 2.78 1.45 *0.14	0.61 0.49 0.41 0.10	2.48 2.37 *0.32 *0.37	0.75 0.74 0.25 0.28
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	5.02 1.44 1.12 0.29	0.47 0.23 0.20 0.09	4.14 1.01 0.74 *0.26	0.48 0.24 0.20 0.11	7.80 2.66 2.23 *0.39	1.10 0.50 0.48 0.18	6.80 *1.85 *1.64 *0.19	1.40 0.72 0.71 0.15	6.04 1.77 1.30 0.43	0.69 0.33 0.28 0.17	4.55 1.17 1.03 *0.13	0.71 0.37 0.35 0.10	*0.66 *0.40 *0.12 *0.27	0.39 0.30 0.12 0.27
Social phobia Specific phobia Generalized anxiety	1.21 1.92 2.41	0.17 0.26 0.28	1.10 1.55 1.83	0.21 0.26 0.27	1.53 3.02 4.06	0.35 0.67 0.68	2.20 2.70 3.57	0.74 0.98 1.05	1.49 2.31 2.73	0.25 0.42 0.39	0.83 1.73 2.10	0.26 0.38 0.41	*0.12 *0.66	0.12 0.34

Table 3-2. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected DSM-IV psychiatric disorders, by sex and age group, according to Wave 1 past-year average drinking level among Wave 1 current drinkers. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year average drinking level and first incidence rates of psychiatric disorders	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Heavier drinker														
1-year first incidence														
Alcohol use disorder Alcohol abuse Alcohol dependence	4.18 2.32 5.18	0.78 0.52 0.65	5.76 2.76 6.83	1.36 0.92 0.97	3.11 2.03 3.19	0.89 0.59 0.75	*6.46 *3.71 10.52	3.64 1.77 2.92	6.48 3.25 4.36	1.63 1.09 0.82	3.95 *2.16 6.09	1.25 0.83 1.25	 *1.60	 0.70
Nicotine dependence	7.79	0.72	9.19	1.11	5.83	0.89	9.81	2.06	9.12	1.28	7.21	1.10	*2.98	1.27
Any drug use disorder	*0.30 *0.31 0.61	0.12 0.12 0.18	*0.39 *0.39 0.71	0.20 0.20 0.27	*0.20 *0.21 *0.48	0.12 0.12 0.21	*1.30 *1.31 *1.94	0.77 0.76 0.76	*0.30 *0.29 *0.60	0.18 0.18 0.32	*0.08 *0.08 *0.19	0.08 0.08 0.14		_ _ _
Any mood disorder Major depressive disorder Bipolar I Bipolar II	2.05 1.23 0.69 *0.18	0.30 0.24 0.16 0.08	2.21 1.21 0.69 *0.22	0.44 0.34 0.22 0.11	1.76 1.25 0.68 *0.12	0.40 0.36 0.26 0.08	2.97 1.30 *1.32 *0.49	0.88 0.53 0.54 0.34	1.99 1.30 *0.49 *0.12	0.48 0.37 0.19 0.08	2.44 1.55 *0.84 *0.14	0.71 0.62 0.30 0.09	_ _ _	_ _ _
Any anxiety disorder	1.63 0.58 0.51 *0.05	0.31 0.16 0.15 0.04	1.17 *0.36 *0.35	0.34 0.16 0.16	2.42 0.93 0.76 *0.13	0.63 0.31 0.28 0.11	2.18 *1.34 *1.01 *0.30	0.73 0.54 0.46 0.24	1.58 *0.39 *0.38	0.48 0.21 0.20	2.03 *0.61 *0.59	0.72 0.29 0.28	_ _ _	_ _ _
Social phobia Specific phobia Generalized anxiety	*0.24 0.58 1.16	0.09 0.22 0.24	*0.21 *0.54 0.64	0.12 0.25 0.20	*0.28 *0.65 1.96	0.14 0.40 0.53	*0.29 *0.19 *0.95	0.20 0.19 0.50	*0.34 *0.76 1.55	0.17 0.35 0.48	*0.16 *0.78 1.11	0.16 0.51 0.36	 *0.22	 0.22
3-year first incidence														
Alcohol use disorder	21.18 19.50 10.93	1.62 1.50 0.88	29.21 27.50 12.89	2.62 2.40 1.27	14.86 13.18 8.55	1.67 1.58 1.17	38.10 32.48 22.86	5.92 4.54 3.75	26.63 23.24 11.09	2.80 2.71 1.27	17.43 15.65 10.71	2.59 2.28 1.51	7.35 7.55 *2.17	2.02 2.09 0.84
Nicotine dependence	11.30	0.89	12.61	1.24	9.48	1.16	15.98	2.49	11.68	1.44	11.36	1.37	4.52	1.47
Any drug use disorder Any drug abuse Any drug dependence	3.49 3.37 2.05	0.46 0.45 0.38	4.61 4.40 2.69	0.70 0.68 0.61	2.01 2.02 1.14	0.46 0.46 0.31	10.95 10.77 5.20	2.16 2.15 1.20	3.81 3.52 2.73	0.77 0.72 0.77	1.57 1.57 *0.30	0.44 0.44 0.16		
Any mood disorder Major depressive disorder Bipolar I Bipolar II	7.32 4.82 2.37 0.87	0.72 0.57 0.33 0.18	6.63 3.93 2.45 0.65	0.89 0.67 0.45 0.21	8.52 6.30 2.24 1.19	1.03 0.91 0.44 0.32	8.33 4.87 4.35 *1.11	1.42 0.95 1.07 0.56	9.25 5.76 2.67 1.11	1.37 1.09 0.58 0.33	5.94 4.49 1.56 *0.65	1.13 0.97 0.42 0.25	*2.85 *2.11 *0.44 *0.21	1.01 0.87 0.43 0.21
Any anxiety disorder	6.88 2.09 1.79 *0.25 1.98	0.59 0.30 0.29 0.09 0.28	5.45 1.36 1.22 *0.12 1.73	0.69 0.28 0.26 0.09 0.37	9.25 3.20 2.64 *0.45 2.35	1.06 0.57 0.53 0.17 0.48	8.14 3.63 2.95 *0.62 *1.85	1.54 0.85 0.77 0.33 0.73	7.40 2.02 1.79 *0.18 2.47	0.96 0.51 0.49 0.10 0.46	7.32 1.88 1.60 *0.22 1.72	1.14 0.51 0.45 0.17 0.53	*2.03 *0.42 *0.42 — *1.05	0.86 0.42 0.41 — 0.68
Specific phobia Generalized anxiety	2.15 3.48	0.32 0.43	1.54 2.69	0.37 0.52	3.12 4.70	0.60 0.75	3.10 3.43	1.01 0.97	2.71 4.01	0.55 0.74	1.56 3.55	0.56 0.73	*0.22 *1.41	0.00 0.22 0.72

¹ Light drinker: 3 or fewer drinks per week on average. Moderate drinker: on average more than 3 drinks and up to 7 drinks per week for women and more than 3 drinks and up to 14 drinks per week for men.

Heavier drinker: on average more than 1 drink per day for women and more than 2 drinks per day for men.

Current drinker: 1 or more drinks in the past year.

Fewer than 10 observations in the cell.

[—] Empty cell.

Table 3-3. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits among Wave 1 current drinkers.²

\\\ 4 ===+ == =+=+ = f = == =!:==	Both	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits	Fatiments.	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
and first incidence rates of psychiatric disorders	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.								
old not exceed drinking limits														
1-year first incidence														
Alcohol use disorder	. 1.60	0.15	2.22	0.30	1.16	0.13	6.22	0.95	1.71	0.24	0.77	0.16	*0.33	0.20
Alcohol abuse		0.13	1.54	0.26	0.61	0.10	4.05	0.80	1.09	0.19	0.35	0.12	[*] 0.21	0.1
Alcohol dependence	. 1.18	0.11	1.57	0.21	0.85	0.11	5.13	0.75	1.25	0.20	0.59	0.13	*0.10	0.0
Nicotine dependence	. 3.87	0.26	4.49	0.36	3.31	0.36	6.54	1.15	4.02	0.39	4.02	0.41	1.83	0.3
Any drug use disorder	. 0.32	0.06	0.22	0.07	0.40	0.10	1.58	0.45	0.35	0.13	*0.12	0.05	_	_
Any drug abuse		0.06	*0.19	0.07	0.38	0.10	1.44	0.45	0.35	0.12	*0.08	0.04	_	_
Any drug dependence	. 0.29	0.07	0.41	0.12	0.18	0.08	1.78	0.57	*0.22	0.11	*0.10	0.05	_	_
Any mood disorder		0.17	1.34	0.17	3.36	0.31	5.09	0.87	2.56	0.28	1.73	0.25	1.63	0.3
Major depressive disorder		0.14	0.87	0.14	2.49	0.26	3.11	0.63	1.68	0.24	1.43	0.22	1.35	0.2
Bipolar I		0.06	0.38	0.09	0.54	0.10	1.19	0.41	0.58	0.13	0.24	0.07	*0.29	0.1
Bipolar II		0.05	*0.12	0.05	0.32	0.07	*0.81	0.32	0.31	0.08	*0.07	0.04	*0.02	0.0
Any anxiety disorder		0.13	0.93	0.16	2.01	0.23	1.36	0.36	2.24	0.26	1.17	0.22	*0.34	0.1
Any panic disorder		0.08	0.30	0.09	0.88	0.13	0.88	0.28	0.75	0.15	0.61	0.14	*0.08	0.0
Panic without agoraphobia		0.08 0.02	0.26 *0.04	0.08 0.03	0.77 *0.09	0.13 0.03	0.79 *0.07	0.27 0.05	0.67 *0.06	0.14 0.03	0.51 *0.09	0.12 0.05	*0.08	0.0
Panic with agoraphobiaSocial phobia		0.02	0.04	0.03	0.09	0.03	*0.07	0.05	0.06	0.03	0.09	0.05	*0.06	0.0
Specific phobia		0.03	0.20	0.08	0.24	0.08	*0.34	0.13	0.24	0.08	0.42	0.11	*0.03	0.0
Generalized anxiety		0.10	0.62	0.12	1.45	0.17	1.14	0.36	1.59	0.22	0.74	0.15	*0.38	0.1
3-year first incidence														
•														
Alcohol use disorder		0.28	7.54	0.54	3.47	0.28	16.85	1.46	5.33	0.46	3.21	0.33	1.30	0.3
Alcohol abuse		0.26	6.65	0.49	2.53	0.26	13.10	1.40	4.44	0.42	2.71	0.31	1.24	0.3
Alcohol dependence		0.15	2.82	0.27	1.69	0.17	9.82	1.02	2.20	0.27	1.05	0.17	*0.28	0.1
Nicotine dependence	. 5.87	0.32	6.84	0.48	5.01	0.39	9.89	1.30	6.20	0.46	5.95	0.56	2.82	0.3
Any drug use disorder		0.14	1.75	0.24	1.10	0.14	5.59	0.89	1.46	0.23	0.77	0.20	*0.25	0.1
Any drug abuse		0.14	1.67	0.23	1.09	0.14	5.46	0.88	1.42	0.23	0.74	0.21	[*] 0.25	0.1
Any drug dependence	. 0.55	0.09	0.70	0.14	0.43	0.10	2.74	0.68	0.52	0.14	0.25	0.08	*0.01	0.0
Any mood disorder		0.28	3.77	0.31	9.59	0.47	12.70	1.22	7.18	0.46	5.92	0.46	3.94	0.4
Major depressive disorder		0.25	2.55	0.26	7.39	0.41	7.47	0.89	5.15	0.42	4.80	0.42	3.57	0.4
Bipolar I		0.11	1.07	0.15	1.83	0.18	3.75	0.68	1.81	0.20	1.00	0.15	*0.43	0.1
Bipolar II		0.07	0.36	0.09	0.80	0.12	2.04	0.47	0.75	0.13	0.29	0.10	*0.03	0.0
Any anxiety disorder		0.28	4.30	0.39	7.90	0.46	9.20	1.07	7.50	0.46	5.77	0.48	1.85	0.3
Any panic disorder		0.12	0.83	0.16	2.40	0.20	2.81	0.55	2.13	0.23	1.36	0.20	*0.42	0.1
Panic with aggraphobia		0.11	0.68	0.15	1.96	0.18	2.19	0.48	1.85	0.22	1.07	0.17	*0.26	0.1
Panic with agoraphobiaSocial phobia		0.05 0.13	*0.14 1.05	0.05 0.16	0.39 1.61	0.09 0.19	*0.58 2.30	0.26 0.56	0.25 1.62	0.07 0.21	0.27 1.28	0.10 0.25	*0.15 *0.30	0.1 0.1
Specific phobia		0.13	1.79	0.16	2.55	0.19	3.71	0.56	2.55	0.21	2.10	0.25	0.30	0.1
Generalized anxiety		0.10	1.83	0.23	4.22	0.24	3.33	0.73	3.89	0.20	2.10	0.24	1.28	0.1

Table 3-3. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits among Wave 1 current drinkers. (Continued)

		Sex					Age grou	p at Wave 1			
	Male	Fer	nale	18–24	years	25–44	years	45–64	years	65 years	and old
Ē.	Estimate	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
94	6.09	3.13	0.53	10.95	1.93	3.10	0.54	1.75	0.68	*1.22	0.9
71	3.29	2.49	0.48	6.27	1.31	2.15	0.45	*1.20	0.48	_	_
55	4.54	2.92	0.46	7.23	1.14	3.51	0.56	1.85	0.44	*2.44	1.4
59	6.30	6.18	0.76	9.85	1.23	5.26	0.61	5.74	0.85	*3.07	1.6
21	0.69	*0.29	0.12	1.95	0.58	*0.23	0.11	*0.08	0.06		
20	0.67	*0.29	0.12	1.92	0.58	*0.23	0.11	*0.06	0.06	_	
20	0.66	*0.19	0.10	1.22	0.37	*0.10	0.05	*0.78	0.45	_	
28	1.67	3.60	0.55	2.52	0.62	2.71	0.41	1.26	0.35	*2.52	1.6
28 22	1.09	2.23	0.55	1.60	0.62	1.66	0.41	0.86	0.35	*2.52 *2.49	1.6
15	0.51	0.88	0.40	*0.77	0.47	0.75	0.20	*0.39	0.30		
04	*0.06	*0.31	0.16	-	_	*0.23	0.12	*0.06	0.04	*0.89	0.8
27		2.61	0.40	1.56	0.49	2.35	0.35	1.04	0.44	*0.31	0.3
2 <i>1</i> 18	1.44 0.59	1.28	0.40	*0.88	0.49	1.06	0.35	*0.45	0.44	U.31 —	0.3
14	0.39	0.93	0.30	*0.67	0.34	0.71	0.24	*0.44	0.23	_	
09	*0.15	*0.30	0.16	*0.19	0.13	*0.31	0.10	— —	-	_	
14	*0.33	0.47	0.17	*0.22	0.22	0.58	0.17	*0.05	0.05	*0.27	0.2
12	*0.34	0.70	0.23	*0.50	0.30	0.55	0.15	*0.31	0.23	_	_
19	0.91	1.99	0.32	*0.87	0.34	1.74	0.27	0.88	0.29	_	_
43	19.72	10.25	1.00	26.98	2.46	11.69	1.09	10.63	1.71	*3.78	1.7
43 25	16.17	10.23	0.97	22.18	2.40	10.91	0.95	9.54	1.71	*2.54	1.4
73	8.55	5.39	0.65	12.79	1.44	6.52	0.35	4.29	0.69	*3.03	1.4
77	10.20	9.37	0.88	14.13	1.42	8.88	0.75	8.78	1.26	*5.96	2.2
50	3.93	3.42	0.60	9.16	1.18	2.97	0.49	1.11	0.41	_	_
49 31	3.85 1.74	3.27 1.26	0.57 0.42	9.00 3.29	1.19 0.67	2.88 1.11	0.49 0.31	0.98 1.21	0.40 0.52	_	
55	5.76	10.11	0.82	8.26	1.07	7.98	0.70	5.16	0.80	*3.47	1.8
38	3.40	6.47	0.61	5.17	0.84	4.77	0.49	3.36	0.60	*3.43 *0.93	1.7
39 20	2.21 0.74	2.84 1.06	0.43 0.24	2.48 1.51	0.52 0.46	2.78 0.79	0.41 0.19	1.82 *0.39	0.49 0.24	*1.37	0.9
	• • • •										
55	5.52	10.65	0.84	8.35	1.10	7.75	0.60	6.14	0.95	*1.98	1.2
34	1.66	3.67	0.53	3.10	0.68	2.49	0.40	1.88	0.58	*0.94	0.6
28	1.18	3.10	0.48	2.60	0.64	1.76	0.31	1.86	0.57	*0.93	0.6
									0.20	 *0.27	0.2
										-	0.2
										*1 01	1.0
16 23 30 32	0.45 1.38 2.01 2.37	0.49 2.01 3.96 5.62	0.19 0.31 0.51 0.56	*0.45 2.16 3.24 3.50	0.19 0.50 0.65 0.66		0.68 1.77 2.46 4.35	0.68 0.22 1.77 0.25 2.46 0.31	0.68 0.22 — 1.77 0.25 0.94 2.46 0.31 3.34	0.68 0.22 — — 1.77 0.25 0.94 0.29 2.46 0.31 3.34 0.69	0.68 0.22 — — — 1.77 0.25 0.94 0.29 *0.27 2.46 0.31 3.34 0.69 —

Table 3-3. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected DSM-IV psychiatric disorders, by sex and age group, according to Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits among Wave 1 current drinkers. (Continued)

	Both :	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits and first incidence rates of psychiatric disorders	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
and instruction rates of psychiatric disorders	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Exceeded weekly or both daily and weekly drinking limits														
1-year first incidence														
Alcohol use disorder Alcohol abuse Alcohol dependence	4.18 2.32 5.18	0.78 0.52 0.65	5.76 2.76 6.83	1.36 0.92 0.97	3.11 2.03 3.19	0.89 0.59 0.75	*6.46 *3.71 10.52	3.64 1.77 2.92	6.48 3.25 4.36	1.63 1.09 0.82	3.95 *2.16 6.09	1.25 0.83 1.25	 _ *1.60	 0.70
Nicotine dependence	7.79	0.72	9.19	1.11	5.83	0.89	9.81	2.06	9.12	1.28	7.21	1.10	*2.98	1.27
Any drug use disorder Any drug abuse Any drug dependence	*0.30 *0.31 0.61	0.12 0.12 0.18	*0.39 *0.39 0.71	0.20 0.20 0.27	*0.20 *0.21 *0.48	0.12 0.12 0.21	*1.30 *1.31 *1.94	0.77 0.76 0.76	*0.30 *0.29 *0.60	0.18 0.18 0.32	*0.08 *0.08 *0.19	0.08 0.08 0.14	_ _ _	_
Any mood disorder Major depressive disorder Bipolar I Bipolar II	2.05 1.23 0.69 *0.18	0.30 0.24 0.16 0.08	2.21 1.21 0.69 *0.22	0.44 0.34 0.22 0.11	1.76 1.25 0.68 *0.12	0.40 0.36 0.26 0.08	2.97 1.30 *1.32 *0.49	0.88 0.53 0.54 0.34	1.99 1.30 *0.49 *0.12	0.48 0.37 0.19 0.08	2.44 1.55 *0.84 *0.14	0.71 0.62 0.30 0.09		=
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia Social phobia	1.63 0.58 0.51 *0.05 *0.24	0.31 0.16 0.15 0.04 0.09	1.17 *0.36 *0.35 — *0.21	0.34 0.16 0.16 — 0.12	2.42 0.93 0.76 *0.13 *0.28	0.63 0.31 0.28 0.11 0.14	2.18 *1.34 *1.01 *0.30 *0.29	0.73 0.54 0.46 0.24 0.20	1.58 *0.39 *0.38 — *0.34	0.48 0.21 0.20 — 0.17	2.03 *0.61 *0.59 — *0.16	0.72 0.29 0.28 — 0.16	_ _ _ _	_ _ _ _
Specific phobia	0.58 1.16	0.22 0.24	*0.54 0.64	0.25 0.20	*0.65 1.96	0.40 0.53	*0.19 *0.95	0.19 0.50	*0.76 1.55	0.35 0.48	*0.78 1.11	0.51 0.36	*0.22	 0.22
3-year first incidence														
Alcohol use disorder	21.18 19.50 10.93	1.62 1.50 0.88	29.21 27.50 12.89	2.62 2.40 1.27	14.86 13.18 8.55	1.67 1.58 1.17	38.10 32.48 22.86	5.92 4.54 3.75	26.63 23.24 11.09	2.80 2.71 1.27	17.43 15.65 10.71	2.59 2.28 1.51	7.35 7.55 *2.17	2.02 2.09 0.84
Nicotine dependence	11.30	0.89	12.61	1.24	9.48	1.16	15.98	2.49	11.68	1.44	11.36	1.37	4.52	1.47
Any drug use disorder Any drug abuse Any drug dependence	3.49 3.37 2.05	0.46 0.45 0.38	4.61 4.40 2.69	0.70 0.68 0.61	2.01 2.02 1.14	0.46 0.46 0.31	10.95 10.77 5.20	2.16 2.15 1.20	3.81 3.52 2.73	0.77 0.72 0.77	1.57 1.57 *0.30	0.44 0.44 0.16	_ _ _	_
Any mood disorder Major depressive disorder Bipolar I Bipolar II	7.32 4.82 2.37 0.87	0.72 0.57 0.33 0.18	6.63 3.93 2.45 0.65	0.89 0.67 0.45 0.21	8.52 6.30 2.24 1.19	1.03 0.91 0.44 0.32	8.33 4.87 4.35 *1.11	1.42 0.95 1.07 0.56	9.25 5.76 2.67 1.11	1.37 1.09 0.58 0.33	5.94 4.49 1.56 *0.65	1.13 0.97 0.42 0.25	*2.85 *2.11 *0.44 *0.21	1.01 0.87 0.43 0.21
Any anxiety disorder	1.79 *0.25 1.98	0.59 0.30 0.29 0.09 0.28	5.45 1.36 1.22 *0.12 1.73	0.69 0.28 0.26 0.09 0.37	9.25 3.20 2.64 *0.45 2.35	1.06 0.57 0.53 0.17 0.48	8.14 3.63 2.95 *0.62 *1.85	1.54 0.85 0.77 0.33 0.73	7.40 2.02 1.79 *0.18 2.47	0.96 0.51 0.49 0.10 0.46	7.32 1.88 1.60 *0.22 1.72	1.14 0.51 0.45 0.17 0.53	*2.03 *0.42 *0.42 *1.05	0.86 0.42 0.41 — 0.68
Specific phobia Generalized anxiety	2.15 3.48	0.32 0.43	1.54 2.69	0.37 0.52	3.12 4.70	0.60 0.75	3.10 3.43	1.01 0.97	2.71 4.01	0.55 0.74	1.56 3.55	0.56 0.73	*0.22 *1.41	0.22 0.72

Exceeding daily drinking limit: 5+ drinks for men and 4+ drinks for women on one or more occasions or the usual or largest ethanol intake of any beverage type greater than 4.5 drinks for men and greater than 3.5 drinks for women. Exceeding weekly drinking limit: on average more than 14 drinks per week for men and more than 7 drinks per week for women.

2 Current drinker: 1 or more drinks in the past year.

* Fewer than 10 observations in the cell.

Empty cell.

Table 3-4. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year *DSM-IV* alcohol use disorder status among Wave 1 current drinkers.¹

	Both s	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year DSM-IV alcohol use disorder status and first incidence rates of psychiatric disorders	Fatiments	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.								
No alcohol use disorder														
1-year first incidence														
Alcohol use disorder	2.34	0.16	3.26	0.31	1.64	0.15	7.82	0.93	2.32	0.23	1.17	0.18	*0.33	0.18
	1.43	0.14	2.01	0.27	0.98	0.12	4.94	0.72	1.44	0.19	0.58	0.14	*0.18	0.16
	1.94	0.12	2.59	0.21	1.34	0.13	5.66	0.62	2.00	0.20	1.20	0.18	0.43	0.13
Nicotine dependence	4.70	0.12	5.47	0.32	3.94	0.30	8.23	0.85	4.71	0.31	4.67	0.35	1.91	0.28
Any drug use disorder	0.35 0.33 0.29	0.06 0.06 0.06	0.36 0.33 0.39	0.09 0.09 0.10	0.34 0.32 0.20	0.08 0.08 0.06	1.83 1.75 1.45	0.42 0.42 0.37	0.28 0.28 0.17	0.09 0.09 0.07	*0.09 *0.07 *0.17	0.04 0.03 0.09	_ _ _	_
Any mood disorder Major depressive disorder Bipolar I Bipolar II	2.24	0.14	1.41	0.14	3.22	0.25	3.73	0.53	2.50	0.24	1.71	0.21	1.46	0.27
	1.57	0.11	0.89	0.11	2.36	0.21	2.35	0.42	1.66	0.18	1.31	0.17	1.23	0.25
	0.50	0.06	0.46	0.08	0.55	0.08	0.95	0.25	0.59	0.11	0.34	0.07	*0.24	0.11
	0.19	0.04	0.10	0.04	0.28	0.06	*0.43	0.17	0.26	0.07	*0.07	0.03	*0.07	0.06
Any anxiety disorder	1.52	0.12	1.00	0.14	2.15	0.20	1.46	0.32	2.15	0.21	1.27	0.21	*0.27	0.11
	0.65	0.07	0.39	0.08	0.93	0.13	0.93	0.23	0.81	0.13	0.58	0.11	*0.07	0.05
	0.54	0.06	0.31	0.07	0.77	0.11	0.77	0.21	0.64	0.11	0.51	0.11	*0.07	0.05
	0.10	0.03	*0.08	0.04	0.13	0.05	*0.14	0.08	0.15	0.06	*0.06	0.03	—	—
Social phobia	0.27	0.05	0.24	0.07	0.30	0.07	*0.28	0.14	0.36	0.08	0.23	0.09	*0.07	0.03
	0.44	0.06	0.31	0.07	0.58	0.10	*0.34	0.14	0.60	0.11	0.44	0.12	*0.02	0.02
	1.10	0.08	0.61	0.09	1.62	0.15	0.98	0.24	1.61	0.16	0.79	0.13	*0.32	0.11
3-year first incidence														
Alcohol use disorder	8.53	0.33	12.21	0.58	5.61	0.33	22.29	1.37	8.43	0.50	5.61	0.46	1.99	0.34
	7.19	0.31	10.40	0.54	4.64	0.32	18.22	1.20	7.07	0.46	4.87	0.43	1.88	0.34
	3.90	0.19	4.90	0.28	2.94	0.22	11.42	0.88	3.99	0.29	2.35	0.25	0.69	0.18
Nicotine dependence	7.10	0.26	8.14	0.40	6.07	0.34	12.03	1.02	7.27	0.36	6.93	0.47	2.94	0.36
Any drug use disorder	1.91	0.16	2.34	0.25	1.51	0.18	7.27	0.76	1.88	0.27	0.82	0.17	*0.21	0.10
	1.88	0.16	2.26	0.24	1.51	0.17	7.12	0.76	1.85	0.27	0.80	0.17	*0.21	0.10
	0.76	0.10	0.96	0.16	0.57	0.12	2.88	0.48	0.74	0.16	0.33	0.11	*0.01	0.01
Any mood disorder Major depressive disorder Bipolar I Bipolar II	6.66	0.25	4.38	0.27	9.30	0.38	10.22	0.78	7.36	0.41	5.75	0.40	3.82	0.39
	4.76	0.21	2.85	0.22	6.92	0.33	6.28	0.60	5.02	0.33	4.43	0.36	3.41	0.37
	1.70	0.11	1.47	0.15	1.93	0.16	3.16	0.43	2.08	0.18	1.21	0.16	0.41	0.15
	0.64	0.07	0.44	0.09	0.85	0.11	1.79	0.34	0.70	0.11	0.35	0.09	*0.14	0.07
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	6.39	0.24	4.53	0.28	8.51	0.42	8.59	0.75	7.57	0.35	5.88	0.42	1.99	0.29
	1.87	0.13	1.11	0.14	2.66	0.20	3.07	0.42	2.21	0.21	1.56	0.19	0.46	0.15
	1.51	0.11	0.85	0.12	2.19	0.18	2.44	0.37	1.77	0.17	1.31	0.17	0.33	0.12
	0.33	0.05	0.25	0.07	0.41	0.08	0.59	0.17	0.40	0.10	0.22	0.08	*0.13	0.09
Social phobia	1.46	0.11	1.19	0.13	1.73	0.17	2.28	0.40	1.71	0.17	1.25	0.20	0.41	0.13
Specific phobia	2.21	0.13	1.64	0.16	2.83	0.21	3.32	0.48	2.47	0.19	2.17	0.22	0.56	0.16
Generalized anxiety	3.17	0.16	1.87	0.18	4.52	0.25	3.22	0.51	3.96	0.25	2.85	0.26	1.37	0.25

Table 3-4. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year *DSM-IV* alcohol use disorder status among Wave 1 current drinkers. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year DSM-IV alcohol use disorder status and first incidence rates of psychiatric disorders	.	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and olde
,,,	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Alcohol use disorder														
1-year first incidence														
Alcohol use disorder		_	_	_	_	_	_	_	_	_	_	_	_	_
Alcohol abuse	4.38	1.62	*2.43	1.43	*6.30	2.81	*1.84	1.18	*6.92	3.71	*8.60	6.15	_	_
Alcohol dependence	7.77	1.09	8.09	1.39	7.02	1.74	14.74	3.25	5.95	1.48	7.74	1.78	_	_
Nicotine dependence	7.84	0.96	7.80	1.12	7.96	1.65	9.34	1.83	7.59	1.33	6.85	1.47	*6.42	5.41
Any drug use disorder	0.63	0.22	*0.64	0.27	*0.61	0.40	*1.33	0.75	*0.53	0.27	*0.23	0.18	_	_
Any drug abuse		0.22	*0.64	0.27	[*] 0.56	0.39	*1.31	0.75	[*] 0.53	0.26	[*] 0.17	0.17	_	_
Any drug dependence	1.06	0.25	1.30	0.35	*0.50	0.23	1.95	0.66	*0.67	0.33	*1.07	0.51	_	_
Any mood disorder		0.42	2.48	0.47	2.98	0.85	3.14	0.87	2.53	0.56	*2.30	1.04	*0.98	0.81
Major depressive disorder		0.28	1.48	0.35	*1.13	0.47	1.40	0.52	1.26	0.37	*1.81	0.91	*0.94	0.78
Bipolar I		0.20	0.53	0.17	1.63	0.55	*1.29	0.47	0.80	0.27	*0.52	0.31	_	_
Bipolar II		0.09	*0.18	0.11	*0.35	0.16	*0.38	0.27	*0.19	0.10	*0.18	0.14	_	_
Any anxiety disorder		0.37	1.81	0.43	3.04	0.66	1.96	0.66	2.53	0.61	*1.44	0.64	*0.95	0.9
Any panic disorder		0.20	*0.44	0.18	1.80	0.53	*1.06	0.42	0.84	0.28	*0.53	0.39	_	_
Panic without agoraphobia Panic with agoraphobia		0.18 0.05	*0.43	0.17	1.42 *0.28	0.46 0.19	*0.79 *0.23	0.36 0.19	0.79 *0.04	0.27 0.04	*0.51	0.38	_	_
Social phobia		0.05	*0.22	0.12	*0.20	0.19	*0.11	0.19	*0.37	0.04	_		_	_
Specific phobia		0.10	*0.62	0.12	*0.74	0.14	*0.49	0.11	*0.80	0.10	*0.62	0.44	_	_
Generalized anxiety	1.59	0.32	1.23	0.31	2.50	0.78	*0.99	0.52	2.14	0.56	*1.22	0.50	*0.89	0.89
3-year first incidence														
Alcohol use disorder	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Alcohol abuse		3.83	36.54	5.21	25.47	5.09	25.19	5.02	41.12	6.32	*28.51	9.91	*29.66	27.67
Alcohol dependence		1.50	14.64	1.96	11.02	1.96	23.23	3.58	11.45	1.84	12.87	2.70	_	_
Nicotine dependence	12.57	1.12	12.75	1.33	12.13	1.84	15.60	2.21	11.49	1.56	11.51	1.98	*11.85	5.84
Any drug use disorder	5.75	0.68	6.26	0.88	4.60	0.98	10.88	1.79	5.00	0.98	2.77	0.99	_	_
Any drug abuse		0.65	6.02	0.86	4.00	0.88	10.72	1.79	4.47	0.89	2.42	0.84	_	_
Any drug dependence	3.15	0.46	3.49	0.64	2.36	0.58	5.38	1.08	2.78	0.65	1.70	0.64	_	_
Any mood disorder	9.34	0.96	7.78	1.02	14.18	1.94	10.64	1.47	10.17	1.51	6.69	1.81	*1.95	1.2
Major depressive disorder	5.29	0.67	4.11	0.70	8.63	1.44	5.46	0.96	5.41	1.13	5.26	1.53	*1.87	1.1
Bipolar I	3.41	0.44	2.84	0.51	4.78	0.84	4.64	0.97	3.50	0.67	1.75	0.65	*1.78	1.7
Bipolar II	1	0.25	0.94	0.30	1.64	0.44	*1.14	0.47	1.45	0.39	*0.57	0.30	_	_
Any anxiety disorder		0.76	6.74	0.85	12.17	1.61	8.93	1.46	8.14	1.19	8.12	1.78	*0.95	0.9
Any panic disorder		0.42	1.55	0.36	4.66	1.05	3.40	0.83	2.52	0.59	*1.13	0.58	_	_
Panic with a secondary labels		0.40	1.39	0.34	3.76	0.98	2.96	0.78	2.11	0.57	*0.96	0.55	_	_
Panic with agoraphobia		0.10	*0.13	0.09	*0.69	0.28	*0.35 *1.67	0.22	*0.35	0.16	*0.13	0.13 0.73	_	_
Social phobia		0.32	1.62	0.37	2.79 4.42	0.64		0.63	2.36	0.45 0.59	1.64 2.97		_	_
													*n 89	0.89
Specific phobia Generalized anxiety		0.46 0.53	2.60 3.56	0.50 0.62	4.42 6.14	0.96 1.00	3.53 3.88	1.01 0.92	3.11 5.01	0.59 0.82	2.97 3.60	0.88 1.15	*0.89	

Table 3-4. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year *DSM-IV* alcohol use disorder status among Wave 1 current drinkers. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year <i>DSM-IV</i> alcohol use disorder status and first incidence rates of psychiatric disorders			Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and old
and mot motion rates of polyamatic according	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E
lcohol abuse only														
1-year first incidence														
Alcohol use disorder	. _	_	_	_	_	_	_	_	_	_	_	_	_	_
Alcohol abuse		_	-	_	_	_	-	_	_	_	_	_	_	_
Alcohol dependence	. 7.77	1.09	8.09	1.39	7.02	1.74	14.74	3.25	5.95	1.48	7.74	1.78	_	_
Nicotine dependence	. 8.17	1.28	7.62	1.49	9.57	2.20	11.04	2.98	7.87	1.78	6.80	1.66	*7.06	5.9
Any drug use disorder		0.29	*0.59	0.32	*1.02	0.67	*2.07	1.45	*0.55	0.31	*0.33	0.26	_	_
Any drug abuse		0.29	*0.59	0.32	*0.94	0.67	*2.07	1.45	*0.55	0.31	*0.25	0.25	_	_
Any drug dependence		0.31	1.29	0.43	*0.05	0.05	*3.18	1.41	*0.25	0.19	*0.98	0.63	_	_
Any mood disorder		0.42	1.58	0.43	*2.89	1.16	*2.88	1.23	1.59	0.52	*1.94	0.94	*1.06	0.8
Major depressive disorder		0.30	0.90	0.33	*1.23 *1.75	0.70	*1.11 *2.21	0.75	*0.66	0.32	*1.61	0.87	*1.04	0.
Bipolar I Bipolar II		0.25 0.12	*0.41 *0.19	0.17 0.14	*0.20	0.78 0.15	*0.49	0.99 0.49	*0.73 *0.10	0.34 0.08	*0.19	0.20	_	=
											*1.71			
Any anxiety disorder		0.39 0.23	1.45 *0.57	0.47 0.27	*1.96 *0.81	0.72 0.45	*0.88 *0.37	0.53 0.36	1.81 *0.82	0.61 0.35	1.71 *0.54	0.87 0.53	*1.06 —	1.
Any panic disorder Panic without agoraphobia	also and a second	0.23	*0.56	0.27	*0.68	0.43	*0.36	0.36	*0.75	0.33	*0.53	0.53	_	
Panic with agoraphobia		0.03	J 0.50	-	*0.11	0.42	- 0.50	_	*0.06	0.06	- -	-	_	_
Social phobia		0.12	*0.23	0.16	_	_	_	_	*0.31	0.22	_	_	_	_
Specific phobia	. *0.46	0.20	*0.50	0.26	*0.33	0.24	*0.20	0.20	*0.41	0.25	*0.90	0.64	—	_
Generalized anxiety	. 1.18	0.34	1.01	0.39	*1.62	0.69	*1.17	0.81	*1.11	0.48	*1.38	0.67	*1.01	1.0
3-year first incidence														
Alcohol use disorder	.l —	_	_	_	_	_	_	_	_	_	_	_	_	_
Alcohol abuse		_	_	_	_	_	-	_	_	_	_	_	_	_
Alcohol dependence	. 13.57	1.50	14.64	1.96	11.02	1.96	23.23	3.58	11.45	1.84	12.87	2.70	_	_
Nicotine dependence	. 12.26	1.44	12.57	1.75	11.46	2.22	14.75	3.22	11.60	2.03	11.69	2.41	*12.96	6.3
Any drug use disorder	. 4.77	0.78	5.11	0.94	3.93	1.25	12.02	2.86	3.84	0.98	*2.66	1.06	_	_
Any drug abuse	. 4.64	0.77	5.11	0.94	*3.50	1.20	12.02	2.86	3.83	0.98	*2.16	0.97	_	_
Any drug dependence	. 1.75	0.38	1.87	0.48	*1.44	0.62	4.60	1.55	1.06	0.37	*1.49	0.71	_	_
Any mood disorder		1.14	6.21	1.27	11.38	2.26	9.10	2.34	7.80	1.54	6.33	2.02	*2.11	1.3
Major depressive disorder		0.82	3.35	0.89	7.11	1.80	*4.90	1.77	3.69	1.08	5.53	1.94	*2.06	1.
Bipolar I		0.53	2.34	0.59	3.74	1.04	4.73	1.42	3.39	0.87	*0.30	0.21	_	_
Bipolar II		0.31	*0.88	0.40	*0.93	0.39	*0.77	0.56	1.33	0.48	*0.19	0.20	*	_
Any anxiety disorder		0.99	5.81	1.11	8.91	1.97	5.67	1.76	7.26	1.34	6.89	2.12	*1.06	1.0
Any panic disorder Panic without agoraphobia		0.38 0.37	1.32 1.21	0.47 0.46	2.02 1.80	0.69 0.67	*2.46 *2.43	0.97 0.96	1.44 1.21	0.43 0.41	*1.20 *1.18	0.79 0.78	_	_
Panic with agoraphobia		0.37	*0.09	0.46	*0.17	0.67	2.43	U.96 —	*0.21	0.41	-	0.78	_	
Social phobia		0.32	1.04	0.36	*1.50	0.59	*0.55	0.55	1.73	0.56	*0.55	0.33	_	_
Specific phobia	. 2.98	0.60	2.83	0.69	3.42	1.19	*3.28	1.42	2.97	0.73	3.40	1.20	. —	_
Generalized anxiety		0.72	3.35	0.86	4.58	1.17	*2.39	1.02	4.36	1.02	3.67	1.59	*1.01	1.0

Table 3-4. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected DSM-IV psychiatric disorders, by sex and age group, according to Wave 1 past-year DSM-IV alcohol use disorder status among Wave 1 current drinkers. (Continued)

	Both s	sexes		5	Sex					Age group	at Wave 1			
Wave 1 past-year <i>DSM-IV</i> alcohol use disorder status and first incidence rates of psychiatric disorders	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Alcohol dependence														
1-year first incidence														
Alcohol use disorder	4.38	 1.62 	*2.43 —	 1.43 	*6.30 —	 2.81 	*1.84 —	_ 1.18 _	*6.92 —	 3.71 	*8.60 —	 6.15 		_ _ _
Nicotine dependence	1	1.28	8.11	1.66	5.39	2.21	7.91	2.33	6.99	1.68	*6.97	3.15	_	_
Any drug use disorder Any drug abuse Any drug dependence		0.34 0.34 0.47	*0.73 *0.72 *1.32	0.52 0.51 0.63	 *1.06	 0.53	*0.74 *0.72 *1.08	0.74 0.72 0.55	*0.49 *0.48 *1.39	0.49 0.48 0.83	 _ *1.26	— — 0.93	_	_
Any mood disorder Major depressive disorder Bipolar I Bipolar II	1.97	0.86 0.54 0.34 0.15	4.02 2.32 *0.71 *0.17	1.07 0.72 0.35 0.17	3.10 *1.02 *1.49 *0.54	1.28 0.63 0.78 0.32	3.31 *1.56 *0.72 *0.31	1.19 0.70 0.48 0.31	4.51 *2.33 *0.92 *0.33	1.33 0.85 0.46 0.22	*3.38 *2.27 *1.77 *0.14	2.95 2.18 1.05 0.15	_ _ _	_ _ _
Any anxiety disorder Any panic disorder Panic without agoraphobia	2.93 1.06 0.86	0.75 0.34 0.30	2.37 *0.25 *0.24	0.89 0.18 0.18	4.57 3.04 2.34	1.34 1.05 0.90	2.69 *1.47 *1.04	1.06 0.64 0.54	3.88 *0.88 *0.84	1.38 0.47 0.45	*0.73 *0.50 *0.48	0.54 0.36 0.35		_ _ _
Panic with agoraphobia Social phobia Specific phobia Generalized anxiety	*0.29	0.12 0.16 0.49 0.62	*0.22 *0.79 1.55	0.19 0.53 0.54	*0.48 *0.44 *1.26 3.60	0.38 0.31 0.99 1.53	*0.37 *0.17 *0.68 *0.89	0.30 0.17 0.68 0.67	*0.48 *1.45 3.82	0.33 0.89 1.23	— — — *0.85	 0.60	_ _ _	_ _ _
3-year first incidence														
Alcohol use disorder	31.52	 3.83 	 36.54 	 5.21 	 25.47 	 5.09 	 25.19 	 5.02 	— 41.12 —	- 6.32 -	 *28.51 	— 9.91 —	 *29.66 	_ 27.67 _
Nicotine dependence	13.10	1.76	13.09	2.12	13.13	3.20	16.28	3.11	11.28	2.31	11.06	3.39		_
Any drug use disorder Any drug abuse Any drug dependence	6.63	1.28 1.16 0.93	8.28 7.59 5.98	1.76 1.67 1.32	5.55 4.70 3.51	1.64 1.34 1.05	9.97 9.71 5.91	2.23 2.18 1.58	7.19 5.67 5.71	2.19 1.85 1.53	*3.04 *3.04 *2.17	1.66 1.66 1.07		_
Any mood disorder	6.67 4.34	1.54 1.13 0.78 0.39	10.41 5.19 3.57 *1.02	1.64 1.09 0.92 0.42	17.87 10.30 6.02 2.46	3.12 2.24 1.38 0.86	11.60 5.77 4.58 *1.36	2.00 1.24 1.31 0.64	14.90 8.35 3.68 *1.65	3.09 2.38 1.03 0.67	7.74 *4.65 *5.12 *1.37	3.23 2.43 2.05 0.83	 *13.24 	 12.03
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	10.43 3.68 2.97 *0.53	1.27 0.84 0.78 0.23	8.17 1.89 1.63 *0.19	1.42 0.59 0.54 0.19	16.47 7.83 6.06 *1.28	2.46 2.06 1.89 0.59	11.04 3.96 3.28 *0.56	2.11 1.17 1.10 0.35	9.77 4.30 3.54 *0.56	2.04 1.37 1.27 0.38	11.29 *0.96 *0.46 *0.40	3.33 0.59 0.34 0.40	=	_ _ _
Social phobia Specific phobia Generalized anxiety	3.26	0.60 0.71 0.80	2.44 2.26 3.85	0.73 0.76 0.85	4.33 5.63 8.06	1.12 1.58 1.74	*2.34 3.69 4.75	0.94 1.29 1.29	3.39 3.35 6.08	0.85 1.05 1.37	*4.19 *2.03 *3.43	2.19 1.03 1.27		_

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 3-5. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more drinks for women in a single day among Wave 1 current drinkers.¹

Was dans to see for many of dealing East on the deal	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more drinks for women in a single day	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
and first incidence rates of psychiatric disorders	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Never in the past year														
1-year first incidence														
Alcohol use disorder Alcohol abuse Alcohol dependence	1.71 1.02 1.37	0.14 0.12 0.11	2.32 1.52 1.85	0.29 0.24 0.22	1.28 0.68 0.97	0.14 0.10 0.12	6.23 3.80 5.33	0.95 0.75 0.78	1.92 1.15 1.61	0.25 0.19 0.21	0.90 0.49 0.73	0.16 0.12 0.12	*0.30 *0.19 *0.12	0.18 0.17 0.07
Nicotine dependence	3.85	0.23	4.42	0.34	3.34	0.32	6.87	1.08	3.97	0.36	4.00	0.37	1.76	0.28
Any drug use disorder Any drug abuse Any drug dependence	0.31 0.29 0.33	0.06 0.06 0.07	0.23 0.20 0.48	0.07 0.06 0.14	0.38 0.36 0.19	0.09 0.09 0.07	1.72 1.59 1.90	0.44 0.43 0.54	0.32 0.32 *0.21	0.11 0.11 0.10	*0.12 *0.08 *0.21	0.05 0.04 0.11	_ _ _	_
Any mood disorder Major depressive disorder Bipolar I Bipolar II	2.31 1.64 0.47 0.21	0.17 0.14 0.07 0.04	1.44 0.91 0.42 *0.14	0.20 0.16 0.10 0.05	3.21 2.39 0.52 0.28	0.29 0.25 0.09 0.06	4.89 3.00 1.20 *0.75	0.84 0.62 0.39 0.29	2.61 1.65 0.63 0.31	0.29 0.23 0.14 0.08	1.81 1.49 0.23 *0.07	0.26 0.24 0.07 0.03	1.45 1.20 *0.26 *0.02	0.28 0.26 0.12 0.02
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	1.46 0.61 0.54 0.06	0.13 0.08 0.07 0.02	0.94 0.36 0.31 *0.05	0.17 0.10 0.09 0.03	2.01 0.84 0.75 *0.08	0.22 0.12 0.12 0.03	1.54 1.05 0.85 *0.18	0.40 0.30 0.27 0.12	2.18 0.72 0.65 *0.06	0.25 0.14 0.13 0.03	1.24 0.64 0.55 *0.08	0.21 0.14 0.13 0.04	*0.30 *0.07 *0.07 -	0.11 0.05 0.05 —
Social phobia Specific phobia Generalized anxiety	0.23 0.42 1.08	0.05 0.06 0.09	0.24 0.31 0.57	0.08 0.08 0.11	0.22 0.52 1.56	0.07 0.10 0.17	*0.22 *0.44 1.26	0.12 0.22 0.36	0.26 0.60 1.63	0.08 0.13 0.21	0.28 0.40 0.77	0.11 0.11 0.15	*0.06 *0.02 0.37	0.03 0.02 0.13
3-year first incidence														
Alcohol use disorder	5.68 4.69 2.55	0.28 0.27 0.17	8.14 7.14 3.21	0.53 0.49 0.28	3.91 2.93 1.98	0.31 0.27 0.20	17.30 13.49 10.03	1.43 1.33 1.00	5.78 4.72 2.79	0.47 0.42 0.29	4.03 3.46 1.40	0.40 0.40 0.20	1.57 1.54 *0.28	0.32 0.32 0.13
Nicotine dependence	5.93	0.29	6.90	0.44	5.09	0.35	10.25	1.23	6.22	0.42	6.04	0.52	2.87	0.37
Any drug use disorder Any drug abuse	1.46 1.43 0.60	0.15 0.15 0.09	1.89 1.82 0.80	0.27 0.26 0.15	1.10 1.09 0.43	0.13 0.13 0.09	5.62 5.50 2.85	0.84 0.83 0.64	1.67 1.62 0.55	0.26 0.26 0.13	0.80 0.78 0.36	0.19 0.19 0.12	*0.22 *0.22 *0.01	0.10 0.10 0.01
Any mood disorder	6.75 4.96 1.53 0.65	0.28 0.25 0.11 0.08	4.07 2.64 1.25 0.46	0.32 0.27 0.16 0.10	9.45 7.25 1.79 0.83	0.45 0.39 0.17 0.12	12.73 7.47 3.88 2.29	1.20 0.86 0.66 0.50	7.38 5.15 1.89 0.82	0.45 0.39 0.19 0.13	6.13 4.91 1.07 0.33	0.49 0.45 0.15 0.09	3.73 3.29 0.44 *0.06	0.40 0.38 0.16 0.04
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia Social phobia Specific phobia	6.27 1.74 1.41 0.30 1.42 2.16	0.26 0.13 0.11 0.06 0.12 0.15	4.42 0.96 0.72 0.23 1.25 1.70	0.35 0.16 0.14 0.07 0.15 0.23	8.14 2.47 2.05 0.37 1.57 2.61	0.46 0.20 0.18 0.08 0.18 0.22	9.65 3.27 2.58 *0.64 2.14 3.90	1.09 0.55 0.49 0.26 0.52 0.72	7.62 2.10 1.74 0.32 1.72 2.55	0.44 0.22 0.20 0.09 0.20 0.25	6.03 1.56 1.26 0.27 1.42 2.03	0.48 0.22 0.19 0.10 0.23 0.22	2.01 0.47 *0.32 *0.14 0.33 0.61	0.30 0.16 0.12 0.10 0.11 0.17
Generalized anxiety	3.10	0.16	1.78	0.19	4.30	0.28	3.60	0.65	3.84	0.30	2.97	0.30	1.35	0.26

Table 3-5. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more drinks for women in a single day among Wave 1 current drinkers. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more drinks for women in a single day	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
and first incidence rates of psychiatric disorders	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
1 to 11 times in the past year														
1-year first incidence														
Alcohol use disorder	3.47 2.75	0.58 0.53	4.77 3.02	1.07 0.76	2.40 2.51	0.58 0.64	8.31 5.38	2.31 1.59	2.95 2.56	0.65 0.63	*0.15 *0.52	0.11 0.40	_	_
Alcohol dependence	2.62	0.44	3.26	0.69	1.90	0.47	4.41	1.28	2.48	0.62	2.03	0.58	_	_
Nicotine dependence	5.50	0.62	5.65	0.83	5.31	0.88	6.94	1.45	5.38	0.86	5.04	1.02	*2.99	2.23
Any drug use disorderAny drug abuse Any drug dependence	0.53 0.52 *0.21	0.18 0.18 0.09	*0.89 *0.87 *0.21	0.32 0.32 0.12	*0.10 *0.10 *0.21	0.07 0.07 0.14	*1.93 *1.86 *0.52	0.84 0.83 0.36	*0.38 *0.37 *0.08	0.20 0.20 0.06	 _ *0.32	 0.25	_	=
Any mood disorder	2.36 1.74 0.55 *0.05	0.36 0.30 0.16 0.03	1.86 1.37 *0.42	0.41 0.34 0.19	3.18 2.29 *0.70 *0.12	0.66 0.53 0.29 0.07	2.16 *1.61 *0.21	0.81 0.66 0.21	2.79 2.06 0.77 *0.07	0.54 0.44 0.26 0.05	*1.60 *1.08 *0.33 *0.07	0.60 0.48 0.26 0.05	*1.85 *1.81 —	1.83 1.80 —
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	1.86 0.69 0.50 *0.18	0.26 0.18 0.14 0.10	1.45 *0.46 *0.35 *0.10	0.32 0.21 0.18 0.10	2.53 1.00 0.68 *0.27	0.52 0.30 0.20 0.20	*1.26 *0.83 *0.73 *0.08	0.58 0.43 0.41 0.08	2.41 0.88 0.57 *0.28	0.40 0.27 0.18 0.18	*1.24 *0.22 *0.21	0.61 0.13 0.13	_ _ _	_ _ _
Social phobia Specific phobia Generalized anxiety	*0.36	0.15 0.14 0.22	*0.39 *0.30 1.14	0.23 0.17 0.29	*0.32 *0.54 2.21	0.17 0.26 0.42	*0.26 *0.58	0.19 0.34	*0.63 *0.43 2.03	0.25 0.19 0.33	 *0.48 1.54	— 0.39 0.54		_ _ _
3-year first incidence														
Alcohol use disorder	12.23 11.94 5.23	0.93 0.98 0.52	16.99 15.11 6.27	1.65 1.58 0.83	7.97 9.09 4.04	1.08 1.22 0.67	21.53 18.43 10.11	2.76 2.37 1.70	10.13 10.57 4.70	1.33 1.37 0.78	7.83 8.13 3.53	1.86 1.93 0.74	*6.18 *7.56 —	4.29 4.45 —
Nicotine dependence	8.27	0.73	8.28	0.94	8.26	1.09	9.75	1.66	8.51	0.99	7.03	1.25	*4.31	2.56
Any drug use disorder Any drug abuse Any drug dependence	3.30 3.23 0.89	0.48 0.48 0.30	3.59 3.47 0.68	0.61 0.61 0.20	2.95 2.94 1.15	0.81 0.81 0.62	8.15 7.82 1.53	1.71 1.71 0.54	2.91 2.90 0.98	0.70 0.70 0.49	*1.13 *1.13 *0.32	0.56 0.56 0.25		
Any mood disorder Major depressive disorder Bipolar I Bipolar II	7.30 4.52 2.58 0.83	0.66 0.48 0.38 0.18	6.09 3.72 2.33 *0.78	0.80 0.61 0.49 0.27	9.21 5.72 2.90 0.90	1.07 0.73 0.52 0.24	7.99 4.88 2.47 *1.97	1.47 1.12 0.75 0.79	8.69 5.08 3.21 0.81	1.01 0.73 0.58 0.25	3.85 2.85 1.27 *0.15	0.84 0.67 0.51 0.10	*4.89 *4.80 *1.49 —	2.56 2.51 1.48 —
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia Social phobia	7.12 2.30 1.88 0.37 1.31	0.56 0.34 0.30 0.15 0.24	4.76 1.41 1.02 *0.37 0.59	0.65 0.39 0.31 0.21 0.24	10.64 3.47 2.99 *0.38 2.22	1.14 0.62 0.57 0.21 0.42	8.38 2.98 2.29 *0.62 2.04	1.54 0.90 0.86 0.30 0.70	7.77 2.55 2.02 *0.47 1.51	0.72 0.51 0.43 0.25 0.31	5.55 1.49 1.47 — *0.41	1.14 0.47 0.47 — 0.20	_ _ _ _	_ _ _ _
Specific phobia Generalized anxiety	2.69 4.21	0.37 0.43	1.81 2.73	0.39 0.48	3.92 6.14	0.73 0.78	3.75 3.98	1.07 0.98	2.21 5.01	0.44 0.55	3.45 2.96	0.95 0.71	_	_

Table 3-5. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected DSM-IV psychiatric disorders, by sex and age group, according to Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more drinks for women in a single day among Wave 1 current drinkers. (Continued)

	Both :	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more drinks for women in a single day and first incidence rates of psychiatric disorders	Estimate	S.E.	Ма	e	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
and instruction rates of psychiatric disorders	Estimate	J.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
12 or more times in the past year														
1-year first incidence														
Alcohol use disorder	6.71 3.54 6.34	1.01 0.65 0.60	8.16 3.94 6.91	1.50 1.04 0.77	4.86 3.03 5.28	1.16 0.70 0.94	13.07 7.19 10.33	2.78 1.83 1.60	4.43 2.46 4.60	1.05 0.69 0.71	5.10 *1.84 6.26	1.78 0.95 1.35	*1.78 — *5.98	1.40 — 2.16
Nicotine dependence	9.16	0.69	9.55	0.86	8.33	1.09	11.60	1.58	8.09	0.86	9.51	1.36	*5.60	2.88
Any drug use disorder Any drug abuse Any drug dependence	0.50 0.49 0.71	0.18 0.18 0.17	0.54 0.53 0.85	0.26 0.26 0.23	*0.42 *0.43 *0.41	0.20 0.20 0.19	1.69 1.69 1.70	0.79 0.78 0.54	*0.21 *0.21 0.43	0.11 0.11 0.20	*0.11 *0.08 *0.35	0.09 0.08 0.19	_ _ _	
Any mood disorder Major depressive disorder Bipolar I Bipolar II	2.13 1.16 0.77 0.26	0.26 0.19 0.14 0.10	1.71 0.96 0.59 *0.14	0.27 0.21 0.15 0.07	3.19 1.66 1.14 *0.50	0.67 0.41 0.31 0.27	2.89 1.42 1.24 *0.24	0.65 0.44 0.37 0.17	2.06 1.18 0.45 *0.28	0.40 0.26 0.16 0.17	1.51 0.75 1.05 *0.12	0.40 0.28 0.33 0.09	*1.41 *1.37 — *0.88	1.28 1.25 — 0.88
Any anxiety disorder Any panic disorder Panic without agoraphobia	1.79 0.81 0.63	0.29 0.16 0.14	1.36 0.44 0.36	0.29 0.14 0.12	2.87 1.63 1.22	0.64 0.41 0.35	1.79 *0.93 *0.72	0.53 0.36 0.32	2.01 0.93 0.68	0.43 0.25 0.20	1.52 *0.52 *0.51	0.67 0.27 0.26	*0.32 — —	0.32
Panic with agoraphobia Social phobia Specific phobia Generalized anxiety	*0.16 0.32 0.67 1.12	0.08 0.10 0.19 0.22	*0.07 *0.16 0.52 0.79	0.07 0.08 0.19 0.19	*0.35 *0.69 1.01 1.85	0.19 0.26 0.44 0.53	*0.19 *0.37 *0.35 *0.87	0.14 0.24 0.27 0.35	*0.22 *0.42 0.86 1.59	0.14 0.15 0.26 0.39	*0.06 *0.72 *0.55	0.06 0.51 0.24	*0.28 —	0.27 —
3-year first incidence														
Alcohol use disorder	25.89 22.34 12.60	1.50 1.25 0.85	29.97 25.46 13.45	2.10 1.77 1.11	20.13 18.00 10.99	2.03 1.74 1.31	37.22 30.98 18.80	3.33 2.71 2.09	22.72 19.98 10.45	2.02 1.73 0.99	20.34 17.33 11.89	2.98 2.58 1.63	12.46 *9.64 7.89	4.21 3.83 2.49
Nicotine dependence	13.68	0.84	13.96	1.06	13.08	1.30	17.77	1.78	11.78	1.06	14.34	1.73	*7.48	3.12
Any drug use disorder Any drug abuse Any drug dependence	4.57 4.38 2.56	0.47 0.44 0.36	4.85 4.70 2.96	0.60 0.59 0.51	4.02 3.76 1.72	0.71 0.67 0.38	11.07 10.98 4.95	1.47 1.46 0.89	3.32 3.03 2.25	0.52 0.47 0.49	1.60 1.43 0.95	0.51 0.44 0.39	_	
Any mood disorder	7.39 4.67 2.54 0.78	0.61 0.47 0.31 0.16	6.06 3.60 2.26 0.52	0.68 0.49 0.38 0.15	10.64 7.18 3.13 1.34	1.10 0.88 0.56 0.36	8.52 5.19 3.37 0.74	1.07 0.81 0.66 0.30	7.90 4.98 2.45 0.79	0.96 0.75 0.42 0.23	5.54 3.49 2.19 *0.72	1.11 0.88 0.53 0.35	*3.57 *3.47 — *1.35	1.94 1.87 — 0.99
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	7.28 2.29 1.88 0.36	0.59 0.33 0.29 0.11	6.04 1.57 1.40 *0.15	0.67 0.33 0.29 0.09	10.26 3.83 2.90 0.81	1.08 0.62 0.57 0.25	7.80 3.13 2.72 *0.37	1.12 0.65 0.62 0.18	7.64 2.33 1.76 0.52	0.85 0.47 0.39 0.22	6.67 1.42 1.32 *0.07	1.10 0.41 0.40 0.07	*2.01 *0.50 *0.50	1.27 0.50 0.50 —
Social phobia Specific phobia Generalized anxiety	2.01 2.62 3.38	0.26 0.30 0.39	1.71 2.05 2.63	0.30 0.32 0.42	2.67 3.92 5.02	0.50 0.64 0.78	2.18 2.62 2.90	0.55 0.62 0.66	2.26 2.89 4.07	0.37 0.44 0.62	1.27 2.42 2.62	0.43 0.66 0.68	*1.71 — *2.01	1.43 — 1.40

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 3-6. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year frequency of drinking enough to feel drunk among Wave 1 current drinkers.¹

	Both s	sexes		S	ex					Age group	p at Wave 1			
Nave 1 past-year frequency of drinking enough to feel drunk and first incidence rates of psychiatric disorders	Estimate	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Never in the past year														
1-year first incidence														
Alcohol use disorder	1.57	0.15	2.15	0.27	1.14	0.14	5.64	0.88	1.85	0.26	0.82	0.15	*0.35	0.20
Alcohol abuse Alcohol dependence	1.02 1.32	0.12 0.13	1.45 1.88	0.23 0.23	0.72 0.81	0.10 0.12	4.16 4.35	0.77 0.71	1.19 1.54	0.20 0.24	0.43 0.90	0.12 0.15	*0.20 *0.28	0.18 0.10
Nicotine dependence	4.14	0.23	4.88	0.37	3.45	0.33	6.88	1.11	4.23	0.39	4.59	0.40	1.81	0.28
Any drug use disorder	0.25 0.22 0.26	0.05 0.05 0.06	0.22 0.19 0.36	0.06 0.06 0.10	0.26 0.25 0.16	0.09 0.09 0.07	1.30 1.11 1.10	0.39	0.29 0.29 *0.21	0.11 0.11 0.10	*0.09 *0.07 *0.23	0.04 0.04 0.11	_	_
Any drug dependence Any mood disorder	2.16	0.06	1.42	0.10	2.99	0.07	3.74	0.35 0.77	2.65	0.10	1.59	0.11	— 1.54	0.29
Major depressive disorder Bipolar I	1.55 0.46 0.20	0.10 0.13 0.07 0.04	0.90 0.43 *0.13	0.16 0.10 0.05	2.27 0.49 0.26	0.23 0.10 0.06	2.32 *0.96 *0.82	0.56 0.39 0.33	1.72 0.67 0.26	0.23 0.15 0.07	1.30 0.24 *0.08	0.23 0.07 0.04	1.31 *0.25 *0.02	0.27 0.12 0.02
Bipolar II Any anxiety disorder	1.50	0.04	0.13	0.05	2.11	0.00	1.32	0.33	2.28	0.07	1.32	0.04	*0.28	0.02
Any panic disorder	0.64	0.13	0.39	0.13	0.89	0.24	0.75	0.25	0.92	0.18	0.58	0.23	*0.07	0.12
Panic without agoraphobia	0.53	0.07	0.33	0.08	0.73	0.12	0.58	0.22	0.76	0.15	0.49	0.11	*0.07	0.05
Panic with agoraphobia	0.09	0.03	*0.05	0.04	0.14	0.05	*0.15 *0.35	0.09	*0.14	0.07	*0.07	0.04	*0.07	0.04
Social phobia Specific phobia	0.23 0.45	0.05 0.07	0.23 0.31	0.08 0.08	0.23 0.60	0.07 0.12	*0.35	0.15 0.19	0.25 0.60	0.08 0.12	0.25 0.51	0.10 0.15	*0.02	0.04
Generalized anxiety	1.05	0.10	0.67	0.00	1.44	0.12	0.76	0.30	1.69	0.12	0.77	0.15	*0.34	0.12
3-year first incidence														
Alcohol use disorder	5.85	0.30	8.67	0.52	3.73	0.29	15.46	1.39	6.59	0.50	4.26	0.41	2.06	0.37
Alcohol abuse	5.00	0.26	7.60	0.48	3.01	0.26	12.95	1.31	5.41	0.41	3.79	0.40	1.99	0.37
Alcohol dependence	2.49	0.18	3.38	0.30	1.69	0.19	8.45	1.00	2.84	0.31	1.68	0.22	0.51	0.15
Nicotine dependence	6.22	0.29	7.21	0.45	5.28	0.36	10.24	1.30	6.39	0.43	6.70	0.52	2.96	0.38
Any drug use disorder	1.37	0.17	1.76	0.28	1.01	0.15	5.22	0.81	1.65	0.32	0.77	0.18	*0.23	0.11
Any drug abuse	1.35	0.17	1.72	0.28	1.01	0.15	5.02	0.80	1.63	0.32	0.76	0.19	*0.23	0.11
Any drug dependence	0.52	0.08	0.65	0.12	0.40	0.10	2.11	0.51	0.56	0.15	0.36	0.12	*0.01	0.01
Any mood disorder	6.57	0.28	4.32	0.34	9.02	0.41	11.18	1.18	7.65	0.50	5.76	0.45	3.76	0.41
Major depressive disorder	4.81	0.24	2.75	0.26	7.02	0.37	6.58	0.82	5.22	0.38	4.63	0.42	3.39	0.39
Bipolar I	1.54	0.13	1.32	0.20	1.75	0.18	3.41	0.63	2.17	0.26	0.99	0.14	*0.38	0.15
Bipolar II	0.64	0.08	0.51	0.11	0.77	0.11	2.38	0.56	0.78	0.14	0.37	0.11	*0.06	0.04
Any anxiety disorder	6.00	0.28	4.40	0.33	7.75	0.49	8.98	1.14	7.28	0.44	5.80	0.47	2.13	0.31
Any panic disorder	1.79	0.14	1.01	0.15	2.57	0.23	3.15	0.64	2.41	0.26	1.41	0.18	0.50	0.16
Panic without agoraphobia	1.46	0.12	0.83	0.14	2.09	0.20	2.45	0.58	2.00	0.23	1.17	0.16	*0.36	0.13
Panic with agoraphobia	0.30	0.06	*0.18	0.07	0.42	0.09	*0.68	0.28	0.37	0.10	0.22	0.09	*0.14	0.10
Social phobia	1.29	0.12	1.10	0.14	1.49	0.19	2.34	0.55	1.45	0.18	1.28	0.21	0.45	0.14
Specific phobia	2.04 3.00	0.15 0.19	1.58 1.99	0.19 0.23	2.52 4.00	0.23 0.29	3.70 3.06	0.78 0.60	2.24 3.96	0.22 0.35	2.13 2.70	0.23 0.31	0.61 1.40	0.18 0.27
Generalized anxiety	3.00	0.19	1.99	0.23	4.00	0.29	3.00	0.00	3.90	0.33	2.70	0.31	1.40	0.27

Table 3-6. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year frequency of drinking enough to feel drunk among Wave 1 current drinkers. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Vave 1 past-year frequency of drinking enough to feel drunk and first incidence rates of psychiatric disorders	Fatimeta	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
1 to 11 times in the past year														
1-year first incidence														
Alcohol use disorder	5.15	0.59	6.71	1.07	3.99	0.63	10.26	1.83	3.63	0.66	3.93	1.26	_	_
Alcohol abuse	2.93	0.43	3.45	0.72	2.54	0.46	5.08	1.11	2.36	0.51	*2.18	0.79	_	_
Alcohol dependence	3.90	0.37	4.45	0.53	3.30	0.53	6.45	1.08	3.16	0.48	3.72	0.82	*2.51	1.41
Nicotine dependence	5.64	0.47	5.51	0.64	5.79	0.69	8.58	1.26	4.94	0.62	4.84	0.93	*4.91	2.38
Any drug use disorder	0.64	0.14	0.76	0.22	0.51	0.17	2.25	0.60	*0.34	0.14	*0.19	0.11	_	_
Any drug abuse	0.62	0.14	0.75	0.22	0.47	0.16	2.22	0.60	[*] 0.34	0.14	[*] 0.13	0.09	_	_
Any drug dependence	0.45	0.13	0.58	0.23	*0.29	0.13	1.68	0.65	*0.16	0.07	*0.20	0.15	_	_
Any mood disorder	2.75	0.29	1.99	0.31	3.96	0.54	4.19	0.86	2.64	0.39	2.09	0.48	*1.03	0.95
Major depressive disorder	1.77	0.20	1.33	0.24	2.43	0.39	2.70	0.66	1.66	0.27	1.35	0.38	*1.00	0.92
Bipolar I	0.77	0.13	0.60	0.16	0.99	0.21	1.19	0.34	0.68	0.17	0.75	0.24	_	_
Bipolar II	0.17	0.07	*0.02	0.02	0.36	0.17	*0.03	0.03	0.28	0.13	*0.05	0.04		_
Any anxiety disorder	1.87	0.26	1.43	0.31	2.56	0.38	2.07	0.57	2.13	0.34	1.28	0.57	*0.44	0.43
Any panic disorder	0.74	0.13	*0.40	0.15	1.19	0.26	1.22	0.40	0.65	0.17	[*] 0.67	0.31	_	_
Panic without agoraphobia	0.60	0.12	*0.27	0.13	1.03	0.23	1.03	0.37	0.46	0.14	*0.66	0.31	_	_
Panic with agoraphobia	*0.13	0.06	*0.12	0.08	*0.13	0.09	*0.17	0.13	*0.17	0.09	*	_	_	_
Social phobia	0.46	0.12	*0.37	0.15	0.57	0.19	*0.30	0.25	0.67	0.19	*0.14	0.14	_	_
Specific phobia	0.51 1.48	0.12 0.18	0.47 0.87	0.15 0.20	0.56 2.27	0.16 0.35	*0.29 1.33	0.18 0.39	0.68 1.74	0.19 0.29	*0.36 1.12	0.21 0.33	*0.38	0.37
,	1.40	0.16	0.67	0.20	2.21	0.33	1.55	0.39	1.74	0.29	1.12	0.33	0.36	0.37
3-year first incidence														
Alcohol use disorder	15.65	0.91	21.16	1.53	11.14	1.05	26.47	2.37	11.69	1.12	14.18	2.25	*0.77	0.64
Alcohol abuse	13.78	0.87	17.91	1.43	10.45	1.00	21.00	1.99	11.33	1.06	12.52	1.99	[*] 0.11	0.11
Alcohol dependence	7.53	0.50	8.70	0.76	6.23	0.65	12.66	1.41	6.14	0.66	7.06	1.07	*2.90	1.44
Nicotine dependence	8.54	0.52	8.84	0.77	8.19	0.80	11.53	1.40	7.90	0.70	7.80	1.17	*6.60	2.61
Any drug use disorder	3.27	0.33	3.64	0.45	2.85	0.45	7.87	1.19	2.71	0.39	1.32	0.40	_	_
Any drug abuse	3.21	0.32	3.62	0.45	2.73	0.43	7.84	1.19	2.63	0.38	1.25	0.39	_	_
Any drug dependence	1.35	0.24	1.60	0.36	1.06	0.29	3.28	0.81	1.12	0.27	*0.49	0.31	_	_
Any mood disorder	7.91	0.54	5.97	0.60	10.88	0.88	10.12	1.22	8.28	0.78	5.92	0.91	*2.70	1.49
Major depressive disorder	5.11	0.42	3.79	0.49	6.99	0.69	6.35	0.97	5.26	0.60	4.08	0.77	*1.83	1.22
Bipolar I	2.59	0.26	2.19	0.34	3.08	0.41	3.47	0.62	2.53	0.36	2.12	0.52	*1.52	1.0
Bipolar II	0.74	0.13	0.52	0.16	1.01	0.24	1.27	0.41	0.77	0.19	*0.32	0.14	_	_
Any anxiety disorder	8.02	0.53	5.77	0.60	11.27	1.02	9.93	1.19	8.18	0.65	6.99	1.17	*0.51	0.4
Any panic disorder	2.08	0.28	1.35	0.31	3.02	0.43	3.40	0.70	1.80	0.33	1.89	0.48	*0.07	0.07
Panic without agoraphobia	1.71	0.23	0.95	0.26	2.68	0.38	2.94	0.66	1.39	0.24	1.66	0.45	*0.07	0.07
Panic with agoraphobia	0.32	0.10	*0.38	0.15	*0.25	0.11	*0.41	0.18	*0.37	0.17	*0.18	0.14	_	_
Social phobia	1.90	0.23	1.56	0.30	2.33	0.32	2.08	0.54	2.18	0.30	1.31	0.45	_	_
Specific phobia	2.72	0.27	2.12	0.33	3.53	0.45	3.19	0.66	2.70	0.34	2.78	0.60	*0.07	0.07
Generalized anxiety	4.33	0.39	2.70	0.38	6.41	0.71	4.27	0.82	4.81	0.50	3.65	0.76	*1.13	0.83

Table 3-6. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected DSM-IV psychiatric disorders, by sex and age group, according to Wave 1 past-year frequency of drinking enough to feel drunk among Wave 1 current drinkers. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year frequency of drinking enough to feel drunk and first incidence rates of psychiatric disorders	Fatimata	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
12 or more times in the past year														
1-year first incidence														
Alcohol use disorder	5.06 3.13 6.92	1.26 0.97 0.94	8.08 4.95 8.12	2.21 1.69 1.34	*1.28 *0.87 4.80	0.65 0.48 1.13	12.60 6.96 13.33	3.92 2.70 2.43	*3.21 *2.18 5.34	1.31 1.04 1.11	*1.85 *0.92 4.04	1.16 0.92 1.37	*0.37 — *0.26	0.36 — 0.26
Nicotine dependence	9.70	1.07	10.92	1.35	7.07	1.34	10.99	2.05	11.14	1.64	6.58	1.75	*2.15	1.54
Any drug use disorder Any drug abuse Any drug dependence	*0.62 *0.65 1.08	0.29 0.29 0.32	*0.61 *0.61 1.31	0.40 0.39 0.44	*0.63 *0.73 *0.63	0.38 0.39 0.38	*1.59 *1.70 2.20	0.90 0.90 0.77	*0.32 *0.32 *0.59	0.24 0.24 0.41	— — *0.56	_ _ 0.42	=	
Any mood disorder Major depressive disorder Bipolar I Bipolar II	1.84 1.05 0.41 *0.27	0.36 0.25 0.15 0.11	1.53 0.75 *0.40 *0.23	0.41 0.26 0.17 0.13	2.63 1.78 *0.44 *0.35	0.70 0.58 0.25 0.22	2.21 *1.00 *0.64 *0.37	0.70 0.43 0.36 0.26	1.40 *0.92 *0.16 *0.14	0.48 0.39 0.11 0.08	2.79 *1.84 *0.66 *0.12	0.86 0.71 0.33 0.12	*0.23 — *0.20 *1.26	0.23 — 0.20 1.25
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia Social phobia Specific phobia	1.33 0.60 0.51 *0.07 *0.02 *0.46	0.33 0.19 0.17 0.06 0.01 0.23	1.19 *0.42 *0.41 — *0.01 *0.38	0.41 0.20 0.19 — 0.01 0.26	1.67 *1.00 *0.74 *0.22 *0.03 *0.64	0.59 0.41 0.34 0.19 0.03 0.50	*1.38 *0.94 *0.73 *0.17 — *0.55	0.58 0.40 0.35 0.18 — 0.43	1.67 *0.57 *0.53 *0.02 *0.04 *0.62	0.59 0.27 0.26 0.02 0.03 0.42	*0.69 *0.14 *0.13 — —	0.55 0.14 0.14 — —	*0.21 — — — — —	0.21 — — — —
Generalized anxiety	1.05	0.30	0.61	0.23	2.04	0.84	*0.84	0.46	1.46	0.56	*0.62	0.46	*0.20	0.20
3-year first incidence														
Alcohol use disorder Alcohol abuse Alcohol dependence	21.78 19.89 13.82	1.92 1.76 1.33	25.78 24.17 14.91	2.71 2.34 1.75	16.55 14.11 11.90	2.80 2.61 1.97	38.90 31.84 22.97	4.01 3.50 3.05	18.54 18.34 12.56	2.82 2.79 1.61	11.46 9.74 7.89	2.66 2.57 1.77	*2.09 *2.59 *0.88	1.24 1.44 0.65
Nicotine dependence	15.51	1.35	16.35	1.60	13.74	1.85	18.63	2.58	16.37	2.02	12.17	2.50	*2.40	1.55
Any drug use disorderAny drug abuse	6.58 6.17 3.66	0.80 0.77 0.65	7.07 6.54 4.17	1.04 1.00 0.93	5.60 5.44 2.58	1.25 1.22 0.65	13.35 13.10 5.70	2.07 2.05 1.24	4.58 3.96 3.36	0.94 0.80 0.96	*1.89 *1.47 *1.50	0.92 0.83 0.61		_ _ _
Any mood disorder	6.91 4.13 2.32 1.06	0.75 0.58 0.40 0.23	5.50 2.97 2.35 0.62	0.75 0.55 0.52 0.22	10.35 6.87 2.25 2.00	1.63 1.35 0.55 0.58	8.51 4.94 3.12 *1.05	1.48 1.04 0.85 0.45	6.40 3.75 2.03 1.16	1.15 0.93 0.56 0.35	5.45 3.13 2.07 *0.51	1.35 0.95 0.86 0.27	*5.21 *4.89 *0.20 *1.93	2.36 2.31 0.20 1.42
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia Social phobia Specific phobia Generalized anxiety	6.38 2.40 1.86 0.48 2.00 2.88 2.62	0.63 0.45 0.43 0.15 0.39 0.44 0.42	4.80 1.61 1.42 *0.15 1.43 1.78 1.59	0.70 0.37 0.35 0.10 0.41 0.45 0.38	10.09 4.11 2.81 1.17 3.23 5.39 4.84	1.27 1.05 0.96 0.42 0.74 0.99 1.01	6.51 2.74 2.18 *0.50 1.95 3.18 2.69	1.16 0.71 0.63 0.28 0.65 0.90 0.78	7.28 2.68 2.00 0.60 2.51 3.39 2.68	1.08 0.75 0.69 0.26 0.65 0.73 0.63	5.72 *1.58 *1.28 *0.24 *1.32 *1.78 3.04	1.67 0.83 0.79 0.20 0.63 0.75 0.96	*0.21 — — — — — — *0.20	0.21 — — — — — 0.20

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 3-7. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to age of starting to drink among Wave 1 current drinkers.¹

	Both s	sexes		S	ex					Age group	at Wave 1			
Age of starting to drink and first incidence rates of psychiatric disorders	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
4 years or younger														
1-year first incidence														
Alcohol use disorder	5.51 3.20	1.29 0.92	8.05 4.70	2.08 1.57	*2.47 *1.52	1.21 0.88	*15.35 *11.86	5.44 4.21	*3.93 *1.48	1.68 0.92	*4.97 *1.88	2.32 1.34	*2.24 —	1.61
Alcohol dependence	3.78	0.74	5.09	1.16	*1.77	0.71	8.61	2.87	3.24	1.14	3.52	1.25	*1.58	1.12
Nicotine dependence	6.11	0.98	8.00	1.41	2.83	1.01	*8.21	2.68	5.30	1.37	8.39	2.40	*3.07	1.79
Any drug use disorder	*1.37 *1.33 1.74	0.58 0.57 0.58	*1.26 *1.20 1.90	0.61 0.60 0.77	*1.53 *1.53 *1.48	1.15 1.15 0.91	*4.62 *4.19 *4.58	2.84 2.72 1.90	*1.42 *1.41 *1.07	0.93 0.93 0.65	*0.49 *0.49 *1.98	0.49 0.49 1.59	_	_
Any mood disorder	2.98 1.57 1.07 *0.33	0.60 0.38 0.33 0.16	3.06 1.73 *0.83 *0.18	0.75 0.51 0.34 0.15	2.76 *1.24 *1.49 *0.60	0.98 0.54 0.69 0.35	6.59 *2.54 *1.59 *0.54	2.27 1.11 0.96 0.54	2.07 1.10 *1.11 *0.28	0.69 0.43 0.50 0.18	*3.28 *2.16 *0.81 *0.39	1.38 1.13 0.46 0.39	*1.58 *1.00 *0.49	1.00 0.82 0.49
Any anxiety disorder	1.96	0.46	1.51	0.52	3.04	0.91	*1.81	1.00	2.87	0.80	*0.67	0.42	_	_
Any panic disorder	0.97	0.34	*0.34	0.25	2.16	0.83	*1.32	0.75	*1.34	0.58	*0.14	0.14	_	_
Panic without agoraphobia	*0.43	0.18	*0.11	0.11	*0.99	0.47	*0.55	0.43	*0.57	0.31	*0.14	0.14	_	_
Panic with agoraphobia	*0.48	0.25	*0.21 *0.39	0.21	*0.95 *0.13	0.58	*0.67	0.53	*0.67	0.43	*0.49		_	_
Social phobiaSpecific phobia	*0.30 *0.67	0.16 0.27	*0.42	0.24 0.22	*1.20	0.13 0.70	*1.95	— 1.38	*0.35 *0.48	0.22 0.26	*0.45	0.49 0.32	_	_
Generalized anxiety	1.79	0.45	*1.02	0.52	3.24	0.70	*2.08	1.02	2.14	0.60	*1.31	0.70	_	_
3-year first incidence														
Alcohol use disorder	16.33	2.44	20.94	3.60	10.41	2.67	33.28	6.97	16.49	3.24	12.21	3.74	*3.46	1.87
Alcohol abuse	14.74	2.03	18.24	3.03	10.59	2.44	29.86	5.86	14.32	2.77	9.71	3.42	*1.24	0.98
Alcohol dependence	8.75	1.17	10.32	1.66	6.32	1.57	20.84	4.21	8.02	1.60	6.54	2.25	*2.23	1.29
Nicotine dependence	11.35	1.23	12.39	1.71	9.58	1.62	20.91	3.96	8.58	1.56	14.93	3.16	*5.94	2.56
Any drug use disorder	6.42	1.06	7.14	1.47	5.29	1.50	18.23	4.26	6.37	1.66	*3.53	1.57	_	_
Any drug abuse	5.97	1.03	6.41	1.40	5.29	1.50	16.51	4.08	5.83	1.59	*3.53	1.57	_	_
Any drug dependence	3.96	0.77	4.46	1.04	3.12	1.08	9.74	2.42	3.33	1.07	*2.82	1.63	_	_
Any mood disorder	11.33	1.38	9.38	1.66	15.89	2.43	19.25	3.69	11.51	2.03	8.55	2.45	*3.49	1.9
Major depressive disorder	6.05	1.01	5.19	1.25	7.81	1.75	9.99	2.50	5.73	1.43	4.88	2.10	*2.60	1.7
Bipolar I	4.19	0.64	3.47	0.74	5.46	1.09	7.11	2.05	4.33	1.00	2.95	0.90	*0.49	0.4
Bipolar II	1.41	0.33	*0.95	0.39	2.20	0.59	*2.56	1.28	1.13	0.35	*1.34	0.66	*0.99	0.7
Any anxiety disorder	9.19	1.13	6.52	1.39	14.97	1.98	12.06	2.66	10.52	1.65	6.00	2.10	*3.50	2.0
Any panic disorder	2.84	0.55	*1.24	0.44	5.72	1.30	3.82	1.20	3.54	0.90	*1.06	0.65	*0.76	0.76
Panic without agoraphobia	1.74	0.46	*0.66	0.30	3.59	1.08	*1.78	0.81	2.36	0.75	*0.54	0.42	*0.76	0.76
Panic with agoraphobia	0.96	0.30	*0.53	0.29	1.72	0.65	*1.81	0.81	*1.01	0.47	*0.46	0.46	_	_
Social phobia	2.04	0.38	1.49	0.41	3.06	0.81	*4.11	1.51	1.78	0.46	*1.73	0.69	*0.44	_
Specific phobia	3.27	0.53	2.10	0.54	5.57	1.14	6.69	2.08	2.99	0.67	*1.73	0.77	*2.44	1.79
Generalized anxiety	6.08	0.79	4.05	1.03	9.73	1.43	7.09	1.85	6.98	1.21	4.95	1.78	_	_

Table 3-7. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to age of starting to drink among Wave 1 current drinkers. (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Age of starting to drink and first incidence rates of psychiatric disorders	F	0.5	Ma	le	Fem	ale	18–24	years	25-44	years	45–64	years	65 years a	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
5 to 17 years														
1-year first incidence														
Alcohol use disorder	3.69	0.51	4.06	0.80	3.35	0.59	9.39	1.86	2.84	0.53	*1.85	0.68	_	_
Alcohol abuse		0.36	2.56	0.58	2.07	0.43	5.81	1.26	1.89	0.46	*0.59	0.34	_	_
Alcohol dependence	3.49	0.35	3.87	0.55	2.99	0.45	8.30	1.30	2.99	0.44	1.78	0.45	*0.88	0.5
Nicotine dependence	6.40	0.42	6.54	0.58	6.19	0.69	10.93	1.45	6.18	0.59	4.43	0.80	*1.94	0.6
Any drug use disorder	l .	0.15	0.58	0.19	0.65	0.22	2.56	0.74	*0.30	0.13	_	_	_	_
Any drug abuse	0.58	0.15	0.54	0.19	0.63	0.22	2.37	0.73	*0.29	0.13	_	_	_	_
Any drug dependence	0.40	0.10	0.48	0.14	*0.29	0.15	1.49	0.44	*0.06	0.04	*0.34	0.19	_	_
Any mood disorder	2.70	0.29	1.69	0.26	4.60	0.63	3.65	0.73	2.97	0.46	1.52	0.42	*1.93	0.8
Major depressive disorder		0.25	1.34	0.24	3.38	0.53	2.60	0.58	2.24	0.39	1.20	0.38	*1.89	0.8
Bipolar I		0.10	*0.26	0.10	0.88	0.21	1.07	0.33	0.44	0.15	*0.28	0.13	_	_
Bipolar II	0.18	0.06	*0.06	0.03	*0.37	0.14	*0.31	0.19	*0.21	0.09	*0.06	0.06	_	_
Any anxiety disorder	1.74	0.23	1.12	0.27	2.89	0.45	1.67	0.48	2.52	0.39	0.54	0.19	*0.36	0.3
Any panic disorder		0.15	0.60	0.18	1.14	0.25	0.97	0.35	1.00	0.22	*0.49	0.27	_	_
Panic without agoraphobia		0.13	0.54	0.16	1.06	0.24	0.87	0.34	0.90	0.19	*0.48	0.27	_	_
Panic with agoraphobia	*0.05	0.04	*0.05	0.05	*0.05	0.04	*0.08	0.08	*0.07	0.06		_	_	_
Social phobia		0.12	*0.26	0.13	0.63	0.21	*0.41	0.24	0.58	0.21	*0.14	0.08	_	_
Specific phobia		0.12	*0.36	0.15	0.52	0.17			0.77	0.24	*0.16	0.13		
Generalized anxiety	1.12	0.15	0.68	0.16	1.81	0.29	0.76	0.29	1.52	0.26	0.76	0.24	*0.50	0.3
3-year first incidence														
Alcohol use disorder	13.46	0.91	15.68	1.31	11.28	1.08	27.91	2.52	10.56	1.07	8.23	1.33	*3.26	1.2
Alcohol abuse		0.83	14.76	1.23	9.63	0.97	23.45	2.12	9.87	1.05	7.56	1.30	*3.24	1.1
Alcohol dependence		0.49	6.85	0.63	6.14	0.74	15.39	1.73	5.53	0.56	3.23	0.63	*1.47	0.7
Nicotine dependence	9.18	0.52	9.49	0.69	8.72	0.77	15.48	1.74	8.41	0.67	7.18	1.05	3.49	0.9
Any drug use disorder	3.52	0.33	3.81	0.45	3.10	0.48	10.48	1.26	2.52	0.38	1.16	0.39	_	_
Any drug abuse	1	0.33	3.73	0.45	3.07	0.47	10.48	1.25	2.50	0.38	1.11	0.39	_	_
Any drug dependence		0.20	1.43	0.29	0.95	0.26	3.52	0.72	0.74	0.20	*0.71	0.31	_	_
Any mood disorder	7.48	0.47	5.43	0.56	11.22	0.94	8.66	1.06	8.59	0.79	5.46	0.92	3.31	1.0
Major depressive disorder		0.47	3.43	0.38	8.24	0.34	5.66	0.81	5.67	0.75	4.42	0.81	2.65	0.8
Bipolar I	2.00	0.25	1.66	0.36	2.52	0.38	2.71	0.60	2.27	0.36	1.28	0.37	*0.39	0.3
Bipolar II	0.88	0.15	0.72	0.18	1.13	0.25	1.42	0.43	1.09	0.23	*0.16	0.12	*0.19	0.1
Any anxiety disorder	l .	0.48	5.27	0.55	9.84	0.82	7.53	0.98	8.28	0.67	4.94	0.78	*1.94	0.8
Any panic disorder		0.25	1.50	0.28	3.27	0.43	3.09	0.67	2.15	0.33	1.95	0.44	*0.35	0.2
Panic without agoraphobia		0.23	1.30	0.25	2.90	0.41	2.61	0.63	1.90	0.27	1.80	0.43	*0.35	0.2
Panic with agoraphobia	0.22	0.08	*0.18	0.11	*0.28	0.12	*0.41	0.22	*0.21	0.13	*0.13	0.09	_	_
Social phobia	1.81	0.22	1.44	0.27	2.37	0.36	2.19	0.51	2.25	0.35	1.00	0.31	—	_
Specific phobia		0.22	1.67	0.26	3.06	0.41	1.78	0.52	2.81	0.37	1.66	0.35	*0.84	0.5
Generalized anxiety	3.55	0.35	2.43	0.35	5.30	0.61	3.28	0.73	4.44	0.47	2.59	0.54	*1.08	0.5

Table 3-7. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to age of starting to drink among Wave 1 current drinkers. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Age of starting to drink and first incidence rates of psychiatric disorders	Fatherste	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
8 to 20 years														
1-year first incidence														
Alcohol use disorder	2.46	0.26	3.08	0.44	1.92	0.31	7.23	1.17	2.26	0.40	1.29	0.34	*0.26	0.2
Alcohol abuse	1.66	0.24	2.15	0.41	1.23	0.24	4.50	1.00	1.72	0.35	0.79	0.29	_	_
Alcohol dependence	2.09	0.22	2.63	0.33	1.45	0.27	5.40	0.80	1.82	0.39	1.72	0.32	*0.35	0.1
Nicotine dependence	4.73	0.34	5.23	0.51	4.12	0.49	7.43	1.13	4.11	0.48	5.24	0.56	2.16	0.5
Any drug use disorder	0.26	0.06	0.23	0.08	0.30	0.11	1.21	0.39	*0.11	0.07	*0.14	0.07	_	_
Any drug abuse	0.25	0.06	*0.22	0.08	*0.28	0.10	1.22	0.39	*0.11	0.07	*0.10	0.06	_	_
Any drug dependence		0.11	0.60	0.19	*0.19	0.08	1.62	0.59	0.36	0.15	*0.11	0.07	_	_
Any mood disorder	1.78	0.20	1.29	0.22	2.52	0.38	3.16	0.71	1.84	0.30	1.60	0.34	*0.55	0.3
Major depressive disorder	1.21	0.16	0.75	0.16	1.88	0.32	1.51	0.48	1.39	0.26	1.12	0.30	*0.47	0.2
Bipolar I		0.08	0.46	0.12	0.31	0.10	*0.80	0.34	*0.23	0.08	0.49	0.14	*0.22	0.1
Bipolar II	0.15	0.05	*0.13	0.07	0.17	0.06	*0.56	0.28	*0.11	0.05	*0.03	0.02	*0.15	0.1
Any anxiety disorder	1.41	0.18	1.23	0.22	1.70	0.29	1.79	0.50	1.58	0.30	1.42	0.35	*0.44	0.2
Any panic disorder	l .	0.09	0.36	0.11	0.77	0.16	1.16	0.35	0.43	0.12	0.56	0.17	*0.06	0.0
Panic without agoraphobia		0.08	0.31	0.10	0.68	0.14	0.98	0.32	0.33	0.10	0.55	0.17	*0.06	0.0
Panic with agoraphobia	*0.06	0.03	*0.05	0.03	*0.08	0.06	*0.16	0.13	*0.09	0.07	_	_	_	_
Social phobia	0.21	0.07	*0.22	0.10	*0.21	0.10	*0.05	0.05	*0.26	0.10	*0.30	0.17		_
Specific phobia		0.09	0.39	0.12	0.45	0.13	*0.50	0.24	0.50	0.15	*0.39	0.17	*0.06	0.0
Generalized anxiety	1.19	0.16	0.66	0.13	1.89	0.32	1.21	0.40	1.67	0.31	0.90	0.23	*0.27	0.2
3-year first incidence														
Alcohol use disorder	8.67	0.55	12.39	0.95	5.17	0.54	20.25	1.75	7.88	0.79	5.70	0.83	2.85	0.7
Alcohol abuse	7.67	0.53	11.20	0.90	4.36	0.53	16.79	1.66	7.37	0.80	4.96	0.76	2.57	0.6
Alcohol dependence	3.89	0.30	4.93	0.47	2.66	0.34	10.45	1.08	3.66	0.49	2.71	0.37	*0.35	0.1
Nicotine dependence	7.25	0.41	8.11	0.60	6.20	0.53	10.88	1.27	7.39	0.65	6.68	0.62	3.81	0.7
Any drug use disorder	2.15	0.24	2.60	0.34	1.61	0.25	6.94	1.06	2.03	0.31	0.90	0.21	*0.24	0.1
Any drug abuse	2.13	0.24	2.58	0.34	1.59	0.25	6.94	1.07	2.02	0.31	0.86	0.22	*0.24	0.1
Any drug dependence		0.18	1.33	0.30	0.57	0.14	3.23	0.76	1.03	0.29	0.31	0.11	_	_
Any mood disorder	5.87	0.36	3.78	0.36	8.86	0.63	9.86	1.18	5.66	0.54	5.50	0.61	2.93	0.6
Major depressive disorder		0.30	2.41	0.30	6.78	0.55	5.00	0.81	4.34	0.49	4.30	0.56	2.66	0.6
Bipolar I	1.50	0.16	1.35	0.21	1.70	0.25	3.27	0.67	1.42	0.23	1.18	0.24	*0.52	0.2
Bipolar II		0.11	0.47	0.14	0.75	0.16	2.06	0.50	0.39	0.11	*0.37	0.17	*0.15	0.1
Any anxiety disorder	6.01	0.34	4.60	0.43	8.05	0.61	10.16	1.20	5.97	0.56	5.88	0.61	1.60	0.4
Any panic disorder		0.19	0.93	0.20	2.65	0.33	3.71	0.71	1.61	0.33	1.29	0.28	*0.41	0.2
Panic without agoraphobia		0.17	0.76	0.17	2.34	0.31	3.50	0.69	1.36	0.29	1.08	0.24	*0.23	0.1
Panic with agoraphobia		0.07	*0.16	0.07	*0.26	0.13	*0.20	0.13	*0.23	0.13	*0.19	0.14	*0.17	0.1
Social phobia		0.17	1.33	0.21	1.37	0.25	1.92	0.64	1.38	0.23	1.46	0.33	*0.17	0.1
Specific phobia	2.30	0.21	1.95	0.26	2.77	0.35	4.45	0.82	2.12	0.27	2.30	0.35	*0.31	0.1
Generalized anxiety	2.83	0.24	1.83	0.27	4.12	0.44	3.26	0.69	3.47	0.42	2.50	0.39	*0.84	0.3

Table 3-7. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected DSM-IV psychiatric disorders, by sex and age group, according to age of starting to drink among Wave 1 current drinkers. (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Age of starting to drink and first incidence rates of psychiatric disorders	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
21 years or older														
1-year first incidence														
Alcohol use disorder	1.46 0.76 1.53	0.22 0.15 0.20	2.64 1.24 2.52	0.50 0.33 0.41	0.79 0.49 0.91	0.15 0.13 0.17	5.65 *2.06 5.09	1.75 1.02 1.42	2.00 1.05 2.07	0.39 0.26 0.40	0.66 *0.40 0.96	0.20 0.17 0.22	*0.36 *0.36 *0.27	0.32 0.32 0.16
Nicotine dependence	4.02	0.32	5.01	0.56	3.37	0.38	4.94	1.33	5.06	0.60	3.79	0.56	2.02	0.53
Any drug use disorder Any drug abuse Any drug dependence	0.20 0.19 *0.06	0.06 0.06 0.02	*0.29 *0.25 *0.06	0.13 0.13 0.04	*0.15 *0.14 *0.06	0.06 0.06 0.03	*0.74 *0.74 *0.18	0.46 0.46 0.18	*0.33 *0.33 *0.03	0.14 0.14 0.03	*0.07 *0.03 *0.10	0.04 0.03 0.05		_
Any mood disorder	2.39 1.57 0.62 0.22	0.25 0.18 0.12 0.07	1.39 0.74 0.59 *0.09	0.27 0.20 0.18 0.06	3.15 2.19 0.65 0.31	0.38 0.29 0.16 0.12	3.42 *2.23 *1.32 *0.22	1.19 0.91 0.76 0.22	2.94 1.45 1.08 *0.43	0.48 0.32 0.27 0.18	1.86 1.58 *0.18 *0.10	0.34 0.32 0.08 0.04	1.90 1.56 *0.29 —	0.47 0.41 0.19
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	1.54 0.60 0.50 *0.09 0.16	0.22 0.11 0.10 0.03 0.05	0.73 *0.17 *0.17 — *0.09	0.19 0.10 0.10 — 0.05	2.17 0.90 0.74 *0.15 0.20	0.38 0.18 0.16 0.06 0.07	*0.74 *0.21 *0.11 *0.09 *0.43	0.41 0.13 0.08 0.09 0.31	2.37 0.85 0.78 *0.06 *0.20	0.41 0.23 0.23 0.03 0.09	1.55 0.66 0.48 *0.16 *0.09	0.38 0.19 0.15 0.09 0.04	*0.09 *0.10 *0.10 — *0.12	0.05 0.10 0.10 — 0.07
Social phobia Specific phobia Generalized anxiety	0.16 0.54 1.02	0.05 0.13 0.15	0.09 0.32 0.65	0.12 0.18	0.20 0.71 1.27	0.19 0.23	*0.26 *0.32	0.27 0.24	0.20 0.70 1.69	0.09 0.21 0.34	0.71 0.75	0.04 0.27 0.19	*0.33	0.07 — 0.16
3-year first incidence														
Alcohol use disorder Alcohol abuse Alcohol dependence	5.46 4.57 3.06	0.39 0.36 0.28	8.62 6.97 4.83	0.86 0.72 0.58	3.62 3.17 1.92	0.36 0.36 0.28	15.07 10.40 9.01	2.67 2.02 1.92	6.79 5.62 3.85	0.69 0.62 0.54	4.29 3.94 2.37	0.56 0.54 0.38	1.22 1.34 *0.59	0.42 0.43 0.22
Nicotine dependence	6.14	0.43	7.57	0.73	5.19	0.47	7.58	1.71	7.36	0.74	6.45	0.74	2.54	0.57
Any drug use disorder Any drug abuse Any drug dependence	0.89 0.82 0.33	0.16 0.16 0.09	1.08 0.98 *0.24	0.32 0.32 0.09	0.77 0.71 0.39	0.17 0.16 0.14	*1.49 *1.49 *0.18	0.57 0.57 0.18	1.39 1.25 0.67	0.32 0.31 0.22	0.53 *0.49 *0.12	0.28 0.28 0.06	*0.28 *0.28 *0.03	0.16 0.16 0.03
Any mood disorder Major depressive disorder Bipolar I Bipolar II	7.03 5.07 1.77 0.52	0.46 0.36 0.20 0.10	4.71 3.08 1.62 *0.16	0.51 0.41 0.32 0.07	8.77 6.53 1.88 0.77	0.68 0.54 0.24 0.16	11.16 7.50 4.28 *0.48	1.91 1.52 1.26 0.34	8.47 5.37 2.64 0.92	0.78 0.56 0.39 0.23	5.98 4.70 1.08 0.35	0.67 0.62 0.23 0.10	4.59 4.24 *0.42 —	0.64 0.61 0.23
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia Social phobia	6.38 1.83 1.39 0.41 1.37	0.44 0.23 0.20 0.09 0.19	4.01 1.17 0.90 *0.26 0.78	0.51 0.31 0.27 0.13 0.20	8.14 2.29 1.73 0.51 1.77	0.68 0.31 0.26 0.13 0.27	6.42 *1.43 *0.40 *1.00 1.45	1.59 0.60 0.23 0.54 0.56	8.16 2.72 2.10 0.57 1.80	0.70 0.42 0.38 0.19 0.33	6.64 1.58 1.30 *0.25 1.19	0.72 0.32 0.28 0.10 0.27	2.11 *0.52 *0.37 *0.15 0.75	0.48 0.24 0.19 0.15 0.27
Specific phobia	2.22 3.07	0.24 0.27	1.42 1.54	0.29 0.26	2.80 4.10	0.35 0.42	*3.01 *1.80	1.29 0.61	2.60 3.65	0.34 0.46	2.54 3.22	0.42 0.40	*0.52 1.95	0.26 0.47

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 3-8. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year alcoholic beverage preference 1 among Wave 1 current drinkers. 2

	Both s	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year alcoholic beverage preference and first incidence rates of psychiatric disorders	Fatherite	0.5	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and old
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Coolers														
1-year first incidence														
Alcohol use disorder	2.63 1.58 1.50	0.57 0.39 0.45	*6.49 *2.98 *3.13	2.32 1.38 1.61	1.66 1.23 1.05	0.38 0.32 0.36	7.19 3.59 4.65	1.90 1.17 1.58	1.52 *1.25 *0.63	0.49 0.43 0.33	_ _ _	_	_ _ _	_
Nicotine dependence	4.20	0.82	*5.32	2.24	3.87	0.83	5.73	1.46	3.81	1.31	*3.17	1.38	*4.22	4.1
Any drug use disorder Any drug abuse Any drug dependence	*0.57 *0.44	0.22 0.20 0.11	*1.21 *0.81 *0.36	0.79 0.68 0.36	*0.39 *0.33 *0.22	0.19 0.18 0.10	*1.52 *1.00 *0.98	0.72 0.61 0.43	*0.36 *0.36 —	0.25 0.25 —	_ _ _		_	_ _ _
Any mood disorder Major depressive disorder Bipolar I Bipolar II		0.63 0.39 0.21 0.35	*1.66 *1.36 *0.63	0.88 0.78 0.52	3.19 1.58 *0.44 *0.90	0.79 0.46 0.22 0.45	*1.58 *1.09 *0.11 *0.38	0.75 0.61 0.11 0.30	3.42 1.36 *0.59 *1.19	1.04 0.48 0.33 0.67	*2.02 *1.68 *0.18 —	1.05 0.96 0.18	*6.75 *6.61 *3.43 —	4.94 4.84 3.33
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia Social phobia	1.26	0.64 0.41 0.39 0.10 0.31	*0.90 *0.08 *0.08 —	0.68 0.08 0.08 —	3.01 1.61 1.32 *0.24 *0.88	0.83 0.54 0.51 0.12 0.39	*1.67 *1.18 *0.56 *0.58 *0.48	0.77 0.51 0.34 0.36 0.35	3.60 *0.97 *0.88 *0.07 *1.08	1.16 0.60 0.59 0.05 0.57	*0.78 *2.28 *2.24 —	0.57 1.04 1.02 —	=	
Specific phobia		0.31 0.32 0.50	*0.11 *0.68	0.11 0.56	*0.97 2.28	0.42 0.64	*0.20 *0.77	0.33 0.20 0.46	*1.37 2.95	0.60 0.93	 _ *1.10	 0.72	_	_
3-year first incidence														
Alcohol use disorder	6.32 4.80 3.06	0.90 0.81 0.52	13.04 9.04 6.18	2.64 2.36 1.94	4.57 3.70 2.17	0.73 0.68 0.49	15.14 10.69 8.40	2.53 2.21 1.76	4.03 3.44 1.42	0.90 0.81 0.44	*0.91 *0.71 *0.80	0.72 0.69 0.64		=
Nicotine dependence	6.83	1.05	8.34	2.58	6.38	1.07	8.80	1.93	5.97	1.61	6.33	1.88	*7.50	5.1
Any drug use disorder Any drug abuse	2.62 2.37 0.78	0.61 0.60 0.24	*5.10 *4.20 *0.85	2.19 2.13 0.60	1.91 1.85 0.76	0.47 0.47 0.26	5.64 4.69 *2.17	1.52 1.43 0.82	2.25 2.25 *0.43	0.77 0.77 0.23	*0.09 *0.09 —	0.09 0.09 —	=	=
Any mood disorder Major depressive disorder Bipolar I Bipolar II	2.76	1.08 0.85 0.47 0.46	6.23 *4.00 *2.70	2.01 1.64 1.13	10.54 6.22 2.78 2.23	1.30 1.00 0.59 0.58	12.03 7.00 3.31 *1.04	2.24 1.69 1.15 0.49	9.33 5.25 2.89 2.35	1.55 1.12 0.66 0.79	7.26 4.97 *1.63 *1.36	1.98 1.64 0.82 1.28	*6.75 *6.61 *3.43 —	4.9 4.8 3.3 —
Any anxiety disorder	0.70	1.19 0.55 0.46 0.29 0.63	6.96 *1.55 *0.46 *1.05 *1.05	2.43 0.84 0.39 0.73 0.68	9.30 2.83 2.17 0.59 2.37	1.31 0.62 0.58 0.22 0.69	10.20 2.40 *1.21 *1.14 *1.00	2.53 0.78 0.53 0.56 0.49	9.46 2.39 1.79 *0.53 2.62	1.58 0.75 0.70 0.28 1.06	4.76 *2.83 *2.77 — *2.39	1.61 1.13 1.11 — 1.54	*5.77 *4.29 — *4.13	5.5 4.1 4.0
Specific phobia	3.25 4.69	0.71 0.76	*3.53 *1.85	1.90 1.09	3.16 5.52	0.72 0.95	*5.80 *2.54	2.14 0.98	2.68 6.94	0.76 1.29	*1.77 *2.36	0.86 1.08	_	_

Table 3-8. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year alcoholic beverage preference 1 among Wave 1 current drinkers. 2 (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year alcoholic beverage preference and first incidence rates of psychiatric disorders	Fatimeta	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
.,	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
eer														
1-year first incidence														
Alcohol use disorder	3.34 2.19 3.57	0.37 0.29 0.32	3.87 2.53 3.69	0.49 0.37 0.38	2.10 1.39 3.25	0.43 0.35 0.53	8.38 5.41 7.51	1.71 1.16 1.26	3.01 2.02 3.54	0.52 0.42 0.53	2.42 1.45 2.74	0.51 0.48 0.46	*1.22 *0.84 *0.97	0.8 0.8 0.4
Nicotine dependence	7.38	0.40	7.11	0.30	8.24	0.90	10.70	1.40	7.63	0.53	6.99	0.40	2.36	0.5
Any drug use disorder	0.35 0.34 0.47	0.08 0.08 0.12	0.35 0.34 0.53	0.09 0.09 0.14	*0.36 *0.32 *0.26	0.17 0.17 0.16	1.83 1.74 2.04	0.53 0.53 0.67	*0.18 *0.18 *0.31	0.08 0.08 0.13	*0.12 *0.10 *0.11	0.07 0.07 0.06		_
Any mood disorder Major depressive disorder Bipolar I Bipolar II	2.06 1.46 0.54 0.11	0.20 0.17 0.10 0.03	1.51 1.05 0.39 *0.08	0.18 0.16 0.09 0.04	4.04 2.92 1.01 *0.22	0.64 0.54 0.26 0.06	2.45 1.28 *1.10 *0.37	0.58 0.38 0.40 0.20	2.11 1.58 0.45 *0.07	0.32 0.27 0.12 0.05	2.01 1.46 0.57 *0.07	0.38 0.33 0.16 0.04	*1.27 *1.06 *0.11 *0.07	0.5- 0.5- 0.1 0.0
Any anxiety disorder	1.46 0.62 0.51	0.18 0.11 0.10	1.14 0.43 0.35	0.19 0.11 0.10	2.63 1.24 1.02	0.48 0.28 0.25	1.60 *0.64 *0.62	0.46 0.27 0.27	1.84 0.74 0.60	0.28 0.16 0.15	1.07 0.54 0.40	0.34 0.17 0.14	*0.21 *0.10 *0.10	0.1 0.1 0.1
Panic with agoraphobia	*0.10 0.26 0.55	0.10 0.04 0.07 0.12	*0.07 0.24 0.44	0.10 0.04 0.09 0.12	*0.17 *0.32 0.96	0.23 0.11 0.15 0.33	*0.16 *0.33	0.27 — 0.11 0.16	*0.12 0.31 0.64	0.13 0.07 0.12 0.18	*0.13 *0.28 *0.65	0.14 0.09 0.14 0.29	*0.09	0.0
Generalized anxiety	1.00	0.15	0.77	0.15	1.72	0.43	*0.78	0.30	1.31	0.26	0.76	0.24	*0.24	0.1
3-year first incidence														
Alcohol use disorder	13.15 11.78 7.08	0.70 0.66 0.43	14.25 12.76 7.09	0.82 0.77 0.48	10.53 9.48 7.06	1.01 0.98 0.75	29.48 26.42 15.00	2.50 2.18 1.54	12.33 11.12 6.82	1.07 0.98 0.65	8.75 7.29 5.52	1.00 0.90 0.65	4.89 4.33 1.89	1.2 1.2 0.6
Nicotine dependence	11.34	0.52	11.03	0.60	12.34	0.99	16.11	1.66	11.04	0.74	11.62	1.07	5.02	1.1
Any drug use disorder Any drug abuse Any drug dependence	2.71 2.65 1.37	0.30 0.30 0.23	2.87 2.84 1.47	0.35 0.35 0.28	2.26 2.11 1.08	0.48 0.46 0.34	9.81 9.71 4.09	1.35 1.34 0.88	2.28 2.21 1.31	0.41 0.40 0.29	0.95 0.89 0.52	0.25 0.24 0.19	*0.27 *0.27 *0.05	0.2 0.2 0.0
Any mood disorder Major depressive disorder Bipolar I Bipolar II	6.56 4.47 2.01 0.50	0.42 0.34 0.20 0.09	5.28 3.45 1.70 0.39	0.41 0.34 0.21 0.10	11.05 7.95 2.94 0.81	1.01 0.83 0.46 0.18	7.75 4.19 3.31 1.17	0.96 0.63 0.68 0.41	6.92 4.86 1.95 0.35	0.67 0.54 0.29 0.11	6.29 4.37 1.91 0.48	0.71 0.59 0.34 0.18	3.30 2.90 *0.37 *0.24	0.8 0.7 0.2 0.1
Any anxiety disorder	5.80 1.76 1.35 0.38	0.37 0.21 0.19 0.10	4.87 1.26 0.99 0.26	0.40 0.20 0.18 0.09	9.04 3.36 2.50 0.76	0.84 0.53 0.45 0.27	6.00 2.67 2.13 *0.49	0.89 0.63 0.56 0.26	6.38 1.78 1.38 0.37	0.57 0.28 0.25 0.13	5.96 1.61 1.12 *0.45	0.71 0.34 0.24 0.21	*1.40 *0.51 *0.51 —	0.9 0.3 0.3
Social phobia	1.67 2.24 2.73	0.19 0.22 0.27	1.50 1.92 2.18	0.21 0.22 0.28	2.20 3.30 4.44	0.38 0.55 0.61	2.10 1.85 2.41	0.51 0.51 0.63	1.62 2.67 3.06	0.25 0.33 0.40	1.88 2.15 2.63	0.38 0.43 0.44	*0.39 *0.53 *1.49	0.3 0.2 0.5

Table 3-8. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year alcoholic beverage preference 1 among Wave 1 current drinkers. 2 (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year alcoholic beverage preference and first incidence rates of psychiatric disorders	Fatherite	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Vine</u>														
1-year first incidence														
Alcohol use disorder	1.07	0.22	*0.56	0.21	1.24	0.28	*4.67	2.04	1.75	0.45	*0.89	0.37	_	_
Alcohol abuse	0.52	0.14	*0.21	0.12	0.62	0.18	*0.26	0.26	*0.98	0.38	*0.54	0.22	_	_
Alcohol dependence	0.87	0.18	*0.73	0.26	0.93	0.23	*5.69	2.10	1.14	0.29	*0.70	0.31	*0.08	0.0
Nicotine dependence	1.79	0.27	1.75	0.56	1.80	0.30	*6.00	2.73	1.84	0.43	1.81	0.43	*0.96	0.3
Any drug use disorder	*0.22	0.08	*0.15	0.10	*0.25	0.11	*0.18	0.18	*0.52	0.24	*0.14	0.08	_	_
Any drug abuse	*0.18	0.08	*0.07	0.07	*0.22	0.10	*0.18	0.18	*0.52	0.24	*0.05	0.04	_	_
Any drug dependence		0.07	*0.42	0.20	*0.08	0.06	*0.87	0.69	*0.23	0.15	*0.18	0.11	_	_
Any mood disorder	1.74	0.28	*1.13	0.49	2.02	0.34	*8.17	3.46	1.83	0.54	1.24	0.41	1.45	0.4
Major depressive disorder		0.25	*0.81	0.49	1.71	0.34	*4.71	2.37	1.57	0.48	1.13	0.39	*1.19	0.4
Bipolar I	.d.	0.09	*0.25	0.25	*0.20	0.09	*1.84	1.83	*0.25	0.14	*0.04	0.02	*0.20	0.
Bipolar II	*0.12	0.06	_	_	*0.16	0.08	*0.44	0.44	*0.14	0.11	*0.14	0.10	_	_
Any anxiety disorder	1.43	0.22	1.25	0.44	1.52	0.27	*1.14	0.97	2.17	0.51	1.66	0.38	*0.25	0.1
Any panic disorder		0.14	*0.63	0.39	0.39	0.13	*1.18	0.81	*0.41	0.20	*0.69	0.31	— —	_
Panic without agoraphobia		0.14	*0.62	0.39	0.36	0.12	*0.89	0.75	*0.38	0.19	*0.68	0.30	_	_
Panic with agoraphobia	*0.02	0.01		_	*0.02	0.02	*0.26	0.27	*0.02	0.02	_	_	_	_
Social phobia	*0.19	0.08	*0.10	0.07	*0.23	0.11	_	_	*0.42	0.23	*0.05	0.05	*0.17	0.1
Specific phobia		0.09	*0.21	0.12	0.32	0.12		_	*0.31	0.17	*0.46	0.17	—	_
Generalized anxiety	0.97	0.17	*0.58	0.27	1.13	0.21	*0.63	0.63	1.62	0.39	0.99	0.26	*0.13	0.1
3-year first incidence														
Alcohol use disorder	3.25	0.40	3.45	0.67	3.18	0.49	14.01	3.48	4.75	0.88	2.77	0.59	*0.34	0.2
Alcohol abuse	2.78	0.36	3.05	0.68	2.68	0.44	*6.90	2.79	4.29	0.84	2.74	0.57	*0.33	0.2
Alcohol dependence		0.26	1.25	0.33	1.82	0.34	9.00	2.65	2.47	0.56	1.28	0.40	*0.08	0.0
Nicotine dependence	2.72	0.33	2.56	0.61	2.78	0.39	*6.81	2.77	3.32	0.62	2.61	0.53	1.41	0.4
Any drug use disorder	1.05	0.24	1.63	0.72	0.82	0.18	*4.76	1.69	1.39	0.44	0.91	0.44	*0.25	0.1
Any drug abuse	1.00	0.24	1.55	0.72	0.82	0.18	*4.76	1.69	1.38	0.44	*0.81	0.44	*0.25	0.1
Any drug dependence		0.11	*0.57	0.22	0.36	0.12	*2.41	1.12	*0.71	0.25	*0.26	0.13	_	_
Any mood disorder	6.46	0.53	3.50	0.83	7.77	0.68	13.71	4.00	7.55	1.01	6.38	0.85	4.16	0.7
Major depressive disorder		0.49	2.56	0.72	6.43	0.60	8.51	2.99	5.75	0.82	5.49	0.81	3.67	0.0
Bipolar I	1.00	0.17	*0.66	0.31	1.14	0.20	*2.82	1.93	1.46	0.37	0.83	0.22	*0.39	0.2
Bipolar II		0.14	*0.29	0.21	0.68	0.18	*3.91	1.89	*0.76	0.32	*0.44	0.18	_	_
Any anxiety disorder	6.50	0.55	4.48	0.84	7.40	0.68	8.27	2.77	8.52	0.99	7.51	0.89	2.02	0.5
Any panic disorder		0.29	*0.72	0.43	2.13	0.33	*3.12	1.60	2.68	0.56	1.78	0.47	*0.08	0.0
Panic without agoraphobia		0.25	*0.71	0.43	1.80	0.29	*2.80	1.54	2.18	0.45	1.62	0.46	*0.08	0.0
Panic with agoraphobia		0.08		_	0.29	0.12	*0.26	0.26	*0.44	0.25	*0.14	0.08	. —	_
Social phobia	1.13	0.24	*0.76	0.36	1.29	0.30	[*] 0.27	0.28	1.48	0.37	1.27	0.37	[*] 0.58	0.2
Specific phobia	2.28	0.35	1.74	0.42	2.51	0.40	*4.27	2.07	2.90	0.58	2.57	0.44	*0.63	0.3
Generalized anxiety	3.34	0.32	2.03	0.56	3.88	0.38	*2.94	1.43	3.98	0.54	4.12	0.65	1.20	0.4

Table 3-8. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to Wave 1 past-year alcoholic beverage preference 1 among Wave 1 current drinkers. 2 (Continued)

	Both s	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year alcoholic beverage preference and first incidence rates of psychiatric disorders	Fatimeta	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Liquor														
1-year first incidence														
Alcohol use disorder	1.72 1.11 1.51	0.41 0.34 0.36	*2.03 *1.07 2.44	0.86 0.60 0.76	1.56 1.13 0.88	0.46 0.41 0.33	6.49 *4.80 *6.06	2.13 1.84 2.08	2.34 *1.29 *1.49	0.84 0.64 0.61	*0.21 — *0.74	0.16 — 0.35	_ _ _	_
Nicotine dependence	6.12	0.73	6.92	1.29	5.55	0.88	8.82	2.60	5.16	1.34	7.95	1.53	3.55	1.13
Any drug use disorder Any drug abuse Any drug dependence	*0.36 *0.36 1.04	0.19 0.19 0.37	*0.34 *0.34 *1.88	0.34 0.33 0.81	*0.37 *0.37 *0.41	0.23 0.23 0.22	*2.58 *2.53 *4.19	1.48 1.46 1.59	*0.16 *0.16 *0.15	0.15 0.15 0.12	_ *1.30	 0.91		
Any mood disorder Major depressive disorder Bipolar I Bipolar II	3.28 2.04 0.69 *0.37	0.51 0.42 0.20 0.14	1.61 *0.69 *0.59 *0.19	0.52 0.34 0.28 0.12	4.76 3.21 0.77 *0.50	0.88 0.72 0.28 0.24	5.45 *3.39 *1.21 —	1.99 1.38 0.86	5.19 2.50 *1.29 *0.94	1.15 0.79 0.48 0.41	2.01 *1.55 *0.24 *0.15	0.81 0.73 0.15 0.11	*1.39 *1.23 *0.13 —	0.68 0.66 0.13
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	1.56 0.46 0.42 *0.03	0.39 0.15 0.15 0.03	*0.53 *0.13 *0.13	0.27 0.13 0.13	2.52 0.72 0.66 *0.05	0.71 0.26 0.25 0.05	*2.63 *1.37 *1.36	1.27 0.81 0.80	3.50 *0.60 *0.58 —	1.05 0.30 0.29	*0.28 *0.23 *0.14 *0.08	0.16 0.14 0.11 0.08	_ _ _	_ _ _
Social phobia Specific phobia Generalized anxiety	*0.29 *0.29 0.98	0.16 0.14 0.28	*0.47 *0.23 *0.41	0.34 0.17 0.25	*0.16 *0.34 1.44	0.10 0.22 0.46	*0.32 *0.90 *0.74	0.32 0.76 0.53	*0.45 *0.52 2.35	0.37 0.31 0.79	*0.31 — *0.18	0.28 — 0.12	 *0.19	— 0.19
3-year first incidence														
Alcohol use disorder	6.13 5.72 2.52	0.76 0.74 0.44	9.09 8.93 3.60	1.50 1.53 0.89	4.55 3.98 1.77	0.77 0.74 0.43	14.63 14.03 9.57	2.87 2.60 2.41	7.32 5.99 2.07	1.41 1.29 0.67	3.81 3.74 1.64	0.95 0.98 0.48	*2.06 *2.28 *0.18	0.89 0.91 0.18
Nicotine dependence	9.10	0.88	9.80	1.53	8.60	1.16	10.92	2.65	9.12	1.69	11.33	1.87	5.12	1.28
Any drug use disorder	2.21 2.20 1.56	0.46 0.46 0.43	2.46 2.42 *1.96	0.69 0.68 0.81	2.04 2.04 1.26	0.63 0.63 0.49	8.66 8.51 5.79	2.57 2.54 1.77	2.59 2.56 *1.04	0.91 0.90 0.68	*0.61 *0.61 *1.30	0.36 0.36 0.91	*0.36 *0.36 —	0.36 0.36 —
Any mood disorder	8.18 5.41 2.19 0.88	0.95 0.73 0.47 0.21	4.98 2.65 1.93 *0.44	1.10 0.68 0.88 0.18	10.94 7.72 2.39 1.20	1.37 1.14 0.52 0.34	13.33 7.23 *4.40 *2.12	3.10 2.00 1.85 0.90	12.43 7.37 3.34 1.56	2.12 1.44 1.10 0.51	5.48 4.42 *0.94 *0.19	1.16 1.04 0.39 0.11	3.22 2.68 *0.86 —	0.99 0.90 0.53
Any anxiety disorder	6.52 2.05 1.86 *0.15	0.79 0.43 0.41 0.10	3.27 *1.08 *0.87 *0.19	0.73 0.39 0.33 0.19	9.29 2.80 2.62 *0.12	1.35 0.68 0.66 0.08	12.60 5.43 5.09 *0.29	2.87 1.89 1.86 0.29	10.06 2.36 2.28	1.66 0.67 0.65	4.14 *1.32 *0.96 *0.34	0.95 0.53 0.40 0.27	*0.69 *0.40 *0.40 —	0.50 0.40 0.39
Social phobia	1.85 1.87 3.05	0.36 0.40 0.46	*1.10 *1.52 *0.59	0.45 0.54 0.28	2.42 2.15 4.94	0.53 0.59 0.79	*2.12 5.86 4.72	1.13 2.10 1.60	3.60 2.18 5.05	0.87 0.66 1.03	*0.93 *1.06 1.90	0.41 0.43 0.54	*0.23 — *0.39	0.23 — 0.28

Table 3-8. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected DSM-IV psychiatric disorders, by sex and age group, according to Wave 1 past-year alcoholic beverage preference 1 among Wave 1 current drinkers. 2 (Continued)

	Both s	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year alcoholic beverage preference and first incidence rates of psychiatric disorders	Fatimata	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No preference														
1-year first incidence														
Alcohol use disorder	2.40	0.31	3.38	0.66	1.78	0.27	8.62	1.79	2.10	0.37	0.80	0.27	*0.35	0.24
	1.51	0.26	2.07	0.51	1.14	0.19	5.58	1.39	1.31	0.27	*0.26	0.10	*0.07	0.07
	2.15	0.24	2.91	0.44	1.50	0.23	6.52	1.12	1.84	0.32	1.34	0.30	*0.60	0.29
Nicotine dependence	4.30	0.36	4.79	0.51	3.85	0.55	7.60	1.26	3.58	0.44	4.58	0.66	2.11	0.52
Any drug use disorder	0.44 0.45 0.26	0.12 0.12 0.08	*0.48 *0.48 0.27	0.18 0.18 0.11	0.40 0.42 *0.24	0.16 0.16 0.12	1.78 1.84 *0.82	0.61 0.61 0.35	*0.38 *0.38 *0.19	0.19 0.19 0.13	*0.09 *0.09 *0.15	0.07 0.07 0.09	_	_
Any mood disorder	2.44	0.24	1.77	0.28	3.21	0.41	4.26	0.81	2.61	0.38	1.73	0.31	*1.38	0.49
	1.58	0.18	0.98	0.21	2.25	0.33	2.57	0.63	1.53	0.26	1.29	0.25	*1.14	0.43
	0.68	0.11	0.61	0.15	0.74	0.16	1.07	0.31	0.83	0.21	0.41	0.15	*0.25	0.21
	0.20	0.06	*0.20	0.09	0.20	0.07	*0.55	0.28	0.20	0.07	*0.03	0.02	*0.17	0.17
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	1.67	0.22	1.19	0.27	2.22	0.33	1.38	0.44	2.16	0.34	1.55	0.40	*0.55	0.30
	0.78	0.14	0.36	0.13	1.20	0.24	1.08	0.37	1.07	0.25	0.44	0.14	*0.14	0.14
	0.62	0.11	0.27	0.09	0.97	0.20	0.84	0.33	0.80	0.18	0.41	0.13	*0.14	0.14
	*0.15	0.06	*0.09	0.06	*0.20	0.10	*0.22	0.16	*0.23	0.12	*0.02	0.02	—	—
Social phobia Specific phobia Generalized anxiety	0.24	0.07	*0.25	0.11	*0.23	0.10	*0.27	0.23	*0.26	0.10	*0.27	0.15	*0.04	0.04
	0.45	0.09	0.33	0.10	0.58	0.15	*0.39	0.29	0.60	0.15	*0.43	0.18	—	—
	1.34	0.16	0.72	0.16	1.96	0.27	1.31	0.42	1.79	0.32	0.92	0.23	*0.71	0.34
3-year first incidence														
Alcohol use disorder	8.83	0.57	13.07	1.08	5.94	0.58	22.40	2.37	7.47	0.71	6.44	0.92	2.18	0.63
	7.86	0.54	11.73	1.02	5.20	0.52	18.05	1.89	6.79	0.71	5.95	0.90	2.15	0.61
	4.23	0.34	5.50	0.55	3.14	0.41	13.05	1.57	3.89	0.45	2.11	0.34	*0.68	0.30
Nicotine dependence	6.39	0.39	6.95	0.57	5.88	0.57	12.14	1.45	5.81	0.47	5.80	0.70	2.58	0.59
Any drug use disorder Any drug abuse Any drug dependence	2.43	0.23	3.05	0.39	1.87	0.28	7.22	1.12	2.37	0.35	1.15	0.32	*0.03	0.03
	2.36	0.22	2.91	0.38	1.88	0.28	7.26	1.12	2.21	0.33	1.15	0.32	*0.03	0.03
	0.92	0.14	1.29	0.23	0.57	0.16	2.83	0.62	0.88	0.21	*0.31	0.12	—	—
Any mood disorder Major depressive disorder Bipolar I Bipolar II	6.94	0.37	4.54	0.43	9.56	0.61	11.35	1.21	7.62	0.55	4.91	0.54	3.83	0.75
	4.72	0.31	2.57	0.31	7.03	0.53	7.08	0.93	4.65	0.41	3.93	0.49	3.57	0.71
	2.03	0.18	1.82	0.27	2.22	0.25	3.64	0.62	2.61	0.32	0.96	0.25	*0.25	0.21
	0.77	0.12	0.84	0.20	0.71	0.14	1.83	0.50	0.93	0.19	*0.16	0.07	*0.26	0.19
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	7.15	0.39	5.17	0.50	9.26	0.65	10.06	1.26	8.12	0.61	5.75	0.63	2.78	0.72
	2.10	0.23	1.19	0.23	2.99	0.38	3.31	0.61	2.61	0.43	1.18	0.25	*0.63	0.31
	1.76	0.21	0.98	0.20	2.51	0.34	2.77	0.58	2.11	0.38	1.15	0.24	*0.41	0.21
	0.30	0.08	*0.19	0.10	0.41	0.12	*0.49	0.21	0.45	0.15	*0.02	0.02	*0.22	0.22
Social phobia Specific phobia Generalized anxiety	1.38	0.16	1.09	0.22	1.66	0.25	2.67	0.67	1.62	0.23	0.71	0.21	*0.31	0.16
	2.39	0.22	1.55	0.24	3.25	0.37	3.52	0.70	2.36	0.30	2.44	0.44	*0.76	0.36
	3.74	0.27	2.48	0.32	4.97	0.43	4.26	0.82	4.66	0.47	2.70	0.37	1.94	0.61

Alcoholic beverage preference: was assigned to a single type of alcoholic beverage that comprised at least 75 percent of an individual's overall past-year ethanol intake or was considered as "no preference" otherwise.

2 Current drinker: 1 or more drinks in the past year.

* Fewer than 10 observations in the cell.

Empty cell.

Table 3-9. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to family history of alcoholism at Wave 1 among Wave 1 current drinkers.¹

	Both s	sexes		S	ex					Age group	at Wave 1			
Family history of alcoholism at Wave 1 and first incidence rates of psychiatric disorders	Fatimata	° -	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>lone</u>														
1-year first incidence														
Alcohol use disorder	1.91	0.19	2.54	0.36	1.30	0.18	5.59	1.11	1.98	0.30	1.16	0.25	*0.51	0.3
Alcohol abuse	1.19	0.16	1.56	0.28	0.82	0.14	3.65	0.91	1.14	0.22	0.69	0.19	*0.31	0.2
Alcohol dependence	1.70	0.14	2.21	0.24	1.06	0.16	5.05	0.87	1.71	0.26	1.07	0.20	*0.42	0.1
Nicotine dependence	5.36	0.30	6.18	0.45	4.32	0.40	8.71	1.15	5.49	0.46	5.60	0.56	1.81	0.3
Any drug use disorder	0.27	0.06	0.31	0.09	0.22	0.07	1.27	0.43	*0.19	0.08	*0.11	0.05	_	_
Any drug abuse	0.26	0.06	0.29	0.09	0.22	0.07	1.26	0.43	*0.19	0.08	*0.07	0.04	_	_
Any drug dependence	0.25	0.08	0.41	0.15	*0.03	0.03	*1.02	0.47	*0.10	0.06	*0.24	0.18	_	_
Any mood disorder	1.76	0.18	1.03	0.17	2.85	0.33	3.63	0.68	1.75	0.24	1.00	0.21	1.71	0.4
Major depressive disorder	1.22	0.14	0.63	0.13	2.09	0.27	2.39	0.57	1.01	0.15	0.85	0.20	1.49	0.3
Bipolar I	0.42	0.08	0.35	0.09	0.51	0.14	0.92	0.30	0.54	0.16	*0.12	0.06	*0.25	0.1
Bipolar II	0.20	0.05	*0.13	0.06	0.29	0.08	*0.59	0.27	*0.20	0.07	*0.11	0.06	*0.03	0.0
Any anxiety disorder	1.29	0.16	0.93	0.17	1.84	0.32	1.05	0.39	1.88	0.29	1.05	0.28	*0.37	0.1
Any panic disorder	0.43	0.09	0.29	0.09	0.62	0.17	*0.59	0.29	0.56	0.14	0.40	0.15	_	_
Panic without agoraphobia	0.39	0.08	0.26	0.09	0.55	0.17	*0.59	0.29	0.49	0.14	0.34	0.14	_	_
Panic with agoraphobia	*0.04	0.02	*0.03	0.03	*0.06	0.03		_	*0.06	0.04	*0.05	0.04		_
Social phobia	0.19	0.05	*0.10	0.05	0.30	0.10	*0.33	0.22	*0.22	0.09	*0.12	0.06	*0.08	0.0
Specific phobia	0.41	0.08	0.28	0.08	0.60	0.16	*0.22	0.16	0.58	0.13	0.44	0.20	[*] 0.04	0.0
Generalized anxiety	0.84	0.11	0.50	0.11	1.31	0.21	0.85	0.30	1.30	0.22	0.36	0.10	*0.51	0.1
3-year first incidence														
Alcohol use disorder	7.83	0.46	10.56	0.75	5.09	0.47	20.10	1.87	8.05	0.73	5.31	0.54	2.06	0.4
Alcohol abuse	6.76	0.44	9.21	0.70	4.28	0.43	16.11	1.63	7.02	0.67	4.72	0.53	1.86	0.4
Alcohol dependence	3.76	0.26	4.64	0.39	2.66	0.32	11.45	1.28	3.92	0.44	2.13	0.29	0.58	0.1
Nicotine dependence	7.85	0.38	9.03	0.56	6.36	0.47	12.47	1.25	7.97	0.55	8.41	0.71	2.56	0.4
Any drug use disorder	1.94	0.19	2.47	0.28	1.27	0.23	7.67	0.96	1.51	0.25	0.98	0.27	*0.17	0.1
Any drug abuse	1.92	0.18	2.44	0.28	1.27	0.23	7.66	0.96	1.51	0.25	0.92	0.27	*0.17	0.1
Any drug dependence	0.64	0.11	0.97	0.18	0.19	0.07	2.70	0.62	0.39	0.10	*0.36	0.19	*0.02	0.0
Any mood disorder	5.25	0.32	3.36	0.31	7.96	0.55	9.53	1.00	5.25	0.49	4.16	0.47	3.71	0.5
Major depressive disorder	3.80	0.27	2.24	0.25	6.02	0.48	5.93	0.75	3.54	0.38	3.45	0.45	3.31	0.5
Bipolar I	1.23	0.13	1.01	0.14	1.51	0.23	2.80	0.62	1.50	0.22	0.54	0.12	*0.47	0.2
Bipolar II	0.60	0.10	0.54	0.13	0.68	0.12	1.99	0.52	0.50	0.13	0.36	0.13	*0.13	0.0
Any anxiety disorder	5.42	0.30	4.07	0.36	7.36	0.55	7.37	0.92	6.34	0.48	4.90	0.48	2.13	0.4
Any panic disorder	1.38	0.16	0.91	0.16	2.01	0.28	2.32	0.53	1.64	0.40	1.02	0.40	*0.49	0.2
Panic without agoraphobia	1.09	0.14	0.67	0.14	1.64	0.25	2.11	0.51	1.20	0.20	0.87	0.23	*0.26	0.1
Panic with agoraphobia	0.28	0.06	0.23	0.08	0.34	0.09	*0.21	0.14	0.42	0.12	*0.14	0.07	*0.23	0.1
Social phobia	1.20	0.13	1.01	0.16	1.45	0.21	1.65	0.46	1.43	0.21	1.11	0.24	*0.32	0.1
Specific phobia	2.26	0.19	1.55	0.23	3.25	0.34	3.14	0.68	2.52	0.29	2.25	0.36	0.78	0.2
Generalized anxiety	2.31	0.19	1.59	0.22	3.29	0.33	2.34	0.52	3.04	0.33	1.77	0.25	1.32	0.3

Table 3-9. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to family history of alcoholism at Wave 1 among Wave 1 current drinkers. (Continued)

	Both s	sexes		S	ex					Age group	p at Wave 1			
Family history of alcoholism at Wave 1 and first incidence rates of psychiatric disorders	Fatiments.	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
2nd-degree relatives only														
1-year first incidence														
Alcohol use disorder	3.46 2.16	0.51 0.37	5.33 3.30	0.94 0.77	2.21 1.39	0.49 0.35	9.07 4.97	1.78 1.15	2.92 2.35	0.68	*1.92 *0.78	0.72 0.38	*0.27 — *0.22	0.27
Alcohol dependence Nicotine dependence	2.53 3.97	0.36 0.39	3.44 5.09	0.57 0.64	1.66 2.80	0.39 0.42	7.48 6.63	1.36 1.23	2.00 3.32	0.50 0.52	1.12 4.31	0.44 0.89	*0.22 *1.09	0.22 0.49
Any drug use disorder Any drug abuse	0.58 0.54 0.53	0.16 0.16 0.16	*0.53 *0.48 0.71	0.19 0.18 0.23	0.63 *0.60 *0.32	0.26 0.26 0.21	1.66 *1.42 *1.09	0.54 0.52 0.39	*0.59 *0.58 *0.56	0.28 0.28 0.28	*0.11 *0.11 *0.24	0.11 0.11 0.17	_ _ _ _	_ _ _
Any mood disorder Major depressive disorder Bipolar I Bipolar II	2.76 1.86 0.78 *0.16	0.37 0.27 0.14 0.06	2.15 1.13 0.72 *0.21	0.41 0.27 0.19 0.11	3.59 2.82 0.84 *0.10	0.54 0.47 0.22 0.06	4.52 3.05 1.00 *0.34	0.96 0.77 0.37 0.24	2.30 1.56 0.68 *0.19	0.59 0.41 0.21 0.10	2.80 1.79 0.88 *0.02	0.57 0.44 0.30 0.02	*1.55 *0.97 *0.50	0.82 0.59 0.49
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	1.39 0.66 0.57 *0.08	0.21 0.12 0.11 0.05	1.20 *0.26 *0.18 *0.07	0.27 0.11 0.08 0.07	1.65 1.14 1.03 *0.08	0.35 0.23 0.22 0.07	1.43 1.00 *0.76 *0.22	0.46 0.37 0.31 0.17	2.00 0.64 0.54 *0.08	0.38 0.18 0.16 0.08	*0.65 *0.65 *0.64	0.30 0.24 0.24	_ _ _	_ _ _
Social phobia Specific phobia Generalized anxiety	0.23 0.49 1.16	0.10 0.15 0.18	*0.25 *0.45 0.94	0.15 0.19 0.23	*0.20 *0.53 1.40	0.09 0.26 0.31	*0.34 *0.48 *1.03	0.17 0.39 0.44	*0.34 0.76 1.53	0.19 0.24 0.28	*0.14 0.88	0.14 0.37	=	=
3-year first incidence														
Alcohol use disorder Alcohol abuse Alcohol dependence	10.26 8.68 5.00	0.81 0.71 0.51	15.59 13.56 6.55	1.47 1.35 0.77	6.42 5.12 3.49	0.82 0.71 0.58	23.20 19.19 12.41	2.40 2.14 1.68	9.47 8.23 4.40	1.15 1.05 0.71	5.31 4.16 2.74	1.00 0.80 0.71	*1.63 *1.11 *0.42	0.73 0.65 0.29
Nicotine dependence	6.72	0.51	8.18	0.82	5.18	0.57	10.67	1.54	6.00	0.68	6.55	1.15	2.87	0.97
Any drug use disorderAny drug abuseAny drug dependence	2.69 2.61 1.33	0.33 0.33 0.24	3.23 3.09 1.54	0.47 0.47 0.35	2.15 2.12 1.10	0.44 0.44 0.33	7.64 7.22 3.46	1.27 1.26 0.79	2.17 2.16 1.27	0.46 0.45 0.37	1.04 1.04 *0.36	0.38 0.38 0.23	*0.79 *0.79 —	0.56 0.56 —
Any mood disorder	8.10 5.64 2.04 0.82	0.58 0.48 0.25 0.14	5.99 3.39 2.00 0.71	0.68 0.54 0.39 0.19	10.82 8.51 2.08 0.93	0.92 0.80 0.34 0.20	10.46 6.76 2.74 1.20	1.43 1.09 0.63 0.39	8.37 5.56 2.28 1.09	0.91 0.65 0.43 0.23	7.26 5.64 1.57 *0.30	1.03 0.93 0.39 0.17	3.95 3.33 *0.50 —	1.24 1.11 0.49 —
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia Social phobia	7.31 2.02 1.76 *0.22 1.61	0.57 0.26 0.24 0.09 0.25	5.92 1.35 1.08 *0.25 1.29	0.70 0.32 0.28 0.16 0.32	9.11 2.80 2.56 *0.19 1.98	0.85 0.39 0.38 0.09 0.39	9.22 3.99 3.35 *0.57 3.40	1.33 0.88 0.84 0.27 0.85	8.00 1.76 1.48 *0.25 1.55	0.82 0.37 0.32 0.17 0.33	6.45 1.64 1.62 — *0.73	0.97 0.42 0.42 — 0.41	*1.13 — — — *0.67	0.79 — — — — 0.67
Specific phobia	2.25 3.85	0.26 0.34	1.99 2.92	0.33 0.43	2.57 4.93	0.44 0.52	3.81 3.02	0.86 0.79	2.51 4.08	0.38 0.49	1.35 4.62	0.38 0.78	 *1.71	— 0.99

Table 3-9. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to family history of alcoholism at Wave 1 among Wave 1 current drinkers. (Continued)

	Both s	exes		S	ex					Age group	at Wave 1			
Family history of alcoholism at Wave 1 and first incidence rates of psychiatric disorders	Fatiments	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
st-degree relatives only														
1-year first incidence														
Alcohol use disorder	1.37	0.30	1.73	0.57	1.13	0.34	*7.57	2.92	*1.13	0.49	1.31	0.43	_	_
Alcohol abuse	1.19	0.30	*1.16	0.48	1.21	0.40	*6.95	2.81	*1.45	0.56	*0.60	0.42	. —	_
Alcohol dependence	1.90	0.34	2.95	0.58	0.97	0.32	*3.99	1.52	1.99	0.55	2.26	0.69	*0.30	0.3
Nicotine dependence	5.38	0.56	5.71	0.89	5.05	0.83	9.65	2.59	6.58	1.15	4.34	0.86	3.58	0.9
Any drug use disorder	*0.40	0.16	*0.55	0.26	*0.26	0.18	*4.24	2.09	*0.16	0.11	*0.14	0.14	_	_
Any drug abuse	*0.38	0.16	*0.55	0.26	*0.22	0.18	*3.97	2.07	*0.15	0.11	*0.14	0.14	_	_
Any drug dependence	0.50	0.16	*0.67	0.26	*0.33	0.18	*3.91	1.72	*0.16	0.14	*0.40	0.21	_	_
Any mood disorder	3.14	0.46	2.31	0.55	4.15	0.82	*2.48	1.67	4.08	0.94	3.41	0.79	*1.20	0.5
Major depressive disorder	2.40	0.40	1.73	0.33	3.18	0.02	*0.41	0.24	3.00	0.79	2.92	0.73	*1.07	0.5
Bipolar I	0.45	0.16	*0.36	0.22	*0.54	0.22	*1.28	1.27	*0.63	0.29	*0.28	0.17	*0.10	0.1
Bipolar II	*0.14	0.06	*0.05	0.05	*0.23	0.12	*0.27	0.27	*0.25	0.15	*0.07	0.07	_	_
Any anxiety disorder	1.80	0.37	1.25	0.44	2.49	0.64	*1.59	0.96	2.42	0.64	2.05	0.73	*0.24	0.1
Any panic disorder	0.69	0.37	*0.55	0.44	0.83	0.04	*0.96	0.69	1.18	0.40	*0.47	0.73	U.24 —	- 0.1
Panic without agoraphobia	0.46	0.13	*0.30	0.18	0.63	0.21	*0.29	0.21	0.88	0.33	*0.29	0.16	_	_
Panic with agoraphobia	*0.21	0.11	*0.24	0.17	*0.18	0.13	*0.63	0.63	*0.27	0.21	*0.16	0.16	_	_
Social phobia	0.44	0.18	*0.59	0.29	*0.27	0.19	_	_	*0.33	0.20	*0.82	0.43	*0.06	0.0
Specific phobia	0.56	0.17	*0.35	0.15	*0.82	0.32	*1.22	0.85	*0.23	0.12	*1.07	0.42		_
Generalized anxiety	1.56	0.34	*0.79	0.32	2.41	0.64	*0.81	0.52	2.74	0.78	1.25	0.51	*0.14	0.1
3-year first incidence														
Alcohol use disorder	7.66	0.73	10.33	1.38	5.82	0.87	29.37	4.74	7.75	1.28	6.05	1.28	*2.01	0.8
Alcohol abuse	7.82	0.70	10.34	1.36	6.08	0.88	28.97	4.73	8.46	1.30	5.68	1.23	*2.19	0.8
Alcohol dependence	3.94	0.48	5.12	0.70	2.88	0.58	12.35	2.77	4.49	0.84	3.37	0.77	*0.81	0.5
Nicotine dependence	7.51	0.62	8.16	0.98	6.84	0.90	16.10	3.30	8.40	1.22	5.91	0.99	5.59	1.1
Any drug use disorder	1.80	0.33	2.35	0.55	1.29	0.37	9.37	2.53	2.37	0.68	*0.72	0.31	*0.05	0.0
Any drug abuse	1.69	0.31	2.22	0.52	1.20	0.33	9.11	2.51	1.99	0.59	*0.85	0.34	*0.05	0.0
Any drug dependence	1.03	0.23	1.17	0.35	0.88	0.30	5.52	1.91	1.08	0.41	*0.55	0.24	_	_
Any mood disorder	7.84	0.69	5.30	0.76	10.77	1.14	11.99	2.94	8.06	1.19	8.49	1.24	4.63	1.1
Major depressive disorder	5.97	0.59	3.89	0.67	8.32	1.01	6.06	1.96	5.88	1.03	6.99	1.05	4.16	1.0
Bipolar I	1.70	0.28	1.24	0.40	2.17	0.43	*5.07	2.00	1.68	0.44	1.67	0.44	*0.37	0.2
Bipolar II	0.73	0.20	*0.49	0.25	0.97	0.32	*1.25	0.76	*0.97	0.39	*0.74	0.36	_	_
Any anxiety disorder	7.73	0.64	5.70	0.79	10.06	1.07	12.27	2.82	9.03	1.06	8.11	1.36	2.35	0.7
Any panic disorder	2.32	0.34	1.58	0.73	3.10	0.52	4.53	1.62	3.01	0.66	2.12	0.58	*0.31	0.7
Panic without agoraphobia	1.68	0.27	1.19	0.39	2.19	0.40	*2.45	1.15	2.48	0.61	1.37	0.40	*0.31	0.3
Panic with agoraphobia	0.60	0.20	*0.37	0.21	0.83	0.35	*2.03	1.14	*0.48	0.26	*0.69	0.41	_	_
Social phobia	1.86	0.30	2.28	0.50	1.42	0.36	*1.07	0.70	2.27	0.51	2.33	0.64	*0.38	0.2
Specific phobia	2.20	0.35	1.66	0.44	2.80	0.54	6.19	2.14	1.60	0.47	2.83	0.62	*0.47	0.2
Generalized anxiety	3.77	0.44	1.88	0.43	5.79	0.78	4.33	1.62	5.19	0.91	3.34	0.73	*1.49	0.5

Table 3-9. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected DSM-IV psychiatric disorders, by sex and age group, according to family history of alcoholism at Wave 1 among Wave 1 current drinkers. (Continued)

	Both s	sexes		S	ex					Age group	o at Wave 1			
Family history of alcoholism at Wave 1 and first incidence rates of psychiatric disorders	Estimate	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Both 1st- and 2nd-degree relatives														
1-year first incidence														
Alcohol use disorder Alcohol abuse Alcohol dependence	3.03 1.68 3.68	0.43 0.31 0.38	5.09 3.01 5.40	1.14 0.77 0.77	2.13 1.08 2.58	0.39 0.26 0.39	12.19 6.91 9.80	2.52 1.74 1.93	3.22 1.50 3.92	0.59 0.39 0.60	*0.38 *0.32 2.18	0.20 0.20 0.44	— — *0.75	— — 0.51
Nicotine dependence	4.87	0.49	5.26	0.74	4.57	0.63	10.11	2.10	5.04	0.77	3.76	0.65	*1.73	1.17
Any drug use disorder Any drug abuse Any drug dependence	0.40 0.38 0.44	0.12 0.12 0.11	*0.39 *0.37 0.54	0.20 0.20 0.19	*0.40 *0.39 0.37	0.15 0.15 0.14	*2.18 *2.24 2.59	0.92 0.92 0.84	*0.33 *0.33 *0.17	0.15 0.15 0.07	*0.07 — *0.14	0.05 — 0.09	_ _ _	_ _ _
Any mood disorder Major depressive disorder Bipolar I Bipolar II	2.51 1.48 0.63 0.27	0.33 0.21 0.13 0.09	2.00 1.33 0.57 *0.03	0.40 0.29 0.18 0.02	3.02 1.62 0.68 0.46	0.51 0.32 0.19 0.17	2.52 *0.81 *1.24 *0.21	0.86 0.36 0.56 0.13	3.72 2.20 0.70 *0.42	0.61 0.41 0.23 0.19	1.37 0.94 0.42 *0.05	0.33 0.27 0.15 0.03	*0.59 *0.58 *0.09 *0.37	0.49 0.48 0.09 0.37
Any anxiety disorder Any panic disorder Panic without agoraphobia	2.39 1.18 0.96	0.30 0.19 0.17	1.51 0.73 0.68	0.39 0.24 0.23	3.27 1.57 1.19	0.47 0.29 0.23	3.14 1.70 1.37	0.92 0.53 0.48	3.02 1.33 0.99	0.51 0.30 0.24	1.77 0.92 0.86	0.40 0.31 0.30	*0.30 *0.47 *0.47	0.22 0.35 0.35
Panic with agoraphobia Social phobia Specific phobia Generalized anxiety	*0.17 0.37 0.50 1.61	0.08 0.11 0.15 0.22	*0.03 *0.35 *0.49 0.98	0.03 0.15 0.24 0.27	*0.29 0.39 0.51 2.15	0.14 0.15 0.17 0.35	*0.26 — *0.30 *1.27	0.16 — 0.18 0.53	*0.27 0.66 0.77 2.07	0.16 0.22 0.27 0.38	*0.04 *0.15 *0.32 1.43	0.04 0.07 0.19 0.34	*0.09 *0.19	0.09 — 0.18
3-year first incidence	1.01	0.22	0.50	0.27	2.10	0.55	1.27	0.55	2.01	0.50	1.40	0.54	0.15	0.10
Alcohol use disorder	9.28 8.59 6.03	0.75 0.72 0.50	16.48 15.18 8.84	1.84 1.67 0.96	5.86 5.39 4.20	0.62 0.62 0.51	24.18 20.58 15.87	3.14 2.77 2.27	8.65 7.85 5.98	0.94 0.92 0.69	6.29 6.05 4.09	1.09 1.11 0.62	*1.98 *2.57 *1.12	0.87 0.88 0.56
Nicotine dependence	8.04	0.58	8.90	0.93	7.39	0.70	15.25	2.30	8.76	0.89	5.97	0.80	*2.79	1.32
Any drug use disorder Any drug abuseAny drug dependence	2.93 2.80 1.60	0.38 0.37 0.29	3.94 3.70 2.28	0.70 0.68 0.61	2.25 2.18 1.09	0.38 0.37 0.25	8.51 8.50 4.35	1.88 1.86 1.02	3.74 3.54 1.88	0.66 0.64 0.48	0.96 0.81 *0.58	0.33 0.31 0.25	_	
Any mood disorder Major depressive disorder Bipolar I Bipolar II	9.50 5.65 3.28 0.79	0.65 0.47 0.33 0.15	7.84 4.32 3.40 *0.27	0.90 0.62 0.52 0.13	11.14 6.94 3.18 1.20	0.82 0.59 0.41 0.25	11.46 5.47 5.56 1.57	1.74 1.08 1.17 0.57	12.40 7.32 3.96 1.03	1.21 0.84 0.52 0.25	6.44 4.02 2.07 *0.19	0.85 0.65 0.48 0.08	2.62 2.49 *0.47 *0.43	0.92 0.90 0.39 0.37
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	7.91 2.80 2.36 0.35	0.53 0.30 0.26 0.09	5.35 1.44 1.32 *0.10	0.70 0.32 0.29 0.06	10.32 3.96 3.24 0.55	0.80 0.47 0.40 0.16	9.62 3.28 2.54 *0.62	1.57 0.72 0.65 0.28	9.37 3.53 2.98 0.43	0.80 0.53 0.47 0.17	6.79 2.01 1.76 *0.20	0.89 0.41 0.37 0.09	*1.46 *0.86 *0.85	0.66 0.44 0.44 —
Social phobia Specific phobia Generalized anxiety	1.90 2.58 4.59	0.24 0.29 0.36	1.25 2.30 2.89	0.27 0.43 0.49	2.44 2.83 6.01	0.37 0.37 0.52	1.83 2.28 5.67	0.61 0.66 1.10	2.52 3.13 5.58	0.38 0.44 0.59	1.35 2.50 3.49	0.41 0.53 0.54	*0.49 *0.19 *1.00	0.29 0.19 0.60

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 3-10. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to having had alcoholic parents by Wave 1 among Wave 1 current drinkers.¹

	Both s	sexes		S	ex					Age group	at Wave 1			
Having had alcoholic parents by Wave 1 and first incidence rates of psychiatric disorders	Catimata	° -	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>es</u>														
1-year first incidence														
Alcohol use disorder	2.76 1.79 3.13	0.38 0.31 0.31	4.35 2.76 4.80	0.89 0.68 0.64	2.00 1.32 2.01	0.37 0.30 0.31	10.28 6.19 7.77	2.17 1.53 1.53	2.60 1.53 2.87	0.51 0.38 0.42	*0.67 *0.71 2.23	0.24 0.35 0.46	 *1.05	— — 0.6
Nicotine dependence	5.59	0.49	6.56	0.81	4.82	0.64	10.21	1.90	5.90	0.79	3.82	0.65	*3.76	1.4
Any drug abuse Any drug abuse Any drug dependence	0.56 0.53 0.59	0.15 0.14 0.13	*0.67 *0.65 0.72	0.25 0.24 0.22	0.48 *0.45 0.48	0.17 0.17 0.16	3.03 2.98 3.29	1.02 1.01 0.88	*0.32 *0.32 *0.05	0.16 0.16 0.02	*0.14 *0.09 *0.35	0.11 0.09 0.17		_ _ _
Any mood disorder Major depressive disorder Bipolar I Bipolar II	2.97 1.88 0.68 0.25	0.36 0.28 0.14 0.09	2.36 1.67 0.53 *0.06	0.43 0.35 0.17 0.04	3.59 2.08 0.80 0.41	0.60 0.42 0.21 0.16	2.00 *0.70 *1.04 *0.14	0.72 0.31 0.49 0.11	4.36 2.73 0.76 *0.37	0.62 0.48 0.23 0.18	2.20 1.64 0.52 *0.10	0.52 0.46 0.17 0.05	*0.07 *0.07 *0.10 *0.40	0.07 0.07 0.10 0.40
Any anxiety disorder Any panic disorder Panic without agoraphobia	2.36 1.18 0.91	0.32 0.19 0.16	1.52 0.76 0.66	0.40 0.25 0.24	3.23 1.55 1.12	0.49 0.28 0.22	2.42 1.59 1.23	0.71 0.48 0.42	3.05 1.46 1.10	0.53 0.31 0.25	1.84 0.85 0.68	0.49 0.30 0.27	*0.36	0.2
Panic with agoraphobia Social phobia Specific phobia	0.23 0.41 0.45	0.09 0.12 0.13	*0.09 *0.38 *0.34	0.07 0.18 0.19	*0.34 0.44 0.55	0.15 0.17 0.17	*0.30 — *0.54	0.20 — 0.28	*0.30 *0.46 0.72	0.16 0.17 0.25	*0.14 *0.61 *0.13	0.11 0.28 0.09	*0.10 	0.1 —
Generalized anxiety	1.97	0.26	1.08	0.28	2.76	0.45	*0.96	0.37	2.77	0.47	1.62	0.43	*0.42	0.4
3-year first incidence														
Alcohol use disorder Alcohol abuse Alcohol dependence	9.94 9.54 5.73	0.69 0.65 0.45	15.94 15.45 8.28	1.54 1.44 0.82	6.82 6.40 3.99	0.68 0.66 0.45	24.85 22.19 14.47	2.82 2.50 1.88	8.95 8.69 5.40	1.06 0.99 0.59	6.39 6.20 3.65	0.98 0.98 0.57	*2.18 *2.57 *1.73	1.0 1.0 0.8
Nicotine dependence	8.60	0.58	9.62	0.93	7.79	0.72	15.88	2.09	8.89	0.94	5.94	0.78	5.82	1.6
Any drug use disorder Any drug abuse Any drug dependence	3.15 2.94 1.61	0.38 0.36 0.23	4.14 3.85 1.97	0.63 0.59 0.39	2.44 2.28 1.33	0.41 0.37 0.30	9.39 9.29 5.15	1.74 1.72 1.05	3.84 3.49 1.56	0.66 0.62 0.37	0.72 0.59 *0.54	0.23 0.21 0.20	_ _ _	_
Any mood disorder Major depressive disorder Bipolar I Bipolar II	9.78 6.27 3.10 0.84	0.64 0.48 0.30 0.15	7.84 4.91 2.81 0.54	0.85 0.62 0.45 0.19	11.68 7.57 3.34 1.09	0.86 0.64 0.42 0.23	11.42 5.44 5.85 1.17	1.66 1.00 1.12 0.45	12.19 7.67 3.48 1.08	1.11 0.84 0.47 0.27	7.02 5.15 1.90 0.43	0.82 0.69 0.43 0.17	3.97 3.89 *0.52 *0.40	1.3 1.2 0.4 0.4
Any anxiety disorder	8.26 3.03 2.40 0.53	0.52 0.31 0.26 0.13	5.55 1.65 1.45 *0.17	0.69 0.33 0.31 0.10	10.86 4.22 3.21 0.84	0.81 0.48 0.39 0.23	10.03 3.79 2.79 *0.87	1.52 0.76 0.65 0.37	9.77 3.69 3.09 0.49	0.87 0.51 0.46 0.18	6.58 2.27 1.64 *0.55	0.78 0.49 0.36 0.27	*2.41 *0.42 *0.42 —	0.9 0.2 0.2
Social phobia	2.01 2.43 4.86	0.24 0.29 0.38	1.66 2.17 2.81	0.33 0.45 0.45	2.30 2.67 6.63	0.34 0.33 0.61	1.68 3.35 4.66	0.54 0.91 0.96	2.67 2.78 6.03	0.40 0.43 0.65	1.50 1.96 3.86	0.37 0.46 0.60	*0.55 *0.44 *1.81	0.3 0.3 0.8

Table 3-10. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected DSM-IV psychiatric disorders, by sex and age group, according to having had alcoholic parents by Wave 1 among Wave 1 current drinkers. (Continued)

	Both :	sexes		S	ex					Age group	at Wave 1			
Having had alcoholic parents by Wave 1 and first incidence rates of psychiatric disorders	Estimate	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	J.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>No</u>														
1-year first incidence														
Alcohol use disorder	2.24 1.39 2.06	0.18 0.16 0.14	3.09 1.89 2.68	0.33 0.29 0.23	1.53 0.96 1.38	0.17 0.12 0.16	7.19 4.43 6.18	1.04 0.75 0.77	2.24 1.48 2.10	0.26 0.22 0.25	1.29 0.60 1.29	0.22 0.14 0.19	*0.37 *0.20 *0.33	0.20 0.18 0.12
Nicotine dependence	4.83	0.21	5.59	0.34	3.96	0.28	7.99	0.84	4.78	0.32	5.08	0.42	1.79	0.30
Any drug use disorder Any drug abuse Any drug dependence	0.33 0.31 0.32	0.06 0.06 0.07	0.34 0.32 0.49	0.08 0.08 0.11	0.31 0.30 *0.13	0.08 0.08 0.06	1.42 1.34 1.05	0.35 0.35 0.32	0.30 0.30 0.29	0.10 0.09 0.10	*0.09 *0.07 *0.21	0.04 0.03 0.11		
Any mood disorder Major depressive disorder Bipolar I Bipolar II	2.10 1.46 0.51 0.18	0.16 0.12 0.06 0.04	1.40 0.83 0.46 0.13	0.16 0.13 0.08 0.04	3.09 2.34 0.57 0.25	0.27 0.22 0.09 0.05	4.02 2.55 1.03 *0.50	0.55 0.45 0.25 0.18	2.02 1.28 0.57 0.21	0.23 0.16 0.11 0.06	1.63 1.26 0.30 *0.07	0.25 0.22 0.08 0.03	1.64 1.38 *0.25 *0.02	0.30 0.28 0.12 0.02
Any anxiety disorder Any panic disorder Panic without agoraphobia	1.39 0.53 0.46	0.12 0.07 0.06	1.03 0.31 0.25	0.13 0.07 0.06	1.89 0.80 0.72	0.22 0.12 0.12	1.34 0.77 0.63	0.31 0.22 0.20	1.96 0.62 0.53	0.20 0.11 0.10	1.12 0.49 0.45	0.22 0.11 0.10	*0.28 *0.07 *0.07	0.12 0.06 0.06
Panic with agoraphobia	0.06 0.22 0.47 0.93	0.02 0.04 0.07 0.08	*0.06 0.20 0.36 0.62	0.03 0.06 0.07 0.09	*0.07 0.25 0.60 1.31	0.03 0.06 0.12 0.15	*0.12 *0.32 *0.32 0.99	0.07 0.14 0.17 0.26	*0.09 0.34 0.60 1.35	0.04 0.09 0.10 0.16	*0.03 *0.10 0.55 0.59	0.02 0.04 0.15 0.11	*0.06 *0.02 *0.33	— 0.04 0.02 0.12
Generalized anxiety	0.93	0.06	0.62	0.09	1.31	0.15	0.99	0.26	1.35	0.16	0.59	0.11	0.33	0.12
Alcohol use disorder Alcohol abuse Alcohol dependence	8.21 7.13 4.16	0.37 0.34 0.22	11.58 10.14 5.22	0.62 0.58 0.33	5.27 4.49 2.99	0.37 0.35 0.27	21.63 17.65 12.06	1.53 1.27 1.02	8.30 7.30 4.27	0.56 0.54 0.35	5.40 4.71 2.61	0.50 0.47 0.28	1.97 1.82 0.53	0.36 0.36 0.14
Nicotine dependence	7.37	0.28	8.55	0.42	5.99	0.34	11.89	0.97	7.42	0.41	7.56	0.56	2.82	0.38
Any drug use disorder Any drug abuse Any drug dependence	2.04 2.02 0.87	0.18 0.18 0.10	2.57 2.52 1.20	0.28 0.27 0.17	1.45 1.45 0.48	0.18 0.18 0.11	7.56 7.41 2.94	0.75 0.75 0.46	1.76 1.75 0.84	0.27 0.27 0.16	1.01 1.00 0.41	0.21 0.21 0.13	*0.23 *0.23 *0.01	0.11 0.11 0.01
Any mood disorder Major depressive disorder Bipolar I Bipolar II	6.25 4.43 1.56 0.66	0.28 0.23 0.11 0.07	4.24 2.62 1.42 0.52	0.29 0.23 0.15 0.09	8.97 6.87 1.72 0.84	0.45 0.39 0.17 0.12	10.01 6.27 2.79 1.78	0.77 0.57 0.43 0.35	6.49 4.31 1.89 0.72	0.43 0.33 0.18 0.11	5.49 4.31 1.05 0.35	0.46 0.41 0.15 0.10	3.73 3.29 *0.44 *0.09	0.42 0.40 0.16 0.05
Any anxiety disorder	6.14 1.62 1.34 0.26	0.26 0.13 0.12 0.05	4.72 1.07 0.82 0.24	0.29 0.14 0.12 0.07	8.08 2.32 1.99 0.28	0.47 0.22 0.21 0.07	8.28 2.95 2.50 0.42	0.75 0.45 0.42 0.14	7.04 1.81 1.42 0.36	0.36 0.21 0.18 0.09	5.90 1.30 1.18 *0.10	0.44 0.18 0.17 0.04	1.89 0.45 *0.31 *0.14	0.30 0.16 0.12 0.10
Social phobia Specific phobia Generalized anxiety	1.38 2.29 2.87	0.11 0.14 0.16	1.17 1.70 1.99	0.13 0.16 0.18	1.63 3.04 3.96	0.18 0.26 0.27	2.28 3.37 2.97	0.44 0.50 0.50	1.53 2.49 3.50	0.16 0.21 0.24	1.21 2.31 2.63	0.19 0.26 0.28	0.38 0.56 1.29	0.14 0.18 0.26

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 3-11. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected *DSM-IV* psychiatric disorders, by sex and age group, according to having ever married/lived as if married with an alcoholic at Wave 1 among Wave 1 current drinkers.¹

	Both s	sexes		S	ex					Age group	at Wave 1			
Having ever married/lived as if married with an alcoholic at Wave 1 and first incidence rates of psychiatric disorders	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
<u>Yes</u>														
1-year first incidence														
Alcohol use disorder	1.81 1.23 1.93	0.44 0.35 0.38	*4.59 *1.85 3.76	2.40 1.42 1.37	1.42 1.14 1.51	0.37 0.35 0.36	- - *4.50	_ _ 2.61	3.15 2.38 2.53	0.93 0.77 0.78	*1.12 *0.60 1.44	0.49 0.34 0.41	*0.41 — *0.92	0.42 — 0.54
Nicotine dependence	5.30	0.68	8.15	1.78	4.54	0.77	*9.70	6.54	6.10	1.13	5.65	1.28	*1.17	0.66
Any drug use disorder Any drug abuse Any drug dependence	*0.28 *0.19 0.48	0.12 0.11 0.14	*0.59 *0.37 *0.91	0.43 0.37 0.43	*0.21 *0.14 0.36	0.11 0.10 0.14	*0.47 *0.45 *1.95	0.47 0.46 1.28	*0.24 *0.24 *0.28	0.19 0.18 0.15	*0.40 *0.17 *0.70	0.23 0.18 0.29	_ _ _	_
Any mood disorder Major depressive disorder Bipolar I Bipolar II	4.35 2.71 0.99 *0.24	0.65 0.46 0.25 0.10	3.97 *1.23 *2.00	1.25 0.53 0.82	4.49 3.25 0.68 *0.32	0.76 0.60 0.22 0.13	*8.32 *0.91 *5.53 *0.89	5.57 0.65 3.89 0.90	5.12 2.82 *1.21 *0.31	1.11 0.71 0.44 0.16	4.18 3.07 *0.66 *0.02	1.03 0.83 0.26 0.02	*1.86 *1.84 — *0.56	0.97 0.96 — 0.56
Any anxiety disorder	3.32 1.12 0.92 *0.15	0.58 0.24 0.21 0.06	*3.48 *0.99 *0.97	1.43 0.52 0.51	3.27 1.16 0.91 *0.19	0.56 0.28 0.24 0.09	*5.42 *4.11 *2.93 *0.57	3.39 2.03 1.63 0.57	4.87 1.34 1.15 *0.12	1.10 0.38 0.36 0.07	2.66 0.95 *0.73 *0.18	0.81 0.36 0.32 0.13	*0.15 — — —	0.14 — —
Social phobia	*0.39 1.02 2.65	0.18 0.35 0.45	*0.06 *2.85 *1.69	0.06 1.19 0.67	*0.50 *0.37 2.97	0.23 0.14 0.55	*2.68	 _ _ 1.88	*0.57 1.63 3.92	0.30 0.68 0.80	*0.31 *0.74 1.99	0.28 0.47 0.60	*0.12 — —	0.12 — —
3-year first incidence														
Alcohol use disorder	6.37 6.47 3.70	0.95 0.89 0.63	15.29 16.41 6.88	4.00 3.89 1.95	5.02 4.90 2.97	0.77 0.74 0.53	*13.36 *19.62 *8.14	7.07 7.94 3.51	8.33 8.79 4.50	1.52 1.47 0.99	5.71 4.84 3.33	1.28 1.19 0.82	*1.20 *0.79 *1.21	0.70 0.56 0.61
Nicotine dependence	8.55	0.78	12.30	2.04	7.53	0.88	*21.30	7.76	10.44	1.31	8.13	1.38	*1.53	0.74
Any drug use disorder Any drug abuse Any drug dependence	2.71 2.47 1.51	0.51 0.48 0.31	5.83 5.25 3.40	2.00 1.84 1.17	1.90 1.75 0.95	0.37 0.36 0.21	*9.41 *6.99 *4.96	3.95 3.25 2.43	3.65 3.63 2.00	0.90 0.90 0.60	2.17 1.79 1.08	0.68 0.65 0.34		_
Any mood disorder Major depressive disorder Bipolar I Bipolar II	12.61 7.66 3.92 1.20	1.13 0.82 0.50 0.25	12.71 5.83 5.77 *0.87	2.33 1.52 1.40 0.56	12.58 8.32 3.36 1.31	1.12 0.86 0.47 0.28	28.88 *6.28 *14.84 *7.84	7.99 2.80 5.16 3.42	14.75 7.69 5.45 1.31	2.09 1.43 0.88 0.38	10.89 8.02 2.20 *0.54	1.55 1.29 0.51 0.26	7.03 6.94 *0.58 *0.87	2.01 1.99 0.58 0.64
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia	11.08 2.93 2.25 0.54	0.99 0.44 0.37 0.20	9.58 2.26 *1.93 *0.24	2.00 0.76 0.70 0.24	11.58 3.15 2.35 0.63	1.00 0.55 0.44 0.25	21.48 *7.73 *4.58 *2.15	6.66 2.96 2.01 1.68	14.89 3.58 3.07 *0.34	1.49 0.71 0.66 0.13	8.96 2.33 1.65 *0.58	1.40 0.65 0.46 0.42	*2.19 *1.03 *0.28 *0.72	1.10 0.79 0.28 0.72
Social phobia Specific phobia Generalized anxiety	2.66 3.16 6.48	0.40 0.45 0.62	2.52 4.21 3.92	0.74 1.30 0.93	2.71 2.80 7.32	0.45 0.42 0.76	*1.95 *9.20 *3.39	1.93 4.24 2.01	4.09 4.36 8.88	0.74 0.84 1.03	1.79 2.19 5.22	0.51 0.59 0.85	*0.12 — *2.31	0.12 — 1.13

Table 3-11. Rates (%) of 1-year (i.e., Wave 2 past year) and 3-year (i.e., Wave 1 to Wave 2) first incidence of selected DSM-IV psychiatric disorders, by sex and age group, according to having ever married/lived as if married with an alcoholic at Wave 1 among Wave 1 current drinkers. (Continued)

	Both s	sexes		S	ex					Age grou	at Wave 1			
Having ever married/lived as if married with an alcoholic at Wave 1 and first incidence rates of psychiatric disorders	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.								
<u>No</u>														
1-year first incidence														
Alcohol use disorder	2.38 1.48 2.32	0.17 0.15 0.14	3.23 2.02 3.01	0.31 0.27 0.22	1.67 1.03 1.54	0.16 0.12 0.15	7.97 4.88 6.58	0.95 0.70 0.65	2.24 1.41 2.25	0.24 0.19 0.24	1.17 0.63 1.50	0.19 0.15 0.20	*0.32 *0.20 *0.37	0.19 0.17 0.13
Nicotine dependence	4.96	0.22	5.68	0.32	4.10	0.31	8.41	0.77	4.93	0.33	4.70	0.38	2.10	0.32
Any drug use disorder Any drug abuse Any drug dependence	0.38 0.37 0.37	0.06 0.06 0.07	0.39 0.37 0.51	0.09 0.09 0.11	0.38 0.37 0.19	0.09 0.09 0.07	1.77 1.70 1.55	0.38 0.38 0.34	0.31 0.31 0.23	0.09 0.09 0.08	*0.06 *0.06 *0.17	0.03 0.03 0.10	_	
Any mood disorder	2.11 1.44 0.50 0.19	0.14 0.11 0.06 0.04	1.48 0.98 0.40 0.12	0.14 0.12 0.07 0.04	3.02 2.11 0.62 0.28	0.25 0.21 0.10 0.06	3.51 2.14 0.92 0.40	0.46 0.35 0.20 0.14	2.30 1.49 0.56 0.25	0.22 0.17 0.10 0.07	1.49 1.14 0.31 *0.09	0.21 0.19 0.07 0.03	1.41 1.17 *0.25 *0.02	0.28 0.26 0.11 0.02
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia Social phobia Specific phobia	1.43 0.62 0.52 0.09 0.25	0.11 0.07 0.06 0.03 0.04 0.06	1.03 0.37 0.30 *0.07 0.25 0.25	0.13 0.08 0.07 0.03 0.06 0.05	2.04 0.96 0.81 0.13 0.26 0.63	0.21 0.14 0.12 0.05 0.06 0.12	1.51 0.88 0.72 *0.15 *0.25 0.38	0.29 0.20 0.18 0.08 0.11 0.15	1.97 0.76 0.61 *0.14 0.34 0.52	0.19 0.13 0.10 0.06 0.08 0.09	1.11 0.52 0.47 *0.04 0.20 0.41	0.20 0.12 0.11 0.03 0.08 0.12	*0.30 *0.07 *0.07 *0.06 *0.02	0.12 0.05 0.05 0.04 0.02
Generalized anxiety	1.01	0.08	0.67	0.10	1.45	0.15	0.94	0.22	1.45	0.16	0.66	0.12	0.37	0.12
Alcohol use disorder	8.72 7.69	0.35 0.33	12.14 10.79	0.60 0.54	5.70 4.92	0.34 0.33	22.46 18.58	1.41 1.19	8.44 7.47	0.51 0.51	5.59 5.04	0.50 0.46	2.06 2.01	0.37 0.36
Alcohol dependence	4.56	0.21	5.69	0.31	3.28	0.26	12.70	0.91	4.52	0.32	2.78	0.27	0.62	0.17
Nicotine dependence	7.54 2.23 2.18 0.99	0.28 0.17 0.17 0.11	8.62 2.72 2.65 1.26	0.41 0.24 0.23 0.17	6.24 1.65 1.64 0.65	0.35 0.20 0.19 0.13	7.89 7.80 3.40	0.91 0.72 0.72 0.46	7.51 2.08 1.99 0.90	0.39 0.27 0.27 0.17	7.10 0.78 0.79 0.34	0.52 0.17 0.17 0.12	3.32 *0.22 *0.22 *0.01	0.42 0.10 0.10 0.01
Any mood disorder	6.49 4.56 1.68 0.65	0.25 0.20 0.11 0.07	4.59 2.93 1.50 0.50	0.27 0.22 0.15 0.08	9.16 6.83 1.91 0.83	0.41 0.35 0.17 0.11	9.92 6.07 3.20 1.44	0.68 0.51 0.39 0.27	7.13 4.81 1.91 0.75	0.40 0.32 0.18 0.11	5.25 4.07 1.11 0.34	0.39 0.37 0.15 0.09	3.46 3.03 0.44 *0.06	0.39 0.36 0.16 0.04
Any anxiety disorder Any panic disorder Panic without agoraphobia Panic with agoraphobia Social phobia Specific phobia Generalized anxiety	1.51 0.30	0.23 0.13 0.12 0.05 0.10 0.13 0.15	4.68 1.14 0.90 0.23 1.20 1.68 2.06	0.28 0.14 0.12 0.06 0.13 0.15 0.18	8.28 2.74 2.30 0.39 1.63 2.98 4.15	0.45 0.23 0.21 0.08 0.17 0.23 0.27	8.40 3.03 2.51 0.49 2.14 3.22 3.39	0.64 0.41 0.38 0.14 0.37 0.42 0.46	6.98 2.11 1.67 0.40 1.54 2.36 3.57	0.34 0.22 0.18 0.10 0.15 0.19 0.25	5.67 1.41 1.23 0.15 1.21 2.23 2.57	0.38 0.18 0.16 0.05 0.20 0.22 0.23	1.94 0.39 *0.32 *0.06 0.43 0.60 1.26	0.28 0.14 0.12 0.06 0.14 0.17 0.24

Current drinker: 1 or more drinks in the past year.
 Fewer than 10 observations in the cell.
 Empty cell.

Table 4-1. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year drinking status.¹

	Both :	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year drinking status and norm-based SF-12v2 scales	Fatimete	S.E.	Mal	е	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	5.E.	Estimate	S.E.										
<u>Total</u>														
Physical functioning — Wave 1		0.09	52.67	0.10	50.84	0.11	54.76	0.10	53.95	0.09	50.81	0.15	45.61	0.22
— change from Wave 1	-0.93	0.07	-0.84	0.09	-1.02	0.09	-0.08	0.12	-0.53	0.08	-1.21	0.11	-2.04	0.21
Role-physical — Wave 1	51.45	0.10	52.21	0.12	50.75	0.11	54.32	0.13	53.48	0.10	50.59	0.15	45.87	0.20
— change from Wave 1	-1.50	0.08	-1.40	0.11	-1.60	0.10	-1.33	0.17	-1.46	0.12	-1.56	0.12	-1.64	0.19
Bodily pain — Wave 1		0.10	51.06	0.13	49.61	0.11	53.18	0.19	51.79	0.15	49.23	0.15	46.48	0.21
— change from Wave 1	0.41	0.08	0.43	0.12	0.38	0.11	0.78	0.23	0.63	0.14	-0.09	0.15	0.52	0.18
General health — Wave 1 — change from Wave 1	50.93 -1.09	0.13 0.08	51.50 -1.24	0.15 0.12	50.41 -0.95	0.16 0.10	54.65 -0.74	0.19 0.20	53.42 -1.20	0.16 0.12	49.34 -1.19	0.19 0.12	45.00 -0.90	0.25 0.17
Vitality — Wave 1	54.10	0.08	55.29	0.12	53.00	0.10	55.60	0.20	55.05	0.12	53.56	0.12	51.61	0.17
— change from Wave 1	-1.78	0.10	-1.67	0.12	-1.89	0.13	-1.63	0.20	-1.64	0.14	-1.58	0.13	-2.64	0.19
Social functioning — Wave 1	52.14	0.10	52.90	0.14	51.44	0.12	53.14	0.23	52.86	0.14	51.74	0.14	50.37	0.13
— change from Wave 1	-0.52	0.07	-0.47	0.10	-0.57	0.10	-0.51	0.19	-0.50	0.11	-0.37	0.12	-0.88	0.18
Role-emotional — Wave 1	51.30	0.08	52.18	0.10	50.49	0.09	52.26	0.17	52.23	0.10	50.89	0.13	49.04	0.19
— change from Wave 1	-1.90	0.09	-1.82	0.12	-1.97	0.11	-1.54	0.19	-1.74	0.14	-1.83	0.14	-2.70	0.20
Mental health — Wave 1	52.28	0.09	53.55	0.11	51.11	0.12	52.45	0.20	52.23	0.13	51.77	0.14	53.24	0.19
— change from Wave 1	-0.35	0.09	-0.43	0.13	-0.28	0.12	-0.29	0.24	-0.60	0.14	0.01	0.14	-0.50	0.18
Plantical October 10 and 10 (NIPPOO)														
Physical Component Summary (NBPCS)	50.04	0.44	F4 F4	0.40	50.04	0.40	54.07	0.40	F2 F2	0.44	40.00	0.47	40.04	0.00
— Wave 1	50.91 -0.67	0.11 0.06	51.54 -0.61	0.12 0.09	50.34 -0.72	0.13 0.08	54.87 -0.12	0.12 0.14	53.52 -0.42	0.11 0.09	49.66 -1.07	0.17 0.11	43.84	0.22 0.17
— change from Wave 1 Mental Component Summary (NBMCS)	-0.67	0.06	-0.61	0.09	-0.72	0.06	-0.12	0.14	-0.42	0.09	-1.07	0.11	-0.94	0.17
— Wave 1	52.60	0.07	53.69	0.09	51.59	0.10	52.33	0.18	52.45	0.12	52.39	0.12	53.58	0.17
— change from Wave 1	-1.18	0.07	-1.17	0.03	-1.18	0.10	-1.21	0.10	-1.30	0.12	-0.77	0.12	-1.63	0.17
Current drinker														
Physical functioning Ways 1	52.98	0.08	53.37	0.10	52.54	0.11	54.86	0.12	54.31	0.09	52.07	0.15	48.19	0.26
Physical functioning — Wave 1 — change from Wave 1	-0.93	0.08	-0.76	0.10	-1.11	0.11	-0.15	0.12	-0.58	0.09	-1.28	0.13	-2.22	0.26
Role-physical — Wave 1		0.07	52.93	0.09	52.27	0.10	54.33	0.15	53.83	0.10	51.83	0.12	48.20	0.25
— change from Wave 1	-1.58	0.09	-1.39	0.12	-1.78	0.11	-1.32	0.13	-1.42	0.11	-1.78	0.13	-1.95	0.23
Bodily pain — Wave 1	51.18	0.10	51.48	0.12	50.84	0.12	53.05	0.22	52.05	0.16	50.24	0.14	48.18	0.28
— change from Wave 1	0.44	0.11	0.59	0.14	0.27	0.14	0.84	0.26	0.67	0.17	-0.06	0.19	0.40	0.27
General health — Wave 1		0.12	52.51	0.14	52.46	0.14	54.46	0.22	54.02	0.16	51.11	0.19	48.08	0.31
— change from Wave 1	-1.09	0.08	-1.24	0.12	-0.92	0.10	-0.28	0.22	-1.14	0.13	-1.36	0.14	-1.14	0.21
Vitality — Wave 1	54.54	0.10	55.53	0.12	53.45	0.12	54.99	0.23	54.91	0.14	54.31	0.16	53.27	0.23
— change from Wave 1	-1.57	0.10	-1.48	0.14	-1.66	0.13	-1.32	0.26	-1.38	0.15	-1.52	0.17	-2.67	0.25
Social functioning — Wave 1	52.73	0.08	53.25	0.10	52.15	0.11	53.02	0.20	53.02	0.12	52.39	0.13	52.19	0.18
— change from Wave 1	-0.42	0.08	-0.41	0.11	-0.43	0.11	-0.43	0.23	-0.39	0.13	-0.18	0.14	-1.15	0.26
Role-emotional — Wave 1	52.02	0.08	52.62	0.10	51.36	0.10	52.08	0.19	52.46	0.10	51.71	0.15	51.09	0.20
— change from Wave 1	-1.81	0.09	-1.75	0.12	-1.87	0.12	-1.43	0.23	-1.70	0.14	-1.70	0.15	-2.96	0.22
Mental health — Wave 1	52.31	0.10	53.56	0.12	50.92	0.14	51.76	0.24	52.10	0.14	52.02	0.17	54.46	0.24
— change from Wave 1	-0.19	0.10	-0.37	0.13	0.01	0.14	0.11	0.27	-0.44	0.14	0.28	0.16	-0.83	0.23
Physical Component Summary (NBPCS)														
— Wave 1	52.38	0.09	52.39	0.12	52.37	0.12	54.99	0.14	54.00	0.11	51.19	0.17	46.41	0.27
— change from Wave 1	-0.73	0.08	-0.55	0.10	-0.92	0.10	-0.13	0.16	-0.43	0.11	-1.29	0.13	-1.09	0.22
Mental Component Summary (NBMCS)														
— Wave 1	52.65	0.08	53.73	0.10	51.45	0.12	51.73	0.21	52.34	0.12	52.64	0.14	54.86	0.19
	-0.98	0.09	-1.09	0.11	-0.86	0.13	-0.88	0.22	-1.12	0.14	-0.47	0.15	-1.89	0.19

Table 4-1. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year drinking status. (Continued)

	Both	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year drinking status and norm-based SF-12v2 scales	Fatimata	0.5	Mal	е	Fema	ale	18–24 y	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Former drinker														
Physical functioning — Wave 1	48.52	0.23	49.62	0.31	47.60	0.28	54.12	0.40	52.51	0.32	47.69	0.33	43.56	0.39
— change from Wave 1	-0.90	0.17	-1.13	0.24	-0.70	0.21	0.91	0.44	-0.40	0.25	-0.90	0.28	-1.94	0.37
Role-physical — Wave 1		0.24	48.81	0.35	47.69	0.28	53.34	0.48	51.83	0.32	47.49	0.37	43.60	0.36
— change from Wave 1		0.18	-0.98	0.26	-1.10	0.25	-0.77	0.54	-1.28	0.30	-0.88	0.29	-1.08	0.37
Bodily pain — Wave 1		0.23	48.61	0.33	46.87	0.29	52.18	0.77	50.47	0.33	46.60	0.38	44.74	0.42
— change from Wave 1 General health — Wave 1		0.21 0.27	0.10 46.71	0.31 0.37	0.69 46.24	0.28 0.32	1.68 54.00	0.84 0.71	0.29 50.44	0.35 0.43	-0.01 45.09	0.34 0.40	0.90 41.80	0.42 0.38
— change from Wave 1		0.27	-0.74	0.37	-0.31	0.32	-1.80	0.71	-0.56	0.43	-0.36	0.40	-0.35	0.38
Vitality — Wave 1		0.22	52.96	0.31	51.11	0.28	54.53	0.76	53.93	0.35	51.37	0.23	49.82	0.36
— change from Wave 1		0.22	-1.49	0.35	-1.58	0.26	-0.25	0.94	-1.76	0.39	-1.22	0.29	-2.06	0.41
Social functioning — Wave 1		0.19	50.98	0.25	49.82	0.27	53.10	0.50	51.64	0.31	49.83	0.30	48.90	0.36
— change from Wave 1		0.20	-0.27	0.30	-0.51	0.27	-0.08	0.61	-0.44	0.32	-0.51	0.33	-0.25	0.38
Role-emotional — Wave 1		0.18	50.37	0.25	48.81	0.25	51.92	0.57	50.98	0.30	49.18	0.29	47.68	0.36
— change from Wave 1		0.21	-2.19	0.29	-2.19	0.26	-1.35	0.55	-1.77	0.34	-2.32	0.38	-2.73	0.44
Mental health — Wave 1		0.18	52.46	0.26	50.40	0.22	52.86	0.68	51.42	0.35	50.53	0.28	52.09	0.36
— change from Wave 1	-0.21	0.21	-0.17	0.33	-0.24	0.25	0.22	0.91	-0.43	0.40	-0.29	0.31	0.07	0.37
Physical Component Summary (NBPCS)														
— Wave 1	46.97	0.25	47.62	0.35	46.42	0.30	53.71	0.47	51.59	0.34	45.91	0.38	41.28	0.40
— change from Wave 1		0.16	-0.55	0.25	-0.13	0.22	0.45	0.56	-0.30	0.25	-0.31	0.27	-0.54	0.34
Mental Component Summary (NBMCS)	0.02	0.10	0.00	0.20	0.10	0.22	0.40	0.00	0.00	0.20	0.01	0.27	0.01	0.01
— Wave 1	51.85	0.16	52.74	0.23	51.09	0.21	52.50	0.54	51.61	0.30	51.43	0.27	52.59	0.34
— change from Wave 1	-1.22	0.19	-1.07	0.30	-1.35	0.23	-0.82	0.73	-1.27	0.36	-1.26	0.29	-1.19	0.35
Lifetime abstainer														
Physical functioning — Wave 1	49.93	0.22	52.53	0.24	48.74	0.28	54.66	0.18	53.44	0.25	49.52	0.37	42.76	0.46
— change from Wave 1		0.22	-0.90	0.24	-1.01	0.20	-0.20	0.18	-0.43	0.25	-1.32	0.37	-1.79	0.46
Role-physical — Wave 1		0.10	52.51	0.26	48.95	0.27	54.67	0.23	53.18	0.28	49.43	0.37	43.74	0.38
— change from Wave 1		0.19	-2.04	0.20	-1.50	0.22	-1.56	0.25	-1.89	0.35	-1.53	0.37	-1.63	0.39
Bodily pain — Wave 1		0.24	51.88	0.32	48.42	0.29	54.03	0.33	51.66	0.38	48.39	0.40	44.99	0.44
— change from Wave 1		0.19	-0.12	0.32	0.43	0.23	0.21	0.44	0.74	0.39	-0.32	0.40	0.33	0.42
General health — Wave 1	49.28	0.26	51.88	0.35	48.09	0.31	55.56	0.38	53.10	0.34	47.38	0.40	42.38	0.46
— change from Wave 1	-1.71	0.19	-2.00	0.38	-1.58	0.19	-1.87	0.43	-2.21	0.33	-1.65	0.34	-1.02	0.39
Vitality — Wave 1		0.25	57.17	0.39	53.30	0.29	58.12	0.39	56.99	0.38	53.33	0.41	50.29	0.42
— change from Wave 1		0.22	-3.21	0.39	-2.78	0.26	-3.25	0.47	-2.95	0.39	-2.39	0.39	-3.22	0.42
Social functioning — Wave 1		0.18	53.44	0.25	50.79	0.22	53.57	0.33	53.23	0.25	51.56	0.32	48.35	0.40
— change from Wave 1		0.19	-1.16	0.29	-1.01	0.24	-0.93	0.42	-1.18	0.29	-1.04	0.36	-1.02	0.41
Role-emotional — Wave 1 — change from Wave 1		0.20 0.22	51.96 -1.71	0.28 0.38	49.40 -2.06	0.24 0.25	52.99 -1.97	0.28 0.43	52.19 -1.96	0.27 0.35	49.62 -1.74	0.37 0.38	46.47 -2.15	0.44 0.46
Mental health — Wave 1		0.22	55.08	0.30	52.24	0.23	54.67	0.43	53.79	0.35	52.42	0.30	52.15 52.07	0.46
— change from Wave 1	-1.16	0.19	-1.20	0.34	-1.14	0.25	-1.87	0.46	-1.65	0.33	-0.78	0.36	-0.48	0.40
Physical Component Summary (NBPCS)														
— Wave 1	49.05	0.24	51.70	0.28	47.84	0.29	54.88	0.22	52.79	0.26	48.05	0.38	41.50	0.42
— change from Wave 1		0.16	-1.13	0.26	-0.62	0.19	-0.33	0.32	-0.51	0.24	-1.12	0.32	-1.06	0.38
Mental Component Summary (NBMCS)														
— Wave 1	53.19	0.16	54.84	0.27	52.43 -1.97	0.20	54.31	0.35	53.92	0.25	52.61	0.31 0.33	52.14 -1.59	0.37
— change from Wave 1	. 1.95	0.18	-1.90	0.30		0.23	-2.53	0.44	-2.37	0.29	-1.44			0.36

¹ Current drinker: 1 or more drinks in the past year. Former drinker: at least 1 drink in life, but not in the past year. Lifetime abstainer: never had 1 or more drinks in life.

Table 4-2. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year average drinking level among Wave 1 current drinkers.²

	Both s	sexes		S	ex					Age group	p at Wave 1			
Wave 1 past-year average drinking level and norm-based SF-12v2 scales	Fatimete.	0.5	Male	е	Fema	ale	18–24	years	25–44	years	45-64	years	65 years a	and older
	Estimate	S.E.												
<u>Light drinker</u>														
Physical functioning — Wave 1		0.10 0.09	53.10 -0.79	0.13 0.12	52.33 -1.12	0.13 0.12	54.67 -0.06	0.17 0.19	54.12 -0.57	0.11 0.12	51.78 -1.44	0.18 0.15	47.52 -2.28	0.34 0.31
Role-physical — Wave 1	52.32	0.11	52.69	0.16	52.03	0.12	54.13	0.20	53.68	0.13	51.51	0.19	47.51	0.32
— change from Wave 1	l .	0.11	-1.33	0.16	-1.80	0.13	-1.25	0.27	-1.41	0.16	-1.88	0.18	-1.92	0.29
Bodily pain — Wave 1 — change from Wave 1	50.93 0.30	0.12 0.12	51.41 0.40	0.18 0.19	50.57 0.23	0.15 0.16	52.96 0.75	0.28 0.33	51.99 0.60	0.20 0.20	49.92 -0.29	0.22 0.23	47.53 0.24	0.35 0.35
General health — Wave 1		0.12	52.25	0.13	52.13	0.16	54.66	0.26	53.92	0.18	50.62	0.23	47.25	0.36
— change from Wave 1		0.11	-1.40	0.18	-1.00	0.13	-0.55	0.29	-1.27	0.16	-1.29	0.19	-1.22	0.26
Vitality — Wave 1	54.20	0.13	55.37	0.19	53.30	0.14	55.10	0.28	54.62	0.19	53.84	0.22	52.66	0.29
— change from Wave 1	-1.66	0.12	-1.60	0.20	-1.71	0.14	-1.69	0.33	-1.51	0.19	-1.42	0.21	-2.78	0.30
Social functioning — Wave 1		0.08	53.31	0.13	52.13	0.12	53.17	0.27	53.05	0.14	52.18	0.16	51.82	0.24
— change from Wave 1	-0.51	0.10	-0.48	0.15	-0.53	0.12	-0.36	0.30	-0.56	0.15	-0.22	0.18	-1.25	0.31
Role-emotional — Wave 1 — change from Wave 1	51.92 -1.90	0.10 0.11	52.67 -1.76	0.15 0.16	51.34 -2.00	0.12 0.13	52.21 -1.51	0.24 0.29	52.39 -1.70	0.13 0.18	51.66 -1.88	0.18 0.18	50.59 -3.05	0.24
Mental health — Wave 1	52.30	0.11	53.92	0.15	51.05	0.15	51.96	0.29	52.24	0.18	51.89	0.16	53.89	0.30
— change from Wave 1	-0.34	0.13	-0.64	0.20	-0.11	0.16	0.22	0.36	-0.74	0.19	0.20	0.21	-0.88	0.29
·														
Physical Component Summary (NBPCS)	50.00	0.40	50.04	0.40	50.00	0.44	54.00	0.40	F0 00	0.44	50.70	0.04	45.00	0.00
— Wave 1 — change from Wave 1	52.00 -0.78	0.12 0.10	52.01 -0.59	0.16 0.15	52.00 -0.92	0.14 0.12	54.80 -0.18	0.19 0.22	53.80 -0.41	0.14 0.14	50.76 -1.40	0.21 0.17	45.68 -1.15	0.36 0.29
Mental Component Summary (NBMCS)	-0.76	0.10	-0.59	0.15	-0.92	0.12	-0.10	0.22	-0.41	0.14	-1.40	0.17	-1.13	0.23
— Wave 1	52.63	0.10	54.02	0.13	51.57	0.13	52.03	0.28	52.38	0.15	52.53	0.17	54.43	0.22
— change from Wave 1	-1.11	0.12	-1.25	0.17	-1.00	0.15	-0.94	0.28	-1.34	0.18	-0.50	0.19	-1.97	0.25
Moderate drinker														
Physical functioning — Wave 1	53.82	0.12	54.02	0.14	53.29	0.22	55.12	0.23	55.15	0.12	53.05	0.25	49.18	0.51
— change from Wave 1		0.14	-0.65	0.16	-1.14	0.24	-0.36	0.32	-0.64	0.18	-0.88	0.28	-1.53	0.51
Role-physical — Wave 1	53.55	0.13	53.68	0.16	53.20	0.22	54.77	0.27	54.76	0.15	52.82	0.27	49.34	0.45
— change from Wave 1		0.16	-1.39	0.19	-1.83	0.28	-1.36	0.40	-1.44	0.22	-1.47	0.32	-2.04	0.45
Bodily pain — Wave 1	51.95	0.19	51.96	0.25	51.94	0.31	53.29	0.52	52.77	0.30	51.28	0.35	48.98	0.54
— change from Wave 1	0.84	0.20	1.06	0.25	0.24	0.34	1.14	0.54	1.01	0.34	0.40	0.38	0.96	0.53
General health — Wave 1 — change from Wave 1	53.75 -1.12	0.19 0.17	53.71 -1.30	0.21 0.20	53.86 -0.64	0.33 0.27	54.77 -0.45	0.44 0.43	55.09 -1.07	0.24 0.24	52.78 -1.50	0.35 0.28	49.91 -1.13	0.58 0.54
Vitality — Wave 1	l .	0.16	55.90	0.20	54.52	0.29	55.12	0.42	55.78	0.23	55.71	0.20	54.62	0.49
— change from Wave 1		0.19	-1.04	0.24	-2.22	0.30	-1.21	0.60	-0.98	0.28	-1.59	0.34	-2.35	0.55
Social functioning — Wave 1		0.14	53.77	0.16	52.58	0.25	53.28	0.39	53.66	0.20	53.46	0.25	52.87	0.37
— change from Wave 1		0.17	-0.43	0.18	-0.11	0.34	-0.50	0.47	-0.03	0.27	-0.49	0.29	-1.05	0.51
Role-emotional — Wave 1		0.13	53.01	0.15	51.81	0.26	52.20	0.34	53.19	0.17	52.48	0.25	51.87	0.42
— change from Wave 1	l .	0.17	-1.65	0.20	-1.39	0.35	-0.99	0.50	-1.56	0.25	-1.52	0.35	-2.49	0.53
Mental health — Wave 1 — change from Wave 1	53.04 <0	0.18 0.18	53.68 -0.01	0.20 0.21	51.28 0.03	0.33 0.34	52.11 -0.12	0.46 0.48	52.65 0.01	0.24 0.30	53.01 0.36	0.30 0.33	55.71 -0.82	0.45 0.46
Physical Component Summary (NBPCS)														
— Wave 1		0.14	53.28	0.18	53.57	0.24	55.31	0.31	54.94	0.18	52.37	0.28	47.54	0.52
— change from Wave 1	-0.60	0.15	-0.46	0.18	-1.01	0.25	-0.20	0.36	-0.46	0.21	-0.96	0.27	-0.72	0.39
Mental Component Summary (NBMCS)	50.00	0.40	F2.00	0.47	F4 77	0.04	F4 04	0.40	F0 00	0.04	F0 C0	0.05	FF 00	0.00
— Wave 1 — change from Wave 1		0.16 0.16	53.88 -0.84	0.17 0.18	51.77 -0.67	0.31 0.34	51.91 -0.76	0.40 0.49	52.90 -0.67	0.21 0.27	53.60 -0.63	0.25 0.28	55.83 -1.80	0.38
— change nom wave 1	-0.00	0.10	-0.04	0.10	-0.07	0.54	-0.70	0.43	-0.07	0.27	-0.03	0.20	-1.00	0.40

Table 4-2. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year average drinking level among Wave 1 current drinkers. (Continued)

	Both :	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year average drinking level and norm-based SF-12v2 scales	Fallerate	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Heavier drinker														
Physical functioning — Wave 1	53.01	0.16	52.98	0.20	53.06	0.23	55.10	0.26	53.77	0.25	51.97	0.34	49.66	0.55
— change from Wave 1	-0.86	0.16	-0.82	0.22	-0.92	0.26	-0.14	0.31	-0.54	0.28	-1.02	0.30	-2.80	0.57
Role-physical — Wave 1	52.55	0.19	52.36	0.25	52.84	0.24	54.41	0.31	53.07	0.28	51.85	0.38	49.52	0.54
— change from Wave 1	-1.61	0.22	-1.57	0.28	-1.66	0.31	-1.38	0.43	-1.49	0.36	-1.77	0.38	-1.98	0.61
Bodily pain — Wave 1	51.00	0.23	50.82	0.32	51.27	0.33	53.03	0.50	51.20	0.34	50.02	0.45	49.70	0.69
— change from Wave 1	0.49	0.27	0.40	0.36	0.62	0.41	0.86	0.59	0.40	0.42	0.39	0.48	0.51	0.80
General health — Wave 1	51.95	0.25	51.19	0.33	53.08	0.33	53.53	0.43	52.75	0.39	50.96	0.47	49.17	0.63
— change from Wave 1	-0.69	0.20	-0.61	0.27	-0.82	0.28	0.64	0.45	-0.78	0.30	-1.31	0.35	-0.84	0.61
Vitality — Wave 1	54.53	0.21	55.31	0.25	53.37	0.31	54.63	0.51	54.76	0.33	54.33	0.39	54.04	0.59
— change from Wave 1	-1.47	0.24	-1.85	0.31	-0.90	0.35	-0.36	0.62	-1.40	0.36	-1.80	0.39	-2.62	0.60
Social functioning — Wave 1	52.06	0.20	52.20	0.26	51.85	0.27	52.29	0.50	51.96	0.32	51.78	0.34	52.82	0.53
— change from Wave 1	-0.17	0.22	-0.15	0.29	-0.21	0.32	-0.53	0.61	-0.31	0.34	0.43	0.35	-0.76	0.73
Role-emotional — Wave 1	51.45	0.20	51.77	0.24	50.99	0.30	51.54	0.44	51.64	0.30	50.93	0.38	52.10	0.49
— change from Wave 1	-1.75	0.26	-1.88	0.32	-1.57	0.36	-1.65	0.62	-1.86	0.40	-1.20	0.41	-3.11	0.58
Mental health — Wave 1	51.27	0.24	52.27	0.28	49.79	0.36	50.71	0.56	50.65	0.37	51.03	0.42	55.19	0.56
— change from Wave 1	0.23	0.25	-0.14	0.32	0.78	0.37	0.28	0.65	0.09	0.37	0.63	0.43	-0.43	0.57
Physical Component Summary (NBPCS)														
— Wave 1	52.53	0.18	51.94	0.24	53.39	0.25	55.21	0.31	53.40	0.29	51.43	0.38	47.92	0.56
— change from Wave 1	-0.70	0.17	-0.59	0.22	-0.88	0.28	0.14	0.35	-0.52	0.30	-1.22	0.32	-1.30	0.53
Mental Component Summary (NBMCS)														
— Wave 1	51.73	0.21	52.64	0.24	50.39	0.32	50.66	0.47	51.27	0.35	51.71	0.38	55.33	0.49
— change from Wave 1	-0.68	0.22	-1.00	0.28	-0.20	0.34	-0.70	0.57	-0.89	0.35	-0.08	0.38	-1.53	0.48

Light drinker: 3 or fewer drinks per week on average. Moderate drinker: on average more than 3 drinks and up to 7 drinks per week for women and more than 3 drinks and up to 14 drinks per week for men.
 Heavier drinker: on average more than 1 drink per day for women and more than 2 drinks per day for men.
 Current drinker: 1 or more drinks in the past year.
 Negative value too near zero to display.

Table 4-3. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits among Wave 1 current drinkers.²

Manada and an adaptive of access for	Both :	sexes		5	Sex					Age group	at Wave 1			
Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits and norm-based SF-12v2 scales	Estimate	S.E.	Mai	e	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
and norm-based SF-12V2 Scales	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Did not exceed drinking limits														
Physical functioning — Wave 1	52.51	0.11	52.95	0.14	52.11	0.14	54.60	0.21	54.32	0.11	52.13	0.17	47.84	0.29
— change from Wave 1		0.09	-0.84	0.13	-1.24	0.13	-0.03	0.23	-0.52	0.12	-1.44	0.16	-2.09	0.28
Role-physical — Wave 1	52.24	0.12	52.62	0.16	51.91	0.14	54.11	0.24	54.00	0.13	51.86	0.20	47.84	0.29
— change from Wave 1	-1.64	0.11	-1.46	0.15	-1.80	0.14	-1.39	0.31	-1.40	0.15	-1.85	0.18	-1.93	0.27
Bodily pain — Wave 1	50.92	0.12	51.36	0.18	50.53	0.16	53.00	0.35	52.22	0.21	50.37	0.20	47.81	0.30
— change from Wave 1	0.42	0.13	0.57	0.19	0.28	0.16	1.14	0.38	0.79	0.22	-0.21	0.21	0.43	0.31
General health — Wave 1	52.24	0.14	52.40	0.18	52.09	0.18	54.62	0.32	54.38	0.18	51.25	0.23	47.87	0.33
— change from Wave 1	-1.19	0.10	-1.42	0.16	-0.99	0.13	-0.50	0.33	-1.29	0.16	-1.29	0.17	-1.15	0.26
Vitality — Wave 1		0.12	55.54	0.17	53.74	0.14	55.37	0.34	55.20	0.20	54.41	0.20	53.08	0.26
— change from Wave 1	-1.71	0.11	-1.60	0.18	-1.81	0.15	-1.60	0.39	-1.46	0.20	-1.55	0.19	-2.69	0.28
Social functioning — Wave 1	52.93	0.09	53.50	0.13	52.41	0.13	53.41	0.30	53.38	0.14	52.72	0.16	52.01	0.21
— change from Wave 1	-0.59	0.10	-0.60	0.14	-0.57	0.14	-0.40	0.33	-0.55	0.16	-0.37	0.17	-1.23	0.28
Role-emotional — Wave 1	52.12	0.10	52.74	0.14	51.58	0.13	52.40	0.26	52.71	0.14	52.01	0.18	50.81	0.22
— change from Wave 1		0.11	-1.75	0.16	-2.05	0.14	-1.61	0.35	-1.59	0.19	-1.87	0.19	-2.91	0.26
Mental health — Wave 1	52.80 -0.31	0.13 0.13	54.21 -0.48	0.16 0.18	51.55 -0.16	0.16 0.17	52.37 -0.15	0.35 0.40	52.63 -0.59	0.20 0.21	52.36 0.24	0.21 0.19	54.35 -0.92	0.25 0.26
— change from Wave 1	-0.31	0.13	-0.46	0.16	-0.16	0.17	-0.15	0.40	-0.59	0.21	0.24	0.19	-0.92	0.26
Physical Component Summary (NBPCS)														
— Wave 1	51.78	0.12	51.87	0.16	51.70	0.15	54.65	0.24	54.05	0.14	51.17	0.20	46.05	0.31
— change from Wave 1	-0.80	0.09	-0.64	0.13	-0.94	0.12	0.02	0.26	-0.39	0.14	-1.38	0.15	-1.01	0.26
Mental Component Summary (NBMCS)														
— Wave 1	53.18	0.10	54.32	0.14	52.16	0.13	52.46	0.31	52.83	0.17	53.02	0.17	54.75	0.21
— change from Wave 1	-1.12	0.11	-1.19	0.15	-1.05	0.15	-1.19	0.33	-1.23	0.18	-0.56	0.18	-1.97	0.22
Exceeded daily but not weekly drinking limits														
Physical functioning — Wave 1	53.93	0.11	54.26	0.15	53.44	0.18	54.98	0.18	54.50	0.13	51.98	0.32	49.11	0.96
— change from Wave 1	-0.65	0.13	-0.55	0.18	-0.79	0.17	-0.25	0.22	-0.68	0.17	-0.80	0.29	-1.99	0.96
Role-physical — Wave 1	53.47	0.13	53.80	0.17	52.97	0.20	54.48	0.22	53.91	0.18	51.79	0.31	49.57	0.93
— change from Wave 1	-1.43	0.17	-1.18	0.22	-1.81	0.23	-1.18	0.33	-1.46	0.24	-1.53	0.33	-2.09	0.91
Bodily pain — Wave 1	51.78	0.17	52.03	0.24	51.41	0.27	53.09	0.31	52.14	0.24	49.88	0.43	48.92	0.95
— change from Wave 1	0.50	0.20	0.77	0.27	0.11	0.27	0.60	0.40	0.59	0.28	0.22	0.44	0.26	1.05
General health — Wave 1	53.32	0.17	53.43	0.21	53.16	0.25	54.74	0.31	53.99	0.23	50.82	0.37	48.29	1.01
— change from Wave 1	-1.10	0.16	-1.28	0.24	-0.83	0.21	-0.54	0.31	-1.11	0.21	-1.52	0.36	-1.93	0.88
Vitality — Wave 1	54.44	0.16	55.60	0.21	52.73	0.23	54.85	0.32	54.50	0.20	53.92	0.37	54.25	0.81
— change from Wave 1	-1.31	0.19	-1.06	0.25	-1.69	0.25	-1.52	0.42	-1.25	0.25	-1.15	0.41	-2.48	1.03
Social functioning — Wave 1	52.69	0.13	53.45	0.16	51.58	0.23	52.98	0.30	52.94	0.19	51.73	0.30	53.09	0.69
— change from Wave 1	-0.22	0.18	-0.23	0.23	-0.20	0.25	-0.40	0.38	-0.22	0.24	0.01	0.38	-0.76	0.83
Role-emotional — Wave 1	52.10	0.12	52.90	0.14	50.92	0.21	52.02	0.25	52.42	0.15	51.33	0.31	52.31	0.70
— change from Wave 1	-1.62	0.16	-1.67	0.21	-1.54	0.26	-1.13	0.36	-1.78	0.22	-1.51	0.36	-2.88	0.95
Mental health — Wave 1 — change from Wave 1	51.82 -0.14	0.15 0.19	53.21 -0.29	0.19 0.25	49.77 0.09	0.25 0.27	51.65 0.38	0.34 0.40	51.90 -0.48	0.20 0.27	51.48 0.26	0.36 0.35	54.23 -0.19	0.81 0.83
	-0.14	0.18	-0.29	0.20	0.03	0.21	0.36	0.40	-0.40	0.21	0.20	0.33	-0.18	0.03
Physical Component Summary (NBPCS)														
— Wave 1	53.57	0.13	53.50	0.18	53.67	0.21	55.20	0.21	54.17	0.17	51.14	0.33	47.41	0.95
— change from Wave 1	-0.59	0.15	-0.37	0.21	-0.92	0.19	-0.37	0.26	-0.48	0.21	-0.98	0.32	-1.45	0.69
Mental Component Summary (NBMCS)	50.00	0.10	50.00	0.10	F0.00	0.00		0.00	50.05	0.40	50.04	0.00	FF 00	
— Wave 1	52.02	0.13	53.38	0.16	50.02	0.23	51.55	0.30	52.05	0.18	52.01	0.30	55.28	0.60
— change from Wave 1	-0.84	0.16	-0.96	0.21	-0.67	0.25	-0.62	0.35	-1.06	0.23	-0.42	0.34	-1.41	0.83

Table 4-3. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits among Wave 1 current drinkers.² (Continued)

Was danced and the state of the	Both :	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year status of exceeding daily and weekly low-risk drinking limits and norm-based SF-12v2 scales	Estimate	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
and norm-based SF-12V2 Scales	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
Exceeded weekly or both daily and weekly drinking limits														
Physical functioning — Wave 1	53.01	0.16	52.98	0.20	53.06	0.23	55.10	0.26	53.77	0.25	51.97	0.34	49.66	0.55
— change from Wave 1	-0.86	0.16	-0.82	0.22	-0.92	0.26	-0.14	0.31	-0.54	0.28	-1.02	0.30	-2.80	0.57
Role-physical — Wave 1	52.55	0.19	52.36	0.25	52.84	0.24	54.41	0.31	53.07	0.28	51.85	0.38	49.52	0.54
— change from Wave 1	-1.61	0.22	-1.57	0.28	-1.66	0.31	-1.38	0.43	-1.49	0.36	-1.77	0.38	-1.98	0.61
Bodily pain — Wave 1	51.00	0.23	50.82	0.32	51.27	0.33	53.03	0.50	51.20	0.34	50.02	0.45	49.70	0.69
— change from Wave 1	0.49	0.27	0.40	0.36	0.62	0.41	0.86	0.59	0.40	0.42	0.39	0.48	0.51	0.80
General health — Wave 1	51.95	0.25	51.19	0.33	53.08	0.33	53.53	0.43	52.75	0.39	50.96	0.47	49.17	0.63
— change from Wave 1	-0.69	0.20	-0.61	0.27	-0.82	0.28	0.64	0.45	-0.78	0.30	-1.31	0.35	-0.84	0.61
Vitality — Wave 1	54.53	0.21	55.31	0.25	53.37	0.31	54.63	0.51	54.76	0.33	54.33	0.39	54.04	0.59
— change from Wave 1	-1.47	0.24	-1.85	0.31	-0.90	0.35	-0.36	0.62	-1.40	0.36	-1.80	0.39	-2.62	0.60
Social functioning — Wave 1	52.06	0.20	52.20	0.26	51.85	0.27	52.29	0.50	51.96	0.32	51.78	0.34	52.82	0.53
— change from Wave 1	-0.17	0.22	-0.15	0.29	-0.21	0.32	-0.53	0.61	-0.31	0.34	0.43	0.35	-0.76	0.73
Role-emotional — Wave 1	51.45	0.20	51.77	0.24	50.99	0.30	51.54	0.44	51.64	0.30	50.93	0.38	52.10	0.49
— change from Wave 1	-1.75	0.26	-1.88	0.32	-1.57	0.36	-1.65	0.62	-1.86	0.40	-1.20	0.41	-3.11	0.58
Mental health — Wave 1	51.27	0.24	52.27	0.28	49.79	0.36	50.71	0.56	50.65	0.37	51.03	0.42	55.19	0.56
— change from Wave 1	0.23	0.25	-0.14	0.32	0.78	0.37	0.28	0.65	0.09	0.37	0.63	0.43	-0.43	0.57
Physical Component Summary (NBPCS)														
— Wave 1	52.53	0.18	51.94	0.24	53.39	0.25	55.21	0.31	53.40	0.29	51.43	0.38	47.92	0.56
— change from Wave 1	-0.70	0.17	-0.59	0.22	-0.88	0.28	0.14	0.35	-0.52	0.30	-1.22	0.32	-1.30	0.53
Mental Component Summary (NBMCS)														
— Wave 1	51.73	0.21	52.64	0.24	50.39	0.32	50.66	0.47	51.27	0.35	51.71	0.38	55.33	0.49
— change from Wave 1	-0.68	0.22	-1.00	0.28	-0.20	0.34	-0.70	0.57	-0.89	0.35	-0.08	0.38	-1.53	0.48

¹ Exceeding daily drinking limit: 5+ drinks for men and 4+ drinks for women on one or more occasions or the usual or largest ethanol intake of any beverage type greater than 4.5 drinks for men and greater than 3.5 drinks for women. Exceeding weekly drinking limit: on average more than 14 drinks per week for men and more than 7 drinks per week for women.

2 Current drinker: 1 or more drinks in the past year.

Table 4-4. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year *DSM-IV* alcohol use disorder status among Wave 1 current drinkers.¹

	Both s	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year <i>DSM-IV</i> alcohol use disorder status and norm-based SF-12v2 scales	Estimate	S.E.	Mai	le	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No alcohol use disorder														
Physical functioning — Wave 1	51.54	0.10	52.51	0.11	50.71	0.12	54.68	0.11	53.95	0.10	50.77	0.15	45.56	0.22
— change from Wave 1		0.07	-0.84	0.10	-1.01	0.09	-0.05	0.14	-0.49	0.08	-1.19	0.11	-2.01	0.21
Role-physical — Wave 1	51.30	0.10	52.09	0.13	50.64	0.11	54.26	0.15	53.51	0.11	50.57	0.16	45.82	0.20
— change from Wave 1	-1.48	0.08	-1.40	0.11	-1.54	0.10	-1.25	0.19	-1.42	0.12	-1.54	0.13	-1.62	0.19
Bodily pain — Wave 1	50.25	0.10	51.06	0.13	49.57	0.12	53.20	0.22	51.93	0.15	49.25	0.16	46.44	0.2
— change from Wave 1	0.39	0.09	0.38	0.12	0.39	0.11	0.78	0.26	0.62	0.14	-0.12	0.15	0.55	0.19
General health — Wave 1	50.87	0.14	51.48	0.16	50.35	0.16	54.97	0.21	53.58	0.16	49.35	0.19	44.95	0.2
— change from Wave 1	-1.15	0.08	-1.34	0.12	-0.98	0.10	-1.06	0.21	-1.24	0.12	-1.20	0.13	-0.90	0.1
Vitality — Wave 1	54.12	0.11	55.36	0.13	53.07	0.13	55.84	0.21	55.19	0.14	53.61	0.15	51.56	0.1
— change from Wave 1		0.10	-1.74	0.15	-1.92	0.13	-1.78	0.26	-1.71	0.14	-1.58	0.14	-2.62	0.1
Social functioning — Wave 1		0.07	53.02	0.09	51.52	0.10	53.37	0.18	53.04	0.11	51.81	0.13	50.33	0.1
— change from Wave 1		0.08	-0.54	0.11	-0.59	0.11	-0.58	0.21	-0.58	0.11	-0.40	0.14	-0.85	0.1
Role-emotional — Wave 1	51.35	0.08	52.27	0.11	50.56	0.10	52.55	0.17	52.38	0.10	50.95	0.14	48.99	0.1
— change from Wave 1		0.10	-1.86	0.12	-2.00	0.11	-1.61	0.20	-1.78	0.14	-1.85	0.14	-2.66	0.2
Mental health — Wave 1	l .	0.09	53.84	0.11	51.30	0.12	52.92	0.22	52.48	0.14	51.88	0.14	53.21	0.1
— change from Wave 1	-0.43	0.10	-0.52	0.14	-0.35	0.12	-0.44	0.27	-0.73	0.15	-0.03	0.14	-0.50	0.1
change nom wave i	0.40	0.10	0.52	0.14	0.55	0.12	0.44	0.21	0.75	0.15	0.03	0.14	0.50	0.1
Physical Component Summary (NBPCS)														
— Wave 1	50.70	0.12	51.34	0.14	50.16	0.13	54.74	0.14	53.53	0.12	49.61	0.18	43.78	0.2
— change from Wave 1	-0.66	0.07	-0.63	0.09	-0.68	0.09	-0.12	0.17	-0.37	0.10	-1.05	0.11	-0.92	0.1
Mental Component Summary (NBMCS)														
— Wave 1	52.80	0.08	53.97	0.10	51.80	0.10	52.82	0.19	52.70	0.12	52.51	0.12	53.55	0.1
— change from Wave 1	-1.26	0.09	-1.26	0.12	-1.25	0.11	-1.38	0.23	-1.44	0.14	-0.81	0.13	-1.62	0.1
Alcohol use disorder														
Dhysical functioning Ways 1	F2 60	0.16	E2 04	0.20	E2 42	0.25	EE 11	0.20	E4.00	0.24	E1 10	0.47	40.40	1 1
Physical functioning — Wave 1		0.16	53.81	0.20	53.42	0.25	55.11	0.20	54.02	0.24	51.48	0.47	49.40	1.1
— change from Wave 1		0.19	-0.81	0.23	-1.15	0.31	-0.22	0.24	-0.91	0.31	-1.47	0.43	-3.81	1.5
Role-physical — Wave 1		0.19	53.12	0.23	52.95	0.28	54.62	0.25	53.24	0.28	50.99	0.52	49.46	1.0
— change from Wave 1		0.24	-1.34	0.27	-2.93	0.41	-1.69	0.43	-1.78	0.36	-1.87	0.50	-3.13	1.3
Bodily pain — Wave 1	50.90	0.28	51.04	0.34	50.55	0.48	53.11	0.40	50.60	0.40	48.78	0.63	49.07	1.2
— change from Wave 1		0.31	0.79	0.37	0.22	0.52	0.78	0.48	0.74	0.47	0.44	0.58	-1.71	1.5
General health — Wave 1		0.29	51.66	0.35	51.71	0.41	53.19	0.39	52.06	0.42	49.14	0.58	47.72	1.3
— change from Wave 1		0.22	-0.49	0.28	-0.35	0.36	0.77	0.42	-0.89	0.35	-1.01	0.53	-0.65	1.3
Vitality — Wave 1	53.83	0.23	54.76	0.27	51.65	0.37	54.51	0.39	53.79	0.35	52.78	0.50	55.19	1.1
— change from Wave 1	-1.21	0.28	-1.15	0.35	-1.33	0.46	-0.97	0.55	-0.99	0.38	-1.66	0.57	-4.06	1.4
Social functioning — Wave 1	51.42	0.21	52.04	0.25	49.95	0.42	52.05	0.42	51.34	0.32	50.56	0.44	52.48	0.9
— change from Wave 1	>0	0.27	0.07	0.34	-0.15	0.50	-0.17	0.55	0.21	0.39	0.11	0.51	-2.50	1.4
Role-emotional — Wave 1	50.77	0.22	51.51	0.26	49.02	0.38	50.94	0.38	50.97	0.33	49.72	0.57	52.68	0.7
— change from Wave 1	-1.48	0.28	-1.55	0.34	-1.32	0.48	-1.21	0.53	-1.40	0.43	-1.54	0.60	-4.96	1.1
Mental health — Wave 1	50.22	0.23	51.46	0.27	47.31	0.44	50.29	0.46	50.08	0.37	49.77	0.52	54.99	0.9
— change from Wave 1	0.52	0.24	0.25	0.30	1.14	0.47	0.40	0.51	0.56	0.39	0.73	0.51	-0.50	1.2
Physical Component Summary (NBPCS)	50.04	0.04	50.00	0.05	50.04	0.00	55.40	0.04	50.40	0.00	50.55	0.50	47.00	
— Wave 1		0.21	52.96	0.25	53.91	0.33	55.43	0.24	53.43	0.29	50.55	0.53	47.20	1.1
— change from Wave 1	-0.80	0.20	-0.48	0.23	-1.57	0.38	-0.13	0.30	-0.88	0.32	-1.31	0.43	-2.45	1.3
Mental Component Summary (NBMCS)			1											
— Wave 1	50.39	0.22	51.65	0.25	47.41	0.43	50.07	0.40	50.30	0.35	50.25	0.51	55.82	0.8
— change from Wave 1	-0.29	0.24	-0.52	0.31	0.24	0.48	-0.43	0.51	-0.14	0.38	-0.13	0.52	-2.59	1.3

Table 4-4. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year DSM-IV alcohol use disorder status among Wave 1 current drinkers. (Continued)

	Both :	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year <i>DSM-IV</i> alcohol use disorder status and norm-based SF-12v2 scales	Fatimata	0.5	Mal	е	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and old
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E
Alcohol abuse only														
Physical functioning — Wave 1	53.93	0.21	54.11	0.23	53.46	0.36	55.24	0.26	54.58	0.26	52.17	0.48	49.91	1.2
— change from Wave 1	-0.75	0.24	-0.90	0.30	-0.37	0.33	-0.03	0.30	-0.49	0.32	-1.50	0.50	-2.96	1.5
Role-physical — Wave 1	53.60	0.24	53.70	0.29	53.33	0.41	54.82	0.36	54.02	0.34	52.19	0.53	50.95	1.0
— change from Wave 1	-1.67	0.28	-1.38	0.35	-2.42	0.46	-1.45	0.61	-1.46	0.42	-2.02	0.55	-3.21	1.4
Bodily pain — Wave 1	51.59	0.35	51.74	0.41	51.20	0.62	54.19	0.51	51.48	0.50	50.14	0.63	49.85	1.3
— change from Wave 1	0.38	0.38	0.45	0.46	0.22	0.62	-0.14	0.67	0.81	0.53	0.16	0.65	-1.41	1.
General health — Wave 1	52.77	0.33	52.73	0.38	52.85	0.59	53.92	0.63	53.59	0.46	50.61	0.59	49.53	1.
— change from Wave 1	-0.84	0.30	-1.18	0.37	0.05	0.49	0.94	0.66	-1.33	0.46	-1.05	0.65	-1.16	1.
Vitality — Wave 1	54.88	0.29	55.54	0.35	53.22	0.47	54.98	0.60	55.00	0.40	54.20	0.57	56.69	1.
— change from Wave 1	-1.84	0.38	-1.72	0.44	-2.14	0.59	-1.64	0.75	-1.50	0.50	-2.28	0.58	-4.44	1.
Social functioning — Wave 1	52.99	0.23	53.55	0.28	51.58	0.50	52.41	0.82	53.32	0.30	52.72	0.37	52.98	1.
— change from Wave 1	-0.39	0.34	-0.57	0.41	0.08	0.70	0.06	1.01	-0.36	0.50	-0.47	0.59	-2.02	1.
Role-emotional — Wave 1	52.63	0.24	53.13	0.26	51.34	0.45	51.54	0.59	52.84	0.32	52.72	0.42	54.01	0.
— change from Wave 1	-1.98	0.33	-2.01	0.40	-1.91	0.58	-0.54	0.67	-1.77	0.50	-2.93	0.53	-5.36	1.
Mental health — Wave 1	52.21	0.30	53.09	0.33	49.95	0.54	51.76	0.65	51.88	0.42	52.56	0.51	56.05	1.
— change from Wave 1	-0.14	0.34	-0.22	0.39	0.07	0.64	-0.53	0.78	0.06	0.48	-0.18	0.59	-0.75	1.
Physical Component Summary (NBPCS)														
— Wave 1	53.24	0.25	53.12	0.30	53.56	0.47	55.66	0.33	53.87	0.34	50.89	0.56	48.18	1.
— change from Wave 1	-0.63	0.25	-0.64	0.31	-0.63	0.41	-0.17	0.50	-0.51	0.35	-1.02	0.47	-2.03	1.
Mental Component Summary (NBMCS)														
— Wave 1	52.63	0.26	53.51	0.28	50.38	0.49	51.08	0.64	52.47	0.35	53.35	0.43	56.99	0.
— change from Wave 1	-1.11	0.32	-1.18	0.38	-0.92	0.60	-0.68	0.72	-0.95	0.49	-1.42	0.53	-3.05	1.
Alcohol dependence														
Physical functioning — Wave 1	53.39	0.28	53.40	0.38	53.38	0.40	55.04	0.31	53.16	0.46	50.04	0.98	46.46	3.
— change from Wave 1	-1.11	0.20	-0.68	0.37	-2.02	0.52	-0.32	0.35	-1.55	0.59	-1.41	0.88	-8.73	3
Role-physical — Wave 1	52.40	0.30	52.34	0.40	52.53	0.41	54.50	0.33	52.04	0.48	48.53	1.08	40.89	3
— change from Wave 1	-1.99	0.41	-1.28	0.43	-3.49	0.65	-1.83	0.51	-2.26	0.65	-1.56	0.91	-2.66	3
Bodily pain — Wave 1	50.02	0.46	50.11	0.58	49.81	0.75	52.47	0.55	49.25	0.70	45.99	1.26	44.52	3
— change from Wave 1	0.92	0.49	1.24	0.57	0.22	0.87	1.31	0.61	0.63	0.87	1.01	1.06	-3.49	3
General health — Wave 1	50.30	0.46	50.23	0.61	50.44	0.65	52.76	0.58	49.75	0.74	46.13	1.24	37.30	2
— change from Wave 1	0.05	0.34	0.45	0.44	-0.79	0.53	0.67	0.57	-0.23	0.51	-0.93	0.87	2.30	3
Vitality — Wave 1	52.51	0.35	53.73	0.41	49.91	0.60	54.24	0.56	51.94	0.55	49.88	0.79	46.50	3
— change from Wave 1	-0.41	0.43	-0.40	0.58	-0.43	0.71	-0.58	0.73	-0.23	0.59	-0.39	1.14	-1.87	2
Social functioning — Wave 1	49.42	0.38	50.03	0.46	48.13	0.68	51.85	0.47	48.32	0.67	46.12	1.07	49.62	2
— change from Wave 1	0.50	0.40	0.91	0.50	-0.39	0.75	-0.31	0.64	1.08	0.62	1.31	1.06	-5.29	2
Role-emotional — Wave 1	48.41	0.43	49.34	0.53	46.42	0.64	50.58	0.53	48.12	0.67	43.57	1.28	45.02	2
— change from Wave 1	-0.85	0.52	-0.94	0.61	-0.65	0.75	-1.60	0.74	-0.84	0.79	1.30	1.30	-2.61	2
Mental health — Wave 1	47.70	0.39	49.27	0.45	44.38	0.71	49.43	0.66	47.32	0.66	44.05	1.00	48.88	2
— change from Wave 1	1.35	0.37	0.88	0.50	2.34	0.70	0.94	0.64	1.32	0.65	2.60	0.97	0.93	2
Physical Component Summary (NBPCS)														
— Wave 1	53.24	0.32	52.74	0.43	54.30	0.50	55.30	0.35	52.77	0.52	49.83	1.04	41.48	3
— change from Wave 1	-1.01	0.32	-0.26	0.36	-2.60	0.61	-0.11	0.39	-1.45	0.60	-1.90	0.73	-4.87	4.
Mental Component Summary (NBMCS)														
— Wave 1	47.55	0.38	49.16	0.46	44.11	0.70	49.48	0.58	46.98	0.66	43.87	1.02	49.05	2.
— change from Wave 1	0.74	0.37	0.37	0.52	1.54	0.75	-0.29	0.66	1.09	0.59	2.53	1.07	0.09	2.

¹ **Current drinker:** 1 or more drinks in the past year. >0 Value too small to display.

Table 4-5. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more drinks for women in a single day among Wave 1 current drinkers.¹

Wave 1 past-year frequency of drinking 5 or more drinks	Both s	sexes		S	Sex					Age group	at Wave 1			
for men or 4 or more drinks for women in a single day and norm-based SF-12v2 scales	Estimate	S.E.	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
and norm-based of 1272 scales	LStimate	J.L.	Estimate	S.E.										
Never in the past year														
Physical functioning — Wave 1		0.11	52.95	0.13	52.19	0.13	54.55	0.21	54.27	0.11	52.18	0.17	48.14	0.27
— change from Wave 1		0.09	-0.83	0.13	-1.18	0.12	0.04	0.23	-0.52	0.11	-1.35	0.15	-2.06	0.27
Role-physical — Wave 1		0.11	52.59	0.16	51.99	0.13	54.08	0.23	53.93	0.12	51.91	0.18	48.15	0.28
— change from Wave 1		0.11	-1.50	0.14	-1.73	0.13	-1.34	0.29	-1.39	0.15	-1.80	0.17	-1.93	0.25
Bodily pain — Wave 1		0.12	51.33	0.17	50.68	0.16	52.76	0.34	52.26	0.19	50.43	0.19	48.16	0.27
— change from Wave 1		0.12	0.53	0.18	0.24	0.16	1.23	0.36	0.69	0.21	-0.20	0.20	0.38	0.28
General health — Wave 1		0.15	52.34	0.18	52.25	0.17	54.47	0.31	54.35	0.18	51.41	0.23	48.11	0.32
— change from Wave 1		0.10	-1.40	0.15	-1.01	0.13	-0.44	0.32	-1.30	0.16	-1.31	0.17	-1.09	0.23
Vitality — Wave 1		0.12	55.55	0.16	53.71	0.14	55.16	0.35	55.15	0.18	54.40	0.19	53.25	0.24
— change from Wave 1		0.11	-1.63	0.17	-1.75	0.15	-1.48	0.39	-1.53	0.19	-1.47	0.18	-2.67	0.26
Social functioning — Wave 1		0.09	53.40	0.13	52.42	0.12	53.36	0.28	53.27	0.13	52.65	0.16	52.19	0.19
— change from Wave 1		0.10	-0.50	0.14	-0.54	0.13	-0.50	0.33	-0.45	0.15	-0.32	0.16	-1.12	0.27
Role-emotional — Wave 1	52.08	0.10	52.65	0.13	51.57	0.12	52.21	0.26	52.65	0.12	51.90	0.18	51.04	0.20
— change from Wave 1		0.11	-1.76	0.16	-1.99	0.13	-1.55	0.36	-1.65	0.17	-1.76	0.18	-2.86	0.24
Mental health — Wave 1		0.13	54.02	0.16	51.49	0.16	52.11	0.35	52.44	0.18	52.24	0.20	54.46	0.25
— change from Wave 1	-0.29	0.13	-0.46	0.18	-0.14	0.16	-0.13	0.40	-0.58	0.20	0.23	0.18	-0.79	0.24
Physical Component Summary (NBPCS)														
— Wave 1	51.87	0.12	51.89	0.16	51.86	0.15	54.60	0.23	54.06	0.14	51.32	0.19	46.39	0.28
— change from Wave 1		0.09	-0.66	0.12	-0.92	0.12	0.10	0.24	-0.41	0.13	-1.35	0.15	-1.04	0.23
Mental Component Summary (NBMCS)				****		****				****		****		
— Wave 1	53.06	0.10	54.17	0.14	52.08	0.13	52.22	0.30	52.68	0.15	52.87	0.17	54.85	0.19
— change from Wave 1	-1.08	0.11	-1.16	0.14	-1.01	0.14	-1.19	0.33	-1.23	0.18	-0.51	0.17	-1.85	0.20
1 to 11 times in the past year														
Physical functioning — Wave 1	54.02	0.15	54.47	0.19	53.46	0.23	55.09	0.21	54.48	0.18	52.74	0.36	48.58	1.29
— change from Wave 1		0.16	-0.54	0.13	-1.07	0.23	-0.58	0.32	-0.66	0.10	-0.94	0.37	-2.94	1.14
Role-physical — Wave 1		0.17	53.92	0.24	53.12	0.23	54.68	0.27	53.93	0.23	52.38	0.37	49.12	1.25
— change from Wave 1		0.17	-1.08	0.30	-2.18	0.28	-1.96	0.49	-1.55	0.32	-1.36	0.41	-1.31	1.26
Bodily pain — Wave 1	51.79	0.22	52.25	0.30	51.23	0.34	52.90	0.44	52.29	0.28	50.02	0.51	49.32	1.30
— change from Wave 1		0.22	0.65	0.33	>0	0.34	0.40	0.58	0.29	0.31	0.61	0.51	-0.28	1.47
General health — Wave 1		0.23	53.83	0.29	53.52	0.33	54.65	0.45	54.52	0.30	51.56	0.46	48.42	1.50
— change from Wave 1	-0.95	0.20	-1.15	0.28	-0.70	0.26	-0.49	0.50	-0.90	0.28	-1.34	0.44	-1.70	1.10
Vitality — Wave 1		0.22	55.50	0.28	52.88	0.29	54.59	0.48	54.06	0.27	54.77	0.37	54.68	1.30
— change from Wave 1		0.25	-1.44	0.36	-1.54	0.31	-1.61	0.60	-1.37	0.33	-1.46	0.44	-3.17	1.27
Social functioning — Wave 1		0.18	53.50	0.22	51.60	0.32	52.58	0.45	52.94	0.26	51.93	0.39	53.03	0.89
— change from Wave 1		0.23	-0.17	0.31	-0.12	0.34	-0.29	0.54	-0.26	0.30	0.41	0.44	-1.40	1.08
Role-emotional — Wave 1		0.17	53.08	0.20	50.82	0.27	51.53	0.42	52.29	0.21	52.02	0.34	51.35	1.07
— change from Wave 1		0.23	-1.78	0.31	-1.41	0.32	-1.30	0.50	-1.72	0.33	-1.47	0.48	-2.62	1.20
Mental health — Wave 1		0.21	53.29	0.27	49.84	0.33	51.61	0.51	51.63	0.26	51.85	0.47	54.20	1.07
— change from Wave 1		0.25	-0.30	0.35	0.37	0.33	0.66	0.62	-0.42	0.32	0.53	0.49	0.12	1.03
change nom wave i	1													
Physical Component Summary (NBPCS)														
Physical Component Summary (NBPCS)	53.75	0.18	53.74	0.24	53.77	0.27	55.33	0.25	54.42	0.24	51.71	0.39	47.39	1.33
· ·	53.75 -0.73	0.18 0.18	53.74 -0.32	0.24 0.25	53.77 -1.25	0.27 0.24	55.33 -0.86	0.25 0.36	54.42 -0.57	0.24 0.25	51.71 -0.90	0.39 0.36	47.39 -1.82	1.33 1.09
Physical Component Summary (NBPCS) — Wave 1 — change from Wave 1	53.75 -0.73													
Physical Component Summary (NBPCS) — Wave 1	53.75 -0.73 51.90													

Table 4-5. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more drinks for women in a single day among Wave 1 current drinkers. (Continued)

Ways 4 and was for a second district 5 as many district	Both	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year frequency of drinking 5 or more drinks for men or 4 or more drinks for women in a single day	F-4:4-	0.5	Ма	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
and norm-based SF-12v2 scales	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
12 or more times in the past year														
Physical functioning — Wave 1	53.59	0.14	53.66	0.17	53.43	0.19	55.11	0.19	54.22	0.18	51.10	0.37	48.66	0.89
— change from Wave 1	-0.72	0.16	-0.72	0.21	-0.73	0.22	-0.17	0.22	-0.66	0.23	-1.03	0.33	-3.88	0.88
Role-physical — Wave 1	53.04	0.16	53.12	0.20	52.87	0.22	54.43	0.26	53.52	0.22	51.06	0.39	48.09	0.97
— change from Wave 1	-1.45	0.20	-1.36	0.24	-1.63	0.29	-0.95	0.35	-1.41	0.28	-1.97	0.38	-2.38	1.05
Bodily pain — Wave 1	51.29	0.20	51.33	0.26	51.20	0.32	53.42	0.36	51.30	0.32	49.33	0.44	47.34	1.06
— change from Wave 1	0.73	0.25	0.72	0.29	0.76	0.40	0.65	0.43	0.92	0.37	0.29	0.49	1.50	1.19
General health — Wave 1	52.23	0.21	52.10	0.26	52.51	0.30	54.37	0.33	52.72	0.29	49.33	0.46	47.34	0.97
— change from Wave 1	-0.86	0.18	-0.91	0.22	-0.76	0.29	-0.03	0.31	-0.97	0.25	-1.54	0.40	-1.37	0.92
Vitality — Wave 1	54.62	0.18	55.51	0.21	52.76	0.29	55.04	0.32	54.99	0.27	53.53	0.40	52.98	0.88
— change from Wave 1	-1.29	0.21	-1.22	0.27	-1.43	0.33	-1.02	0.42	-1.09	0.28	-1.83	0.44	-2.75	0.97
Social functioning — Wave 1	52.30	0.15	52.79	0.20	51.29	0.27	52.86	0.31	52.47	0.24	51.37	0.33	51.56	0.82
— change from Wave 1	-0.32	0.20	-0.36	0.26	-0.24	0.29	-0.45	0.39	-0.38	0.27	0.09	0.40	-1.14	1.13
Role-emotional — Wave 1	51.79	0.14	52.27	0.17	50.79	0.26	52.19	0.28	52.14	0.22	50.55	0.38	51.59	0.77
— change from Wave 1	-1.74	0.20	-1.70	0.25	-1.82	0.33	-1.35	0.38	-1.83	0.29	-1.55	0.45	-4.73	1.08
Mental health — Wave 1	51.54	0.18	52.73	0.21	49.08	0.34	51.48	0.36	51.62	0.27	50.97	0.40	54.51	0.80
— change from Wave 1	-0.02	0.22	-0.25	0.27	0.46	0.38	0.07	0.42	-0.14	0.32	0.37	0.43	-1.52	0.96
Physical Component Summary (NBPCS)														
— Wave 1	52.98	0.16	52.69	0.20	53.58	0.24	55.27	0.23	53.46	0.22	50.22	0.41	46.02	1.02
— change from Wave 1	-0.49	0.17	-0.43	0.20	-0.62	0.29	0.01	0.27	-0.37	0.25	-1.26	0.37	-1.16	0.79
Mental Component Summary (NBMCS)														
— Wave 1	51.88	0.15	52.97	0.18	49.60	0.30	51.50	0.30	51.99	0.26	51.61	0.36	54.85	0.69
— change from Wave 1	-0.87	0.19	-0.97	0.23	-0.66	0.35	-0.81	0.37	-0.97	0.29	-0.42	0.42	-2.69	0.83

¹ Current drinker: 1 or more drinks in the past year. >0 Value too small to display.

Table 4-6. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year frequency of drinking enough to feel drunk among Wave 1 current drinkers. 1

	Both s	sexes		S	Sex					Age group	o at Wave 1			
Wave 1 past-year frequency of drinking enough to feel drunk and norm-based SF-12v2 scales	Estimate	S.E.	Mal	е	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.										
Never in the past year														
Physical functioning — Wave 1	52.45 -1.07	0.10 0.09	52.87 -0.92	0.13 0.13	52.05 -1.21	0.13 0.11	54.51 -0.02	0.23 0.25	54.28 -0.58	0.11 0.13	52.01 -1.35	0.17 0.15	48.08 -2.13	0.26 0.27
Role-physical — Wave 1	52.22	0.09	52.50	0.13	51.95	0.11	53.97	0.25	54.00	0.13	51.76	0.13	-2.13 48.17	0.27
— change from Wave 1	-1.64	0.11	-1.52	0.15	-1.76	0.14	-1.10	0.31	-1.47	0.16	-1.83	0.17	-1.90	0.25
Bodily pain — Wave 1		0.13	51.28	0.19	50.54	0.17	53.15	0.32	52.19	0.21	50.25	0.20	48.18	0.28
— change from Wave 1	0.34	0.13	0.45	0.18	0.24	0.17	0.97	0.38	0.62	0.22	-0.14	0.21	0.40	0.30
General health — Wave 1	52.10	0.14	52.14	0.18	52.06	0.17	54.51	0.33	54.15	0.18	51.14	0.22	48.15	0.32
— change from Wave 1	1	0.10	-1.56	0.16	-1.05	0.12	-0.79	0.33	-1.32	0.16	-1.46	0.17	-1.15	0.23
Vitality — Wave 1 — change from Wave 1	54.71 -1.80	0.12 0.11	55.78 -1.82	0.17 0.17	53.69 -1.78	0.13 0.15	56.00 -1.79	0.36 0.43	55.34 -1.56	0.18 0.20	54.39 -1.58	0.19 0.18	53.29 -2.84	0.25 0.27
Social functioning — Wave 1	52.93	0.09	53.44	0.17	52.43	0.13	53.34	0.30	53.38	0.13	52.66	0.15	52.23	0.19
— change from Wave 1	-0.56	0.10	-0.53	0.13	-0.59	0.14	-0.15	0.35	-0.52	0.16	-0.41	0.16	-1.20	0.26
Role-emotional — Wave 1	52.17	0.10	52.72	0.13	51.65	0.13	52.51	0.27	52.79	0.13	51.90	0.17	51.14	0.21
— change from Wave 1	-1.92	0.11	-1.86	0.14	-1.98	0.13	-1.59	0.35	-1.71	0.19	-1.85	0.18	-2.75	0.24
Mental health — Wave 1	52.91	0.12	54.31	0.14	51.57	0.15	52.54	0.40	52.72	0.17	52.46	0.18	54.55	0.24
— change from Wave 1	-0.41	0.12	-0.69	0.16	-0.13	0.15	0.15	0.41	-0.75	0.18	0.04	0.19	-0.84	0.24
Physical Component Summary (NBPCS)														
— Wave 1	51.67	0.12	51.69	0.16	51.66	0.15	54.55	0.25	53.94	0.14	51.02	0.20	46.34	0.28
— change from Wave 1	-0.83	0.10	-0.71	0.14	-0.96	0.11	-0.08	0.27	-0.44	0.14	-1.32	0.15	-1.08	0.23
Mental Component Summary (NBMCS)			l											
— Wave 1 — change from Wave 1	53.30 -1.17	0.09 0.10	54.45 -1.33	0.12 0.14	52.21 -1.01	0.13 0.14	52.73 -1.01	0.32 0.32	52.95 -1.34	0.15 0.18	53.05 -0.70	0.15 0.17	54.97 -1.87	0.20 0.20
1 to 11 times in the past year														
Physical functioning — Wave 1	53.91	0.12	54.16	0.15	53.61	0.17	55.01	0.19	54.45	0.14	52.27	0.33	49.26	0.91
— change from Wave 1	-0.61	0.11	-0.45	0.16	-0.81	0.17	-0.32	0.21	-0.49	0.15	-0.80	0.29	-3.14	0.84
Role-physical — Wave 1	53.45	0.12	53.72	0.18	53.11	0.18	54.53	0.24	53.81	0.18	52.30	0.33	48.57	0.93
— change from Wave 1	-1.48	0.16	-1.20	0.21	-1.83	0.22	-1.71	0.35	-1.31	0.21	-1.58	0.33	-2.23	0.96
Bodily pain — Wave 1	51.87	0.17	52.07	0.25	51.62	0.24	53.02	0.33	52.27	0.22	50.33	0.45	48.37	0.96
— change from Wave 1	0.35	0.20	0.49	0.28	0.17	0.26	0.29	0.40	0.47	0.24	0.19	0.44	-0.31	1.19
General health — Wave 1 — change from Wave 1	53.30 -0.73	0.17 0.15	53.17 -0.84	0.22 0.21	53.46 -0.60	0.25 0.21	54.21 0.07	0.32 0.36	54.08 -0.90	0.22 0.21	51.44 -0.92	0.40 0.35	47.13 -1.36	1.05 0.90
Vitality — Wave 1	54.28	0.15	55.32	0.20	53.01	0.23	54.49	0.33	54.31	0.20	54.23	0.35	52.92	0.96
— change from Wave 1	-1.27	0.18	-1.12	0.24	-1.46	0.24	-1.64	0.43	-1.13	0.23	-1.31	0.35	-1.24	0.87
Social functioning — Wave 1	52.71	0.12	53.45	0.17	51.80	0.21	53.14	0.30	52.93	0.17	51.89	0.33	51.98	0.78
— change from Wave 1	-0.29	0.16	-0.34	0.20	-0.23	0.22	-0.84	0.36	-0.36	0.21	0.44	0.35	-0.68	1.01
Role-emotional — Wave 1	52.06	0.13	52.93	0.17	51.00	0.19	51.90	0.30	52.40	0.15	51.52	0.35	51.05	0.73
— change from Wave 1		0.18	-1.73	0.22	-1.70	0.27	-1.38	0.38	-1.80	0.23	-1.30	0.34	-5.26	1.04
Mental health — Wave 1 — change from Wave 1	51.47 0.12	0.15 0.19	52.75 0.14	0.23 0.24	49.89 0.10	0.24 0.29	51.47 0.17	0.36 0.45	51.58 -0.16	0.20 0.24	50.86 0.93	0.38 0.40	53.62 -0.73	0.79 0.86
Physical Component Summary (NBPCS)														
— Wave 1	53.66	0.13	53.47	0.18	53.90	0.20	55.13	0.22	54.25	0.18	51.85	0.35	47.01	0.96
— change from Wave 1	-0.58	0.13	-0.39	0.17	-0.82	0.19	-0.44	0.25	-0.39	0.17	-1.06	0.29	-1.41	0.93
Mental Component Summary (NBMCS)	E1 70	0.44	52.42	0.40	EO 45	0.24	E4 20	0.24	E4 04	0.47	E1 70	0.33	E2 00	0.63
— Wave 1 — change from Wave 1	51.79 -0.76	0.14 0.18	53.13 -0.82	0.19 0.21	50.15 -0.69	0.21 0.27	51.38 -0.87	0.34 0.39	51.84 -0.98	0.17 0.23	51.72 0.08	0.33 0.35	53.99 -2.07	0.63 0.70
ondingo nom vvavo i	0.70	0.10	0.02	0.21	0.00	0.21	0.07	0.00	0.00	0.20	0.00	0.00	2.01	0.70

Table 4-6. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year frequency of drinking enough to feel drunk among Wave 1 current drinkers. (Continued)

	Both :	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year frequency of drinking enough to feel drunk and norm-based SF-12v2 scales	Cation ata	S.E.	Ma	le	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	Ø.E.	Estimate	S.E.	Estimate	S.E.								
12 or more times in the past year														
Physical functioning — Wave 1	53.87	0.19	54.00	0.24	53.60	0.29	55.15	0.22	53.98	0.28	52.23	0.52	49.03	1.10
	-0.78	0.18	-0.65	0.24	-1.06	0.32	-0.08	0.27	-0.93	0.33	-1.47	0.46	-2.05	1.47
Role-physical — Wave 1	53.03	0.22	53.26	0.27	52.54	0.33	54.58	0.27	53.00	0.32	51.23	0.54	48.04	0.96
	-1.40	0.26	-1.21	0.30	-1.81	0.47	-1.05	0.36	-1.48	0.42	-1.72	0.63	-2.15	1.33
Bodily pain — Wave 1 — change from Wave 1	51.04 1.41	0.32 0.32	51.08 1.54	0.40 0.39	50.96 1.11	0.49 0.57	52.90 1.61	0.48 0.53	50.55 1.54	0.50 0.51	49.45 0.46	0.63 0.74 0.69	47.61 1.88	1.18 1.29
General health — Wave 1	52.85	0.29	52.84	0.39	52.89	0.43	54.74	0.39	52.97	0.45	49.79	0.76	48.41	1.20
— change from Wave 1	-0.66	0.21	-0.58	0.28	-0.84	0.36	-0.04	0.36	-0.91	0.32	-1.36	0.63	-0.47	1.16
Vitality — Wave 1	54.19	0.27	54.90	0.30	52.66	0.43	54.27	0.40	54.35	0.41	53.65	0.72	53.81	1.05
	-1.00	0.30	-0.86	0.39	-1.29	0.49	-0.22	0.48	-1.31	0.47	-1.55	0.69	-1.85	1.45
Social functioning — Wave 1	51.53	0.28	52.02	0.32	50.49	0.45	52.33	0.43	51.33	0.41	50.24	0.64	51.82	1.03
— change from Wave 1	0.21	0.29	0.10	0.37	0.43	0.48	-0.19	0.56	0.35	0.43	0.88	0.76	-0.55	1.47
Role-emotional — Wave 1	50.97	0.24	51.56	0.28	49.71	0.37	51.63	0.35	50.98	0.37	49.72	0.57	50.27	0.93
— change from Wave 1	-1.31	0.27	-1.25	0.32	-1.42	0.48	-1.13	0.46	-1.28	0.39	-1.13	0.68	-3.47	1.52
Mental health — Wave 1	50.64	0.29	51.88	0.30	47.99	0.55	51.00	0.44	50.28	0.44	49.84	0.77	54.00	1.06
	0.40	0.27	-0.03	0.33	1.30	0.47	-0.02	0.51	0.38	0.41	1.48	0.69	-0.09	0.96
Physical Component Summary (NBPCS)														
— Wave 1	53.52	0.22	53.29	0.29	54.00	0.32	55.46	0.26	53.51	0.34	51.34	0.57	46.90	1.07
— change from Wave 1	-0.41	0.20	-0.14	0.25	-0.99	0.38	0.32	0.32	-0.54	0.35	-1.59	0.52	-0.50	1.20
Mental Component Summary (NBMCS) — Wave 1	50.73	0.26	51.82	0.27	48.39	0.47	50.75	0.41	50.56	0.40	50.12	0.69	54.17	0.93
— change from Wave 1	-0.33	0.25	-0.57	0.31	0.17	0.46	-0.63	0.48	-0.32	0.39	0.63	0.70	-1.56	1.12

¹ Current drinker: 1 or more drinks in the past year.

Table 4-7. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to age of starting to drink among Wave 1 current drinkers.¹

	Both s	sexes		S	Sex					Age group	at Wave 1			
Age of starting to drink and norm-based SF-12v2 scales	Fatimata	S.E.	Mai	е	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and old
	Estimate	5.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
14 years or younger														
Physical functioning — Wave 1	51.17	0.24	51.45	0.33	50.73	0.39	54.41	0.37	52.98	0.27	48.44	0.55	43.22	1.10
— change from Wave 1		0.26	-0.93	0.33	-0.87	0.37	-0.23	0.37	-0.97	0.32	-0.93	0.52	-1.69	1.1
Role-physical — Wave 1	50.25	0.29	50.53	0.40	49.80	0.42	53.76	0.45	51.68	0.33	47.65	0.68	43.52	1.0
— change from Wave 1	-1.53	0.29	-1.72	0.38	-1.21	0.41	-2.84	0.64	-1.42	0.40	-1.19	0.58	-0.80	1.0
Bodily pain — Wave 1	48.58	0.32	48.48	0.42	48.75	0.50	51.28	0.71	50.01	0.42	45.50	0.74	44.76	1.2
— change from Wave 1	0.65	0.34	0.64	0.44	0.68	0.54	0.20	0.92	0.19	0.45	1.68	0.72	1.09	1.0
General health — Wave 1	49.12	0.38	49.10	0.50	49.14	0.54	52.78	0.70	50.68	0.46	46.50	0.72	41.48	1.1
— change from Wave 1		0.32	-1.11	0.41	0.35	0.45	-0.91	0.75	-0.37	0.41	-1.12	0.61	0.66	1.0
Vitality — Wave 1	52.58	0.30	53.34	0.39	51.34	0.45	53.38	0.77	53.56	0.37	50.81	0.66	50.82	1.1
— change from Wave 1	-1.42	0.30	-1.16	0.42	-1.86	0.43	-2.03	0.91	-1.74	0.42	-0.12	0.75	-2.44	0.9
Social functioning — Wave 1	1	0.29	50.56	0.35	49.48	0.47	50.64	0.64	50.71	0.37	48.84	0.57	49.98	0.8
— change from Wave 1	0.09	0.33	0.42	0.39	-0.45	0.61	0.19	0.85	-0.10	0.45	0.93	0.59	-1.48	1.0
Role-emotional — Wave 1	49.56	0.28	50.54	0.33	47.96	0.47	49.98	0.71	50.35	0.35	48.65	0.58	47.05	1.0
— change from Wave 1	-1.94	0.31	-2.56	0.43	-0.92	0.44	-1.78	0.76	-1.78	0.46	-2.18	0.74	-2.40	1.
Mental health — Wave 1	49.54	0.29	50.69	0.36	47.64	0.44	48.54	0.75	49.68	0.38	48.94	0.61	52.22	0.
— change from Wave 1	0.20	0.23	0.15	0.40	0.28	0.50	-0.33	0.73	-0.11	0.42	1.05	0.58	0.37	0.
orange nom wave i	0.20	0.01	0.10	0.10	0.20	0.00	0.00	0.01	0.11	0.12	1.00	0.00	0.01	٥.
Physical Component Summary (NBPCS)														
— Wave 1	50.16	0.30	49.92	0.43	50.57	0.43	54.69	0.50	52.12	0.35	46.72	0.67	41.16	1.
— change from Wave 1	-0.55	0.27	-0.63	0.35	-0.42	0.40	-0.89	0.63	-0.63	0.36	-0.34	0.48	-0.17	0.
Mental Component Summary (NBMCS)														
— Wave 1	50.10	0.27	51.28	0.33	48.16	0.44	48.65	0.72	50.13	0.37	49.93	0.54	53.00	0.
— change from Wave 1	-0.72	0.28	-0.82	0.35	-0.56	0.51	-1.02	0.80	-0.87	0.41	-0.01	0.60	-1.46	0.
15 to 17 years														
Physical functioning — Wave 1	52.91	0.12	53.23	0.15	52.43	0.19	54.78	0.17	54.10	0.15	51.06	0.29	47.08	0.9
— change from Wave 1	-0.77	0.12	-0.86	0.15	-0.64	0.19	-0.16	0.17	-0.45	0.15	-1.40	0.29	-2.28	0.
	52.36	0.11	52.60	0.10	51.99	0.18	54.23	0.22	53.53	0.10		0.20	46.42	0.
Role-physical — Wave 1		0.14	-1.34	0.19	-1.60	0.20	-1.20	0.22	-1.15	0.17	50.55 -2.01	0.32	46.42 -2.11	0.
— change from Wave 1														
Bodily pain — Wave 1	51.05	0.16	51.37	0.20	50.58	0.25	53.04	0.32	51.81	0.23	49.22	0.37	47.32	0.
— change from Wave 1	0.27	0.17	0.24	0.22	0.31	0.25	0.86	0.37	0.44	0.25	-0.70	0.38	0.68	0.
General health — Wave 1		0.18	51.71	0.22	51.73	0.26	54.32	0.30	53.26	0.24	48.77	0.34	45.30	0.
— change from Wave 1	-0.67	0.14	-0.98	0.19	-0.22	0.21	-0.13	0.32	-0.80	0.19	-0.99	0.30	-0.29	0.
Vitality — Wave 1	54.08	0.14	55.11	0.19	52.54	0.19	55.23	0.30	54.45	0.21	53.11	0.30	52.03	0.
— change from Wave 1	-1.35	0.15	-1.22	0.21	-1.54	0.22	-1.33	0.35	-1.22	0.23	-1.08	0.30	-2.94	0.
Social functioning — Wave 1	52.45	0.12	53.10	0.15	51.48	0.21	53.03	0.29	52.90	0.17	51.77	0.28	50.45	0.
— change from Wave 1	-0.45	0.14	-0.40	0.19	-0.53	0.27	-0.48	0.36	-0.33	0.21	-0.72	0.30	-0.25	0.
Role-emotional — Wave 1	51.55	0.12	52.35	0.16	50.35	0.21	51.98	0.26	51.96	0.18	50.88	0.26	50.09	0.
— change from Wave 1		0.16	-1.70	0.20	-1.33	0.25	-1.40	0.37	-1.25	0.23	-1.74	0.32	-3.13	0.
Mental health — Wave 1	51.79	0.15	53.15	0.17	49.75	0.24	51.83	0.38	51.58	0.20	51.40	0.33	54.01	0.
— change from Wave 1	0.10	0.17	0.01	0.23	0.23	0.27	0.30	0.44	-0.06	0.23	0.31	0.38	-0.06	0.
Physical Component Summary (NBPCS)														
— Wave 1	52.23	0.16	52.12	0.18	52.39	0.23	54.89	0.19	53.74	0.20	49.67	0.33	44.63	0.
— change from Wave 1	-0.68	0.12	-0.71	0.16	-0.63	0.19	-0.08	0.23	-0.43	0.17	-1.52	0.30	-1.04	0.
Mental Component Summary (NBMCS)														
— Wave 1	52.07	0.12	53.37	0.15	50.14	0.22	51.81	0.31	51.84	0.19	52.06	0.27	54.04	0.
— change from Wave 1	-0.72	0.15	-0.77	0.20	-0.65	0.25	-0.80	0.36	-0.73	0.22	-0.40	0.34	-1.42	0.4

Table 4-7. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to age of starting to drink among Wave 1 current drinkers. (Continued)

	Both :	sexes		S	Sex					Age group	at Wave 1			
Age of starting to drink and norm-based SF-12v2 scales		0.5	Mal	е	Fema	ale	18–24)	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.												
18 to 20 years														
Physical functioning — Wave 1	52.36	0.13	52.70	0.16	51.97	0.17	54.93	0.19	54.16	0.16	51.65	0.23	46.79	0.34
— change from Wave 1		0.10	-0.70	0.14	-1.16	0.14	>0	0.20	-0.38	0.15	-1.22	0.18	-2.44	0.32
Role-physical — Wave 1	52.07	0.13	52.34	0.17	51.76	0.17	54.54	0.22	53.82	0.18	51.39	0.24	46.66	0.34
— change from Wave 1	-1.38	0.12	-1.25	0.16	-1.53	0.17	-1.30	0.28	-1.25	0.18	-1.41	0.21	-1.74	0.36
Bodily pain — Wave 1	50.83	0.14	51.12	0.20	50.49	0.18	53.40	0.33	52.03	0.23	49.99	0.26	47.23	0.38
— change from Wave 1	0.59	0.15	0.80	0.22	0.35	0.21	0.86	0.39	0.98	0.23	-0.01	0.27	0.71	0.37
General health — Wave 1	51.78	0.17	51.75	0.22	51.82	0.23	54.68	0.33	54.11	0.25	50.58	0.29	45.69	0.38
— change from Wave 1		0.13	-1.16	0.18	-0.79	0.17	-0.63	0.34	-0.92	0.19	-1.22	0.21	-0.95	0.32
Vitality — Wave 1	54.15	0.13	55.04	0.18	53.10	0.18	54.76	0.34	54.98	0.19	53.97	0.22	51.72	0.30
— change from Wave 1	-1.55	0.14	-1.54	0.20	-1.55	0.20	-0.62	0.40	-1.42	0.23	-1.57	0.24	-2.65	0.37
Social functioning — Wave 1 — change from Wave 1	52.67 -0.40	0.12 0.12	53.11 -0.38	0.15 0.17	52.16 -0.42	0.17 0.15	53.53 -0.83	0.24 0.32	53.23 -0.20	0.18 0.17	52.22 -0.25	0.21 0.24	51.44 -0.91	0.27 0.32
Role-emotional — Wave 1	51.91	0.12	52.36	0.17	51.39	0.13	52.61	0.32	52.81	0.17	51.47	0.24	49.88	0.32
— change from Wave 1	-1.77	0.12	-1.63	0.14	-1.92	0.17	-1.50	0.26	-1.74	0.16	-1.42	0.21	-2.93	0.32
Mental health — Wave 1		0.13	53.50	0.17	51.09	0.18	52.32	0.30	52.43	0.19	51.81	0.20	53.72	0.42
— change from Wave 1	-0.09	0.12	-0.17	0.18	0.01	0.19	0.32	0.23	-0.46	0.23	0.31	0.25	-0.39	0.29
· ·	0.00	00	"	00	0.01	00	0.02	0.00	00	0.20	0.0.	0.20	0.00	0.00
Physical Component Summary (NBPCS)														
— Wave 1	51.64	0.14	51.64	0.18	51.64	0.18	55.04	0.22	53.83	0.20	50.73	0.26	44.75	0.35
— change from Wave 1	-0.62	0.11	-0.46	0.15	-0.80	0.14	-0.14	0.26	-0.13	0.17	-1.16	0.19	-1.07	0.29
Mental Component Summary (NBMCS)	52.78	0.11	53.71	0.15	51.69	0.16	52.23	0.26	52.75	0.18	52.49	0.19	54.04	0.27
— Wave 1 — change from Wave 1	-0.94	0.11	-0.99	0.15	-0.87	0.10	-0.78	0.20	-1.20	0.18	-0.43	0.19	-1.60	0.27
ÿ	0.01	0	0.00	00	0.01	0	00	0.02	0	0.20	00	0.22		0.00
21 years or older														
Physical functioning — Wave 1	51.35	0.15	52.52	0.21	50.64	0.17	54.63	0.41	54.10	0.15	50.81	0.23	46.70	0.34
— change from Wave 1		0.13	-0.90	0.23	-1.04	0.15	0.44	0.44	-0.70	0.18	-1.03	0.22	-1.75	0.31
Role-physical — Wave 1	51.28	0.16	52.20	0.26	50.72	0.16	53.60	0.44	53.78	0.17	50.94	0.23	46.94	0.36
— change from Wave 1	-1.59	0.15	-1.31	0.22	-1.76	0.17	0.09	0.62	-1.92	0.23	-1.67	0.21	-1.29	0.29
Bodily pain — Wave 1	50.07	0.16	51.19	0.25	49.38	0.19	52.51	0.65	52.17	0.24	49.48	0.26	46.85	0.34
— change from Wave 1	0.37	0.14	0.45	0.25	0.33	0.17	2.06	0.65	0.40	0.25	-0.02	0.23	0.60	0.36
General health — Wave 1	50.93	0.18	51.62	0.28	50.50	0.21	55.03	0.54	53.84	0.24	49.84	0.26	46.75	0.39
— change from Wave 1	-1.31	0.14	-1.33	0.23	-1.30	0.17	-0.27	0.45	-1.75	0.22	-1.07	0.21	-1.22	0.32
Vitality — Wave 1	54.22	0.16	55.74	0.24	53.30	0.19	55.77	0.61	55.17	0.26	53.99	0.23	52.60	0.35
— change from Wave 1	-1.78	0.15	-1.82	0.27	-1.76	0.17	-1.43	0.74	-1.63	0.27	-1.76	0.22	-2.17	0.34
Social functioning — Wave 1 — change from Wave 1	52.16 -0.50	0.12 0.14	53.07 -0.62	0.19 0.24	51.60 -0.43	0.16 0.17	53.24 0.71	0.56 0.61	52.93 -0.90	0.19 0.22	51.82 -0.13	0.19 0.21	51.12 -0.77	0.27 0.30
· · · · · · · · · · · · · · · · · · ·							-							
Role-emotional — Wave 1 — change from Wave 1	51.56 -2.26	0.14 0.17	52.54 -1.99	0.22 0.25	50.97 -2.43	0.16 0.19	52.15 -0.89	0.45 0.56	52.46 -2.18	0.19 0.26	51.35 -2.31	0.21 0.25	50.22 -2.68	0.28 0.29
•	52.75	0.17	54.69	0.25	51.58	0.19	52.98	0.59	52.71	0.27	52.23	0.23	53.70	0.23
Mental health — Wave 1 — change from Wave 1	-0.67	0.17	-1.30	0.25	-0.28	0.19	-0.19	0.59	-0.99	0.27	-0.30	0.23	-0.90	0.31
Physical Component Summary (NBPCS)														
— Wave 1	50.47	0.17	51.24	0.24	49.99	0.19	54.34	0.42	53.76	0.18	49.81	0.26	44.91	0.37
— change from Wave 1		0.12	-0.40	0.20	-0.79	0.15	0.97	0.47	-0.68	0.19	-0.84	0.21	-0.65	0.29
Mental Component Summary (NBMCS)														
— Wave 1	53.11	0.13	54.57	0.20	52.21	0.16	52.78	0.52	52.72	0.22	52.86	0.19	54.31	0.27
— change from Wave 1	-1.46	0.17	-1.75	0.25	-1.29	0.19	-0.93	0.57	-1.67	0.26	-1.15	0.22	-1.80	0.28

¹ Current drinker: 1 or more drinks in the past year. >0 Value too small to display.

Table 4-8. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year alcoholic beverage preference 1 among Wave 1 current drinkers. 2

	Both s	sexes		S	Sex					Age group	at Wave 1			
Wave 1 past-year alcoholic beverage preference and norm-based SF-12v2 scales	Estimate	S.E.	Mai	le	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	J.E.	Estimate	S.E.										
Coolers														
Physical functioning — Wave 1	52.95	0.27	53.67	0.57	52.74	0.32	54.43	0.43	53.57	0.33	50.32	0.74	47.07	2.20
— change from Wave 1		0.28	-1.41	0.70	-0.98	0.29	-0.47	0.45	-0.75	0.39	-1.90	0.68	-6.23	1.81
Role-physical — Wave 1		0.29	52.82	0.68	52.38	0.32	54.18	0.41	52.77	0.38	50.55	0.73	45.75	2.12
— change from Wave 1	l .	0.31	-0.95	0.72	-1.61	0.36	-1.41	0.60	-1.07	0.45	-2.12	0.72	-4.20	1.39
Bodily pain — Wave 1		0.33	51.20	0.77	51.38	0.35	52.83	0.59	51.64	0.45	49.46	0.81	45.90	2.14
— change from Wave 1		0.35	0.46	0.82	-0.27	0.38	0.29	0.68	0.16	0.52	-1.29	0.85	-0.25	1.77
General health — Wave 1 — change from Wave 1		0.38 0.30	52.92 -1.44	0.90 0.76	52.13 -1.42	0.39 0.31	53.70 -0.36	0.57 0.61	52.77 -1.26	0.57 0.43	50.25 -2.84	0.82 0.86	46.12 -4.22	2.11 1.78
Vitality — Wave 1	l .	0.33	54.57	0.74	52.87	0.40	53.18	0.63	53.60	0.46	53.05	0.71	49.46	2.03
— change from Wave 1		0.46	-2.01	1.05	-1.21	0.47	-0.61	0.79	-1.71	0.64	-1.52	0.88	-1.83	2.03
Social functioning — Wave 1	52.24	0.26	53.34	0.53	51.93	0.32	52.90	0.56	51.95	0.34	51.94	0.71	53.44	1.29
— change from Wave 1	-0.83	0.36	-1.84	0.83	-0.54	0.38	-0.81	0.64	-0.65	0.52	-0.67	0.71	-5.08	2.29
Role-emotional — Wave 1	51.50	0.29	52.35	0.63	51.26	0.33	51.48	0.53	51.54	0.42	51.54	0.57	50.73	1.71
— change from Wave 1	-1.62	0.41	-0.95	0.82	-1.81	0.45	-0.73	0.73	-1.90	0.61	-1.92	0.66	-2.61	2.40
Mental health — Wave 1	51.17	0.34	53.67	0.63	50.46	0.38	50.75	0.76	50.89	0.44	52.33	0.73	51.88	1.45
— change from Wave 1	-0.41	0.44	-1.39	0.86	-0.13	0.45	1.13	0.75	-0.64	0.58	-1.68	0.87	-1.75	1.42
Discission Community (AIDDOO)														
Physical Component Summary (NBPCS) — Wave 1	52.64	0.31	52.48	0.74	52.69	0.32	54.78	0.38	53.29	0.39	49.47	0.82	44.38	2.34
— wave 1 — change from Wave 1		0.31	-0.70	0.74	-1.09	0.32	-0.81	0.36	-0.51	0.39	-1.98	0.82	-4.37	1.35
Mental Component Summary (NBMCS)	1.00	0.21	0.70	0.00	1.00	0.20	0.01	0.10	0.01	0.00	1.00	0.7 1	1.07	1.00
— Wave 1	51.44	0.31	53.43	0.62	50.87	0.36	50.67	0.66	51.12	0.39	52.96	0.65	53.68	1.27
— change from Wave 1	-0.99	0.44	-1.63	0.86	-0.81	0.43	0.14	0.69	-1.40	0.61	-1.32	0.79	-1.72	1.49
<u>Beer</u>														
Physical functioning — Wave 1		0.12	53.43	0.13	52.30	0.22	54.89	0.21	54.38	0.14	51.52	0.26	47.69	0.51
— change from Wave 1		0.13 0.12	-0.72	0.14	-0.88	0.23	-0.05	0.25	-0.66	0.17	-1.02	0.25	-1.79 47.74	0.53
Role-physical — Wave 1 — change from Wave 1		0.12	52.88 -1.11	0.15 0.17	52.37 -2.10	0.22 0.26	54.46 -1.14	0.26 0.33	53.89 -1.20	0.15 0.22	51.19 -1.70	0.28 0.26	-1.58	0.51 0.55
Bodily pain — Wave 1	51.27	0.14	51.49	0.17	50.62	0.29	53.27	0.34	52.04	0.22	49.69	0.20	48.17	0.62
— change from Wave 1	-	0.17	0.63	0.19	0.30	0.23	0.78	0.45	0.75	0.27	-0.03	0.30	0.79	0.59
General health — Wave 1		0.17	52.11	0.20	51.00	0.29	54.24	0.37	53.44	0.21	49.26	0.37	46.01	0.57
— change from Wave 1		0.15	-1.23	0.18	-0.68	0.24	-0.12	0.34	-1.33	0.21	-1.31	0.24	-0.62	0.51
Vitality — Wave 1	55.17	0.17	55.85	0.19	53.13	0.29	56.13	0.37	55.69	0.22	54.11	0.31	53.75	0.48
— change from Wave 1		0.17	-1.38	0.21	-2.08	0.30	-0.70	0.42	-1.35	0.24	-1.82	0.28	-3.58	0.54
Social functioning — Wave 1	52.87	0.12	53.34	0.14	51.46	0.29	53.43	0.33	53.33	0.17	52.09	0.26	51.66	0.44
— change from Wave 1	-0.51	0.15	-0.45	0.17	-0.71	0.31	-0.55	0.43	-0.54	0.22	-0.28	0.26	-1.06	0.58
Role-emotional — Wave 1	52.14	0.13	52.53	0.15	50.99	0.24	52.72	0.30	52.85	0.16	50.82	0.28	51.14	0.41
— change from Wave 1		0.15	-1.55	0.18	-2.33	0.31	-1.25	0.42	-1.83	0.22	-1.50	0.28	-3.05	0.55
Mental health — Wave 1	52.77	0.15	53.69	0.16	50.00	0.29	52.54	0.37	52.95	0.21	51.96	0.30	54.95	0.48
— change from Wave 1	-0.42	0.16	-0.48	0.19	-0.25	0.30	0.14	0.43	-0.64	0.23	-0.15	0.28	-1.04	0.50
Physical Component Summary (NBPCS)														
— Wave 1	52.26	0.13	52.30	0.15	52.15	0.23	54.82	0.22	53.66	0.16	50.28	0.29	45.43	0.54
— change from Wave 1	-0.51	0.13	-0.43	0.15	-0.74	0.24	-0.03	0.29	-0.34	0.18	-1.08	0.22	-0.46	0.51
Mental Component Summary (NBMCS)														
— Wave 1	53.06	0.13	53.85	0.14	50.66	0.27	52.72	0.32	53.18	0.18	52.39	0.26	55.28	0.39
— change from Wave 1	-1.16	0.14	-1.09	0.16	-1.36	0.30	-0.70	0.36	-1.32	0.21	-0.77	0.24	-2.40	0.46

Table 4-8. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year alcoholic beverage preference 1 among Wave 1 current drinkers. 2 (Continued)

	Both s	sexes		S	Sex					Age group	o at Wave 1			
Wave 1 past-year alcoholic beverage preference and norm-based SF-12v2 scales	Estimate	S.E.	Mai	le	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	3.E.	Estimate	S.E.										
Wine														
Physical functioning — Wave 1		0.16	52.89	0.32	52.26	0.20	53.40	0.86	54.51	0.20	52.96	0.21	48.45	0.41
— change from Wave 1		0.17	-0.55	0.30	-1.25	0.20	0.66	0.82	-0.37	0.21	-1.12	0.26	-2.17	0.42
Role-physical — Wave 1		0.17	52.68	0.28	52.11	0.21	53.57	0.77	54.20	0.24	52.76	0.24	48.49	0.41
— change from Wave 1	l .	0.16	-1.63	0.34	-1.50	0.19	-1.45	0.84	-1.57	0.26	-1.44	0.24	-1.70	0.40
Bodily pain — Wave 1		0.21	51.77	0.32	50.41	0.28	53.49	0.92	52.57	0.38	50.91	0.31	47.69	0.45
— change from Wave 1		0.21	0.70	0.36	0.78	0.27	0.77	0.73	0.52	0.38	0.76	0.36	1.06	0.47
General health — Wave 1 — change from Wave 1		0.22 0.16	53.21 -1.36	0.35 0.38	53.27 -0.94	0.27 0.19	54.52 -0.29	1.19 0.96	56.01 -1.40	0.32 0.34	53.54 -1.01	0.31 0.27	48.72 -0.82	0.53 0.37
Vitality — Wave 1	l .	0.19	56.05	0.39	54.40	0.13	55.60	1.17	55.22	0.34	55.39	0.32	53.32	0.37
— change from Wave 1		0.13	-1.45	0.41	-1.71	0.25	-2.70	1.24	-1.64	0.39	-1.26	0.28	-2.13	0.43
Social functioning — Wave 1	52.99	0.16	53.85	0.25	52.65	0.22	53.08	0.78	53.40	0.25	52.98	0.24	52.44	0.32
— change from Wave 1	-0.41	0.18	-0.32	0.36	-0.45	0.20	-0.85	0.85	-0.66	0.30	0.10	0.27	-0.95	0.41
Role-emotional — Wave 1	51.90	0.18	52.73	0.27	51.57	0.23	52.12	0.88	52.35	0.24	52.32	0.26	50.48	0.37
— change from Wave 1	-1.65	0.20	-1.67	0.35	-1.64	0.23	-2.01	1.06	-1.17	0.30	-1.68	0.31	-2.18	0.41
Mental health — Wave 1	52.73	0.21	54.72	0.37	51.94	0.23	52.32	1.05	51.76	0.32	52.63	0.31	54.31	0.39
— change from Wave 1	-0.12	0.21	-0.25	0.39	-0.07	0.24	-0.52	1.01	-0.37	0.35	0.44	0.33	-0.74	0.44
DI : 10 (4DD00)														
Physical Component Summary (NBPCS)	50.00	0.18	50.00	0.04	FO 04	0.00	5444	0.00	54.00	0.07	FO 40	0.04	40.77	0.40
— Wave 1 — change from Wave 1	52.03 -0.71	0.18	52.08 -0.58	0.31 0.28	52.01 -0.76	0.23 0.18	54.14 0.38	0.89 0.79	54.98 -0.63	0.27 0.25	52.49 -0.80	0.24 0.26	46.77 -0.85	0.42 0.37
Mental Component Summary (NBMCS)	-0.71	0.13	-0.56	0.20	-0.76	0.16	0.36	0.79	-0.03	0.23	-0.60	0.20	-0.65	0.37
— Wave 1	53.14	0.18	54.73	0.30	52.51	0.22	52.56	0.91	52.12	0.29	53.20	0.26	54.54	0.31
— change from Wave 1	-0.90	0.18	-0.99	0.30	-0.86	0.22	-2.03	0.94	-1.01	0.33	-0.41	0.29	-1.43	0.33
<u>Liquor</u>														
Physical functioning — Wave 1	51.37	0.26	51.22	0.42	51.47	0.31	55.16	0.27	53.44	0.36	50.07	0.52	47.24	0.64
— change from Wave 1		0.26	-0.47	0.42	-1.72	0.31	-0.34	0.27	-0.58	0.30	-1.17	0.32	-2.85	0.63
Role-physical — Wave 1		0.27	51.40	0.39	50.99	0.35	54.44	0.43	52.63	0.43	50.18	0.54	47.96	0.59
— change from Wave 1		0.26	-1.69	0.36	-2.22	0.37	-1.92	0.53	-1.64	0.45	-1.74	0.52	-3.07	0.57
Bodily pain — Wave 1		0.31	50.06	0.50	50.33	0.39	52.78	0.76	50.95	0.58	49.14	0.59	48.92	0.62
— change from Wave 1		0.37	0.43	0.56	-0.74	0.45	0.47	0.93	0.33	0.68	-0.53	0.60	-1.25	0.78
General health — Wave 1		0.32	49.81	0.52	50.43	0.39	53.73	0.63	51.65	0.51	48.48	0.60	47.84	0.74
— change from Wave 1		0.27	-0.83	0.40	-1.13	0.37	-0.29	0.75	-0.36	0.43	-1.62	0.56	-1.61	0.60
Vitality — Wave 1	53.09	0.31	54.05	0.50	52.37	0.34	54.31	0.70	53.28	0.56	52.60	0.52	52.72	0.64
— change from Wave 1	-1.55	0.30	-1.52	0.56	-1.58	0.33	-1.88	0.94	-1.12	0.55	-1.43	0.61	-2.27	0.61
Social functioning — Wave 1		0.26	51.63	0.38	51.81	0.33	51.97	0.70	51.62	0.43	51.51	0.46	52.10	0.55
— change from Wave 1		0.28	-0.18	0.48	-0.99	0.36	0.09	0.79	-0.18	0.44	-0.71	0.48	-1.84	0.74
Role-emotional — Wave 1		0.25	51.86	0.32	50.58	0.35	51.78	0.56	51.33	0.45	50.41	0.52	51.49	0.46
— change from Wave 1		0.29	-2.83	0.48	-2.23	0.42	-2.10	0.70	-2.04	0.54	-1.69	0.51	-4.83	0.61
Mental health — Wave 1 — change from Wave 1	51.53 -0.10	0.29 0.31	52.88 0.09	0.42 0.38	50.51 -0.24	0.35 0.44	50.31 0.24	0.75 0.88	50.74 -0.52	0.48 0.52	50.62 1.17	0.55 0.52	55.21 -1.69	0.53 0.59
Physical Component Summary (NBPCS)														
— Wave 1	50.61	0.28	50.08	0.44	51.01	0.35	55.25	0.46	52.75	0.44	49.28	0.55	45.85	0.67
— change from Wave 1	-1.07	0.26	-0.38	0.37	-1.58	0.31	-0.44	0.52	-0.33	0.44	-1.65	0.51	-1.83	0.55
Mental Component Summary (NBMCS)	E4 05	0.00	E2 4 4	0.25	E4 00	0.22	E0 40	0.00	E0.00	0.40	E4 F7	0.40	EE 40	0.54
— Wave 1 — change from Wave 1	51.95 -1.12	0.26 0.27	53.14	0.35 0.40	51.06 -0.98	0.33 0.36	50.46 -1.01	0.62 0.75	50.92 -1.14	0.46 0.50	51.57 -0.13	0.49 0.46	55.42 -2.77	0.51 0.54
— Grange nom wave 1	-1.12	0.21	-1.30	0.40	-0.90	0.30	-1.01	0.73	-1.14	0.50	-0.13	0.40	-2.11	0.54

Table 4-8. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to Wave 1 past-year alcoholic beverage preference 1 among Wave 1 current drinkers. 2 (Continued)

	Both	sexes		S	ex					Age group	at Wave 1			
Wave 1 past-year alcoholic beverage preference and norm-based SF-12v2 scales	F-171-		Ма	e	Fem	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
No preference														
Physical functioning — Wave 1	53.46	0.11	53.86	0.13	53.09	0.16	55.06	0.17	54.46	0.12	52.72	0.23	48.80	0.43
— change from Wave 1	-0.95	0.11	-0.91	0.16	-0.99	0.14	-0.23	0.19	-0.53	0.16	-1.59	0.24	-2.11	0.48
Role-physical — Wave 1	53.03	0.13	53.41	0.18	52.66	0.16	54.33	0.22	54.05	0.15	52.38	0.23	48.45	0.46
— change from Wave 1	-1.74	0.14	-1.74	0.20	-1.74	0.18	-1.32	0.31	-1.64	0.18	-2.07	0.24	-1.87	0.46
Bodily pain — Wave 1	51.47	0.17	51.72	0.25	51.23	0.22	52.91	0.33	52.17	0.24	50.68	0.29	48.48	0.51
— change from Wave 1	0.43	0.17	0.55	0.26	0.33	0.22	1.11	0.38	0.78	0.25	-0.39	0.30	0.22	0.48
General health — Wave 1	53.37	0.16	53.50	0.21	53.25	0.21	54.99	0.33	54.67	0.22	52.01	0.29	49.16	0.46
— change from Wave 1	-1.06	0.12	-1.28	0.19	-0.85	0.16	-0.41	0.34	-0.96	0.18	-1.40	0.25	-1.50	0.35
Vitality — Wave 1	54.31	0.13	55.27	0.17	53.41	0.18	54.51	0.32	54.45	0.19	54.36	0.25	53.29	0.40
— change from Wave 1	-1.58	0.15	-1.60	0.23	-1.57	0.19	-1.78	0.40	-1.33	0.24	-1.43	0.28	-2.80	0.43
Social functioning — Wave 1	52.78	0.11	53.30	0.15	52.29	0.17	52.89	0.27	53.00	0.17	52.54	0.20	52.31	0.34
— change from Wave 1	-0.21	0.13	-0.33	0.19	-0.11	0.19	-0.28	0.34	-0.11	0.18	-0.08	0.24	-0.94	0.39
Role-emotional — Wave 1	52.25	0.11	52.90	0.14	51.63	0.15	51.73	0.27	52.44	0.16	52.49	0.19	51.54	0.36
— change from Wave 1	-1.81	0.14	-1.91	0.19	-1.72	0.17	-1.57	0.39	-1.62	0.18	-1.87	0.23	-2.84	0.48
Mental health — Wave 1	52.02	0.14	53.19	0.17	50.92	0.22	51.56	0.35	51.71	0.21	52.01	0.26	54.04	0.38
— change from Wave 1	0.02	0.15	-0.27	0.19	0.30	0.24	-0.13	0.40	-0.19	0.23	0.55	0.28	-0.31	0.44
Physical Component Summary (NBPCS)														
— Wave 1	53.06	0.14	53.11	0.18	53.00	0.18	55.26	0.21	54.41	0.16	51.88	0.25	47.13	0.48
— change from Wave 1	-0.83	0.12	-0.76	0.17	-0.90	0.16	-0.03	0.23	-0.47	0.17	-1.65	0.24	-1.32	0.41
Mental Component Summary (NBMCS)														
— Wave 1	52.36	0.12	53.41	0.14	51.37	0.19	51.29	0.32	51.94	0.19	52.76	0.21	54.67	0.31
— change from Wave 1	-0.80	0.14	-1.03	0.18	-0.59	0.21	-1.13	0.37	-0.88	0.20	-0.24	0.26	-1.58	0.39

¹ Alcoholic beverage preference: was assigned to a single type of alcoholic beverage that comprised at least 75 percent of an individual's overall past-year ethanol intake or was considered as "no preference" otherwise.

2 Current drinker: 1 or more drinks in the past year.

Table 4-9. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to family history of alcoholism at Wave 1 among Wave 1 current drinkers. 1

	Both :	sexes		S	Sex					Age group	at Wave 1			
Family history of alcoholism at Wave 1 and norm-based SF-12v2 scales	Estimate	S.E.	Mal	le	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and old
	Estimate	3.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E
None														
Physical functioning — Wave 1		0.10	52.95	0.13	51.14	0.13	54.79	0.16	54.47	0.11	51.83	0.18	45.84	0.2
— change from Wave 1	-1.05	0.10	-0.81	0.13	-1.29	0.12	<0	0.19	-0.57	0.11	-1.44	0.17	-2.09	0.2
Role-physical — Wave 1	51.91	0.10	52.71	0.15	51.10	0.12	54.59	0.20	54.02	0.12	51.66	0.18	46.41	0.
— change from Wave 1	-1.54	0.11	-1.49	0.15	-1.60	0.14	-1.13	0.24	-1.39	0.16	-1.70	0.18	-1.89	0.
Bodily pain — Wave 1	51.02	0.12	51.74	0.17	50.28	0.15	53.73	0.25	52.72	0.21	50.32	0.20	46.98	0.
— change from Wave 1	0.36	0.12	0.49	0.17	0.23	0.16	0.73	0.31	0.55	0.21	-0.14	0.21	0.51	0.
General health — Wave 1	51.65	0.16	52.37	0.20	50.94	0.20	55.59	0.24	54.61	0.19	50.44	0.23	45.16	0.
— change from Wave 1	-1.32	0.12	-1.33	0.17	-1.32	0.14	-0.97	0.30	-1.62	0.17	-1.39	0.18	-0.88	0.
Vitality — Wave 1	55.06	0.13	56.09	0.16	54.03	0.16	56.72	0.26	56.21	0.18	54.88	0.22	52.02	0.
— change from Wave 1	-1.87	0.13	-1.59	0.21	-2.15	0.15	-2.18	0.33	-1.55	0.19	-1.74	0.21	-2.47	0.
Social functioning — Wave 1	52.80	0.09	53.42	0.11	52.18	0.12	53.71	0.25	53.80	0.13	52.60	0.16	50.55	0
— change from Wave 1	-0.61	0.11	-0.50	0.14	-0.73	0.15	-0.51	0.29	-0.62	0.15	-0.41	0.17	-0.98	0.
Role-emotional — Wave 1	51.90	0.10	52.63	0.13	51.16	0.11	52.98	0.21	53.07	0.13	51.76	0.17	49.11	0.
— change from Wave 1	-1.97	0.11	-1.82	0.17	-2.11	0.14	-1.47	0.27	-1.81	0.17	-1.91	0.20	-2.69	0.
Mental health — Wave 1	53.54	0.11	54.43	0.15	52.65	0.15	53.78	0.26	53.71	0.18	53.07	0.19	53.77	0
— change from Wave 1	-0.64	0.12	-0.45	0.19	-0.83	0.16	-0.61	0.34	-0.92	0.21	-0.31	0.19	-0.61	0
·														
Physical Component Summary (NBPCS)														_
— Wave 1	51.25	0.12	52.00	0.16	50.50	0.14	54.98	0.17	54.07	0.14	50.67	0.19	44.19	0
— change from Wave 1	-0.73	0.09	-0.64	0.13	-0.83	0.12	-0.06	0.21	-0.46	0.14	-1.18	0.16	-1.02	0.
Mental Component Summary (NBMCS)														_
— Wave 1	53.66	0.09	54.44	0.12	52.89	0.13	53.60	0.23	53.76	0.15	53.45	0.17	53.85	0.
— change from Wave 1	-1.35	0.11	-1.17	0.15	-1.53	0.14	-1.50	0.28	-1.49	0.18	-0.94	0.17	-1.63	0.
2nd-degree relatives only														
Physical functioning — Wave 1	52.80	0.13	53.33	0.18	52.29	0.19	55.07	0.17	54.49	0.14	51.13	0.29	45.91	0.
— change from Wave 1	-0.70	0.11	-0.63	0.16	-0.76	0.16	-0.26	0.22	-0.53	0.15	-0.67	0.23	-2.25	0.
Role-physical — Wave 1	52.44	0.15	52.93	0.21	51.96	0.20	54.45	0.20	54.11	0.16	50.93	0.31	45.63	0.
— change from Wave 1		0.13	-1.21	0.18	-1.49	0.21	-1.13	0.28	-1.50	0.10	-1.31	0.27	-1.19	0.
Bodily pain — Wave 1	51.07	0.18	51.49	0.26	50.66	0.24	53.44	0.31	51.98	0.27	49.89	0.34	46.07	0
— change from Wave 1	0.71	0.18	0.60	0.27	0.83	0.24	0.86	0.31	1.19	0.29	-0.13	0.36	0.63	0
General health — Wave 1		0.10	52.32	0.25	52.27	0.27	55.20	0.33	54.35	0.24	49.78	0.34	44.91	0
— change from Wave 1	-0.80	0.20	-0.95	0.23	-0.64	0.21	-0.69	0.33	-1.27	0.24	-0.51	0.34	0.32	0
	54.29	0.15	55.13	0.23	53.46	0.21	55.28	0.32	54.98	0.19	53.52	0.28	51.59	0
Vitality — Wave 1	-1.51	0.15	-1.40	0.22	-1.61	0.21	-1.20	0.36	-1.69	0.20	-0.84	0.26	-3.03	0
— change from Wave 1														
Social functioning — Wave 1	52.75 -0.30	0.15 0.16	53.24	0.20	52.27	0.21	53.59 -1.08	0.26	53.14	0.21	52.35	0.29	50.68	0
— change from Wave 1			-0.29	0.20	-0.32	0.25		0.32	0.02	0.20	-0.31	0.33	-0.34	0
Role-emotional — Wave 1	52.00	0.14	52.63	0.19	51.38	0.19	52.31	0.26	52.57	0.18	51.72	0.26	49.66	0
— change from Wave 1	1	0.18	-1.59	0.22	-1.72	0.24	-1.54	0.36	-1.53	0.24	-1.66	0.32	-2.39	0
Mental health — Wave 1	52.36	0.15	53.51	0.21	51.23	0.21	52.20	0.37	52.40	0.20	52.01	0.30	53.39	0
— change from Wave 1	-0.06	0.15	-0.22	0.24	0.10	0.22	0.26	0.36	-0.39	0.23	0.34	0.36	-0.26	0
Physical Component Summary (NBPCS)														
— Wave 1	52.15	0.17	52.33	0.21	51.97	0.22	55.29	0.19	54.15	0.19	50.01	0.32	43.55	0.
— change from Wave 1	-0.45	0.12	-0.43	0.16	-0.47	0.17	-0.20	0.25	-0.36	0.18	-0.69	0.24	-0.66	0.
Mental Component Summary (NBMCS)														
— Wave 1	52.68	0.14	53.62	0.19	51.75	0.20	52.15	0.30	52.50	0.20	52.83	0.25	54.01	0.
— change from Wave 1	-0.91	0.16	-0.95	0.21	-0.87	0.23	-0.98	0.34	-1.03	0.22	-0.50	0.33	-1.34	0.

Table 4-9. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to family history of alcoholism at Wave 1 among Wave 1 current drinkers. (Continued)

	Both :	sexes		5	Sex					Age group	at Wave 1			
Family history of alcoholism at Wave 1 and norm-based SF-12v2 scales	Factoria	0.5	Mal	le	Fema	ale	18–24	years	25–44	years	45–64	years	65 years a	and older
	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.	Estimate	S.E.
1st-degree relatives only														
Physical functioning — Wave 1	49.89	0.21	51.56	0.25	48.49	0.30	54.26	0.39	53.16	0.29	49.54	0.33	44.75	0.47
— change from Wave 1		0.18	-1.14	0.26	-0.86	0.26	-0.72	0.54	-0.45	0.26	-1.05	0.24	-1.69	0.52
Role-physical — Wave 1	49.71	0.22	50.83	0.31	48.77	0.30	54.35	0.44	52.77	0.32	49.22	0.33	44.99	0.42
— change from Wave 1	-1.32	0.20	-1.13	0.27	-1.49	0.29	-1.70	0.57	-1.41	0.31	-1.31	0.31	-1.11	0.43
Bodily pain — Wave 1	48.68	0.23	49.86	0.33	47.69	0.30	52.22	0.72	51.02	0.39	47.89	0.38	45.77	0.46
— change from Wave 1	0.29	0.24	0.34	0.33	0.24	0.32	0.86	0.79	0.46	0.40	<0	0.36	0.34	0.47
General health — Wave 1		0.24	49.81	0.34	48.20	0.31	54.16	0.54	52.03	0.37	48.01	0.40	44.70	0.45
— change from Wave 1		0.19	-1.55	0.29	-1.02	0.25	-1.09	0.54	-1.07	0.34	-1.20	0.33	-1.68	0.38
Vitality — Wave 1	52.81	0.21	54.14	0.29	51.68	0.28	54.71	0.76	54.17	0.35	52.56	0.32	50.81	0.38
— change from Wave 1		0.22	-2.16	0.33	-1.95	0.31	-1.57	0.96	-1.66	0.39	-1.90	0.34	-2.93	0.40
Social functioning — Wave 1		0.18	52.25	0.22	50.17	0.26	52.34	0.56	52.17	0.31	50.71	0.28	50.00	0.39
— change from Wave 1	-0.51	0.22	-0.35	0.28	-0.65	0.31	0.21	0.74	-0.80	0.37	-0.12	0.31	-0.97	0.40
Role-emotional — Wave 1	50.18	0.20	51.50	0.25	49.07	0.29	51.20	0.60	51.58	0.32	49.67	0.34	48.81	0.38
— change from Wave 1		0.26	-1.72	0.30	-1.98	0.37	-0.85	0.72	-1.51	0.34	-1.80	0.39	-2.73	0.50
Mental health — Wave 1		0.19	52.75	0.27	49.90	0.26	51.81	0.66	50.90	0.32	50.88	0.32	51.98	0.35
— change from Wave 1	-0.30	0.23	-0.47	0.31	-0.15	0.31	-0.90	0.75	-0.32	0.38	-0.16	0.36	-0.32	0.42
Physical Component Summary (NBPCS)														
— Wave 1	48.94	0.23	50.06	0.31	48.00	0.31	54.55	0.40	52.74	0.34	48.29	0.35	43.19	0.46
— change from Wave 1		0.17	-0.77	0.25	-0.70	0.24	-0.57	0.51	-0.49	0.29	-0.86	0.26	-0.89	0.41
Mental Component Summary (NBMCS)														
— Wave 1	51.84	0.18	53.13	0.24	50.75	0.25	51.39	0.60	51.49	0.30	51.52	0.28	52.95	0.32
— change from Wave 1	-1.20	0.22	-1.19	0.27	-1.21	0.31	-0.87	0.69	-1.17	0.36	-0.94	0.34	-1.78	0.37
Both 1st- and 2nd-degree relatives														
Physical functioning — Wave 1	51.17	0.16	52.02	0.21	50.54	0.19	54.47	0.21	52.85	0.20	49.49	0.27	45.65	0.50
— change from Wave 1		0.16	-0.91	0.21	-0.80	0.19	0.21	0.21	-0.50	0.20	-1.26	0.27	-2.18	0.50
Role-physical — Wave 1	50.65	0.14	51.13	0.21	50.29	0.10	53.53	0.28	52.21	0.20	49.26	0.27	45.16	0.43
— change from Wave 1		0.17	-1.54	0.23	-1.76	0.21	-1.90	0.28	-1.58	0.24	-1.65	0.32	-1.78	0.44
Bodily pain — Wave 1		0.14	49.66	0.24	48.65	0.10	51.90	0.38	50.22	0.27	47.59	0.23	45.79	0.53
— change from Wave 1		0.18	0.18	0.28	0.39	0.24	0.74	0.50	0.34	0.29	-0.02	0.34	0.67	0.53
General health — Wave 1	l l	0.20	49.57	0.29	49.27	0.24	51.91	0.41	50.99	0.26	47.82	0.35	44.80	0.50
— change from Wave 1		0.20	-1.10	0.28	-0.47	0.24	-0.12	0.43	-0.43	0.22	-1.32	0.33	-0.93	0.43
Vitality — Wave 1	52.63	0.13	54.15	0.23	51.49	0.17	53.76	0.41	53.33	0.22	51.77	0.28	51.10	0.44
— change from Wave 1		0.14	-1.81	0.23	-1.58	0.19	-0.96	0.50	-1.73	0.25	-1.58	0.26	-2.60	0.44
Social functioning — Wave 1	50.81	0.15	51.69	0.20	50.15	0.21	51.48	0.41	51.18	0.24	50.37	0.24	49.85	0.45
— change from Wave 1	-0.52	0.15	-0.65	0.25	-0.43	0.20	-0.01	0.47	-0.61	0.24	-0.52	0.25	-0.80	0.45
Role-emotional — Wave 1		0.15	51.04	0.23	49.34	0.19	50.88	0.38	50.66	0.21	49.47	0.25	48.55	0.50
— change from Wave 1		0.17	-2.12	0.25	-1.90	0.13	-1.94	0.45	-1.91	0.26	-1.82	0.28	-2.98	0.55
Mental health — Wave 1	50.14	0.15	51.88	0.23	48.84	0.21	49.92	0.47	49.91	0.23	49.74	0.25	52.72	0.45
— change from Wave 1	-0.03	0.17	-0.56	0.26	0.38	0.23	-0.07	0.55	-0.30	0.25	0.51	0.25	-0.55	0.43
Physical Component Summary (NBPCS)														
— Wave 1	50.30	0.18	50.52	0.24	50.14	0.22	54.15	0.26	52.28	0.22	48.41	0.34	43.53	0.48
— change from Wave 1	-0.69	0.13	-0.65	0.21	-0.71	0.16	<0	0.34	-0.38	0.20	-1.26	0.23	-0.94	0.45
Mental Component Summary (NBMCS)														
— Wave 1	50.69	0.14	52.24	0.21	49.53	0.19	49.96	0.43	50.38	0.22	50.64	0.22	53.00	0.40
— change from Wave 1	-1.03	0.15	-1.39	0.24	-0.76	0.21	-0.99	0.48	-1.26	0.22	-0.53	0.26	-1.68	0.43

¹ Current drinker: 1 or more drinks in the past year. <0 Negative value too near zero to display.

Table 4-10. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to having had alcoholic parents by Wave 1 among Wave 1 current drinkers. 1

	Both	sexes		S	Sex					Age group	at Wave 1			
Having had alcoholic parents by Wave 1 and norm-based SF-12v2 scales	Fatimata	S.E.	Mal	e	Fem	ale	18–24	years	25–44	years	45–64	years	65 years	and older
	Estimate	5.E.	Estimate	S.E.										
<u>Yes</u>														
Physical functioning — Wave 1	51.28	0.15	52.14	0.21	50.61	0.19	54.33	0.21	53.01	0.19	49.42	0.29	45.54	0.52
— change from Wave 1		0.13	-0.93	0.21	-0.88	0.16	-0.09	0.27	-0.52	0.18	-1.33	0.24	-2.28	0.51
Role-physical — Wave 1	50.73	0.17	51.24	0.27	50.34	0.20	53.57	0.27	52.40	0.20	49.05	0.31	44.97	0.49
— change from Wave 1		0.16	-1.34	0.25	-1.82	0.20	-1.89	0.39	-1.59	0.23	-1.69	0.26	-1.00	0.55
Bodily pain — Wave 1		0.17	49.72	0.26	48.71	0.22	51.89	0.39	50.33	0.26	47.50	0.35	45.67	0.52
— change from Wave 1		0.17	0.32	0.28	0.34	0.23	0.69	0.47	0.53	0.27	-0.02	0.30	0.16	0.59
General health — Wave 1		0.20	49.83	0.28	49.31	0.25	52.28	0.38	51.18	0.27	47.65	0.33	44.73	0.52
— change from Wave 1		0.17	-1.19	0.28	-0.61	0.19	-0.06	0.40	-0.58	0.22	-1.42	0.30	-1.30	0.46
Vitality — Wave 1	52.69	0.15	54.18	0.22	51.53	0.20	53.87	0.37	53.43	0.22	51.69	0.27	51.12	0.46
— change from Wave 1		0.17	-1.78	0.27	-1.71	0.22	-1.22	0.43	-1.52	0.24 0.20	-1.82	0.27	-3.19	0.51
Social functioning — Wave 1 — change from Wave 1		0.14 0.17	51.87 -0.67	0.19 0.24	50.22 -0.58	0.19 0.22	51.43 0.09	0.40 0.47	51.46 -0.77	0.20	50.43 -0.61	0.25 0.28	49.66 -0.98	0.47 0.51
Role-emotional — Wave 1		0.17	51.21	0.24	49.19	0.22	50.60	0.47	50.81	0.23	49.40	0.28	48.27	0.51
— change from Wave 1	-1.89	0.10	-2.13	0.22	-1.70	0.26	-1.42	0.30	-1.73	0.20	-2.15	0.27	-2.36	0.62
Mental health — Wave 1		0.15	51.92	0.23	48.85	0.20	50.05	0.42	50.00	0.24	49.96	0.25	52.10	0.44
— change from Wave 1		0.17	-0.68	0.26	0.22	0.23	-0.21	0.47	-0.28	0.25	-0.04	0.28	-0.13	0.48
onango nom wavo i	0.10	0.17	0.00	0.20	0.22	0.20	0.21	0.17	0.20	0.20	0.01	0.20	0.10	0.10
Physical Component Summary (NBPCS)														
— Wave 1	50.42	0.18	50.65	0.25	50.24	0.22	54.22	0.26	52.44	0.22	48.20	0.34	43.55	0.52
— change from Wave 1	-0.70	0.13	-0.54	0.21	-0.82	0.16	-0.21	0.32	-0.40	0.19	-1.13	0.26	-1.19	0.47
Mental Component Summary (NBMCS)														
— Wave 1	50.72	0.14	52.34	0.21	49.47	0.19	49.94	0.38	50.51	0.22	50.77	0.24	52.59	0.42
— change from Wave 1	-1.09	0.17	-1.48	0.23	-0.79	0.22	-0.81	0.42	-1.17	0.25	-1.01	0.29	-1.42	0.49
No														
50 1 14 11 1 W		0.40			50.00		= 4.00				= 4.00		45.00	
Physical functioning — Wave 1		0.10	52.80	0.11	50.92	0.13	54.89	0.11	54.25	0.09	51.23	0.15	45.62	0.24
— change from Wave 1		0.08	-0.81	0.10	-1.06	0.10	-0.08	0.13	-0.54	0.09	-1.17	0.12	-2.01	0.23
Role-physical — Wave 1 — change from Wave 1		0.10 0.09	52.46 -1.41	0.13 0.12	50.87 -1.54	0.11 0.11	54.54 -1.16	0.14 0.18	53.82 -1.42	0.10 0.13	51.06 -1.52	0.15 0.13	46.00 -1.73	0.22 0.20
Bodily pain — Wave 1		0.09	51.39	0.12	49.89	0.11	53.56	0.18	52.25	0.13	49.76	0.13	46.60	0.20
— change from Wave 1	0.43	0.10	0.46	0.14	0.39	0.12	0.80	0.24	0.66	0.16	-0.11	0.16	0.57	0.22
General health — Wave 1		0.14	51.92	0.16	50.75	0.17	55.34	0.19	54.13	0.16	49.85	0.20	45.03	0.27
— change from Wave 1		0.09	-1.25	0.12	-1.06	0.11	-0.93	0.22	-1.40	0.13	-1.13	0.13	-0.84	0.19
Vitality — Wave 1		0.11	55.56	0.13	53.46	0.14	56.11	0.21	55.56	0.15	54.13	0.17	51.69	0.20
— change from Wave 1		0.10	-1.64	0.15	-1.94	0.13	-1.75	0.26	-1.67	0.15	-1.51	0.16	-2.56	0.21
Social functioning — Wave 1		0.08	53.16	0.10	51.82	0.11	53.64	0.18	53.30	0.12	52.14	0.13	50.47	0.18
— change from Wave 1		0.08	-0.42	0.11	-0.57	0.12	-0.68	0.21	-0.41	0.13	-0.30	0.14	-0.86	0.20
Role-emotional — Wave 1	51.64	0.09	52.42	0.11	50.89	0.10	52.74	0.17	52.68	0.11	51.34	0.15	49.16	0.21
— change from Wave 1		0.09	-1.74	0.13	-2.05	0.11	-1.57	0.21	-1.75	0.14	-1.73	0.15	-2.75	0.21
Mental health — Wave 1	52.86	0.10	53.95	0.12	51.81	0.13	53.15	0.22	52.93	0.15	52.33	0.16	53.40	0.21
— change from Wave 1	-0.40	0.10	-0.37	0.14	-0.43	0.13	-0.32	0.27	-0.70	0.16	0.03	0.15	-0.56	0.20
Physical Component Summary (NBPCS)														
— Wave 1		0.11	51.76	0.13	50.37	0.13	55.06	0.13	53.86	0.11	50.10	0.16	43.88	0.23
— change from Wave 1	-0.66	0.07	-0.63	0.10	-0.69	0.10	-0.10	0.16	-0.43	0.11	-1.05	0.12	-0.90	0.19
Mental Component Summary (NBMCS)														
— Wave 1	53.12	0.08	54.02	0.10	52.25	0.11	53.03	0.19	53.06	0.12	52.89	0.14	53.72	0.19
— change from Wave 1	-1.20	0.09	-1.10	0.12	-1.30	0.12	-1.33	0.23	-1.34	0.15	-0.70	0.14	-1.66	0.17

¹ Current drinker: 1 or more drinks in the past year.

Table 4-11. Quality of life at Wave 1 and changes from Wave 1 to Wave 2, as measured by norm-based scores based on the Short Form 12 Health Survey Version 2 (SF-12v2), by sex and age group, according to having ever married/lived as if married with an alcoholic at Wave 1 among Wave 1 current drinkers.¹

	Both :	sexes		S	Sex					Age group	at Wave 1			
Having ever married/lived as if married with an alcoholic at Wave 1 and norm-based SF-12v2 scales	Fatimata	0.5	Mal	е	Fema	ıle	18–24	years	25–44	years	45–64	years	65 years a	and olde
	Estimate	S.E.	Estimate	S.E.										
<u>Yes</u>														
Physical functioning — Wave 1		0.23	50.57	0.44	48.42	0.26	54.43	0.63	51.73	0.30	47.83	0.34	42.95	0.61
— change from Wave 1	-1.05	0.23	-1.84	0.46	-0.82	0.24	0.21	0.75	-0.38	0.33	-1.43	0.34	-2.07	0.54
Role-physical — Wave 1		0.25	49.36	0.53	48.29	0.27	52.44	0.83	50.90	0.34	47.60	0.38	43.78	0.58
— change from Wave 1	-1.26	0.22	-1.38	0.46	-1.23	0.25	0.49	1.09	-1.23	0.39	-1.49	0.34	-1.09	0.51
Bodily pain — Wave 1		0.27	47.65	0.52	46.91	0.31	51.86	0.98	48.65	0.39	46.03	0.40	44.63	0.63
— change from Wave 1	0.39	0.27	-0.31	0.51	0.59	0.30	0.38	1.40	0.88	0.47	-0.20	0.34	0.66	0.58
General health — Wave 1	47.11	0.30	47.11	0.52	47.11 -0.09	0.33	51.21	1.02	49.15	0.41	46.09	0.42	43.50	0.67
— change from Wave 1		0.21 0.25	-0.65 52.33	0.44 0.47	50.38	0.23 0.27	-0.85 50.92	1.58 1.01	0.08 51.44	0.33	-0.48 50.71	0.31 0.32	-0.19 49.39	0.53
Vitality — Wave 1 — change from Wave 1		0.25	-1.52	0.47	-1.37	0.27	-0.58	1.13	-1.05	0.36 0.38	50.71 -1.66	0.32	-1.83	0.53
Social functioning — Wave 1		0.23	50.59	0.46	48.86	0.28	49.89	1.13	49.58	0.36	49.07	0.32	-1.63 48.69	0.53
— change from Wave 1	-0.44	0.23	-0.78	0.50	-0.34	0.29	0.40	1.40	-0.30	0.44	-0.74	0.37	-0.18	0.60
Role-emotional — Wave 1	47.98	0.24	49.65	0.53	47.49	0.28	48.95	1.12	48.70	0.36	47.61	0.37	46.77	0.62
— change from Wave 1	-1.41	0.28	-2.24	0.55	-1.17	0.29	-0.92	1.42	-1.23	0.43	-1.66	0.41	-1.32	0.75
Mental health — Wave 1		0.22	50.61	0.41	47.58	0.26	45.36	1.43	47.80	0.36	48.22	0.33	50.22	0.54
— change from Wave 1	0.55	0.25	-0.30	0.52	0.80	0.29	3.49	1.64	0.24	0.39	0.50	0.32	0.98	0.63
Physical Component Summary (NBPCS)														
— Wave 1	48.17	0.26	48.54	0.48	48.06	0.30	54.88	0.81	51.18	0.35	46.87	0.39	42.06	0.6
— change from Wave 1	-0.71	0.21	-1.07	0.39	-0.60	0.25	-0.45	1.19	-0.15	0.35	-1.14	0.29	-1.11	0.4
Mental Component Summary (NBMCS)														
— Wave 1	49.03	0.22	51.08	0.38	48.44	0.27	45.96	1.45	48.23	0.37	49.26	0.34	51.23	0.53
— change from Wave 1	-0.44	0.26	-1.04	0.50	-0.26	0.29	1.14	1.57	-0.59	0.40	-0.55	0.35	-0.02	0.62
<u>No</u>														
Physical functioning — Wave 1	52.05	0.09	52.78	0.10	51.29	0.12	54.77	0.10	54.23	0.09	51.28	0.16	45.90	0.24
— change from Wave 1		0.07	-0.79	0.09	-1.05	0.10	-0.09	0.12	-0.55	0.08	-1.17	0.12	-2.04	0.23
Role-physical — Wave 1	51.79	0.10	52.36	0.12	51.20	0.10	54.37	0.14	53.79	0.10	51.07	0.16	46.10	0.2
— change from Wave 1	-1.53	0.09	-1.40	0.11	-1.67	0.11	-1.37	0.17	-1.49	0.13	-1.57	0.13	-1.70	0.2
Bodily pain — Wave 1	50.68	0.09	51.23	0.13	50.11	0.11	53.21	0.20	52.17	0.15	49.73	0.16	46.67	0.2
— change from Wave 1	0.41	0.09	0.47	0.12	0.34	0.12	0.79	0.23	0.60	0.14	-0.07	0.15	0.50	0.1
General health — Wave 1		0.13	51.73	0.15	51.02	0.16	54.73	0.19	53.94	0.15	49.85	0.19	45.15	0.2
— change from Wave 1		0.08	-1.27	0.12	-1.11	0.11	-0.73	0.21	-1.36	0.12	-1.31	0.13	-0.97	0.1
Vitality — Wave 1	54.48	0.10	55.44	0.12	53.49	0.13	55.72	0.20	55.49	0.14	54.02	0.16	51.85	0.2
— change from Wave 1		0.10	-1.68	0.14	-1.98	0.13	-1.66	0.23	-1.71	0.15	-1.57	0.15	-2.73	0.2
Social functioning — Wave 1	52.48	0.07	53.02	0.08	51.92	0.10	53.22	0.17	53.26	0.11	52.17	0.13	50.54	0.1
— change from Wave 1	-0.53	0.08	-0.45	0.10	-0.61	0.11	-0.53	0.19	-0.52	0.12	-0.31	0.14	-0.95	0.2
Role-emotional — Wave 1	51.69 -1.95	0.08	52.31	0.10	51.04	0.10	52.34	0.17	52.66	0.10	51.41	0.14 0.14	49.28	0.2
— change from Wave 1 Mental health — Wave 1	52.75	0.09 0.09	-1.80 53.70	0.12 0.11	-2.12 51.77	0.12 0.12	-1.55 52.63	0.20 0.20	-1.80 52.77	0.14 0.13	-1.86 52.34	0.14	-2.85 53.56	0.2
— change from Wave 1	-0.46	0.09	-0.44	0.11	-0.48	0.12	-0.39	0.20	-0.70	0.15	-0.07	0.15	-0.66	0.2
Physical Component Summary (NBPCS)														
— Wave 1	51.23	0.11	51.69	0.12	50.76	0.12	54.87	0.12	53.80	0.11	50.10	0.17	44.02	0.2
— change from Wave 1		0.11	-0.59	0.12	-0.74	0.12	-0.11	0.12	-0.46	0.11	-1.05	0.17	-0.92	0.2
Mental Component Summary (NBMCS)	0.00	0.0.	0.00	0.00	· · ·	0.00]	0	00	00		v <u>-</u>	0.02	0.11
— Wave 1	53.02	0.08	53.82	0.09	52.18	0.10	52.49	0.18	52.96	0.12	52.89	0.13	53.83	0.18
		0.08	-1.18		-1.35		-1.27				-0.81		-1.80	

¹ Current drinker: 1 or more drinks in the past year.