



National Institute
on Alcohol Abuse
and Alcoholism

National Institute on Alcohol Abuse and Alcoholism
Division of Epidemiology and Prevention Research
Alcohol Epidemiologic Data System

SURVEILLANCE REPORT #119

APPARENT PER CAPITA ALCOHOL CONSUMPTION: NATIONAL, STATE, AND REGIONAL TRENDS, 1977–2020

Megan E. Slater, Ph.D.
Hillel R. Alpert, Sc.D.

CSR, Incorporated¹
Suite 220
22375 Broderick Drive
Sterling, VA 20166

April 2022

U.S. Department of Health and Human Services
Public Health Service
National Institutes of Health

¹ CSR, Incorporated, operates the Alcohol Epidemiologic Data System (AEDS) under Contract No. HHSN275201800004C for the National Institute on Alcohol Abuse and Alcoholism (NIAAA). Dr. Michael E. Hilton (Division of Epidemiology and Prevention Research) serves as the NIAAA Contracting Officer's Representative on the contract.

(Blank page)

HIGHLIGHTS

This surveillance report on 1977–2020 apparent per capita alcohol consumption in the United States is the 36th in a series of consumption reports produced annually by the National Institute on Alcohol Abuse and Alcoholism (NIAAA). Findings are based on alcoholic beverage sales data collected by the Alcohol Epidemiologic Data System (AEDS) from the States or from the National Alcohol Beverage Control Association and from various reports produced by beverage industry sources. Population data from the U.S. Census Bureau are used as denominators to calculate per capita rates.

The following are highlights from the current report, which updates consumption trends through 2020:

- Per capita consumption of ethanol from all alcoholic beverages combined in 2020 was 2.45 gallons, representing a 2.9 percent increase from 2.38 gallons in 2019. This was the largest single-year increase since 1968, when there was a 3.4 percent increase (2.37 gallons in 1967 to 2.45 gallons in 1968).
- Between 2019 and 2020, changes in overall per capita ethanol consumption included increases in 41 States and the District of Columbia, decreases in 4 States, and no changes in 5 States.
- Analysis of overall per capita alcohol consumption by U.S. Census region between 2019 and 2020 indicated increases of 1.6 percent in the Northeast, 4.2 percent in the Midwest, 3.5 percent in the South, and 2.0 percent in the West.
- *Healthy People 2020* set the national objective for per capita annual alcohol consumption at no more than 2.1 gallons. In 2020, the overall per capita annual alcohol consumption level was more than 10 percent above target (> 2.31 gallons) in 30 States and the District of Columbia, 10 percent or less above target (> 2.10–2.31 gallons) in 13 States, up to 10 percent below target (1.89–2.10 gallons) in 4 States, and more than 10 percent below target (< 1.89 gallons) in 3 States.

INTRODUCTION

This surveillance report on apparent per capita alcohol consumption in the United States is the 36th in a series of reports that examine alcohol consumption trends on a national, State, and regional basis. Like previous reports on per capita alcohol consumption, it is intended to provide updated alcohol information for policymakers, health care providers, researchers, and others concerned about alcohol issues.

Data presented in this report are related to one of the national objectives set in *Healthy People 2020* for alcohol consumption. Healthy People, a program initiated by the U.S. Department of Health and Human Services, establishes benchmarks to promote longer and higher-quality lives for Americans. The program's objective for alcohol consumption was to reduce the national per capita annual alcohol consumption level by 10 percent from the 2007

baseline value of 2.3 gallons per year to no more than 2.1 gallons per year by 2020 (U.S. Department of Health and Human Services 2012). According to NIAAA (2010), a “standard drink” in the United States contains 0.6 fluid ounces of ethanol. Thus, the target annual per capita consumption level of 2.1 gallons of ethanol equates to a person age 14 or older consuming approximately an average of 448 standard drinks in a year.

The current report updates the 1977–2019 alcohol consumption trends (Slater and Alpert 2021) with new data for 2020. Data are shown in four tables. Table 1 presents national data on trends in beer, wine, and spirits consumption as well as on all alcoholic beverages combined. Table 2 presents data on alcohol consumption for individual States for 2020. States also are ranked in deciles according to annual per capita ethanol consumption. Table 3 presents the alcoholic beverage sales and shipment data

sources for the volume data presented in Table 2. Table 4 presents data on consumption trends for each type of beverage and all beverages combined for the States as well as for the four regions defined by the U.S. Census Bureau: Northeast, Midwest, South, and West.

DATA

Alcohol Consumption Data

AEDS makes every effort to obtain alcoholic beverage sales data from all States and the District of Columbia. AEDS prefers sales data to production and shipments data from beverage industry sources because sales data more accurately reflect actual alcoholic beverage consumption levels. States provide sales data in the form of volume or tax revenue that AEDS converts to gallons by using State tax rates. For 2020, AEDS received beverage sales and/or tax receipts reports from 33 States. AEDS also received spirits and wine sales data for alcoholic beverage control States from the National Alcohol Beverage Control Association. When State data were unavailable or unusable, AEDS used shipment data from beverage industry sources (Beverage Information Group 2021*a, b, c*) as a supplementary data source (Table 3). National and regional consumption data were estimated based on the sum of corresponding State-level volumes in gallons. The mixed use of data from sales and shipments sources appears to have little effect on overall trends in per capita alcohol consumption (Campbell et al. 1994; Haughwout et al. 2015). Some of the consumption estimates reported in the current report may differ slightly from those published in the previous year due to updates and revisions based on data received after publication. The types of data sources AEDS used to obtain alcohol consumption data are listed for years 2001–2020 in this report’s data file (<https://pubs.niaaa.nih.gov/publications/surveillance.htm>).

Population Data

AEDS obtained State population estimates for people ages 14 and older from the Centers for Disease Control and Prevention’s WONDER online query system, which provides bridged-race population estimates produced by the U.S. Census Bureau in collaboration with the National Center for Health Statistics (U.S. Department of Health and Human Services 2021). These data are used as denominators to calculate the per capita consumption figures.

To make the trend data more precise, AEDS revises data published in previous reports when the Census Bureau revises its population estimates. This report updates the 2010–2019 population estimates using revised bridged-race estimates of the July 1 resident population from the Vintage 2020 postcensal series (U.S. Department of Health and Human Services 2021).

METHODS

Conversion of Ethanol Content

AEDS uses an estimate of average ethanol content in the alcoholic beverages to convert the gallons of sold or shipped beer, wine, and spirits into gallons of ethanol (pure alcohol) before calculating per capita consumption estimates. For data years 1977–2020, the alcohol by volume (ABV; i.e., proportion of ethanol for each beverage type) values are 0.045 for beer, 0.129 for wine, and 0.411 for spirits (Doernberg and Stinson 1985). Following the ethanol conversions, gallons of ethanol for beer, wine, and spirits are summed to gallons of ethanol for all beverages.

AEDS has considered changes in the alcoholic beverage market over time that may affect the fixed ABV estimates used in this report (Martinez et al. 2019). Although changes in the average net ethanol content across all beverages are minimal (i.e., correlations between per capita consumption estimates derived from fixed and time-varying ABVs are >0.98 and >0.94 for

national overall and beverage-specific estimates, respectively) and not large enough to alter the trends in overall per capita consumption (i.e., parallel trend lines since 1994 based on Joinpoint analysis), AEDS provides time-varying ABVs and corresponding gallons of ethanol in this report's data file for comparison purposes (<https://pubs.niaaa.nih.gov/publications/surveillance.htm>).

The Alcohol Research Group provides AEDS with time-varying ABVs annually and derives the estimates for each beverage type based on three data components: (1) market shares for subcategories within the beverage type (e.g., table wine and wine coolers within wine); (2) market shares for leading brands in each subcategory; and (3) ethanol contents of these leading brands. These calculations follow the methodology developed by Kerr et al. (2006a, b) and most recently reported by Martinez et al. (2019).

Population Denominator

In this report, AEDS uses the population of people ages 14 and older to calculate per capita consumption rates. Although age 14 is below the minimum legal age for purchasing alcoholic beverages throughout the United States, most self-report surveys indicate that many people drink alcoholic beverages at age 14. For example, data from the NIAAA 2012–2013 National Epidemiologic Survey on Alcohol and Related Conditions indicate that 9.56 percent of current drinkers ages 18 and older in the United States began drinking at age 14 or younger (Chen et al. 2016). Results from the Monitoring the Future survey in 2020 (Johnston et al. 2021) indicate that 20.5 percent of eighth graders (students ages 13 to 14) reported past-year use of alcohol (i.e., beyond a few sips). Also, using data from the National Survey on Drug Use and Health 2017–2019, Chen and Yoon (2021) found the median age of initiation of alcohol use among people ages 12 to 20 to be age 14.9. Nonetheless, per capita consumption estimates

for population ages 21 years and older are also provided in this report's data file (<https://pubs.niaaa.nih.gov/publications/surveillance.htm>).

Estimation of Per Capita Ethanol Consumption

Per capita ethanol consumption rates for each beverage type are calculated by multiplying national, State, or regional beverage volume by the corresponding ABV and dividing by the national, State, or regional population ages 14 and older. Per capita ethanol consumption of all beverages is calculated directly from the estimated gallons of ethanol for all beverages divided by the population.

Percentage change calculations in this report are based on the numbers presented in the tables, which are rounded to two decimal places.

Per capita ethanol consumption rates based on the alternative time-varying ABVs can be derived from this report's data file (<https://pubs.niaaa.nih.gov/publications/surveillance.htm>) by dividing gallons of ethanol consumed by the corresponding population of interest (i.e., ages 14 and older or ages 21 and older). For example, per capita consumption of ethanol from all alcoholic beverages combined in 2020 was 2.40 gallons (among ages 14 and older) using the time-varying ABVs.

Limitations

Readers familiar with survey reports and other scientific literature are accustomed to the presentation of significance tests, or confidence intervals, on any data comparisons or trends. However, because data presented in this report are based on total actual sales and/or shipments, AEDS does not provide measures of statistical significance. Nonetheless, it is important to note that these data are still only estimates and may be subject to reporting error and random fluctuation over time.

In addition to ABVs, many factors may result in inaccuracies of per capita alcohol consumption estimates. For instance, these estimates in some

States may be inflated by such factors as cross-border sales to buyers from neighboring States (e.g., in New Hampshire) or tourist consumption of alcohol (e.g., in Nevada and Washington, D.C.). Other factors include variation in State reporting practices for sales of alcoholic beverages; time delay between State taxation records and actual consumption; exclusion of alcohol contained in medications and foods; unrecorded legal home production; and illicit production, importation, and sales (Rehm et al. 2014). These factors are discussed in detail in the AEDS data reference manual on per capita alcohol consumption (Nephew et al. 2004). Note that the word *apparent* in this report's title is pertinent, because the estimates in this report are based on the reported volumes of alcoholic beverages released to the market for sale and not on actual measures of people's alcohol consumption.

REFERENCES

- Beverage Information Group. *Beer Handbook, 2021*. Norwalk, CT: Beverage Information Group, 2021a.
- Beverage Information Group. *Liquor Handbook, 2021*. Norwalk, CT: Beverage Information Group, 2021b.
- Beverage Information Group. *Wine Handbook, 2021*. Norwalk, CT: Beverage Information Group, 2021c.
- Campbell, K.E.; Clem, D.; and Williams, G.D. *Technical Report: 1986–91 Per Capita Ethanol Consumption Trends Using Beverage Industry Shipments Data Compared to Combined Sales/Tax Receipt and Shipments Data*. Washington, DC: NIAAA, 1994.
- Chen, C.M.; Slater, M.E.; Castle, I-J.P.; and Grant, B.F. *Alcohol Use and Alcohol Use Disorders in the United States: Main Findings from the 2012–2013 National Epidemiologic Survey on Alcohol and Related Conditions-III (NESARC-III)*. NIH Publication No. 16-AA-8020. U.S. Alcohol Epidemiologic Data Reference Manual, Vol. 10. Bethesda, MD: NIAAA, 2016.
- Chen, C.M., and Yoon, Y-H. *Surveillance Report #116: Trends in Underage Drinking in the United States, 1991–2019*. Bethesda, MD: NIAAA, 2021.
- Doernberg, D., and Stinson, F.S. *U.S. Apparent Consumption of Alcoholic Beverages Based on State Sales, Taxation, or Receipt Data* (U.S. Alcohol Epidemiologic Data Reference Manual, Vol. 1). Washington, DC: U.S. Government Printing Office, September 1985.
- Haughwout, S.P.; Castle, I-J.P.; and LaVallee, R.A. *Comparison of State Alcoholic Beverage Sales Data with Industry Shipment Data, 2001–2013: Apparent Per Capita Alcohol Consumption Surveillance Report Methodological Addendum*. Bethesda, MD: NIAAA, 2015. Available at: https://pubs.niaaa.nih.gov/publications/surveillance102/m_addendum.pdf.
- Hyman, M.; Zimmerman, M.; Gurioli, C.; and Helrich, A. *Drinkers, Drinking and Alcohol-Related Mortality and Hospitalizations: A Statistical Compendium, 1980 ed.* New Brunswick, NJ: Rutgers University, 1980.
- Johnston, L.D.; Miech, R.A.; O'Malley, P.M.; Bachman, J.G.; Schulenberg, J.E.; and Patrick, M.E. *Monitoring the Future National Survey Results on Drug Use, 1975-2020: Overview, Key Findings on Adolescent Drug Use*. Ann Arbor, MI: Institute for Social Research, University of Michigan, 2021.
- Kerr, W.C.; Greenfield, T.K.; Tujague, J.; and Brown, S.E. The alcohol content of wine consumed in the US and per capita consumption: New estimates reveal different trends. *Alcoholism: Clinical and Experimental Research* 30(3):516–522, 2006a.
- Kerr, W.C.; Greenfield, T.K.; and Tujague, J. Estimates of the mean alcohol concentration of the spirits, wine, and beer sold in the United States and per capita consumption: 1950 to 2002. *Alcoholism: Clinical and Experimental Research* 30(9):1583–1591, 2006b.
- Martinez, P.; Kerr, W.C.; Subbaraman, M.S.; and Roberts, S.C.M. New estimates of the mean alcohol content of beer, wine, and spirits sold in the United States show a greater increase in per capita alcohol consumption than previous estimates. *Alcoholism: Clinical and Experimental Research* 43(3):509–521, 2019.
- National Institute on Alcohol Abuse and Alcoholism. *Rethinking Drinking: Alcohol and Your Health*. NIH Publication No. 13-3770. Bethesda, MD: National Institutes of Health, 2010.
- Nephew, T.M.; Yi, H.; Williams, G.D.; Stinson, F.S.; and Dufour, M.C. *U.S. Apparent Consumption of Alcoholic Beverages Based on State Sales, Taxation, or Receipt Data* (U.S. Alcohol Epidemiologic Data Reference Manual, Vol. 1, 4th ed.). NIH Publication No. 04-5563. Bethesda, MD: NIAAA, 2004.
- Rehm, J.; Kailasapillai, S.; Larsen, E.; Rehm, M.X.; Samokhvalov, A.V.; Shield, K.D.; Roerecke, M.; and Lachenmeier, D.W. A systematic review of the epidemiology of unrecorded alcohol consumption and the chemical composition of unrecorded alcohol. *Addiction* 109:880–893, 2014.
- Slater, M.E., and Alpert, H.R. *Surveillance Report #117: Apparent Per Capita Alcohol Consumption: National, State, and Regional Trends, 1977–2019*. Bethesda, MD: NIAAA, 2021.
- U.S. Department of Health and Human Services, *Healthy People 2020*. Washington, DC: DHHS, 2012. Available at:

<https://www.healthypeople.gov/2020/topicsobjectives2020/objectiveslist.aspx?topicId=40>.

U.S. Department of Health and Human Services, Centers for Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS). *Bridged-Race Population Estimates, United States July 1st Resident Population by State, County, Age, Sex, Bridged-Race, and Hispanic Origin*. Compiled from 1990–1999 bridged-race intercensal population estimates (released by NCHS on 7/26/2004); revised bridged-race 2000–2009 intercensal population estimates (released by NCHS on 10/26/2012); and bridged-race Vintage 2020 (2010–2020) postcensal population estimates (released by NCHS on 9/22/2021). Available on CDC WONDER Online Database at: <https://wonder.cdc.gov/Bridged-Race-v2020.HTML>.

List of Figures

		Page
Figure 1	Total per capita ethanol consumption, United States, 1935–2020	7
Figure 2	Per capita ethanol consumption by beverage type, United States, 1977–2020 ..	7
Figure 3	Percentage change in per capita ethanol consumption, United States, 1977–2020	8
Figure 4	Total per capita consumption of gallons of ethanol by State, United States, 2020	9
Figure 5	Percentage change in total per capita ethanol consumption by State, United States, 2019–2020.....	9
Figure 6	Total per capita ethanol consumption by region, United States, 1977–2020	10
Figure 7	Per capita ethanol consumption from beer by region, United States, 1977–2020	10
Figure 8	Per capita ethanol consumption from wine by region, United States, 1977–2020	11
Figure 9	Per capita ethanol consumption from spirits by region, United States, 1977–2020	11

List of Tables

		Page
Table 1	Apparent per capita ethanol consumption, United States, 1850–2020	12
Table 2	Apparent alcohol consumption for States, census regions, and the United States, 2020	14
Table 3	Sources of alcoholic beverages sales and shipment data by State and beverage type, 2020.....	16
Table 4	Per capita ethanol consumption for States, census regions, and the United States, 1977–2020.....	18

Figure 1. Total per capita ethanol consumption, United States, 1935–2020




Figure 2. Per capita ethanol consumption by beverage type, United States, 1977–2020




Figure 3. Percentage change in per capita ethanol consumption, United States, 1977–2020




Figure 4. Total per capita consumption of gallons of ethanol by State, United States, 2020




Figure 5. Percentage change in total per capita ethanol consumption by State, United States, 2019–2020




Figure 6. Total per capita ethanol consumption by region, United States, 1977–2020




Figure 7. Per capita ethanol consumption from beer by region, United States, 1977–2020




Figure 8. Per capita ethanol consumption from wine by region, United States, 1977–2020




Figure 9. Per capita ethanol consumption from spirits by region, United States, 1977–2020




Table 1. Apparent per capita ethanol consumption, United States, 1850–2020. (Gallons of ethanol based on population ages 15 and older prior to 1970 and on population ages 14 and older thereafter.)

Year	Beer	Wine	Spirits	All beverages
2020.....	1.05	0.44	0.96	2.45
2019.....	1.05	0.43	0.89	2.38
2018.....	1.06	0.43	0.87	2.36
2017.....	1.07	0.43	0.85	2.35
2016.....	1.09	0.43	0.83	2.35
2015.....	1.09	0.42	0.81	2.33
2014.....	1.10	0.43	0.80	2.32
2013.....	1.12	0.42	0.79	2.33
2012.....	1.13	0.42	0.78	2.34
2011.....	1.12	0.41	0.76	2.29
2010.....	1.14	0.38	0.74	2.26
2009.....	1.17	0.38	0.73	2.29
2008.....	1.20	0.38	0.73	2.31
2007.....	1.21	0.38	0.72	2.31
2006.....	1.20	0.37	0.71	2.28
2005.....	1.20	0.36	0.70	2.25
2004.....	1.21	0.35	0.68	2.23
2003.....	1.21	0.34	0.67	2.22
2002.....	1.23	0.32	0.64	2.20
2001.....	1.23	0.31	0.64	2.18
2000.....	1.23	0.31	0.64	2.19
1999.....	1.23	0.31	0.63	2.17
1998.....	1.22	0.30	0.62	2.15
1997.....	1.22	0.30	0.62	2.15
1996.....	1.23	0.30	0.63	2.16
1995.....	1.24	0.29	0.63	2.15
1994.....	1.25	0.28	0.65	2.18
1993.....	1.26	0.28	0.68	2.23
1992.....	1.29	0.30	0.71	2.30
1991.....	1.29	0.30	0.71	2.30
1990.....	1.34	0.33	0.77	2.45
1989.....	1.32	0.34	0.78	2.43
1988.....	1.33	0.36	0.79	2.49
1987.....	1.34	0.38	0.83	2.55
1986.....	1.35	0.39	0.84	2.58
1985.....	1.33	0.38	0.91	2.62
1984.....	1.35	0.37	0.94	2.65
1983.....	1.37	0.36	0.96	2.69
1982.....	1.38	0.36	0.98	2.72
1981.....	1.39	0.35	1.02	2.76
1980.....	1.37	0.34	1.04	2.75
1979.....	1.34	0.31	1.04	2.70
1978.....	1.30	0.30	1.05	2.66
1977.....	1.27	0.29	1.04	2.60
1976.....	1.25	0.32	1.09	2.66
1975.....	1.25	0.32	1.10	2.67
1974.....	1.24	0.31	1.10	2.65
1973.....	1.20	0.31	1.10	2.60
1972.....	1.16	0.30	1.08	2.54
1971.....	1.15	0.31	1.12	2.58
1970.....	1.14	0.27	1.11	2.52
1969.....	1.12	0.26	1.13	2.51
1968.....	1.09	0.26	1.10	2.45
1967.....	1.07	0.25	1.05	2.37
1966.....	1.06	0.24	1.02	2.32

Numbers may not sum because of rounding.

Table 1. Apparent per capita ethanol consumption, United States, 1850–2020. (Gallons of ethanol, based on population ages 15 and older prior to 1970 and on population ages 14 and older thereafter.) (Continued)

Year	Beer	Wine	Spirits	All beverages
1965	1.04	0.24	0.99	2.27
1964	1.01	0.24	0.95	2.23
1963	1.01	0.23	0.91	2.15
1962	0.99	0.22	0.90	2.11
1961	0.97	0.23	0.86	2.06
1960	0.99	0.22	0.86	2.07
1959	1.00	0.22	0.84	2.06
1958	0.96	0.22	0.80	1.98
1957	0.97	0.22	0.80	1.99
1956	1.00	0.22	0.81	2.03
1955	1.01	0.22	0.77	2.00
1954	1.01	0.21	0.74	1.96
1953	1.04	0.20	0.77	2.01
1952	1.04	0.21	0.73	1.98
1951	1.03	0.20	0.78	2.01
1950	1.04	0.23	0.77	2.04
1949	1.06	0.22	0.70	1.98
1948	1.07	0.20	0.70	1.97
1947	1.11	0.16	0.76	2.03
1946	1.07	0.24	0.99	2.30
1945	1.17	0.20	0.88	2.25
1944	1.13	0.18	0.76	2.07
1943	1.00	0.17	0.66	1.83
1942	0.90	0.22	0.85	1.97
1941	0.81	0.18	0.71	1.70
1940	0.73	0.16	0.67	1.56
1939	0.75	0.14	0.62	1.51
1938	0.75	0.13	0.59	1.47
1937	0.82	0.13	0.64	1.59
1936	0.79	0.12	0.59	1.50
1935	0.68	0.09	0.43	1.20
1934	0.61	0.07	0.29	0.97
(Prohibition)				
1916–1919	1.08	0.12	0.76	1.96
1911–1915	1.48	0.14	0.94	2.56
1906–1910	1.47	0.17	0.96	2.60
1901–1905	1.31	0.13	0.95	2.39
1896–1900	1.19	0.10	0.77	2.06
1891–1895	1.17	0.11	0.95	2.23
1881–1890	0.90	0.14	0.95	1.99
1871–1880	0.56	0.14	1.02	1.72
1870	0.44	0.10	1.53	2.07
1860	0.27	0.10	2.16	2.53
1850	0.14	0.08	1.88	2.10

Numbers may not sum because of rounding.

Note: Data prior to 1977 are from Hyman et al. 1980.

Table 2. Apparent alcohol consumption for States, census regions, and the United States, 2020. (Volume and ethanol in thousands of gallons, per capita ethanol consumption in gallons, based on population ages 14 and older.)

State or other geographic area	Beer			Wine			Spirits			All beverages		
	Volume	Ethanol	Per capita	Volume	Ethanol	Per capita	Volume	Ethanol	Per capita	Ethanol	Per capita	U.S. decile
Alabama	94,426	4,249	1.04	8,028	1,036	0.25	7,821	3,214	0.79	8,499	2.08	9
Alaska	13,407	603	1.02	2,349	303	0.51	1,857	763	1.29	1,669	2.83	3
Arizona	143,902	6,476	1.05	17,984	2,320	0.38	12,170	5,002	0.81	13,798	2.24	8
Arkansas	50,293	2,263	0.91	5,087	656	0.26	4,542	1,867	0.75	4,786	1.92	10
California	772,179	34,748	1.07	156,032	20,128	0.62	75,177	30,898	0.95	85,774	2.63	4
Colorado.....	122,097	5,494	1.13	19,139	2,469	0.51	15,646	6,431	1.33	14,394	2.97	2
Connecticut	53,109	2,390	0.79	13,976	1,803	0.60	8,171	3,358	1.11	7,551	2.50	5
Delaware	20,649	929	1.12	4,929	636	0.77	4,279	1,759	2.12	3,324	4.01	1
Dist. of Columb.	14,384	647	1.07	4,725	610	1.01	2,511	1,032	1.71	2,289	3.79	1
Florida	424,050	19,082	1.03	80,742	10,416	0.56	51,086	20,996	1.14	50,494	2.74	3
Georgia	181,939	8,187	0.93	16,909	2,181	0.25	15,545	6,389	0.73	16,758	1.91	10
Hawaii	33,418	1,504	1.28	5,472	706	0.60	2,347	965	0.82	3,174	2.71	3
Idaho	27,497	1,237	0.83	3,646	470	0.32	3,402	1,398	0.94	3,106	2.10	9
Illinois	243,430	10,954	1.05	38,510	4,968	0.47	22,838	9,386	0.90	25,309	2.42	6
Indiana	115,914	5,216	0.94	14,437	1,862	0.34	14,339	5,893	1.06	12,972	2.34	6
Iowa.....	72,716	3,272	1.26	4,740	611	0.23	6,379	2,622	1.01	6,505	2.50	5
Kansas	57,031	2,566	1.08	2,652	342	0.14	5,200	2,137	0.90	5,046	2.12	9
Kentucky	74,641	3,359	0.91	6,885	888	0.24	8,812	3,622	0.98	7,869	2.12	8
Louisiana.....	104,811	4,716	1.24	10,034	1,294	0.34	9,304	3,824	1.01	9,835	2.59	5
Maine	35,278	1,588	1.37	3,979	513	0.44	3,353	1,378	1.19	3,479	2.99	2
Maryland	86,438	3,890	0.77	15,686	2,024	0.40	11,880	4,883	0.97	10,796	2.15	8
Massachusetts	110,949	4,993	0.85	28,049	3,618	0.62	16,499	6,781	1.15	15,392	2.62	5
Michigan	185,712	8,357	1.00	27,369	3,531	0.42	22,384	9,200	1.10	21,088	2.53	5
Minnesota.....	115,045	5,177	1.11	16,004	2,065	0.44	14,661	6,026	1.30	13,267	2.85	3
Mississippi.....	64,542	2,904	1.19	4,058	523	0.22	5,810	2,388	0.98	5,816	2.39	6
Missouri.....	122,913	5,531	1.09	15,372	1,983	0.39	14,906	6,126	1.20	13,640	2.68	4
Montana	33,306	1,499	1.66	3,746	483	0.54	2,481	1,020	1.13	3,002	3.32	1
Nebraska.....	41,540	1,869	1.19	2,623	338	0.22	2,900	1,192	0.76	3,399	2.17	8
Nevada.....	76,167	3,428	1.32	11,854	1,529	0.59	9,599	3,945	1.52	8,902	3.43	1
New Hampshire	49,290	2,218	1.89	7,680	991	0.84	6,021	2,475	2.10	5,683	4.83	1

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 2. Apparent alcohol consumption for States, census regions, and the United States, 2020. (Volume and ethanol in thousands of gallons, per capita ethanol consumption in gallons, based on population ages 14 and older.) (Continued)

State or other geographic area	Beer			Wine			Spirits			All beverages		
	Volume	Ethanol	Per capita	Volume	Ethanol	Per capita	Volume	Ethanol	Per capita	Ethanol	Per capita	U.S. decile
New Jersey	134,415	6,049	0.82	34,850	4,496	0.61	21,724	8,928	1.21	19,473	2.63	4
New Mexico	46,500	2,093	1.20	4,166	537	0.31	3,374	1,387	0.79	4,017	2.30	7
New York	302,357	13,606	0.84	63,613	8,206	0.51	34,658	14,245	0.88	36,057	2.22	8
North Carolina ..	207,703	9,347	1.06	32,307	4,168	0.47	16,763	6,889	0.78	20,404	2.31	7
North Dakota ...	20,404	918	1.48	1,596	206	0.33	2,181	896	1.44	2,020	3.26	2
Ohio	238,669	10,740	1.11	23,495	3,031	0.31	16,716	6,870	0.71	20,641	2.12	9
Oklahoma	70,804	3,186	0.98	4,788	618	0.19	5,363	2,204	0.68	6,008	1.85	10
Oregon	89,615	4,033	1.13	15,048	1,941	0.54	9,042	3,716	1.04	9,690	2.71	4
Pennsylvania ...	318,928	14,352	1.33	26,581	3,429	0.32	17,668	7,262	0.67	25,042	2.32	6
Rhode Island ...	16,530	744	0.82	3,862	498	0.55	2,924	1,202	1.33	2,444	2.71	4
South Carolina	102,424	4,609	1.06	8,245	1,064	0.24	8,641	3,551	0.82	9,224	2.12	9
South Dakota ..	21,421	964	1.34	1,226	158	0.22	1,372	564	0.78	1,686	2.34	6
Tennessee	123,862	5,574	0.97	15,513	2,001	0.35	13,624	5,599	0.98	13,174	2.30	7
Texas	653,240	29,396	1.25	64,370	8,304	0.35	46,815	19,241	0.81	56,941	2.41	6
Utah	30,752	1,384	0.55	3,868	499	0.20	3,799	1,561	0.62	3,444	1.36	10
Vermont	19,437	875	1.63	3,155	407	0.76	1,090	448	0.83	1,730	3.22	2
Virginia	152,627	6,868	0.96	29,145	3,760	0.53	13,646	5,608	0.78	16,236	2.27	7
Washington	125,364	5,641	0.88	25,056	3,232	0.51	13,510	5,552	0.87	14,426	2.26	7
West Virginia ...	38,409	1,728	1.14	1,271	164	0.11	2,079	855	0.57	2,747	1.82	10
Wisconsin	137,609	6,192	1.27	15,736	2,030	0.42	16,869	6,933	1.42	15,155	3.11	2
Wyoming	12,800	576	1.20	1,233	159	0.33	1,646	676	1.41	1,411	2.94	3
<i>Regions</i>												
Northeast	1,040,292	46,813	0.99	185,745	23,961	0.51	112,108	46,076	0.98	116,850	2.48	
Midwest	1,372,404	61,758	1.09	163,760	21,125	0.37	140,744	57,846	1.02	140,729	2.49	
South	2,465,241	110,936	1.06	312,721	40,341	0.39	228,521	93,922	0.90	245,199	2.34	
West	1,527,003	68,715	1.06	269,593	34,778	0.53	154,050	63,315	0.97	166,807	2.56	
U.S. total	6,404,940	288,222	1.05	931,819	120,205	0.44	635,423	261,159	0.96	669,586	2.45	

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 3. Sources of alcoholic beverage sales or shipment data by State and beverage type, 2020.

State	Beer	Wine	Spirits
Alabama	Industry	Industry	State ⁵
Alaska.....	State ¹	State ¹	State ¹
Arizona	Industry	Industry	Industry
Arkansas	State ²	State ²	State ²
California	Industry	Industry	Industry
Colorado.....	State ¹	State ¹	State ¹
Connecticut	State ¹	State ¹	State ¹
Delaware	State ¹	State ¹	State ¹
Dist. of Columbia	Industry	Industry	Industry
Florida	State ¹	State ¹	State ¹
Georgia.....	Industry	Industry	Industry
Hawaii.....	Industry	Industry	Industry
Idaho	Industry	Industry	State ⁵
Illinois	State ¹	State ¹	State ¹
Indiana.....	State ¹	State ¹	State ¹
Iowa.....	State ³	State ³	State ³
Kansas	State ²	Industry	State ²
Kentucky.....	State ²	State ²	State ²
Louisiana	Industry	State ¹	State ¹
Maine.....	Industry	Industry	State ⁵
Maryland.....	State ¹	State ³	State ³
Massachusetts	State ¹	State ¹	State ¹
Michigan	State ¹	State ³	State ⁵
Minnesota.....	State ¹	State ¹	State ¹
Mississippi.....	Industry	State ⁵	State ⁵
Missouri.....	State ²	State ²	State ²
Montana	State ¹	State ¹	State ³
Nebraska	Industry	Industry	Industry
Nevada	Industry	Industry	Industry
New Hampshire.....	Industry	State ³	State ³
New Jersey.....	State ³	State ³	State ³
New Mexico.....	Industry	Industry	Industry
New York.....	State ²	State ²	State ²
North Carolina	State ²	State ²	State ⁵
North Dakota	State ¹	State ¹	State ¹

Table 3. Sources of alcoholic beverage sales or shipment data by State and beverage type, 2020. (Continued)

State	Beer	Wine	Spirits
Ohio.....	Industry	Industry	State ⁵
Oklahoma.....	Industry	Industry	Industry
Oregon.....	State ¹	State ¹	State ⁵
Pennsylvania.....	Industry	State ³	State ³
Rhode Island.....	State ¹	State ¹	State ¹
South Carolina.....	Industry	Industry	Industry
South Dakota.....	Industry	Industry	Industry
Tennessee.....	State ²	State ²	State ²
Texas.....	State ¹	State ¹	State ¹
Utah.....	Industry	State ¹	State ¹
Vermont.....	Industry	Industry	State ⁵
Virginia.....	State ¹	State ¹	State ¹
Washington.....	Industry	Industry	State ³
West Virginia.....	Industry	Industry	State ⁵
Wisconsin.....	Industry	State ¹	State ¹
Wyoming.....	State ¹	State ⁵	State ⁵

Note: Industry shipment data are from the reports produced by the Beverage Information Group (2021a, b, c). State data are from each State's department of revenue, department of taxation, or alcoholic beverage commission, or the National Alcohol Beverage Control Association (NABCA).

¹ State monthly sales volume data.

² State monthly sales tax data.

³ State annual sales volume data.

⁴ State annual sales tax data.

⁵ NABCA annual sales volume data.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
Alabama					
2020.....	1.04	0.25	0.79	2.08	9
2019.....	1.02	0.26	0.71	1.99	9
2018.....	1.04	0.26	0.69	1.99	9
2017.....	1.07	0.26	0.67	1.99	9
2016.....	1.09	0.26	0.65	2.01	9
2015.....	1.11	0.26	0.64	2.01	9
2014.....	1.13	0.25	0.62	1.99	9
2013.....	1.14	0.25	0.60	1.99	9
2012.....	1.16	0.24	0.60	2.00	9
2011.....	1.16	0.24	0.59	1.98	9
2010.....	1.17	0.23	0.58	1.98	9
2009.....	1.19	0.22	0.57	1.98	9
2008.....	1.22	0.22	0.57	2.01	9
2007.....	1.23	0.22	0.55	2.00	9
2006.....	1.21	0.21	0.54	1.95	9
2005.....	1.18	0.20	0.53	1.91	9
2004.....	1.19	0.20	0.52	1.91	9
2003.....	1.19	0.19	0.52	1.90	9
2002.....	1.18	0.21	0.54	1.92	9
2001.....	1.16	0.17	0.53	1.86	9
2000.....	1.19	0.18	0.51	1.88	9
1999.....	1.18	0.17	0.51	1.87	9
1998.....	1.16	0.17	0.51	1.85	9
1997.....	1.14	0.16	0.52	1.82	9
1996.....	1.17	0.18	0.53	1.88	8
1995.....	1.14	0.16	0.53	1.82	9
1994.....	1.16	0.17	0.54	1.87	9
1993.....	1.14	0.17	0.56	1.86	9
1992.....	1.02	0.19	0.59	1.79	10
1991.....	1.00	0.17	0.59	1.76	10
1990.....	1.12	0.18	0.61	1.92	9
1989.....	1.12	0.17	0.61	1.90	9
1988.....	1.12	0.19	0.62	1.92	9
1987.....	1.11	0.18	0.62	1.91	9
1986.....	1.10	0.18	0.65	1.92	9
1985.....	1.07	0.17	0.67	1.92	9
1984.....	1.03	0.19	0.69	1.91	9
1983.....	1.01	0.17	0.72	1.90	10
1982.....	1.00	0.18	0.72	1.90	10
1981.....	1.00	0.19	0.73	1.91	10
1980.....	0.95	0.16	0.74	1.86	10
1979.....	0.96	0.12	0.82	1.90	10
1978.....	0.95	0.12	0.85	1.92	9
1977.....	0.97	0.12	0.82	1.92	9
Alaska					
2020.....	1.02	0.51	1.29	2.83	3
2019.....	1.07	0.53	1.27	2.87	2
2018.....	1.07	0.53	1.25	2.85	2
2017.....	1.06	0.53	1.21	2.79	3
2016.....	1.15	0.56	1.23	2.94	2
2015.....	1.11	0.53	1.20	2.84	2
2014.....	1.11	0.52	1.16	2.79	2
2013.....	1.07	0.52	1.16	2.75	3

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2012.....	1.17	0.53	1.13	2.83	2
2011.....	1.15	0.54	1.17	2.86	2
2010.....	1.23	0.55	1.25	3.03	1
2009.....	1.32	0.54	1.16	3.02	1
2008.....	1.20	0.49	1.09	2.78	2
2007.....	1.13	0.44	0.96	2.53	4
2006.....	1.25	0.47	1.03	2.75	2
2005.....	1.23	0.43	0.98	2.64	2
2004.....	1.31	0.44	0.95	2.71	2
2003.....	1.27	0.37	0.79	2.43	4
2002.....	1.35	0.45	1.19	2.99	1
2001.....	1.32	0.38	0.96	2.67	2
2000.....	1.37	0.37	0.94	2.68	2
1999.....	1.40	0.38	0.95	2.74	1
1998.....	1.39	0.37	0.95	2.71	2
1997.....	1.31	0.36	0.88	2.56	2
1996.....	1.31	0.38	0.94	2.63	2
1995.....	1.45	0.39	1.02	2.86	1
1994.....	1.53	0.40	1.10	3.03	1
1993.....	1.31	0.32	0.92	2.55	2
1992.....	1.53	0.41	1.08	3.02	1
1991.....	1.54	0.43	1.14	3.11	1
1990.....	1.62	0.46	1.25	3.33	1
1989.....	1.52	0.44	1.19	3.15	1
1988.....	1.54	0.47	1.19	3.21	1
1987.....	1.60	0.52	1.26	3.38	1
1986.....	1.65	0.55	1.25	3.45	1
1985.....	1.63	0.56	1.48	3.68	1
1984.....	1.67	0.56	1.50	3.72	1
1983.....	1.71	0.59	1.65	3.95	1
1982.....	1.69	0.54	1.68	3.92	1
1981.....	1.68	0.56	1.79	4.02	1
1980.....	1.54	0.50	1.68	3.72	1
1979.....	1.48	0.46	1.63	3.58	1
1978.....	1.39	0.45	1.67	3.51	1
1977.....	1.19	0.42	1.69	3.30	2
Arizona					
2020.....	1.05	0.38	0.81	2.24	8
2019.....	1.06	0.38	0.80	2.24	6
2018.....	1.08	0.39	0.80	2.26	6
2017.....	1.11	0.39	0.79	2.30	6
2016.....	1.14	0.40	0.79	2.32	6
2015.....	1.16	0.40	0.79	2.35	6
2014.....	1.18	0.40	0.79	2.37	5
2013.....	1.12	0.42	0.81	2.35	5
2012.....	1.14	0.45	0.84	2.43	5
2011.....	1.15	0.44	0.80	2.39	5
2010.....	1.23	0.41	0.76	2.39	5
2009.....	1.22	0.39	0.77	2.38	5
2008.....	1.30	0.41	0.77	2.48	4
2007.....	1.39	0.34	0.78	2.51	4
2006.....	1.34	0.38	0.79	2.51	4
2005.....	1.35	0.40	0.76	2.51	3
2004.....	1.40	0.34	0.71	2.44	4

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2003.....	1.41	0.37	0.71	2.49	3
2002.....	1.46	0.33	0.69	2.48	3
2001.....	1.47	0.33	0.70	2.50	3
2000.....	1.48	0.31	0.71	2.50	3
1999.....	1.47	0.34	0.69	2.51	2
1998.....	1.44	0.33	0.68	2.45	2
1997.....	1.45	0.31	0.68	2.44	2
1996.....	1.52	0.33	0.73	2.58	2
1995.....	1.47	0.29	0.68	2.44	3
1994.....	1.52	0.29	0.70	2.50	2
1993.....	1.58	0.27	0.76	2.62	2
1992.....	1.58	0.31	0.80	2.69	2
1991.....	1.58	0.35	0.78	2.71	2
1990.....	1.59	0.37	0.80	2.77	3
1989.....	1.63	0.35	0.83	2.81	2
1988.....	1.60	0.41	0.86	2.87	2
1987.....	1.64	0.45	0.84	2.93	2
1986.....	1.74	0.45	0.90	3.09	2
1985.....	1.66	0.45	0.99	3.11	2
1984.....	1.55	0.44	1.05	3.04	3
1983.....	1.60	0.43	0.99	3.02	3
1982.....	1.71	0.39	0.98	3.07	3
1981.....	1.76	0.42	1.00	3.18	3
1980.....	1.68	0.36	0.97	3.01	4
1979.....	1.71	0.36	1.07	3.15	3
1978.....	1.66	0.35	1.03	3.04	3
1977.....	1.60	0.32	0.99	2.92	3
Arkansas					
2020.....	0.91	0.26	0.75	1.92	10
2019.....	0.87	0.24	0.70	1.81	10
2018.....	0.90	0.23	0.64	1.78	10
2017.....	0.92	0.23	0.67	1.82	10
2016.....	0.93	0.22	0.65	1.80	10
2015.....	0.97	0.22	0.65	1.83	10
2014.....	0.96	0.21	0.62	1.79	10
2013.....	1.00	0.20	0.60	1.80	10
2012.....	1.00	0.20	0.60	1.80	10
2011.....	0.97	0.18	0.56	1.72	10
2010.....	1.02	0.19	0.57	1.77	10
2009.....	1.03	0.17	0.57	1.78	10
2008.....	1.05	0.17	0.55	1.77	10
2007.....	1.02	0.15	0.51	1.69	10
2006.....	1.05	0.16	0.54	1.75	10
2005.....	1.03	0.15	0.50	1.67	10
2004.....	1.04	0.15	0.49	1.68	10
2003.....	1.06	0.14	0.56	1.77	10
2002.....	1.09	0.14	0.53	1.75	10
2001.....	1.08	0.13	0.53	1.74	10
2000.....	1.09	0.12	0.53	1.74	10
1999.....	1.09	0.12	0.54	1.75	10
1998.....	1.10	0.11	0.51	1.73	10
1997.....	1.07	0.12	0.52	1.71	10
1996.....	1.07	0.12	0.53	1.72	10
1995.....	1.06	0.11	0.51	1.68	10

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1994.....	1.06	0.13	0.46	1.65	10
1993.....	1.10	0.11	0.58	1.79	9
1992.....	1.13	0.12	0.65	1.90	9
1991.....	1.12	0.11	0.58	1.81	9
1990.....	1.12	0.13	0.61	1.86	9
1989.....	1.10	0.13	0.58	1.82	9
1988.....	1.09	0.14	0.54	1.78	10
1987.....	1.09	0.11	0.53	1.74	10
1986.....	1.08	0.09	0.49	1.65	10
1985.....	1.04	0.13	0.59	1.77	10
1984.....	1.03	0.12	0.64	1.80	10
1983.....	1.03	0.13	0.63	1.79	10
1982.....	1.03	0.12	0.63	1.78	10
1981.....	1.06	0.12	0.68	1.86	10
1980.....	1.00	0.12	0.68	1.81	10
1979.....	0.90	0.09	0.55	1.54	10
1978.....	0.95	0.11	0.71	1.76	10
1977.....	0.89	0.10	0.61	1.61	10
California					
2020.....	1.07	0.62	0.95	2.63	4
2019.....	1.05	0.61	0.90	2.56	4
2018.....	1.03	0.61	0.88	2.52	4
2017.....	0.95	0.58	0.79	2.32	6
2016.....	0.96	0.60	0.78	2.34	6
2015.....	1.00	0.53	0.75	2.28	6
2014.....	1.00	0.60	0.73	2.33	6
2013.....	0.98	0.61	0.75	2.34	6
2012.....	0.99	0.63	0.74	2.36	6
2011.....	0.95	0.58	0.72	2.25	7
2010.....	0.97	0.49	0.71	2.16	8
2009.....	1.01	0.57	0.70	2.28	6
2008.....	1.05	0.55	0.70	2.30	6
2007.....	1.06	0.54	0.70	2.30	6
2006.....	1.02	0.56	0.70	2.29	6
2005.....	1.03	0.54	0.69	2.26	6
2004.....	1.07	0.52	0.67	2.25	6
2003.....	1.07	0.51	0.65	2.23	6
2002.....	1.08	0.49	0.64	2.21	6
2001.....	1.09	0.48	0.63	2.20	6
2000.....	1.12	0.48	0.64	2.24	5
1999.....	1.12	0.48	0.62	2.22	6
1998.....	1.11	0.49	0.61	2.21	6
1997.....	1.14	0.52	0.62	2.28	5
1996.....	1.13	0.50	0.64	2.27	5
1995.....	1.15	0.46	0.63	2.24	5
1994.....	1.09	0.47	0.68	2.24	5
1993.....	1.17	0.48	0.69	2.35	4
1992.....	1.28	0.51	0.75	2.54	3
1991.....	1.22	0.49	0.75	2.46	4
1990.....	1.32	0.59	0.87	2.78	2
1989.....	1.29	0.60	0.85	2.75	3
1988.....	1.32	0.67	0.88	2.86	3
1987.....	1.35	0.73	0.92	3.00	2
1986.....	1.35	0.78	0.95	3.08	2

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1985.....	1.32	0.78	1.02	3.11	2
1984.....	1.37	0.73	1.06	3.16	2
1983.....	1.36	0.74	1.10	3.21	2
1982.....	1.37	0.72	1.13	3.22	3
1981.....	1.43	0.72	1.20	3.35	2
1980.....	1.41	0.71	1.24	3.36	2
1979.....	1.39	0.68	1.25	3.32	2
1978.....	1.33	0.67	1.29	3.28	2
1977.....	1.29	0.65	1.25	3.19	2
Colorado					
2020.....	1.13	0.51	1.33	2.97	2
2019.....	1.17	0.47	1.14	2.78	3
2018.....	1.14	0.52	1.22	2.88	2
2017.....	1.14	0.51	1.19	2.84	3
2016.....	1.14	0.51	1.16	2.81	3
2015.....	1.12	0.51	1.14	2.77	3
2014.....	1.14	0.51	1.11	2.77	3
2013.....	1.20	0.50	1.11	2.81	2
2012.....	1.15	0.52	1.08	2.76	3
2011.....	1.20	0.49	1.04	2.72	3
2010.....	1.22	0.48	1.01	2.71	2
2009.....	1.23	0.46	1.01	2.70	3
2008.....	1.28	0.47	1.02	2.77	3
2007.....	1.30	0.47	1.01	2.78	2
2006.....	1.29	0.45	0.98	2.72	2
2005.....	1.31	0.42	0.99	2.72	2
2004.....	1.30	0.43	0.95	2.68	2
2003.....	1.33	0.40	0.87	2.60	2
2002.....	1.35	0.39	0.90	2.64	2
2001.....	1.42	0.41	0.96	2.78	1
2000.....	1.35	0.37	0.89	2.60	2
1999.....	1.33	0.37	0.75	2.45	3
1998.....	1.33	0.37	0.83	2.53	2
1997.....	1.30	0.37	0.81	2.48	2
1996.....	1.36	0.37	0.84	2.57	2
1995.....	1.34	0.35	0.78	2.47	2
1994.....	1.36	0.35	0.84	2.55	2
1993.....	1.40	0.36	0.86	2.63	2
1992.....	1.34	0.36	0.81	2.52	3
1991.....	1.39	0.35	0.87	2.61	3
1990.....	1.35	0.29	0.75	2.39	6
1989.....	1.42	0.38	0.85	2.64	3
1988.....	1.44	0.40	0.92	2.76	3
1987.....	1.45	0.45	0.94	2.84	3
1986.....	1.49	0.47	0.95	2.90	3
1985.....	1.48	0.50	1.18	3.17	2
1984.....	1.51	0.46	1.12	3.10	2
1983.....	1.57	0.46	1.12	3.15	3
1982.....	1.63	0.46	1.17	3.26	2
1981.....	1.62	0.44	1.26	3.32	2
1980.....	1.56	0.46	1.31	3.33	2
1979.....	1.63	0.46	1.33	3.42	2
1978.....	1.60	0.46	1.39	3.46	2
1977.....	1.40	0.36	1.19	2.95	3

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
Connecticut					
2020.....	0.79	0.60	1.11	2.50	5
2019.....	0.81	0.60	1.07	2.47	5
2018.....	0.80	0.60	1.01	2.40	5
2017.....	0.82	0.60	0.98	2.41	5
2016.....	0.85	0.62	0.98	2.44	5
2015.....	0.85	0.61	0.95	2.41	5
2014.....	0.84	0.60	0.92	2.36	6
2013.....	0.85	0.61	0.91	2.37	5
2012.....	0.86	0.61	0.91	2.38	5
2011.....	0.86	0.62	0.88	2.35	5
2010.....	0.88	0.60	0.87	2.35	5
2009.....	0.88	0.59	0.85	2.31	6
2008.....	0.93	0.58	0.85	2.36	6
2007.....	0.92	0.57	0.84	2.33	6
2006.....	0.93	0.56	0.81	2.30	6
2005.....	0.90	0.54	0.79	2.23	6
2004.....	0.93	0.53	0.79	2.25	6
2003.....	0.93	0.52	0.78	2.23	6
2002.....	0.95	0.50	0.75	2.21	6
2001.....	0.95	0.50	0.74	2.19	6
2000.....	0.94	0.49	0.74	2.18	6
1999.....	0.94	0.49	0.75	2.18	6
1998.....	0.96	0.49	0.76	2.21	5
1997.....	0.95	0.48	0.74	2.17	6
1996.....	0.91	0.46	0.72	2.09	7
1995.....	0.96	0.46	0.78	2.20	5
1994.....	0.99	0.43	0.78	2.20	6
1993.....	0.96	0.44	0.80	2.20	6
1992.....	1.01	0.45	0.83	2.30	6
1991.....	1.03	0.43	0.84	2.29	6
1990.....	1.09	0.45	0.92	2.46	6
1989.....	1.07	0.46	0.96	2.50	4
1988.....	1.12	0.50	1.05	2.67	4
1987.....	1.14	0.51	1.10	2.75	3
1986.....	1.11	0.51	1.14	2.76	4
1985.....	1.12	0.50	1.19	2.81	4
1984.....	1.10	0.49	1.19	2.78	5
1983.....	1.10	0.49	1.22	2.80	5
1982.....	1.04	0.49	1.21	2.74	6
1981.....	1.05	0.44	1.18	2.67	6
1980.....	1.06	0.43	1.20	2.69	6
1979.....	1.14	0.40	1.21	2.76	5
1978.....	1.09	0.38	1.21	2.69	6
1977.....	1.06	0.35	1.23	2.64	6
Delaware					
2020.....	1.12	0.77	2.12	4.01	1
2019.....	1.11	0.71	1.61	3.43	1
2018.....	1.11	0.72	1.70	3.53	1
2017.....	1.15	0.72	1.75	3.62	1
2016.....	1.20	0.73	1.80	3.73	1
2015.....	1.18	0.72	1.75	3.66	1
2014.....	1.21	0.72	1.67	3.60	1
2013.....	1.25	0.72	1.63	3.60	1

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2012.....	1.32	0.70	1.58	3.59	1
2011.....	1.34	0.69	1.52	3.55	1
2010.....	1.36	0.66	1.36	3.38	1
2009.....	1.32	0.65	1.34	3.31	1
2008.....	1.35	0.57	1.23	3.15	1
2007.....	1.38	0.59	1.23	3.19	1
2006.....	1.41	0.59	1.26	3.26	1
2005.....	1.42	0.58	1.24	3.25	1
2004.....	1.42	0.57	1.28	3.27	1
2003.....	1.38	0.57	1.18	3.12	1
2002.....	1.39	0.52	1.10	3.01	1
2001.....	1.39	0.49	1.07	2.94	1
2000.....	1.36	0.48	1.05	2.89	1
1999.....	1.40	0.48	1.03	2.90	1
1998.....	1.41	0.47	1.03	2.91	1
1997.....	1.37	0.46	0.99	2.81	1
1996.....	1.39	0.45	0.94	2.78	1
1995.....	1.30	0.40	0.92	2.62	2
1994.....	1.43	0.38	0.95	2.76	1
1993.....	1.46	0.35	0.95	2.76	1
1992.....	1.40	0.36	0.97	2.73	2
1991.....	1.40	0.35	0.95	2.70	2
1990.....	1.44	0.37	1.14	2.95	2
1989.....	1.43	0.39	1.15	2.96	2
1988.....	1.46	0.41	1.21	3.08	1
1987.....	1.46	0.43	1.23	3.12	2
1986.....	1.46	0.45	1.25	3.16	2
1985.....	1.48	0.41	1.31	3.20	2
1984.....	1.52	0.39	1.29	3.20	2
1983.....	1.55	0.35	1.35	3.25	2
1982.....	1.54	0.34	1.38	3.26	2
1981.....	1.52	0.33	1.40	3.24	3
1980.....	1.44	0.29	1.37	3.11	3
1979.....	1.35	0.26	1.31	2.92	4
1978.....	1.31	0.24	1.30	2.85	4
1977.....	1.30	0.23	1.33	2.86	4
District of Columbia					
2020.....	1.07	1.01	1.71	3.79	1
2019.....	1.07	1.01	1.68	3.75	1
2018.....	1.07	1.01	1.68	3.76	1
2017.....	1.10	1.02	1.68	3.80	1
2016.....	1.12	1.02	1.69	3.83	1
2015.....	1.13	1.01	1.67	3.81	1
2014.....	1.15	1.00	1.66	3.81	1
2013.....	1.16	1.01	1.66	3.83	1
2012.....	1.18	1.01	1.65	3.84	1
2011.....	1.19	1.01	1.62	3.83	1
2010.....	1.22	1.00	1.61	3.83	1
2009.....	1.26	1.00	1.62	3.88	1
2008.....	1.35	1.01	1.64	4.00	1
2007.....	1.37	1.00	1.63	4.00	1
2006.....	1.38	0.96	1.60	3.94	1
2005.....	1.40	0.93	1.56	3.90	1
2004.....	1.38	0.91	1.52	3.80	1

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2003.....	1.38	0.88	1.51	3.76	1
2002.....	1.36	0.83	1.47	3.66	1
2001.....	1.36	0.79	1.46	3.61	1
2000.....	1.39	0.81	1.45	3.65	1
1999.....	1.38	0.78	1.36	3.52	1
1998.....	1.37	0.78	1.57	3.73	1
1997.....	1.42	0.80	1.61	3.83	1
1996.....	1.33	0.86	1.47	3.67	1
1995.....	1.49	0.77	1.52	3.78	1
1994.....	1.50	0.74	1.52	3.76	1
1993.....	1.51	0.73	1.54	3.78	1
1992.....	1.61	0.70	1.74	4.05	1
1991.....	1.42	0.61	1.85	3.89	1
1990.....	1.42	0.76	1.96	4.14	1
1989.....	1.39	0.82	1.72	3.92	1
1988.....	1.38	0.93	1.90	4.22	1
1987.....	1.41	0.95	2.26	4.62	1
1986.....	1.45	1.00	2.09	4.54	1
1985.....	1.44	1.00	2.35	4.80	1
1984.....	1.51	1.07	2.59	5.17	1
1983.....	1.51	1.05	2.71	5.27	1
1982.....	1.46	0.99	2.88	5.33	1
1981.....	1.48	1.05	2.89	5.42	1
1980.....	1.49	0.99	2.94	5.41	1
1979.....	1.42	0.96	2.92	5.30	1
1978.....	1.38	0.91	3.04	5.33	1
1977.....	1.35	0.86	3.16	5.37	1
Florida					
2020.....	1.03	0.56	1.14	2.74	3
2019.....	1.05	0.56	1.09	2.70	3
2018.....	1.05	0.56	1.05	2.66	3
2017.....	1.07	0.56	1.04	2.67	4
2016.....	1.09	0.56	1.03	2.69	3
2015.....	1.11	0.54	0.98	2.64	4
2014.....	1.10	0.54	0.98	2.62	4
2013.....	1.28	0.51	0.96	2.75	3
2012.....	1.26	0.53	0.96	2.75	3
2011.....	1.13	0.51	0.93	2.57	4
2010.....	1.12	0.49	0.91	2.53	4
2009.....	1.19	0.48	0.91	2.58	4
2008.....	1.24	0.48	0.89	2.61	3
2007.....	1.28	0.48	0.92	2.68	3
2006.....	1.32	0.47	0.91	2.70	3
2005.....	1.33	0.46	0.91	2.70	2
2004.....	1.34	0.46	0.88	2.68	2
2003.....	1.31	0.44	0.86	2.61	2
2002.....	1.32	0.43	0.84	2.58	2
2001.....	1.32	0.40	0.82	2.54	2
2000.....	1.32	0.41	0.83	2.56	2
1999.....	1.33	0.40	0.80	2.53	2
1998.....	1.33	0.38	0.79	2.50	2
1997.....	1.36	0.37	0.80	2.53	2
1996.....	1.36	0.37	0.81	2.54	2
1995.....	1.34	0.35	0.82	2.50	2

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1994.....	1.40	0.33	0.87	2.60	2
1993.....	1.44	0.33	0.92	2.68	2
1992.....	1.45	0.34	0.96	2.75	1
1991.....	1.43	0.34	0.92	2.69	2
1990.....	1.54	0.39	1.04	2.96	2
1989.....	1.51	0.39	1.00	2.89	2
1988.....	1.50	0.41	1.00	2.91	2
1987.....	1.50	0.42	1.03	2.95	2
1986.....	1.50	0.41	1.05	2.96	2
1985.....	1.47	0.41	1.16	3.04	3
1984.....	1.46	0.40	1.23	3.09	2
1983.....	1.55	0.39	1.22	3.16	2
1982.....	1.54	0.40	1.32	3.26	2
1981.....	1.54	0.39	1.37	3.30	3
1980.....	1.40	0.37	1.41	3.18	3
1979.....	1.38	0.34	1.41	3.14	3
1978.....	1.34	0.32	1.40	3.07	3
1977.....	1.27	0.31	1.40	2.99	3
Georgia					
2020.....	0.93	0.25	0.73	1.91	10
2019.....	0.94	0.25	0.71	1.90	10
2018.....	0.95	0.25	0.71	1.91	10
2017.....	0.98	0.25	0.71	1.93	10
2016.....	1.01	0.25	0.70	1.96	9
2015.....	1.01	0.25	0.69	1.95	9
2014.....	1.02	0.25	0.69	1.97	9
2013.....	1.03	0.25	0.69	1.98	9
2012.....	1.06	0.25	0.68	1.99	9
2011.....	1.06	0.25	0.67	1.98	9
2010.....	1.08	0.25	0.65	1.98	9
2009.....	1.11	0.25	0.65	2.01	9
2008.....	1.16	0.25	0.65	2.06	8
2007.....	1.19	0.26	0.65	2.10	8
2006.....	1.19	0.26	0.65	2.10	8
2005.....	1.17	0.26	0.64	2.07	8
2004.....	1.19	0.27	0.65	2.11	7
2003.....	1.20	0.26	0.66	2.13	7
2002.....	1.21	0.26	0.66	2.13	7
2001.....	1.20	0.25	0.65	2.11	7
2000.....	1.21	0.25	0.69	2.16	7
1999.....	1.23	0.25	0.70	2.18	6
1998.....	1.22	0.23	0.70	2.15	6
1997.....	1.20	0.23	0.70	2.13	6
1996.....	1.24	0.24	0.71	2.18	6
1995.....	1.21	0.21	0.70	2.12	6
1994.....	1.17	0.21	0.77	2.14	7
1993.....	1.23	0.20	0.77	2.20	6
1992.....	1.22	0.21	0.79	2.23	7
1991.....	1.16	0.22	0.78	2.17	7
1990.....	1.22	0.23	0.86	2.31	7
1989.....	1.18	0.24	0.94	2.36	6
1988.....	1.21	0.26	0.92	2.39	7
1987.....	1.21	0.27	1.00	2.48	6
1986.....	1.21	0.27	0.94	2.43	7

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1985.....	1.17	0.25	1.01	2.44	7
1984.....	1.18	0.24	1.06	2.48	7
1983.....	1.14	0.22	1.06	2.42	7
1982.....	1.12	0.21	1.04	2.36	8
1981.....	1.10	0.18	1.09	2.38	8
1980.....	1.06	0.19	1.08	2.33	8
1979.....	1.11	0.18	1.16	2.44	7
1978.....	1.09	0.18	1.21	2.48	7
1977.....	1.03	0.15	1.19	2.37	7
Hawaii					
2020.....	1.28	0.60	0.82	2.71	3
2019.....	1.29	0.59	0.80	2.68	4
2018.....	1.28	0.59	0.79	2.66	4
2017.....	1.29	0.58	0.79	2.65	4
2016.....	1.29	0.57	0.78	2.64	4
2015.....	1.28	0.56	0.77	2.61	4
2014.....	1.27	0.54	0.77	2.59	4
2013.....	1.25	0.54	0.76	2.56	4
2012.....	1.25	0.53	0.75	2.53	4
2011.....	1.25	0.53	0.73	2.51	4
2010.....	1.25	0.52	0.71	2.48	4
2009.....	1.27	0.51	0.71	2.49	4
2008.....	1.33	0.51	0.72	2.56	4
2007.....	1.30	0.48	0.77	2.55	4
2006.....	1.28	0.47	0.77	2.52	4
2005.....	1.30	0.45	0.72	2.47	4
2004.....	1.38	0.43	0.70	2.50	3
2003.....	1.30	0.42	0.66	2.38	5
2002.....	1.27	0.39	0.62	2.28	5
2001.....	1.30	0.38	0.60	2.28	5
2000.....	1.33	0.39	0.60	2.32	4
1999.....	1.31	0.39	0.56	2.26	5
1998.....	1.32	0.37	0.54	2.22	5
1997.....	1.38	0.40	0.56	2.33	4
1996.....	1.40	0.36	0.58	2.34	3
1995.....	1.41	0.34	0.57	2.32	4
1994.....	1.46	0.38	0.62	2.46	3
1993.....	1.49	0.37	0.65	2.51	3
1992.....	1.55	0.39	0.69	2.63	2
1991.....	1.57	0.40	0.70	2.67	2
1990.....	1.64	0.40	0.79	2.84	2
1989.....	1.56	0.43	0.80	2.79	2
1988.....	1.64	0.45	0.80	2.89	2
1987.....	1.59	0.41	0.77	2.76	3
1986.....	1.61	0.44	0.86	2.91	3
1985.....	1.61	0.42	0.88	2.91	3
1984.....	1.66	0.41	0.92	2.99	3
1983.....	1.89	0.44	1.13	3.45	1
1982.....	1.80	0.48	1.14	3.41	1
1981.....	1.74	0.44	1.16	3.34	2
1980.....	1.64	0.46	1.20	3.30	2
1979.....	1.51	0.42	1.21	3.14	3
1978.....	1.33	0.44	1.25	3.02	3
1977.....	1.55	0.35	1.21	3.11	2

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
Idaho					
2020.....	0.83	0.32	0.94	2.10	9
2019.....	0.87	0.32	0.85	2.04	9
2018.....	0.90	0.33	0.83	2.07	9
2017.....	0.94	0.34	0.82	2.10	9
2016.....	0.99	0.35	0.81	2.15	8
2015.....	1.04	0.35	0.79	2.17	7
2014.....	1.05	0.34	0.77	2.16	8
2013.....	1.08	0.34	0.77	2.20	8
2012.....	1.09	0.34	0.77	2.20	8
2011.....	1.10	0.34	0.73	2.18	8
2010.....	1.12	0.34	0.72	2.17	7
2009.....	1.16	0.33	0.70	2.19	7
2008.....	1.17	0.34	0.69	2.19	7
2007.....	1.15	0.34	0.67	2.16	8
2006.....	1.14	0.34	0.65	2.13	7
2005.....	1.13	0.34	0.61	2.07	8
2004.....	1.17	0.34	0.57	2.08	8
2003.....	1.18	0.34	0.55	2.07	7
2002.....	1.17	0.34	0.53	2.05	8
2001.....	1.17	0.33	0.53	2.03	7
2000.....	1.15	0.35	0.52	2.02	7
1999.....	1.17	0.34	0.52	2.03	7
1998.....	1.15	0.33	0.51	1.99	7
1997.....	1.11	0.32	0.52	1.95	8
1996.....	1.13	0.30	0.52	1.96	8
1995.....	1.18	0.30	0.54	2.01	7
1994.....	1.24	0.35	0.53	2.12	7
1993.....	1.26	0.29	0.55	2.11	7
1992.....	1.32	0.31	0.57	2.20	7
1991.....	1.31	0.32	0.56	2.19	7
1990.....	1.36	0.33	0.58	2.27	7
1989.....	1.27	0.31	0.57	2.16	8
1988.....	1.28	0.37	0.59	2.24	7
1987.....	1.33	0.39	0.59	2.31	7
1986.....	1.36	0.39	0.62	2.37	7
1985.....	1.36	0.36	0.71	2.43	7
1984.....	1.41	0.31	0.72	2.45	7
1983.....	1.45	0.30	0.77	2.52	7
1982.....	1.45	0.30	0.81	2.57	7
1981.....	1.54	0.33	0.83	2.69	6
1980.....	1.53	0.30	0.77	2.59	7
1979.....	1.51	0.27	0.82	2.60	6
1978.....	1.46	0.25	0.78	2.50	7
1977.....	1.47	0.22	0.78	2.47	7
Illinois					
2020.....	1.05	0.47	0.90	2.42	6
2019.....	1.07	0.46	0.88	2.41	5
2018.....	1.08	0.45	0.85	2.39	5
2017.....	1.10	0.45	0.83	2.38	5
2016.....	1.12	0.43	0.77	2.32	6
2015.....	1.13	0.43	0.80	2.36	5
2014.....	1.12	0.42	0.78	2.32	6
2013.....	1.13	0.42	0.77	2.33	6

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2012.....	1.15	0.43	0.77	2.35	6
2011.....	1.19	0.41	0.75	2.35	6
2010.....	1.22	0.40	0.74	2.35	5
2009.....	1.24	0.39	0.73	2.36	5
2008.....	1.23	0.38	0.74	2.34	6
2007.....	1.24	0.41	0.74	2.38	5
2006.....	1.24	0.37	0.74	2.35	5
2005.....	1.23	0.34	0.71	2.29	6
2004.....	1.24	0.32	0.67	2.22	6
2003.....	1.26	0.35	0.74	2.36	5
2002.....	1.28	0.33	0.65	2.26	5
2001.....	1.27	0.32	0.68	2.28	5
2000.....	1.28	0.32	0.63	2.24	6
1999.....	1.29	0.33	0.66	2.27	5
1998.....	1.27	0.34	0.64	2.25	4
1997.....	1.26	0.35	0.65	2.26	5
1996.....	1.27	0.35	0.68	2.30	4
1995.....	1.30	0.33	0.66	2.29	4
1994.....	1.32	0.34	0.69	2.35	4
1993.....	1.32	0.34	0.72	2.38	4
1992.....	1.34	0.35	0.74	2.43	4
1991.....	1.38	0.34	0.76	2.48	4
1990.....	1.43	0.36	0.82	2.62	4
1989.....	1.42	0.36	0.85	2.63	3
1988.....	1.45	0.38	0.87	2.70	3
1987.....	1.43	0.39	0.88	2.71	4
1986.....	1.42	0.39	0.91	2.72	5
1985.....	1.39	0.38	0.99	2.76	5
1984.....	1.41	0.37	1.02	2.80	4
1983.....	1.43	0.35	1.03	2.82	4
1982.....	1.42	0.35	1.07	2.84	5
1981.....	1.44	0.35	1.12	2.91	5
1980.....	1.42	0.33	1.23	2.99	4
1979.....	1.42	0.32	1.15	2.89	4
1978.....	1.35	0.31	1.17	2.83	4
1977.....	1.32	0.30	1.20	2.82	4
Indiana					
2020.....	0.94	0.34	1.06	2.34	6
2019.....	0.96	0.30	0.94	2.20	7
2018.....	0.96	0.29	0.89	2.15	8
2017.....	0.97	0.29	0.85	2.11	8
2016.....	0.98	0.29	0.89	2.17	8
2015.....	0.98	0.28	0.88	2.14	8
2014.....	0.98	0.27	0.80	2.05	8
2013.....	1.00	0.28	0.81	2.09	8
2012.....	1.02	0.28	0.79	2.08	8
2011.....	1.02	0.27	0.73	2.02	8
2010.....	1.03	0.26	0.74	2.03	8
2009.....	1.08	0.25	0.72	2.05	8
2008.....	1.10	0.24	0.73	2.08	8
2007.....	1.13	0.24	0.72	2.09	8
2006.....	1.09	0.25	0.66	2.00	9
2005.....	1.11	0.22	0.68	2.01	8
2004.....	1.14	0.22	0.65	2.01	8

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2003.....	1.11	0.21	0.64	1.96	9
2002.....	1.13	0.20	0.60	1.93	9
2001.....	1.15	0.19	0.62	1.96	8
2000.....	1.16	0.20	0.61	1.98	8
1999.....	1.16	0.19	0.59	1.94	8
1998.....	1.14	0.19	0.58	1.91	8
1997.....	1.09	0.18	0.59	1.85	8
1996.....	1.09	0.20	0.57	1.86	9
1995.....	1.14	0.20	0.58	1.92	8
1994.....	1.15	0.20	0.59	1.94	8
1993.....	1.15	0.19	0.64	1.98	8
1992.....	1.16	0.20	0.58	1.95	9
1991.....	1.22	0.19	0.60	2.00	9
1990.....	1.26	0.20	0.63	2.09	8
1989.....	1.23	0.20	0.64	2.07	8
1988.....	1.25	0.21	0.67	2.13	8
1987.....	1.26	0.23	0.67	2.16	8
1986.....	1.26	0.23	0.67	2.17	8
1985.....	1.26	0.22	0.73	2.20	8
1984.....	1.27	0.21	0.73	2.21	8
1983.....	1.28	0.19	0.73	2.20	8
1982.....	1.29	0.19	0.76	2.24	8
1981.....	1.29	0.18	0.78	2.24	8
1980.....	1.26	0.17	0.77	2.21	8
1979.....	1.21	0.15	0.78	2.15	8
1978.....	1.18	0.15	0.78	2.12	8
1977.....	1.13	0.14	0.77	2.03	8
Iowa					
2020.....	1.26	0.23	1.01	2.50	5
2019.....	1.24	0.23	0.92	2.38	6
2018.....	1.25	0.23	0.90	2.37	5
2017.....	1.26	0.23	0.87	2.36	5
2016.....	1.30	0.23	0.87	2.40	5
2015.....	1.31	0.22	0.83	2.36	5
2014.....	1.34	0.21	0.81	2.37	5
2013.....	1.33	0.22	0.79	2.34	6
2012.....	1.36	0.23	0.81	2.40	5
2011.....	1.38	0.21	0.77	2.36	5
2010.....	1.39	0.18	0.73	2.30	6
2009.....	1.42	0.18	0.72	2.31	6
2008.....	1.43	0.17	0.70	2.30	6
2007.....	1.41	0.17	0.67	2.25	7
2006.....	1.39	0.16	0.65	2.20	7
2005.....	1.40	0.16	0.61	2.16	7
2004.....	1.39	0.16	0.57	2.12	7
2003.....	1.38	0.15	0.54	2.07	8
2002.....	1.38	0.14	0.51	2.04	8
2001.....	1.36	0.13	0.50	1.99	8
2000.....	1.35	0.13	0.50	1.98	8
1999.....	1.34	0.13	0.48	1.95	8
1998.....	1.31	0.12	0.46	1.90	8
1997.....	1.28	0.12	0.45	1.85	9
1996.....	1.28	0.12	0.45	1.85	9
1995.....	1.26	0.11	0.44	1.80	9

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1994.....	1.30	0.10	0.44	1.84	9
1993.....	1.28	0.11	0.48	1.87	9
1992.....	1.31	0.13	0.46	1.90	9
1991.....	1.32	0.16	0.52	2.01	8
1990.....	1.34	0.18	0.54	2.06	9
1989.....	1.30	0.19	0.52	2.01	9
1988.....	1.32	0.20	0.53	2.06	9
1987.....	1.34	0.22	0.59	2.14	8
1986.....	1.35	0.20	0.54	2.09	9
1985.....	1.33	0.14	0.58	2.06	9
1984.....	1.39	0.12	0.62	2.13	9
1983.....	1.40	0.13	0.65	2.18	8
1982.....	1.40	0.13	0.65	2.19	8
1981.....	1.44	0.13	0.69	2.26	8
1980.....	1.41	0.13	0.71	2.25	8
1979.....	1.40	0.11	0.71	2.22	8
1978.....	1.38	0.11	0.74	2.23	8
1977.....	1.33	0.10	0.74	2.17	8
Kansas					
2020.....	1.08	0.14	0.90	2.12	9
2019.....	1.02	0.14	0.82	1.98	9
2018.....	0.98	0.14	0.79	1.92	9
2017.....	1.03	0.14	0.80	1.97	9
2016.....	1.02	0.14	0.75	1.92	10
2015.....	1.03	0.14	0.74	1.91	10
2014.....	1.03	0.14	0.75	1.92	9
2013.....	0.99	0.14	0.76	1.88	10
2012.....	1.09	0.14	0.72	1.95	9
2011.....	1.07	0.14	0.69	1.90	10
2010.....	1.13	0.14	0.68	1.95	9
2009.....	1.18	0.14	0.67	1.99	9
2008.....	1.22	0.14	0.65	2.01	9
2007.....	1.17	0.15	0.64	1.96	9
2006.....	1.14	0.18	0.61	1.94	9
2005.....	1.14	0.18	0.57	1.89	9
2004.....	1.14	0.16	0.56	1.86	9
2003.....	1.16	0.17	0.56	1.89	10
2002.....	1.19	0.15	0.54	1.88	9
2001.....	1.12	0.15	0.53	1.80	9
2000.....	1.13	0.15	0.53	1.82	9
1999.....	1.12	0.15	0.54	1.81	9
1998.....	1.08	0.13	0.54	1.76	9
1997.....	1.08	0.12	0.48	1.67	10
1996.....	1.04	0.12	0.49	1.65	10
1995.....	1.04	0.12	0.50	1.66	10
1994.....	1.12	0.13	0.48	1.73	10
1993.....	1.09	0.14	0.52	1.75	10
1992.....	1.09	0.14	0.55	1.78	10
1991.....	1.15	0.14	0.57	1.85	9
1990.....	1.13	0.13	0.53	1.79	10
1989.....	1.13	0.13	0.55	1.81	10
1988.....	1.13	0.22	0.57	1.92	9
1987.....	1.14	0.17	0.57	1.88	9
1986.....	1.14	0.17	0.60	1.91	9

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1985.....	1.18	0.15	0.64	1.97	9
1984.....	1.19	0.14	0.63	1.96	9
1983.....	1.20	0.13	0.64	1.97	9
1982.....	1.22	0.13	0.67	2.03	9
1981.....	1.23	0.12	0.70	2.05	9
1980.....	1.22	0.11	0.61	1.95	9
1979.....	1.19	0.12	0.74	2.04	9
1978.....	1.15	0.12	0.65	1.91	10
1977.....	1.14	0.10	0.65	1.90	10
Kentucky					
2020.....	0.91	0.24	0.98	2.12	8
2019.....	0.88	0.23	0.91	2.02	9
2018.....	0.93	0.22	0.81	1.96	9
2017.....	0.94	0.21	0.82	1.97	9
2016.....	0.96	0.22	0.79	1.98	9
2015.....	0.99	0.22	0.76	1.97	9
2014.....	0.94	0.21	0.72	1.87	10
2013.....	0.95	0.20	0.70	1.85	10
2012.....	0.97	0.20	0.70	1.87	10
2011.....	0.94	0.19	0.66	1.79	10
2010.....	1.00	0.18	0.66	1.83	10
2009.....	1.02	0.18	0.65	1.85	10
2008.....	1.03	0.17	0.65	1.85	10
2007.....	1.04	0.17	0.63	1.85	10
2006.....	1.04	0.17	0.62	1.82	10
2005.....	1.04	0.14	0.61	1.80	10
2004.....	1.07	0.17	0.57	1.81	10
2003.....	1.03	0.15	0.57	1.75	10
2002.....	1.08	0.14	0.54	1.77	10
2001.....	1.04	0.12	0.46	1.63	10
2000.....	1.07	0.14	0.53	1.74	10
1999.....	1.07	0.13	0.54	1.74	10
1998.....	1.08	0.13	0.53	1.74	10
1997.....	1.07	0.13	0.53	1.72	9
1996.....	1.09	0.13	0.54	1.76	9
1995.....	1.06	0.11	0.54	1.71	9
1994.....	1.08	0.11	0.55	1.73	10
1993.....	1.08	0.10	0.55	1.73	10
1992.....	1.04	0.11	0.56	1.71	10
1991.....	1.11	0.11	0.56	1.78	10
1990.....	1.12	0.11	0.60	1.83	10
1989.....	1.09	0.12	0.57	1.79	10
1988.....	1.10	0.12	0.60	1.82	10
1987.....	1.04	0.14	0.60	1.78	10
1986.....	1.10	0.14	0.63	1.86	10
1985.....	1.08	0.14	0.66	1.88	10
1984.....	1.06	0.13	0.68	1.87	10
1983.....	1.13	0.12	0.70	1.95	9
1982.....	1.14	0.12	0.72	1.99	9
1981.....	1.13	0.10	0.75	1.99	9
1980.....	1.08	0.10	0.73	1.91	10
1979.....	1.07	0.09	0.75	1.91	9
1978.....	1.04	0.09	0.75	1.88	10
1977.....	1.16	0.09	0.73	1.98	9

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
Louisiana					
2020.....	1.24	0.34	1.01	2.59	5
2019.....	1.22	0.33	1.01	2.56	4
2018.....	1.23	0.34	0.99	2.55	4
2017.....	1.24	0.34	1.00	2.57	4
2016.....	1.25	0.34	1.00	2.59	4
2015.....	1.27	0.33	0.98	2.59	4
2014.....	1.30	0.33	0.95	2.59	4
2013.....	1.34	0.32	0.93	2.58	4
2012.....	1.38	0.32	0.90	2.59	4
2011.....	1.39	0.30	0.88	2.57	3
2010.....	1.42	0.28	0.84	2.55	3
2009.....	1.50	0.28	0.85	2.63	3
2008.....	1.55	0.26	0.83	2.64	3
2007.....	1.57	0.27	0.81	2.66	3
2006.....	1.59	0.25	0.78	2.63	3
2005.....	1.47	0.24	0.71	2.41	4
2004.....	1.38	0.26	0.73	2.36	5
2003.....	1.41	0.25	0.72	2.38	4
2002.....	1.32	0.24	0.70	2.26	5
2001.....	1.49	0.23	0.69	2.41	3
2000.....	1.51	0.22	0.70	2.44	3
1999.....	1.52	0.24	0.69	2.45	3
1998.....	1.48	0.23	0.70	2.40	3
1997.....	1.51	0.23	0.71	2.44	2
1996.....	1.52	0.22	0.72	2.46	2
1995.....	1.51	0.21	0.73	2.46	2
1994.....	1.45	0.21	0.73	2.39	3
1993.....	1.53	0.21	0.72	2.47	3
1992.....	1.55	0.22	0.74	2.51	3
1991.....	1.52	0.21	0.73	2.46	4
1990.....	1.53	0.23	0.78	2.54	5
1989.....	1.47	0.24	0.74	2.45	6
1988.....	1.49	0.24	0.71	2.44	6
1987.....	1.40	0.25	0.77	2.41	7
1986.....	1.42	0.26	0.79	2.47	6
1985.....	1.37	0.28	0.87	2.52	6
1984.....	1.42	0.29	0.95	2.66	6
1983.....	1.44	0.31	1.03	2.77	5
1982.....	1.49	0.30	1.00	2.78	5
1981.....	1.49	0.28	1.02	2.79	6
1980.....	1.40	0.27	1.03	2.70	6
1979.....	1.32	0.25	1.04	2.61	6
1978.....	1.32	0.25	1.04	2.60	6
1977.....	1.27	0.25	1.00	2.51	6
Maine					
2020.....	1.37	0.44	1.19	2.99	2
2019.....	1.35	0.44	1.11	2.90	2
2018.....	1.33	0.44	1.07	2.85	3
2017.....	1.35	0.44	1.05	2.85	2
2016.....	1.36	0.44	1.01	2.81	3
2015.....	1.37	0.44	0.97	2.78	3
2014.....	1.36	0.42	0.93	2.70	3

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2013.....	1.36	0.42	0.91	2.69	3
2012.....	1.34	0.42	0.89	2.65	4
2011.....	1.31	0.42	0.87	2.60	3
2010.....	1.30	0.42	0.84	2.56	3
2009.....	1.31	0.42	0.82	2.55	4
2008.....	1.33	0.42	0.81	2.56	4
2007.....	1.35	0.42	0.80	2.57	4
2006.....	1.34	0.42	0.78	2.54	4
2005.....	1.34	0.41	0.77	2.52	3
2004.....	1.26	0.41	0.76	2.44	4
2003.....	1.25	0.40	0.74	2.39	4
2002.....	1.23	0.40	0.70	2.33	4
2001.....	1.21	0.37	0.70	2.28	5
2000.....	1.17	0.38	0.68	2.23	6
1999.....	1.16	0.36	0.69	2.21	6
1998.....	1.14	0.33	0.69	2.17	6
1997.....	1.16	0.32	0.68	2.16	6
1996.....	1.21	0.32	0.69	2.22	5
1995.....	1.14	0.28	0.70	2.12	6
1994.....	1.13	0.27	0.77	2.18	6
1993.....	1.15	0.29	0.79	2.22	6
1992.....	1.16	0.29	0.78	2.23	6
1991.....	1.18	0.30	0.77	2.25	6
1990.....	1.21	0.31	0.82	2.34	6
1989.....	1.26	0.34	0.86	2.46	6
1988.....	1.29	0.36	0.91	2.55	5
1987.....	1.27	0.38	0.91	2.56	5
1986.....	1.29	0.36	0.92	2.57	6
1985.....	1.29	0.33	0.94	2.56	6
1984.....	1.25	0.31	1.02	2.57	6
1983.....	1.32	0.29	1.03	2.64	6
1982.....	1.30	0.30	1.02	2.62	6
1981.....	1.24	0.28	1.05	2.57	7
1980.....	1.32	0.28	1.06	2.66	6
1979.....	1.27	0.27	1.05	2.59	6
1978.....	1.28	0.26	1.03	2.57	6
1977.....	1.35	0.23	1.02	2.60	6
Maryland					
2020.....	0.77	0.40	0.97	2.15	8
2019.....	0.74	0.38	0.90	2.03	9
2018.....	0.78	0.39	0.92	2.08	8
2017.....	0.82	0.40	0.92	2.14	8
2016.....	0.83	0.40	0.92	2.16	8
2015.....	0.85	0.39	0.90	2.14	8
2014.....	0.86	0.39	0.90	2.15	8
2013.....	0.89	0.39	0.90	2.18	8
2012.....	0.91	0.39	0.90	2.21	7
2011.....	0.92	0.39	0.89	2.19	7
2010.....	0.94	0.38	0.89	2.21	7
2009.....	0.96	0.36	0.86	2.19	8
2008.....	0.99	0.36	0.84	2.19	8
2007.....	1.01	0.36	0.84	2.20	7
2006.....	1.01	0.34	0.83	2.18	7
2005.....	1.02	0.34	0.81	2.16	7

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2004.....	1.03	0.33	0.79	2.15	7
2003.....	1.03	0.32	0.77	2.12	7
2002.....	1.06	0.31	0.76	2.12	7
2001.....	1.06	0.30	0.75	2.11	7
2000.....	1.04	0.30	0.75	2.09	7
1999.....	1.04	0.30	0.74	2.08	7
1998.....	1.05	0.30	0.73	2.08	7
1997.....	1.08	0.29	0.73	2.11	7
1996.....	1.05	0.29	0.74	2.08	7
1995.....	1.07	0.28	0.74	2.09	7
1994.....	1.09	0.28	0.78	2.15	6
1993.....	1.10	0.28	0.80	2.19	7
1992.....	1.11	0.29	0.86	2.26	6
1991.....	1.15	0.30	0.89	2.33	6
1990.....	1.22	0.33	0.96	2.51	5
1989.....	1.20	0.34	0.97	2.52	4
1988.....	1.24	0.36	1.00	2.60	4
1987.....	1.28	0.38	1.06	2.71	4
1986.....	1.28	0.38	1.07	2.73	4
1985.....	1.30	0.36	1.14	2.80	4
1984.....	1.31	0.36	1.17	2.84	4
1983.....	1.34	0.35	1.20	2.89	4
1982.....	1.27	0.32	1.16	2.76	5
1981.....	1.39	0.34	1.33	3.06	4
1980.....	1.41	0.33	1.35	3.08	4
1979.....	1.43	0.31	1.39	3.13	3
1978.....	1.40	0.31	1.38	3.09	3
1977.....	1.36	0.30	1.38	3.05	3
Massachusetts					
2020.....	0.85	0.62	1.15	2.62	5
2019.....	0.91	0.61	1.04	2.56	4
2018.....	0.91	0.64	1.01	2.56	4
2017.....	0.95	0.66	0.97	2.58	4
2016.....	0.95	0.65	0.97	2.56	4
2015.....	0.96	0.65	0.91	2.52	4
2014.....	0.98	0.66	0.91	2.54	4
2013.....	1.00	0.66	0.89	2.55	4
2012.....	1.03	0.65	0.88	2.56	4
2011.....	1.02	0.64	0.88	2.54	4
2010.....	1.04	0.62	0.84	2.50	4
2009.....	1.03	0.62	0.85	2.49	4
2008.....	1.08	0.62	0.84	2.54	4
2007.....	1.11	0.62	0.87	2.59	4
2006.....	1.10	0.61	0.85	2.56	3
2005.....	1.07	0.59	0.85	2.51	3
2004.....	1.10	0.58	0.84	2.52	3
2003.....	1.10	0.56	0.82	2.49	3
2002.....	1.13	0.54	0.80	2.47	3
2001.....	1.13	0.52	0.79	2.44	3
2000.....	1.16	0.51	0.87	2.55	2
1999.....	1.09	0.51	0.79	2.39	4
1998.....	1.14	0.50	0.75	2.39	3
1997.....	1.13	0.49	0.76	2.39	3
1996.....	1.11	0.48	0.77	2.35	3

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1995.....	1.13	0.44	0.78	2.35	3
1994.....	1.14	0.44	0.80	2.38	3
1993.....	1.14	0.44	0.80	2.38	4
1992.....	1.12	0.44	0.82	2.38	5
1991.....	1.19	0.43	0.87	2.49	3
1990.....	1.22	0.45	0.97	2.63	3
1989.....	1.24	0.46	1.00	2.70	3
1988.....	1.27	0.49	1.05	2.81	3
1987.....	1.27	0.50	1.11	2.88	3
1986.....	1.29	0.52	1.11	2.92	3
1985.....	1.28	0.50	1.19	2.97	3
1984.....	1.29	0.50	1.23	3.02	3
1983.....	1.36	0.49	1.20	3.05	3
1982.....	1.35	0.50	1.22	3.07	3
1981.....	1.44	0.49	1.24	3.17	3
1980.....	1.46	0.45	1.26	3.18	3
1979.....	1.40	0.43	1.24	3.07	3
1978.....	1.38	0.41	1.26	3.05	3
1977.....	1.35	0.37	1.25	2.97	3
Michigan					
2020.....	1.00	0.42	1.10	2.53	5
2019.....	1.00	0.40	0.99	2.38	6
2018.....	1.00	0.40	0.96	2.37	6
2017.....	1.01	0.40	0.93	2.34	6
2016.....	1.03	0.39	0.91	2.34	6
2015.....	0.99	0.36	0.89	2.24	7
2014.....	1.05	0.39	0.88	2.32	6
2013.....	1.01	0.37	0.85	2.23	7
2012.....	1.08	0.35	0.84	2.27	7
2011.....	1.07	0.35	0.83	2.25	7
2010.....	1.09	0.33	0.81	2.23	7
2009.....	1.11	0.32	0.80	2.23	7
2008.....	1.13	0.30	0.79	2.22	7
2007.....	1.13	0.30	0.77	2.19	7
2006.....	1.13	0.29	0.76	2.18	7
2005.....	1.15	0.28	0.74	2.16	7
2004.....	1.16	0.27	0.72	2.15	7
2003.....	1.17	0.28	0.72	2.17	7
2002.....	1.19	0.25	0.69	2.13	7
2001.....	1.18	0.23	0.68	2.09	7
2000.....	1.20	0.24	0.68	2.13	7
1999.....	1.20	0.24	0.67	2.11	7
1998.....	1.20	0.22	0.68	2.10	7
1997.....	1.19	0.22	0.66	2.07	7
1996.....	1.22	0.22	0.66	2.09	7
1995.....	1.20	0.19	0.67	2.06	7
1994.....	1.23	0.20	0.67	2.10	7
1993.....	1.26	0.20	0.72	2.18	7
1992.....	1.26	0.22	0.74	2.21	7
1991.....	1.30	0.22	0.74	2.26	6
1990.....	1.33	0.28	0.80	2.42	6
1989.....	1.29	0.30	0.80	2.39	6
1988.....	1.32	0.32	0.84	2.48	6
1987.....	1.32	0.33	0.85	2.51	6

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1986.....	1.33	0.33	0.90	2.57	5
1985.....	1.31	0.32	0.96	2.59	6
1984.....	1.33	0.31	0.98	2.61	6
1983.....	1.36	0.28	0.98	2.62	6
1982.....	1.35	0.39	0.99	2.73	6
1981.....	1.34	0.29	1.00	2.63	6
1980.....	1.34	0.28	1.02	2.65	6
1979.....	1.36	0.25	1.03	2.65	6
1978.....	1.43	0.25	1.05	2.74	5
1977.....	1.45	0.24	1.02	2.71	5
Minnesota					
2020.....	1.11	0.44	1.30	2.85	3
2019.....	1.12	0.43	1.23	2.79	3
2018.....	1.14	0.44	1.21	2.79	3
2017.....	1.15	0.44	1.19	2.77	3
2016.....	1.15	0.44	1.17	2.77	3
2015.....	1.16	0.43	1.14	2.73	3
2014.....	1.14	0.44	1.23	2.81	2
2013.....	1.14	0.43	1.16	2.72	3
2012.....	1.18	0.42	1.11	2.71	3
2011.....	1.13	0.34	1.00	2.47	4
2010.....	1.14	0.33	0.97	2.44	4
2009.....	1.19	0.37	1.04	2.59	3
2008.....	1.21	0.36	1.03	2.60	3
2007.....	1.23	0.36	1.01	2.60	3
2006.....	1.15	0.32	0.93	2.40	5
2005.....	1.18	0.33	0.97	2.48	4
2004.....	1.24	0.31	0.94	2.50	3
2003.....	1.22	0.29	0.91	2.43	3
2002.....	1.26	0.28	0.88	2.41	3
2001.....	1.25	0.26	0.88	2.39	4
2000.....	1.24	0.26	0.87	2.37	4
1999.....	1.23	0.27	0.86	2.36	4
1998.....	1.16	0.27	0.84	2.27	4
1997.....	1.20	0.27	0.85	2.31	4
1996.....	1.23	0.26	0.83	2.32	4
1995.....	1.29	0.26	0.83	2.38	3
1994.....	1.27	0.25	0.83	2.35	4
1993.....	1.24	0.24	0.84	2.33	5
1992.....	1.25	0.25	0.85	2.35	5
1991.....	1.30	0.24	0.81	2.35	5
1990.....	1.32	0.27	0.96	2.55	4
1989.....	1.29	0.27	0.89	2.46	6
1988.....	1.31	0.30	0.90	2.51	5
1987.....	1.32	0.32	0.94	2.58	5
1986.....	1.31	0.34	0.93	2.57	5
1985.....	1.31	0.31	1.06	2.68	5
1984.....	1.34	0.28	1.07	2.69	5
1983.....	1.38	0.27	1.10	2.74	6
1982.....	1.37	0.27	1.11	2.75	6
1981.....	1.39	0.27	1.18	2.84	5
1980.....	1.39	0.26	1.20	2.85	5
1979.....	1.36	0.24	1.17	2.77	5
1978.....	1.32	0.23	1.16	2.71	5

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1977.....	1.31	0.21	1.16	2.67	5
Mississippi					
2020.....	1.19	0.22	0.98	2.39	6
2019.....	1.20	0.18	0.83	2.21	7
2018.....	1.21	0.18	0.79	2.18	7
2017.....	1.25	0.18	0.77	2.20	7
2016.....	1.28	0.17	0.77	2.23	7
2015.....	1.31	0.17	0.77	2.24	7
2014.....	1.32	0.16	0.75	2.23	7
2013.....	1.35	0.16	0.73	2.24	7
2012.....	1.37	0.16	0.71	2.24	7
2011.....	1.36	0.16	0.71	2.22	7
2010.....	1.37	0.15	0.70	2.22	7
2009.....	1.41	0.15	0.70	2.26	7
2008.....	1.44	0.15	0.70	2.28	7
2007.....	1.45	0.14	0.68	2.26	6
2006.....	1.43	0.13	0.67	2.23	7
2005.....	1.40	0.13	0.65	2.18	7
2004.....	1.38	0.13	0.63	2.14	7
2003.....	1.38	0.12	0.63	2.13	7
2002.....	1.41	0.12	0.61	2.13	7
2001.....	1.40	0.11	0.60	2.11	7
2000.....	1.43	0.11	0.61	2.14	7
1999.....	1.42	0.11	0.61	2.14	7
1998.....	1.40	0.09	0.59	2.08	7
1997.....	1.39	0.09	0.61	2.09	7
1996.....	1.42	0.10	0.62	2.14	6
1995.....	1.37	0.10	0.61	2.09	7
1994.....	1.28	0.08	0.63	2.00	7
1993.....	1.37	0.10	0.63	2.11	7
1992.....	1.35	0.09	0.63	2.08	8
1991.....	1.32	0.09	0.64	2.05	8
1990.....	1.34	0.09	0.65	2.08	8
1989.....	1.28	0.09	0.66	2.04	9
1988.....	1.30	0.09	0.67	2.06	9
1987.....	1.28	0.09	0.66	2.04	9
1986.....	1.28	0.10	0.69	2.07	9
1985.....	1.22	0.10	0.74	2.07	9
1984.....	1.20	0.11	0.77	2.08	9
1983.....	1.20	0.11	0.80	2.10	9
1982.....	1.18	0.11	0.81	2.10	9
1981.....	1.19	0.11	0.84	2.13	9
1980.....	1.13	0.10	0.86	2.09	9
1979.....	1.10	0.09	0.81	2.00	9
1978.....	1.11	0.10	0.88	2.09	8
1977.....	1.04	0.10	0.83	1.98	9
Missouri					
2020.....	1.09	0.39	1.20	2.68	4
2019.....	1.09	0.37	1.09	2.56	5
2018.....	1.11	0.38	1.02	2.51	5
2017.....	1.13	0.39	1.01	2.53	5
2016.....	1.15	0.38	0.96	2.49	5
2015.....	1.17	0.39	0.97	2.53	4
2014.....	1.16	0.36	0.88	2.40	5

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2013.....	1.19	0.36	0.89	2.44	5
2012.....	1.22	0.34	0.86	2.42	5
2011.....	1.24	0.34	0.86	2.45	5
2010.....	1.27	0.32	0.81	2.41	5
2009.....	1.30	0.30	0.83	2.43	5
2008.....	1.32	0.30	0.80	2.42	5
2007.....	1.33	0.30	0.78	2.40	5
2006.....	1.33	0.28	0.76	2.37	5
2005.....	1.31	0.27	0.73	2.30	5
2004.....	1.33	0.27	0.72	2.32	5
2003.....	1.34	0.26	0.70	2.29	5
2002.....	1.36	0.25	0.67	2.27	5
2001.....	1.34	0.23	0.67	2.25	5
2000.....	1.35	0.23	0.67	2.25	5
1999.....	1.35	0.23	0.66	2.23	5
1998.....	1.33	0.23	0.63	2.18	6
1997.....	1.30	0.22	0.63	2.15	6
1996.....	1.31	0.22	0.57	2.10	7
1995.....	1.31	0.20	0.62	2.14	6
1994.....	1.36	0.19	0.66	2.21	6
1993.....	1.33	0.20	0.67	2.20	6
1992.....	1.34	0.21	0.69	2.24	6
1991.....	1.35	0.22	0.64	2.20	7
1990.....	1.37	0.22	0.70	2.30	7
1989.....	1.36	0.23	0.70	2.28	7
1988.....	1.35	0.26	0.70	2.31	7
1987.....	1.38	0.28	0.73	2.39	7
1986.....	1.38	0.28	0.73	2.39	7
1985.....	1.34	0.26	0.77	2.37	7
1984.....	1.35	0.26	0.68	2.29	8
1983.....	1.38	0.22	0.78	2.38	8
1982.....	1.39	0.22	0.79	2.39	7
1981.....	1.41	0.22	0.84	2.46	7
1980.....	1.39	0.20	0.84	2.44	7
1979.....	1.36	0.20	0.86	2.42	7
1978.....	1.31	0.19	0.89	2.39	7
1977.....	1.23	0.19	0.83	2.24	8
Montana					
2020.....	1.66	0.54	1.13	3.32	1
2019.....	1.61	0.51	1.02	3.15	2
2018.....	1.60	0.51	0.99	3.11	2
2017.....	1.61	0.51	0.98	3.10	2
2016.....	1.62	0.52	0.98	3.11	2
2015.....	1.63	0.50	0.96	3.09	2
2014.....	1.62	0.50	0.96	3.08	2
2013.....	1.63	0.49	0.95	3.07	2
2012.....	1.65	0.48	0.94	3.07	2
2011.....	1.61	0.47	0.90	2.97	2
2010.....	1.65	0.45	0.88	2.98	2
2009.....	1.64	0.45	0.87	2.96	2
2008.....	1.66	0.44	0.87	2.97	2
2007.....	1.66	0.43	0.85	2.94	2
2006.....	1.63	0.41	0.82	2.87	2
2005.....	1.59	0.42	0.77	2.78	2

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2004.....	1.57	0.34	0.75	2.66	2
2003.....	1.56	0.33	0.72	2.62	2
2002.....	1.62	0.33	0.70	2.65	2
2001.....	1.58	0.30	0.68	2.56	2
2000.....	1.57	0.29	0.68	2.54	2
1999.....	1.56	0.28	0.67	2.51	2
1998.....	1.53	0.27	0.65	2.45	2
1997.....	1.41	0.27	0.64	2.32	4
1996.....	1.55	0.26	0.64	2.45	3
1995.....	1.52	0.25	0.78	2.55	2
1994.....	1.57	0.24	0.70	2.51	2
1993.....	1.49	0.25	0.73	2.47	3
1992.....	1.59	0.26	0.75	2.61	2
1991.....	1.61	0.28	0.76	2.64	3
1990.....	1.61	0.29	0.77	2.67	3
1989.....	1.59	0.29	0.73	2.61	4
1988.....	1.61	0.32	0.77	2.70	4
1987.....	1.59	0.34	0.78	2.70	4
1986.....	1.60	0.34	0.82	2.76	4
1985.....	1.62	0.33	0.89	2.84	4
1984.....	1.71	0.32	0.93	2.97	3
1983.....	1.80	0.32	0.99	3.11	3
1982.....	1.82	0.32	1.02	3.16	3
1981.....	1.90	0.33	1.05	3.27	3
1980.....	1.82	0.35	1.03	3.20	3
1979.....	1.83	0.41	1.05	3.29	2
1978.....	1.82	0.20	1.07	3.09	2
1977.....	1.82	0.20	1.10	3.11	2
Nebraska					
2020.....	1.19	0.22	0.76	2.17	8
2019.....	1.21	0.22	0.75	2.17	8
2018.....	1.22	0.22	0.74	2.17	7
2017.....	1.26	0.22	0.73	2.21	7
2016.....	1.30	0.22	0.73	2.25	7
2015.....	1.34	0.22	0.72	2.28	6
2014.....	1.37	0.21	0.72	2.30	6
2013.....	1.39	0.21	0.71	2.32	6
2012.....	1.41	0.21	0.69	2.31	6
2011.....	1.39	0.21	0.69	2.28	6
2010.....	1.40	0.21	0.67	2.28	6
2009.....	1.42	0.20	0.67	2.29	6
2008.....	1.45	0.20	0.68	2.33	6
2007.....	1.43	0.20	0.67	2.31	6
2006.....	1.42	0.21	0.71	2.35	6
2005.....	1.41	0.20	0.68	2.29	6
2004.....	1.44	0.20	0.65	2.28	6
2003.....	1.43	0.19	0.63	2.24	6
2002.....	1.45	0.17	0.61	2.23	6
2001.....	1.43	0.16	0.60	2.20	6
2000.....	1.44	0.17	0.62	2.23	6
1999.....	1.42	0.17	0.60	2.19	6
1998.....	1.39	0.18	0.58	2.16	6
1997.....	1.35	0.18	0.56	2.09	7
1996.....	1.35	0.18	0.57	2.11	6

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1995.....	1.35	0.19	0.57	2.10	7
1994.....	1.39	0.18	0.57	2.14	7
1993.....	1.37	0.18	0.59	2.14	7
1992.....	1.37	0.18	0.61	2.16	7
1991.....	1.40	0.18	0.61	2.19	7
1990.....	1.41	0.20	0.64	2.25	7
1989.....	1.41	0.20	0.64	2.26	7
1988.....	1.41	0.22	0.66	2.30	7
1987.....	1.43	0.23	0.67	2.33	7
1986.....	1.41	0.23	0.69	2.33	7
1985.....	1.41	0.22	0.76	2.39	7
1984.....	1.46	0.21	0.77	2.43	7
1983.....	1.50	0.21	0.80	2.51	7
1982.....	1.51	0.28	0.58	2.37	7
1981.....	1.57	0.20	0.88	2.65	6
1980.....	1.56	0.19	0.88	2.63	6
1979.....	1.52	0.18	0.89	2.59	7
1978.....	1.48	0.18	0.90	2.56	6
1977.....	1.46	0.17	0.91	2.54	6
Nevada					
2020.....	1.32	0.59	1.52	3.43	1
2019.....	1.33	0.59	1.49	3.41	1
2018.....	1.36	0.61	1.48	3.45	1
2017.....	1.40	0.61	1.48	3.49	1
2016.....	1.42	0.62	1.48	3.52	1
2015.....	1.39	0.66	1.30	3.35	1
2014.....	1.41	0.66	1.31	3.38	1
2013.....	1.41	0.63	1.28	3.32	1
2012.....	1.41	0.62	1.25	3.28	1
2011.....	1.45	0.63	1.27	3.35	1
2010.....	1.49	0.60	1.21	3.30	1
2009.....	1.53	0.56	1.11	3.21	1
2008.....	1.63	0.61	1.29	3.53	1
2007.....	1.66	0.62	1.23	3.52	1
2006.....	1.71	0.65	1.28	3.63	1
2005.....	1.69	0.62	1.21	3.52	1
2004.....	1.73	0.63	1.25	3.61	1
2003.....	1.74	0.61	1.23	3.59	1
2002.....	1.74	0.60	1.22	3.56	1
2001.....	1.79	0.59	1.21	3.59	1
2000.....	1.79	0.62	1.26	3.67	1
1999.....	1.82	0.63	1.29	3.74	1
1998.....	1.80	0.58	1.23	3.62	1
1997.....	1.84	0.58	1.30	3.72	1
1996.....	1.91	0.59	1.39	3.89	1
1995.....	1.87	0.58	1.39	3.84	1
1994.....	1.93	0.57	1.51	4.00	1
1993.....	1.95	0.58	1.54	4.07	1
1992.....	2.02	0.62	1.61	4.25	1
1991.....	2.05	0.63	1.63	4.31	1
1990.....	2.17	0.69	1.92	4.78	1
1989.....	2.12	0.71	1.87	4.70	1
1988.....	2.08	0.76	1.95	4.80	1
1987.....	2.01	0.83	2.05	4.89	1

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1986.....	2.04	0.86	2.07	4.97	1
1985.....	1.96	0.84	2.18	4.99	1
1984.....	1.97	0.80	2.32	5.10	1
1983.....	1.96	0.78	2.43	5.18	1
1982.....	2.00	0.77	2.50	5.27	1
1981.....	2.08	0.80	2.71	5.59	1
1980.....	2.06	0.78	2.90	5.75	1
1979.....	2.07	0.79	2.97	5.83	1
1978.....	2.01	0.77	3.34	6.13	1
1977.....	1.99	0.77	3.56	6.32	1
New Hampshire					
2020.....	1.89	0.84	2.10	4.83	1
2019.....	1.81	0.82	2.12	4.75	1
2018.....	1.79	0.84	2.04	4.68	1
2017.....	1.83	0.87	2.01	4.71	1
2016.....	1.86	0.88	1.99	4.73	1
2015.....	1.87	0.88	1.95	4.69	1
2014.....	1.68	0.89	1.95	4.52	1
2013.....	1.86	0.89	1.92	4.67	1
2012.....	1.90	0.86	1.88	4.64	1
2011.....	1.86	0.92	1.98	4.76	1
2010.....	1.81	0.84	1.85	4.50	1
2009.....	1.79	0.84	1.84	4.47	1
2008.....	1.78	0.81	1.79	4.39	1
2007.....	1.82	0.79	1.75	4.36	1
2006.....	1.73	0.78	1.77	4.28	1
2005.....	1.75	0.75	1.71	4.20	1
2004.....	1.74	0.73	1.67	4.14	1
2003.....	1.75	0.71	1.63	4.09	1
2002.....	1.75	0.70	1.64	4.09	1
2001.....	1.75	0.66	1.62	4.03	1
2000.....	1.78	0.65	1.63	4.06	1
1999.....	1.78	0.65	1.64	4.07	1
1998.....	1.77	0.55	1.67	3.99	1
1997.....	1.78	0.54	1.72	4.04	1
1996.....	1.78	0.53	1.79	4.11	1
1995.....	1.73	0.50	1.79	4.02	1
1994.....	1.75	0.48	1.90	4.13	1
1993.....	1.83	0.54	2.01	4.38	1
1992.....	1.81	0.52	1.96	4.30	1
1991.....	1.85	0.49	1.96	4.30	1
1990.....	1.85	0.49	1.97	4.30	1
1989.....	1.87	0.50	2.00	4.38	1
1988.....	1.91	0.49	1.94	4.34	1
1987.....	1.93	0.50	1.99	4.42	1
1986.....	1.93	0.52	2.06	4.52	1
1985.....	1.99	0.53	2.22	4.74	1
1984.....	1.99	0.59	2.33	4.92	1
1983.....	2.17	0.56	2.36	5.09	1
1982.....	1.90	0.59	2.35	4.84	1
1981.....	1.89	0.59	2.43	4.91	1
1980.....	1.93	0.60	2.49	5.02	1
1979.....	1.94	0.61	2.56	5.10	1
1978.....	1.95	0.53	2.88	5.36	1

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1977.....	1.86	0.49	2.88	5.23	1
New Jersey					
2020.....	0.82	0.61	1.21	2.63	4
2019.....	0.80	0.58	1.01	2.39	5
2018.....	0.80	0.58	0.98	2.36	6
2017.....	0.80	0.60	0.96	2.36	5
2016.....	0.83	0.60	0.93	2.36	5
2015.....	0.84	0.60	0.93	2.37	5
2014.....	0.84	0.62	0.93	2.39	5
2013.....	0.84	0.61	0.92	2.37	5
2012.....	0.89	0.60	0.91	2.40	5
2011.....	0.89	0.58	0.89	2.37	5
2010.....	0.92	0.57	0.86	2.35	5
2009.....	0.91	0.57	0.86	2.34	6
2008.....	0.93	0.55	0.86	2.35	6
2007.....	0.93	0.55	0.86	2.33	6
2006.....	0.95	0.54	0.85	2.33	6
2005.....	0.95	0.52	0.83	2.30	5
2004.....	0.96	0.52	0.82	2.30	6
2003.....	0.95	0.50	0.80	2.24	6
2002.....	0.98	0.49	0.77	2.24	6
2001.....	0.99	0.47	0.75	2.20	6
2000.....	0.97	0.47	0.76	2.20	6
1999.....	0.97	0.47	0.74	2.18	6
1998.....	0.98	0.46	0.71	2.15	6
1997.....	0.99	0.46	0.74	2.19	5
1996.....	1.00	0.44	0.76	2.20	6
1995.....	1.06	0.44	0.79	2.28	4
1994.....	1.04	0.43	0.79	2.27	5
1993.....	1.07	0.42	0.79	2.29	5
1992.....	1.07	0.44	0.83	2.34	5
1991.....	1.09	0.43	0.82	2.34	6
1990.....	1.15	0.48	0.95	2.58	4
1989.....	1.13	0.50	0.95	2.58	4
1988.....	1.15	0.51	0.93	2.58	4
1987.....	1.18	0.54	1.00	2.72	4
1986.....	1.17	0.56	1.03	2.77	3
1985.....	1.17	0.55	1.07	2.79	4
1984.....	1.18	0.54	1.10	2.82	4
1983.....	1.20	0.52	1.13	2.85	4
1982.....	1.21	0.52	1.13	2.87	4
1981.....	1.21	0.51	1.15	2.87	5
1980.....	1.22	0.47	1.13	2.82	5
1979.....	1.18	0.43	1.10	2.71	6
1978.....	1.17	0.41	1.10	2.69	6
1977.....	1.16	0.40	1.13	2.69	5
New Mexico					
2020.....	1.20	0.31	0.79	2.30	7
2019.....	1.17	0.31	0.78	2.26	6
2018.....	1.07	0.31	0.89	2.27	6
2017.....	1.05	0.30	0.81	2.16	7
2016.....	1.10	0.31	0.84	2.26	6
2015.....	1.02	0.30	0.78	2.10	8
2014.....	1.29	0.31	0.82	2.41	4

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2013.....	1.17	0.34	0.84	2.34	5
2012.....	1.24	0.33	0.79	2.36	6
2011.....	1.32	0.31	0.72	2.35	6
2010.....	1.23	0.31	0.74	2.28	6
2009.....	1.34	0.31	0.72	2.38	5
2008.....	1.41	0.31	0.71	2.43	5
2007.....	1.39	0.30	0.70	2.39	5
2006.....	1.37	0.30	0.69	2.36	5
2005.....	1.47	0.29	0.66	2.42	4
2004.....	1.46	0.25	0.66	2.36	5
2003.....	1.52	0.27	0.61	2.40	4
2002.....	1.52	0.26	0.61	2.40	4
2001.....	1.54	0.25	0.61	2.39	4
2000.....	1.53	0.25	0.61	2.38	4
1999.....	1.53	0.25	0.59	2.36	4
1998.....	1.49	0.24	0.58	2.31	4
1997.....	1.51	0.24	0.58	2.33	3
1996.....	1.55	0.24	0.59	2.38	3
1995.....	1.56	0.24	0.60	2.40	3
1994.....	1.46	0.19	0.60	2.25	5
1993.....	1.53	0.23	0.63	2.39	3
1992.....	1.56	0.25	0.66	2.47	4
1991.....	1.64	0.26	0.64	2.54	3
1990.....	1.68	0.28	0.68	2.64	3
1989.....	1.67	0.29	0.66	2.62	4
1988.....	1.66	0.33	0.68	2.67	4
1987.....	1.65	0.36	0.68	2.69	4
1986.....	1.66	0.36	0.71	2.73	4
1985.....	1.71	0.36	0.77	2.84	4
1984.....	1.72	0.28	0.76	2.76	5
1983.....	1.72	0.31	0.98	3.01	4
1982.....	1.72	0.34	0.93	2.99	4
1981.....	1.73	0.32	0.95	3.00	4
1980.....	1.65	0.32	0.99	2.97	4
1979.....	1.64	0.29	0.97	2.91	4
1978.....	1.65	0.31	0.96	2.93	4
1977.....	1.62	0.31	0.95	2.88	4
New York					
2020.....	0.84	0.51	0.88	2.22	8
2019.....	0.88	0.54	0.81	2.22	7
2018.....	0.88	0.52	0.81	2.21	7
2017.....	0.90	0.54	0.79	2.23	7
2016.....	0.91	0.53	0.79	2.23	7
2015.....	0.91	0.50	0.77	2.19	7
2014.....	0.90	0.54	0.77	2.20	7
2013.....	0.93	0.51	0.77	2.22	7
2012.....	0.91	0.51	0.75	2.17	8
2011.....	0.89	0.50	0.73	2.11	8
2010.....	0.89	0.48	0.71	2.09	8
2009.....	0.92	0.47	0.70	2.08	8
2008.....	0.93	0.47	0.68	2.08	8
2007.....	0.93	0.47	0.69	2.10	8
2006.....	0.89	0.46	0.66	2.01	8
2005.....	0.91	0.43	0.65	1.99	9

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2004.....	0.92	0.42	0.62	1.96	9
2003.....	0.93	0.40	0.61	1.94	9
2002.....	0.95	0.38	0.59	1.92	9
2001.....	0.96	0.37	0.56	1.89	9
2000.....	0.92	0.38	0.58	1.88	9
1999.....	0.93	0.37	0.56	1.85	9
1998.....	0.95	0.38	0.51	1.84	9
1997.....	0.86	0.36	0.56	1.79	9
1996.....	0.91	0.36	0.57	1.84	9
1995.....	1.00	0.38	0.57	1.95	8
1994.....	0.98	0.35	0.60	1.93	8
1993.....	1.00	0.35	0.62	1.97	8
1992.....	1.04	0.37	0.68	2.09	8
1991.....	1.09	0.37	0.69	2.14	7
1990.....	1.13	0.41	0.76	2.30	7
1989.....	1.11	0.42	0.81	2.34	7
1988.....	1.14	0.44	0.86	2.45	6
1987.....	1.14	0.47	0.90	2.51	6
1986.....	1.12	0.50	0.91	2.53	6
1985.....	1.14	0.49	0.98	2.61	5
1984.....	1.14	0.49	1.03	2.67	5
1983.....	1.23	0.49	1.05	2.77	5
1982.....	1.26	0.48	1.11	2.85	4
1981.....	1.25	0.46	1.12	2.83	5
1980.....	1.27	0.46	1.17	2.91	5
1979.....	1.21	0.44	1.17	2.83	5
1978.....	1.18	0.42	1.18	2.78	5
1977.....	1.18	0.39	1.18	2.75	5
North Carolina					
2020.....	1.06	0.47	0.78	2.31	7
2019.....	1.04	0.45	0.70	2.20	7
2018.....	1.04	0.45	0.68	2.16	7
2017.....	1.05	0.44	0.65	2.13	8
2016.....	1.05	0.43	0.64	2.12	9
2015.....	1.05	0.42	0.63	2.10	8
2014.....	1.05	0.41	0.61	2.07	8
2013.....	1.04	0.40	0.60	2.04	9
2012.....	1.06	0.38	0.60	2.04	8
2011.....	1.05	0.37	0.58	2.01	9
2010.....	1.07	0.35	0.57	2.00	9
2009.....	1.10	0.34	0.57	2.01	9
2008.....	1.13	0.33	0.57	2.03	9
2007.....	1.15	0.34	0.56	2.04	9
2006.....	1.14	0.33	0.54	2.01	9
2005.....	1.13	0.30	0.54	1.96	9
2004.....	1.16	0.30	0.53	1.99	8
2003.....	1.21	0.27	0.52	2.00	8
2002.....	1.25	0.27	0.50	2.02	8
2001.....	1.24	0.25	0.51	2.00	8
2000.....	1.22	0.25	0.52	1.98	8
1999.....	1.21	0.24	0.51	1.96	8
1998.....	1.21	0.23	0.50	1.94	8
1997.....	1.22	0.23	0.52	1.97	7
1996.....	1.21	0.24	0.53	1.98	7

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1995.....	1.12	0.21	0.53	1.87	9
1994.....	1.14	0.21	0.54	1.89	8
1993.....	1.14	0.22	0.56	1.92	9
1992.....	1.14	0.23	0.59	1.96	8
1991.....	1.11	0.24	0.60	1.96	9
1990.....	1.16	0.27	0.65	2.08	9
1989.....	1.13	0.27	0.66	2.05	8
1988.....	1.11	0.28	0.68	2.08	8
1987.....	1.11	0.28	0.71	2.09	9
1986.....	1.11	0.30	0.74	2.15	8
1985.....	1.10	0.27	0.76	2.13	8
1984.....	1.11	0.24	0.78	2.13	8
1983.....	1.11	0.22	0.80	2.12	9
1982.....	1.07	0.21	0.85	2.13	9
1981.....	1.10	0.21	0.86	2.16	9
1980.....	1.10	0.20	0.85	2.16	9
1979.....	1.04	0.21	0.84	2.09	9
1978.....	1.02	0.19	0.83	2.04	9
1977.....	0.98	0.19	0.81	1.98	9
North Dakota					
2020.....	1.48	0.33	1.44	3.26	2
2019.....	1.48	0.33	1.37	3.18	1
2018.....	1.50	0.34	1.33	3.16	1
2017.....	1.51	0.34	1.30	3.14	1
2016.....	1.51	0.34	1.29	3.13	1
2015.....	1.58	0.35	1.32	3.26	1
2014.....	1.68	0.35	1.39	3.42	1
2013.....	1.69	0.32	1.38	3.39	1
2012.....	1.75	0.30	1.37	3.42	1
2011.....	1.66	0.26	1.26	3.18	1
2010.....	1.49	0.25	1.19	2.93	2
2009.....	1.59	0.24	1.13	2.96	2
2008.....	1.60	0.23	1.11	2.94	2
2007.....	1.53	0.23	1.06	2.82	2
2006.....	1.50	0.20	1.00	2.70	3
2005.....	1.48	0.18	0.94	2.60	3
2004.....	1.49	0.18	0.82	2.49	3
2003.....	1.53	0.17	0.86	2.56	2
2002.....	1.51	0.16	0.83	2.50	3
2001.....	1.46	0.15	0.81	2.42	3
2000.....	1.47	0.15	0.79	2.40	4
1999.....	1.48	0.15	0.78	2.41	3
1998.....	1.45	0.13	0.76	2.35	4
1997.....	1.40	0.13	0.77	2.30	4
1996.....	1.40	0.13	0.77	2.30	4
1995.....	1.36	0.16	0.77	2.28	4
1994.....	1.39	0.15	0.78	2.32	4
1993.....	1.37	0.15	0.84	2.36	4
1992.....	1.38	0.15	0.85	2.39	5
1991.....	1.43	0.16	0.86	2.44	4
1990.....	1.47	0.17	0.93	2.56	4
1989.....	1.41	0.17	0.86	2.44	6
1988.....	1.41	0.19	0.88	2.48	6
1987.....	1.37	0.21	0.89	2.47	6

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1986.....	1.34	0.22	0.87	2.44	7
1985.....	1.34	0.19	0.96	2.50	7
1984.....	1.41	0.17	0.99	2.56	6
1983.....	1.49	0.17	1.05	2.71	6
1982.....	1.52	0.18	1.09	2.79	5
1981.....	1.53	0.18	1.14	2.85	5
1980.....	1.52	0.17	1.13	2.82	5
1979.....	1.46	0.16	1.10	2.72	5
1978.....	1.45	0.16	1.15	2.76	5
1977.....	1.35	0.15	1.12	2.62	6
Ohio					
2020.....	1.11	0.31	0.71	2.12	9
2019.....	1.10	0.31	0.64	2.05	8
2018.....	1.10	0.31	0.62	2.03	9
2017.....	1.13	0.31	0.60	2.03	9
2016.....	1.16	0.31	0.58	2.04	9
2015.....	1.17	0.30	0.56	2.03	9
2014.....	1.19	0.29	0.54	2.03	9
2013.....	1.22	0.30	0.53	2.04	8
2012.....	1.23	0.29	0.51	2.03	9
2011.....	1.24	0.28	0.49	2.02	9
2010.....	1.29	0.25	0.48	2.02	8
2009.....	1.30	0.27	0.47	2.03	8
2008.....	1.33	0.26	0.46	2.05	9
2007.....	1.34	0.25	0.45	2.04	9
2006.....	1.33	0.24	0.44	2.01	8
2005.....	1.34	0.23	0.43	2.00	8
2004.....	1.34	0.22	0.42	1.97	9
2003.....	1.34	0.22	0.40	1.95	9
2002.....	1.35	0.21	0.39	1.95	8
2001.....	1.34	0.21	0.39	1.93	9
2000.....	1.32	0.21	0.38	1.91	9
1999.....	1.32	0.20	0.37	1.90	9
1998.....	1.30	0.19	0.44	1.94	8
1997.....	1.28	0.19	0.43	1.90	8
1996.....	1.36	0.18	0.43	1.97	8
1995.....	1.29	0.17	0.43	1.89	8
1994.....	1.31	0.16	0.37	1.85	9
1993.....	1.29	0.16	0.50	1.95	8
1992.....	1.32	0.17	0.50	1.98	8
1991.....	1.33	0.18	0.51	2.03	8
1990.....	1.34	0.22	0.53	2.09	8
1989.....	1.36	0.22	0.51	2.09	8
1988.....	1.35	0.24	0.55	2.13	8
1987.....	1.35	0.24	0.59	2.18	8
1986.....	1.32	0.25	0.60	2.18	8
1985.....	1.37	0.25	0.59	2.21	8
1984.....	1.41	0.25	0.61	2.27	8
1983.....	1.36	0.22	0.65	2.23	8
1982.....	1.40	0.22	0.66	2.28	8
1981.....	1.35	0.22	0.68	2.25	8
1980.....	1.39	0.21	0.72	2.33	8
1979.....	1.35	0.19	0.70	2.25	8
1978.....	1.19	0.20	0.70	2.08	9

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1977.....	1.16	0.18	0.70	2.03	8
Oklahoma					
2020.....	0.98	0.19	0.68	1.85	10
2019.....	0.99	0.19	0.67	1.85	10
2018.....	1.00	0.20	0.66	1.86	10
2017.....	1.03	0.20	0.65	1.88	10
2016.....	1.05	0.20	0.64	1.89	10
2015.....	1.07	0.19	0.63	1.89	10
2014.....	1.09	0.19	0.63	1.91	10
2013.....	1.11	0.19	0.62	1.93	9
2012.....	1.14	0.19	0.61	1.94	10
2011.....	1.14	0.19	0.59	1.92	9
2010.....	1.16	0.18	0.58	1.92	9
2009.....	1.17	0.18	0.58	1.93	9
2008.....	1.22	0.18	0.58	1.97	9
2007.....	1.17	0.17	0.57	1.91	9
2006.....	1.13	0.17	0.56	1.87	10
2005.....	1.09	0.16	0.55	1.80	10
2004.....	1.11	0.13	0.46	1.70	10
2003.....	1.06	0.13	0.74	1.93	9
2002.....	1.12	0.13	0.58	1.82	10
2001.....	1.11	0.12	0.43	1.65	10
2000.....	1.12	0.12	0.44	1.69	10
1999.....	1.11	0.12	0.44	1.68	10
1998.....	1.12	0.12	0.43	1.68	10
1997.....	1.10	0.12	0.43	1.65	10
1996.....	1.09	0.12	0.45	1.66	10
1995.....	1.10	0.12	0.44	1.66	10
1994.....	1.15	0.13	0.50	1.78	9
1993.....	1.11	0.11	0.48	1.70	10
1992.....	1.13	0.13	0.55	1.81	9
1991.....	1.09	0.13	0.54	1.76	10
1990.....	1.12	0.14	0.55	1.81	10
1989.....	1.08	0.14	0.54	1.75	10
1988.....	1.07	0.14	0.52	1.73	10
1987.....	1.06	0.15	0.58	1.79	10
1986.....	1.06	0.15	0.62	1.84	10
1985.....	1.05	0.15	0.68	1.88	10
1984.....	1.00	0.16	0.74	1.91	10
1983.....	1.04	0.16	0.77	1.97	9
1982.....	1.15	0.16	0.82	2.14	9
1981.....	1.14	0.16	0.83	2.13	9
1980.....	1.07	0.16	0.71	1.94	9
1979.....	1.03	0.13	0.78	1.94	9
1978.....	1.05	0.14	0.80	2.00	9
1977.....	1.04	0.13	0.77	1.95	9
Oregon					
2020.....	1.13	0.54	1.04	2.71	4
2019.....	1.16	0.57	0.98	2.71	3
2018.....	1.21	0.58	0.95	2.74	3
2017.....	1.24	0.59	0.93	2.76	3
2016.....	1.24	0.60	0.91	2.75	3
2015.....	1.23	0.58	0.90	2.71	3
2014.....	1.23	0.57	0.90	2.70	3

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2013.....	1.20	0.57	0.89	2.66	4
2012.....	1.21	0.57	0.89	2.66	3
2011.....	1.18	0.56	0.85	2.59	3
2010.....	1.19	0.49	0.83	2.51	4
2009.....	1.28	0.49	0.82	2.59	3
2008.....	1.22	0.49	0.83	2.54	4
2007.....	1.35	0.50	0.81	2.65	3
2006.....	1.32	0.49	0.78	2.59	3
2005.....	1.16	0.50	0.75	2.40	5
2004.....	1.23	0.49	0.72	2.44	4
2003.....	1.20	0.47	0.69	2.36	5
2002.....	1.22	0.46	0.66	2.34	4
2001.....	1.22	0.43	0.65	2.30	4
2000.....	1.20	0.44	0.64	2.28	5
1999.....	1.21	0.43	0.63	2.27	4
1998.....	1.20	0.43	0.61	2.25	4
1997.....	1.19	0.44	0.60	2.24	5
1996.....	1.23	0.44	0.61	2.27	5
1995.....	1.21	0.42	0.59	2.23	5
1994.....	1.23	0.37	0.62	2.21	6
1993.....	1.24	0.43	0.64	2.31	5
1992.....	1.29	0.46	0.67	2.41	4
1991.....	1.28	0.44	0.67	2.38	5
1990.....	1.32	0.47	0.73	2.51	5
1989.....	1.28	0.47	0.70	2.46	5
1988.....	1.29	0.52	0.72	2.52	5
1987.....	1.28	0.53	0.73	2.54	5
1986.....	1.28	0.55	0.74	2.57	6
1985.....	1.25	0.55	0.77	2.58	6
1984.....	1.28	0.53	0.82	2.63	6
1983.....	1.32	0.53	0.85	2.70	6
1982.....	1.32	0.52	0.88	2.72	6
1981.....	1.37	0.50	0.92	2.79	6
1980.....	1.36	0.50	0.94	2.81	5
1979.....	1.36	0.47	0.94	2.77	5
1978.....	1.32	0.46	0.96	2.74	5
1977.....	1.30	0.45	0.94	2.70	5
Pennsylvania					
2020.....	1.33	0.32	0.67	2.32	6
2019.....	1.32	0.33	0.74	2.39	5
2018.....	1.31	0.33	0.72	2.36	6
2017.....	1.30	0.33	0.72	2.34	6
2016.....	1.31	0.33	0.72	2.36	5
2015.....	1.31	0.32	0.70	2.33	6
2014.....	1.33	0.32	0.70	2.34	6
2013.....	1.34	0.31	0.68	2.33	6
2012.....	1.36	0.31	0.67	2.34	6
2011.....	1.37	0.30	0.66	2.33	6
2010.....	1.37	0.29	0.64	2.30	6
2009.....	1.37	0.28	0.63	2.27	7
2008.....	1.36	0.26	0.61	2.23	7
2007.....	1.35	0.25	0.58	2.18	7
2006.....	1.32	0.23	0.55	2.10	8
2005.....	1.32	0.23	0.55	2.11	7

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2004.....	1.30	0.23	0.53	2.06	8
2003.....	1.31	0.22	0.51	2.04	8
2002.....	1.35	0.21	0.49	2.06	7
2001.....	1.33	0.20	0.48	2.02	8
2000.....	1.29	0.20	0.47	1.96	8
1999.....	1.27	0.20	0.46	1.92	8
1998.....	1.21	0.18	0.45	1.85	9
1997.....	1.33	0.18	0.45	1.95	8
1996.....	1.26	0.18	0.45	1.88	8
1995.....	1.26	0.17	0.45	1.88	8
1994.....	1.28	0.18	0.47	1.93	8
1993.....	1.31	0.17	0.48	1.96	8
1992.....	1.30	0.18	0.51	1.99	8
1991.....	1.36	0.17	0.52	2.05	8
1990.....	1.42	0.18	0.55	2.15	8
1989.....	1.38	0.18	0.57	2.13	8
1988.....	1.41	0.19	0.54	2.14	8
1987.....	1.40	0.20	0.62	2.22	8
1986.....	1.40	0.21	0.64	2.25	8
1985.....	1.38	0.21	0.65	2.23	8
1984.....	1.38	0.21	0.67	2.26	8
1983.....	1.41	0.22	0.67	2.31	8
1982.....	1.44	0.23	0.70	2.37	8
1981.....	1.42	0.23	0.72	2.38	8
1980.....	1.45	0.22	0.71	2.39	7
1979.....	1.40	0.22	0.72	2.34	8
1978.....	1.35	0.21	0.73	2.30	8
1977.....	1.34	0.20	0.74	2.27	8
Rhode Island					
2020.....	0.82	0.55	1.33	2.71	4
2019.....	0.87	0.55	1.16	2.58	4
2018.....	0.90	0.57	1.15	2.63	4
2017.....	0.93	0.58	1.09	2.60	4
2016.....	0.94	0.58	1.05	2.56	4
2015.....	0.95	0.57	0.99	2.52	5
2014.....	1.01	0.51	0.86	2.38	5
2013.....	1.00	0.57	0.98	2.55	4
2012.....	1.03	0.59	0.97	2.58	4
2011.....	1.04	0.58	0.94	2.55	4
2010.....	1.06	0.56	0.92	2.54	3
2009.....	1.07	0.55	0.85	2.47	4
2008.....	1.09	0.52	0.84	2.46	5
2007.....	1.10	0.53	0.82	2.45	5
2006.....	1.07	0.51	0.83	2.41	5
2005.....	0.98	0.49	0.82	2.29	6
2004.....	1.13	0.50	0.80	2.42	4
2003.....	1.13	0.51	0.80	2.45	3
2002.....	1.17	0.48	0.74	2.40	4
2001.....	1.19	0.46	0.70	2.36	4
2000.....	1.16	0.46	0.70	2.31	4
1999.....	1.14	0.45	0.69	2.29	4
1998.....	1.14	0.47	0.63	2.24	5
1997.....	1.22	0.44	0.64	2.30	4
1996.....	1.16	0.42	0.66	2.24	5

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1995.....	1.18	0.38	0.63	2.19	6
1994.....	1.23	0.38	0.66	2.27	5
1993.....	1.22	0.36	0.69	2.27	6
1992.....	1.24	0.39	0.70	2.33	6
1991.....	1.33	0.37	0.71	2.41	4
1990.....	1.31	0.44	0.79	2.54	5
1989.....	1.35	0.46	0.86	2.67	3
1988.....	1.38	0.49	0.96	2.82	3
1987.....	1.39	0.51	0.93	2.83	3
1986.....	1.40	0.53	0.92	2.85	3
1985.....	1.40	0.51	1.03	2.93	3
1984.....	1.37	0.52	1.03	2.92	3
1983.....	1.48	0.50	1.06	3.04	3
1982.....	1.34	0.55	1.04	2.94	4
1981.....	1.36	0.53	1.04	2.92	4
1980.....	1.46	0.53	1.13	3.13	3
1979.....	1.42	0.49	1.08	2.98	4
1978.....	1.37	0.48	1.13	2.98	4
1977.....	1.35	0.42	1.09	2.86	4
South Carolina					
2020.....	1.06	0.24	0.82	2.12	9
2019.....	1.08	0.25	0.81	2.14	8
2018.....	1.10	0.25	0.81	2.16	8
2017.....	1.14	0.25	0.80	2.19	7
2016.....	1.18	0.25	0.80	2.23	7
2015.....	1.21	0.25	0.80	2.26	7
2014.....	1.23	0.25	0.80	2.28	7
2013.....	1.26	0.25	0.80	2.31	6
2012.....	1.28	0.25	0.79	2.32	6
2011.....	1.29	0.25	0.78	2.31	6
2010.....	1.31	0.24	0.76	2.31	6
2009.....	1.35	0.24	0.76	2.34	6
2008.....	1.39	0.24	0.76	2.40	5
2007.....	1.42	0.24	0.76	2.42	5
2006.....	1.45	0.24	0.76	2.45	4
2005.....	1.43	0.24	0.75	2.42	4
2004.....	1.39	0.24	0.76	2.38	5
2003.....	1.38	0.23	0.74	2.35	5
2002.....	1.40	0.22	0.67	2.30	5
2001.....	1.40	0.22	0.65	2.27	5
2000.....	1.49	0.22	0.72	2.43	3
1999.....	1.48	0.22	0.72	2.41	3
1998.....	1.44	0.21	0.72	2.37	3
1997.....	1.48	0.20	0.71	2.40	3
1996.....	1.38	0.21	0.71	2.30	4
1995.....	1.33	0.19	0.68	2.20	6
1994.....	1.38	0.17	0.74	2.29	4
1993.....	1.36	0.20	0.75	2.30	5
1992.....	1.34	0.20	0.79	2.33	5
1991.....	1.34	0.22	0.84	2.41	5
1990.....	1.44	0.25	0.92	2.61	4
1989.....	1.39	0.24	0.86	2.49	5
1988.....	1.38	0.26	0.90	2.54	5
1987.....	1.35	0.27	0.89	2.52	6

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1986.....	1.31	0.27	0.93	2.52	6
1985.....	1.28	0.25	1.00	2.53	6
1984.....	1.27	0.24	1.01	2.52	7
1983.....	1.27	0.20	1.02	2.49	7
1982.....	1.23	0.20	0.99	2.43	7
1981.....	1.24	0.19	1.04	2.48	7
1980.....	1.22	0.18	1.06	2.45	7
1979.....	1.18	0.16	1.12	2.45	7
1978.....	1.14	0.17	1.15	2.45	7
1977.....	1.12	0.16	1.09	2.37	7
South Dakota					
2020.....	1.34	0.22	0.78	2.34	6
2019.....	1.35	0.23	0.78	2.35	6
2018.....	1.38	0.23	0.78	2.39	5
2017.....	1.53	0.30	1.02	2.85	2
2016.....	1.46	0.31	1.10	2.88	2
2015.....	1.49	0.29	1.03	2.80	2
2014.....	1.50	0.25	0.99	2.75	3
2013.....	1.53	0.28	1.02	2.82	2
2012.....	1.54	0.26	0.96	2.76	2
2011.....	1.52	0.28	0.97	2.77	2
2010.....	1.53	0.24	0.92	2.69	3
2009.....	1.54	0.22	0.89	2.65	3
2008.....	1.57	0.22	0.87	2.66	3
2007.....	1.52	0.22	0.87	2.61	3
2006.....	1.51	0.19	0.79	2.50	4
2005.....	1.50	0.19	0.83	2.52	3
2004.....	1.51	0.18	0.76	2.45	4
2003.....	1.52	0.16	0.74	2.41	4
2002.....	1.51	0.15	0.67	2.34	4
2001.....	1.49	0.15	0.71	2.35	4
2000.....	1.46	0.15	0.69	2.30	5
1999.....	1.43	0.14	0.70	2.27	5
1998.....	1.41	0.13	0.68	2.23	5
1997.....	1.33	0.13	0.69	2.15	6
1996.....	1.33	0.13	0.68	2.15	6
1995.....	1.35	0.12	0.73	2.21	5
1994.....	1.38	0.12	0.73	2.24	5
1993.....	1.35	0.12	0.73	2.20	6
1992.....	1.37	0.15	0.74	2.26	6
1991.....	1.37	0.15	0.76	2.27	6
1990.....	1.36	0.18	0.80	2.34	6
1989.....	1.30	0.15	0.72	2.17	7
1988.....	1.25	0.16	0.79	2.21	8
1987.....	1.27	0.20	0.81	2.28	8
1986.....	1.26	0.20	0.83	2.29	8
1985.....	1.23	0.18	0.95	2.35	8
1984.....	1.28	0.17	0.90	2.35	7
1983.....	1.31	0.17	0.96	2.44	7
1982.....	1.29	0.18	0.97	2.44	7
1981.....	1.31	0.19	1.04	2.54	7
1980.....	1.30	0.18	1.07	2.56	7
1979.....	1.23	0.17	1.04	2.44	7
1978.....	1.20	0.17	1.05	2.42	7

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1977.....	1.16	0.17	1.07	2.39	7
Tennessee					
2020.....	0.97	0.35	0.98	2.30	7
2019.....	0.98	0.33	0.88	2.19	8
2018.....	0.98	0.32	0.84	2.14	8
2017.....	0.99	0.32	0.81	2.11	8
2016.....	1.02	0.33	0.79	2.14	8
2015.....	1.03	0.27	0.76	2.06	9
2014.....	1.04	0.25	0.73	2.02	9
2013.....	1.05	0.25	0.70	2.00	9
2012.....	1.07	0.25	0.68	2.00	9
2011.....	1.13	0.24	0.66	2.04	8
2010.....	1.04	0.22	0.61	1.88	10
2009.....	1.05	0.21	0.57	1.83	10
2008.....	1.10	0.20	0.57	1.87	10
2007.....	1.13	0.20	0.56	1.90	10
2006.....	1.14	0.19	0.56	1.89	9
2005.....	1.19	0.19	0.55	1.92	9
2004.....	1.22	0.18	0.53	1.93	9
2003.....	1.27	0.18	0.52	1.96	8
2002.....	1.17	0.17	0.51	1.86	9
2001.....	1.15	0.16	0.50	1.81	9
2000.....	1.19	0.16	0.51	1.85	9
1999.....	1.19	0.15	0.49	1.83	9
1998.....	1.19	0.15	0.50	1.84	9
1997.....	1.15	0.15	0.50	1.80	9
1996.....	1.14	0.15	0.51	1.80	9
1995.....	1.17	0.15	0.51	1.83	9
1994.....	1.18	0.15	0.53	1.86	9
1993.....	1.20	0.14	0.54	1.87	9
1992.....	1.21	0.14	0.56	1.90	9
1991.....	1.19	0.13	0.54	1.87	9
1990.....	1.22	0.14	0.60	1.96	9
1989.....	1.20	0.14	0.60	1.93	9
1988.....	1.22	0.15	0.61	1.97	9
1987.....	1.19	0.15	0.63	1.97	9
1986.....	1.18	0.16	0.63	1.98	9
1985.....	1.12	0.16	0.68	1.97	9
1984.....	1.11	0.15	0.70	1.97	9
1983.....	1.11	0.14	0.70	1.95	10
1982.....	1.13	0.14	0.70	1.97	10
1981.....	1.14	0.13	0.71	1.98	10
1980.....	1.10	0.12	0.69	1.91	9
1979.....	1.10	0.11	0.70	1.91	10
1978.....	1.12	0.10	0.70	1.93	9
1977.....	1.07	0.10	0.69	1.86	10
Texas					
2020.....	1.25	0.35	0.81	2.41	6
2019.....	1.21	0.33	0.74	2.28	6
2018.....	1.22	0.34	0.71	2.26	6
2017.....	1.27	0.35	0.72	2.34	6
2016.....	1.30	0.34	0.69	2.34	6
2015.....	1.28	0.33	0.67	2.29	6
2014.....	1.25	0.33	0.65	2.23	7

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2013.....	1.30	0.32	0.63	2.25	7
2012.....	1.33	0.32	0.63	2.28	7
2011.....	1.35	0.31	0.61	2.27	6
2010.....	1.35	0.29	0.59	2.23	7
2009.....	1.41	0.28	0.58	2.26	7
2008.....	1.43	0.27	0.58	2.28	7
2007.....	1.41	0.27	0.56	2.24	7
2006.....	1.43	0.26	0.55	2.24	6
2005.....	1.43	0.25	0.53	2.20	6
2004.....	1.45	0.24	0.52	2.21	6
2003.....	1.46	0.23	0.51	2.19	6
2002.....	1.49	0.22	0.50	2.21	6
2001.....	1.51	0.21	0.49	2.21	6
2000.....	1.53	0.22	0.50	2.25	5
1999.....	1.54	0.20	0.49	2.23	5
1998.....	1.52	0.20	0.50	2.21	5
1997.....	1.56	0.19	0.47	2.22	5
1996.....	1.57	0.20	0.49	2.26	5
1995.....	1.58	0.19	0.50	2.27	5
1994.....	1.60	0.20	0.51	2.31	4
1993.....	1.60	0.20	0.53	2.33	4
1992.....	1.65	0.24	0.55	2.45	4
1991.....	1.60	0.25	0.55	2.40	5
1990.....	1.64	0.26	0.58	2.47	6
1989.....	1.62	0.27	0.58	2.46	5
1988.....	1.61	0.28	0.59	2.47	6
1987.....	1.62	0.29	0.61	2.52	6
1986.....	1.67	0.31	0.65	2.63	5
1985.....	1.68	0.30	0.73	2.71	5
1984.....	1.73	0.28	0.79	2.80	4
1983.....	1.72	0.27	0.79	2.78	5
1982.....	1.83	0.18	0.84	2.84	4
1981.....	1.84	0.24	0.85	2.94	4
1980.....	1.75	0.22	0.80	2.77	6
1979.....	1.70	0.14	0.84	2.68	6
1978.....	1.64	0.14	0.82	2.60	6
1977.....	1.59	0.14	0.78	2.51	6
Utah					
2020.....	0.55	0.20	0.62	1.36	10
2019.....	0.56	0.19	0.57	1.33	10
2018.....	0.58	0.20	0.57	1.35	10
2017.....	0.61	0.20	0.56	1.36	10
2016.....	0.63	0.19	0.52	1.34	10
2015.....	0.65	0.20	0.54	1.40	10
2014.....	0.66	0.19	0.52	1.37	10
2013.....	0.67	0.19	0.51	1.37	10
2012.....	0.69	0.19	0.50	1.37	10
2011.....	0.68	0.18	0.49	1.36	10
2010.....	0.70	0.18	0.47	1.35	10
2009.....	0.72	0.17	0.47	1.36	10
2008.....	0.76	0.17	0.47	1.41	10
2007.....	0.77	0.16	0.44	1.38	10
2006.....	0.73	0.16	0.44	1.33	10
2005.....	0.70	0.16	0.41	1.27	10

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2004.....	0.76	0.15	0.39	1.30	10
2003.....	0.76	0.14	0.39	1.30	10
2002.....	0.77	0.14	0.39	1.30	10
2001.....	0.77	0.14	0.39	1.30	10
2000.....	0.75	0.14	0.40	1.29	10
1999.....	0.74	0.13	0.38	1.25	10
1998.....	0.77	0.13	0.37	1.27	10
1997.....	0.75	0.13	0.39	1.27	10
1996.....	0.73	0.13	0.37	1.23	10
1995.....	0.71	0.11	0.37	1.19	10
1994.....	0.76	0.09	0.38	1.24	10
1993.....	0.78	0.11	0.39	1.28	10
1992.....	0.79	0.12	0.42	1.33	10
1991.....	0.80	0.12	0.43	1.34	10
1990.....	0.80	0.12	0.46	1.39	10
1989.....	0.81	0.13	0.47	1.41	10
1988.....	0.82	0.14	0.48	1.45	10
1987.....	0.84	0.15	0.49	1.49	10
1986.....	0.88	0.16	0.52	1.57	10
1985.....	0.89	0.15	0.53	1.57	10
1984.....	0.89	0.14	0.52	1.55	10
1983.....	0.89	0.14	0.51	1.54	10
1982.....	1.01	0.15	0.55	1.70	10
1981.....	1.02	0.15	0.59	1.75	10
1980.....	0.96	0.14	0.60	1.70	10
1979.....	0.94	0.15	0.59	1.68	10
1978.....	0.93	0.14	0.59	1.66	10
1977.....	0.94	0.13	0.57	1.64	10
Vermont					
2020.....	1.63	0.76	0.83	3.22	2
2019.....	1.58	0.75	0.77	3.11	2
2018.....	1.56	0.78	0.76	3.10	2
2017.....	1.57	0.80	0.74	3.11	2
2016.....	1.56	0.79	0.73	3.08	2
2015.....	1.56	0.78	0.73	3.07	2
2014.....	1.56	0.78	0.72	3.06	2
2013.....	1.54	0.74	0.72	3.00	2
2012.....	1.51	0.70	0.71	2.92	2
2011.....	1.46	0.68	0.71	2.85	2
2010.....	1.44	0.64	0.71	2.80	2
2009.....	1.43	0.64	0.70	2.77	2
2008.....	1.45	0.63	0.71	2.79	2
2007.....	1.46	0.62	0.70	2.78	2
2006.....	1.45	0.60	0.69	2.73	2
2005.....	1.44	0.57	0.68	2.69	2
2004.....	1.34	0.55	0.66	2.56	3
2003.....	1.34	0.52	0.65	2.51	3
2002.....	1.34	0.51	0.63	2.48	3
2001.....	1.34	0.48	0.63	2.45	3
2000.....	1.32	0.49	0.63	2.43	3
1999.....	1.32	0.48	0.62	2.42	3
1998.....	1.31	0.46	0.62	2.39	3
1997.....	1.30	0.45	0.63	2.38	3
1996.....	1.35	0.43	0.64	2.42	3

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1995.....	1.28	0.41	0.66	2.35	3
1994.....	1.34	0.42	0.74	2.50	3
1993.....	1.34	0.44	0.74	2.52	2
1992.....	1.35	0.44	0.78	2.57	3
1991.....	1.41	0.46	0.82	2.69	2
1990.....	1.47	0.48	0.85	2.80	2
1989.....	1.49	0.53	0.89	2.91	2
1988.....	1.54	0.57	0.95	3.05	2
1987.....	1.58	0.59	1.00	3.18	1
1986.....	1.57	0.60	1.06	3.22	1
1985.....	1.51	0.56	1.10	3.17	2
1984.....	1.49	0.49	1.16	3.15	2
1983.....	1.53	0.50	1.20	3.23	2
1982.....	1.48	0.50	1.24	3.22	2
1981.....	1.49	0.50	1.34	3.32	2
1980.....	1.43	0.48	1.38	3.29	2
1979.....	1.53	0.46	1.47	3.46	1
1978.....	1.50	0.46	1.56	3.52	1
1977.....	1.40	0.44	1.55	3.38	1
Virginia					
2020.....	0.96	0.53	0.78	2.27	7
2019.....	0.95	0.49	0.72	2.16	8
2018.....	0.95	0.49	0.70	2.14	8
2017.....	0.96	0.49	0.67	2.12	8
2016.....	1.00	0.49	0.66	2.14	8
2015.....	1.00	0.48	0.65	2.13	8
2014.....	1.01	0.47	0.63	2.11	8
2013.....	1.02	0.46	0.62	2.10	8
2012.....	1.04	0.46	0.62	2.13	8
2011.....	1.05	0.46	0.61	2.12	8
2010.....	1.08	0.44	0.60	2.12	8
2009.....	1.10	0.42	0.58	2.11	8
2008.....	1.12	0.42	0.58	2.12	8
2007.....	1.13	0.41	0.57	2.10	8
2006.....	1.13	0.39	0.56	2.08	8
2005.....	1.13	0.38	0.54	2.05	8
2004.....	1.14	0.37	0.53	2.04	8
2003.....	1.14	0.36	0.52	2.02	8
2002.....	1.15	0.34	0.51	2.00	8
2001.....	1.15	0.32	0.50	1.97	8
2000.....	1.16	0.31	0.49	1.97	8
1999.....	1.18	0.32	0.48	1.97	8
1998.....	1.17	0.30	0.47	1.95	8
1997.....	1.11	0.29	0.48	1.88	8
1996.....	1.12	0.30	0.49	1.91	8
1995.....	1.15	0.29	0.50	1.94	8
1994.....	1.20	0.27	0.51	1.99	8
1993.....	1.24	0.27	0.54	2.05	8
1992.....	1.25	0.28	0.57	2.10	7
1991.....	1.20	0.28	0.58	2.06	8
1990.....	1.25	0.30	0.62	2.18	8
1989.....	1.23	0.31	0.65	2.18	7
1988.....	1.31	0.25	0.67	2.24	7
1987.....	1.39	0.25	0.70	2.35	7

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1986.....	1.52	0.27	0.73	2.52	6
1985.....	1.45	0.30	0.79	2.54	6
1984.....	1.46	0.29	0.80	2.55	6
1983.....	1.47	0.27	0.82	2.56	6
1982.....	1.46	0.27	0.86	2.59	6
1981.....	1.23	0.27	0.89	2.39	7
1980.....	1.23	0.25	0.90	2.38	8
1979.....	1.21	0.25	0.90	2.36	8
1978.....	1.20	0.21	0.89	2.30	8
1977.....	1.17	0.21	0.89	2.27	7
Washington					
2020.....	0.88	0.51	0.87	2.26	7
2019.....	0.89	0.51	0.82	2.22	7
2018.....	0.91	0.51	0.81	2.23	7
2017.....	0.93	0.52	0.79	2.24	6
2016.....	0.96	0.52	0.77	2.25	7
2015.....	0.97	0.53	0.77	2.26	6
2014.....	0.97	0.52	0.76	2.25	7
2013.....	0.95	0.53	0.76	2.24	7
2012.....	0.96	0.53	0.76	2.25	7
2011.....	0.97	0.53	0.75	2.25	7
2010.....	1.01	0.52	0.73	2.25	6
2009.....	1.10	0.51	0.74	2.34	5
2008.....	1.11	0.50	0.75	2.37	5
2007.....	1.14	0.50	0.74	2.38	6
2006.....	1.08	0.48	0.72	2.28	6
2005.....	1.11	0.55	0.68	2.34	5
2004.....	1.11	0.53	0.66	2.30	5
2003.....	1.07	0.47	0.68	2.21	6
2002.....	1.09	0.43	0.66	2.17	6
2001.....	1.09	0.40	0.65	2.15	6
2000.....	1.11	0.41	0.66	2.18	6
1999.....	1.11	0.40	0.63	2.14	7
1998.....	1.12	0.39	0.63	2.14	7
1997.....	1.09	0.42	0.63	2.15	6
1996.....	1.09	0.40	0.63	2.12	6
1995.....	1.17	0.40	0.63	2.20	6
1994.....	1.18	0.39	0.65	2.23	6
1993.....	1.19	0.39	0.69	2.27	5
1992.....	1.26	0.46	0.72	2.44	4
1991.....	1.23	0.43	0.73	2.39	5
1990.....	1.27	0.46	0.76	2.49	5
1989.....	1.25	0.47	0.76	2.47	5
1988.....	1.23	0.50	0.77	2.51	6
1987.....	1.24	0.56	0.79	2.59	5
1986.....	1.23	0.61	0.82	2.66	5
1985.....	1.21	0.59	0.87	2.67	5
1984.....	1.23	0.57	0.91	2.70	5
1983.....	1.29	0.54	0.94	2.76	5
1982.....	1.32	0.52	0.98	2.83	5
1981.....	1.38	0.54	1.04	2.96	4
1980.....	1.51	0.51	1.08	3.10	4
1979.....	1.39	0.47	1.08	2.94	4
1978.....	1.36	0.47	1.07	2.91	4

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1977.....	1.34	0.45	1.06	2.85	4
West Virginia					
2020.....	1.14	0.11	0.57	1.82	10
2019.....	1.15	0.11	0.50	1.75	10
2018.....	1.15	0.11	0.47	1.74	10
2017.....	1.17	0.11	0.46	1.74	10
2016.....	1.19	0.11	0.46	1.76	10
2015.....	1.20	0.11	0.47	1.78	10
2014.....	1.21	0.10	0.47	1.78	10
2013.....	1.24	0.10	0.46	1.80	10
2012.....	1.24	0.10	0.47	1.80	10
2011.....	1.22	0.10	0.46	1.78	10
2010.....	1.23	0.10	0.44	1.78	10
2009.....	1.23	0.10	0.44	1.77	10
2008.....	1.25	0.10	0.43	1.79	10
2007.....	1.23	0.10	0.42	1.75	10
2006.....	1.21	0.10	0.41	1.72	10
2005.....	1.23	0.10	0.40	1.73	10
2004.....	1.25	0.10	0.39	1.75	10
2003.....	1.23	0.10	0.38	1.72	10
2002.....	1.26	0.10	0.38	1.74	10
2001.....	1.25	0.10	0.37	1.72	10
2000.....	1.24	0.10	0.36	1.70	10
1999.....	1.22	0.10	0.37	1.69	10
1998.....	1.18	0.09	0.36	1.64	10
1997.....	1.12	0.09	0.37	1.58	10
1996.....	1.12	0.09	0.37	1.58	10
1995.....	1.12	0.08	0.38	1.58	10
1994.....	1.17	0.08	0.39	1.64	10
1993.....	1.18	0.08	0.40	1.67	10
1992.....	1.16	0.09	0.41	1.66	10
1991.....	1.18	0.09	0.43	1.70	10
1990.....	1.20	0.10	0.42	1.72	10
1989.....	1.15	0.11	0.39	1.65	10
1988.....	1.15	0.12	0.41	1.68	10
1987.....	1.13	0.13	0.41	1.68	10
1986.....	1.12	0.13	0.42	1.67	10
1985.....	1.13	0.13	0.42	1.69	10
1984.....	1.13	0.12	0.45	1.70	10
1983.....	1.14	0.13	0.49	1.76	10
1982.....	1.11	0.14	0.55	1.80	10
1981.....	1.05	0.14	0.65	1.85	10
1980.....	1.00	0.09	0.72	1.81	10
1979.....	0.94	0.09	0.75	1.77	10
1978.....	0.93	0.09	0.76	1.78	10
1977.....	0.95	0.09	0.76	1.80	10
Wisconsin					
2020.....	1.27	0.42	1.42	3.11	2
2019.....	1.27	0.39	1.29	2.95	2
2018.....	1.29	0.39	1.25	2.94	2
2017.....	1.33	0.40	1.26	2.99	2
2016.....	1.36	0.40	1.22	2.99	2
2015.....	1.39	0.39	1.20	2.98	2
2014.....	1.42	0.38	1.18	2.98	2

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2013.....	1.45	0.38	1.17	3.00	2
2012.....	1.46	0.37	1.19	3.02	2
2011.....	1.46	0.37	1.16	2.99	2
2010.....	1.49	0.32	1.13	2.94	2
2009.....	1.49	0.31	1.16	2.96	2
2008.....	1.55	0.34	1.13	3.01	1
2007.....	1.56	0.33	1.11	3.00	1
2006.....	1.58	0.32	1.09	2.99	1
2005.....	1.58	0.31	1.07	2.95	1
2004.....	1.53	0.30	1.02	2.85	1
2003.....	1.53	0.29	1.00	2.82	2
2002.....	1.56	0.28	0.98	2.82	2
2001.....	1.54	0.26	0.95	2.75	2
2000.....	1.53	0.27	0.95	2.76	1
1999.....	1.53	0.26	0.92	2.72	2
1998.....	1.58	0.26	0.90	2.74	1
1997.....	1.57	0.25	0.89	2.71	1
1996.....	1.53	0.24	0.88	2.65	1
1995.....	1.64	0.23	0.87	2.73	1
1994.....	1.58	0.22	0.91	2.72	2
1993.....	1.59	0.22	0.89	2.71	1
1992.....	1.59	0.25	0.90	2.74	2
1991.....	1.65	0.27	0.84	2.76	1
1990.....	1.74	0.31	1.03	3.07	1
1989.....	1.72	0.31	0.96	2.99	1
1988.....	1.76	0.33	0.95	3.05	2
1987.....	1.80	0.36	0.98	3.14	2
1986.....	1.88	0.34	0.96	3.18	2
1985.....	1.83	0.32	1.06	3.20	1
1984.....	1.87	0.31	1.03	3.21	1
1983.....	1.94	0.34	1.07	3.35	2
1982.....	1.95	0.30	1.05	3.30	2
1981.....	1.96	0.32	1.21	3.48	1
1980.....	1.95	0.31	1.19	3.45	1
1979.....	1.92	0.28	1.19	3.39	2
1978.....	1.83	0.28	1.20	3.31	2
1977.....	1.81	0.27	1.28	3.37	1
Wyoming					
2020.....	1.20	0.33	1.41	2.94	3
2019.....	1.23	0.31	1.29	2.82	3
2018.....	1.21	0.32	1.24	2.77	3
2017.....	1.17	0.32	1.19	2.68	3
2016.....	1.18	0.32	1.17	2.67	4
2015.....	1.25	0.31	1.18	2.74	3
2014.....	1.26	0.31	1.16	2.72	3
2013.....	1.24	0.29	1.13	2.67	3
2012.....	1.32	0.28	1.13	2.73	3
2011.....	1.29	0.27	1.10	2.66	3
2010.....	1.33	0.27	1.06	2.66	3
2009.....	1.40	0.27	1.06	2.73	2
2008.....	1.50	0.27	1.09	2.87	2
2007.....	1.46	0.27	1.07	2.80	2
2006.....	1.44	0.26	1.03	2.72	2
2005.....	1.20	0.25	0.96	2.41	5

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
2004.....	1.42	0.24	0.92	2.58	2
2003.....	1.70	0.23	0.90	2.84	1
2002.....	1.46	0.23	0.88	2.57	2
2001.....	1.44	0.22	0.88	2.53	2
2000.....	1.42	0.22	0.86	2.50	3
1999.....	1.41	0.22	0.84	2.47	2
1998.....	1.37	0.17	0.81	2.36	3
1997.....	1.42	0.17	0.81	2.40	3
1996.....	1.35	0.17	0.81	2.33	4
1995.....	1.34	0.16	0.80	2.29	4
1994.....	1.42	0.18	0.83	2.43	3
1993.....	1.40	0.19	0.86	2.45	3
1992.....	1.44	0.20	0.91	2.56	3
1991.....	1.45	0.20	0.90	2.56	3
1990.....	1.48	0.22	0.93	2.63	3
1989.....	1.41	0.23	0.86	2.50	5
1988.....	1.45	0.24	0.87	2.56	5
1987.....	1.51	0.25	0.90	2.66	5
1986.....	1.51	0.27	0.96	2.73	4
1985.....	1.59	0.25	1.05	2.89	3
1984.....	1.61	0.23	1.06	2.89	4
1983.....	1.68	0.22	1.11	3.01	4
1982.....	1.78	0.24	1.20	3.22	3
1981.....	1.91	0.24	1.27	3.43	2
1980.....	1.85	0.24	1.32	3.41	2
1979.....	1.86	0.22	1.30	3.39	2
1978.....	1.81	0.22	1.35	3.38	2
1977.....	1.78	0.20	1.31	3.29	2
Northeast region					
2020.....	0.99	0.51	0.98	2.48	
2019.....	1.01	0.52	0.92	2.44	
2018.....	1.01	0.51	0.90	2.42	
2017.....	1.02	0.53	0.88	2.42	
2016.....	1.03	0.52	0.87	2.42	
2015.....	1.04	0.51	0.85	2.40	
2014.....	1.03	0.53	0.84	2.40	
2013.....	1.06	0.52	0.83	2.40	
2012.....	1.06	0.51	0.82	2.39	
2011.....	1.05	0.50	0.80	2.36	
2010.....	1.06	0.49	0.78	2.33	
2009.....	1.07	0.48	0.77	2.31	
2008.....	1.09	0.47	0.76	2.31	
2007.....	1.09	0.47	0.75	2.31	
2006.....	1.07	0.45	0.73	2.25	
2005.....	1.07	0.44	0.72	2.22	
2004.....	1.07	0.43	0.70	2.20	
2003.....	1.08	0.41	0.68	2.17	
2002.....	1.10	0.40	0.66	2.16	
2001.....	1.10	0.38	0.64	2.13	
2000.....	1.08	0.38	0.66	2.12	
1999.....	1.07	0.38	0.63	2.08	
1998.....	1.07	0.37	0.61	2.05	

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1997.....	1.07	0.36	0.63	2.06	
1996.....	1.07	0.35	0.64	2.06	
1995.....	1.11	0.35	0.64	2.11	
1994.....	1.11	0.34	0.67	2.12	
1993.....	1.13	0.34	0.68	2.15	
1992.....	1.14	0.35	0.72	2.21	
1991.....	1.19	0.34	0.73	2.26	
1990.....	1.23	0.38	0.80	2.41	
1989.....	1.22	0.39	0.84	2.44	
1988.....	1.25	0.40	0.86	2.51	
1987.....	1.25	0.43	0.91	2.59	
1986.....	1.24	0.44	0.93	2.62	
1985.....	1.25	0.43	0.98	2.66	
1984.....	1.25	0.43	1.01	2.70	
1983.....	1.31	0.43	1.03	2.76	
1982.....	1.31	0.43	1.06	2.80	
1981.....	1.31	0.42	1.07	2.80	
1980.....	1.33	0.40	1.09	2.83	
1979.....	1.29	0.38	1.09	2.76	
1978.....	1.26	0.36	1.10	2.73	
1977.....	1.25	0.34	1.10	2.69	
Midwest region					
2020.....	1.09	0.37	1.02	2.49	
2019.....	1.09	0.36	0.94	2.39	
2018.....	1.10	0.36	0.91	2.37	
2017.....	1.12	0.36	0.89	2.38	
2016.....	1.14	0.35	0.87	2.37	
2015.....	1.15	0.35	0.86	2.36	
2014.....	1.16	0.34	0.84	2.35	
2013.....	1.17	0.34	0.83	2.34	
2012.....	1.20	0.33	0.82	2.35	
2011.....	1.20	0.32	0.79	2.31	
2010.....	1.23	0.30	0.77	2.30	
2009.....	1.25	0.30	0.76	2.32	
2008.....	1.27	0.29	0.76	2.33	
2007.....	1.28	0.30	0.74	2.32	
2006.....	1.27	0.28	0.72	2.27	
2005.....	1.27	0.27	0.71	2.25	
2004.....	1.28	0.26	0.68	2.22	
2003.....	1.28	0.26	0.68	2.23	
2002.....	1.30	0.25	0.64	2.19	
2001.....	1.29	0.23	0.65	2.17	
2000.....	1.29	0.24	0.63	2.16	
1999.....	1.29	0.24	0.63	2.15	
1998.....	1.28	0.23	0.63	2.14	
1997.....	1.26	0.23	0.62	2.11	
1996.....	1.28	0.23	0.62	2.12	
1995.....	1.29	0.22	0.62	2.12	
1994.....	1.30	0.22	0.63	2.14	
1993.....	1.30	0.22	0.67	2.18	
1992.....	1.31	0.23	0.68	2.21	
1991.....	1.35	0.23	0.67	2.25	

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1990.....	1.38	0.26	0.74	2.37	
1989.....	1.36	0.26	0.72	2.35	
1988.....	1.38	0.29	0.75	2.41	
1987.....	1.38	0.30	0.77	2.45	
1986.....	1.38	0.30	0.78	2.46	
1985.....	1.37	0.28	0.84	2.49	
1984.....	1.40	0.27	0.84	2.52	
1983.....	1.42	0.25	0.87	2.54	
1982.....	1.42	0.27	0.88	2.57	
1981.....	1.42	0.26	0.93	2.61	
1980.....	1.42	0.24	0.96	2.63	
1979.....	1.40	0.23	0.95	2.58	
1978.....	1.35	0.22	0.95	2.52	
1977.....	1.32	0.21	0.96	2.49	
South region					
2020.....	1.06	0.39	0.90	2.34	
2019.....	1.05	0.37	0.84	2.26	
2018.....	1.06	0.37	0.81	2.24	
2017.....	1.09	0.37	0.80	2.26	
2016.....	1.11	0.37	0.79	2.28	
2015.....	1.12	0.36	0.77	2.25	
2014.....	1.11	0.36	0.75	2.22	
2013.....	1.16	0.35	0.74	2.25	
2012.....	1.18	0.35	0.73	2.26	
2011.....	1.17	0.34	0.71	2.22	
2010.....	1.17	0.32	0.70	2.19	
2009.....	1.21	0.31	0.69	2.21	
2008.....	1.25	0.31	0.68	2.23	
2007.....	1.26	0.31	0.68	2.24	
2006.....	1.27	0.30	0.67	2.23	
2005.....	1.26	0.29	0.65	2.20	
2004.....	1.27	0.29	0.64	2.19	
2003.....	1.27	0.27	0.64	2.18	
2002.....	1.28	0.26	0.62	2.16	
2001.....	1.29	0.25	0.60	2.14	
2000.....	1.30	0.25	0.61	2.17	
1999.....	1.30	0.25	0.60	2.15	
1998.....	1.30	0.24	0.60	2.13	
1997.....	1.30	0.23	0.60	2.13	
1996.....	1.30	0.23	0.61	2.15	
1995.....	1.29	0.22	0.61	2.12	
1994.....	1.31	0.22	0.64	2.16	
1993.....	1.33	0.22	0.66	2.20	
1992.....	1.33	0.23	0.69	2.26	
1991.....	1.31	0.23	0.69	2.23	
1990.....	1.36	0.26	0.74	2.36	
1989.....	1.33	0.26	0.74	2.33	
1988.....	1.34	0.27	0.74	2.35	
1987.....	1.34	0.27	0.77	2.39	
1986.....	1.36	0.28	0.79	2.43	
1985.....	1.34	0.27	0.86	2.47	
1984.....	1.34	0.27	0.90	2.51	

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
1983.....	1.36	0.25	0.91	2.52	
1982.....	1.37	0.23	0.94	2.54	
1981.....	1.36	0.24	0.98	2.58	
1980.....	1.30	0.23	0.97	2.50	
1979.....	1.27	0.20	0.99	2.46	
1978.....	1.25	0.19	1.00	2.44	
1977.....	1.21	0.19	0.98	2.37	
West region					
2020.....	1.06	0.53	0.97	2.56	
2019.....	1.06	0.53	0.92	2.51	
2018.....	1.05	0.54	0.91	2.50	
2017.....	1.02	0.52	0.85	2.39	
2016.....	1.03	0.53	0.85	2.41	
2015.....	1.05	0.50	0.82	2.37	
2014.....	1.06	0.53	0.80	2.40	
2013.....	1.05	0.54	0.81	2.40	
2012.....	1.05	0.55	0.81	2.42	
2011.....	1.04	0.53	0.78	2.35	
2010.....	1.07	0.47	0.76	2.30	
2009.....	1.11	0.50	0.76	2.37	
2008.....	1.15	0.50	0.76	2.41	
2007.....	1.17	0.49	0.76	2.41	
2006.....	1.13	0.50	0.76	2.39	
2005.....	1.14	0.49	0.73	2.35	
2004.....	1.17	0.47	0.71	2.34	
2003.....	1.17	0.45	0.69	2.31	
2002.....	1.18	0.44	0.68	2.30	
2001.....	1.19	0.43	0.68	2.30	
2000.....	1.21	0.43	0.68	2.31	
1999.....	1.20	0.43	0.65	2.28	
1998.....	1.19	0.43	0.64	2.26	
1997.....	1.20	0.44	0.65	2.30	
1996.....	1.22	0.43	0.67	2.32	
1995.....	1.23	0.40	0.66	2.29	
1994.....	1.20	0.41	0.70	2.31	
1993.....	1.26	0.42	0.72	2.39	
1992.....	1.33	0.45	0.76	2.54	
1991.....	1.30	0.44	0.76	2.50	
1990.....	1.37	0.50	0.84	2.71	
1989.....	1.35	0.51	0.84	2.69	
1988.....	1.36	0.56	0.86	2.79	
1987.....	1.38	0.62	0.89	2.89	
1986.....	1.39	0.65	0.92	2.96	
1985.....	1.37	0.65	0.99	3.01	
1984.....	1.40	0.61	1.03	3.04	
1983.....	1.42	0.61	1.07	3.10	
1982.....	1.44	0.59	1.10	3.13	
1981.....	1.49	0.60	1.16	3.24	
1980.....	1.47	0.59	1.19	3.24	
1979.....	1.45	0.56	1.20	3.22	
1978.....	1.39	0.55	1.23	3.18	
1977.....	1.35	0.53	1.20	3.08	

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2020. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for all beverages
	Beer	Wine	Spirits	All beverages	
U.S. total					
2020.....	1.05	0.44	0.96	2.45	
2019.....	1.05	0.43	0.89	2.38	
2018.....	1.06	0.43	0.87	2.36	
2017.....	1.07	0.43	0.85	2.35	
2016.....	1.09	0.43	0.83	2.35	
2015.....	1.09	0.42	0.81	2.33	
2014.....	1.10	0.43	0.80	2.32	
2013.....	1.12	0.42	0.79	2.33	
2012.....	1.13	0.42	0.78	2.34	
2011.....	1.12	0.41	0.76	2.29	
2010.....	1.14	0.38	0.74	2.26	
2009.....	1.17	0.38	0.73	2.29	
2008.....	1.20	0.38	0.73	2.31	
2007.....	1.21	0.38	0.72	2.31	
2006.....	1.20	0.37	0.71	2.28	
2005.....	1.20	0.36	0.70	2.25	
2004.....	1.21	0.35	0.68	2.23	
2003.....	1.21	0.34	0.67	2.22	
2002.....	1.23	0.32	0.64	2.20	
2001.....	1.23	0.31	0.64	2.18	
2000.....	1.23	0.31	0.64	2.19	
1999.....	1.23	0.31	0.63	2.17	
1998.....	1.22	0.30	0.62	2.15	
1997.....	1.22	0.30	0.62	2.15	
1996.....	1.23	0.30	0.63	2.16	
1995.....	1.24	0.29	0.63	2.15	
1994.....	1.25	0.28	0.65	2.18	
1993.....	1.26	0.28	0.68	2.23	
1992.....	1.29	0.30	0.71	2.30	
1991.....	1.29	0.30	0.71	2.30	
1990.....	1.34	0.33	0.77	2.45	
1989.....	1.32	0.34	0.78	2.43	
1988.....	1.33	0.36	0.79	2.49	
1987.....	1.34	0.38	0.83	2.55	
1986.....	1.35	0.39	0.84	2.58	
1985.....	1.33	0.38	0.91	2.62	
1984.....	1.35	0.37	0.94	2.65	
1983.....	1.37	0.36	0.96	2.69	
1982.....	1.38	0.36	0.98	2.72	
1981.....	1.39	0.35	1.02	2.76	
1980.....	1.37	0.34	1.04	2.75	
1979.....	1.34	0.31	1.04	2.70	
1978.....	1.30	0.30	1.05	2.66	
1977.....	1.27	0.29	1.04	2.60	

Decile values (1 = highest) apply only to State-level data. Numbers may not sum because of rounding.